An unhandled exception occurred while processing the request.

SqlException: Invalid object name 'dm4_ContentItemIndex'.

Microsoft.Data.SqlClient.SqlCommand+<>c.<ExecuteDbDataReaderAsync>b__164_0(Task<SqlDataReader> result)

- **Stack**
- Query
- Cookies
- Headers
- Routing

- **SqlException: Invalid object name 'dm4_ContentItemIndex'.**
  - Microsoft.Data.SqlClient.SqlCommand+<>c.<ExecuteDbDataReaderAsync>b__164_0(Task<SqlDataReader> result)
  - System.Threading.Tasks.ContinuationResultTaskFromResultTask<TAntecedentResult, TResult>.InnerInvoke()
  - System.Threading.ExecutionContext.RunInternal(ExecutionContext executionContext, ContextCallback callback, object state)
  - System.Threading.Tasks.Task.ExecuteWithThreadLocal(ref Task currentTaskSlot, Thread threadPoolThread)
  - Dapper.SqlMapper.QueryAsync<T>(IDbConnection cnn, Type effectiveType, CommandDefinition command) in `SqlMapper.Async.cs`
  - YesSql.Store.ProduceAsync<T>(WorkerQueryKey key, Func<object[], Task<T>> work, object[] args)
  - YesSql.Services.DefaultQuery+Query<T>.FirstOrDefaultImpl()
  - OrchardCore.ContentManagement.DefaultContentManager.GetVersionAsync(string contentItemVersionId) in `DefaultContentManager.cs`
    - +

    ```
    227.                    var contentItem = await _session
    ```
  - OrchardCore.Contents.Recipes.ContentStep.ExecuteAsync(RecipeExecutionContext context) in `ContentStep.cs`
    - +

    ```
    39.              var existing = await _contentManager.GetVersionAsync(contentItem.ContentItemVersionId);
    ```
  - OrchardCore.Recipes.Services.RecipeExecutor+<>c__DisplayClass15_0+<<ExecuteStepAsync>b__0>d.MoveNext() in `RecipeExecutor.cs`
    - +

    ```
    176.                    await recipeStepHandler.ExecuteAsync(recipeStep);
    ```
  - OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func<ShellScope, Task> execute) in `ShellScope.cs`
    - +

    ```
    99.              await execute(this);
    ```
  - OrchardCore.Recipes.Services.RecipeExecutor.ExecuteStepAsync(RecipeExecutionContext recipeStep) in `RecipeExecutor.cs`
    - +

    ```
    158.                    await shellScope.UsingAsync(async scope =>
    ```
  - OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(string executionId, RecipeDescriptor recipeDescriptor, object environment, CancellationToken cancellationToken) in `RecipeExecutor.cs`

+

```
102.                                          await ExecuteStepAsync(recipeStep);
```
- OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(string executionId, RecipeDescriptor recipeDescriptor, object environment, CancellationToken cancellationToken)
  in `RecipeExecutor.cs`
+

```
120.                                          capturedException.Throw();
```
- OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(string executionId, RecipeDescriptor recipeDescriptor, object environment, CancellationToken cancellationToken)
  in `RecipeExecutor.cs`
+

```
148.                          throw;
```
- OrchardCore.Setup.Services.SetupService.SetupInternalAsync(SetupContext context) in `SetupService.cs`
+

```
176.                          await recipeExecutor.ExecuteAsync(executionId, context.Recipe, new
```
- OrchardCore.Setup.Services.SetupService.SetupAsync(SetupContext context) in `SetupService.cs`
+

```
71.              var executionId = await SetupInternalAsync(context);
```
- OrchardCore.Setup.Controllers.SetupController.IndexPOST(SetupViewModel model) in `SetupController.cs`
+

```
163.                  var executionId = await _setupService.SetupAsync(setupContext);
```
- lambda_method(Closure , object)
- Microsoft.Extensions.Internal.ObjectMethodExecutorAwaitable+Awaiter.GetResult()
- Microsoft.AspNetCore.Mvc.Infrastructure.ActionMethodExecutor+TaskOfActionResultExecutor.Execute(IActionResultTypeMapper mapper, ObjectMethodExecutor executor, object controller, object[] arguments)
- System.Threading.Tasks.ValueTask<TResult>.get_Result()
- System.Runtime.CompilerServices.ValueTaskAwaiter<TResult>.GetResult()
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeActionMethodAsync>g__Awaited|12_0(ControllerActionInvoker invoker, ValueTask<IActionResult> actionResultValueTask)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeNextActionFilterAsync>g__Awaited|10_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Rethrow(ActionExecutedContextSealed context)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Next(ref State next, ref Scope scope, ref object state, ref bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeInnerFilterAsync>g__Awaited|13_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|24_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed context)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(ref State next, ref Scope scope, ref object state, ref bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeFilterPipelineAsync>g__Awaited|19_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)

- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)
- Microsoft.AspNetCore.Routing.EndpointMiddleware.<Invoke>g__AwaitRequestTask|6_0(Endpoint endpoint, Task requestTask, ILogger logger)
- Microsoft.AspNetCore.Localization.RequestLocalizationMiddleware.Invoke(HttpContext context)
- Microsoft.AspNetCore.Authentication.AuthenticationMiddleware.Invoke(HttpContext context)
- OrchardCore.Modules.ModularTenantRouterMiddleware.Invoke(HttpContext httpContext) in `ModularTenantRouterMiddleware.cs`

  +

  ```
  82.                await shellContext.Pipeline.Invoke(httpContext);
  ```
- OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func<ShellScope, Task> execute) in `ShellScope.cs`

  +

  ```
  99.                await execute(this);
  ```
- OrchardCore.Modules.ModularTenantContainerMiddleware.Invoke(HttpContext httpContext) in `ModularTenantContainerMiddleware.cs`

  +

  ```
  59.                await shellScope.UsingAsync(scope => _next.Invoke(httpContext));
  ```
- Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddleware.Invoke(HttpContext context)

•

Show raw exception details

```
Microsoft.Data.SqlClient.SqlException (0x80131904): Invalid object name 'dm4_ContentItemIndex'.
   at Microsoft.Data.SqlClient.SqlCommand.<>c.<ExecuteDbDataReaderAsync>b__164_0(Task`1 result)
   at System.Threading.Tasks.ContinuationResultTaskFromResultTask`2.InnerInvoke()
   at System.Threading.ExecutionContext.RunInternal(ExecutionContext executionContext, ContextCallback callback, Object state)
--- End of stack trace from previous location where exception was thrown ---
   at System.Threading.Tasks.Task.ExecuteWithThreadLocal(Task& currentTaskSlot, Thread threadPoolThread)
--- End of stack trace from previous location where exception was thrown ---
   at Dapper.SqlMapper.QueryAsync[T](IDbConnection cnn, Type effectiveType, CommandDefinition command) in C:\projects\dapper\Dapper\SqlMapper.Async.cs:line 419
   at YesSql.Store.ProduceAsync[T](WorkerQueryKey key, Func`2 work, Object[] args)
   at YesSql.Services.DefaultQuery.Query`1.FirstOrDefaultImpl()
   at OrchardCore.ContentManagement.DefaultContentManager.GetVersionAsync(String contentItemVersionId) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore.ContentManagement\DefaultContentManager.cs:line 227
   at OrchardCore.Contents.Recipes.ContentStep.ExecuteAsync(RecipeExecutionContext context) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore.Modules\OrchardCore.Contents\Recipes\ContentStep.cs:line 39
   at OrchardCore.Recipes.Services.RecipeExecutor.<>c__DisplayClass15_0.<<ExecuteStepAsync>b__0>d.MoveNext() in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line 176
--- End of stack trace from previous location where exception was thrown ---
   at OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func`2 execute) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore.Abstractions\Shell\Scope\ShellScope.cs:line 99
   at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteStepAsync(RecipeExecutionContext recipeStep) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line 158
   at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(String executionId, RecipeDescriptor recipeDescriptor, Object environment, CancellationToken
cancellationToken) in C:\projects\orchardcore-master\OrchardCore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line 102
   at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(String executionId, RecipeDescriptor recipeDescriptor, Object environment, CancellationToken
cancellationToken) in C:\projects\orchardcore-master\OrchardCore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line 120
   at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(String executionId, RecipeDescriptor recipeDescriptor, Object environment, CancellationToken
cancellationToken) in C:\projects\orchardcore-master\OrchardCore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line 148
   at OrchardCore.Setup.Services.SetupService.SetupInternalAsync(SetupContext context) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore.Setup.Core\SetupService.cs:line 176
```

```
   at OrchardCore.Setup.Services.SetupService.SetupAsync(SetupContext context) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore.Setup.Core\SetupService.cs:line 71
   at OrchardCore.Setup.Controllers.SetupController.IndexPOST(SetupViewModel model) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore.Modules\OrchardCore.Setup\Controllers\SetupController.cs:line 163
   at lambda_method(Closure , Object )
   at Microsoft.Extensions.Internal.ObjectMethodExecutorAwaitable.Awaiter.GetResult()
   at Microsoft.AspNetCore.Mvc.Infrastructure.ActionMethodExecutor.TaskOfActionResultExecutor.Execute(IActionResultTypeMapper mapper, ObjectMethodExecutor
executor, Object controller, Object[] arguments)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeActionMethodAsync>g__Awaited|12_0(ControllerActionInvoker invoker, ValueTask`1
actionResultValueTask)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeNextActionFilterAsync>g__Awaited|10_0(ControllerActionInvoker invoker, Task
lastTask, State next, Scope scope, Object state, Boolean isCompleted)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Rethrow(ActionExecutedContextSealed context)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeInnerFilterAsync>g__Awaited|13_0(ControllerActionInvoker invoker, Task lastTask,
State next, Scope scope, Object state, Boolean isCompleted)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|24_0(ResourceInvoker invoker, Task lastTask, State next,
Scope scope, Object state, Boolean isCompleted)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed context)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeFilterPipelineAsync>g__Awaited|19_0(ResourceInvoker invoker, Task lastTask, State next,
Scope scope, Object state, Boolean isCompleted)
   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)
   at Microsoft.AspNetCore.Routing.EndpointMiddleware.<Invoke>g__AwaitRequestTask|6_0(Endpoint endpoint, Task requestTask, ILogger logger)
   at Microsoft.AspNetCore.Localization.RequestLocalizationMiddleware.Invoke(HttpContext context)
   at Microsoft.AspNetCore.Authentication.AuthenticationMiddleware.Invoke(HttpContext context)
   at OrchardCore.Modules.ModularTenantRouterMiddleware.Invoke(HttpContext httpContext) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore\Modules\ModularTenantRouterMiddleware.cs:line 82
   at OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func`2 execute) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore.Abstractions\Shell\Scope\ShellScope.cs:line 99
   at OrchardCore.Modules.ModularTenantContainerMiddleware.Invoke(HttpContext httpContext) in C:\projects\orchardcore-
master\OrchardCore\src\OrchardCore\OrchardCore\Modules\ModularTenantContainerMiddleware.cs:line 59
   at Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddleware.Invoke(HttpContext context)
ClientConnectionId:49b6230d-a5aa-41e9-b053-f3ee3e4feae8
Error Number:208,State:1,Class:16
```