Online job and internship scam prevention

"we are working on online job and internship scams.tell us the exact direction how our solution should and will be different from the existing ones" *Generated by LeapSpace*

Job and Internship Scam Defense at a Glance

Key Findings Table

Key finding	What existing solutions mainly do	Where they fall short	Implication for your solution	Citations
Current detection is still centered on suspicious post classification	Many systems use TF-IDF, n-grams, metadata, and classifiers such as SVM, Naive Bayes, XGBoost, MLP, and BERT to score job posts [1] [2] [3] [4] [5]	They often stop at the listing stage rather than following the scam after first contact [6] [7] [8] [9]	Differentiate by protecting the full scam journey, not just the ad	[6] [10] [11]
Text-only detection is not enough	Scam posts can look legitimate, so stronger systems add contextual and structured features [5] [12] [13]	Snapshot text misses fake recruiter identity, off-platform channel shift, payment escalation, and document harvesting [1] [14] [15] [16]	Use multi-signal fusion: text, metadata, identity, behavior, and cross-channel evidence	[17] [18] [19] [20]
Benchmark accuracy is high, deployment realism is weaker	Some studies report very strong precision/recall/F1, including XGBoost and BERT-based systems [3] [5]	Many evaluations are offline, single-dataset, or imbalance-managed in ways that may not generalize [3] [21] [22] [23]	Win on production readiness: latency, calibration, drift handling, moderator burden	[23] [24] [25]
Conversation-stage defenses are underused and promising	Research is shifting toward turn-by-turn risk assessment and in-conversation help [11] [16]	Existing job-scam tools rarely intervene during recruiter-applicant dialogue [3] [9] [16]	Build dynamic conversation risk scoring and timed nudges	[11] [16] [26]
Explainability affects trust and outcomes	Explainable scoring and calibrated routing can support human review [19] [27] [28]	Opaque enforcement and poor explanation design can reduce trust or fail to improve user judgment [29] [30]	Show why risk is high and route uncertain cases to humans	[19] [31] [32]
Multilingual and localized coverage is a major gap	Localized and Indonesian-focused scam detection shows meaningful gains [33] [34] [35] [36]	Recruitment-specific multilingual evidence is still thin [37] [38]	Differentiate with multilingual, regionalized fraud signals from the start	[34] [36] [37]

Direct Answer

Your solution should be different in one exact way: **do not build only a fake job-post detector; build a scam-lifecycle protection system** that updates risk from the first listing through recruiter verification, off-platform migration, document requests, payment requests, and onboarding abuse [6] [8] [9] [10].

The clearest product direction is a **five-layer defense stack**:

1. **Posting/content screening** for suspicious language and structural contradictions [1] [3] [5].

2. **Recruiter/company verification** using credibility and existence checks such as website age/existence, LinkedIn presence, and identity consistency [20] [39].
3. **Conversation-stage monitoring** that updates risk as the recruiter pushes users off-platform or escalates to urgency, secrecy, document requests, or fee requests [11] [16].
4. **Harm-prevention triggers** that warn or block before ID upload, banking disclosure, or up-front payment [15] [26].
5. **Cross-platform entity memory** linking domains, emails, phone numbers, handles, and reused text so repeat actors can be caught across surfaces [18] [40].

So your position should be: **"We do not just detect fake job ads; we prevent job-scam harm in real time."** That positioning fits the strongest documented gap better than claiming slightly better classifier accuracy [3] [7] [16].

Confidence level: High - Multiple source clusters converge on the same gap: current work is strong on post classification but weak on lifecycle coverage, conversation-stage protection, and deployment-ready harm prevention [6] [9] [11] [16].

Study Scope

This report synthesizes evidence from studies spanning scam typologies, fake-job detection, graph and LLM-based fraud detection, moderation workflows, explainable AI, and multilingual scam defenses, with emphasis on 2018-2025 work and some earlier methodological foundations [41] [42] [43]. Methods covered include classic NLP/ML, transformer models, hybrid feature pipelines, graph-based methods, platform moderation studies, and user-facing warning systems [3] [5] [16] [31] [44].

Assumptions & Limitations

The evidence supports a strong **strategic product direction**, but not a full vendor-by-vendor teardown of commercial tools because the retrieved literature is more academic than market-comparative [3]. Also, no single model architecture can be claimed best across all datasets, platforms, and languages because many reported gains are dataset-specific and often evaluated offline [1] [3] [21] [23].

Suggested Further Research

- Build and evaluate a **full recruitment scam lifecycle dataset** from listing to payment or identity theft [6] [8].
- Test whether **graph/entity memory** reduces false positives in recruitment-specific settings, since direct proof is still limited [40] [45].
- Compare **in-conversation nudges** against static warnings in real job-seeker journeys [16] [26].
- Create **multilingual recruitment scam benchmarks** with localized features and low-resource languages [34] [37].

- Measure success using **latency, calibration, moderator burden, and false-positive cost**, not just offline F1 [19] [23] [24].

Full Report Body

Foundational Context

Online job and internship scams are not just bad postings; they are **progressive fraud journeys**. The evidence describes scams involving fake employers, impersonation of known organizations, fake websites or profiles, application-fee extraction, data harvesting, and sometimes illegal "jobs" disguised as legitimate opportunities [1] [6] [14] [17]. Common harms include money loss, identity theft, and misuse of personal data [26] [46] [47] [48].

This matters because most current systems are built around a **single decision point**: "is this job post fake?" Yet the fraud itself often unfolds across stages: ad exposure, recruiter contact, trust-building, channel migration, document capture, payment request, and sometimes further exploitation [6] [7] [11]. Taken together, these findings suggest your system should be designed around **harm progression**, not just content classification [8] [16].

A second foundational point is that scam signals are **multi-source**. Text cues matter, but so do metadata, website existence, recruiter credibility, unusual incentives, inconsistent details, IP or geographic anomalies, duplicate identities, and channel behavior [20] [49] [50]. This is why text-only filtering is repeatedly described as insufficient [5] [12] [13].

Confidence level: High - The typology, harms, and multi-signal nature of the problem are consistently described across the source sets [6] [14] [17] [20].

How Existing Scam Detection Works Today

1. Text-based machine learning pipelines

A large share of fake-job detection still uses classic NLP workflows: preprocessing plus TF-IDF, n-grams, and classifiers such as SVM, Logistic Regression, Random Forest, Naive Bayes, XGBoost, and MLP [1] [51] [52] [53] [54]. In comparative benchmarks, XGBoost reached very high precision, recall, and F1 on TF-IDF and categorical features, while Naive Bayes and SVM also performed strongly when paired with class balancing or feature optimization [1] [2] [3] [4] [51].

These systems are useful because they catch suspicious wording, ad length patterns, and other linguistic cues at scale [55] [56]. But they are mainly **post-level classifiers** [3] [9].

2. Transformer and LLM-based approaches

More recent work uses BERT-style models and LLM-assisted reasoning. A BERT-based fake job system improved over traditional TF-IDF pipelines and a standalone BERT baseline when logical contradictions and structured risk features were added [5]. Other scam-detection work shows LLM-based approaches can improve contextual reasoning while keeping inference time acceptable for real-time use [57].

The key lesson is not merely "use BERT." It is that **context-aware models perform better when they are fused with structured fraud signals**, not when they rely on text alone [5] [39].

3. Graph and hybrid systems

Hybrid fraud systems combine contextual, linguistic, structural, behavioral, rule-based, and metadata features [18] [58]. More broadly, graph-based fraud detection models relationships among entities and interactions, including heterogeneous graphs and attention-based GNN variants [40] [44] [59] [60].

However, there is an important evidence gap: the retrieved literature does **not directly prove** that graph methods reduce false positives over text-only recruitment scam models in deployment-like settings [45]. So graph/entity memory is promising, but it should be treated as a differentiator to test, not an already-proven silver bullet [40] [60].

Confidence level: High - There is strong evidence on what existing technical stacks look like, but only medium confidence on graph superiority in recruitment-specific deployment because the direct comparison evidence is limited [3] [5] [45].

Where Current Solutions Fail

Incomplete lifecycle coverage

The most important gap is lifecycle blindness. The retrieved studies do not map a complete recruitment scam path from first contact to interview, onboarding, payment, and identity theft; instead they treat fake ads, payment-fee scams, identity theft, and illegal-work offers as separate phenomena [6] [7] [8]. Platform work likewise emphasizes detecting and removing suspicious listings rather than monitoring what happens after contact begins [3] [9] [10].

This means existing solutions are strongest **before application** and weaker during the stages where users may actually lose money or documents [6] [11].

Over-reliance on snapshot signals

Current systems often classify a listing or message once, using a static snapshot of text or metadata [3] [19]. But conversational scam research shows risk changes over turns, and incremental monitoring can capture escalation patterns [11] [16]. Non-interruptive in-conversation hints outperform simple keyword alerts and help users form confidence earlier and more reliably [16].

So the gap is not only accuracy; it is **temporal blindness** [11] [16].

Limited generalization

High benchmark scores coexist with real concerns about generalization. Some top-performing results are based on single static datasets, and class imbalance handling can materially change apparent performance [1] [3] [21]. The literature does not identify one balancing strategy or one architecture as robust across fake-job corpora [21] [61].

This suggests your competitive claim should not be “highest offline F1.” It should be “best real-world protection under drift, sparse context, and changing scams” [22] [23].

Production and moderation constraints

Production-oriented work highlights latency, throughput, privacy, and siloed-data constraints, while many hybrid models remain offline or batch-evaluated [22] [23] [24] [25]. On the moderation side, the retrieved job-scam literature offers little direct evidence on mature human review queues, appeals, or report escalation; it focuses more on automated classification than workflow operations [3] [9] [62].

That is a practical opening: a system that fits moderator operations and user reporting flows can differ operationally, not just technically [30] [63].

Confidence level: High - The lifecycle and deployment gaps are directly and repeatedly supported; the exact size of each gap in commercial products is less certain because the evidence is research-heavy [6] [16] [23].

Exact Product Direction for Differentiation

1. Move from static classification to dynamic conversation risk

Your core product should score risk continuously as recruiter-applicant interaction unfolds [11] [16]. That means each new event changes the risk state: recruiter asks to move to Telegram, sends a mismatched domain, requests ID, asks for a fee, or pressures the candidate urgently [1] [11] [15].

This is likely the strongest wedge because current work is concentrated on listing detection, while conversation-stage intervention is still emerging [9] [16].

2. Use multi-signal fusion instead of text-only screening

Your detection engine should combine at least five evidence classes:

- **Content signals**: suspicious wording, contradiction, lure patterns [5].
- **Metadata signals**: ad structure, completion anomalies, duplicate or inconsistent fields [49] [50].
- **Identity signals**: website existence/age, LinkedIn presence, fake profile patterns [20] [64].

- **Behavior signals**: channel shift, urgency, repeated entity reuse, fee requests [15] [16].
- **Entity/relationship signals**: shared emails, phone numbers, domains, handles, wallets, or reused text [18] [40].

Taken together, these findings suggest the differentiator is not a better classifier in isolation, but a **multi-layer evidence engine** [17] [19] [65].

3. Provide explainable risk and human-in-the-loop routing

The system should show a visible evidence panel: for example, unverifiable company presence, off-platform migration, fee request, duplicate recruiter identity, or mismatch between role claims and structured details [19] [20]. Uncertain cases should be escalated to humans, while clear low-risk cases pass automatically [19] [27] [28].

This matters because explanation quality affects user behavior and perceived fairness [29]. Post-removal explanations and procedural-justice framing improve fairness perceptions and can reduce repeat abuse [31] [32].

4. Design for multilingual and localized deployment

Evidence from Indonesian and low-resource scam detection shows localized modeling improves results, and digital-literacy interventions can work well in local languages [33] [34] [35] [36]. Recruitment-specific multilingual work remains underdeveloped, which makes this a good whitespace to own [37] [38].

So your product should not add multilingual support later. It should have **regional signal packs** from the beginning [34] [36].

5. Optimize for low user burden and real-time intervention

User-facing help should be non-interruptive where possible. Evidence shows in-conversation hints outperform keyword-triggered alerts and improve timing and confidence formation [16]. Conversational interfaces that flag suspicious listings and red flags before users act are also supported [26].

So the UX direction is: **warn at the moment of risk escalation**, not by spamming generic alerts [16] [26].

Confidence level: High - This product direction is strongly grounded in repeated evidence on lifecycle gaps, user warning design, explainability, and hybrid detection [6] [16] [19].

Recommended Product Architecture and Positioning

A practical differentiated architecture would be:

1. **Risk ingestion layer** - listing text, metadata, recruiter profile, company/domain checks, contact patterns [17] [20].
2. **Entity resolution layer** - normalize companies, domains, phones, emails, messaging handles, and reused text fragments [18] [40].
3. **Dynamic risk engine** - event-based scoring across the scam lifecycle [11] [16].
4. **Explainability layer** - human-readable evidence and calibrated confidence [19].
5. **Action layer** - applicant warnings, platform moderation API, report routing, and takedown intelligence [63] [66].

This supports two product forms from one backend: a **platform moderation API** and a **job-seeker assistant** [26] [67]. That dual-surface strategy is an inference from the evidence, but it fits the documented gap between platform automation and user-facing protection. **Inferred: Low confidence** [3] [26].

A strong positioning statement is: **application journey safety** rather than fake-post detection [6] [16].

Validation and Deployment Strategy

Your evaluation should report:

- **Precision, recall, F1, and false positives** for listing-stage detection [1] [3].
- **Latency and throughput** for real-time scoring [23] [24].
- **Calibration** of risk scores for human review routing [19].
- **Moderator burden** and escalation volume [28] [63].
- **User outcomes**, such as whether warnings reduce sharing of IDs, money, or bank details [16] [26].
- **Cross-platform persistence detection**, such as repeat entity identification across domains, email, Telegram, and phone numbers [1] [40].

Workflow integration should include user reports, automated evidence collection, reviewer queues for uncertain cases, and explanation-aware takedown notices [30] [31] [32]. Fairness matters because transparent, procedurally fair enforcement is associated with better user response and lower reoffense [31].

Confidence level: Medium-High - The metrics and workflow recommendations are well supported, though recruitment-specific moderation workflow evidence is thinner than the detection evidence [9] [19] [31].

Final Conclusion

The exact direction is clear: **differentiate by owning the full scam lifecycle**. Existing systems are largely good at classifying suspicious postings, but the biggest unmet need is what happens next: verifying recruiter legitimacy, tracking off-platform migration, detecting payment or document-harvesting escalation, and intervening in real time with explainable warnings [6] [9] [11] [16].

So your solution should and will be meaningfully different if it is built as:

- **lifecycle-aware**, not post-only [8] [10];
- **multi-signal**, not text-only [5] [20];
- **conversational and real-time**, not static [11] [16];
- **explainable and human-routable**, not opaque [19] [32];
- **multilingual and localized**, not English-default [34] [37].

If you build that, you are not entering the crowded space of “better fake job detection.” You are creating a **job-scam harm-prevention layer** that addresses the strongest documented gaps in the current evidence base [6] [16] [23].

Overall confidence: High - The central conclusion is supported by converging evidence across scam typology, detection, moderation, UX, and multilingual defense literature [5] [16] [17] [31].

References

1. Agarwal, A., Anand, A., Saini, Y., (...), Sheik Abdullah, A.S. (2024) A novel online job scam detection of imbalanced data using ML and NLP Models. *Practical Applications of Data Processing, Algorithms, and Modeling*. https://doi.org/10.4018/979-8-3693-2909-2.ch007
2. Nandhini, T., Saravanan, N., Kalyanasundaram, P., (...), Anuj, R. (2025) Fraud-Free Employment: Leveraging Gaussian Naive Bayes for Job Validation. *Proceedings of the International Conference on Intelligent Computing and Control Systems, ICICCS 2025*. https://doi.org/10.1109/ICICCS65191.2025.10985664
3. Paprotskyi, M.-M., Vysotska, V., Chyrun, L., (...), Uhryn, D. (2025) Information Engineering for Fake Job Postings Classification in Electronic Business Based on Machine Learning Technology. *International Journal of Information Engineering and Electronic Business*. https://doi.org/10.5815/ijieeb.2025.05.07
4. Mahdi, Z.M., Istiqomah, R.F., Alfarelzi, (...), Mayasari, R. (2024) Text Classification Using NLP by Comparing LSTM and Machine Learning Method. *Proceeding of 2024 the 10th International Conference on Wireless and Telematics, ICWT 2024*. https://doi.org/10.1109/ICWT62080.2024.10674679

5. Kulkarni, V., Maskare, S., Thaokar, C. (2026) Hire Safe: A BERT-Driven Risk-Aware Fake Job Detection System Using Logical Contradiction-Based Semantic Validation. *Proceedings of the 2026 International Conference on Emerging Trends in Information, Communication and Systems, ICETICS 2026*. https://doi.org/10.1109/ICETICS69505.2026.11651297
6. Poster, Winifred R (2022) Introduction to special issue on scams, fakes, and frauds. *New Media & Society*. https://doi.org/10.1177/14614448221099232
7. https://www.sciencedirect.com/science/article/pii/S1573773X22002106
8. Ravenelle, Alexandrea J, Janko, Erica, Kowalski, Ken Cai (2022) Good jobs, scam jobs: Detecting, normalizing, and internalizing online job scams during the COVID-19 pandemic. *New Media & Society*. https://doi.org/10.1177/14614448221099223
9. Goyal, N., Sachdeva, N., Kumaraguru, P. (2021) Spy the Lie: Fraudulent Jobs Detection in Recruitment Domain using Knowledge Graphs. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-030-82147-0_50
10. Akiti, S.R., Bathini, A., Kanagala, S.K. (2024) Random Forest based Fake Job Detection. *Proceedings - 2024 4th International Conference on Pervasive Computing and Social Networking, ICPCSN 2024*. https://doi.org/10.1109/ICPCSN62568.2024.00073
11. Ghafariasl, P., Fu, W., Guo, X., Chang, S.I. (2026) Incremental Risk Assessment of Progressive Elder Financial Scams via Instruction-Tuned Small Language Models. *2026 2nd International Conference on Federated Learning and Intelligent Computing Systems, FLICS 2026*. https://doi.org/10.1109/FLICS70075.2026.11621900
12. Taneja, K., Vashishtha, J., Ratnoo, S. (2025) Fraud-BERT: transformer based context aware online recruitment fraud detection. *Discover Computing*. https://doi.org/10.1007/s10791-025-09502-8
13. Vignesh, S.R., Praveen Kumar, S. (2026) Transformer-Based Detection of Online Fake Job Advertisements Using DistilBERT with LLM-Powered Explainability. *4th International Conference on Integrated Circuits and Communication Systems, ICICACS 2026*. https://doi.org/10.1109/ICICACS68679.2026.11578934
14. Nessa, I., Zabin, B., Faruk, K.O., (...), Rasel, A.A. (2022) Recruitment Scam Detection Using Gated Recurrent Unit. *IEEE Region 10 Humanitarian Technology Conference, R10-HTC*. https://doi.org/10.1109/R10-HTC54060.2022.9929928
15. Malaichamy, G., Muntean, C.H., Simiscuka, A.A. (2024) Online Job Posting Authenticity Prediction with Machine and Deep Learning: Performance Comparison Between N-Gram and TF-IDF. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-031-66694-0_9
16. Mao, Z., Keung, J., Li, X., (...), Li, J. (2026) Making Sense of Scams: Understanding Scam Conversations Through Multi-Level Alignment. *Proceedings - 2026 IEEE 50th Annual Computers, Software, and Applications Conference, COMPSAC 2026*. https://doi.org/10.1109/COMPSAC69091.2026.00163

17. Chaitanya, V.L., Revathi, K.V., Anitha, K., (...), Pujitha, M. (2026) Intelligent Fake Employer Detection System using Hybrid Ensemble Learning and Behavioral Pattern Analysis. *International Conference on Intelligent and Sustainable AI Systems, ICOSAAS 2026 - Conference Proceedings*. https://doi.org/10.1109/ICOSAAS68663.2026.11649258

18. Mbaziira, Alex V., Sabir, Maha F., Al Harrack, Micheline (2022) Lying trolls: Detecting deception and text-based disinformation using machine learning. *Cybersecurity and Cognitive Science*. https://doi.org/10.1016/B978-0-323-90570-1.00009-7

19. Jobu, R.A., Baral, A., Rahman, S.M.S., Probor, M.N. (2026) An explainable, cost-aware hybrid framework for fraudulent online job posting detection. *Array*. https://doi.org/10.1016/j.array.2026.101191

20. Drury, B., Drury, S.M., Rahman, M.A., Ullah, I. (2022) A social network of crime: A review of the use of social networks for crime and the detection of crime. *Online Social Networks and Media*. https://doi.org/10.1016/j.osnem.2022.100211

21. https://www.sciencedirect.com/science/article/pii/S2661890725009214

22. Ahmad, H., Bhuiyan, I., Bhuiyan, T., Hoque, A. (2026) Scalable and interpretable fraud detection in FinTech: Evidence from a hybrid TabNet–Graph neural network framework. *Journal of Finance and Data Science*. https://doi.org/10.1016/j.jfds.2026.100203

23. https://www.sciencedirect.com/science/article/pii/S2196111526000509

24. https://www.sciencedirect.com/science/article/pii/S2661890726005144

25. https://www.sciencedirect.com/science/article/pii/S273108092600709X

26. Mohebbanaaz, M., Himabindu, R., Barusu, M.R., (...), Geetharani, B. (2026) Combating Employment Scams to Safeguard Jobseekers from Fraudulent Postings Using an Interactive AI Chatbot Framework. *Proceedings - IEEE Madhya Pradesh Section Conference, MPCON 2026*. https://doi.org/10.1109/MPCON69668.2026.11508593

27. Carneiro, N., Figueira, G., Costa, M. (2017) A data mining based system for credit-card fraud detection in e-tail. *Decision Support Systems*. https://doi.org/10.1016/j.dss.2017.01.002

28. https://www.sciencedirect.com/science/article/pii/S1573772124020891

29. Sekwenz, M.-T., Biswas, S., Hermann-Gsenger, R., Gadiraju, U. (2026) AI at the Front Lines of Platform Governance: Using LLMs to Support Illegal Content Reporting under the Digital Services Act. *ACM FAccT 2026 - Proceedings of the 9th annual ACM Conference on Fairness, Accountability, and Transparency*. https://doi.org/10.1145/3805689.3812301

30. Juneja, P., Subramanian, D.R., Mitra, T. (2020) Through the looking glass: Study of transparency in Reddit's moderation practices. *Proceedings of the ACM on Human-Computer Interaction*. https://doi.org/10.1145/3375197

31. Tyler, T., Katsaros, M., Meares, T., Venkatesh, S. (2021) Social media governance: can social media companies motivate voluntary rule following behavior among their users?. *Journal of Experimental Criminology*. https://doi.org/10.1007/s11292-019-09392-z

32. Jhaver, S., Appling, D.S., Gilbert, E., Bruckman, A. (2019) “Did you suspect the post would be removed?”: Understanding user reactions to content removals on reddit. *Proceedings of the ACM on Human-Computer Interaction*. https://doi.org/10.1145/3359294

33. Amalia, A., Lydia, M.S., Rahmat, R., (...), Gunawan, D. (2025) Chain-of-Thought Prompting for Simulating Scam Interactions with Multi-Role Agents in Digital Literacy Education. *Proceedings - ELTICOM 2025: 9th International Conference on Electrical, Telecommunication and Computer Engineering "Nurturing Advancements in Engineering for Modern Applications and Humanity"*. https://doi.org/10.1109/ELTICOM67568.2025.11335993

34. Noviyanti, I., Mugitama, S.A., Rizki Anbiya, D. (2025) Application of Large Language Models for Detecting Fraud and Phishing Messages Indonesian Language. *2025 3rd International Conference on Software Engineering and Information Technology, ICoSEIT 2025*. https://doi.org/10.1109/ICoSEIT67010.2025.11290863

35. Chen, M., Halim, D.K. (2023) Federated learning for scam classification in small Indonesian language dataset: an initial study. *Indonesian Journal of Electrical Engineering and Computer Science*. https://doi.org/10.11591/ijeecs.v30.i1.pp325-331

36. Purnamadewi, Y.R., Zahra, A. (2025) Enhancing detection of zero-day phishing email attacks in the Indonesian language using deep learning algorithms. *Bulletin of Electrical Engineering and Informatics*. https://doi.org/10.11591/eei.v14i1.8759

37. Meza-Alarcon, A.J., de la Cruz-Mallqui, L.M., Ticona, W. (2026) Using Machine Learning and Deep Learning to Detect Recruitment Scams on Websites: A Systematic Review. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-031-94770-4_36

38. Adwani, A.R., Dhumal, R., Thomas, S. (2026) Technological Advancements in Online Fraud Prevention and Legal Frameworks. *International Research Journal of Multidisciplinary Scope*. https://doi.org/10.47857/irjms.2026.v07i02.08122

39. Sun, Q., Wu, L., Ye, X., (...), Liu, C. (2026) Detecting cyber employment fraud in platform-based space: A multi-agent large language model approach. *Journal of Criminal Justice*. https://doi.org/10.1016/j.jcrimjus.2026.102692

40. Motie, S., Raahemi, B. (2024) Financial fraud detection using graph neural networks: A systematic review. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2023.122156

41. Breiman, L. (2001) Random forests. *Machine Learning*. https://doi.org/10.1023/A:1010933404324

42. Chawla, N.V., Bowyer, K.W., Hall, L.O., Kegelmeyer, W.P. (2002) SMOTE: Synthetic minority over-sampling technique. *Journal of Artificial Intelligence Research*. https://doi.org/10.1613/jair.953

43. Ngai, E.W.T., Hu, Y., Wong, Y.H., (...), Sun, X. (2011) The application of data mining techniques in financial fraud detection: A classification framework and an academic review of literature. *Decision Support Systems*. https://doi.org/10.1016/j.dss.2010.08.006

44. Du, J., Hu, C., Zhao, H., (...), Zhao, J. (2026) SCALE: Adaptive heterogeneous graph prototype learning for open-set unknown financial fraud detection. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2026.132749

45. Shi, T., Hu, J., Li, D., Chen, M. (2025) JMoE-FAP: A novel model for telecom network fraud victimization pattern analysis. *Journal of Safety Science and Resilience*. https://doi.org/10.1016/j.jnlssr.2025.01.006

46. Jobu, R.A., Baral, A., Rahman, S.M.S., Probor, M.N. (2026) An explainable, cost-aware hybrid framework for fraudulent online job posting detection. *Array*. https://doi.org/10.1016/j.array.2026.101191

47. Gong, W., Lee, C.S., Li, S., (...), Ye, X. (2026) Cyber victimization in hybrid space: an analysis of employment scams using natural language processing and machine learning models. *Journal of Crime and Justice*. https://doi.org/10.1080/0735648X.2024.2448804

48. Raghav, B.K., Paschal, D., Somashekhara, G.S., (...), Praveena (2026) XAI-Recruit: Explainable AI for Job Recruitment Fraud Detection Using Deep Learning. *2026 International Conference on Smart Futuristic Technology, ICSFT 2026*. https://doi.org/10.1109/ICSFT66733.2026.11507788

49. Comachio, J., Poulsen, A., Bamgboje-Ayodele, A., (...), O'Hagan, E. (2025) Identifying and counteracting fraudulent responses in online recruitment for health research: a scoping review. *BMJ Evidence-Based Medicine*. https://doi.org/10.1136/bmjebm-2024-113170

50. Pageau, L.M., Ling, J. (2025) Improving data credibility in online recruitment: Signs and strategies for detecting fraudulent participants when using ResearchMatch. *Contemporary Clinical Trials*. https://doi.org/10.1016/j.cct.2025.107925

51. Veliyath, A.J., Ahmad, A., Abraham, A.B., (...), Chavan, C.P. (2025) Fake Job Detection using Statistical and NLP Based Analysis. *ICEIEC 2025 - Proceedings of 2025 IEEE 15th International Conference on Electronics Information and Emergency Communication*. https://doi.org/10.1109/ICEIEC65904.2025.11273154

52. Hermoso, A.M.T., Lastimosa, B.B.O., Jardeleza, L.S.S., Bacus, J.A. (2025) 'Job or Jab?': Detecting Fake Job Postings Using NLP. *Proceedings - 2025 3rd International Conference on Artificial Intelligence and Power Engineering, AIPE 2025*. https://doi.org/10.1109/AIPE67885.2025.00010

53. Praveen, A.K., Harsita, R., Murali, R.D., Niveditha, S. (2023) Detecting Fake Job Posting Using ML Classifications & Ensemble Model. *Advances in Science and Technology*. https://doi.org/10.4028/p-hdm12o

54. Madhavi, D., Venkata Krishna Reddy, M.S.M., Ramya, M. (2024) Internet Employment Detection Scam of Fake Jobs via Random Forest Classifier. *Springer Proceedings in Mathematics and Statistics*. https://doi.org/10.1007/978-3-031-51163-9_2

55. Lohumi, P., Gupta, K., Sharma, V., Jain, R. (2025) Enhancing the Detection of Deceptive Job Advertisements: A Machine Learning Approach with Advanced Oversampling and Vectorization Techniques. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-981-96-2015-9_8

56. Sanisetty, S.S.S., Geetaa Namrithaa, S., Kotamaraja, S.V., (...), Bhavana, V. (2025) Comprehensive Approach to Fraudulent Job Post Detection Using Machine Learning and BERT Models. *4th IEEE International Conference on Distributed Computing and Electrical Circuits and Electronics, ICDCECE 2025*. https://doi.org/10.1109/ICDCECE65353.2025.11035352

57. Nicholas, P.Y.J., Ng, P.C. (2024) ScamDetector: Leveraging Fine-Tuned Language Models for Improved Fraudulent Call Detection. *IEEE Region 10 Annual International Conference, Proceedings/TENCON*. https://doi.org/10.1109/TENCON61640.2024.10902894

58. Nanath, K., Olney, L. (2023) An investigation of crowdsourcing methods in enhancing the machine learning approach for detecting online recruitment fraud. *International Journal of Information Management Data Insights*. https://doi.org/10.1016/j.jjimei.2023.100167

59. Hou, X., Liu, Y., Li, Q., (...), Gao, J. (2026) SRAF: A structure-aware relation-guided model for fraud detection on heterogeneous graphs. *Applied Soft Computing*. https://doi.org/10.1016/j.asoc.2026.115108

60. Tong, G., Qian, J., Shen, J. (2025) Adaptive metagraph neural network assisted by metagraph search for financial fraud detection. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2025.110807

61. Athira, A., Madhu Kumar, S.D.M., Chacko, A.M. (2025) Pretrained transformers for multimodal fake news detection: Explainability using SHapley Additive exPlanations for contributions from text, image, and image captions. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2025.112590

62. Vambe, W.T., Gumbo, S., Garidzira, T.C. (2025) Detecting Fraudulent Job Postings Using Bi-LSTM-Based Text Classification. *2025 5th International Multidisciplinary Information Technology and Engineering Conference, IMITEC 2025*. https://doi.org/10.1109/IMITEC67386.2025.11410472

63. Bozarth, L., Im, J., Quarles, C., Budak, C. (2023) Wisdom of Two Crowds: Misinformation Moderation on Reddit and How to Improve this Process - -A Case Study of COVID-19. *Proceedings of the ACM on Human-Computer Interaction*. https://doi.org/10.1145/3579631

64. Button, M., Shepherd, D., Jung, J. (2025) Economic espionage via fake social media profiles in the UK: professional workers awareness and resilience. *Security Journal*. https://doi.org/10.1057/s41284-025-00476-2

65. Revanth, P., Sreeraj, S., Pradeep, G., Barakkath Nisha, B. (2025) Enhancing Financial Fraud Detection by Leveraging Llama2 NLP and Neo4j Graph Database for Contextual Analysis and Relationship Modeling. *16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025*. https://www.scopus.com/pages/publications/105034887034

66. Bhavana, C., Akula, C.K., Nikhitha, E., (...), Kalagadda, K.K. (2025) Fake Job Prediction Using Stacked Ensemble Models in Machine Learning. *2025 3rd International Conference on IoT, Communication and Automation Technology, ICICAT 2025*. https://doi.org/10.1109/ICICAT68430.2025.11414696

67. Salloum, S., Tahat, K., Mansoori, A., (...), Tahat, D. (2024) Analysis of Fraudulent Job Postings Using Machine Learning. *2024 International Conference on Intelligent Computing, Communication, Networking and Services, ICCNS 2024*. https://doi.org/10.1109/ICCNS62192.2024.10776527