

Step 1: S3 Replication Configuration Successfully Created

The screenshot displays the AWS Management Console interface for configuring S3 replication. The browser address bar shows the URL: `ap-south-2.console.aws.amazon.com/s3/management/s3-devi-bucket-origin-999/replication?region=ap-south-2`. The console header includes the AWS logo, a search bar, and navigation links for Amazon S3, Buckets, and the specific bucket `s3-devi-bucket-origin-999`.

A green notification banner at the top states: "Replication configuration successfully updated. If changes to the configuration aren't displayed, choose the refresh button. Changes apply only to new objects. To replicate existing objects with this configuration, choose **Create replication job**."

The main section is titled "Replication rules" with an "Info" link. It explains that replication enables automatic and asynchronous copying of objects across buckets in the same or different AWS Regions. A blue information box notes: "Replication now includes replicating any annotations attached to your objects, which might increase your costs. To understand the potential cost impact, review your replication rules and annotations usage."

The "Replication configuration settings" section shows the following details:

- Source bucket:** `s3-devi-bucket-origin-999`
- Source Region:** Asia Pacific (Hyderabad) `ap-south-2`
- IAM role:** [s3crr_role_for_s3-devi-bucket-origin-999](#)

Buttons for "Create replication job" and "Edit" are available.

The "Replication rules (1)" section shows a single rule with buttons for "View details", "Edit rule", "Delete", "Actions", and "Create replication rule". A description states: "Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. Replication also includes any annotations attached to your objects. [Learn more](#)"

The footer includes links for CloudShell, Feedback, Console Mobile App, and copyright information for Amazon Web Services, Inc. or its affiliates.

Step 2: Existing Object Replication Option

aws [Search] [Alt+S] Asia Pacific (Hyderabad) Devi prasad singh (959782869192) dev

Amazon S3 > Buckets > s3-devi-bucket-origin-999 > Replication rules

Replication configuration successfully updated
If changes to the configuration aren't displayed, choose the refresh button. Changes apply only to new objects. To replicate existing objects with this configuration, choose **Create replication job**.

Replication rules Info

Replication enables automatic and asynchronous copying of objects and metadata from one Amazon S3 bucket to another. Replication rules define what options should be applied to a group of objects during replication.

Replication now includes replicating any annotations attached to objects in the source bucket to the destination bucket. [Learn more](#) or [see pricing](#).

Replication configuration settings

Configuration settings affect all replication rules in the bucket.

Source bucket
s3-devi-bucket-origin-999

Source Region
Asia Pacific (Hyderabad) ap-south-2

Replicate existing objects?

You can enable a one-time Batch Operations job from this replication configuration to replicate objects that already exist in the bucket and to synchronize the source and destination buckets. [Learn more](#) or [see pricing](#).

Existing objects

- ☒ No, do not replicate existing objects.
- ☐ Yes, replicate existing objects.

Cancel **Submit**

Replication rules (1) [Refresh](#) [View details](#) [Edit rule](#) [Delete](#) [Actions](#) [Create replication rule](#)

Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. Replication also includes any annotations attached to your objects. [Learn more](#)

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Step 3: S3 Replication Rule Enabled

← → ↺

ap-south-2.console.aws.amazon.com/s3/management/s3-devi-bucket-origin-999/replication?region=ap-south-2

☆

Action required

aws

Search

[Alt+S]

Asia Pacific (Hyderabad)

Devi prasad singh (959782869192)

devi

Amazon S3

Buckets

s3-devi-bucket-origin-999

Replication rules

✓ Replication configuration successfully updated

If changes to the configuration aren't displayed, choose the refresh button. Changes apply only to new objects. To replicate existing objects with this configuration, choose **Create replication job**.

Create replication job

s3-devi-bucket-origin-999

[s3crr_role_for_s3-devi-bucket-origin-999_2](#)

Source Region

Asia Pacific (Hyderabad) ap-south-2

Replication rules (1)

View details

Edit rule

Delete

Actions

Create replication rule

Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. Replication also includes any annotations attached to your objects. [Learn more](#)

< 1 >

Replication rule name	Status	Destination bucket	Destination Region	Priority	Scope	Storage class	Replica owner	Replication Time Control	KMS-encrypted objects (SSE-KMS or DSSE-KMS)	Replica modification sync
☐ aws-devi-143-trump	✓ Enabled	s3://s3-devi-bucket-replica-010	Asia Pacific (Hyderabad) ap-south-2	0	Entire bucket	Same as source	Same as source	Disabled	Do not replicate	Disabled

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Step 4: Destination Replica Bucket Initially Empty

The screenshot displays the AWS Management Console interface for an Amazon S3 bucket named **s3-devi-bucket-replica-010**. The breadcrumb navigation shows the path: **Amazon S3** > **Buckets** > **s3-devi-bucket-replica-010**. The bucket's name is followed by an **Info** link. Below the bucket name, there are tabs for **Objects**, **Properties**, **Permissions**, **Metrics**, **Management**, **File systems - new**, and **Access Points**. The **Objects** tab is selected, showing **Objects (0)**. Above the object list, there are several action buttons: **Copy S3 URI**, **Copy URL**, **Download**, **Open**, **Delete**, **Actions** (with a dropdown arrow), **Create folder**, and **Upload** (in a yellow button). A descriptive text explains that objects are fundamental entities in Amazon S3 and provides a link to **Amazon S3 inventory** for listing objects. Below this is a search bar labeled **Find objects by prefix** and a **Show versions** toggle. A table header is visible with columns: **Name**, **Type**, **Last modified**, **Size**, and **Storage class**. The table area contains the message **No objects** and **You don't have any objects in this bucket.**, with an **Upload** button below it. The footer of the console includes links for **CloudShell**, **Feedback**, and **Console Mobile App**, along with copyright information for 2026 Amazon Web Services, Inc. and links for **Privacy**, **Terms**, and **Cookie preferences**.

aws [Search] [Alt+S] Asia Pacific (Hyderabad) Devi prasad singh (959782869192) dev

Amazon S3 > Buckets > s3-devi-bucket-replica-010

s3-devi-bucket-replica-010 [Info](#)

Objects Properties Permissions Metrics Management File systems - new Access Points

Objects (0) [Refresh](#) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

☐ Show versions < 1 > [Settings](#)

Name	Type	Last modified	Size	Storage class
No objects You don't have any objects in this bucket.				

[Upload](#)

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 5: Object Uploaded to the Source Bucket

The screenshot displays the AWS Management Console interface for the bucket **s3-devi-bucket-origin-999**. The breadcrumb navigation shows **Amazon S3** > **Buckets** > **s3-devi-bucket-origin-999**. The bucket name is followed by an **Info** link. Below the bucket name, there are tabs for **Objects**, **Properties**, **Permissions**, **Metrics**, **Management**, **File systems - new**, and **Access Points**. The **Objects** tab is selected, showing **Objects (1)**. Above the object list, there are several action buttons: **Refresh**, **Copy S3 URI**, **Copy URL**, **Download**, **Open**, **Delete**, **Actions** (with a dropdown arrow), **Create folder**, and **Upload**. A descriptive text explains that objects are fundamental entities in Amazon S3 and provides a link to **Amazon S3 inventory** for listing objects. Below this is a search bar labeled **Find objects by prefix** and a **Show versions** toggle. The object list table has columns for **Name**, **Type**, **Last modified**, **Size**, and **Storage class**. One object is listed: **Screenshot 2026-02-16 201359.png** (Type: png, Last modified: July 11, 2026, 08:23:58 (UTC+05:30), Size: 1.0 MB, Storage class: Standard). The footer includes links for **CloudShell**, **Feedback**, **Console Mobile App**, and copyright information for Amazon Web Services, Inc. (© 2026).

aws [Search] [Alt+S] Asia Pacific (Hyderabad) Devi prasad singh (959782869192) devi

Amazon S3 > Buckets > s3-devi-bucket-origin-999

s3-devi-bucket-origin-999 [Info](#)

Objects Properties Permissions Metrics Management File systems - new Access Points

Objects (1) [Refresh](#) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

☐ Show versions < 1 > [Settings](#)

☐	Name	Type	Last modified	Size	Storage class
☐	Screenshot 2026-02-16 201359.png	png	July 11, 2026, 08:23:58 (UTC+05:30)	1.0 MB	Standard

[CloudShell](#) [Feedback](#) [Console Mobile App](#) © 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Step 6: Object Automatically Replicated to the Destination Bucket

The screenshot shows the Amazon S3 console interface. The left sidebar contains navigation options: Amazon S3, Buckets, Files, Access management and security, and Storage management and insights. The main content area displays the 's3-devi-bucket-relica-010' bucket. The 'Objects' tab is selected, showing a list of objects. One object is present: 'Screenshot 2026-02-16 201359.png', which is a PNG file, 1.0 MB in size, and stored in the Standard storage class. The object was last modified on July 11, 2026, at 08:23:58 (UTC+05:30). The console also shows various action buttons like 'Copy S3 URI', 'Copy URL', 'Download', 'Open', 'Delete', 'Actions', 'Create folder', and 'Upload'.

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization

s3-devi-bucket-replica-010

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Show versions

☐	Name	Type	Last modified	Size	Storage class
☐	Screenshot 2026-02-16 201359.png	png	July 11, 2026, 08:23:58 (UTC+05:30)	1.0 MB	Standard

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences