

**LAPORAN HASIL PRAKTIKUM P12
STORED PROCEDURE**



Disusun Oleh:
Devi Aliya Kurniyanti
2502008

**POLITEKNIK PURBAYA
PROGRAM STUDI TEKNIK INFORMATIKA
TAHUN AKADEMIK 2025/2026**

1. Procedure Menampilkan Semua Data Siswa

```
MariaDB [sekolah_sd]> DELIMITER $$
MariaDB [sekolah_sd]>
MariaDB [sekolah_sd]> CREATE PROCEDURE tampil_semua_siswa()
-> BEGIN
->     SELECT * FROM siswa;
-> END$$
Query OK, 0 rows affected (0.032 sec)
```

2. Menampilkan Semua Data Siswa

```
MariaDB [sekolah_sd]> DELIMITER ;
MariaDB [sekolah_sd]> CALL tampil_semua_siswa();
```

id_siswa	nama	jenis_kelamin	kelas	alamat	id_orang_tua	id_kelas
1	Andi		3A	Brebes	NULL	NULL
2	Siti		2B	Brebes	NULL	NULL
3	Budi		1A	Slawi	NULL	NULL
4	Rina		4A	Pemalang	NULL	NULL
6	Andi		3A	Tegal	NULL	NULL
7	Siti		2B	Brebes	NULL	NULL
8	Budi		1A	Slawi	NULL	NULL

```
7 rows in set (0.002 sec)

Query OK, 0 rows affected (0.049 sec)
```

3. Procedure Menampilkan Semua Guru

```
MariaDB [sekolah_sd]> DELIMITER $$
MariaDB [sekolah_sd]>
MariaDB [sekolah_sd]> CREATE PROCEDURE tampil_semua_guru()
-> BEGIN
->     SELECT * FROM guru;
-> END$$
Query OK, 0 rows affected (0.038 sec)
```

4. Menampilkan Semua Guru

```
MariaDB [sekolah_sd]> DELIMITER ;
MariaDB [sekolah_sd]> CALL tampil_semua_guru();
```

id_guru	nama_guru	mapel	no_hp
1	Budi Santoso	Matematika	081234567891
2	Siti Aminah	IPA	081234567892
3	Andi Saputra	Bahasa Indonesia	081234567893
4	Pak Ahmad	Matematika	NULL
5	Bu Rina	Bahasa Indonesia	NULL
6	Pak Joko	IPA	NULL
7	Bu Santi	IPS	NULL
8	Pak Dedi	Olahraga	NULL

```
8 rows in set (0.029 sec)

Query OK, 0 rows affected (0.057 sec)
```

5. Procedure Mencari Siswa Berdasarkan ID

```
MariaDB [sekolah_sd]> DELIMITER ;
MariaDB [sekolah_sd]> CALL cari_siswa(1);
```

id_siswa	nama	jenis_kelamin	kelas	alamat	id_orang_tua	id_kelas
1	Andi		3A	Brebes	NULL	NULL

```
1 row in set (0.040 sec)

Query OK, 0 rows affected (0.055 sec)
```

6. Menampilkan Siswa Berdasarkan ID

```
MariaDB [sekolah_sd]> DELIMITER $$
MariaDB [sekolah_sd]>
MariaDB [sekolah_sd]> CREATE PROCEDURE cari_siswa(
  -> IN p_id INT
  -> )
  -> BEGIN
  -> SELECT *
  -> FROM siswa
  -> WHERE id_siswa = p_id;
  -> END$$
Query OK, 0 rows affected (0.017 sec)
```

7. Procedure Menampilkan Siswa Berdasarkan Kelas

```
MariaDB [sekolah_sd]> DELIMITER ;
MariaDB [sekolah_sd]> CALL siswa_perkelas('1A');
```

id_siswa	nama	jenis_kelamin	kelas	alamat	id_orang_tua	id_kelas
3	Budi		1A	Slawi	NULL	NULL
8	Budi		1A	Slawi	NULL	NULL

```
2 rows in set (0.038 sec)

Query OK, 0 rows affected (0.051 sec)
```

8. Menampilkan Siswa Berdasarkan Kelas

```
MariaDB [sekolah_sd]> DELIMITER $$
MariaDB [sekolah_sd]>
MariaDB [sekolah_sd]> CREATE PROCEDURE siswa_perkelas(
  -> IN p_kelas VARCHAR(10)
  -> )
  -> BEGIN
  -> SELECT *
  -> FROM siswa
  -> WHERE kelas = p_kelas;
  -> END$$
Query OK, 0 rows affected (0.039 sec)
```