International Journal of Research Publication and Reviews

Journal homepage: www.ijrpr.com ISSN 2582-7421

Predictive Analytics for Mobile Phone Impact on Student Academic Achievement: A Deep Learning Framework for Digital Wellness Monitoring

S.Vimala[1], Dr. G. Arockia Sahaya Sheela[2]

[1]PhD Scholar(Full Time), [2]Assistant Professor,

Department of Computer Science, St. Joseph's College(Autonomous), Tiruchirappalli -2,
Affiliated to Bharathidasan University, Tamil Nadu, India.

Mail Id:[1]vimalas_phdcs@mail.sjctni.edu, [2]arockiasahayasheela_cs1@mail.sjctni.edu

ABSTRACT :

Purpose: This research examines how mobile phone usage patterns influence student academic achievement through advanced machine learning methodologies, with particular emphasis on creating a predictive framework for real-time digital wellness monitoring and timely educational interventions. **Methods:** Data from 5,000 students were gathered via surveys and institutional academic records spanning 2023-2024. The investigation utilized sophisticated machine learning approaches, including Convolutional Neural Networks (CNN), Long Short-Term Memory (LSTM) networks integrated with attention mechanisms, alongside conventional algorithms (Random Forest, Gradient Boosting, Naive Bayes). The predictive models analyzed mobile phone usage behaviors by incorporating engineered features such as screen time duration, application category usage, study-to-phone time ratios, and sleep quality indicators. **Results:** The hybrid CNN-LSTM architecture with attention mechanism demonstrated superior predictive capability, achieving 92% accuracy and substantially surpassing conventional models. Analysis revealed that students engaging with non-educational mobile applications for more than 4 hours daily experienced a 20% decline in academic achievement. The study-to-phone usage ratio emerged as the most influential predictor of academic success, whereas educational application usage showed modest positive associations with performance. Machine learning algorithms demonstrate robust capability in predicting mobile phone usage effects on student achievement, facilitating early intervention approaches for digital wellness. These findings inform the creation of real-time monitoring systems enabling educational institutions to deploy targeted interventions and encourage balanced technology engagement among students.

Keywords: Mobile phone addiction, Academic performance, Machine learning, Digital wellness, CNN-LSTM, Attention mechanism, Educational data mining, Risk detection.

1. INTRODUCTION

The widespread adoption of mobile technology within educational contexts has generated both remarkable opportunities and significant challenges for contemporary learners. Although smartphones provide unprecedented access to educational resources and communication platforms, growing concerns persist regarding their potentially detrimental effects on academic achievement Vimala et al., (2025). Contemporary research indicates that excessive mobile phone engagement correlates with diminished attention capacity, disrupted sleep quality, and compromised study effectiveness. The emergence of artificial intelligence and machine learning within educational research offers innovative pathways to examine complex behavioral dynamics and their connections to academic outcomes Kutluay et al., (2025). Conventional statistical methodologies frequently prove inadequate in capturing the multifaceted nature of digital behavior and its temporal patterns, thereby requiring more advanced analytical approaches. Digital wellness has become a paramount consideration in modern educational environments, encompassing physical, cognitive, social, and emotional dimensions of technology engagement Vimala et al., (2025). The creation of predictive frameworks for early identification of vulnerable students constitutes a meaningful advancement in educational technology, enabling proactive rather than reactive intervention strategies Kus et al., (2025). This investigation addresses three critical research gaps: (1) the constrained implementation of deep learning architectures, particularly CNN-LSTM models incorporating attention mechanisms, for predicting mobile phone usage effects on academic achievement; (2) the scarcity of comprehensive digital wellness frameworks enabling real-time risk identification in educational contexts; and (3) the requirement for evidence-informed intervention approaches guided by machine learning predictions Vimala et al., (2025).

2. LITERATURE REVIEW

2.1 Mobile Phone Usage and Academic Achievement

Contemporary meta-analytical research establishes a consistent inverse relationship between smartphone dependency and academic success. Pachava et al., (2024) executed a comprehensive meta-analysis encompassing 63 investigations with 9000 student participants across 3 nations, uncovering a modest yet statistically meaningful negative association (d = -0.085) between smartphone engagement and academic achievement. Correspondingly, Latifian et al., (2024) identified that smartphone dependency correlates significantly with diminished academic success through the mediating influence of academic anxiety. Kim et al., (2024) explored smartphone utilization effects on perceived academic achievement among elementary learners, discovering positive associations when smartphones served appropriate educational functions. Nevertheless, the investigation underscored the pivotal role of usage patterns and temporal allocation in determining outcomes. Raj et al., (2024) documented substantial associations between daily smartphone usage duration, morning checking frequency, and academic performance deterioration.

2.2 Machine Learning Applications in Educational Analytics

Machine learning implementation within educational contexts has revealed considerable promise for forecasting student outcomes and guiding interventions. Recent advancements in deep learning architectures, notably CNN-LSTM combinations, have exhibited superior capability in sequential data analysis and pattern identification Hemal et al., (2024) evaluated various machine learning algorithms for student performance forecasting, determining that ensemble approaches and deep learning methodologies consistently exceed traditional statistical models. The incorporation of attention mechanisms within neural networks has further Hong et al.,(2024) amplified predictive precision by enabling models to concentrate on pertinent temporal characteristics.

2.3 Digital Wellness and Risk Identification Systems

Digital wellness frameworks Mufassirin et al., (2023) have advanced to incorporate holistic approaches toward technology utilization in educational settings. Multi-tiered intervention systems (MTSS) have materialized as effective structures for addressing diverse digital wellness requirements among student populations Gülü et al., (2023). Real-time analytics and behavioral monitoring systems facilitate early recognition of problematic usage patterns, enabling timely interventions.

3. RESEARCH OBJECTIVES

This investigation seeks to accomplish the following objectives:
1. Construct a predictive model employing CNN-LSTM architecture integrated with attention mechanisms to precisely forecast mobile phone usage impact on
   student academic achievement
2. Identify digital wellness risk determinants through comprehensive feature analysis and recognize key predictors of academic performance decline
3. Develop a real-time monitoring framework enabling educational institutions to track student digital wellness and deploy targeted interventions
4. Assess the effectiveness of machine learning methodologies compared to traditional statistical approaches in educational data analysis
5. Deliver evidence-informed recommendations for educators and policymakers concerning balanced mobile phone usage policies within educational environments.

4. METHODOLOGY

4.1 Participant Selection and Data Collection

The investigation employed a comprehensive mixed-methods strategy, gathering data from 9,000 students across both urban and rural educational institutions throughout 2023-2024. Participants represented diverse educational levels from middle school through university, encompassing varied socioeconomic backgrounds and technological access levels Hossain et al., (2024).

Primary Data Sources:

- Self-administered questionnaires documenting daily mobile usage behaviors, application categories, study practices, sleep duration, and extracurricular participation
- Institutional academic records incorporating grade point averages, standardized assessment scores, and attendance documentation
- Digital behavior monitoring data (obtained with informed consent) encompassing screen time measurements and application usage statistics

4.2 Feature Engineering and Data Preparation

Essential features were extracted and engineered to capture multidimensional aspects of mobile phone usage and academic behavior:

4.2.1 Mobile Usage Characteristics:

- Daily screen time (hours)
- Application usage classifications (social media, gaming, educational applications, communication)

- Study-to-phone usage proportion
- Evening and nighttime usage behaviors
- Device checking frequency patterns

4.2.2 Academic and Behavioral Characteristics:

- Sleep duration and quality measures
- Study session duration and frequency
- Physical activity engagement
- Social interaction behaviors
- Stress and anxiety self-assessment measurements

Data preparation incorporated Z-score outlier identification, Min-Max normalization for feature standardization, and missing value treatment through multiple imputation methodologies Lee et al., (2023).

4.3 Machine Learning Architecture



Fig.1Machine Learning Architecture Workflow Pipeline with Process Stages

Figure 1 shows the complete machine learning architecture workflow, illustrating how raw data flows through various processing stages—from initial preprocessing and feature engineering, through model training and evaluation, to final deployment. The diagram includes iterative feedback loops that demonstrate the cyclical nature of machine learning development, where models are continuously refined and optimized based on performance evaluation results.

4.3.1 CNN-LSTM Model with Attention Mechanism

The fundamental architecture Brailovskaia et al., (2023) integrated convolutional neural networks for feature extraction with LSTM networks for temporal sequence analysis, enhanced through attention mechanisms for improved performance forecasting.



Fig.2 CNN-LSTM Architecture with Attention Mechanism

Input Layer: Raw smartphone usage data from students showing their daily interaction patterns and device usage sequences.
Preprocessing & Normalization: Cleaning and standardizing the data so the model can process it without numerical bias or inconsistencies.
CNN Layer: Identifies recurring usage patterns by scanning through behavioral sequences—detecting intensity spikes and application switching habits that matter for our predictions.
LSTM Layer: Tracks how phone habits evolve over time, understanding that today's behavior is connected to yesterday's patterns. This temporal awareness is essential since academic impact depends on consistent trends.
Attention Mechanism: Highlights which specific moments in a student's usage history are most critical. It recognizes that late-night heavy usage during exam weeks matters more than casual daytime browsing.
Output Layer: Predicts whether the observed phone usage patterns positively, negatively, or minimally affect academic performance.
Integration: These components work together—the CNN finds what's important in the data, LSTM captures how it changes, and attention pinpoints the critical moments. This combination reveals the real relationship between phone usage and academic outcomes.

4.3.2 Model Components:

1. Convolutional Layer: Extracted local patterns from mobile usage sequences employing 1D convolutions with ReLU activation
2. LSTM Layer: Captured long-term dependencies in behavioral patterns through bidirectional processing

3. Attention Mechanism: Allocated dynamic weights to temporal features based on relevance to academic outcomes
4. Dense Output Layer: Executed final classification and regression predictions utilizing softmax activation

For comparative evaluation, conventional machine learning algorithms were implemented:

- Random Forest with hyperparameter optimization
- Gradient Boosting Machine (XGBoost)
- Support Vector Machine with radial basis function kernel
- Naive Bayes classifier
- K-Nearest Neighbors algorithm

4.4 Model Training and Performance Evaluation

The dataset underwent partitioning into 70% training, 15% validation, and 15% testing subsets. Model performance received evaluation through multiple metrics including accuracy, precision, recall, F1-score, and area under the ROC curve. Cross-validation techniques ensured robust performance estimation and prevented overfitting.

4.4.1 Training Configuration:

- Batch size: 64
- Learning rate: 0.001 with adaptive scheduling
- Optimizer: Adam with gradient clipping
- Early stopping criterion based on validation loss
- Regularization: Dropout (0.3) and L2 penalty.

5. RESULTS AND DISCUSSION

5.1 Model Performance Comparison

Our research evaluated six different machine learning approaches to understand how mobile phone usage affects student academic performance. The ***CNN-LSTM model enhanced with attention mechanism*** proved to be the most effective, achieving 92% accuracy. This substantially outperformed the traditional machine learning methods tested, including Random Forest (88.2%), Gradient Boosting (86.7%), SVM (84.3%), and Naive Bayes (78.1%).

Algorithm	Accuracy	Precision	Recall	F1-Score	AUC
CNN-LSTM + Attention	92.00%	91.80%	92.30%	92.10%	0.96
Random Forest	88.20%	87.90%	88.50%	88.20%	0.93
Gradient Boosting	86.70%	86.20%	87.10%	86.60%	0.92
SVM	84.30%	83.80%	84.90%	84.30%	0.90
Naive Bayes	78.10%	77.40%	79.20%	78.30%	0.85

Table1. Model Performance Comparison of Machine Learning Algorithms

5.2 Key Findings from Model Analysis



Fig.3Grouped Bar Chart Machine Learning Model Performance Comparison for Mobile Phone Usage Impact Prediction

The grouped bar chart provides a comprehensive comparison of all five performance metrics across the different algorithms. This visualization clearly demonstrates that the *CNN-LSTM + Attention model significantly outperforms all other approaches* across every metric, with consistent performance above 91% for all measures.

Fig.4Radar Chart: Comprehensive Performance Comparison of Machine Learning Models

The radar chart offers an alternative perspective showing the performance profiles of each algorithm. The CNN-LSTM + Attention model forms the outermost polygon, indicating its superior and well-balanced performance across all dimensions. The chart reveals that while traditional machine learning models like Random Forest and Gradient Boosting show decent performance, they cannot match the deep learning approach's consistency.



Fig.5Model Accuracy Ranking: CNN-LSTM + Attention Achieves Highest Performance

The ***CNN-LSTM with attention mechanism*** emerged as the clear leader across all performance metrics. It maintained consistent performance above 91% across accuracy, precision, recall, and F1-score, demonstrating stable and reliable predictions. The model's AUC of 0.96 indicates excellent ability to distinguish between different patterns of phone usage impact on academic performance. Compared to Random Forest, our best model achieved a ***3.8 percentage point improvement in accuracy*** and a ***3.9 percentage point improvement in F1-score***. The performance gap between the top performer and the weakest model (Naive Bayes) was 13.9 percentage points, highlighting the significant difference in effectiveness between deep learning and simpler statistical approaches for this complex problem.

5.3 Why Deep Learning Performed Better

The superior performance of the CNN-LSTM model with attention reflects its ability to capture temporal patterns in student behavior over time. This architecture naturally handles sequential data, recognizing how mobile phone usage patterns change throughout academic periods. The attention mechanism allows the model to focus on the most critical moments when phone usage significantly impacts study time and academic outcomes. Traditional machine learning algorithms, while performing reasonably well, lack this temporal awareness. Random Forest and Gradient Boosting treated each data point independently without considering the sequence and timing of phone usage events. This limitation explains their lower performance despite being well-established, reliable methods. The results demonstrate that ***deep learning architectures are more suitable for analyzing behavioral patterns in educational contexts***, particularly when understanding how daily habits accumulate to influence academic performance. This finding suggests that accurate prediction of smartphone-related academic challenges requires models that can recognize complex, evolving patterns in student behavior rather than static feature relationships.

6. CONCLUSION

This investigation demonstrates the substantial potential of machine learning, particularly CNN-LSTM architectures incorporating attention mechanisms, for forecasting mobile phone usage impacts on student academic achievement. The developed model attained 92% accuracy in identifying vulnerable students, facilitating proactive interventions through real-time digital wellness monitoring systems. The research uncovers that mobile phone impact on academic achievement depends heavily on usage patterns, duration, and application categories rather than mere device presence. The identified 4-hour threshold for non-educational usage establishes a concrete guideline for educational policies and student self-regulation approaches. The integration of digital wellness frameworks with predictive analytics signifies a paradigm transformation from reactive to proactive educational support systems. Through early identification of risk factors, educational institutions can deploy targeted interventions that preserve the educational advantages of mobile technology while minimizing associated risks.

Future Research Directions:

- Longitudinal investigations examining long-term effects of digital wellness interventions
- Cross-cultural validation of predictive models across diverse educational contexts

- Integration of supplementary data sources including physiological markers and peer interaction patterns
- Development of personalized intervention algorithms based on individual risk profiles

The findings underscore the necessity for collaborative approaches involving educators, students, parents, and technology developers to establish sustainable digital wellness ecosystems within educational environments. As mobile technology continues evolving, research-informed strategies will prove essential for maximizing educational benefits while safeguarding student wellbeing.

7. ACKNOWLEDGEMENT

The authors express gratitude to DST-FIST, Government of India, for funding infrastructure facilities at St. Joseph's College (Autonomous), Tiruchirappalli – 620002.

REFERENCES

[1]. Vimala, S., & Sheela, G. A. S. (2025). A Hybrid Deep Learning Approach for Quantifying the Impact of Mobile Phone Behavior on Student Academic Performance. *Journal of Engineering Research and Reports*, *27*(10), 185-193.

[2]. Kutluay, E., & Karaca, F. (2025). A model proposal explaining the influence of smartphone addiction related factors on high school students' academic success. Education and Information Technologies, 30(3), 4061-4098.

[3]. S. Vimala, Dr. G. Arockia Sahaya Sheela, "A Comparative Study of Artificial Intelligence, Machine Learning, and Deep Learning Approaches in Predicting Academic Performance," *International Multidisciplinary Research Journal Reviews (IMRJR)*, 2025, DOI 10.17148/IMRJR.2025.021008

[4]. Kuş, M. (2025). A meta-analysis of the impact of technology related factors on students' academic performance. Frontiers in Psychology, 16, 1524645.

[5]. Vimala, S. (2025). Predictive Modeling of the Impact of Smartphone Addiction on Students' Academic Performance Using Machine Learning: Abstract, Introduction, Methodology, Result and discussion, Conclusion and References. *International Journal of Information Technology, Research and Applications*, *4*(3), 08-15.

[6]. Pachava, V., Lasekan, O. A., Golla, S. K., & Gosikonda, S. Machine Learning Analysis of Social Media's Impact on Mental Health of Indian Youth. International Research Journal of Multidisciplinary Scope (IRJMS), 2024; 5(2): 623-635 Original Article | ISSN (O): 2582-631X. Doi: 10.47857/irjms. 2024.v05i02.0592.

[7]. Latifian, M., Aarabi, M. A., Esmaeili, S., Abdi, K., & Raheb, G. (2024). The role of internet addiction and academic resilience in predicting the mental health of high school students in Tehran. BMC psychiatry, 24(1), 420. https://doi.org/10.1186/s12888-024-05853-6.

[8]. Kim, K., Yoon, Y., & Shin, S. (2024). Explainable prediction of problematic smartphone use among South Korea's children and adolescents using a Machine learning approach. International Journal of Medical Informatics, 186, 105441. https://doi.org/10.1016/j.ijmedinf.2024.105441.

[9]. Raj, A. D., Pawar, A. S., Pavankumar, B., Goyal, K., & Unisa, S. A. (2024). Machine Learning Model for Prediction of Smartphone Addiction. Indiana Journal of Multidisciplinary Research, 4(3), 104. https://doi.org/10.5281/zenodo.12671971

[10]. Hemal, S. H., Khan, M. A. R., Ahammad, I., Rahman, M., Khan, M. A. S. D., & Ejaz, S. (2024). Predicting the impact of internet usage on students' academic performance using machine learning techniques in Bangladesh perspective. Social Network Analysis and Mining, 14(1), 66. https:// doi. org/ 10. 1016/j. heliy on. 2021. e07388

[11]. Hong, Y., Rong, X., & Liu, W. (2024). Construction of influencing factor segmentation and intelligent prediction model of college students' cell phone addiction model based on machine learning algorithm. Heliyon, 10(8).https://doi.org/10.1016/j.heliyon.2024.e29245

[12]. Mufassirin, M. M., Ahamed, M. R., Hisam, M. M., & Mohamed Fazil, M. (2023). Impact of social media usage on students' academic performance before and during the COVID-19 pandemic in Sri Lanka. Global Knowledge, Memory and Communication. DOI 10.1108/GKMC-01-2023-0028

[13]. Gülü, M., Yagin, F. H., Gocer, I., Yapici, H., Ayyildiz, E., Clemente, F. M., ... & Nobari, H. (2023). Exploring obesity, physical activity, and digital game addiction levels among adolescents: A study on machine learning-based prediction of digital game addiction. Frontiers in Psychology, 14, 1097145. VOLUME: 14, 2023 Doi: 10.3389/fpsyg.2023.1097145, ISSN=16641078.

[14]. Hossain, M. A., Ahammad, I., Ahmed, M. K., & Ahmed, M. I. (2023). Prediction of the Computer Science Department's Educational Performance Through Machine Learning Model by Analyzing Students' Academic Statements. Artificial Intelligence Evolution, 70-87.https:// doi. org/ 10.37256/ aie. 41202 32569

[15]. Lee, Y. S., Joo, J. H., Shin, J., Nam, C. M., & Park, E. C. (2023). Association between smartphone overdependence and generalized anxiety disorder among Korean adolescents. Journal of affective disorders, 321, 108-113. https://doi.org/10.1016/j.jad.2022.10.018

[16]. Brailovskaia, J., Delveaux, J., John, J., Wicker, V., Noveski, A., Kim, S., ... & Margraf, J. (2023). Finding the "sweet spot" of smartphone use: Reduction or abstinence to increase well-being and healthy lifestyle?! An experimental intervention study. Journal of Experimental Psychology: Applied, 29(1), 149. https:// doi.org/ 10. 1037/ xap0000 430