

n8n Assignments

Five short tasks, from basic to middle level. Build each one in n8n and test it with at least two inputs: one correct and one wrong or missing. A good workflow does not break on bad data.

#	Assignment	Level	Nodes to use
1	Student Registration Form	Basic	Webhook, Edit Fields, Supabase, Respond to Webhook
2	Complaint Sorter	Basic	Webhook, Switch, Edit Fields, Respond to Webhook
3	Library Book Check	Basic to Middle	Webhook, Supabase, IF, Gmail
4	Currency Converter	Middle	Webhook, HTTP Request, Code, Respond to Webhook
5	Course Enrolment with Welcome Email	Middle	Webhook, Supabase, Execute Workflow, Gmail, Respond to Webhook

Assignment 1: Student Registration Form

Level: Basic

A college wants to collect student details through a form.

Task: Build a workflow that receives a student's name, email and course through a webhook, cleans the email (no spaces, lowercase), and saves the details in a database table. It should reply "Registration saved".

Use: Webhook, Edit Fields, Supabase, Respond to Webhook

Create this table first (run in the Supabase SQL Editor):

```
create table if not exists public.students (  
  id bigint generated always as identity primary key,  
  created_at timestamptz not null default now(),  
  name text,  
  email text,  
  course text,  
  status text not null default 'new'  
);
```

Test data (POST to your webhook):

Test 1, correct input with a messy email:

```
{ "name": "Anita Rao", "email": " ANITA.RAO@Example.com ", "course": "Data Analytics" }
```

Test 2, missing email:

```
{ "name": "Rahul Menon", "course": "Web Design" }
```

Expected: Test 1 saves `anita.rao@example.com` and replies "Registration saved". Test 2 should not crash.

Assignment 2: Complaint Sorter

Level: Basic

A company receives complaints about three things: delivery, payment and product.

Task: Build a workflow that reads the complaint type and sends each one to the right team: "Delivery Team", "Accounts Team" or "Product Team". Any other type goes to "General Team". It should reply with the team name.

Use: Webhook, Switch, Edit Fields, Respond to Webhook

Test data (POST to your webhook):

```
{ "complaint_type": "delivery", "customer": "Meera", "details": "Parcel arrived late" }
```

```
{ "complaint_type": "payment", "customer": "John", "details": "Charged twice" }
```

```
{ "complaint_type": "product", "customer": "Sara", "details": "Item was damaged" }
```

```
{ "complaint_type": "website", "customer": "Ali", "details": "Page will not load" }
```

Expected: Delivery Team, Accounts Team, Product Team, and General Team (the fourth one is the fallback).

Assignment 3: Library Book Check

Level: Basic to Middle

A library keeps its books in a table with the book name and whether it is available.

Task: Build a workflow that receives a book name and looks it up. If the book is available, email the student "Your book is available, come and collect it." If it is not found, email "Sorry, we don't have this book."

Use: Webhook, Supabase, IF, Gmail

Create this table and sample books first:

```
create table if not exists public.library_books (  
  id bigint generated always as identity primary key,  
  book_name text,  
  author text,  
  available boolean default true  
);  
  
insert into public.library_books (book_name, author, available) values  
('Atomic Habits', 'James Clear', true),  
('The Alchemist', 'Paulo Coelho', true),  
('Wings of Fire', 'A. P. J. Abdul Kalam', false),  
('Clean Code', 'Robert C. Martin', true);
```

Test data (POST to your webhook). Use your own email so you can see the reply:

Available book:

```
{ "book_name": "Atomic Habits", "student_email": "your-email@example.com" }
```

Book not in the library:

```
{ "book_name": "Harry Potter", "student_email": "your-email@example.com" }
```

Extra challenge: "Wings of Fire" exists but is not available. Make the workflow send a third message: "This book is currently borrowed."

Assignment 4: Currency Converter

Level: Middle

A travel agency wants to show prices in different currencies.

Task: Build a workflow that receives an amount and a currency (like USD or EUR). It should call a free exchange-rate API, calculate the converted amount, and reply with a short, clean result such as "100 GBP = 125.4 USD".

Use: Webhook, HTTP Request, Code, Respond to Webhook

Hint: use a free exchange-rate API that needs no key.

Test data (POST to your webhook):

```
{ "amount": 100, "from": "GBP", "to": "USD" }
```

```
{ "amount": 2500, "from": "INR", "to": "EUR" }
```

Wrong currency code (the workflow should reply with a clear message, not crash):

```
{ "amount": 50, "from": "GBP", "to": "XYZ" }
```

Expected: a short result such as "100 GBP = 125.4 USD" (the rate changes daily, so the exact number will differ).

Assignment 5: Course Enrolment with Welcome Email

Level: Middle

A training institute wants a complete enrolment process.

Task: Build two workflows:

1. **Main workflow:** receives the student's name, email and course, saves the details in the database with status "new", then calls the second workflow.
2. **Sub-workflow:** sends the student a welcome email, then changes their status to "enrolled".

The main workflow replies "Enrolled successfully".

Use: Webhook, Supabase, Execute Workflow, Gmail, Respond to Webhook

Bonus: send a different welcome email for each course.

Table: reuse the `students` table from Assignment 1. The sub-workflow changes `status` from `new` to `enrolled`.

Test data (POST to your main workflow). Use your own email so you can see the welcome message:

```
{ "name": "Divya Nair", "email": "your-email@example.com", "course": "Python Basics" }
```

```
{ "name": "Kiran Das", "email": "your-email@example.com", "course": "Digital Marketing" }
```

Expected: "Enrolled successfully", a welcome email, and the row in Supabase changing from `new` to `enrolled` with the same `id`.

Before you submit

- Give every node a descriptive name (not "HTTP Request 1").
- Add a sticky note explaining what each section does.
- Test with correct and incorrect input.
- Take a screenshot of the finished workflow and of one successful test.