3.1 Data Flow Diagram


- DFD (data flow diagram) is also known as bubble chart or data flow graph.
- DFD's are very useful in understanding the system and can be effectively used during analysis. It shows flow of data through a system visually. The DFD is a hierarchical graphical model of a system the different processing activities or functions that the system performs and the data interchange among these functions.
- It views a system as a function that transforms the inputs into desired output.
- Each function is considered as a process that consumes some input data and produces some output data.
- Function model can be represented using DFD.
- DFD graphically representing the functions, or processes, which capture, manipulate, store, and distribute data between a system and its environment and between components of a system.
- The visual representation makes it a good communication tool between User and System designer.
- Structure of DFD allows starting from a broad overview and expand it to a hierarchy of detailed diagrams.

- DFD has often been used due to the following reasons:
 - 1. Logical information flow of the system.
- 2. Determination of physical system construction requirements.
- 3. Simplicity of notation.
- 4. Establishment of manual and automated systems requirements.

[Table 2: Data Flow Diagram Symbols]


Symbols	Description	
	Entity: Entities are external to the system which interacts by inputting the data.	
	System: It shows the system name.	
	Process: It shows the part of the system that transforms into outputs.	
	Data Flow: It passes the data from one part to another.	
	Data Store: Data store is represented by two parallel lines. It is generally logical file or database.	

Level 0: Context Level




[Figure 2: Context level]

Level 1: USER



[Figure 3: DFD Level 1: USER]

Level 1: GUEST



[Figure 4: DFD Level 1: GUEST]


3.2 ER-Diagram

An Entity Relationship (ER) Diagram is a type of flowchart that illustrates how "entities" such as people, objects or concepts relate to each other within a system. ER Diagrams are most often used to design or debug relational databases in the fields of software engineering, business information systems, education and research. Also known as ERDs or ER Models, they use a defined set of symbols such as rectangles, diamonds, ovals and connecting lines to depict the interconnectedness of entities, relationships and their attributes. They mirror grammatical structure, with entities as nouns and relationships as verbs.

[Table 3: ER-Diagram Symbols]

Symbols	Description
	Entity: Data object is real world
	entity or thing. It is represented by
	a rectangle shape. An entity is an
	object or concept about which you
	want to store information.
	Attributes: An attribute is
	property of characteristic of an
	entity. It is represented by oval
	shape.
_	Relationship: Entity are connected
	each other via relations. Generally,
	relationships in binary because
	there are two entities are related to
	each other.
	Cardinality (One to One): An
	instance of entity A can relate to
	one instances of entity B.
	Cardinality (One to Many): An
	instance of entity A can relate to
	one or many instances of B but we
	can only relate one instance of A.
	Cardinality (Many to One): One or
	more instances of entity A can relate
	to one instances of B.
	Cardinality (Many to Many): One
	or more instances of entity A can
	relate to one more instance of
	entity B.

ER-Diagram:



[Figure 7: ER Diagram]

CHAPTER-4 SYSTEM MODELING

4.1 Database Dictionary

4.1.1. Table Name: Auth

Primary Key : User_id
Foreign key : User_id

[Table 4: Auth]

SR.NO	FIELD NAME	DATATYPE(SIZE)	CONSTRAINT	DESCRIPTION
1	User_id	Varchar(12)	Primary key	User's Id
2	E_mail	Varchar(15)	Not null	User's email id
3	Password	Varchar(15)	Not null	Password

4.1.2. Table Name : (User_id) **Foreign key:** User_id

[Table 5: (User_id)]

SR.NO	FIELD NAME	DATATYPE(SIZE)	CONSTRAINT	DESCRIPTION
1	User_id	Varchar(12)	Foreign key	User's Id
2	F_name	Varchar(15)	Not null	User's firstname
3	L_name	Varchar(15)	Not null	User's lastname
4	Password	Varchar(15)	Not null	Password of User
5	Contact_no	Bigint(13)	Not null	Contact no of User
6	Email	Varchar(30)	Not null	Email of User
7	Address	Varchar(100)	Not null	Address of User
8	DOB	Date	Not null	User's DOB

4.1.3. Table Name: PHYSICAL_HEALTH_(User_id)

Foreign key: User_id

[Table 6: PHYSICAL_HELATH_(User_id)]

SR.NO	FIELD NAME	DATATYPE(SIZE)	CONSTRAINT	DESCRIPTION
1	User_id	Varchar(12)	Foreign key	User's Id
2	Timestamp	Date	Unique key	Time of Entry
3	Systole	Number(3)	Not null	User's Systole
4	Diastole	Number(3)	Not Null	User's Diastole
5	Pulse	Number(3)	Not Null	User's Pulse
6	Weight	Number(3)	Not Null	User's Weight
7	Height	Number(3)	Not Null	User's Height
8	BMI	Number(3)	Not Null	User's BMI

4.1.4. Table Name: MENTAL_HEALTH_(User_id)

Foreign key: User_id

[Table 7: PHYSICAL_HELATH_(User_id)]]

SR.NO	FIELDNAME	DATATYPE(SIZE)	CONSTRAINT	DESCRIPTION
1	User_id	Varchar(12)	Foreign key	User's Id
2	IQ_Score	Number(3)	Not null	User's Iq Score
3	GK_Score	Number(3)	Not null	User's GK Score
4	Mental Age	Number(3)	Not null	User's Mental Age Score

4.1.5. Table Name: Links

[Table 8: Links]

SR.NO	FIELDNAME	DATATYPE(SIZE)	CONSTRAINT	DESCRIPTION
1	Link_type	Varchar(12)	Not null	Describe link
				type
2	Platform	Number(3)	Not null	From which platform
3	Link	Number(3)	Not null	Links