WTP TEST Total points 29/40 Time--45 min, 40 question NAME * Devi Dinesh **EMAIL*** devidinesh07@gmail.com CENTRE * KHARGHAR JUHU The correct sequence of HTML tags for starting a webpage is -1/1 Head, Title, HTML, body HTML, Body, Title, Head HTML, Head, Title, Body HTML,TITLE,BODY

✓ Which of the following tag is used to insert a line-break in HTML?	1/1
<pre> </pre>	~
<a>>	
O <pre></pre>	
○ 	
✓ Which character is used to represent the closing of a tag in HTML?	1/1
O \	
<u> </u>	
	✓
✓ How to add a background color in HTML?	1/1
<marquee "red"="" bg="" color:=""></marquee>	
<pre><marquee bg-color="red"></marquee></pre>	
<marquee bgcolor="red"></marquee>	✓
<pre><marquee color="red"></marquee></pre>	

~	Which of the following attribute is used to provide a unique name to an element?	1/1
0	class	
•	id	✓
0	type	
0	None of the above	
~	Which of the following HTML tag is used to display the text with scrolling effect?	1/1
0	<marquee></marquee>	✓
0	<scroll></scroll>	
0	<div></div>	
0	None of the above	
/	Which of the following is the correct way to send mail in HTML?	1/1
•		✓
0		
0	<mail mail="" xy@y<=""></mail>	
0	None of the above	

/	Which of the following HTML attribute is used to define inline styles?	1/1
•	style	✓
0	type	
0	class	
0	None of the above	
/	A program in HTML can be rendered and read by -	1/1
•	Web browser	✓
0	Server	
0	Interpreter	
0	None of the above	
×	Which of the following are the attributes of the tag?	0/1
0	method	
0	action	
0	Both (a) & (b)	
•	None of the above	×
Corre	ect answer	
•	Both (a) & (b)	

✓ Which of the following is the correct syntax to make the background-color of all paragraph elements to yellow?	1/1
p {background-color : yellow;}	/
p {background-color : #yellow;}	
all {background-color : yellow;}	
all p {background-color : #yellow;}	
✓ Which of the following property is used as the shorthand property for the padding properties?	1/1
opadding-left	
opadding-right	
padding	/
All of the above	
✓ The CSS property used to specify the transparency of an element is -	1/1
opacity	/
filter	
visibility	
Overlay	

	S property used to specify whether the text is written in the ital or vertical direction?	1/1
writing-	-mode	✓
text-inc	lent	
O word-b	reak	
O None o	f the above	
X The CS border?	SS property used to draw a line around the elements outside the	0/1
border		×
outline		
padding	g	
line		
Correct answ	ver	
outline		

×	Which of the following class in Bootstrap is used to provide a responsive fixed width container?	0/1
0	container-fixed	
0	container-fluid	
0	container	
•	All of the above	×
Corre	ect answer	
•	container	
/	How many columns are allowed in a bootstrap grid system?	1/1
0	2	
•	12	✓
0	3	
0	5	
~	Which of the following class in bootstrap is used to create a big box for calling extra attention?	1/1
0	.box	
0	.container	
0	.container-fluid	
•	.jumbotron	✓

WTP TEST 8/1/22, 9:25 PM

★ The correct syntax of creating a standard navigation bar is -	0/1
<nav class="navigationbar navbar"></nav>	
<nav class="navbar navbar-default"></nav>	×
<pre><nav class="nav navbar"></nav></pre>	
<nav class="navbar default"></nav>	
Correct answer	
<pre><nav class="nav navbar"></nav></pre>	
Which of the following is the correct syntax of creating a standard navigation tab?	0/1
<ul class="navigation nav-tabs">	
<ul class="nav tab">	×
<ul class="nav nav-tabs">	
<ul class="navigation tabs">	
Correct answer	
<ul class="nav nav-tabs">	

★ Which of the following class is used to create a black navigation bar?	0/1
navbar-default	
.navbar-inverse	
.navbar-black	
.navbar-dark	×
Correct answer	
.navbar-inverse	
✓ The plugin used to create a cycle through elements as a slideshow is	s - 1/1
Slideshow	
scrollspy	
carousel	✓
None of the above	
✓ Which of the following class in Bootstrap is used to create a basic lis group?	et 1/1
grouped-list	
.select-list	
list-group	✓
Option 4	

✓	Which of the following class in Bootstrap is used to add a zebra-stripe to a 1/table?	1
0	.tab-striped	
0	.zebra-strip	
•	.table-stripped 🗸	
0	.table-striped	
/	Which of the following class in Bootstrap is used to create a large button? 1/	1
0	.btn-xl	
0	.btn-lrg	
0	.btn-large	
•	.btn-lg	
~	Which of the following plugin in Bootstrap is used to create a modal 1/window?	1
0	popup	
0	alert	
0	modal	
0	window	
	.btn-lrg .btn-large .btn-lg Which of the following plugin in Bootstrap is used to create a modal window? popup alert modal	

 The class in Bootstrap which is used to specify the collapsible eler - 	ments is 1/1
.collapse	✓
o .carousel	
o .pager	
None of the above	
✓ The class used for creating the small size wells is -	1/1
.well-small	
.well-short	
.well-lg	
.well-sm	✓
Which of the following is the correct syntax to insert search icon?	0/1
<pre> </pre>	
 	×
 	
<pre> </pre>	
Correct answer	
 	

★ Which of the following is correct method to add a success button?	0/1
<button class="btn btn-success"> success </button>	
<button class="btn button-success"> success </button>	
<button class="button btn-success"> success </button>	
<button class="button btn-primary"> success </button>	×
Correct answer	
<button class="btn btn-success"> success </button>	
✓ Is it true that the Bootstrap grid system works across multiple devic	es? 1/1
True	~
○ False	
Can't say	
May be	
✓ The class "xs" in Bootstrap is used for -	1/1
○ tablets	
phones	~
desktop	
All of the above	

~	Which of the following class in Bootstrap is used to create an animated progress bar?	1/1
•	.active	✓
0	.progress-success	
0	.progress-active	
0	None of the above	
×	The element simply groups items within an enclosed dd tag, though it may associate them with a caption defined by a dt tag.	0/1
0	object	
0	figure	
•	embed	×
0	collect	
Corr	ect answer	
•	object	
~	The element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side.	1/1
0	metadata	
0	CSS	
•	canvas	✓
0	art	

	~	. Consider the following markup and answer the question that follow. <source src="html_5.mp4" type="video/mp4"/> <source src="html_5.ogv" type="video/ogg"/> What is the need to add multiple file formats for the same file?	1/1
	0	To provide fallback support	
	0	To address the media support problem	
		To provide fallback support & address the media support problem	✓
	0	To provide foul back support	
	×	In HTML Audio/Video DOM, sets or returns whether the audio/video should be loaded when the page loads.	0/1
	0	preload	
	()	autoplay	×
	0	buffered	
	0	controller	
	Corr	ect answer	
	•	preload	
	~	Which of the following is not a HTML5 tag?	1/1
	0	<video></video>	
	0	<source/>	
	0	<track/>	
	()	<slider></slider>	✓
:			

×	Which of the following HTML Video – Media Type is not supported in IE?	0/1
•	WebM	×
0	MP4	
0	Ogg	
0	MP4 FLAC	
Corre	ect answer	
•	Ogg	
~	In HTML Audio/Video DOM, returns a TimeRanges object representing the buffered parts of the audio/video.	1/1
0	preload	
0	networkState	
•	buffered	✓
0	controller	

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms