WTP TEST

Time--45 min, 40 question

devidinesh07@gmail.com (not shared) Switch account

Draft saved

* Required

NAME *

Devi Dinesh

EMAIL *

devidinesh07@gmail.com

CENTRE *

- ⦿ KHARGHAR
- ○ JUHU

The correct sequence of HTML tags for starting a webpage is -   1 point

- ○ Head, Title, HTML, body
- ○ HTML, Body, Title, Head
- ⦿ HTML, Head, Title, Body
- ○ HTML,TITLE,BODY

Clear selection

Which of the following tag is used to insert a line-break in HTML?

1 point

◉

○ <a>

○ <pre>

○ <b>

Clear selection

Which character is used to represent the closing of a tag in HTML?

1 point

○ \

○ !

◉ /

○ .

Clear selection

How to add a background color in HTML?

1 point

○ <marquee bg color: "red">

○ <marquee bg-color = "red">

◉ <marquee bgcolor = "red">

○ <marquee color = "red">

Clear selection

Which of the following attribute is used to provide a unique name to an element?   1 point

○ class

◉ id

○ type

○ None of the above

Clear selection

Which of the following HTML tag is used to display the text with scrolling effect?   1 point

◉ <marquee>

○ <scroll>

○ <div>

○ None of the above

Clear selection

Which of the following is the correct way to send mail in HTML?   1 point

◉ <a href = "mailto: xy@y">

○ <a href = "xy@y">

○ <mail xy@y</mail>

○ None of the above

Clear selection

Which of the following HTML attribute is used to define inline styles?   1 point

◉ style

○ type

○ class

○ None of the above

Clear selection

A program in HTML can be rendered and read by -   1 point

◉ Web browser

○ Server

○ Interpreter

○ None of the above

Clear selection

Which of the following are the attributes of the tag?   1 point

○ method

○ action

○ Both (a) & (b)

◉ None of the above

Clear selection

Which of the following is the correct syntax to make the background-color of   1 point
all paragraph elements to yellow?

◉ p {background-color : yellow;}

◯ p {background-color : #yellow;}

◯ all {background-color : yellow;}

◯ all p {background-color : #yellow;}

Clear selection

Which of the following property is used as the shorthand property for the   1 point
padding properties?

◯ padding-left

◯ padding-right

◯ padding

◯ All of the above

The CSS property used to specify the transparency of an element is -   1 point

◯ opacity

◯ filter

◯ visibility

◯ overlay

The CSS property used to specify whether the text is written in the horizontal   1 point
or vertical direction?

○ writing-mode

○ text-indent

○ word-break

○ None of the above

The CSS property used to draw a line around the elements outside the   1 point
border?

○ border

○ outline

○ padding

○ line

Which of the following class in Bootstrap is used to provide a responsive   1 point
fixed width container?

○ container-fixed

○ container-fluid

○ container

○ All of the above

How many columns are allowed in a bootstrap grid system?　　1 point

○ 2

○ 12

○ 3

○ 5

Which of the following class in bootstrap is used to create a big box for calling extra attention?　　1 point

○ .box

○ .container

○ .container-fluid

○ .jumbotron

The correct syntax of creating a standard navigation bar is -　　1 point

○ <nav class="navigationbar navbar">

○ <nav class="navbar navbar-default">

○ <nav class="nav navbar">

○ <nav class="navbar default">

Which of the following is the correct syntax of creating a standard navigation 1 point
tab?

○ <ul class="navigation nav-tabs">

○ <ul class="nav tab">

○ <ul class="nav nav-tabs">

○ <ul class="navigation tabs">

Which of the following class is used to create a black navigation bar? 1 point

○ .navbar-default

○ .navbar-inverse

○ .navbar-black

○ .navbar-dark

The plugin used to create a cycle through elements as a slideshow is - 1 point

○ slideshow

○ scrollspy

○ carousel

○ None of the above

Which of the following class in Bootstrap is used to create a basic list group?   1 point

◯ .grouped-list

◯ .select-list

◯ .list-group

◯ Option 4

Which of the following class in Bootstrap is used to add a zebra-stripe to a table?   1 point

◯ .tab-striped

◯ .zebra-strip

◯ .table-stripped

◯ .table-striped

Which of the following class in Bootstrap is used to create a large button?   1 point

◯ .btn-xl

◯ .btn-lrg

◯ .btn-large

◯ .btn-lg

Which of the following plugin in Bootstrap is used to create a modal window? 1 point

○ popup

○ alert

○ modal

○ window

The class in Bootstrap which is used to specify the collapsible elements is - 1 point

○ .collapse

○ .carousel

○ .pager

○ None of the above

The class used for creating the small size wells is - 1 point

○ .well-small

○ .well-short

○ .well-lg

○ .well-sm

Which of the following is the correct syntax to insert search icon? 1 point

○

○

○

○

Which of the following is correct method to add a success button?   1 point

○ <button class = "btn btn-success"> success </button>

○ <button class = "btn button-success"> success </button>

○ <button class = "button btn-success"> success </button>

○ <button class = "button btn-primary"> success </button>

Is it true that the Bootstrap grid system works across multiple devices?   1 point

○ True

○ False

○ Can't say

○ May be

The class "xs" in Bootstrap is used for -   1 point

○ tablets

○ phones

○ desktop

○ All of the above

Which of the following class in Bootstrap is used to create an animated progress bar?   1 point

○ .active

○ .progress-success

○ .progress-active

○ None of the above

The element _____ simply groups items within an enclosed dd tag, though it may associate them with a caption defined by a dt tag.   1 point

○ object

○ figure

○ embed

○ collect

The _____ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side.   1 point

○ metadata

○ css

○ canvas

○ art

. Consider the following markup and answer the question that follow.<source   1 point
src="html_5.mp4" type="video/mp4"><source src="html_5.ogv"
type="video/ogg">What is the need to add multiple file formats for the same
file?

○ To provide fallback support

○ To address the media support problem

○ To provide fallback support & address the media support problem

○ To provide foul back support

In HTML Audio/Video DOM, _____ sets or returns whether the   1 point
audio/video should be loaded when the page loads.

○ preload

○ autoplay

○ buffered

○ controller

Which of the following is not a HTML5 tag?   1 point

○ <video>

○ <source>

○ <track>

○ <slider>

Which of the following HTML Video – Media Type is not supported in IE?   1 point

○ WebM

○ MP4

○ Ogg

○ MP4 FLAC

In HTML Audio/Video DOM, _____ returns a TimeRanges object   1 point
representing the buffered parts of the audio/video.

○ preload

○ networkState

○ buffered

○ controller

Submit   Clear form

Google Forms