

HANDSMEN THREADS

Project Overview, Data Model & Configuration

Salesforce CRM Project Documentation 1
Skills Wallet Project | Implementation Evidence

Document Control

Module	Purpose	Evidence
Project	HandsMen Threads – Salesforce CRM	Overall project
Business Domain	Premium men's fashion / bespoke tailoring	Use case
Platform	Salesforce	Development and runtime platform
Document	01 – Project Overview, Data Model & Configuration	Skills Wallet evidence
Evidence	Completed Salesforce implementation screenshots supplied by the project owner	Source evidence

1. Project Overview

HandsMen Threads is a premium men's fashion and bespoke tailoring business use case implemented on Salesforce. The project is designed to centralize customer, product, order, inventory and marketing information in one CRM environment. A structured data model provides a consistent foundation for daily operations, while Salesforce automation reduces repetitive manual work and improves the speed and consistency of customer and operational communication.

The solution also addresses data integrity at the user interface level. Business data is protected through validation and configuration rules, while the Lightning application provides a focused interface for users. The completed implementation further includes security configuration, email communication, Flow automation, Apex and scheduled processing.

2. Business Problem

A premium fashion business has to coordinate customer information, product information, orders and inventory while also maintaining customer relationships. Without a common CRM structure, data can become inconsistent, stock conditions can be missed, customer communication can be delayed and staff can spend time performing repetitive updates. HandsMen Threads uses Salesforce to bring these activities into a common platform and automate the processes that are most important to the business.

3. Business Requirements / User Story

- Build a robust Salesforce data model for the business data required by HandsMen Threads.
- Maintain data integrity directly from the Salesforce UI.

- Send an automated customer email after an order is confirmed.
- Update customer loyalty status based on purchase history.
- Notify the warehouse team automatically when stock falls below five units.
- Process bulk orders daily at midnight and update the required financial and inventory information.
- Control access through Salesforce security configuration.

4. Project Objectives

1. Centralize customer, product, order, inventory and marketing data.
2. Provide a clear and maintainable Salesforce object model.
3. Reduce invalid data through validation/data-quality controls.
4. Provide a dedicated Lightning application for business users.
5. Automate customer communication and inventory-related notifications.
6. Use Apex for programmatic business logic and asynchronous processing where appropriate.
7. Provide evidence that each Skills Wallet module has been implemented and verified.

5. Solution Architecture

The implementation combines Salesforce declarative configuration and programmatic development. Custom objects form the data layer; tabs and the Lightning app form the user-facing layer; validation/data configuration protects data quality; profiles, roles, users and permission sets control access; email templates and alerts provide reusable communication; Record-Triggered Flows automate event-driven processes; and Apex/batch scheduling supports programmatic and bulk processing.

Module	Purpose	Evidence
Data Layer	HandsMen Customer, HandsMen Product, HandsMen Order, Inventory, Marketing Campaign	Object evidence
UI	Custom tabs and HandsMen Threads app	Tabs/App Manager evidence
Data Quality	Validation rules/configuration	Validation evidence
Security	Profiles, Roles, Users, Permission Set	Security evidence
Communication	Email Templates and Email Alerts	Email evidence
Automation	Record-Triggered Flows	Flow evidence
Programmatic	Apex / Trigger	Developer Console evidence
Asynchronous	Batch / Scheduled processing	Scheduled Jobs evidence

6. Salesforce Credentials Setup

The Salesforce org is the development and demonstration environment for the HandsMen Threads implementation. The credentials/setup module establishes the Salesforce environment in which the project's objects, fields, application, security, automation and Apex components are configured.




Figure1 - Evidence of the Salesforce implementation environment and initial object configuration.

7. Data Management – Objects

The implementation evidence shows five custom objects forming the core business data model:

HandsMen Customer — Stores customer information required by the CRM and loyalty processes.

HandsMen Product — Stores product information including price, SKU and stock-related product data.

HandsMen Order — Stores customer order information including customer, quantity, status and total amount.

Inventory — Stores product inventory information including stock quantity, stock status and warehouse.

Marketing Campaign — Stores campaign information and its relationship to HandsMen Customer.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
HandsMen Customer	HandsMen_Customer__c	Custom Object		9/12/2026	✓

SETUP > OBJECT MANAGER

HandsMen Customer

Details

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout

Details Edit Delete

Description

API Name: HandsMen_Customer__c

Custom

Singular Label: HandsMen Customer

Plural Label: HandsMen Customers

Enable Reports: ✓

Track Activities: ✓

Track Field History: ✓

Deployment Status: Deployed

Help Settings: Standard salesforce.com Help Window

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED	
HandsMen Product	HandsMen_Product__c	Custom Object		9/12/2026	✓	▼

[SETUP > OBJECT MANAGER](#)
HandsMen Product

Details

Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters

Details

Description

API Name

HandsMen_Product__c

Custom

✓

Singular Label

HandsMen Product

Plural Label

HandsMen Products

Enable Reports

✓

Track Activities

Track Field History

Deployment Status

Deployed

Help Settings

Standard salesforce.com Main Window

EditDelete

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED	
HandsMen Order	HandsMen_Order__c	Custom Object		9/12/2026	✓	▼

[SETUP > OBJECT MANAGER](#)
HandsMen Order

Details

Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts

Details

Description

API Name

HandsMen_Order__c

Custom

✓

Singular Label

HandsMen Order

Plural Label

HandsMen Orders

Enable Reports

✓

Track Activities

Track Field History

Deployment Status

Deployed

Help Settings

Standard salesforce.com Help Window

EditDelete

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED	
Inventory	Inventory__c	Custom Object		9/12/2026	✓	▼

[SETUP > OBJECT MANAGER](#)
Inventory

Details

Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts

Details

Description

API Name

Inventory__c

Custom

✓

Singular Label

Inventory

Plural Label

Inventories

Enable Reports

✓

Track Activities

Track Field History

Deployment Status

Deployed

Help Settings

Standard salesforce.com Help Window

EditDelete

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED	
Marketing Campaign	Marketing_Campaign__c	Custom Object		9/12/2026	✓	▼

[SETUP > OBJECT MANAGER](#)
Marketing Campaign

Details

Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts

Details

Description

API Name

Marketing_Campaign__c

Custom

✓

Singular Label

Marketing Campaign

Plural Label

Marketing Campaigns

Enable Reports

✓

Track Activities

Track Field History

Deployment Status

Deployed

Help Settings

Standard salesforce.com Help Window

EditDelete

Figure – HandsMen Customer, HandsMen Product, HandsMen Order , Inventory object, Marketing Campaign configuration.

8. Data Management – Tabs

Custom object tabs make the configured business objects accessible from the Salesforce user interface. The supplied evidence shows custom-tab configurations for HandsMen Customer, HandsMen Products and additional custom objects.

The figure displays four screenshots of the Salesforce Setup interface, specifically the 'Tabs' section, illustrating the configuration of custom object tabs.

Top Left Screenshot: Edit Custom Object Tab - HandsMen Customer

- Tab Label:** HandsMen Customer
- Object:** HandsMen Customer
- Tab Style:** People
- Splash Page Custom Link:** --None--
- Description:** (Empty text area)
- Buttons:** Save, Cancel

Top Right Screenshot: Edit Custom Object Tab - HandsMen Products

- Tab Label:** HandsMen Products
- Object:** HandsMen Product
- Tab Style:** Building Block
- Splash Page Custom Link:** --None--
- Description:** (Empty text area)
- Buttons:** Save, Cancel

Bottom Left Screenshot: New Custom Object Tab

- Step 1. Enter the Details** (Step 1 of 3)
- Object:** HandsMen Order
- Tab Style:** Mail
- Splash Page Custom Link:** --None--
- Description:** (Empty text area)
- Buttons:** Next, Cancel

Bottom Right Screenshot: New Custom Object Tab

- Step 1. Enter the Details** (Step 1 of 3)
- Object:** Inventory
- Tab Style:** Insect
- Splash Page Custom Link:** --None--
- Description:** (Empty text area)
- Buttons:** Next, Cancel

Bottom Left Screenshot: New Custom Object Tab

- Step 1. Enter the Details** (Step 1 of 3)
- Object:** Marketing Campaign
- Tab Style:** Car
- Splash Page Custom Link:** --None--
- Description:** (Empty text area)
- Buttons:** Next, Cancel

Figure - Custom Object Tab configuration evidence.

9. Data Management – App Manager

A dedicated Lightning application named HandsMen Threads was configured to bring the project objects together in one user-facing environment. App Manager provides the application details and navigation configuration, while the resulting Lightning application provides direct access to the project data.

The screenshot displays the 'App Details & Branding' configuration page for a Lightning application named 'HandsMen Threads'. The page is divided into two main sections: 'App Details' and 'App Branding'.

App Details:

- App Name:** HandsMen Threads
- Developer Name:** HandsMen_Threads
- Description:** Enter a description...

App Branding:

- Image:** A placeholder for the app's icon with an 'Upload' button.
- Primary Color Hex Value:** #0070D2
- Org Theme Options:** A checkbox labeled 'Use the app's image and color instead of the org's custom theme' is currently unchecked.

App Launcher Preview: A preview of the app's launcher icon, showing a blue square with 'HT' and the text 'HandsMen Threads'.

The bottom portion of the image shows the 'HandsMen Threads' application interface. It features a top navigation bar with a search bar and various utility icons. Below this is a sidebar with a list of navigation items: HandsMen Threads, HandsMen Customer (selected), HandsMen Orders, Inventories, HandsMen Products, Reports, Dashboards, Accounts, Contacts, and Marketing Campaigns. The main content area displays the 'HandsMen Customer' object with a 'Recently Viewed' section, showing 0 items updated a few seconds ago. Action buttons like 'New', 'Import', 'Change Owner', and 'Assign Label' are visible at the top right of the list.

Figure – App Details & Branding / HandsMen Threads application evidence.

10. Data Management – Fields

The Data Management – Fields module covers the creation and configuration of the individual fields required by HandsMen Threads. The Skills Wallet reference divides this module into Field – Email, Field – Phone, Field – Loyalty Status, Create Lookup Relationship, Formula Fields, and Create Remaining Fields for the objects. Each submodule is documented separately below for verification. The final verification should use the exact field labels, API names and data types configured in the completed org.

Field – Email

An **Email** field was created in the **HandsMen Customer** object to store the customer's email address. This field is required for maintaining customer contact information and supports the automated communication processes implemented in the project.

Field – Phone

A **Phone** field was created in the **HandsMen Customer** object to store the customer's contact number. This provides structured customer contact information for customer-service purposes.

Field – Loyalty Status

A **Loyalty Status** field was created in the **HandsMen Customer** object using a **Picklist** data type. The field stores the customer's loyalty-program status and supports the Dynamic Loyalty Program requirement.

Create Lookup Relationship

Lookup relationships were created to connect related business records.

The **Customer** field in the **HandsMen Order** object establishes a relationship with the **HandsMen Customer** object. This allows each order to be associated with the customer who placed it.

The **Product** field in the **Inventory** object establishes a relationship with the **HandsMen Product** object. This allows inventory records to be associated with their corresponding products and supports inventory management.

The figure displays four screenshots of the Salesforce 'Fields & Relationships' configuration interface for different objects. Each screenshot shows a table of fields with columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed status. The 'HandsMen Product' object has 8 fields, 'HandsMen Order' has 8 fields, 'Marketing Campaign' has 7 fields, and 'HandsMen Customer' has 11 fields. The 'HandsMen Customer' object includes fields like Email, First Name, Full Name, Last Name, Loyalty Status, and Total Purchases.

Object	Field Label	Field Name	Data Type	Controlling Field	Indexed
HandsMen Product	Created By	CreatedById	Lookup(User)		
	HandsMen Product Name	Name	Text(80)		
	Last Modified By	LastModifiedById	Lookup(User)		
	Order	Order__c	Lookup(HandsMen Order)		
	Owner	OwnerId	Lookup(User,Group)		
	Price	Price__c	Currency(18, 0)		
	SKU	SKU__c	Text(20)		
	Stock Quantity	Stock_Quantity__c	Number(18, 0)		
HandsMen Order	Created By	CreatedById	Lookup(User)		
	Customer	Customer__c	Lookup(HandsMen Customer)		
	HandsMen Order Name	Name	Auto Number		
	Last Modified By	LastModifiedById	Lookup(User)		
	Owner	OwnerId	Lookup(User,Group)		
	Quantity	Quantity__c	Number(18, 0)		
	Status	Status__c	Picklist		
	Total Amount	Total_Amount__c	Number(18, 0)		
Marketing Campaign	Created By	CreatedById	Lookup(User)		
	End Date	End_Date__c	Date		
	HandsMen Customer	HandsMen_Customer__c	Lookup(HandsMen Customer)		
	Last Modified By	LastModifiedById	Lookup(User)		
	Marketing Campaign Name	Name	Auto Number		
	Owner	OwnerId	Lookup(User,Group)		
	Start Date	Start_Date__c	Date		
Inventory	Created By	CreatedById	Lookup(User)		
	Inventory Name	Name	Auto Number		
	Last Modified By	LastModifiedById	Lookup(User)		
	Product	Product__c	Master-Detail(HandsMen Product)		
	Stock Quantity	Stock_Quantity__c	Number(18, 0)		
	Stock Status	Stock_Status__c	Formula (Text)		
	Warehouse	Warehouse__c	Text(20)		
HandsMen Customer	Created By	CreatedById	Lookup(User)		
	Email	Email__c	Email		
	FirstName	FirstName__c	Text(20)		
	Full_Name__c	Full_Name__c	Formula (Text)		
	HandsMen Customer Name	Name	Text(80)		
	Last Modified By	LastModifiedById	Lookup(User)		
	LastName	LastName__c	Text(20)		
	Loyalty Status	Loyalty_Status__c	Picklist		
	Owner	OwnerId	Lookup(User,Group)		
	Phone	Phone__c	Phone		
	Total Purchases	Total_Purchases__c	Text(20)		

Figure – Populated fields for HandsMen Product, HandsMen Order, HandsMen Customer, Inventory, and , Marketing Campaign .

The following screenshot provides **combined implementation evidence for the Data Management – Fields module**. It shows the configured fields for the HandsMen Threads objects and demonstrates the completion of the Skills Wallet field requirements, including Email, Phone, Loyalty Status, Lookup Relationship, Formula Fields and the remaining fields created for the project objects.

10.1 Formula Fields

Formula fields calculate derived values from existing record information. They reduce manual data entry and ensure that calculated or interpreted information is generated consistently.

10.1.1 Full Name – Formula Field

The Full Name formula field derives the customer's display name from the stored name information. This avoids requiring users to maintain a separate manually entered full-name value.

Business purpose: Automatically present a combined customer name.

The screenshot shows the 'HandsMen Customer' custom field configuration page. The left sidebar lists navigation options: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, and Restriction Rules. The main content area is titled 'HandsMen Customer Custom Field' and 'Full Name__c'. It includes a 'Back to HandsMen Customer' link and a 'Help for this Page' icon. Below the title is a 'Custom Field Definition Detail' section with tabs for 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' table lists: Field Label (Full Name__c), Field Name (Full Name__c), API Name (Full Name__c_c), Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, Compliance Categorization, Created By (Devil Durga Sudhishna Mudugu, 9/12/2026, 10:49 AM), and Modified By (Devil Durga Sudhishna Mudugu, 9/12/2026, 10:49 AM). The 'Formula Options' section shows Data Type as 'Formula' and the formula as 'FirstName__c + " " + LastName__c'.

10.1.2 Stock Status – Formula Field

The Stock Status formula field derives a text-based stock condition from the inventory information. This provides users with a clear stock indicator and supports the stock-monitoring requirement.

Business purpose: Present an interpreted inventory condition based on stock information.

The screenshot shows the 'Inventory Custom Field' configuration page for 'Stock Status'. The left sidebar is identical to the previous screenshot. The main content area is titled 'Inventory Custom Field' and 'Stock Status'. It includes a 'Back to Inventory' link and a 'Help for this Page' icon. Below the title is a 'Custom Field Definition Detail' section with tabs for 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' table lists: Field Label (Stock Status), Field Name (Stock_Status), API Name (Stock_Status__c), Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, Compliance Categorization, Created By (Devil Durga Sudhishna Mudugu, 9/12/2026, 10:56 AM), and Modified By (Devil Durga Sudhishna Mudugu, 9/12/2026, 10:56 AM). The 'Formula Options' section shows Data Type as 'Formula' and the formula as 'IF(Stock_Quantity__c > 10, "Available", "Low Stock")'.

11. Validation Rules / Data Configuration

11.1 HandsMen Order – Total Amount

The HandsMen Order validation rule is named Total_Amount and checks the configured Total Amount condition. The screenshot shows an error message instructing the user to enter a correct amount when the validation condition is met. This protects order financial data from invalid values.

Configured Rule Name: Total_Amount

Configured condition shown: Total_Amount__c <= 0

Configured error message shown: Please Enter Correct Amount

HandsMen Order Validation Rule

[Help for this Page](#) ?

[Back to HandsMen Order](#)

Validation Rule Detail			
		Edit Clone	
Rule Name	Total_Amount	Active	☒
Error Condition Formula	Total_Amount__c <= 0		
Error Message	Please Enter Correct Amount	Error Location	Total Amount
Description			
Created By	Devi Durga Sudhishna Mudugu, 9/12/2026, 11:31 AM		Modified By Devi Durga Sudhishna Mudugu, 9/12/2026, 11:31 AM
		Edit Clone	

Figure – HandsMen OrderValidation Rule

11.2 Inventory – Stock Quantity

The Inventory validation rule is named Stock_Quantity and checks the configured stock quantity condition. The screenshot shows the message 'The inventory count is never less than zero.' This prevents negative inventory values.

Configured Rule Name: Stock_Quantity

Configured condition shown: Stock_Quantity__c <= 0

Configured error message shown: The inventory count is never less than zero.

Inventory Validation Rule

[Help for this Page](#) ?

[Back to Inventory](#)

Validation Rule Detail			
		Edit Clone	
Rule Name	Stock_Quantity	Active	☒
Error Condition Formula	Stock_Quantity__c <= 0		
Error Message	The inventory count is never less than zero.	Error Location	Top of Page
Description			
Created By	Devi Durga Sudhishna Mudugu, 9/12/2026, 11:36 AM		Modified By Devi Durga Sudhishna Mudugu, 9/12/2026, 11:37 AM
		Edit Clone	

Figure – Inventory Validation Rule

11.3 HandsMen Customer – Email

The HandsMen Customer validation rule is named Please_fill_correct_Email. It checks that the entered email does not violate the configured email condition. The screenshot shows a user-facing message requesting a correct email address.

Configured Rule Name: Please_fill_correct_Email

Configured condition shown: NOT(CONTAINS(Email__c, "@gmail.com"))

Configured error message shown: Please Fill Correct Email

HandsMen Customer Validation Rule

[Help for this Page](#) ?

[Back to HandsMen Customer](#)

Validation Rule Detail			
		Edit Clone	
Rule Name	Please_fill_Correct_Gmail	Active	☒
Error Condition Formula	NOT CONTAINS(Email__c, "@gmail.com")		
Error Message	Please fill Correct Gmail	Error Location	Top of Page
Description			
Created By	Devi Durga Sudhishna Mudugu, 9/12/2026, 11:39 AM		Modified By Devi Durga Sudhishna Mudugu, 9/12/2026, 11:39 AM
		Edit Clone	

Figure – HandsMen Customer Validation Rule

12. Data Configuration Verification

Test ID	Module	Verification	Expected Result
DC-01	Email	Enter invalid email according to configured rule	Record save is blocked and configured message is displayed.
DC-02	Phone	Review HandsMen Customer field configuration	Phone field exists with Phone data type.
DC-03	Loyalty Status	Review HandsMen Customer field configuration	Loyalty Status exists as a Picklist.
DC-04	Lookup Relationship	Review HandsMen Order Customer field	Customer references HandsMen Customer.
DC-05	Master-Detail	Review Inventory Product field	Product references HandsMen Product through Master-Detail.
DC-06	Formula Fields	Review Full Name and Stock Status	Both are configured as Formula (Text).
DC-07	Remaining Fields	Review object field lists	Required object-specific fields are present.
DC-08	Order Validation	Enter invalid quantity, total amount.	Record save is prevented by validation.
DC-09	Inventory Validation	Enter invalid Stock Quantity	Record save is prevented by validation.

The screenshot shows a web form titled "New HandsMen Customer". At the top right, there is a legend: "* = Required Information". The form is divided into sections. The "Information" section contains the following fields:

- *HandsMen Customer Name:** A text input field with the value "Devi".
- Email:** A text input field with the value "abcm@gmail". Below the field, there is a red error message: "Enter a valid email address, such as name@email.com.".
- Phone:** A text input field with the value "09059332615".
- Loyalty Status:** A dropdown menu with "--None--" selected.
- FirstName:** A dropdown menu with "--None--" selected.
- LastName:** A dropdown menu with "Gold" selected.
- Total Purchases:** A dropdown menu with "Bronze" selected.

At the bottom of the form, there are three buttons: "Cancel", "Save & New", and "Save".

Figure - Data Configuration Verification (DC-01, DC-02, DC-03)

New HandsMen Order

* = Required Information

Information

HandsMen Order Name

Owner  Devi Durga Sudhishna Mudugu

Customer  Devi

Status Pending

Quantity 12
For Status "Pending", Quantity must be more than 200.

Total Amount -1

We hit a snag.

Review the following fields

- Quantity

Cancel Save & New Save

Figure - Data Configuration Verification (DC-08)

New Inventory

* = Required Information

Information

Inventory Name

* Product  Kurtis

Stock Quantity -1

Warehouse

We hit a snag.

Review the errors on this page.

- The inventory count is never less than zero.

Cancel Save & New Save

Figure - Data Configuration Verification (DC-09)

13. Conclusion

The HandsMen Threads Salesforce data foundation establishes the objects, fields, relationships, formulas and validation controls required for the project. The module-wise documentation makes each Skills Wallet field requirement independently visible and ties each requirement to evidence from the completed Salesforce implementation.