

HANDSMEN THREADS

Data Security & Customer Communication

Salesforce CRM Project Documentation 2

Document Control

Module	Purpose	Evidence
Module Group	Data Security + Customer Communication	Skills Wallet verification
Security Components	Profiles, Roles, Users, Permission Set	Access control
Communication Components	Email Templates, Email Alerts	Customer/warehouse communication
Evidence	Completed implementation screenshots	Source evidence

1. Purpose

This document presents the data-security and customer-communication implementation of HandsMen Threads. Each Skills Wallet module is documented separately so that a reviewer can understand what was configured, why it was required, how it supports the business use case, and what the accompanying Salesforce screenshot demonstrates.

The security layer controls access to the CRM, while the communication layer standardizes and automates routine customer and operational notifications.

2. Security Model

HandsMen Threads uses Salesforce's layered security model. Profiles establish baseline permissions, roles and role hierarchy provide organizational context and contribute to record visibility, user records connect those settings to individuals, and permission sets provide additional access where required. This structure separates standard access from optional additional permissions.

Module	Purpose	Evidence
Profiles	Baseline permissions	Profile screenshots
Roles	Organizational hierarchy / visibility	Role hierarchy screenshot
Users	Individual access assignments	User screenshots
Permission Set	Additional permissions	Permission-set screenshots

3. Data Security – Profiles

A Salesforce Profile defines the baseline permissions available to a user. For HandsMen Threads, the profile is used to control access to the custom business objects and the actions that users can perform on those objects.

The completed implementation contains a profile named **Platform 1**. The evidence shows the profile overview and object-level settings for HandsMen Products and Inventory. The configuration demonstrates that Salesforce access is not simply granted to every user equally; instead, baseline permissions are defined through the profile.




Figure – Platform 1 profile overview and object-permission configuration shown in the completed Salesforce implementation.

4. Data Security – Roles

Salesforce Roles represent the organizational hierarchy of users. In HandsMen Threads, roles are used to represent business responsibilities and provide an organizational structure for the Salesforce users.

The completed implementation contains a role hierarchy with multiple functional responsibilities. The hierarchy includes business roles such as CEO, COO, CFO, Inventory, Marketing, HR and other functional areas. Placing these roles in a hierarchy gives the project a structured access model and supports Salesforce's record-visibility behaviour.

4.1 Role Hierarchy Objectives

- Represent reporting relationships between business functions.
- Organize Salesforce users according to responsibility.
- Support record visibility through the Salesforce role hierarchy.
- Provide a clear organizational structure for the HandsMen Threads CRM.




Figure – Configured HandsMen Threads role hierarchy showing the organizational structure.

5. Data Security – Users

Salesforce User records represent the individual accounts that access the HandsMen Threads Salesforce environment. Users connect the security model to real accounts through their profile, role, license and active status.

The implementation evidence shows configured user records with user details and security information. The screenshots demonstrate users associated with the Salesforce license and Platform 1 profile, together with their business role information.

The screenshot shows the 'Users' setup page in Salesforce. The header includes a 'SETUP' button and the 'Users' title. Below the header, the page is titled 'User' and 'Niklaus Mikaelson'. A sub-header states: 'Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)'. Below this is a list of links: 'Permission Set Assignments (0)', 'Permission Set Assignments: Activation Required (0)', 'Permission Set Group Assignments (0)', 'Permission Set License Assignments (0)', 'Personal Groups (0)', 'Public Group Membership (0)', 'Queue Membership (0)', 'Team (0)', 'Managers in the Role Hierarchy (0)', 'OAuth Apps (0)', 'Third-Party Account Links (0)', 'Built-in Authenticators (0)', 'Installed Mobile Apps (0)', 'Authentication Settings for External Systems (0)', 'Login History (0+)', and 'User Provisioning Accounts (0)'. Below the links is a 'User Detail' section with buttons: 'Edit', 'Sharing', 'Reset Password', 'Freeze', and 'View Summary'. The 'User Detail' section contains a table with the following data:

Name	Niklaus Mikaelson	Role	Sales
Alias	nmika	User License	Salesforce
Email	devisudhi555@gmail.com [Verify] i	Profile	Platform 1
Username	nikalus@mika.son	Active	☒
Nickname	nikelson i	Marketing User	☐

SETUP

Users

User

Kol Mikaelson

[User Profile](#)
[Help for this Page](#)

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

[Permission Set Assignments \(0\)](#) |
 [Permission Set Assignments: Activation Required \(0\)](#) |
 [Permission Set Group Assignments \(0\)](#) |
 [Permission Set License Assignments \(0\)](#) |
 [Personal Groups \(0\)](#) |
 [Public Group Membership \(0\)](#) |
 [Queue Membership \(0\)](#) |
 [Team \(0\)](#) |
 [Managers in the Role Hierarchy \(0\)](#) |
 [OAuth Apps \(0\)](#) |
 [Third-Party Account Links \(0\)](#) |
 [Built-in Authenticators \(0\)](#) |
 [Installed Mobile Apps \(0\)](#) |
 [Authentication Settings for External Systems \(0\)](#) |
 [Login History \(0+\)](#) |
 [User Provisioning Accounts \(0\)](#)

User Detail

[Edit](#)
[Sharing](#)
[Reset Password](#)
[Freeze](#)
[View Summary](#)

Name	Kol Mikaelson	Role	Inventory
Alias	kmika	User License	Salesforce
Email	devisudhi555@gmail.com Verify i	Profile	Platform 1
Username	kol@mika.son	Active	☒
Nickname	kolson i	Marketing User	☐

Figure – Configured user records and access details.

6. Data Security – Permission Set

A Permission Set provides additional permissions to selected users without changing their base profile. This is useful when two users share the same baseline profile but one of them requires additional access to a particular object or operation.

HandsMen Threads uses **Permission_Platform_1** as the additional permission layer. The implementation evidence shows the permission-set overview, HandsMen Customer object permissions and the Assignment Summary.

The permission set is maintained separately from the Platform 1 profile. This makes the security model easier to administer because baseline access and additional access are managed independently.

SETUP

Permission Sets

Permission Set

Permission_Platform_1

[Video Tutorial](#)
[Help for this Page](#)

[i](#)
[Clone](#)
[Delete](#)
[Edit Properties](#)
[Manage Assignments](#)
[View Summary](#)

Permission Set Overview

Description	API Name	Permission_Platform_1
License	Namespace Prefix	
Session Activation Required ☐	Created By	Devi Durga Sudhishna Mudugu , 9/13/2026, 5:58 AM
Permission Set Groups Added To 0	Last Modified By	Devi Durga Sudhishna Mudugu , 9/13/2026, 6:01 AM

... > PERMISSION SET 'PERMISSION_PLATFORM_1' > MANAGE ASSIGNMENTS

Permission_Platform_1

Assignment Summary

Full Name	User License	Expires On	Time Zone	Status
Niklaus Mikaelson	Salesforce			☒ Success

SETUP
Permission Sets

Permission Set
Permission_Platform_1

Find Settings... Clone Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings HandsMen Customer

HandsMen Customer Save Cancel

Tab Settings

Available	Visible
☒	☐

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

Figure – *Permission_Platform_1 configuration and assignment evidence.*

7. Security Verification

- Verify that each project user has the intended profile.
- Verify that each user is placed in the intended role.
- Verify that Permission_Platform_1 is assigned only where required.
- Verify that profile and permission-set object permissions match the intended responsibility.

8. Email Communication Strategy

Customer communication is a major requirement of HandsMen Threads. Salesforce Email Templates provide reusable and consistent message content, while Email Alerts provide the mechanism for delivering those templates through Salesforce automation.

The completed implementation contains three email templates: Order Confirmation, Low Stock Alert and Loyalty Program. These templates support the customer and warehouse communication requirements described in the HandsMen Threads user story.

9. Email Templates

Email Templates standardize recurring messages. They allow Salesforce automation to use predefined content rather than requiring users to compose routine messages manually. Each template is documented below according to its business requirement.

9.1 Order Confirmation Email

The **Order_Confirmation_Email** template is used for the order-confirmation process. Its content is customer-facing and communicates that the customer's order has been confirmed.

Business purpose: Improve customer experience by providing timely confirmation after an order reaches the configured confirmation condition




Figure : *Order_Confirmation_Email template and its configured customer-facing message.*

9.2 Stock Alert Email

The **Low_Stock_Alert** template is used for proactive inventory communication. It is intended for the warehouse or inventory-management team when the configured stock threshold is reached.

Business purpose: Give the warehouse team early visibility of low stock so that restocking action can be taken before a stockout occurs.




Figure - *Low_Stock_Alert template showing the configured low-stock notification message.*

9.3 Loyalty Program Email

The **Loyalty_Program_Email** template is used for customer-facing loyalty communication. It supports the Dynamic Loyalty Program requirement and provides standardized content for communicating loyalty-program information.

Business purpose: Strengthen customer engagement and support personalized communication associated with customer loyalty.




Figure – Loyalty_Program_Email template showing the configured loyalty-program message.

10. Email Alerts

Email Alerts connect the reusable email templates to Salesforce records and automation. They specify the template, object and recipients so that a Flow or other automation can invoke the appropriate communication.

The completed implementation contains an Order Confirmation Email Alert and a Stock Alert Email Alert.

10.1 Order Confirmation Email Alert

The **Order Confirmation Email Alert** is configured for the HandsMen Order object and uses the Order_Confirmation_Email template. When the relevant order automation invokes the alert, Salesforce can deliver the configured confirmation message to the intended recipient.




Figure - Order Confirmation Email Alert showing the HandsMen Order object, configured template and recipient information.

10.2 Stock Alert Email Alert

The **Stock Alert Email** Alert is configured for the Inventory object and uses the Low_Stock_Alert template. It supports the explicit business rule that inventory below five units should generate a warehouse notification

SETUP
Email Alerts

Email Alert
Stock_Alert_Email_Alert

Rules Using This Email Alert (0) | Approval Processes Using This Email Alert (0) | Entitlement Processes Using This Email Alert (0)

Email Alert Detail

Description: Stock_Alert_Email_Alert

Unique Name: Stock_Alert_Email_Alert

From Email Address: Current User's email address

Recipients: Role: Inventory

Additional Emails

Created By: Devi Durga Sudhishna Mudugy, 9/13/2026, 10:31 AM

Modified By: Devi Durga Sudhishna Mudugy, 9/13/2026, 10:31 AM

Email Template: Low_Stock_Alert

Object: Inventory

Edit Delete Clone

Figure – Stock Alert Email Alert showing the Inventory object and Low_Stock_Alert template.

11. Security & Communication Test Cases

Test ID	Feature	Input / Action	Expected Result	Status
TC-SEC-01	Profile	Review/test configured profile	Expected baseline object access is available	Pass / verify
TC-SEC-02	Role	Review user-role assignment	User is in intended hierarchy position	Pass / verify
TC-SEC-03	Permission Set	Review Permission_Platform_1 assignment	Additional access is granted to intended user(s)	Pass / verify
TC-EMAIL-01	Order Email	Trigger order-confirmation condition	Order Confirmation Email Alert is invoked	Pass / verify
TC-EMAIL-02	Stock Alert	Set inventory below five	Stock Alert Email Alert is invoked	Pass / verify

12. Document 2 Summary

The HandsMen Threads security and communication implementation provides a structured approach to controlling user access and automating business communication. Profiles establish baseline access, roles organize users, user records connect individuals to the security model, and Permission_Platform_1 provides additional access where required.

The communication layer includes Order Confirmation, Low Stock and Loyalty Program email templates, together with Email Alerts for order and inventory processes. These configurations support the project's objectives of improving customer service, maintaining operational awareness and reducing repetitive manual work.