

Report for ForestQuery into Global Deforestation, 1990 to 2016

ForestQuery is on a mission to combat deforestation around the world and to raise awareness about how land-use change affects communities and ecosystems. This report uses the supplied World Bank forest-area, land-area, and regional datasets to identify the clearest patterns in global, regional, and country-level forestation between 1990 and 2016.

1. Global Situation

In 1990, the world had 41,282,694.90 sq km of forest area. By 2016, that figure had fallen to 39,958,245.90 sq km, a net loss of 1,324,449.00 sq km or 3.21%.

The amount of forest area lost during this period is closest to the 2016 total land area of Peru, which had 1,279,999.99 sq km of land area. That comparison helps frame the decline in more concrete terms: the world effectively lost forest cover on a scale comparable to an entire large country.

2. Regional Outlook

In 2016, 31.38% of the world's land area was forested. The highest regional forest share was in Latin America & Caribbean at 46.16%, while the lowest was in Middle East & North Africa at 2.07%.

In 1990, the world forest share was slightly higher at 32.42%. The highest regional forest share was again Latin America & Caribbean at 51.03%, and the lowest was again Middle East & North Africa at 1.78%.

Region	1990 Forest Percentage	2016 Forest Percentage
East Asia & Pacific	25.78%	26.36%
Europe & Central Asia	37.28%	38.04%
Latin America & Caribbean	51.03%	46.16%
Middle East & North Africa	1.78%	2.07%
North America	35.65%	36.04%
South Asia	16.51%	17.51%
Sub-Saharan Africa	30.67%	28.79%
World	32.42%	31.38%

Only two non-world regions saw their forest share decline from 1990 to 2016: Latin America & Caribbean fell from 51.03% to 46.16%, and Sub-Saharan Africa fell from 30.67% to 28.79%. Every other region increased slightly, but those gains were not large enough to offset the declines in these two regions, so the world total still fell from 32.42% to 31.38%.

3. Country-Level Detail

Success Stories

The strongest positive outlier in the dataset is China, which increased its forest area by 527,229.06 sq km between 1990 and 2016. The next-largest gain came from Sudan, but its increase of 190,355.29 sq km was far smaller. This

suggests ForestQuery can learn from countries that have paired large land bases with sustained reforestation or conservation gains.

When the analysis shifts from absolute change to percent change, the leader is Iceland, which increased forest area by 213.66%. This highlights that smaller countries can deliver dramatic relative gains even when their raw square-kilometer increase is not the largest in the world.

Largest Concerns

The five countries with the largest absolute decreases in forest area between 1990 and 2016 are shown below.

Country	Region	Forest Area Decrease
Brazil	Latin America & Caribbean	541,510.00 sq km
Indonesia	East Asia & Pacific	282,193.98 sq km
Myanmar	East Asia & Pacific	107,234.00 sq km
Nigeria	Sub-Saharan Africa	106,506.00 sq km
Tanzania	Sub-Saharan Africa	102,320.00 sq km

The next table shows the five largest percent decreases in forest area over the same period.

Country	Region	Pct Forest Area Decrease
St. Martin (French part)	Latin America & Caribbean	100.00%
Togo	Sub-Saharan Africa	75.45%
Nigeria	Sub-Saharan Africa	61.80%
Uganda	Sub-Saharan Africa	59.13%
Mauritania	Sub-Saharan Africa	46.75%

Four of the top five countries by percent forest loss are in Sub-Saharan Africa: Togo, Nigeria, Uganda, and Mauritania. The fifth is St. Martin (French part) in Latin America & Caribbean.

Nigeria is the only country that appears in the top five for both absolute loss and percent loss. That combination makes it an especially urgent case for ForestQuery because the country is losing forest at scale and at a severe relative rate.

Quartiles

Quartile	Number of Countries
1st quartile (0%-25%)	96
2nd quartile (25%-50%)	72
3rd quartile (50%-75%)	38
4th quartile (>75%)	9

The largest number of countries in 2016 were in the 1st quartile (0%-25%).

There were 9 countries in the top quartile with more than 75% of land designated as forest.

Country	Region	Pct Designated as Forest
Suriname	Latin America & Caribbean	98.26%
Micronesia, Fed. Sts.	East Asia & Pacific	91.86%
Gabon	Sub-Saharan Africa	90.04%
Seychelles	Sub-Saharan Africa	88.41%
Palau	East Asia & Pacific	87.61%
American Samoa	East Asia & Pacific	87.50%
Guyana	Latin America & Caribbean	83.90%
Lao PDR	East Asia & Pacific	82.11%
Solomon Islands	East Asia & Pacific	77.86%

In 2016, 94 countries had a higher forestation percentage than the United States.

4. Recommendations

ForestQuery should prioritize interventions and partnerships in Brazil, Indonesia, Nigeria, and Tanzania. These countries represent either extremely large absolute losses, severe relative losses, or both.

The regional pattern also argues for sustained attention in Latin America & Caribbean and Sub-Saharan Africa, the only two non-world regions that moved backward over the period. Communications, grantmaking, and local partner support should be concentrated where these regional declines overlap with the most at-risk countries.

At the same time, ForestQuery should study positive cases such as China and Iceland to understand which policy, restoration, and land-management strategies might be adapted elsewhere. Learning from successful reforestation stories is likely to improve the impact of future campaigns.

5. Appendix: SQL Queries Used

```
-- ForestQuery SQL Appendix
-- The queries below assume the three source tables already exist:
--   forest_area(country_code, country_name, year, forest_area_sqkm)
--   land_area(country_code, country_name, year, total_area_sq_mi)
--   regions(country_name, country_code, region, income_group)

CREATE OR REPLACE VIEW forestation AS
SELECT
  fa.country_code,
  fa.country_name,
  fa.year,
  fa.forest_area_sqkm,
  la.total_area_sq_mi,
  r.region,
  r.income_group,
  (fa.forest_area_sqkm / (la.total_area_sq_mi * 2.59)) * 100 AS percent_forest
FROM forest_area AS fa
JOIN land_area AS la
  ON fa.country_code = la.country_code
  AND fa.year = la.year
JOIN regions AS r
  ON fa.country_code = r.country_code;

-- 1a. World forest area in 1990
SELECT
  country_name,
  year,
  forest_area_sqkm
FROM forestation
WHERE country_name = 'World'
  AND year = 1990;
```

```

-- 1b. World forest area in 2016
SELECT
    country_name,
    year,
    forest_area_sqkm
FROM forestation
WHERE country_name = 'World'
    AND year = 2016;

-- 1c. Change in world forest area from 1990 to 2016
SELECT
    f1990.forest_area_sqkm AS forest_area_1990,
    f2016.forest_area_sqkm AS forest_area_2016,
    f1990.forest_area_sqkm - f2016.forest_area_sqkm AS forest_area_change_sqkm
FROM forestation AS f1990
JOIN forestation AS f2016
    ON f1990.country_code = f2016.country_code
WHERE f1990.country_name = 'World'
    AND f1990.year = 1990
    AND f2016.year = 2016;

-- 1d. Percent change in world forest area from 1990 to 2016
SELECT
    ROUND(
        ((f1990.forest_area_sqkm - f2016.forest_area_sqkm) / f1990.forest_area_sqkm) * 100,
        2
    ) AS percent_change
FROM forestation AS f1990
JOIN forestation AS f2016
    ON f1990.country_code = f2016.country_code
WHERE f1990.country_name = 'World'
    AND f1990.year = 1990
    AND f2016.year = 2016;

-- 1e. Country whose 2016 total land area is closest to the global forest loss
WITH world_loss AS (
    SELECT
        f1990.forest_area_sqkm - f2016.forest_area_sqkm AS area_lost_sqkm
    FROM forestation AS f1990
    JOIN forestation AS f2016
        ON f1990.country_code = f2016.country_code
    WHERE f1990.country_name = 'World'
        AND f1990.year = 1990
        AND f2016.year = 2016
)
SELECT
    country_name,
    ROUND(total_area_sq_mi * 2.59, 2) AS total_area_sqkm,
    ROUND(ABS((total_area_sq_mi * 2.59) - area_lost_sqkm), 2) AS difference_from_loss
FROM forestation
CROSS JOIN world_loss
WHERE year = 2016
    AND country_name <> 'World'
ORDER BY difference_from_loss
LIMIT 1;

-- 2. Percent forest by region in 1990 and 2016
SELECT
    region,
    ROUND(
        SUM(CASE WHEN year = 1990 THEN forest_area_sqkm END)
        / SUM(CASE WHEN year = 1990 THEN total_area_sq_mi * 2.59 END) * 100,
        2
    ) AS forest_percent_1990,
    ROUND(
        SUM(CASE WHEN year = 2016 THEN forest_area_sqkm END)
        / SUM(CASE WHEN year = 2016 THEN total_area_sq_mi * 2.59 END) * 100,
        2
    ) AS forest_percent_2016
FROM forestation
GROUP BY region
ORDER BY region;

-- 2a. Highest and lowest percent forest in 2016
SELECT
    region,
    ROUND(SUM(forest_area_sqkm) / SUM(total_area_sq_mi * 2.59) * 100, 2) AS forest_percent_2016
FROM forestation
WHERE year = 2016
GROUP BY region
ORDER BY forest_percent_2016 DESC;

-- 2b. Highest and lowest percent forest in 1990

```

```

SELECT
    region,
    ROUND(SUM(forest_area_sqkm) / SUM(total_area_sq_mi * 2.59) * 100, 2) AS forest_percent_1990
FROM forestation
WHERE year = 1990
GROUP BY region
ORDER BY forest_percent_1990 DESC;

-- 2c. Regions that decreased in percent forest area from 1990 to 2016
WITH regional_1990 AS (
    SELECT
        region,
        SUM(forest_area_sqkm) / SUM(total_area_sq_mi * 2.59) * 100 AS forest_percent_1990
    FROM forestation
    WHERE year = 1990
    GROUP BY region
),
regional_2016 AS (
    SELECT
        region,
        SUM(forest_area_sqkm) / SUM(total_area_sq_mi * 2.59) * 100 AS forest_percent_2016
    FROM forestation
    WHERE year = 2016
    GROUP BY region
)
SELECT
    r1990.region,
    ROUND(r1990.forest_percent_1990, 2) AS forest_percent_1990,
    ROUND(r2016.forest_percent_2016, 2) AS forest_percent_2016
FROM regional_1990 AS r1990
JOIN regional_2016 AS r2016
    ON r1990.region = r2016.region
WHERE r2016.forest_percent_2016 < r1990.forest_percent_1990
    AND r1990.region <> 'World'
ORDER BY forest_percent_1990 - forest_percent_2016 DESC;

-- 3a. Top 5 countries with the largest decrease in forest area
WITH country_changes AS (
    SELECT
        f1990.country_name,
        f1990.region,
        f1990.forest_area_sqkm AS forest_area_1990,
        f2016.forest_area_sqkm AS forest_area_2016,
        f1990.forest_area_sqkm - f2016.forest_area_sqkm AS decrease_sqkm,
        ROW_NUMBER() OVER (
            ORDER BY f1990.forest_area_sqkm - f2016.forest_area_sqkm DESC, f1990.country_name
        ) AS amount_rank
    FROM forestation AS f1990
    JOIN forestation AS f2016
        ON f1990.country_code = f2016.country_code
    WHERE f1990.year = 1990
        AND f2016.year = 2016
        AND f1990.country_name <> 'World'
)
SELECT
    country_name,
    region,
    ROUND(decrease_sqkm, 2) AS decrease_sqkm
FROM country_changes
WHERE amount_rank <= 5
ORDER BY amount_rank;

-- 3b. Top 5 countries with the largest percent decrease in forest area
WITH country_percent_changes AS (
    SELECT
        f1990.country_name,
        f1990.region,
        ROUND(
            ((f1990.forest_area_sqkm - f2016.forest_area_sqkm) / f1990.forest_area_sqkm) * 100,
            2
        ) AS percent_decrease,
        ROW_NUMBER() OVER (
            ORDER BY ((f1990.forest_area_sqkm - f2016.forest_area_sqkm) / f1990.forest_area_sqkm) DESC,
            f1990.country_name
        ) AS percent_rank
    FROM forestation AS f1990
    JOIN forestation AS f2016
        ON f1990.country_code = f2016.country_code
    WHERE f1990.year = 1990
        AND f2016.year = 2016
        AND f1990.country_name <> 'World'
        AND f1990.forest_area_sqkm > 0
)

```

```

SELECT
    country_name,
    region,
    percent_decrease
FROM country_percent_changes
WHERE percent_rank <= 5
ORDER BY percent_rank;

-- 3c. Countries grouped by 2016 forestation quartile bands
SELECT
    CASE
        WHEN percent_forest <= 25 THEN '1st quartile (0% to 25%)'
        WHEN percent_forest <= 50 THEN '2nd quartile (25% to 50%)'
        WHEN percent_forest <= 75 THEN '3rd quartile (50% to 75%)'
        ELSE '4th quartile (greater than 75%)'
    END AS forest_quartile,
    COUNT(*) AS country_count
FROM forestation
WHERE year = 2016
    AND country_name <> 'World'
    AND percent_forest IS NOT NULL
GROUP BY forest_quartile
ORDER BY country_count DESC;

-- 3d. Countries in the 4th quartile in 2016
SELECT
    country_name,
    region,
    ROUND(percent_forest, 2) AS percent_forest
FROM forestation
WHERE year = 2016
    AND country_name <> 'World'
    AND percent_forest > 75
ORDER BY percent_forest DESC, country_name;

-- 3e. Number of countries with higher forestation than the United States in 2016
SELECT
    COUNT(*) AS countries_above_united_states
FROM forestation
WHERE year = 2016
    AND country_name <> 'World'
    AND percent_forest > (
        SELECT percent_forest
        FROM forestation
        WHERE country_name = 'United States'
        AND year = 2016
    );

```