The Sieve of Eratosthenes using MPI

Devin Delfino

Comp 401: Senior Seminar

4/16/2015

- 1. Parallel Programming
- 2. Message Passing Interface (MPI)
- 3. The Sequential Algorithm
- 4. The Parallel Algorithm
- 5. Sequential vs. Parallel Comparison

- 1. Parallel Programming
- 2. Message Passing Interface (MPI)
- 3. The Sequential Algorithm
- 4. The Parallel Algorithm
- 5. Sequential vs. Parallel Comparison

Introduction

- Parallel Computing is the use of multiple computers or processors to reduce the time needed to solve a single computational problem.
- A task is a single program including local memory and a collection of input/output ports.
- A channel is a message queue between two tasks used for communication

Ian Foster's Design Methodology

- 1. Partitioning the process of dividing the computations and data into pieces.
- 2. Communication channels between tasks allow communication between them
 - Local a task's computation requires values from a small number of other tasks
 - Global many tasks must contribute values to perform a computation
- 3. Agglomeration grouping tasks in order to improve performance and reduce overhead.
- 4. Mapping assigning processes or tasks to specific processors or computers

- 1. Parallel Programming
- 2. Message Passing Interface (MPI)
- 3. The Sequential Algorithm
- 4. The Parallel Algorithm
- 5. Sequential vs. Parallel Comparison

Message Passing Interface (MPI)

Parallel Programming Message Passing Interface (MPI) The Sequential Algorithm The Parallel Algorithm Sequential vs. Parallel

- 1. Parallel Programming
- 2. Message Passing Interface (MPI)
- 3. The Sequential Algorithm
- 4. The Parallel Algorithm
- 5. Sequential vs. Parallel Comparison

The Sequential Algorithm

The Sieve of Eratosthenes

```
Summary: Finds all primes between 2 and n, inclusive
```

Create a list of natural numbers 2, 3, ..., n, none of which are marked

Set k equal to the first prime number, 2

while $k^2 \le n$ do

Mark all multiples of k between k^2 and n

Set k to the smallest unmarked number greater than the current k

end while

- 1. Parallel Programming
- 2. Message Passing Interface (MPI)
- 3. The Sequential Algorithm
- 4. The Parallel Algorithm
- 5. Sequential vs. Parallel Comparison

The Parallel Algorithm: Block Allocation

 The main question is how to break up the problem into multiple tasks

Developing the Algorithm

- 1. Parallel Programming
- 2. Message Passing Interface (MPI)
- 3. The Sequential Algorithm
- 4. The Parallel Algorithm
- 5. Sequential vs. Parallel Comparison

Sequential vs. Parallel

References