




# Southern Asia

## Overview


### Progress against global nutrition targets 2018



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates, UNICEF global databases: Infant and Young Child Feeding, NCD Risk Factor Collaboration, WHO Global Health Observatory.  
Notes: The methodologies for tracking differ between targets. Data on the adult indicators are based on modelled estimates. See Appendix 1 of the 2018 Global Nutrition Report for details of the methods and sources used to assess progress towards global nutrition targets.


## Economics and demography

### Poverty rates (%) and GDP (PPP\$)



Source: World Bank 2018.  
Note: GDP = gross domestic product. PPP = purchasing power parity. n = 8 (poverty); n = 9 (GDP).

### Under-5 mortality (per 000 live births)



Source: UN Inter-agency Group for Child Mortality Estimation 2018.


### Population

Population (millions)	1,869	2017
Under-5 population (millions)	177	2018
Rural (%)	65	2017
≥65 years (millions)	111	2018

Source: UN Population Division 2017.  
Notes: n = 9 (rural only).

## Underlying determinants

### Food supply



Source: FAOSTAT 2018.


### Gender-related determinants

Early childbearing: births by age 18 (%)	19	2015
Population density of health workers per 1,000 people		
Physicians	0.78	2016
Nurses and midwives	1.72	2016
Community health workers	0.51	2016

Source: UNICEF 2018.  
Note: n = 9.


Source: WHO's Global Health Workforce Statistics, OECD, supplemented by country data. n = 9

### Female secondary education enrolment (net, % population)




Source: UNESCO Institute for Statistics 2018. n = 4

### Drinking water coverage (% population)




Source: WHO/UNICEF Joint Monitoring Programme 2017. n = 9

### Sanitation coverage (% population)



Source: WHO/UNICEF Joint Monitoring Programme 2017.  
Note: n = 9

### Government expenditures (% total)




Source: IFPRI 2015. n = 7

# Southern Asia


## Children (under 5) nutrition status

Under 5: wasting (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.

Under 5: stunting (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.

Under 5: overweight (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.

Under 5 by household income: wasting (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under 5 by household income: stunting (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = 4

Under 5 by household income: overweight (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = 4

Under 5 by household location: wasting (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under 5 by household location: stunting (%)




Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = 4

Under 5 by household location: overweight (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = 4

Under-5 coexistence of wasting, stunting and overweight




Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Overlapping Stunting, Wasting and Overweight, New York, May 2018.

Notes: Percentage of children under 5 years of age who experience different and overlapping forms of malnutrition. n = 6

# Southern Asia


## Child feeding practices



Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Infant and Young Child Feeding, New York, May 2018. n = 6


## Children and adolescent (aged 5–19) nutrition status

Ages 5–19 by gender: underweight (%)




Source: NCD Risk Factor Collaboration. n = 9

Ages 5–19 by gender: overweight (%)



Source: NCD Risk Factor Collaboration. n = 9


Ages 5–19 by gender: obesity (%)



Source: NCD Risk Factor Collaboration. n = 9


## Adult nutrition status

Adult by gender: diabetes (%)




Source: NCD Risk Factor Collaboration. n = 9

Adult by gender: overweight (%)




Source: NCD Risk Factor Collaboration. n = 9

Adult by gender: obesity (%)




Source: NCD Risk Factor Collaboration. n = 9

Adult by gender: raised blood pressure (%)




Source: NCD Risk Factor Collaboration. n = 9

Adult by gender: anaemia in WRA (%)



Source: WHO Global Health Observatory.  
Note: WRA = women of reproductive age. n = 9

Adult: sodium intake (grams per day)



Source: Global Burden of Disease, the Institute for Health Metrics and Evaluation. n = 9

## Dietary needs


### Consumption of food groups and components, 2016



Source: Global Burden of Disease, the Institute for Health Metrics and Evaluation.  
Notes: Men and women aged 25 and older. TMREL = theoretical minimum risk exposure level. n = 9

## Financial resources and policy, legislation and institutional arrangements

### Development assistance



Sources: Development Initiatives based on OECD Development Assistance Committee (DAC) Creditor Reporting System (CRS).  
Notes: ODA = official development assistance. Amounts based on gross ODA per capita, constant 2016 prices. Figure includes ODA grants and loans, but excludes other official flows and private grants.

### National policies

Mandatory legislation for salt iodisation	5/9
Sugar-sweetened beverage tax	2/9
Food-based dietary guidelines	6/9
Multisectoral comprehensive nutrition plan	7/9

Sources: Global Fortification Data Exchange 2018; Sugar-sweetened data prepared using data from the NOURISHING database, academic references and market reports; FAO 2018; WHO Global database on the Implementation of Nutrition Action (GINA), 2nd Global Nutrition Policy Review.

### Targets included in national (nutrition or other) plan

Stunting	Anaemia	Low birth weight	Child overweight	Exclusive breastfeeding	Wasting	Salt intake	Overweight adults and adolescents
8/9	9/9	8/9	7/9	9/9	9/9	8/9	8/9

Sources: WHO Global database on the Implementation of Nutrition Action (GINA), 2nd Global Nutrition Policy Review.