

### **Overview**

#### **Burden classification**

#### The Global Nutrition Report classifies this country as experiencing two forms of malnutrition – overweight and anaemia

Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates, NCD Risk Factor Collaboration, WHO Global Health Observatory.

Notes: Thresholds for a country having the form or not: stunting in children aged under 5 years  $\geq$ 20%; anaemia in women of reproductive age  $\geq$ 20%; overweight (body mass index  $\geq$ 25) in adult women aged  $\geq$ 18 years  $\geq$ 35%.

#### Progress against global nutrition targets 2018



**Under-5 stunting** On course



**Under-5 wasting** On course



**Under-5 overweight** On course



**WRA** anaemia

No progress or worsening



**Exclusive breastfeeding** 

Some progress



Adult female obesity No progress or worsening



Adult male obesity No progress or worsening



Adult female diabetes No progress or worsening




Adult male diabetes

No progress or worsening

Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates, UNICEF global databases: Infant and Young Child Feeding, NCD Risk Factor Collaboration, WHO Global Health Observatory. Notes: The methodologies for tracking differ between targets. Data on the adult indicators are based on modelled estimates. See Appendix 1 of the 2018 Global Nutrition Report for details of the methods and sources used to assess progress towards global nutrition targets.

### **Economics and demography**

#### Poverty rates (%) and GDP (PPP\$)



Source: World Bank 2018. Note: GDP = gross domestic product. PPP = purchasing power

#### **Under-5 mortality (per 000 live births)**



Source: UN Inter-agency Group for Child Mortality Estimation 2018.

#### Income inequality

| Gini index score <sup>1</sup> | Gini index rank <sup>2</sup> | Year |
|-------------------------------|------------------------------|------|
| 27                            | 9                            | 2015 |

Source: World Bank 2018.

**Notes**: 0 = perfect equality, 100 = perfect inequality. Countries are ranked from most equal (1) to most unequal (155).

#### **Population**


| Population (000)         | 18,204 | 2017 |
|--------------------------|--------|------|
| Under-5 population (000) | 1,920  | 2018 |
| Rural (%)                | 43     | 2017 |
| ≥65 years (000)          | 1,322  | 2018 |

Source: UN Population Division 2017.


## **Underlying determinants**

#### Food supply

| Source: FAOSTAT 2018.



Drinking water coverage (% population)



#### **Gender-related determinants**

| Early childbearing: births by age 18 (%) <sup>1</sup> | 2   | 2011 |
|---|-----|------|
| Gender Inequality Index (score*) <sup>2</sup>         | 0.2 | 2017 |
| Gender Inequality Index (country                      | 43  | 2017 |

Sources: UNICEF 2018; UNDP 2018.<sup>2</sup>


**Note**: \*0 = low inequality, 1 = high inequality.

#### Population density of health workers per 1,000 people

| Physicians               | 3.27 | 2014 |
|--------------------------|------|------|
| Nurses and midwives      | 8.54 | 2013 |
| Community health workers | NA   | NA   |


Source: WHO's Global Health Workforce Statistics, OECD, supplemented by country data

## Female secondary education




| Source: UNESCO Institute for Statistics 2018.

#### Sanitation coverage (% population)




#### Government expenditures (% total)




### Children (under 5) nutrition status

#### Under 5 by gender: wasting (%)



#### Under 5 by gender: stunting (%)




#### Under 5 by gender: overweight (%)




#### Under 5 by household income: wasting (%)

malnutrition estimates.




#### Under 5 by household income: stunting (%)




#### Under 5 by household income: overweight (%)







#### Under 5 by household location: wasting (%) | Under 5 by household location: stunting (%)



#### Under 5 by household location: overweight (%)




#### Under-5 coexistence of wasting, stunting and overweight



Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Overlapping Stunting, Wasting and Overweight, New York, May 2018.


Notes: Percentage of children under 5 years of age who experience different and overlapping forms of malnutrition.


## **Child feeding practices**




Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Infant and Young Child Feeding, New York, May 2018.


## Children and adolescent (aged 5–19) nutrition status











### **Adult nutrition status**
















### **Dietary needs**

Consumption of food groups and components, 2016





Source: Global Burden of Disease, the Institute for Health Metrics and Evaluation. Notes: Men and women aged 25 and older. TMREL = theoretical minimum risk exposure level.

## Financial resources and policy, legislation and institutional arrangements

#### **Development assistance** Basic nutrition ODA received -% of total ODA 1.00 0.3 \$0.75 millions \$0.50 0.25 0.2 욱 tota 0.00 0.0

Sources: Development Initiatives based on OECD Development Assistance Committee (DAC) Creditor Reporting System (CRS).

**Notes**: ODA = official development assistance. Amounts based on gross ODA disbursements, constant 2016 prices. Figure includes ODA grants and loans, but excludes other official flows and private grants.

2012

2014

#### **National policies**

| Mandatory legislation for salt iodisation  | Yes |
|--|-----|
| Sugar-sweetened beverage tax               | No  |
| Food-based dietary guidelines              | NA  |
| Multisectoral comprehensive nutrition plan | Yes |

**Sources**: Global Fortification Data Exchange 2018; Sugar-sweetened data prepared using data from the NOURISHING database, academic references and market reports; FAO 2018; WHO Global database on the Implementation of Nutrition Action (GINA), 2nd Global Nutrition Policy Review.

#### Targets included in national (nutrition or other) plan

2010

| Stunting | Anaemia | Low birth weight | Child overweight | Exclusive<br>breastfeeding | Wasting | Salt intake | Overweight adults and adolescents |
|----------|---------|------------------|------------------|----------------------------|---------|-------------|-----------------------------------|
| No       | No      | No               | No               | No                         | No      | No          | Yes                               |

2016

## Intervention coverage

2008

| Coverage/practice indicator   |    | Male (%) | Female (%) | Year |
|---|----|----------|------------|------|
| Children 0–59 months with diarrhoea who received zinc treatment   | NA | NA       | NA         | NA   |
| Children 6–59 months who received vitamin A supplements in last 6 months                                  | NA | NA       | NA         | NA   |
| Children 6–59 months given iron supplements in past 7 days  | NA | NA       | NA         | NA   |
| Women with a birth in last five years who received iron and folic acid during their most recent pregnancy | NA |          | NA         | NA   |
| Household consumption of any iodised salt   | NA | NA       | NA         | NA   |

Sources: Kothari M. and Huestis A., based on 2016 Global Nutrition Report and UNICEF global databases, 2018. Notes: Data is compiled using STATcompiler and taken from country Demographic and Health Surveys for 2005–2017.