

Overview

Progress against global nutrition targets 2018



Under-5 stunting 0/2 on course



Under-5 wasting 0/2 on course



Under-5 overweight 0/2 on course



WRA anaemia 0/2 on course



Exclusive breastfeeding

0/2 on course



Adult female obesity 0/2 on course



Adult male obesity 0/2 on course



Adult female diabetes 1/2 on course




Adult male diabetes

0/2 on course

Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates, UNICEF global databases: Infant and Young Child Feeding, NCD Risk Factor Collaboration, WHO Global Health Observatory. Notes: The methodologies for tracking differ between targets. Data on the adult indicators are based on modelled estimates. See Appendix 1 of the 2018 Global Nutrition Report for details of the methods and sources used to assess progress towards global nutrition targets.


Economics and demography

Poverty rates (%) and GDP (PPP\$)



Source: World Bank 2018. Note: GDP = gross domestic product. PPP = purchasing power parity. n = 2 (poverty); n = 2 (GDP).

Under-5 mortality (per 000 live births)



Source: UN Inter-agency Group for Child Mortality Estimation 2018.

Population


361	2017
22	2018
18	2017
58	2018
	22

Source: UN Population Division 2017. **Note**: n = 2 (total); n = 2 (under-5); n = 2 (rural); n = 2 (over 65)

Underlying determinants

Food supply

Source: FAOSTAT 2018.



Drinking water coverage (% population)



Gender-related determinants

Early childbearing: births by age 18 (%)	NA	NA					
Source: UNICEF 2018. Note: n = NA.							
Population density of health workers per 1,000 people							
Physicians	2.57	2016					
Nurses and midwives	9.88	2016					
Community health workers	NA	NA					


supplemented by country data. n = 2

Sanitation coverage (% population)




Source: WHO/UNICEF Joint Monitoring Programme 2017. **Note**: n = 2

Female secondary education enrolment (net, % population)




Source: UNESCO Institute for Statistics 2018. n = 2


Government expenditures (% total)





Source: IFPRI 2015. n = 2

Children (under 5) nutrition status




















Under-5 coexistence of wasting, stunting and overweight

No data

Child feeding practices

No data

Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Infant and Young Child Feeding, New York, May 2018. n = 0

Children and adolescent (aged 5-19) nutrition status

Ages 5–19 by gender: underweight (%)

Boys
Girls

8.3

7.5

7.1


6.1


5.0

0.0


1999
2003
2007
2011
2015


Source: NCD Risk Factor Collaboration. n = 2








Adult nutrition status















Dietary needs

Consumption of food groups and components, 2016





Source: Global Burden of Disease, the Institute for Health Metrics and Evaluation. Notes: Men and women aged 25 and older. TMREL = theoretical minimum risk exposure level. n = 2

Financial resources and policy, legislation and institutional arrangements

Development assistance

No data

Sources: Development Initiatives based on OECD Development Assistance Committee (DAC)

Creditor Reporting System (CRS).

Notes: ODA = official development assistance. Amounts based on gross ODA per capita, constant 2016 prices. Figure includes ODA grants and loans, but excludes other official flows and private grants.

National policies

Mandatory legislation for salt iodisation	1/2
Sugar-sweetened beverage tax	0/2
Food-based dietary guidelines	2/2
Multisectoral comprehensive nutrition plan	0/2

Sources: Global Fortification Data Exchange 2018; Sugar-sweetened data prepared using data from the NOURISHING database, academic references and market reports; FAO 2018; WHO Global database on the Implementation of Nutrition Action (GINA), 2nd Global Nutrition Policy Review.

Targets included in national (nutrition or other) plan

Stunting	Anaemia	Low birth weight	Child overweight	Exclusive breastfeeding	Wasting	Salt intake	Overweight adults and adolescents
0/2	1/2	1/2	2/2	2/2	0/2	2/2	2/2