



Conformance Test Results

face_tss → PASSED

Supported FACE Technical Standard: 3.2

**The FACE Consortium has approved results from this release for certifying
software components as FACE Conformant**

Created: 2026-09-15 14:56:59

Table of Contents

Configuration Information	1
Project Configuration	1
Toolchain Configuration	1
Conformance Test Results	5
Data Model Conformance Tests → PASSED	5
FACE Meta Model Validation (model.face) → PASSED	5
OCL Constraints Check (model.face) → PASSED	5
View Specification Validation (model.face) → PASSED	5
Shared Data Model Conformance (model.face) → PASSED	5
TS Segment Conformance Tests → PASSED	5
Base Interface → PASSED	5
Base → PASSED	5
Typed Interface → PASSED	9
Typed → PASSED	9
TSS POSIX fork → PASSED	23
GSL_POSIX_fork_Test → PASSED	23

Configuration Information

Project Configuration

/home/hatch/workspace/tss/cts/project/face_tss.pcfg

segment : TSS

language : LANG_C

profile : PROF_GENERAL

partition : PART_POSIX

toolchain_filename : "/home/hatch/workspace/tss/cts/project/gcc_linux_c99.tcfg"

log_dir : "build/log"

gold_standard_lib_dir : "build/GSL"

tss {

type : TSSI_UOP

data_model {

sdm : "/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/sample/datamodels/surrogate_sdm.face"

usm : "/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/sample/datamodels/model.face"

uop : "UoP1"

uop : "UoP2"

 }

segment_objects_config {

provided_objects_filenames : "/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a"

 }

include_paths : "/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99"

}

base_directory_path : "/home/hatch/workspace/tss/cts/project"

uop_name : "FaceTssUoC"

factory_function_source : "CTS_Factory_Functions.c"

posix_multi_process : true

Toolchain Configuration

/home/hatch/workspace/tss/cts/project/gcc_linux_c99.tcfg

notes : "C99_NonOSS_General_toolchain.tcfgtemplate: Example Toolchain Configuration for C99 using NonOSS segment(s) and general profile"

pathdirs : "/usr/bin"

environment_variables {

name : "dummy"

value : "123"

}

environment_variables {

name : "hello"

value : "world"

}

language : LANG_C

toolchain_segment_type : NON_OSS_TOOLCHAIN

profiles : PROF_GENERAL

toolchain_specific_config {

allowed_definitions {

heading_code : ""

source_code : "/*\n * Profile specific MACROs\n *\n#if\n!defined(FACE_GENERAL_PURPOSE_PROFILE) &&\n!defined(FACE_SAFETY_EXTENDED_PROFILE) &&\n!defined(FACE_SAFETY_BASE_PROFILE) &&\n!defined(FACE_SECURITY_PROFILE)\n#error \"No FACE profile defined\"\n#endif\n\n#if\ndefined(__GNUC__)\n\n/*\n * Function stub for _start() to compensate for -nodefaultlibs\n-nostartfiles. \n * Without the stub, linker gives \"warning: cannot find entry symbol _start; \n * defaulting to 000000000400144\"\n *\nvoid _start() {\n\n/*\n * This is invoked by GCC when\nstack checking is enabled.\n *\nvoid __stack_chk_fail(void)\n{\n\n}\n\n#if\ndefined(__CYGWIN__)\n|| defined(__MINGW32__)\n|| defined(__MINGW64__)\n\n/*\n * This\nsymbol is implicitly generated by GCC on some platforms.\n *\nIt initializes the run-time and\nmay invoke global constructors.\n *\nvoid * __main() {\n\n}\n\n#endif\n\n/*\n * Integer Arithmetic\nFunctions in GCC low-level runtime library that a target processor cannot perform directly.\n *\nc99 - always allows long long\n *\n#if defined(ALLOWABLE_USE_OF_LONG_LONG)\n\n//\nGCC Internals - 4.1.1 Arithmetic Functions\nvoid __lshrdi3() {\n}\nvoid __ashrdi3() {\n}\nvoid\n__ashldi3() {\n}\nvoid __muldi3() {\n}\nvoid __divdi3() {\n}\nvoid __moddi3() {\n}\nvoid __udivdi3() {\n}\nvoid __umoddi3() {\n}\n\n// GCC Internals - 4.1.3 Trapping Arithmetic Functions\nvoid\n__addvdi3() {\n}\nvoid __subvdi3() {\n}\nvoid __mulvdi3() {\n}\nvoid __negdi2() {\n}\nvoid\n__udivmoddi4() {\n\n}\n#endif\n\n/*ALLOWABLE_USE_OF_LONG_LONG*\n\n\n#else\n\n#error\n\"Compiler is unknown. Please add Compiler Specific support.\"\n\n#endif\n\n/* __GNUC__ *\n\n"

}

exact_types {

FACE_int8_t : "char"

FACE_int16_t : "short int"

FACE_int32_t : "int"

FACE_int64_t : "long int"

FACE_uint8_t : "unsigned char"

FACE_uint16_t : "unsigned short int"

```

    FACE_uint32_t : "unsigned int"
    FACE_uint64_t : "unsigned long int"
    FACE_size_t : "long unsigned int"
    FACE_SUPPORTS_64_BIT : true
}

face_null_definition : "#ifdef __cplusplus\n// Define NULL for C++ as the constant 0 with no
specific type.\n#define FACE_NULL 0\n#else\n// Define NULL for C as 0 cast to a void
pointer.\n#define FACE_NULL ( (void*) 0 )\n#endif"

open_gl : OPEN_GL_ES20
open_gl : OPEN_GL_SC20
open_gl : OPEN_GL_SC

eglplatform_filename : "/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite
_3.2.3/toolchain/compilerSpecific/gcc_linux_4.6+/EGL/eglplatform.h"

gl2platform_filename : "/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite
_3.2.3/toolchain/compilerSpecific/gcc_linux_4.6+/GLES2/gl2platform.h"

KHRplatform_filename : "/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite
_3.2.3/toolchain/compilerSpecific/gcc_linux_4.6+/KHR/khrplatform.h"
}

operating_system : "Sys: [Linux], Release: [7.0.0-26-generic], Version: [#1 SMP
PREEMPT_DYNAMIC Fri May 29 01:41:15 UTC 2026], Arch: [64 bits]"

file_extensions {
    obj : "o"
    exe : "x"
    src : "c"
    hdr : "h"
    lib : "a"
}

compiler {
    exe : "cc"

    flags : "-nostdinc -D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE
-DFACE_GENERAL_PURPOSE_PROFILE -std=c99 -c -fno-builtin"

    output_flag : "-o"
}

linker {
    exe : "gcc"

    flags : "-nodefaultlibs -nostartfiles -O0"

    output_flag : "-o"
}

archiver {
    exe : "ar"

    flags : "cr"

```

```
    output_flag : ""  
}  
binder {  
    exe : ""  
    flags : ""  
    output_flag : ""  
}
```

```
toolchain_template : "/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/  
datafiles/stringtemplate/defaultC++CToolchainTemplates.stg"
```

Conformance Test Results

Data Model Conformance Tests → PASSED

FACE Meta Model Validation (model.face) → PASSED

This test validates the candidate UoC Supplied Model (USM) according to the FACE Data Model metamodel. → PASSED

Test Log:

OCL Constraints Check (model.face) → PASSED

This test checks the candidate UoC Supplied Model (USM) against a series of OCL constraints defined in the Data Model Governance Plan. → PASSED

Test Log:

View Specification Validation (model.face) → PASSED

This test validates the View (Queries & Templates) specifications in the candidate UoC Supplied Model (USM) → PASSED

Test Log:

Shared Data Model Conformance (model.face) → PASSED

This test verifies that the candidate UoC Supplied Model (USM) is consistent with the Shared Data Model (SDM) as defined in the Data Model Governance Plan. → PASSED

Test Log:

TS Segment Conformance Tests → PASSED

Base Interface → PASSED

Base → PASSED

Testing operation FACE_TSS_Base_Initialize → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Base/Base/test1.c

```
/* Testing operation FACE_TSS_Base_Initialize */
/* test_includes.h is generated every test run */
/* and contains all header files specified in the */
/* configuration file for the segment under test */
#include "test_includes.h"
/* Used to catch assertions at compile time */
#define FACE_STATIC_ASSERT(e) char face_static_assert[ e ? 1 : -1 ]
#include "CTS_Factory_Functions.h"
int main()
{
    // Call user-defined factory function to set the instance
    //Testing operation FACE_TSS_Base_Initialize
    FACE_TSS_Base* baseClassObj = Get_FACE_TSS_Base();
```

```

const FACE_CONFIGURATION_RESOURCE* configuration;
FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return = FACE_TSS_Base_Initialize(baseClassObj, configuration,
return_code);
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Base/Base
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofor
k/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test1.o -nostdinc -D_XOPEN_SOURCE=700
-D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE -std=c99 -c
-fno-builtin test1.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Base/Base
command : gcc test1.o /home/hatch/workspace/tss/cts/cts_extract/FACEConformance
TestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o
/home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nodefaultlibs
-nostartfiles -O0 -o test1.x
return code : 0
output : <None>

```

Testing operation FACE_TSS_Base_Destroy_Connection → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Base/Base/test3.c

```

/* Testing operation FACE_TSS_Base_Destroy_Connection */
/* test_includes.h is generated every test run */
/* and contains all header files specified in the */
/* configuration file for the segment under test */
#include "test_includes.h"
/* Used to catch assertions at compile time */
#define FACE_STATIC_ASSERT(e) char face_static_assert[ e ? 1 : -1 ]
#include "CTS_Factory_Functions.h"
int main()
{
    // Call user-defined factory function to set the instance
    //Testing operation FACE_TSS_Base_Destroy_Connection
    FACE_TSS_Base* baseClassObj = Get_FACE_TSS_Base();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_RETURN_CODE_TYPE* return_code;

```

```

FACE_interface_return interface_return;
interface_return = FACE_TSS_Base_Destroy_Connection(baseClassObj,
connection_id, return_code);
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Base/Base
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/types -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -o test3.o -nostdinc -D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE -std=c99 -c -fno-builtin test3.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Base/Base
command : gcc test3.o /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o
/home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -ndefaultlibs
-nostartfiles -o0 -o test3.x
return code : 0
output : <None>

```

Testing operation FACE_TSS_Base_Create_Connection → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Base/Base/test2.c

```

/* Testing operation FACE_TSS_Base_Create_Connection */
/* test_includes.h is generated every test run */
/* and contains all header files specified in the */
/* configuration file for the segment under test */
#include "test_includes.h"
/* Used to catch assertions at compile time */
#define FACE_STATIC_ASSERT(e) char face_static_assert[ e ? 1 : -1 ]
#include "CTS_Factory_Functions.h"
int main()
{
    // Call user-defined factory function to set the instance
    //Testing operation FACE_TSS_Base_Create_Connection
    FACE_TSS_Base* baseClassObj = Get_FACE_TSS_Base();
    const FACE_TSS_CONNECTION_NAME_TYPE* connection_name;
    FACE_TIMEOUT_TYPE timeout;
    FACE_TSS_CONNECTION_ID_TYPE* connection_id;
    FACE_TSS_MESSAGE_SIZE_TYPE* max_message_size;

```

```

FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return = FACE_TSS_Base_Create_Connection(baseClassObj,
connection_name, timeout, connection_id, max_message_size, return_code);
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Base/Base
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
ork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test2.o -nostdinc -D_XOPEN_SOURCE=700
-D_USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE -std=c99 -c
-fno-builtin test2.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Base/Base
command : gcc test2.o /home/hatch/workspace/tss/cts/cts_extract/FACEConformance
TestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o
/home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -ndefaultlibs
-nostartfiles -O0 -o test2.x
return code : 0
output : <None>

```

Typed Interface → PASSED

Typed → PASSED

Testing FACE_TSS_UoPModelName_PV1_Read_Callback_Receive_Message conformance → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Typed/test1_UoPModelName_PV1.c

```
// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Receive_Message interface
int main(int argc, char *argv[])
{
    // Call user-defined factory function to set the instance
    FACE_TSS_UoPModelName_PV1_TypedTS* baseClassObj =
    Get_FACE_TSS_UoPModelName_PV1_TypedTS();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_TIMEOUT_TYPE timeout;
    FACE_TSS_TRANSACTION_ID_TYPE* transaction_id;
    FACE_DM_UoPModelName_PV1* message;
    FACE_TSS_HEADER_TYPE* header;
    FACE_TSS_QoS_EVENT_TYPE* qos_parameters;
    FACE_RETURN_CODE_TYPE* return_code;
    FACE_interface_return interface_return;
    interface_return =
    FACE_TSS_UoPModelName_PV1_TypedTS_Receive_Message(baseClassObj, connection_id,
    timeout, transaction_id, message, header, qos_parameters, return_code);
    return 0;
}
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofor
k/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test1_UoPModelName_PV1.o -nostdinc
-D_XOPEN_SOURCE=700 -D_USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test1_UoPModelName_PV1.c
return code : 0
output : <None>
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test1_UoPModelName_PV1.o /home/hatch/workspace/tss/cts/cts_extract/
FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowe
d_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nodefaultlibs
-nostartfiles -O0 -o test1_UoPModelName_PV1.x
return code : 0
output : <None>
```

Testing FACE_TSS_UoPModelName_PV1_Read_Callback_Send_Message declaration conformance → **PASSED**

Test Code: conformanceInterfaceTests/C/TSS/Typed/test2_UoPModelName_PV1.c

```
// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Send_Message interface
int main(int argc, char *argv[])
{
    // Call user-defined factory function to set the instance
    FACE_TSS_UoPModelName_PV1_TypedTS* baseClassObj =
    Get_FACE_TSS_UoPModelName_PV1_TypedTS();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_TIMEOUT_TYPE timeout;
    FACE_TSS_TRANSACTION_ID_TYPE* transaction_id;
    FACE_DM_UoPModelName_PV1 message;
    const FACE_DM_UoPModelName_PV1 constMessage = message;
    FACE_RETURN_CODE_TYPE* return_code;
    FACE_interface_return interface_return;
    interface_return = FACE_TSS_UoPModelName_PV1_TypedTS_Send_Message(baseClassObj,
    connection_id, timeout, transaction_id, &constMessage, return_code);
    return 0;
}
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
rk/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
```

```

pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test2_UoPModelName_PV1.o -nostdinc
-D_XOPEN_SOURCE=700 -D_USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test2_UoPModelName_PV1.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test2_UoPModelName_PV1.o /home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowe
d_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nodefaultlibs
-nostartfiles -O0 -o test2_UoPModelName_PV1.x
return code : 0
output : <None>

```

Testing *FACE_TSS_UoPModelName_PV1_TypedTS Register_Callback* conformance

→ **PASSED**

Test Code: conformanceInterfaceTests/C/TSS/Typed/test3_UoPModelName_PV1.c

```

// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Register_Callback interface
int main(int argc, char *argv[])
{
// Call user-defined factory function to set the instance
FACE_TSS_UoPModelName_PV1_TypedTS* baseClassObj =
Get_FACE_TSS_UoPModelName_PV1_TypedTS();
FACE_TSS_UoPModelName_PV1_Read_Callback* callbackBase;
FACE_TSS_CONNECTION_ID_TYPE connection_id;
FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return =
FACE_TSS_UoPModelName_PV1_TypedTS_Register_Callback(baseClassObj,
connection_id, callbackBase, return_code);
return 0;
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/

```

```
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/types -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -o test3_UoPModelName_PV1.o -nostdinc -D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE -std=c99 -c -fno-builtin test3_UoPModelName_PV1.c
return code : 0
output : <None>
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C/TSS/Typed
command : gcc test3_UoPModelName_PV1.o /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o /home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a /home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a /home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nodefaultlibs -nostartfiles -O0 -o test3_UoPModelName_PV1.x
return code : 0
output : <None>
```

Testing FACE_TSS_UoPModelName_PV1_TypedTS Unregister_Callback conformance
→ **PASSED**

Test Code: conformanceInterfaceTests/C/TSS/Typed/test4_UoPModelName_PV1.c

```
// test_includes.h is generated every test run and contains all the header files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the generated factory method signatures
// required to be provided by the user in order to create an instance of their concrete class
#include "CTS_Factory_Functions.h"
// Test Unregister_Callback interface
int main(int argc, char *argv[])
{
    // Call user-defined factory function to set the instance
    FACE_TSS_UoPModelName_PV1_TypedTS* baseClassObj =
    Get_FACE_TSS_UoPModelName_PV1_TypedTS();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_RETURN_CODE_TYPE* return_code;
    FACE_interface_return interface_return;
    interface_return =
    FACE_TSS_UoPModelName_PV1_TypedTS_Unregister_Callback(baseClassObj,
    connection_id, return_code);
    return 0;
}
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99 -I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99 -I/home/hatch/workspace/tss/cts/project/build/GSL -I/home/hatch/workspace/tss/cts/project/build/GSL/include -I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
```

```

ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
rk/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test4_UoPModelName_PV1.o -nostdinc
-D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test4_UoPModelName_PV1.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test4_UoPModelName_PV1.o /home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowe
d_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -ndefaultlibs
-nostartfiles -O0 -o test4_UoPModelName_PV1.x
return code : 0
output : <None>

```

Testing FACE_TSS_UoPModelName_T1_Read_Callback_Receive_Message
conformance → **PASSED**

Test Code: conformanceInterfaceTests/C/TSS/Typed/test1_UoPModelName_T1.c

```

// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Receive_Message interface
int main(int argc, char *argv[])
{
// Call user-defined factory function to set the instance
FACE_TSS_UoPModelName_T1_TypedTS* baseClassObj =
Get_FACE_TSS_UoPModelName_T1_TypedTS();
FACE_TSS_CONNECTION_ID_TYPE connection_id;
FACE_TIMEOUT_TYPE timeout;
FACE_TSS_TRANSACTION_ID_TYPE* transaction_id;
FACE_DM_UoPModelName_T1* message;
FACE_TSS_HEADER_TYPE* header;
FACE_TSS_QoS_EVENT_TYPE* qos_parameters;
FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return =
FACE_TSS_UoPModelName_T1_TypedTS_Receive_Message(baseClassObj, connection_id,
timeout, transaction_id, message, header, qos_parameters, return_code);
return 0;
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work

```

```

space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofor
k/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test1_UoPModelName_T1.o -nostdinc
-D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test1_UoPModelName_T1.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test1_UoPModelName_T1.o /home/hatch/workspace/tss/cts/cts_extract
/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed
_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -ndefaultlibs
-nostartfiles -o0 -o test1_UoPModelName_T1.x
return code : 0
output : <None>

```

Testing FACE_TSS_UoPModelName_T1_Read_Callback_Send_Message declaration conformance → **PASSED**

Test Code: conformanceInterfaceTests/C/TSS/Typed/test2_UoPModelName_T1.c

```

// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Send_Message interface
int main(int argc, char *argv[])
{
    // Call user-defined factory function to set the instance
    FACE_TSS_UoPModelName_T1_TypedTS* baseClassObj =
    Get_FACE_TSS_UoPModelName_T1_TypedTS();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_TIMEOUT_TYPE timeout;
    FACE_TSS_TRANSACTION_ID_TYPE* transaction_id;
    FACE_DM_UoPModelName_T1 message;
    const FACE_DM_UoPModelName_T1 constMessage = message;
    FACE_RETURN_CODE_TYPE* return_code;
    FACE_interface_return interface_return;
    interface_return = FACE_TSS_UoPModelName_T1_TypedTS_Send_Message(baseClassObj,
    connection_id, timeout, transaction_id, &constMessage, return_code);
    return 0;
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext

```

```

rct/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/work
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
rk/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/t
ypes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test2_UoPModelName_T1.o -nostdinc
-D_XOPEN_SOURCE=700 -D_USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test2_UoPModelName_T1.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuit
e_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o
test2_UoPModelName_T1.o
/home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nodefaultlibs
-nostartfiles -O0 -o test2_UoPModelName_T1.x
return code : 0
output : <None>

```

Testing FACE_TSS_UoPModelName_T1_TypedTS Register_Callback conformance → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Typed/test3_UoPModelName_T1.c

```

// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Register_Callback interface
int main(int argc, char *argv[])
{
// Call user-defined factory function to set the instance
FACE_TSS_UoPModelName_T1_TypedTS* baseClassObj =
Get_FACE_TSS_UoPModelName_T1_TypedTS();
FACE_TSS_UoPModelName_T1_Read_Callback* callbackBase;
FACE_TSS_CONNECTION_ID_TYPE connection_id;
FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return =
FACE_TSS_UoPModelName_T1_TypedTS_Register_Callback(baseClassObj, connection_id,
callbackBase, return_code);
return 0;
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/types -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -o test3_UoPModelName_T1.o -nostdinc
-D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test3_UoPModelName_T1.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test3_UoPModelName_T1.o /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o /home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a /home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a /home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nodefaultlibs -nostartfiles -O0 -o test3_UoPModelName_T1.x
return code : 0
output : <None>

```

Testing FACE_TSS_UoPModelName_T1_TypedTS Unregister_Callback conformance
→ **PASSED**

Test Code: conformanceInterfaceTests/C/TSS/Typed/test4_UoPModelName_T1.c

```

// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Unregister_Callback interface
int main(int argc, char *argv[])
{
// Call user-defined factory function to set the instance
FACE_TSS_UoPModelName_T1_TypedTS* baseClassObj =
Get_FACE_TSS_UoPModelName_T1_TypedTS();
FACE_TSS_CONNECTION_ID_TYPE connection_id;
FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return =
FACE_TSS_UoPModelName_T1_TypedTS_Unregister_Callback(baseClassObj,
connection_id, return_code);
return 0;

```

```
}
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/types -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -o test4_UoPModelName_T1.o -nostdinc
-D_XOPEN_SOURCE=700 -D_USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test4_UoPModelName_T1.c
return code : 0
output : <None>
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test4_UoPModelName_T1.o /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o /home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a /home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a /home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -ndefaultlibs -nostartfiles -O0 -o test4_UoPModelName_T1.x
return code : 0
output : <None>
```

Testing FACE_TSS_UoPModelName_T2_Read_Callback_Receive_Message conformance → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Typed/test1_UoPModelName_T2.c

```
// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Receive_Message interface
int main(int argc, char *argv[])
{
    // Call user-defined factory function to set the instance
    FACE_TSS_UoPModelName_T2_TypedTS* baseClassObj =
    Get_FACE_TSS_UoPModelName_T2_TypedTS();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_TIMEOUT_TYPE timeout;
    FACE_TSS_TRANSACTION_ID_TYPE* transaction_id;
```

```

FACE_DM_UoPModelName_T2* message;
FACE_TSS_HEADER_TYPE* header;
FACE_TSS_QoS_EVENT_TYPE* qos_parameters;
FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return =
FACE_TSS_UoPModelName_T2_TypedTS_Receive_Message(baseClassObj, connection_id,
timeout, transaction_id, message, header, qos_parameters, return_code);
return 0;
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arpa -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/types -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -o test1_UoPModelName_T2.o -nostdinc
-D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test1_UoPModelName_T2.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test1_UoPModelName_T2.o /home/hatch/workspace/tss/cts/cts_extract/
FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed
_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nolibc
-nostartfiles -O0 -o test1_UoPModelName_T2.x
return code : 0
output : <None>

```

Testing FACE_TSS_UoPModelName_T2_Read_Callback_Send_Message declaration conformance → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Typed/test2_UoPModelName_T2.c

```

// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"

```

```
// Test Send_Message interface
int main(int argc, char *argv[])
{
    // Call user-defined factory function to set the instance
    FACE_TSS_UoPModelName_T2_TypedTS* baseClassObj =
    Get_FACE_TSS_UoPModelName_T2_TypedTS();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_TIMEOUT_TYPE timeout;
    FACE_TSS_TRANSACTION_ID_TYPE* transaction_id;
    FACE_DM_UoPModelName_T2 message;
    const FACE_DM_UoPModelName_T2 constMessage = message;
    FACE_RETURN_CODE_TYPE* return_code;
    FACE_interface_return interface_return;
    interface_return = FACE_TSS_UoPModelName_T2_TypedTS_Send_Message(baseClassObj,
    connection_id, timeout, transaction_id, &constMessage, return_code);
    return 0;
}
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
ork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test2_UoPModelName_T2.o -nostdinc
-D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test2_UoPModelName_T2.c
return code : 0
output : <None>
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definitions.o
test2_UoPModelName_T2.o
/home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -nodefaultlibs
-nostartfiles -O0 -o test2_UoPModelName_T2.x
return code : 0
output : <None>
```

Testing FACE_TSS_UoPModelName_T2_TypedTS Register_Callback conformance → PASSED

Test Code: conformanceInterfaceTests/C/TSS/Typed/test3_UoPModelName_T2.c

```

// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Register_Callback interface
int main(int argc, char *argv[])
{
// Call user-defined factory function to set the instance
FACE_TSS_UoPModelName_T2_TypedTS* baseClassObj =
Get_FACE_TSS_UoPModelName_T2_TypedTS();
FACE_TSS_UoPModelName_T2_Read_Callback* callbackBase;
FACE_TSS_CONNECTION_ID_TYPE connection_id;
FACE_RETURN_CODE_TYPE* return_code;
FACE_interface_return interface_return;
interface_return =
FACE_TSS_UoPModelName_T2_TypedTS_Register_Callback(baseClassObj, connection_id,
callbackBase, return_code);
return 0;
}

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
ork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test3_UoPModelName_T2.o -nostdinc
-D_XOPEN_SOURCE=700 -D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test3_UoPModelName_T2.c
return code : 0
output : <None>

```

Test Log:

```

cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test3_UoPModelName_T2.o /home/hatch/workspace/tss/cts/cts_extract
/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed
_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -ndefaultlibs
-nostartfiles -o0 -o test3_UoPModelName_T2.x
return code : 0
output : <None>

```

Testing FACE_TSS_UoPModelName_T2_TypedTS Unregister_Callback conformance

→ **PASSED**

Test Code: conformanceInterfaceTests/C/TSS/Typed/test4_UoPModelName_T2.c

```
// test_includes.h is generated every test run and contains all the header
files
// specified in the configuration file for the segment under test
#include "test_includes.h"
// CTS_Factory_Functions.h is generated every test run and contains all the
generated factory method signatures
// required to be provided by the user in order to create an instance of their
concrete class
#include "CTS_Factory_Functions.h"
// Test Unregister_Callback interface
int main(int argc, char *argv[])
{
    // Call user-defined factory function to set the instance
    FACE_TSS_UoPModelName_T2_TypedTS* baseClassObj =
    Get_FACE_TSS_UoPModelName_T2_TypedTS();
    FACE_TSS_CONNECTION_ID_TYPE connection_id;
    FACE_RETURN_CODE_TYPE* return_code;
    FACE_interface_return interface_return;
    interface_return =
    FACE_TSS_UoPModelName_T2_TypedTS_Unregister_Callback(baseClassObj,
    connection_id, return_code);
    return 0;
}
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSui
te_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_extrac
t/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
ork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o test4_UoPModelName_T2.o -nostdinc
-D_XOPEN_SOURCE=700 -D_USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE
-std=c99 -c -fno-builtin test4_UoPModelName_T2.c
return code : 0
output : <None>
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/Typed
command : gcc test4_UoPModelName_T2.o /home/hatch/workspace/tss/cts/cts_extract
/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed
_definitions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralMultiProcGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a -ndefaultlibs
```

```
-nostartfiles -00 -o test4_UoPModelName_T2.x  
return code : 0  
output : <None>
```

TSS POSIX fork → PASSED

GSL_POSIX_fork_Test → PASSED

Link Limited GSLs to test for fork() followed by exec() → PASSED

Test Code: conformanceInterfaceTests/C/TSS/GSL_POSIX_fork_Test/FACE_linktest.c

```
// // DISTRIBUTION STATEMENT A. Approved for public release; distribution is
unlimited.
// //
// // Product produced under DoD SENSIC contract HC104705D4000 under
// // the sponsorship of the Defense Technical Information Center,
// // ATTN: DTIC-AI, 8723 John J. Kingman Rd., Ste 0944, Fort Belvoir, VA
// // 22060-6218. SENSIC is a DoD Information Analysis Center Sponsored
// // by the Defense Technical Information Center.
// //
// // HANDLING AND DESTRUCTION NOTICE - Comply with distribution statement
// // and destroy by any method that will prevent disclosure of
// // contents or reconstruction of the document.
//
//Main empty used for link test.
int main(int argc, char *argv[])
{
    return 0;
}
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/GSL_POSIX_fork_Test
command : cc -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99
-I/home/hatch/workspace/tss/cts/project/build/GSL
-I/home/hatch/workspace/tss/cts/project/build/GSL/include
-I/home/hatch/workspace/tss/cts/project/build/GSL/include/FACE -I/home/hatch/wo
rkspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibrarie
s/C/src/OSS/POSIX/general_multi_proc -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/conformanceInterfaceTests/C -I/home/hatch/work
space/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/
C/src/OSS/POSIX/general_multi_proc/arpa -I/home/hatch/workspace/tss/cts/cts_ext
ract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/gener
al_multi_proc/net -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTe
stSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_multi_proc/netinet
-I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/gold
StandardLibraries/C/src/OSS/POSIX/general_multi_proc/sys -I/home/hatch/workspac
e/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/sr
c/OSS/POSIX/general_nofork -I/home/hatch/workspace/tss/cts/cts_extract/FACEConf
ormanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nofork/arp
a -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/go
ldStandardLibraries/C/src/OSS/POSIX/general_nofork/net -I/home/hatch/workspace/
tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/
OSS/POSIX/general_nofork/netinet -I/home/hatch/workspace/tss/cts/cts_extract/FA
CEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/POSIX/general_nof
ork/sys -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2
.3/goldStandardLibraries/C/src/OSS/POSIX/general -I/home/hatch/workspace/tss/ct
s/cts_extract/FACEConformanceTestSuite_3.2.3/goldStandardLibraries/C/src/OSS/ty
pes -I/home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C -o FACE_linktest.o -nostdinc -D_XOPEN_SOURCE=700
-D__USE_SVID -D_GNU_SOURCE -DFACE_GENERAL_PURPOSE_PROFILE -std=c99 -c
-fno-builtin FACE_linktest.c
return code : 0
output : <None>
```

Test Log:

```
cwd : /home/hatch/workspace/tss/cts/cts_extract/FACEConformanceTestSuite_3.2.3/
conformanceInterfaceTests/C/TSS/GSL_POSIX_fork_Test
command : gcc FACE_linktest.o /home/hatch/workspace/tss/cts/cts_extract/FACECon
formanceTestSuite_3.2.3/toolchain/generated_files/gcc_linux_c99/allowed_definit
ions.o /home/hatch/workspace/tss/cts/project/CTS_Factory_Functions.o
/home/hatch/workspace/tss/cts/project/uoc/libface_tss_cts.a
/home/hatch/workspace/tss/cts/project/build/GSL/typesGoldLib.a
/home/hatch/workspace/tss/cts/project/build/GSL/posixGeneralNoforkGoldLib.a
-nofaultlibs -nostartfiles -o0 -o FACE_linktest.x
```

```
return code : 0  
output : <None>
```


