

- **Vendor: Microsoft**
- **Exam Code: 70-486**
- **Exam Name: Developing ASP.NET MVC 4 Web Applications**
- **Question 1 -- Question 30**

[Visit PassLeader and Download Full Version 70-486 Exam Dumps](#)

QUESTION 1

You are developing an ASP.NET MVC application that uses forms authentication.

The user database contains a user named LibraryAdmin.

You have the following requirements:

- You must allow all users to access the GetBook method.
- You must restrict access to the EditBook method to the user named LibraryAdmin.

You need to implement the controller to meet the requirements.

Which code segment should you use?

(Each correct answer presents a complete solution. Choose all that apply.)

A.

```
[Authorize]
public class LibraryController : Controller
{
    [AllowAnonymous]
    public ActionResult GetBook()
    {
        ...
        return View();
    }
    [Authorize(Users = "LibraryAdmin")]
    public ActionResult EditBook()
    {
        ...
        return View();
    }
}
```

- B.

```
[Authorize(Roles = "Anonymous")]
public class LibraryController : Controller
{
    public ActionResult GetBook()
    {
        ...
        return View();
    }

    [Authorize(Users = "LibraryAdmin")]
    public ActionResult EditBook()
    {
        ...
        return View();
    }
}
```
- C.

```
[Authorize]
public class LibraryController : Controller
{
    [AllowAnonymous]
    public ActionResult GetBook()
    {
        ...
        return View();
    }

    [Authorize]
    public ActionResult EditBook()
    {
        if (this.HttpContext.User.Identity.Name != "LibraryAdmin")
        {
            return RedirectToAction("Login", "Account", new { returnUrl = "/Library/EditBook" });
        }
        else
        {
            ...
            return View();
        }
    }
}
```
- D.

```
[Authorize]
public class LibraryController : Controller
{
    [Authorize(Roles="Anonymous")]
    public ActionResult GetBook()
    {
        ...
        return View();
    }

    [Authorize(Users = "LibraryAdmin")]
    public ActionResult EditBook()
    {
        ...
        return View();
    }
}
```

Answer: AC

QUESTION 2

Drag and Drop Question

You are developing an ASP.NET MVC application that takes customer orders.

Orders are restricted to customers with IP addresses based in the United States.

You need to implement a custom route handler.

How should you implement the route handler?

(To answer, drag the appropriate line of code to the correct location or locations. Each line of code may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

```
public class USOnlyRouteHandler :   
{  
    public  GetHttpHandler(  
        requestContext)  
    {  
        return new USIPHandler(requestContext);  
    }  
}
```

Answer:

```
public class USOnlyRouteHandler : IRouteHandler  
{  
    public IHttpHandler GetHttpHandler(RequestContext  
        requestContext)  
    {  
        return new USIPHandler(requestContext);  
    }  
}
```

Explanation:

<http://msdn.microsoft.com/en-us/library/system.web.routing.iroutehandler.gethttphandler.aspx>

QUESTION 3

You are designing an HTML5 website.

You need to design the interface to make the content of the web page viewable in all types of browsers, including voice recognition software, screen readers, and reading pens.

What should you do?

(Each correct answer presents a complete solution. Choose all that apply.)

- A. Annotate HTML5 content elements with Accessible Rich Internet Application (ARIA) attributes.
- B. Convert HTML forms to XForms.
- C. Ensure that HTML5 content elements have valid and descriptive names.
- D. Use HTML5 semantic markup elements to enhance the pages.

E. Use Resource Description Framework (RDF) to describe content elements throughout the entire page.

Answer: AD

QUESTION 4

Drag and Drop Question

You are developing an ASP.NET MVC web application in Visual Studio 2012.

The application has a model named ReservationLocation that contains properties named City and State. The view that displays reservations has a single text box named loc for entering the location information. The location is entered as city, state.

There are action methods that have ReservationLocation as a parameter type.

You need to ensure that the City and State properties are correctly populated.

How should you implement model binding for the ReservationLocation type?

(To answer, drag the appropriate code segment to the correct location or locations. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

```
bindingContext.ModelType = typeof  
(ReservationLocation);
```

```
var raw = bindingContext.ValueProvider.GetValue  
("loc");
```

```
dynamic data = bindingContext.ValueProvider.GetValue  
("loc");
```

```
dynamic data = raw.RawValue  
.ToString().Split(',');
```

```
bindingContext.ModelState.Add("city,state",  
    new ModelState { Value = data });
```

```
dynamic data = controllerContext.RouteData  
.Values[raw + "[city,state]"];
```

```
public class ReservationModelBinder : IModelBinder  
{  
    public object BindModel(ControllerContext controllerContext,  
        ModelBindingContext bindingContext)  
    {  
  
  
  
  
        return new ReservationLocation  
        {  
            City = data[0],  
            State = data[1],  
        };  
    }  
}
```

Answer:

```
bindingContext.ModelType = typeof  
(ReservationLocation);
```

```
dynamic data = bindingContext.ValueProvider.GetValue  
("loc");
```

```
bindingContext.ModelState.Add("city,state",  
    new ModelState { Value = data });
```

```
dynamic data = controllerContext.RouteData  
    .Values[raw + "[city,state]"];
```

```
public class ReservationModelBinder : IModelBinder  
{  
    public object BindModel(ControllerContext controllerContext,  
        ModelBindingContext bindingContext)  
    {  
        var raw = bindingContext.ValueProvider.GetValue  
            ("loc");  
  
        dynamic data = raw.RawValue  
            .ToString().Split(',');  
  
        return new ReservationLocation  
        {  
            City = data[0],  
            State = data[1],  
        };  
    }  
}
```

QUESTION 5

You are developing an ASP.NET MVC application in Visual Studio 2012. The application supports multiple cultures. The application contains three resource files in the Resources directory:

- My Dictionary.resx
- MyDictionary.es.resx
- MyDictionary.fr.resx

Each file contains a public resource named Title with localized translation. The application is configured to set the culture based on the client browser settings. The application contains a controller with the action defined in the following code segment. (Line numbers are included for reference only.)

```
01 public ActionResult GetProducts()  
02 {  
03  
04     List<ProductModel> products = DataBase.DBAccess.GetProducts();  
05     return View(products);  
06 }
```

You need to set ViewBag.Title to the localized title contained in the resource files. Which code segment should you add to the action at line 03?

- A. ViewBag.Title = HttpContext.GetGlobalResourceObuect("MyDictionary", "Title");
- B. ViewBag.Title = HttpContext.GetGlobalResourceObject("MyDictionary", "Title", new System.Globalization.CultureInfo("en"));
- C. ViewBag.Title = Resources.MyDictionary.Title;
- D. ViewBag.Title = HttpContext.GetLocalResourceObject("MyDictionary", "Title");

Answer: C

QUESTION 6

You are testing an ASP.NET application. The test plan requires that tests run against the application's business layer.

You need to use the test project template that meets this requirement.

Which template should you use?

- A. Web Test Project
- B. Load Test Project
- C. Unit Test Project
- D. Coded Test Project

Answer: C

QUESTION 7

You are developing an ASP.NET MVC web application that includes the following method.

```
public double AccountBalance(double currentBalance, double transactionAmount)  
{  
    double finalBalance = 0.00;  
    finalBalance = currentBalance + transactionAmount;  
    return finalBalance;  
}
```

You need to test the AccountBalance method.

Which unit test should you use?

- ☐ A.

```
[TestMethod()]
private void AccountBalanceTest()
{
    double currentBalance = 175.05;
    double transactionAmount = 76.03;
    double finalBalance = 251.08;
    double result = 0.00;

    result = AccountBalance(currentBalance, transactionAmount);
    Assert.AreEqual(finalBalance, result);
}
```
- ☐ B.

```
[TestMethod()]
public void AccountBalanceTest()
{
    double currentBalance = 175.05;
    double transactionAmount = 76.03;
    double finalBalance = 251.08;
    double result = 0.00;

    result = AccountBalance(currentBalance, transactionAmount);
    Assert.IsTrue(finalBalance, result);
}
```
- ☐ C.

```
[TestMethod()]
public void AccountBalanceTest()
{
    double currentBalance = 175.05;
    double transactionAmount = 76.03;
    double finalBalance = 251.08;
    double result = 0.00;

    result = AccountBalance(currentBalance, transactionAmount);
    Assert.AreEqual(finalBalance, result);
}
```
- ☐ D.

```
[UnitTest()]
public void AccountBalanceTest()
{
    double currentBalance = 175.05;
    double transactionAmount = 76.03;
    double finalBalance = 251.08;
    double result = 0.00;

    result = AccountBalance(currentBalance, transactionAmount);
    Assert.AreEqual(finalBalance, result);
}
```

A. Option A

B. Option B

- C. Option C
- D. Option D

Answer: C

Explanation:

<http://msdn.microsoft.com/en-us/magazine/cc163665.aspx>

[http://msdn.microsoft.com/en-us/library/microsoft.visualstudio.testtools.unittesting.assert.areequal\(v=vs.110\).aspx](http://msdn.microsoft.com/en-us/library/microsoft.visualstudio.testtools.unittesting.assert.areequal(v=vs.110).aspx)

QUESTION 8

You are authoring unit tests. The unit tests must test code that consumes sealed classes.

You need to create, maintain, and inject dependencies in the unit tests.

Which isolation method should you use?

- A. T4 text templates and code generation
- B. Stub types
- C. Shim types
- D. Hard-coded implementation

Answer: C

Explanation:

<http://msdn.microsoft.com/en-us/library/hh549176.aspx>

Shim types are one of two technologies that the Microsoft Fakes Framework uses to let you easily isolate components under test from the environment.

Shims divert calls to specific methods to code that you write as part of your test.

Many methods return different results dependent on external conditions, but a shim is under the control of your test and can return consistent results at every call.

This makes your tests much easier to write.

QUESTION 9

You are developing an ASP.NET MVC application by using Visual Studio 2012.

The application throws and handles exceptions when it runs.

You need to examine the state of the application when exceptions are thrown.

What should you do?

- A. From the Debug menu in Visual Studio 2012, select Exceptions.
Enable the Thrown check box for Common Language Runtime Exceptions.
- B. From the DEBUG menu in Visual Studio 2012, select Attach to Process. Select the IIS process.
- C. From the Debug menu in Visual Studio 2012, select Exceptions.
Disable the User-unhandled check box for Common Language Runtime Exceptions.
- D. From the TOOLS menu in Visual Studio 2012, click Customize.
Click the Commands tab and select Debug.

Answer: A

QUESTION 10

You are developing an ASP.NET MVC news aggregation application that will be deployed to servers on multiple networks. The application must be compatible with multiple browsers.

A user can search the website for news articles.

You must track the page number that the user is viewing in search results.

You need to program the location for storing state information about the user's search.

What should you do?

- A. Store search results and page index in Session.
- B. Use Application state to store search terms and page index.
- C. Use QueryString to store search terms and page index.
- D. Store search results and page index in TempData

Answer: C

QUESTION 11

You are developing an ASP.NET MVC application.
The application is deployed in a web farm and is accessed by many users.
The application must handle web server failures gracefully.
The servers in the farm must share the state information.
You need to persist the application state during the session.
What should you implement?

- A. A state server
- B. Cookieless sessions
- C. A web garden on the web servers
- D. An InProc session

Answer: A

QUESTION 12

You are developing an ASP.NET MVC application that displays stock market information.
The stock market information updates frequently and must be displayed in real-time.
You need to eliminate unnecessary header data, minimize latency, and transmit data over a full-duplex connection.
What should you do?

- A. Implement long-running HTTP requests.
- B. Instantiate a MessageChannel object on the client.
- C. Implement WebSockets protocol on the client and the server.
- D. Configure polling from the browser.

Answer: C

QUESTION 13

You are designing a distributed application that runs on the Windows Azure platform. The application must store a small amount of insecure global information that does not change frequently.

You need to configure the application to meet the requirements.

Which server-side state management option should you use?

(Each correct answer presents a complete solution. Choose all that apply.)

- A. Windows Azure application state
- B. Sql Azure
- C. Profile properties of the Windows Azure application
- D. Windows Azure session state

Answer: BD

QUESTION 14

Drag and Drop Question

You are developing an ASP.NET MVC application that has pages for users who browse the site with Windows Phone 7. The pages for Windows Phone 7 include the following files:

- `_Layout.WP7.cshtml`
- `Index.WP7.cshtml`

You need to update the application so that it renders the customized files correctly to Windows Phone 7 users.

How should you update the Application_Start method?

(To answer, drag the appropriate line of code to the correct location or locations. Each line of code may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

```

DefaultDisplayMode("WP7")

("Windows Phone OS",

StringComparison.OrdinalIgnoreCase

DefaultDisplayMode("Mobile")

("Mobile",

AreaRegistration.RegisterAllDevices();

```

```

protected void Application_Start()
{
    DisplayModeProvider.Instance.Modes.Insert(0, new
    {
        ContextCondition = (context =>
            context.GetOverriddenUserAgent().IndexOf
            (
            ) >= 0)
    });

    AreaRegistration.RegisterAllAreas();
}

```

Answer:

```
protected void Application_Start()
{
    DisplayModeProvider.Instance.Modes.Insert(0, new
        DefaultDisplayMode("WP7"))
    {
        ContextCondition = (context =>
            context.GetOverriddenUserAgent().IndexOf
                ("Windows Phone OS",
                    StringComparison.OrdinalIgnoreCase) >= 0)
    };
    AreaRegistration.RegisterAllAreas();
}
```

Explanation:

<http://techbrij.com/1013/display-mode-mobile-tablet-tv-aspnet-mvc>

QUESTION 15

You are developing an ASP.NET MVC web application for viewing a photo album. The application is designed for devices that support changes in orientation, such as tablets and smartphones.

The application displays a grid of photos in portrait mode. When the orientation changes to landscape, each tile in the grid expands to include a description.

The HTML that creates the gallery interface resembles the following markup.

The CSS used to style the tiles in landscape mode is as follows.

```
<ul class="gallery">
  <li>
    
    <div>Description</div>
  </li>
</ul>
```

The CSS used to style the tiles in portrait mode is as follows.

```
ul.gallery > li {
  width: 100px;
}

ul.gallery > li > div {
  display: none;
}
```

If this CSS is omitted, the existing CSS displays the tiles in landscape mode. You need to update the portrait mode CSS to apply only to screens with a width less than 500 pixels.

Which code segment should you use?

- A. @media resolution(max-width: 500px) { . . . }
- B. @media screen(min-width: 0px, max-width: 500px) { . . . }
- C. @media screen and (width <= 500px) { . . . }
- D. @media screen and (max-width: 500px) { . . . }

Answer: D

Explanation:

<http://www.javascriptkit.com/dhtmltutors/cssmediaqueries.shtml>

QUESTION 16

You are developing an ASP.NET MVC application in Visual Studio 2012.

The application contains sensitive bank account data.

The application contains a helper class named SensitiveData.Helpers.CustomEncryptor.

```
public class CustomEncryptor
{
    public string Encrypt(string plaintext)
    {
        ...
    }
}
```

The application contains a controller named **BankAccountController** with two actions.

```
public class BankAccountController : Controller
{
    public ActionResult GetAccounts()
    {
        ...
    }

    public ActionResult EditAccount(string maskedAccountNum)
    {
        ...
    }
}
```

The application contains a model named **BankAccount**, which is defined in the following code segment.

```
public class BankAccount
{
    public string AccountNumber { get; set; }
    public string AccountName { get; set; }
    public double Balance { get; set; }
}
```

The application must not display AccountNumber in clear text in any URL.

You need to build the view for the GetAccounts action.

How should you build the view?

(To answer, drag the appropriate code segment to the correct location or locations. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

custEncrypt

maskedAccountNum

Html

Encrypt(item.AccountNumber)

Encode(item.AccountNumber)

```

@model IEnumerable<SensitiveData.Models.GamerAccount>
@{SensitiveData.Helpers.CustomEncryptor custEncrypt =
    new SensitiveData.Helpers.CustomEncryptor();}
<h2>GetAccounts</h2>
<table>
    <tr>
        <th>Account Name</th>
        <th>Balance</th>
    </tr>
    @foreach (var item in Model)
    {
        <tr>
            <td>@Html.DisplayFor(modelItem => item.AccountName)</td>
            <td>@Html.DisplayFor(modelItem => item.Highscore)</td>
            <td>
                @Html.ActionLink("Edit", "EditAccount",
                    new {
                        =
                        =
                        .
                    })
            </td>
        </tr>
    }
</table>

```

Answer:

Html

Encode(item.AccountNumber)

```

@model IEnumerable<SensitiveData.Models.GamerAccount>
@{SensitiveData.Helpers.CustomEncryptor custEncrypt =
    new SensitiveData.Helpers.CustomEncryptor();}
<h2>GetAccounts</h2>
<table>
    <tr>
        <th>Account Name</th>
        <th>Balance</th>
    </tr>
    @foreach (var item in Model)
    {
        <tr>
            <td>@Html.DisplayFor(modelItem => item.AccountName)</td>
            <td>@Html.DisplayFor(modelItem => item.Highscore)</td>
            <td>
                @Html.ActionLink("Edit", "EditAccount",
                    new {
                        maskedAccountNum =
                        custEncrypt
                        .Encrypt(item.AccountNumber)
                    })
            </td>
        </tr>
    }
</table>

```

QUESTION 17

You are developing an ASP.NET MVC application.
 You need to authenticate clients by using NT LAN Manager (NTLM).
 Which authentication method should you implement?

- A. Basic
- B. Windows
- C. Forms
- D. Kerberos

Answer: B

Explanation:

[http://msdn.microsoft.com/en-us/library/aa292114\(v=vs.71\).aspx](http://msdn.microsoft.com/en-us/library/aa292114(v=vs.71).aspx)

QUESTION 18

Drag and Drop Question

You are developing an ASP.NET MVC application that authenticates a user by using claims-based authentication. The application must:

- Use Windows Identity Foundation 4.5.
- Support the Windows Azure Access Control Service.

You need to implement authentication.

How should you build the class constructor?

(To answer, drag the appropriate code segment to the correct location or locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

The screenshot displays a drag-and-drop question interface. On the left, there is a list of code segments to be dragged:

- ClaimNames
- ClaimTypes
- IIIdentityCla
- IClaimsIdent
- ClaimType
- ClaimName

On the right, the target area shows the following C# code for the `IdentityClaim` class:

```
using Microsoft.IdentityModel.Claims;

public class IdentityClaim
{
    private string _identityProvider;
    private string _identityValue;
    public const string ACSProviderClaim =
        "http://schemas.microsoft.com/accesscontrolservice/...";

    public IdentityClaim( [ ] identity)
    {
        if (identity != null)
        {
            foreach (var claim in identity.Claims)
            {
                if (claim. [ ] == [ ].NameIdentifier)
                {
                    _identityValue = claim.Value;
                }
                if (claim. [ ] == ACSProviderClaim)
                {
                    _identityProvider = claim.Value;
                }
            }
        }
    }
}
```

The code contains several empty boxes (represented by []) indicating where code segments should be placed. The segments on the left are intended to be used to complete the constructor logic, specifically for identifying the provider and value from the claims.

Answer:

```
using Microsoft.IdentityModel.Claims;
using System.Web.Security;

public class IdentityClaim
{
    private string _identityProvider;
    private string _identityValue;
    public const string ACSProviderClaim =
        "http://schemas.microsoft.com/accesscontrolservice/...";

    public IdentityClaim(IClaimsIdentity identity)
    {
        if (identity != null)
        {
            foreach (var claim in identity.Claims)
            {
                if (claim.ClaimType == ClaimTypes.NameIdentifier)
                {
                    _identityValue = claim.Value;
                }
                if (claim.ClaimType == ACSProviderClaim)
                {
                    _identityProvider = claim.Value;
                }
            }
        }
    }
}
```

QUESTION 19

You are developing an ASP.NET MVC application. The application must allow users to enter JavaScript in a feedback text box only.

You need to disable request validation. What should you do?

- A. Apply and set the CausesClientSideValidation attribute on the text box to FALSE.
- B. Apply and set the ValidateInput attribute on the text box to FALSE.
- C. Use the HttpRequest.Unvalidated property to read the unvalidated form value.
- D. Use the HttpRequest.Form property to read the unvalidated form value.

Answer: C

Explanation:

Provides access to HTTP request values without triggering request validation.

<http://msdn.microsoft.com/en-us/library/system.web.httprequest.unvalidated.aspx>

QUESTION 20

You are developing an ASP.NET MVC application that will be deployed on a web farm.

Passwords must be stored in the web.config file and must not be readable or in a format that is easily decodable.

You need to encrypt the passwords that are stored in the web.config file.

Which command-line tool should you use?

- A. AspNet_regiis.exe
- B. Ngen.exe
- C. AspNet_merge.exe
- D. EdmGen.exe

Answer: A

Explanation:

[http://msdn.microsoft.com/en-us/library/zhhddkxy\(v=vs.100\).aspx](http://msdn.microsoft.com/en-us/library/zhhddkxy(v=vs.100).aspx)

QUESTION 21

Hotspot Question

You are developing an ASP.NET MVC application.

You need to store membership information in a Microsoft SQL Server database.

How should you configure the membership provider?

(To answer, select the appropriate options in the answer area.)

Work Area

```
<configuration>
  <connectionStrings>
    <add name="SqlServices"
      connectionString="Data Source=localhost;
        Integrated Security=SSPI;Initial Catalog=aspnetdb;" />
  </connectionStrings>
  <system.web>
    <authentication mode="Forms" >
      <forms loginUrl="login.aspx"
        name=".ASPXFORMSAUTH" />
    </authentication>
    <authorization>
      <deny users="?" />
    </authorization>
    <membership defaultProvider="SqlProvider">
      <providers>
        <add
          name="SqlProvider"
          
          
          applicationName="MyApplication" />
        </providers>
      </membership>
    </system.web>
  </configuration>
```

Answer:

Work Area

```
<configuration>
  <connectionStrings>
    <add name="SqlServices"
      connectionString="Data Source=localhost;
        Integrated Security=SSPI;Initial Catalog=aspnetdb;" />
  </connectionStrings>
  <system.web>
    <authentication mode="Forms" >
      <forms loginUrl="login.aspx"
        name=".ASPXFORMSAUTH" />
    </authentication>
    <authorization>
      <deny users="?" />
    </authorization>
    <membership defaultProvider="SqlProvider">
      <providers>
        <add
          name="SqlProvider"
          type="System.Web.Security.SqlMembershipProvider"
          type="System.Web.Security.SqlProvider"
          namespace="System.Web.Security.SqlMembershipProvider"
          namespace="System.Web.Security.SqlProvider"
          connectionString="SqlServices"
          connectionStringName="SqlServices"
          applicationName="MyApplication" />
      </providers>
    </membership>
  </system.web>
</configuration>
```

QUESTION 22

You are designing a distributed application. The application must store a small amount of insecure global information that does not change frequently.

You need to configure the application to meet the requirements.

Which server-side state management option should you use?

(Each correct answer presents a complete solution. Choose all that apply.)

- A. Application state
- B. Session state
- C. Database support

D. Profile properties

Answer: AB

QUESTION 23

You are developing an ASP.NET MVC application. The application is deployed in a web farm and is accessed by many users.

The application must handle web server failures gracefully.

The servers in the farm must share the short-term state information.

You need to persist the application state during the session.

What should you implement?

- A. ASP.NET session state
- B. A local database
- C. A state server
- D. Profile properties

Answer: C

QUESTION 24

You are developing an ASP.NET MVC application that will be deployed to servers on multiple networks. The application must be compatible with multiple browsers.

You must track the page number that the user is viewing in search results.

You need to program the location for storing state information.

Where should you persist state information?

- A. Session
- B. QueryString
- C. Application
- D. TempData

Answer: B

QUESTION 25

Hotspot Question

You are developing an ASP.NET MVC web application that enables users to open Microsoft Excel files. The current implementation of the ExcelResult class is as follows.

```
public class ExcelResult : ActionResult
{
    public string Path { get; set; }

    public override void ExecuteResult(ControllerContext context)
    {
        ...
    }
}
```

You need to enable users to open Excel files. How should you implement the ExecuteResult method? (To answer, select the appropriate options in the answer area.)

Work Area

```
var response = context.HttpContext.Response;  
var request = context.HttpContext.Request;  
  
var canProcess = request.AcceptTypes.Contains("application/vnd.ms-excel");  
var canProcess = request.ContentType.Contains("application/vnd.ms-excel");  
  
if (canProcess)  
{  
    response.Clear();  
  
    response.AddHeader("content-disposition", "attachment; filename=dl");  
    response.Output.Write("content-disposition", "application/vnd.ms-excel");  
  
    response.ContentType = "application/vnd.ms-excel";  
    response.ContentEncoding = new UTF8Encoding  
  
    response.WriteFile(context.HttpContext.Server.MapPath(Path));  
}
```

Answer:

Work Area

```
var response = context.HttpContext.Response;  
var request = context.HttpContext.Request;  
  
var canProcess = request.AcceptTypes.Contains("application/vnd.ms-excel");  
var canProcess = request.ContentType.Contains("application/vnd.ms-excel");  
  
if (canProcess)  
{  
    response.Clear();  
  
    response.AddHeader("content-disposition", "attachment; filename=dl");  
    response.Output.Write("content-disposition", "application/vnd.ms-excel");  
  
    response.ContentType = "application/vnd.ms-excel";  
    response.ContentEncoding = new UTF8Encoding  
  
    response.WriteFile(context.HttpContext.Server.MapPath(Path));  
}
```

QUESTION 26

You are developing an ASP.NET MVC web application in Visual Studio 2012. The application requires several thousand content files.

All content is hosted on the same IIS instance as the application.
You detect performance issues when the application starts.
You need to resolve the performance issues.
What should you do?

- A. Implement HTTP caching in the ASP.NET MVC controllers.
- B. Combine the content files by using ASP.NET MVC bundling.
- C. Install a second IIS instance.
- D. Move the content to a Windows Azure CDN.

Answer: B

QUESTION 27

You are designing an HTML5 website.
You need to design the interface such that the content is viewable in all types of browsers, including screen readers.
What should you do? (Each correct answer presents a complete solution. Choose all that apply.)

- A. Ensure that content elements have valid and descriptive names.
- B. Use Resource Description Framework (RDF) to describe content elements.
- C. Convert HTML forms to XForms.
- D. Use HTML5 semantic markup elements.
- E. Annotate content elements with Accessible Rich Internet Application (ARIA) attributes.

Answer: DE

QUESTION 28

You are developing an ASP.NET MVC application in Visual Studio 2012. The application supports multiple cultures.

The application contains three resource files in the Resources directory:

- ProductDictionary.resx
- ProductDictionary.es.resx
- ProductDictionary.fr.resx

Each file contains a public resource named Currency with the localized currency symbol. The application is configured to set the culture based on the client browser settings. The application contains a controller with the action defined in the following code segment. (Line numbers are included for reference only.)

```
01 public ActionResult GetProducts()  
02 {  
03  
04     List<ProductModel> products = DataBase.DBAccess.GetProducts();  
05     return View(products);  
06 }
```

You need to set ViewBag.LocalizedCurrency to the localized currency contained in the resource files. Which code segment should you add to the action at line 03?

- A. ViewBag.LocalizedCurrency = Resources.ProductDictionary.Currency;
- B. ViewBag.LocalizedCurrency = HttpContext.GetGlobalResourceObject("ProductDictionary", "Currency", new System.Globalization.CultureInfo(Men));
- C. ViewBag.LocalizedCurrency = HttpContext.GetLocalResourceObject("ProductDictionary", "Currency");
- D. ViewBag.LocalizedCurrency = HttpContext.GetGlobalResourceObject("ProductDictionary", "Currency");

Answer: A

QUESTION 29

You are developing an ASP.NET MVC application.

You need to authenticate clients by using an ASP.NET membership database.

Which authentication method should you implement?

- A. Kerberos
- B. Forms
- C. Basic
- D. Windows

Answer: B

QUESTION 30

You are developing an ASP.NET MVC web application that includes the following method.

```
public double GoldMined(double currentGold, double newlyMinedGold)
{
    double totalGold = 0.00;
    totalGold = currentGold + newlyMinedGold;
    return totalGold;
}
```

You need to test the GoldMined method. Which unit test should you use?

- ☐ A.

```
[TestMethod()]
public void GoldMinedTest()
{
    double currentGold = 175.05;
    double newlyMinedGold = 76.03;
    double totalGold = 251.08;
    double result = 0.00;

    result = GoldMined(currentGold, newlyMinedGold);
    Assert.IsTrue(totalGold, result);
}
```
- ☐ B.

```
[TestMethod()]
private void GoldMinedTest()
{
    double currentGold = 175.05;
    double newlyMinedGold = 76.03;
    double totalGold = 251.08;
    double result = 0.00;

    result = GoldMined(currentGold, newlyMinedGold);
    Assert.AreEqual(totalGold, result);
}
```
- ☐ C.

```
[UnitTest()]
public void GoldMinedTest()
{
    double currentGold = 175.05;
    double newlyMinedGold = 76.03;
    double totalGold = 251.08;
    double result = 0.00;

    result = GoldMined(currentGold, newlyMinedGold);
    Assert.AreEqual(totalGold, result);
}
```
- ☐ D.

```
[TestMethod()]
public void GoldMinedTest()
{
    double totalGold = 175.05;
    double newlyMinedGold = 76.03;
    double totalGold = 251.08;
    double result = 0.00;

    result = GoldMined(currentGold, newlyMinedGold);
    Assert.AreEqual(totalGold, result);
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

[Visit PassLeader and Download Full Version 70-486 Exam Dumps](#)