# Ordered Alphabetically
5 = Tag added in HTML5.

Tag	Description
<!--...-->	Defines a comment
<!DOCTYPE>	Defines the document type
<a>	Defines a hyperlink
<abbr>	Defines an abbreviation
<acronym>	Not supported in HTML5. Use <abbr> instead. Defines an acronym
<address>	Defines contact information for the author/owner of a document
<applet>	Not supported in HTML5. Use <object> instead. Defines an embedded applet
<area>	Defines an area inside an image-map
<article>　　　5	Defines an article
<aside>　　　5	Defines content aside from the page content
<audio>　　　5	Defines sound content
<b>	Defines bold text
<base>	Specifies the base URL/target for all relative URLs in a document
<basefont>	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document
<bdi>　　　5	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo>	Overrides the current text direction
<big>	Not supported in HTML5. Use CSS instead. Defines big text
<blockquote>	Defines a section that is quoted from another source
<body>	Defines the document's body
 	Defines a single line break
<button>	Defines a clickable button
<canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<caption>	Defines a table caption
<center>	Not supported in HTML5. Use CSS instead. Defines centered text
<cite>	Defines the title of a work
<code>	Defines a piece of computer code
<col>	Specifies column properties for each column within a <colgroup> element

<colgroup>		Specifies a group of one or more columns in a table for formatting
<command> 5		Defines a command button that a user can invoke
<datalist>	5	Specifies a list of pre-defined options for input controls
<dd>		Defines a description/value of a term in a description list
<del>		Defines text that has been deleted from a document
<details>	5	Defines additional details that the user can view or hide
<dfn>		Defines a definition term
<dialog>	5	Defines a dialog box or window
<dir>		Not supported in HTML5. Use instead. Defines a directory list
<div>		Defines a section in a document
<dl>		Defines a description list
<dt>		Defines a term/name in a description list
<em>		Defines emphasized text
<embed>	5	Defines a container for an external (non-HTML) application
<fieldset>		Groups related elements in a form
<figcaption>	5	Defines a caption for a <figure> element
<figure>	5	Specifies self-contained content
<font>		Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<footer>	5	Defines a footer for a document or section
<form>		Defines an HTML form for user input
<frame>		Not supported in HTML5. Defines a window (a frame) in a frameset
<frameset>		Not supported in HTML5. Defines a set of frames
<h1> to <h6>		Defines HTML headings
<head>		Defines information about the document
<header>	5	Defines a header for a document or section
<hgroup>	5	Groups heading elements
<hr>		Defines a thematic change in the content
<html>		Defines the root of an HTML document
<i>		Defines a part of text in an alternate voice or mood

<iframe>		Defines an inline frame
<img>		Defines an image
<input>		Defines an input control
<ins>		Defines a text that has been inserted into a document
<kbd>		Defines keyboard input
<keygen>	5	Defines a key-pair generator field (for forms)
<label>		Defines a label for an <input> element
<legend>		Defines a caption for a <fieldset> element
		Defines a list item
<link>		Defines the relationship between a document and an external resource (most used to link to style sheets)
<main>		Specifies the main content of a document
<map>		Defines a client-side image-map
<mark>	5	Defines marked/highlighted text
<menu>		Defines a list/menu of commands
<meta>		Defines metadata about an HTML document
<meter>	5	Defines a scalar measurement within a known range (a gauge)
<nav>	5	Defines navigation links
<noframes>		Not supported in HTML5. Defines an alternate content for users that do not support frames
<noscript>		Defines an alternate content for users that do not support client-side scripts
<object>		Defines an embedded object
		Defines an ordered list
<optgroup>		Defines a group of related options in a drop-down list
<option>		Defines an option in a drop-down list
<output>	5	Defines the result of a calculation
<p>		Defines a paragraph
<param>		Defines a parameter for an object
<pre>		Defines preformatted text
<progress>	5	Represents the progress of a task
<q>		Defines a short quotation
<rp>	5	Defines what to show in browsers that do not support ruby annotations
<rt>	5	Defines an explanation/pronunciation of characters (for East Asian typography)

<ruby>	5	Defines a ruby annotation (for East Asian typography)
<s>		Defines text that is no longer correct
<samp>		Defines sample output from a computer program
<script>		Defines a client-side script
<section>	5	Defines a section in a document
<select>		Defines a drop-down list
<small>		Defines smaller text
<source>	5	Defines multiple media resources for media elements (<video> and <audio>)
<span>		Defines a section in a document
<strike>		Not supported in HTML5. Use <del> instead. Defines strikethrough text
<strong>		Defines important text
<style>		Defines style information for a document
<sub>		Defines subscripted text
<summary>	5	Defines a visible heading for a <details> element
<sup>		Defines superscripted text
<table>		Defines a table
<tbody>		Groups the body content in a table
<td>		Defines a cell in a table
<textarea>		Defines a multiline input control (text area)
<tfoot>		Groups the footer content in a table
<th>		Defines a header cell in a table
<thead>		Groups the header content in a table
<time>	5	Defines a date/time
<title>		Defines a title for the document
<tr>		Defines a row in a table
<track>	5	Defines text tracks for media elements (<video> and <audio>)
<tt>		Not supported in HTML5. Use CSS instead. Defines teletype text
<u>		Defines text that should be stylistically different from normal text
		Defines an unordered list
<var>		Defines a variable
<video>	5	Defines a video or movie
<wbr>	5	Defines a possible line-break