

## Program 1: Usage of DIV,SPAN,OBJECT,FIGURE tag

```
<html>
<head>
<style>
figure {
    margin-top: 1em;
    margin-bottom: 1em;
    margin-left: 40px;
    margin-right: 40px;
}
</style>
<link rel = "stylesheet" type="text/css" href="dcss.css" />
<BODY>
<div id = "outer">
<h1 align="center" color = "red"> DAN BROWN SERIES</h1>
<div class = "inner">
<h2> Da Vinci Code </h2>
<pre style = "font-family:ravie;color:red">
The Da Vinci Code is a 2003 mystery-detective novel written by Dan
Brown.
It follows symbologist Robert Langdon and cryptologist Sophie Neveu
after a
murder in the Louvre Museum in Paris, when they become involved in a
battle
between the Priory of Sion and Opus Dei over the possibility of
Jesus having
been married to Mary Magdalene.
</pre>

<figure>
    
</figure>
</div>
<div class = "inner">
<h2> Angels and Demons </h2>

<OBJECT data="ad.jpg"
        type="image/jpg" height = 25% width = 25% border="5" style
        ="vertical-align:bottom" >

</OBJECT>
<pre style = "font-family:ravie;color:red">
Angels and Demons shares many stylistic literary elements with its
sequel,
such as conspiracies of secret societies, a single-day time frame,
and
the Catholic Church. Ancient history, architecture, and symbolism
are
also heavily referenced throughout the book.
</pre>
</div>
</div>
</BODY>
</html>
```

### Program 2:Usage of frames

```
<html>

<frameset rows="25%,*,25%">
  <frame src="cssbackground.html">
  <frame src="obj.html">
  <frame src="first.html">
</frameset>
</html>
```

### Program 3 : Usage of Mixed set Frames

```
<html>

<frameset rows="50%,50%">
  <frame src="first.html">
  <frameset cols="25%,75%">
    <frame src="obj.html">
    <frame src="csslink.html">
  </frameset>
  <noframes>Sorry, your browser does not handle frames!</noframes>
</frameset>

</html>
```

### Program 4: IFrames

```
<html>
<head>
<title> Inline Frames </title> </head>
<body>
<iframe src="http://www.vit.ac.in" width="200" height="200">
  <p>Your browser does not support iframes.</p>
</iframe>
</body>
</html>
```

### CSS File

f.ss

```
table {

  /* border-collapse: collapse;*/

  width: 100%;

  height: 50px;
```

```
}
```

```
table, td, th {
```

```
    border: 1px solid black;
```

```
}
```

```
td
```

```
{
```

```
vertical-align: bottom;
```

```
padding: 15px;
```

```
}
```

```
th
```

```
{
```

```
    background-color: green;
```

```
}
```

```
ul.a {
```

```
    list-style-type: circle;
```

```
}
```

```
ul.b {
```

```
    list-style-type: square;
```

```
}
```

```
ol.c {
```

```
    list-style-type: upper-roman;
```

```
}
```

```
Dcss.css
```

```
#outer {
```

```
    width: 960px;
```

```
color: navy;

background-color: pink;

border: 2px solid darkblue;

padding: 5px;

}

.inner{

    background-color: yellow;

    border: 2px dotted green;

}
```