

A1

```
<html >
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Contact Form</title>
</head>
<body>
<?php
if($_SERVER["REQUEST_METHOD"]=="POST"){
    echo "<h2>Form Submission Result</h2>";
    $name=$_POST["name"];
    $email=$_POST["email"];
    $msg=$_POST["msg"];
    echo "<strong>Name :</strong> $name <br><br>
    <strong>Email :</strong> $email <br><br>
    <strong>Message :</strong> $msg <br><br>";
}else{
    echo "<h2>Contact Form</h2>
    <form action="" method='post'>
    Name : <br /> <input type='text' name='name' required='required'/><br /><br />
    Email : <br /> <input type='text' name='email' required='required'/><br /><br />
    Message : <br /> <textarea name='msg' rows='4' required='required'/></textarea> <br /><br />
    <input type='submit' value='Submit'/>
    </form>";
}
?></body>
</html>
```

Output:

Contact Form

Name :

Email :

Message :

Form Submission Result

Name : Kirthi

Email : k@gmail.com

Message : Hello there!

A2

```
<html >
<head><title>Armstrong</title></head>
<body>
<h2>Armstrong</h2><br />
<form action="" method="post">
Enter a number :
<input type="text" name="num" required="required" />
<input type="submit" value="Check" />
</form>
<?php
function isarm($num){
    $org=$num;
    $sum=0;
    $len=strlen($num);
    while($num>0){
        $d=$num%10;
        $sum+=pow($d,$len);
        $num=(int)($num/10);
    }
    return $org=== $sum;
}
if($_SERVER["REQUEST_METHOD"]=="POST"){
    $num=$_POST['num'];
    if($num>0){
        $num=(int)$num;
        if($num!=0 && isarm($num)){
            echo "$num is an Armstrong number<br>";
            echo "Number in the range from 1 to $num<br>";
            for($i=1;$i<=$num;$i++){
                if(isarm($i)){
                    echo "$i ";
                }
            }
        }
        else{
            echo "$num is not an Armstrong number";
        }
    }
    else{
        echo "Please enter a positive integer";
    }
}
?>
</body>
</html>
```

A3

index.php

```
<?php
session_start();
if(isset($_SESSION['name'])){
    header("Location:index.php");
    exit();
}
if($_SERVER['REQUEST_METHOD']=='POST'){
    $name=$_POST['name'];
    $pass=$_POST['pass'];
    if($name=='demo' && $pass=='pass'){
        $_SESSION['name']=$name;
        header("Location:welcome.php");
        exit();
    }else{
        $error="Invalid username or password";
    }
}
?>
<html >< <body>
<h2>Login</h2>
<form method="post"action="">
Username : <input type="text" name="name"required /><br /><br />
Password : <input type="password"name="pass"required /><br /><br />
<input type="submit" value="Login" /></form>
<?php
if(isset($error)){
    echo "<p style='color:red;'>$error</p>";
}
?>
</body>
</html>
```

welcome.php

```
<?php
session_start();
if(!isset($_SESSION['name'])){
    header("Location:index.php");
    exit();
}else{
    $name=$_SESSION['name'];
    echo "<h2>Welcome $name</h2>";
    echo "<p> This is a secure area. You're logged in.</p>";
    echo "<a href='index.php'>Logout</a>";
    session_destroy();
}
?>
```

A4

```
<html><head><title>Simple calculator</title>
<?php
$result="";
if($_SERVER['REQUEST_METHOD']=='POST'){
    $num1=$_POST['num1'];
    $num2=$_POST['num2'];
    $op=$_POST['op'];
    if(!is_numeric($num1)||!is_numeric($num2)){
        $result='Please enter valid numbers';
    }else{
        $num1=(int)$num1;
        $num2=(int)$num2;
        switch($op){
            case '+':
                $result=$num1+$num2;
                break;
            case '-':
                $result=$num1-$num2;
                break;
            case '*':
                $result=$num1*$num2;
                break;
            case '/':
                if($num2==0){
                    $result='Error : Division by zero';
                }else{
                    $result=$num1/$num2;
                }
            }
        }
    }
}
?>
</head><body>
<h2>Simple calculator</h2>
<form method="post" action="">
Number1 : <input type="text" name="num1" required/>
Operator: <select name="op" required>
<option value="+">+</option>
<option value="-">-</option>
<option value="*">*</option>
<option value="/">/</option></select>
Number2 : <input type="text" name="num2" required />
<input type="submit" value="Calculate"/>
</form><br>
<?php
if($result!=""){
    echo "Result : $result";
}
?></body></html>
```

A5

```
<html >
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Age Calculator</title>
</head>
<body>
<h2> Age calculator </h2>
<form method="post" action="" ">
Enter Your BirthDate :
<input type="date" id="bd" name="bd" />
<input type="submit" name="submit" value="Calculate Age" />
</form>
<?php
if(isset($_POST['submit']))
{
    $bd=$_POST[bd];
    $bt=strtotime($bd);
    $ct=time();
    $age=$ct-$bt;
    $years=floor($age/(365*24*60*60));
    $months=floor(($age-$years*365*24*60*60)/(30*24*60*60));
    $days=floor(($age-$years*365*24*60*60-$months*30*24*60*60)/(24*60*60));
    echo "<p> Your age is: $years years, $months months and $days days </p>";

}
?>

</body>
</html>
```

A6

```
<html >
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Dictionary</title>
</head>
<body>
<h2>Dictionary</h2>
<form method="post" action=" ">
Enter a word:<input type="text" name="Search_word" />
<br /> <br />
<input type="submit" name="search" value="Search" />
</form>
<?php
$dictionary=array("apple"=>"a fruit with a red or green skinned and a white interior",
"computer"=>"a electronical device",
"book"=>"a group of pages which will used to write",
"mouse"=>"a electronical device or a name of the animal",
"pen"=>"a thing which is used to write",
"lipstick"=>"a cosmetics",
"eraser"=>"used to correct the mistakes made by pencil",
"car"=>"road vehicle with 4 wheels",
"comb"=>"used to comb hairs",
"pencil"=>"used to write");
if($_SERVER["REQUEST_METHOD"]=="POST")
{
    $Search_word=strtolower($_POST["Search_word"]);
    if(array_key_exists($Search_word,$dictionary))
    {
        echo "<p><b>Meaning of '$Search_word':</b>".$dictionary[$Search_word]."</p>";
    }
    else
    {
        echo "<p> <b> Word not Found </b> </p>";
    }
}
?>
</body>
</html>
```

A7

```
<html><head><title>String Manipulation</title></head>
<body><h2>String Manipulation</h2>
<form method="post" action="">
Enter string : <input type="text" name="st" /><br /><br />
<input type="submit" name="glength" value="Get Length" />
<input type="submit" name="reverse" value="Reverse" />
<input type="submit" name="upper" value="Uppercase" />
<input type="submit" name="lower" value="Lowercase" />
<input type="submit" name="replace" value="Replace" />
<input type="submit" name="checkp" value="Check Palindrome" />
<input type="submit" name="shuffle" value="Shuffle" />
<input type="submit" name="wordc" value="Word count" />
</form>
<?php
if($_SERVER['REQUEST_METHOD']=='POST'){
    $st=$_POST["st"];
    if(isset($_POST['glength'])){
        echo "Length of string : ".strlen($st);
    }
    if(isset($_POST['reverse'])){
        echo "Reversed string : ".strrev($st);
    }
    if(isset($_POST['upper'])){
        echo "Uppercase string : ".strtoupper($st);
    }
    if(isset($_POST['lower'])){
        echo "Lowercase string : ".strtolower($st);
    }
    if(isset($_POST['replace'])){
        echo "String with a replaced x : ".str_replace('a','x',$st);
    }
    if(isset($_POST['checkp'])){
        if($st==strrev($st)){
            echo "String is palindrome";
        }else{
            echo "String is not palindrome";
        }
    }
    if(isset($_POST['shuffle'])){
        echo "Shuffled string : ".str_shuffle($st);
    }
    if(isset($_POST['wordc'])){
        echo "Word count of string : ".str_word_count($st);
    }
}
?>
</body></html>
```

A8

```
<html><head><title>Word Frequency Analyzer</title></head><body>
<h2>Word Frequency Analyzer</h2>
<form method="post" action="">
Enter text :<br /><textarea name="text" rows="4" cols="50" required="required"></textarea><br /><br />
<input type="submit" value="Submit" />
</form>
<?php
function sortWordCount($array,$order){
    if($order == 'asc'){
        ksort($array);
    }else{
        krsort($array);
    }
    return $array;
}
if($_SERVER["REQUEST_METHOD"] == "POST"){
    $text = strtolower($_POST['text']);
    $words = str_word_count($text,1);
    $wordc = array_count_values($words);
    arsort($wordc);
    echo"<h3>Word Frequencies:</h3>";
    foreach($wordc as $word=>$count){
        echo"$word: $count <br>";
    }
    reset($wordc);$most = key($wordc);
    echo "<h3>Most Used Word : $most used ({$wordc[$most]}) times <br><br>";
    reset($wordc);asort($wordc);
    $least = key($wordc);
    echo "Least Used Word : $least used ({$wordc[$least]}) times <br></h3>";
    echo"<form method='post' action=''>
<input type='hidden' name='text' value='$text'>
<input type='hidden' name='sorted' value='asc'>
<input type='submit' value='Sort Ascending'></form>";
    echo"<form method='post' action=''>
<input type='hidden' name='text' value='$text'>
<input type='hidden' name='sorted' value='desc'>
<input type='submit' value='Sort Descending'></form>";
    if(isset($_POST['sorted'])){
        $sorted = $_POST['sorted'];
        $wordc = sortWordCount($wordc,$sorted);
        echo"<h3>Sorted Word Counts($sorted):</h3>";
        foreach($wordc as $word => $count){
            echo"$word: $count<br>";
        }
    }
}
?>
</body></html>
```


B1

index.php

```
<html><head><title>Student Registration Form</title></head>
<body>
<h2>Student Registration Form</h2>
<form method="post">
First Name : <input type="text" name="fname" required="required" /><br /><br />
Last Name : <input type="text" name="lname" required="required" /><br /><br />
Address : <br /><textarea required="required" name="address" ></textarea><br /><br />
Email : <input type="email" name="email" required="required" /><br /><br />
Mobile : <input type="text" name="mobile" required="required" maxlength="10"/><br /><br />
City : <input type="text" name="city" required="required" /><br /> <br />
State : <input type="text" name="state" required="required" /><br /><br />
Gender : <br /><input type="radio" name="gender" value="Male" required="required" />Male<br />
<input type="radio" name="gender" value="Female" required="required" />Female<br /><br />
Hobbies : <br /><input type="checkbox" name="hobbies[]" value = "Reading" />Reading<br />
<input type="checkbox" name="hobbies[]" value="Writing" />Writing<br />
<input type="checkbox" name="hobbies[]" value="Drawing" />Drawing<br /><br />
Blood Group :<select name="bg" required>
<option value="" disabled="disabled" selected="selected" > Select Blood Group</option>
<option value="A+">A+</option><option value="A-">A-</option>
<option value="B+">B+</option><option value="B-">B-</option>
<option value="O+">O+</option><option value="O-">O-</option>
<option value="AB+">AB+</option><option value="AB-">AB-</option></select><br /><br />
<input type="submit" value="Submit" />
</form></body></html>
if($_SERVER["REQUEST_METHOD"] == "POST"){
    echo "<strong>First Name:</strong>".$_POST['fname']. "<br>";
    echo "<strong>Last Name:</strong>".$_POST['lname']. "<br>";
    echo "<strong>Address:</strong>".$_POST['address']. "<br>";
    echo "<strong>Email:</strong>".$_POST['email']. "<br>";
    echo "<strong>Mobile:</strong>".$_POST['mobile']. "<br>";
    echo "<strong>City:</strong>".$_POST['city']. "<br>";
    echo "<strong>State:</strong>".$_POST['state']. "<br>";
    echo "<strong>Gender:</strong>".$_POST['gender']. "<br>";
    echo "<strong>Hobbies:</strong>";
    if(isset($_POST['hobbies'])){
        echo implode(", ".$_POST['hobbies'])."<br>";
    }else{
        echo "No hobbies selected.<br>";
    }
    echo "<strong>Blood Group:</strong>".$_POST['bg']. "<br>";
}>
</body>
</html>
```

B2

```
<html >
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Matrix Addition and Multiplication</title>
</head>
<body>
<h2>Matrix Addition and Multiplication</h2>
<form action="" method="post">
Number of Rows : <input type="number" name="rows" min="1" required /><br /><br />
Number of Columns : <input type="number" name="cols" min="1" required /><br /><br />
<input type="submit" name="submit" value="Generate Matrices" /><br /><br />
<input type="reset" value="Reset"><br /><br />
</form>
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $rows = $_POST["rows"];
    $cols = $_POST["cols"];
    echo "<form action=" method='post'>
    <h3>Matrix A</h3>
    <table>";
    for ($i = 0; $i < $rows; $i++) {
        echo "<tr>";
        for ($j = 0; $j < $cols; $j++) {
            echo "<td><input type='number' name='m1[$i][$j]' required></td>";
        }
        echo "</tr>";
    }
    echo "</table>
    <h3>Matrix B</h3>
    <table>";
    for ($i = 0; $i < $rows; $i++) {
        echo "<tr>";
        for ($j = 0; $j < $cols; $j++) {
            echo "<td><input type='number' name='m2[$i][$j]' required></td>";
        }
        echo "</tr>";
    }
    echo "</table>
    <input type='hidden' name='rows' value='$rows'>
    <input type='hidden' name='cols' value='$cols'>
    <input type='submit' name='add' value='Add Matrices'>
    <input type='submit' name='multiply' value='Multiply Matrices'>
    </form>";
}

if ($_SERVER["REQUEST_METHOD"] == "POST" && (isset($_POST["add"]) || isset($_POST["multiply"]))) {
```

```

$rows = $_POST["rows"];
$cols = $_POST["cols"];
$m1 = $_POST["m1"];
$m2 = $_POST["m2"];
$result = array();
if (isset($_POST["add"])) {
    for ($i = 0; $i < $rows; $i++) {
        for ($j = 0; $j < $cols; $j++) {
            $result[$i][$j] = $m1[$i][$j] + $m2[$i][$j];
        }
    }
} else {
    if ($cols != count($m2)) {
        echo "<p style='color:red'>Error: Matrix multiplication is not possible because the number of columns in
Matrix A is not equal to the number of rows in Matrix B.</p>";
    } else {
        for ($i = 0; $i < $rows; $i++) {
            for ($j = 0; $j < $cols; $j++) {
                $result[$i][$j] = 0;
                for ($k = 0; $k < $rows; $k++) {
                    $result[$i][$j] += $m1[$i][$k] * $m2[$k][$j];
                }
            }
        }
    }
}
echo "<h2>Result</h2>";
<table border='1'>";
foreach ($result as $row) {
    echo "<tr>";
    foreach ($row as $element) {
        echo "<td>$element</td>";
    }
    echo "</tr>";
}
echo "</table>";
}
?>
</body>
</html>

```

B3

```
<html><head><title>Distance</title></head>
<body>
<h2>Distance</h2>
<form action="" method="post">
Distance1 : <br />
Feet1 : <input type="number" name="f1" required="required" /><br />
Inches1 : <input type="number" name="i1" required /><br /><br />
Distance2 : <br />
Feet2 : <input type="number" name="f2" required="required" /><br />
Inches2 : <input type="number" name="i2" required /><br /><br />
<input type="submit" name="calculate" value="Calculate" />
</form>
<?php
class DC{
    public static function add($f1,$i1,$f2,$i2){
        $feet = $f1 + $f2;
        $inch = $i1 + $i2;
        if($inch>=12){
            $feet ++;
            $inch -=12;
        }
        return array($feet,$inch);
    }
    public static function sub($f1,$i1,$f2,$i2){
        $feet = $f1 - $f2;
        $inch = $i1 - $i2;
        if($inch<0){
            $feet --;
            $inch +=12;
        }
        return array($feet,$inch);
    }
}
if(isset($_POST["calculate"])){
    $f1 = $_POST["f1"];
    $i1 = $_POST["i1"];
    $f2 = $_POST["f2"];
    $i2 = $_POST["i2"];
    list($sfeet,$sinch) = DC::add($f1,$i1,$f2,$i2);
    list($dfcet,$dinch) = DC::sub($f1,$i1,$f2,$i2);
    echo "<strong>Results:</strong><br>";
    echo "<br>Sum: $sfeet feet $sinch inches <br>";
    echo "<br>Difference: $dfcet feet $dinch inches ";
}
?>
</body></html>
```

B4

```
<?php
$servername="localhost";
$username="root";
$password="";
$dbase="784";
$conn=new mysqli($servername,$username,$password,$dbase);
if($conn->connect_error){
    die("Connection failed:". $conn->connect_error);
}
if($_SERVER["REQUEST_METHOD"]=="POST"){
    $name=$_POST['name'];
    $pass=$_POST['pass'];
    $sql="SELECT * FROM Logtable WHERE name='$name' AND pass='$pass'";
    $result=$conn->query($sql);
    if($result->num_rows==1){
        echo "Login succesful. Welcome,$name!";
    }else{
        echo "Invalid username or password";
    }
}
?>

<html >
<head>
<title>Login Form</title>
</head>
<body>
<h2> Login Form </h2>
<form method ="post" action="">
Username : <br />
<input type="text" name="name" required /><br /><br />
Password : <br />
<input type="password" name="pass" required /><br /><br />
<input type="submit" value="login" />
</form>
</body>
</html>

<?php
$conn->close();
?>
```

B5

```
<?php
$conn=new mysqli("localhost","root","","784");
if($conn->connect_error){
    die("Connection failed".$conn->connect_error);
}
if($_SERVER["REQUEST_METHOD"]=="POST" && isset($_POST['feed'])){
    $un=$_POST["name"];
    $email=$_POST["email"];
    $sub=$_POST["sub"];
    $msg=$_POST["msg"];
    $sql="INSERT INTO Feedback(cname,email,sub,msg) VALUES('$un','$email','$sub','$msg')";
    if($conn->query($sql)==TRUE){
        echo "Thank you for your feedback!";
    }else{
        echo "Error!". $sql."<br>".$conn->error;
    }
}
if($_SERVER["REQUEST_METHOD"]=="POST" && isset($_POST['display'])){
    $sql="SELECT *FROM Feedback";
    $res=$conn->query($sql);
    if($res->num_rows>0){
        while($r=$res->fetch_assoc()){
            echo "Name : ".$r["cname"]."<br>";
            echo "Email : ".$r["email"]."<br>";
            echo "Subject : ".$r["sub"]."<br>";
            echo "Message : ".$r["msg"]."<br>";
        }
    }else{
        echo "No feedback yet";
    }
}
?>
<html><head> <title>Feedback form</title></head>
<body>
<h2>Contact form</h2><br />
<form action="" method="post">
Name : <input type="text" name="name" required /> <br />
Email : <input type="email" name="email" required /> <br />
Subject : <input type="text" name="sub" required /> <br />
Message :<textarea name="msg" rows="4" required ></textarea><br />
<input type="submit" name="feed" value="Feedback" />
</form>
<form action="" method="post">
<input type="submit" name="display" value="Display" />
</form></body>
</html>
```

B6

```
<html>
<head>
<title>Customer Information</title>
<script>
function toggleForm(formId) {
    var form = document.getElementById(formId);
    if (form.style.display === "none") {
        form.style.display = "block";
    } else {
        form.style.display = "none";
    }
}
</script>
</head>
<body>

<h1>Customer Information</h1>
<button onclick="toggleForm('addf')">Add Customer Info</button>
<button onclick="toggleForm('deletef')">Delete Info</button>
<button onclick="toggleForm('searchf')">Search Info</button>
<button onclick="toggleForm('sortf')">Sort Info</button>
<button onclick="toggleForm('displayf')">Display Info</button>
<br /><br />

<div id="addf" style="display:none">
    <h3>Add customer information</h3>
    <form method="post">
        Customer Number: <input type="text" name="cno" required /><br /><br />
        Customer Name: <input type="text" name="cname" required /><br /><br />
        Item Purchased: <input type="text" name="item" required /><br /><br />
        Mobile Number: <input type="text" name="mno" required maxlength="10" /><br /><br />
        <input type="submit" name="addc" value="Add Customer" />
    </form>
</div>

<div id="deletef" style="display:none;">
    <h3>Delete Customer Records</h3>
    <form method="post">
        Customer Number: <input type="text" name="deletecno" required /><br /><br />
        <input type="submit" name="deletec" value="Delete Customer" />
    </form>
</div>

<div id="searchf" style="display:none;">
    <h3>Search Database</h3>
    <form method="post">
```

```
Customer Number: <input type="text" name="searchcno" required /><br /><br />
<input type="submit" name="search" value="Search" />
</form>
</div>
```

```
<div id="sortf" style="display:none;">
  <h3>Sort Database</h3>
  <form method="post">
    <input type="submit" name="sort" value="Sort" /><br /><br />
  </form>
</div>
```

```
<div id="displayf" style="display:none;">
  <h3>Display Details</h3>
  <form method="post">
    <input type="submit" name="displayc" value="Display" /><br /><br />
  </form>
</div>
```

```
<?php
$conn=new mysqli("localhost","root","","784");
if ($conn->connect_error) {
    die("Connection Failed: " . $conn->connect_error);
}

if (isset($_POST['addc'])) {
    $cno = $_POST['cno'];
    $cname = $_POST['cname'];
    $item = $_POST['item'];
    $mno = $_POST['mno'];
    if (!is_numeric($mno) || strlen($mno) != 10) {
        echo "Error: Mobile number must be a 10-digit numeric value.";
    } else {
        $sql = "INSERT INTO customer (cno, cname, item, mno) VALUES ('$cno', '$cname', '$item', '$mno')";
        if ($conn->query($sql) === TRUE) {
            echo "New record created successfully";
        } else {
            echo "Error: " . $conn->error;
        }
    }
}

if (isset($_POST['deletec'])) {
    $cno = $_POST['deletecno'];
    $sql = "SELECT * FROM customer WHERE cno = '$cno'";
    $result = $conn->query($sql);
    if ($result->num_rows > 0) {
        $sql = "DELETE FROM customer WHERE cno = '$cno'";
        $conn->query($sql);
    }
}
```



```

        echo "Record deleted successfully";
    } else {
        echo "No records found";
    }
}

if (isset($_POST['search']) || isset($_POST['sort']) || isset($_POST['displayc'])) {
    if (isset($_POST['search'])) {
        $cno = $_POST['searchcno'];
        $sql = "SELECT * FROM customer WHERE cno = '$cno'";
    } elseif (isset($_POST['sort'])) {
        $sql = "SELECT * FROM customer ORDER BY cno";
    } else {
        $sql = "SELECT * FROM customer";
    }
    $result = $conn->query($sql);
    if ($result->num_rows > 0) {
        while ($row = $result->fetch_assoc()) {
            echo "Customer No: " . $row["cno"] . " Customer Name: " . $row["cname"] . " Item Purchased: " .
            $row["item"] . " Mobile No: " . $row["mno"] . "<br>";
        }
    } else {
        echo "No records found";
    }
}

$conn->close();
?>

</body>
</html>

```

B7

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Shopping</title>
</head>
<body>
<h2>Book Shopping Form</h2>
<form method="post">
Book number: <input type="text" name="bno" required="required" /><br /><br />
Book Title: <input type="text" name="btitle" required="required" /><br /><br />
Price: <input type="number" name="bprice" required="required" /><br /><br />
Quantity: <input type="number" name="qty" required="required" /><br /><br />
Book Code: <select name="bcode" required>
<option value="101">101</option>
<option value="102">102</option>
<option value="103">103</option>
<option value="default">Others</option>
</select><br /><br />
<input type="submit" value="Place Order" /><br /><br />
</form>
</body>
</html>
```

```
<?php
$conn=new mysqli("localhost","root","","784");
if($conn->connect_error){
    die("Connection failed".$conn->connect_error);
}
function calculate($bcode,$bprice,$qty)
{
    switch($bcode)
    {
        case'101':
            $dis = 0.15;
            break;
        case'102':
            $dis = 0.2;
            break;
        case'103':
            $dis = 0.25;
            break;
        default:
            $dis=0.05;
    }
    return $bprice * $qty * $dis;
}
```

```
//Submit book order
if($_SERVER["REQUEST_METHOD"]=="POST"){
    $bno = $_POST['bno'];
    $btitle = $_POST['btitle'];
    $bprice = $_POST['bprice'];
    $qty = $_POST['qty'];
    $bcode = $_POST['bcode'];
    //calculate discount
    $tot = $bprice *$qty;
    $dis = calculate($bcode,$bprice,$qty);
    $net= $tot - $dis;
    //Insert Data
    $sql = "INSERT INTO book (bno, btitle, bprice, qty, bcode, tot, dis, net) VALUES ('$bno', '$btitle',
'$bprice', '$qty', '$bcode', '$tot', '$dis', '$net')";
    if($conn->query($sql)==TRUE){
        echo"Order placed successfully.<br>";
        echo"Total Amount:$tot.<br>";
        echo"Discount Amount:$dis.<br>";
        echo"Net Amount: $net.<br>";
    }else{
        echo"Error:". $sql."<br>". $conn->error;
    }
}
$conn->close();
?>
```

B8

```
CREATE TABLE `784`.`room` (  
  `RoomNumber` VARCHAR( 10 ) NOT NULL ,  
  `RoomType` VARCHAR( 50 ) NOT NULL ,  
  `Capacity` INT( 10 ) NOT NULL ,  
  `Status` VARCHAR( 50 ) NOT NULL,  
  PRIMARY KEY ( `RoomNumber` )  
)
```

```
<?php
```

```
$servername = "localhost";  
$username = "root";  
$password = "";  
$database = "784";
```

```
// Create connection
```

```
$conn = new mysqli($servername, $username, $password, $database);
```

```
// Check connection
```

```
if ($conn->connect_error) {  
    die("Connection Failed: " . $conn->connect_error);  
}
```

```
// Check-in process
```

```
if (isset($_POST['checkin'])) {  
    $rno = $conn-> $_POST['rno'];  
    $sql_check_room = "SELECT * FROM room WHERE rno = '$rno' AND status = 'Available'";  
    $result_check_room = $conn->query($sql_check_room);
```

```
    if ($result_check_room->num_rows > 0) {  
        $sql = "UPDATE room SET status='Booked' WHERE rno = '$rno'";  
        if ($conn->query($sql) === TRUE) {  
            echo "Room checked in successfully";  
        } else {  
            echo "Error: " . $conn->error;  
        }  
    } else {  
        echo "Room not available";  
    }  
}
```

```
// Check-out process
```

```
if (isset($_POST['checkout'])) {  
    $rno = $conn-> $_POST['rno'];  
    $sql_check_room = "SELECT * FROM room WHERE rno = '$rno' AND status='Booked'";  
    $result_check_room = $conn->query($sql_check_room);
```

```
    if ($result_check_room->num_rows > 0) {  
        $sql = "UPDATE room SET status='Available' WHERE rno = '$rno'";  
        if ($conn->query($sql) === TRUE) {
```

```

        echo "Room checked out successfully";
    } else {
        echo "Error: " . $conn->error;
    }
} else {
    echo "Cannot check-out. Room is not booked";
}
}

// Insert new room
if (isset($_POST['insert'])) {
    $rno = ($_POST['rno']);
    $rtype = ($_POST['rtype']);
    $cap = ($_POST['cap']);

    $sql_check_room = "SELECT * FROM room WHERE rno = '$rno'";
    $result_check_room = $conn->query($sql_check_room);

    if ($result_check_room->num_rows > 0) {
        echo "Room details already inserted";
    } else {
        $sql_insert = "INSERT INTO room (rno, rtype, cap, status) VALUES ('$rno', '$rtype', '$cap', 'Available')";
        if ($conn->query($sql_insert) === TRUE) {
            echo "Room inserted successfully and available";
        } else {
            echo "Error: " . $conn->error;
        }
    }
}
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Hotel Reservation</title>
</head>
<body>
<h2>Hotel Reservation</h2>
<form method="post">
    Room Number: <input type="text" name="rno" required /><br />
    <button type="submit" name="checkin">Check in</button><br />
    <button type="submit" name="checkout">Check out</button><br /><br />
</form>

<h3>Insert Records</h3>
<form method="post">
    Room Number: <input type="text" name="rno" required /><br />
    <label>Room Type</label>

```

```

<select name="rtype" required>
    <option value="single_semi">Single Semi</option>
    <option value="single_deluxe">Single Deluxe</option>
    <option value="double_semi">Double Semi</option>
    <option value="double_deluxe">Double Deluxe</option>
    <option value="dormitory">Dormitory</option>
</select><br />
Capacity: <input type="number" name="cap" required /><br />
<button type="submit" name="insert">Insert Record</button><br /><br />
</form>

```

```

<?php
// Display available rooms
$sql_available = "SELECT * FROM room WHERE status = 'Available'";
$result_available = $conn->query($sql_available);

echo "<h3>Available Rooms:</h3>";
if ($result_available->num_rows > 0) {
    while ($row = $result_available->fetch_assoc()) {
        echo "Room Number: " . $row['rno'] . "<br>";
    }
} else {
    echo "No available rooms";
}

// Display booked rooms
$sql_booked = "SELECT * FROM room WHERE status = 'Booked'";
$result_booked = $conn->query($sql_booked);

echo "<h3>Booked Rooms:</h3>";
if ($result_booked->num_rows > 0) {
    while ($row = $result_booked->fetch_assoc()) {
        echo "Room Number: " . $row['rno'] . "<br>";
    }
} else {
    echo "No rooms booked";
}

$conn->close();
?>
</body>
</html>

```