

CSOPESY Major Output: Process Scheduler and CLI

By group

Updated as of: May 2, 2025

[100 pts] General Instructions: The first part of your emulator is the process multiplexer and your command-line interpreter (CLI).





Shell Reference

Please refer to a general Linux/Windows powershell/Windows command line. This serves as a strong reference for the design of your command-line interface.

For the process multiplexer, refer to the Linux "screen" command on its behavior: https://www.geeksforgeeks.org/screen-command-in-linux-with-examples/

Checklist of Requirements

Your system must have ALL the following features implemented properly.

Requirement	Main menu console		
Description	Maiii iliciiu colisole		
Description	1		
	A main menu console for recognizing the following commands: "initialize" – initialize the processor configuration of the application. This must be called before any other command could be recognized, aside from "exit". "exit" – terminates the console. "screen" – see additional details. "scheduler-start" (formerly scheduler-test) – continuously generates a batch of dummy processes for the CPU scheduler. Each process is accessible via the "screen" command. "scheduler-stop" – stops generating dummy processes. "report-util" – for generating CPU utilization report. See additional details.		
Requirement	"screen" command support		
Description	From the main menu, the user can perform the following: • Create a new process via "screen -s <pre>process name</pre> " command. • Lists all running processes via "screen -ls" command.		
Requirement	Barebones process instructions		
Description	 Support basic process instructions, akin to programming language instructions: PRINT(msg) – display an output "msg" to the console. The output can only be seen when the user is inside its attached screen.		
	 Process instructions are pre-determined and not typed by the user. E.g., randomized via scheduler-start command. 		

	 Variables are stored in memory and will not be released until the process finishes. uint16 variables are clamped between (0, max(uint16)). 	
Requirement	Generation of CPU utilization report	
Description	The console should be able to generate a utilization report whenever the "report-util" command is entered.	
Requirement	Configuration setting	
Description	The "initialize" commands should read from a "config.txt" file, the parameters for your CPU	
	scheduler and process attributes.	

The "screen" command specifications

The "screen" command emulates the screen multiplexer of Linux OS. Below is a CLI mockup of the screen command:

```
Process name: screen 01
163
       TD: 1
164
        (08/06/2024 09:15:22AM) Core:0 "Hello world from screen 01!"
        (08/06/2024 09:32:09AM) Core:1 "Hello world from screen 01!"
166
167
168
        Current instruction line: 153
169
       Lines of code: 1240
        root: \> process-smi
       Process name: screen 01
174
175
176
       TD: 1
       Logs:
        (08/06/2024 09:15:22AM) Core:0 "Hello world from screen 01!"
        (08/06/2024 09:15:28AM) Core:0 "Hello world from screen_01!" (08/06/2024 09:32:09AM) Core:1 "Hello world from screen_01!"
        (08/06/2024 09:33:12AM) Core:1 "Hello world from screen 01!"
179
       Current instruction line: 769
       Lines of code: 1240
184
       root: >> process-smi
186
       Process name: screen_01
       ID: 1
188
       Logs:
189
        (08/06/2024 09:15:22AM) Core:0 "Hello world from screen 01!"
190
        (08/06/2024 09:15:28AM) Core:0 "Hello world from screen 01!"
        (08/06/2024 09:15:50AM) Core:0 "Hello world from screen 01!"
        (08/06/2024 09:32:09AM) Core:1 "Hello world from screen 01!"
        (08/06/2024 09:33:10AM) Core:1 "Hello world from screen 01!"
        (08/06/2024 09:33:12AM) Core:1 "Hello world from screen 01!"
194
        Finished!
       root:\>
198
```

When the user types "screen -s process name>" from the main menu console, the console will clear its contents and "move" to the process screen (lines 162 onwards). From there, the user can type the following:

- "process-smi" Prints a simple information about the process (lines 9 13). The process contains dummy instructions that the CPU executes in the background. Whenever the user types "process-smi", it provides the updated details and accompanying logs from the print instructions. (e.g., lines 162 170). If the process has finished, simply print "Finished!" after the process name, ID, and logs have been printed (e.g., lines 17 20).
- "exit" Returns the user to the main menu.

The range of instruction length per process can be set through the "config.txt." Instruction types are randomized.

At any given time, any process can finish its execution. If this happens, the user can no longer access the screen after exiting.

Note that to debug/validating the correctness of your program, all finished and currently running processes must be reported in the "report-util" command.

The "scheduler-test" and "scheduler-stop" commands

To facilitate and stress-test the capabilities of your console, we should provide support for generating a batch of dummy processes.

"scheduler-test" – The behavior is as follows: Every X CPU cycles, a new process is generated and put into the ready queue for your CPU scheduler. This frequency can be set in the "config.txt." As long as CPU cores are available, each process can be executed and be accessible via the "screen" command.

"scheduler-stop" - Stops generating dummy processes.

These commands are only accessible in the main menu console.

The "screen -ls" and "report-util" commands

These commands should be similar. The only difference is that "report-util" saves this into a text file – "csopesylog.txt." See sample mockup:

```
\\'=\\ =\\
26
27
                _) || || |
28
29
      Welcome to CSOPESY Emulator!
31
      Developers:
      Del Gallego, Neil Patrick
34
      Last updated: 01-18-2024
36
37
      root:\> screen -ls
38
      CPU utilization: 100%
39
       Cores used: 4
40
      Cores available: 0
41
42
43
      Running processes:
44
                  (01/18/2024 09:15:22AM)
                                            Core: 0
                                                         1235 / 5876
      process05
                                                         3 / 5876
45
      process06
                  (01/18/2024 09:17:22AM)
                                            Core: 1
                  (01/18/2024 09:17:45AM)
                                                         9 / 1000
      process07
46
                                            Core: 2
      process08
47
                  (01/18/2024 09:18:58AM)
                                                         12 / 80
                                            Core: 3
48
49
      Finished processes:
                  (01/18/2024 09:00:21AM)
      process01
                                                          5876 / 5876
50
                                             Finished
      process02
51
                  (01/18/2024 09:00:22AM)
                                             Finished
                                                          5876 / 5876
                                                          1000 / 1000
52
      process03 (01/18/2024 09:00:42AM)
                                             Finished
      process04
53
                  (01/18/2024 09:00:53AM)
                                                          80 / 80
                                             Finished
54
      root:\> report-util
57
      root: \> Report generated at C:/csopesy-log.txt!
```

The "screen-ls" commands should list the CPU utilization, cores used, and cores available, as well as print a summary of the running and finished processes (lines 38 – 54). The "report-util" command saves the same info in the csopesy-log.txt file.

The scheduler

Your CPU scheduler is real-time and will continuously schedule processes as long as your console is alive. The scheduler algorithm will be set through the "initialize" command and through the "config.txt" file.

The CPU ticks

For simplicity, assume that the CPU tick is an integer counter that tallies the number of frame passes. See pseudocode below:

The config.txt file and "initialize" command

The user must first run the "initialize" command. No other commands should be recognized if the user hasn't typed this first. Once entered, it will read the "config.txt" file, which is space-separated in format, containing the following parameters.

Parameter	Description	
num-cpu	Number of CPUs available. The range is [1, 128].	
scheduler	The scheduler algorithm: "fcfs" or "rr".	
quantum-	The time slice is given for each processor if a round-robin scheduler is used. Has no effect on	
cycles	other schedulers. The range is [1, 2 ³²].	
batch-	The frequency of generating processes in the "scheduler-test" command in CPU cycles. The	
process-freq	range is $[1, 2^{32}]$. If one, a new process is generated at the end of each CPU cycle.	
min-ins	The minimum instructions/command per process. The range is [1, 2 ³²].	
max-ins	The maximum instructions/command per process. The range is $[1, 2^{32}]$.	
delays-per-	Delay before executing the next instruction in CPU cycles. The delay is a "busy-waiting"	
exec	scheme wherein the process remains in the CPU. The range is [0, 2 ³²]. If zero, each instruction	
	is executed per CPU cycle.	

The default parameters and sample "config.txt" can be seen below:

```
num-cpu 4
scheduler "rr"
quantum-cycles 5
batch-process-freq 1
min-ins 1000
max-ins 2000
delay-per-exec 0
```

ASSESSMENT METHOD

Your CLI emulator will be assessed through a black box quiz system in a time-pressure format. This is to minimize drastic changes or "hacking" your CLI to ensure the test cases are met. You should only modify the parameters and no longer recompile the CLI when taking the quiz.

Test cases, parameters, and instructions are provided per question, wherein you must submit a video file (.MP4), demonstrating your CLI. Some questions will require submitting PowerPoint presentations, such as cases explaining the details of your implementation.

IMPORTANT DATES

See AnimoSpace for specific dates.

Week 7	Mockup test case and quiz
Week 8	Actual test case and quiz

Submission Details

Aside from video files for the quiz, you need to prepare some of the requirements in advance, such as:

- o SOURCE Contains your source code. Add a README.txt with your name and instructions on running your program. Also, indicate the entry class file where the main function is located. An alternative can be a GitHub link.
- o PPT A technical report of your system containing:
 - Command recognition
 - o Console UI implementation
 - o Command interpreter implementation
 - o Process representation
 - o Scheduler implementation

Grading Scheme

• You are to provide evidence for each test case, recorded through video. Each test case will have some points allocated. The test cases will be graded as follows:

Robustness					
No points	Partial points	Full points			
The CLI did not	The CLI did not pass the test case. A	The CLI passed the test case using varying			
pass the test case.	workaround is available to produce the	inputs and produced the expected output.			
NO WORKAROUND	expected output.				
is available to					
produce the					
expected output.					