LINUX FILE SYSTEM HIERARCHY

File system: - File system simply means a proper configuration of storing the data.

There are multiple files in the Linux system that stores the data. Whenever we install the os there are the files that are already created or preconfigured.

1. Windows: - c:\ ------> backward slash

2. Linux: - / ----------> forward slash





WINDOWS	LINUX
1. c:\	**/** ---------> root directory
2. c:\windows	**/etc** --------> all configuration files
3. c:\user	**/home** -----> home directory for local user
4. c:\programme files	**/usr** ---------> by default software's are install in these directory

5. **/opt** ----------> optional application software packages

6. **/tmp** ----------> stored all temporary files

7. **/root** ----------> home directory for root user

8. **/boot** ----------> contains all bootable files

9. **/lib** ----------> stored all application supported files / essential library files

10. **/dev** ----------> It is a directory that stores device files for hardware and virtual devices.
    Hardware: - hard disk / mouse / keyboard / printer
    Virtual devices: - not real, created by the system (software)

11. **/media** ----------> mnt point usb card reader, floppy disk, dvd,

12. **/mnt** ----------> mount point for hard disk

13. **/bin** ----------> contains commands use by local user include root user

14. **/sbin** ----------> contains commands only use by root user

15. **/sys** ----------> system related information

16. **/run** ----------> all running information

17. **/proc** ----------> process related information

18. **/src** ----------> service data (like web server files)

CLOUDBLITZ