You work as an Azure professional for a Corporation. You are assigned the task of implementing the below architecture for the company's website.



There are three web pages to be deployed:

1. The home page is the default page (VM2)
2. The upload page is where you can upload the files to your Azure Blob Storage (VM1)
3. The error page for 403 and 502 errors

Application Gateway has to be configured in the following manner:

1. Example.com should be pointed to the home page
2. Example.com/upload should be pointed to the upload page

3. Application Gateway's error pages should be pointed to error.html which should be hosted as a static website in Azure Containers. The error.html file is present in the GitHub repository

The term 'Example' here refers to the Traffic Manager's domain name.
The client wants you to deploy them in the Central US and the West US regions such that the traffic is distributed optimally between both regions.

Storage Account has to be configured in the following manner:

1. You need to host your error.html as a static website here, and then point the application gateway's 403 and 502 errors to it.
2. Create a container named upload, this will be used by your code to upload the files.

Technical specifications for the deployments are as follows:

1. Deployments in both regions should have VMs inside VNets.
2. Clone the GitHub repo https://github.com/azcloudberg/azproject to all the VMs.
3. On VM1, please run vm1.sh this will deploy the upload page, on VM2 please run VM2.sh, this will install the home page.
4. For running the scripts, please run the following command inside the GitHub directory from the terminal.

VM1: ./vm1.sh
VM2: ./vm2.sh

5. After running the scripts, please edit the config.py file on VM1, and enter the details related to your storage account where the files will be uploaded.
6. Once done, please run the following command: **sudo python3 app.py**
7. Both regions should be connected to each other using VNet-VNet Peering.
8. Finally, your Traffic Manager should be pointing to the application gateway of both the regions.



Home > Network foundation

Network foundation | Virtual networks
Preview

Identify virtual networks with misconfigurations | Analyze connected resources for virtual networks | Identify issues across virtual networks

Search

- Overview
- Virtual network
  - Virtual Network overview
  - Virtual networks
  - NAT gateways
  - Public IP addresses
  - Network interfaces
  - Network security groups
  - Application security groups

Create | Manage view | Refresh | Export to CSV | Open query | Assign tags | Add to service group | Group by none

Filter for any field... | Subscription equals all | Resource Group equals all | Location equals all | Add filter

Name ↑	Resource Group	Location	Subscription
vnet1	myresourcegp1	West US	Azure subscription 1
vnet2	myresourcegp1	Central US	Azure subscription 1

Microsoft Azure | Search resources, services, and docs (G+/)

Home > Network foundation | Virtual networks > vnet1 | Peerings >

Add peering

vnet1

Allow gateway or route server in 'vnet2' to forward traffic to 'vnet1' ☐

Enable 'vnet2' to use 'vnet1's' remote gateway or route server ☐

Local virtual network summary

Peering link name * vnet-peering

Local virtual network peering settings

Allow 'vnet1' to access 'vnet2' ☑

Allow 'vnet1' to receive forwarded traffic from 'vnet2' ☐

Allow gateway or route server in 'vnet1' to forward traffic to 'vnet2' ☐

Enable 'vnet1' to use 'vnet2's' remote gateway or route server ☐

Add | Cancel

vnet1 | Peerings

Virtual network

pe

- Activity log
- Access control (IAM)
- Settings
  - Peerings
  - Properties

Add | Refresh | Export to CSV | Delete | Sync

Virtual network peering enables you to seamlessly connect two or more virtual networks in Azure. The virtual networks appear as one for connectivity purposes. Learn more

Filter by name...

Showing all 1 items

Name	Peering s...	Peeri...	Remo...	Virtu...	Cross-tenant
vnet-peering	Fully Synchronized	Connected	vnet2	Disabled	No

Home > Storage center | Blob Storage >

Create a storage account

Basics | Advanced | Networking | Data protection | Encryption | Tags | Review + create

View automation template

Basics

Subscription	Azure subscription 1
Resource group	myresourcegp1
Location	West US
Storage account name	capstonestrgjan30
Preferred storage type	
Performance	Standard
Replication	Locally-redundant storage (LRS)

Advanced

Enable hierarchical namespace	Disabled
Enable SFTP	Disabled
Enable network file system v3	Disabled
Allow cross-tenant replication	Disabled
Access tier	Hot
Enable large file shares	Enabled

Previous | Next | Create

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | yellamma.187@gmail.c... DEFAULT DIRECTORY (YELLAMM...

Home > capstonestrgjan30_1769841854583 | Overview >

capstonestrgjan30

Storage account

Enhance the security of this storage account | Ensure disaster recovery readiness for storage account | How can I make my storage account more resilient?

Search

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage
  - Containers
  - File shares
  - Queues
  - Tables
- Security + networking

Upload | Open in Explorer | Delete | Move | Refresh | Open in mobile | CLI / PS | Feedback

Essentials | JSON View

Resource group (move)	: myresourcegp1	Performance	: Standard
Location	: westus	Replication	: Locally-redundant storage (LRS)
Subscription (move)	: Azure subscription 1	Account kind	: StorageV2 (general purpose v2)
Subscription ID	: 698023c2-31ea-4016-a483-45b817bb5c2d	Provisioning state	: Succeeded
Disk state	: Available	Created	: 31/1/2026, 12:14:42 pm
Tags (edit)	: Add tags		

Properties | Monitoring | Capabilities (7) | Recommendations (0) | Tutorials | Tools + SDKs

Blob service

Hierarchical namespace	Disabled
Default access tier	Hot
Blob anonymous access	Disabled
Blob soft delete	Enabled (7 days)
Container soft delete	Enabled (7 days)
Versioning	Disabled
Change feed	Disabled
NFS v3	Disabled

Security

Require secure transfer for REST API operations	Enabled
Storage account key access	Enabled
Minimum TLS version	Version 1.2
Infrastructure encryption	Disabled

Networking

Public network access	Enabled
Public network access scope	Enable from all networks

Containers

Add container | Upload | Refresh | Delete | Change access level | Restore containers | Edit columns

Search containers by prefix | Only show active containers

Showing all 2 items

Name	Last modified	Anonymous access level	Lease state
$logs	31/1/2026, 12:15:08 pm	Private	Available
upload	31/1/2026, 12:16:10 pm	Private	Available

Home > capstonestrgjan30_1769841854583 | Overview > capstonestrgjan30

capstonestrgjan30 | Configuration

Storage account

con

- Overview
- Access Control (IAM)
- Data storage
  - Containers
- Security + networking
  - Access keys
- Settings
  - Configuration
  - Endpoints
- Help
  - Connectivity check
  - Support + Troubleshooting

Save | Discard | Refresh | Give feedback

The cost of your storage account depends on the usage and the options you choose below. Learn more about s

Account kind

StorageV2 (general purpose v2)

Performance

(•) Standard ( ) Premium

This setting cannot be changed after the storage account is created.

Secure transfer required

( ) Disabled (•) Enabled

Managed Identity for SMB

(•) Disabled ( ) Enabled

Allow Blob anonymous access

( ) Disabled (•) Enabled

Some blobs may become anonymously readable.

Allow storage account key access

( ) Disabled (•) Enabled

Allow upper limit for shared access signature (SAS) expiry interval

(•) Disabled ( ) Enabled

Default to Microsoft Entra authorization in the Azure portal

(•) Disabled ( ) Enabled

Add or remove favorites by pressing Ctrl+Shift+F

Home > capstonestrgjan30 | Containers >

upload
Container

Search

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings
  - Shared access tokens
  - Access policy
  - Properties
  - Metadata

Change access level

Change the access level of container 'upload'.

Anonymous access level

Container (anonymous read access for containers and blobs)

All container and blob data can be read by anonymous request. Clients can enumerate blobs within the container by anonymous request, but cannot enumerate containers within the storage account.

Ok | Cancel

Home > capstonestrgjan30

capstonestrgjan30 | Static website
Storage account

static

- Data management
  - Static website

Save | Discard | Give feedback

Enabling static websites on the blob service allows you to host static content. Webpages may include static content and client-side scripts. Server-side scripting is n
from primary to secondary regions, files at the secondary endpoint may not be immediately available or in sync with files at the primary endpoint. Learn more

Static website

Disabled | Enabled

Improve the page load time of your static website by using the caching features of Azure Front Door (Additional costs apply). Azure Front Door

Index document name

Error document path

Home > capstonestrgjan30

capstonestrgjan30 | Static website
Storage account

static

- Data management
  - Static website

Save | Discard | Give feedback

Enabling static websites on the blob service allows you to host static content. Webpages may include static content and client-side scripts. Server-side scripting is not supported. As data is replica
from primary to secondary regions, files at the secondary endpoint may not be immediately available or in sync with files at the primary endpoint. Learn more

Static website

Disabled | Enabled

An Azure Storage container has been created to host your static website.
$web

Improve the page load time of your static website by using the caching features of Azure Front Door (Additional costs apply). Azure Front Door

Primary endpoint

https://capstonestrgjan30.z22.web.core.windows.net/

Index document name

Error document path

error.html

dd or remove favorites by pressing Ctrl+Shift+F

https://capstonestrgjan30.z22.web.core.windows.net

The requested content does not exist.

- HttpStatusCode: 404
- ErrorCode: WebContentNotFound
- RequestId : e49a8cbf-101e-0051-3e7d-9276f2000000
- TimeStamp : 2026-01-31T06:51:11.1675279Z


Home > Storage center | Blob Storage > capstonestrgjan30 | Containers >
$web
Container
Successfully uploaded blob(s)
Successfully uploaded 1 blob(s).
Search
Overview
Diagnose and solve problems
Access Control (IAM)
Settings
Shared access tokens
Access policy
Properties
Metadata
Editor (preview)
Add Directory
Upload
Change access level
Refresh
Delete
Copy
Paste
Rename
Acquire lease
Break lease
Edit columns
$web
Authentication method: Access key (Switch to Microsoft Entra user account)
Add filter
Search blobs by prefix (case-sensitive)
Only show active blobs
Showing all 1 items
Name
Last modified
Access tier
Blob type
Size
Lease state
error.html
31/1/2026, 12:27:37 pm
Hot (Inferred)
Block blob
937 B
Available


https://capstonestrgjan30.z22.web.core.windows.net
404
Oops! Page not found
The page you are looking for does not exist.
Go back to Home


Home > Load balancing and content delivery | Application gateways >
Create application gateway
Basics
Frontends
3 Backends
4 Configuration
5 Tags
6 Review + create
A backend pool is a collection of resources to which your application gateway can send traffic. A backend pool can contain virtual machines, virtual machine scale sets, app services, IP addresses, or fully qualified domain names (FQDN).
Add a backend pool
Backend pool
Targets
pool1
1 target
pool2
1 target

Add a routing rule

Priority * 1

*Listener *Backend targets

A listener "listens" on a specified port and IP address for traffic that uses a specified protocol. If the listener criteria are met, the application gateway will apply this routing rule.

Listener name * listener1

Frontend IP * Public IPv4

Protocol HTTP HTTPS TCP TLS

Port * 80

Listener type Basic Multi site

Custom error pages

Show customized error pages for different response codes generated by Application Gateway. This section lets you configure Listener-specific error pages. Learn more

Please verify that the url(s) being added here is reachable from your application gateway using the connection troubleshoot tool to prevent any deployment error.

Bad Gateway - 502 https://capstonestrgjan30.z22.web.core.windows.net/error.html

Forbidden - 403 https://capstonestrgjan30.z22.web.core.windows.net/error.html

Show more status codes

Add Cancel

Add a routing rule

Rule name * rule1

Priority * 1

*Listener *Backend targets

Choose a backend pool to which this routing rule will send traffic. You will also need to specify a set of Backend settings that define the behavior of the routing rule.

Target type Backend pool Redirection

Backend target * pool2

Add new

Backend settings * default

Add new

Path-based routing

You can route traffic from this rule's listener to different backend targets based on the URL path of the request. You can also apply a different set of Backend settings based on the URL path.

Path based rules

Path	Target name	Backend setting name	Backend pool	
/upload/*	upload	default	pool1	•••

Add multiple targets to create a path-based rule

Add Cancel

Home > Load balancing and content delivery | Application gateways >

Create application gateway ...

Validation passed

✓ Basics ✓ Frontends ✓ Backends ✓ Configuration ✓ Tags 6 Review + create

Basics

Subscription	Azure subscription 1
Resource group	myresourcegp1
Name	AG1-Jan30
Region	West US
Tier	Standard_v2
Enable autoscaling	Enabled
Minimum instance count	1
Maximum instance count	5
Availability zone	None
HTTP2	Enabled
FIPS (Federal Information Processing Standard) mode 140-2	Disabled
Virtual network	vnet1
Subnet	subnet-ag1 (172.16.2.0/24)

Frontends

Create | Previous | Next | Download a template for automation

Load balancing and content delivery | Application gateways
Preview

Check health of application gateways | Execute health checks for application gateways | +1

Search

Overview
Load balancing
Application gateways
Load balancers
Content delivery
Azure Front Door
DNS load balancing
Traffic manager
Related services
Related services

+ Create | Manage view | Refresh | Export to CSV | Open query | Assign tags | + Add to service group | Group by none

Filter for any field... | Subscription equals all | Type equals all | Resource Group equals all | Location equals all | + Add filter

Name ↑	Type	Resource Group	Location	Subscription
AG1-Jan30	Application gateway	myresourcegp1	West US	Azure subscription 1

Home > Load balancing and content delivery | Application gateways >

Create application gateway ...

Validation passed

✓ Basics ✓ Frontends ✓ Backends ✓ Configuration ✓ Tags 6 Review + create

Basics

Subscription	Azure subscription 1
Resource group	myrg
Name	AG2-jan30
Region	Central US
Tier	Standard_v2
Enable autoscaling	Enabled
Minimum instance count	1
Maximum instance count	5
Availability zone	Zones 1, 2, 3
HTTP2	Enabled
FIPS (Federal Information Processing Standard) mode 140-2	Disabled
Virtual network	vnet-centralus
Subnet	ag2-subnet (10.0.2.0/24)

Frontends

Create Previous Next Download a template for automation

Home > Load balancing and content delivery

Load balancing and content delivery | Application gateways
Preview

Track performance metrics for application gateways | Review metrics for Application Gateways | +1

Search

- Overview
- Load balancing
  - Application gateways
  - Load balancers
- Content delivery
  - Azure Front Door
- DNS load balancing
  - Traffic manager
- Related services
  - Related services

+ Create | Manage view | Refresh | Export to CSV | Open query | Assign tags | + Add to service group | Group by none

Filter for any field... | Subscription equals all | Type equals all | Resource Group equals all | Location equals all | + Add filter

Name ↑	Type	Resource Group	Location	Subscription
AG1-jan30	Application gateway	myrg	West US	Azure subscription 1
AG2-jan30	Application gateway	myrg	Central US	Azure subscription 1

azureuser@cus-vm1: ~

```
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

azureuser@cus-vm1:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
40 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@cus-vm1:~$
```

azureuser@westus-vm1: ~

```
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

azureuser@westus-vm1:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
21 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@westus-vm1:~$
```

azureuser@cus-vm2: ~

```
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

azureuser@cus-vm2:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
40 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@cus-vm2:~$
```

azureuser@westus-vm2: ~

```
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

azureuser@westus-vm2:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
21 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@westus-vm2:~$
```

azureuser@cus-vm1: ~

```
azureuser@cus-vm1:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
40 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@cus-vm1:~$ git clone https://github.com/azcloudberg/azproject.git
Cloning into 'azproject'...
remote: Enumerating objects: 229, done.
remote: Counting objects: 100% (26/26), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 229 (delta 21), reused 14 (delta 14), pack-reused 203 (from 1
Receiving objects: 100% (229/229), 52.16 KiB | 2.17 MiB/s, done.
Resolving deltas: 100% (108/108), done.
azureuser@cus-vm1:~$
```

azureuser@westus-vm1: ~

```
azureuser@westus-vm1:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
21 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@westus-vm1:~$ git clone https://github.com/azcloudberg/azproject.g
it
Cloning into 'azproject'...
remote: Enumerating objects: 229, done.
remote: Counting objects: 100% (26/26), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 229 (delta 21), reused 14 (delta 14), pack-reused 203 (from 1
Receiving objects: 100% (229/229), 52.16 KiB | 1.00 MiB/s, done.
Resolving deltas: 100% (108/108), done.
azureuser@westus-vm1:~$
```

azureuser@cus-vm2: ~

```
azureuser@cus-vm2:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
40 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@cus-vm2:~$  git clone https://github.com/azcloudberg/azproject.git
Cloning into 'azproject'...
remote: Enumerating objects: 229, done.
remote: Counting objects: 100% (26/26), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 229 (delta 21), reused 14 (delta 14), pack-reused 203 (from 1
Receiving objects: 100% (229/229), 52.16 KiB | 5.22 MiB/s, done.
Resolving deltas: 100% (108/108), done.
azureuser@cus-vm2:~$
```

azureuser@westus-vm2: ~

```
azureuser@westus-vm2:~$ sudo apt update
Hit:1 http://azure.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://azure.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://azure.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://azure.archive.ubuntu.com/ubuntu jammy-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
21 packages can be upgraded. Run 'apt list --upgradable' to see them.
azureuser@westus-vm2:~$  git clone https://github.com/azcloudberg/azproject.
git
Cloning into 'azproject'...
remote: Enumerating objects: 229, done.
remote: Counting objects: 100% (26/26), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 229 (delta 21), reused 14 (delta 14), pack-reused 203 (from 1
Receiving objects: 100% (229/229), 52.16 KiB | 809.00 KiB/s, done.
Resolving deltas: 100% (108/108), done.
azureuser@westus-vm2:~$
```

azureuser@westus-vm2: ~/az

```
Scanning processes...
Scanning candidates...
Scanning linux images...

Running kernel seems to be up-to-date.

Restarting services...
 systemctl restart chrony.service irqbalance.service packagekit.service polk
it.service systemd-resolved.service walinuxagent.service
Service restarts being deferred:
 systemctl restart networkd-dispatcher.service
 systemctl restart unattended-upgrades.service

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
azureuser@westus-vm2:~/azproject$
```

azureuser@westus-vm1: ~/azp

```
    Not uninstalling click at /usr/lib/python3/dist-packages, outside enviro
nment /usr
    Can't uninstall 'click'. No files were found to uninstall.
  Attempting uninstall: blinker
    Found existing installation: blinker 1.4
    Not uninstalling blinker at /usr/lib/python3/dist-packages, outside envi
ronment /usr
    Can't uninstall 'blinker'. No files were found to uninstall.
  Attempting uninstall: jinja2
    Found existing installation: Jinja2 3.0.3
    Not uninstalling jinja2 at /usr/lib/python3/dist-packages, outside envir
onment /usr
    Can't uninstall 'Jinja2'. No files were found to uninstall.
Successfully installed blinker-1.9.0 click-8.3.1 flask-3.1.2 itsdangerous-2.
2.0 jinja2-3.1.6 markupsafe-3.0.3 werkzeug-3.1.5
WARNING: Running pip as the 'root' user can result in broken permissions and
 conflicting behaviour with the system package manager. It is recommended to
 use a virtual environment instead: https://pip.pypa.io/warnings/venv
azureuser@westus-vm1:~/azproject$
```

azureuser@cus-vm2: ~/azpro

```
 /lib/systemd/system/apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcachecl
ean.service → /lib/systemd/system/apache-htcacheclean.service.
Processing triggers for ufw (0.36.1-4ubuntu0.1) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for libc-bin (2.35-0ubuntu3.11) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
azureuser@cus-vm2:~/azproject$
```

azureuser@cus-vm1: ~/azproj

```
    Not uninstalling click at /usr/lib/python3/dist-packages, outside enviro
nment /usr
    Can't uninstall 'click'. No files were found to uninstall.
  Attempting uninstall: blinker
    Found existing installation: blinker 1.4
    Not uninstalling blinker at /usr/lib/python3/dist-packages, outside envi
ronment /usr
    Can't uninstall 'blinker'. No files were found to uninstall.
  Attempting uninstall: jinja2
    Found existing installation: Jinja2 3.0.3
    Not uninstalling jinja2 at /usr/lib/python3/dist-packages, outside envir
onment /usr
    Can't uninstall 'Jinja2'. No files were found to uninstall.
Successfully installed blinker-1.9.0 click-8.3.1 flask-3.1.2 itsdangerous-2.
2.0 jinja2-3.1.6 markupsafe-3.0.3 werkzeug-3.1.5
WARNING: Running pip as the 'root' user can result in broken permissions and
 conflicting behaviour with the system package manager. It is recommended to
 use a virtual environment instead: https://pip.pypa.io/warnings/venv
azureuser@cus-vm1:~/azproject$
```

Home >

ag2-ip
Public IP address

Can you check if my public Ip is highly available | How to ensure public Ip fault tolerance

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Resource visualizer
- Settings
  - Configuration
  - Properties
  - Locks
- Monitoring
  - Insights
  - Alerts
  - Metrics
  - Diagnostic settings
- Automation
  - CLI / PS
  - Tasks

Add or remove favorites by pressing Ctrl+Shift+F

Associate | Dissociate | Delete | Move | Refresh | Open in mobile | Give feedback

Essentials — JSON View

Resource group (move)	: myrg	SKU	: Standard
Location (move)	: Central US	Tier	: Regional
Subscription (move)	: Azure subscription 1	IP address	: 20.98.182.255
Subscription ID	: 698023c2-31ea-4016-a483-45b817bb5c2d	DNS name	: mynewapp2.centralus.cloudapp.azure.com
See more		Associated to	: AG2-jan30
		Virtual machine	: -

Tags (edit) : Add tags

Get Started | Properties | Tutorials

Use public IP addresses for public connections to Azure resources

Associate and configure public IP addresses to various Azure resources Learn more.

Associate to a resource
Associate your public IP address to an Azure resource such as an Azure Load Balancer or a network interface.

Configure a public IP address
Configure a DNS idle time, name, and alias record for your public IP address.

Protect IP ad
Choose the ri
address.

Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share

Home >

AG1-jan30
Application gateway

Diagnose my application gateway | Run diagnostic for my Application Gateway | Analyze traffic to this gateway

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
  - Configuration
  - Web application firewall
  - Backend pools
  - Backend settings
  - Frontend IP configurations
  - Private link
  - SSL settings
  - Listeners
  - Rules

Delete | Refresh | Feedback

Essentials — JSON Vie

Resource group (move)	: myrg	Virtual network/subnet	: vnet-westus/ag1-subnet
Location	: West US	Frontend public IP address	: 168.62.222.58 (mynewapp1.westus.cloudapp.azure.com)
Subscription (move)	: Azure subscription 1	Frontend private IP addr...	: -
Subscription ID	: 698023c2-31ea-4016-a483-45b817bb5c2d	Tier	: Standard V2
		Availability zone	: -

Tags (edit) : Add tags

Recommendations | Metrics

Your resource is following Light best practices.

Azure Advisor provides personalized recommendations to reduce costs, increase security, optimize performance and reliability and achieve operational excellence.

View recommendations for all your resources in Azure Advisor

Home > Load balancing | Traffic Manager >

Create Traffic Manager profile ...

Validation passed

Basics Tags **Review + Create**

View automation template

Basics

Subscription	Azure subscription 1
Resource group	myrg
Resource group location	West US
Name	capstone-tm-jan30
Routing method	Performance

Create < Previous Next >

Home > capstone-tm-jan30_1769857081665 | Overview >

capstone-tm-jan30

Traffic Manager profile

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
  - Locks
  - Configuration
  - Real user measurements
  - Traffic view
  - Endpoints
  - Properties
- Monitoring
  - Alerts
  - Metrics
  - Diagnostic settings

Add or remove favorites by pressing Ctrl+Shift+F

Enable profile | Disable profile | Refresh | Move | Delete profile

Essentials JSON View

Resource group (move)	: myrg	DNS Name	: http://capstone-tm-jan30.trafficmanager.net
Subscription (move)	: Azure subscription 1	Monitor Status	: Inactive
Subscription ID	: 698023c2-31ea-4016-a483-45b817bb5c2d	Routing Method	: Performance
Status	: Enabled	Endpoints	: 0
Location	: global		
Tags (edit)	: Add tags		

Get Started Tutorials Tools + SDK

Azure Traffic Manager is a DNS-based traffic load balancer. This service allows you to distribute traffic to your public facing applications across the global Azure regions. Traffic Manager also provides your public endpoints with high availability and quick responsiveness.

Azure Traffic Manager Documentation

For detail understanding of Azure Traffic Manager, refer to the documentation.

Add endpoint

Begin load balancing your traffic by adding endpoints to your Traffic Manager profile. Read more

Traffic view

Traffic View provides Traffic Manager with a view of your user bases (at a DNS resolver granularity level) and their traffic pattern. Read more

Configuration

Explore the configuration of your Traffic Manager profile.

Home > capstone-tm-jan30_1769857081665 | Overview > capstone-tm-jan30

capstone-tm-jan30 | Endpoints

Traffic Manager profile

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
  - Locks
  - Configuration
  - Real user measurements
  - Traffic view
  - Endpoints
  - Properties
- Monitoring
  - Alerts

Add | Refresh | Delete

Search endpoints

Name	Status	Monitor Status	Type	Location
ep1	Enabled	Online	Azure endpoint	West US
ep2	Enabled	Online	Azure endpoint	Central US

azureuser@westus-vm2: ~/az

```
Scanning processes...
Scanning candidates...
Scanning linux images...

Running kernel seems to be up-to-date.

Restarting services...
 systemctl restart chrony.service irqbalance.service packagekit.service polk
it.service systemd-resolved.service walinuxagent.service
Service restarts being deferred:
 systemctl restart networkd-dispatcher.service
 systemctl restart unattended-upgrades.service

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
azureuser@westus-vm2:~/azproject$
```

azureuser@westus-vm1: ~/az

```
    Can't uninstall 'Jinja2'. No files were found to uninstall.
Successfully installed blinker-1.9.0 click-8.3.1 flask-3.1.2 itsdangerous-2.
2.0 jinja2-3.1.6 markupsafe-3.0.3 werkzeug-3.1.5
WARNING: Running pip as the 'root' user can result in broken permissions and
 conflicting behaviour with the system package manager. It is recommended to
 use a virtual environment instead: https://pip.pypa.io/warnings/venv
azureuser@westus-vm1:~/azproject$ sudo python3 app.py
 * Serving Flask app 'app'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deploym
ent. Use a production WSGI server instead.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:80
 * Running on http://172.16.0.4:80
Press CTRL+C to quit
172.16.2.5 - - [31/Jan/2026 11:02:30] "GET / HTTP/1.1" 200 -
172.16.2.4 - - [31/Jan/2026 11:02:30] "GET / HTTP/1.1" 200 -
172.16.2.4 - - [31/Jan/2026 11:02:42] "GET / HTTP/1.1" 200 -
```

azureuser@cus-vm2: ~/azproj

```
 /lib/systemd/system/apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcachecl
ean.service → /lib/systemd/system/apache-htcacheclean.service.
Processing triggers for ufw (0.36.1-4ubuntu0.1) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for libc-bin (2.35-0ubuntu3.11) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
azureuser@cus-vm2:~/azproject$
```

azureuser@cus-vm1: ~/azproj

```
onment /usr
    Can't uninstall 'Jinja2'. No files were found to uninstall.
Successfully installed blinker-1.9.0 click-8.3.1 flask-3.1.2 itsdangerous-2.
2.0 jinja2-3.1.6 markupsafe-3.0.3 werkzeug-3.1.5
WARNING: Running pip as the 'root' user can result in broken permissions and
 conflicting behaviour with the system package manager. It is recommended to
 use a virtual environment instead: https://pip.pypa.io/warnings/venv
azureuser@cus-vm1:~/azproject$ sudo python3 app.py
 * Serving Flask app 'app'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deploym
ent. Use a production WSGI server instead.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:80
 * Running on http://10.0.0.4:80
Press CTRL+C to quit
10.0.2.4 - - [31/Jan/2026 11:02:50] "GET / HTTP/1.1" 200 -
10.0.2.5 - - [31/Jan/2026 11:02:50] "GET / HTTP/1.1" 200 -
```

JSON View

DNS Name	: http://capstone-tm-jan30.trafficmanager.net
Monitor Status	: Online
Routing Method	: Performance
Endpoints	: 2


Not secure capstone-tm-jan30.trafficmanager.net
IntelliPaat
Welcome to the Home Page.
www.intellipaat.com


Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
Home > Load balancing and content delivery | Application gateways > AG1-jan30
Load balancing and content delivery ...
Preview
Overview
Load balancing
Application gateways
Load balancers
Content delivery
Azure Front Door
DNS load balancing
Traffic manager
Related services
Related services
Create
Manage view
Name
AG1-jan30
AG2-jan30
Showing 1 - 2 of 2. Display count:
auto
Add Backend setting
Backend settings name
default
Backend protocol
HTTP
HTTPS
Backend port *
5000
Additional backend settings
Cookie-based affinity
Enable
Disable
Connection draining
Enable
Disable
Dedicated backend connection
Enable
Disable
Request time-out (seconds) *
20
Override backend path
Save
Cancel


Home > Load balancing and content delivery | Application gateways > AG2-jan30
Load balancing and content delivery ...
Preview
Overview
Load balancing
Application gateways
Load balancers
Content delivery
Azure Front Door
DNS load balancing
Traffic manager
Related services
Related services
Create
Manage view
Name
AG1-jan30
AG2-jan30
Showing 1 - 2 of 2. Display count:
auto
AG2-jan30 | Backend settings
Application gateway
Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Resource visualizer
Settings
Configuration
Web application firewall
Backend pools
Backend settings
Frontend IP configurations
Private link
SSL settings
Listeners
Rules
Add
Backend health
Feedback
Updating
Search Backend settings
Name
Port
Protocol
Cookie based affin...
Custom
default
5000
Http
Disabled
-

Not secure capstone-tm-jan30.trafficmanager.net/upload

Chat

404

Oops! Page not found

The page you are looking for does not exist.

Go back to Home