1. Задание

Необходимо на php 7.0.21 в связке с mysql 5.7, nginx, php-fpm реализовать систему, которая будет решать следующие задачи:

- 1. Формирование запроса payment в МОСК и обработка ответа.
- 2. Создание транзакции в виде записи в БД и фиксирование изменений её статуса дополнительными записями в БД.
- 3. Прием callback (входящий http запрос в nginx+fpm) и его обработка.

Уточнения:

- 1. В БД должна быть таблица содержащая номер транзакции, статус транзакции, время выставления статуса.
- 2. Для каждой транзакции должно быть поле (или поля) с дополнительными деталями, такими как сумма и валюта транзакции, ID транзакции на стороне ПС.
- 3. При создании транзакции ей присваивается статус **init**, при обращении в MOCK статус **external**, при получении ответа на запрос **delivered**, при ожидании callback **awaiting_callback**, при получении callback статус **received**, после парсинга callback статус **success** или **decline** (в зависимости от ответа).
 - Например, мы отправили запрос, получили callback со статусом DECLINED, тогда в транзакционной базе должны быть следующие записи: init \rightarrow external \rightarrow delivered \rightarrow awaiting_callback \rightarrow received \rightarrow decline.
- 4. Если в callback придет *APPROVED* или *DECLINED*, переводим транзакцию в статус **success** или **decline** соответственно. Если приходит *PENDING*, то формируем запрос на опрос статуса и в зависимости от ответа перводим транзакцию в **success** или **decline**.
- 5. Необходимо сохранять историю изменения статусов (from \rightarrow to).
- 6. Опросов статуса должно быть не больше 10-и.
- 7. Для выполнения задания достаточно обрабатывать ситуации с суммами 3002.00, что-нибудь с деклайном и получение от ПС ошибки 500.
- 8. Необходимо покрыть unit тестами один любой класс.
- 9. Необходимо написать инструкцию по разворачиванию и использованию (в идеале bash скрипт, включающий миграции)
- 10. На выполнение задания дается 5 рабочих дней.

2. Описание заглушки платежной системы

Depkasa mock

Параметр	Описание	Значение
Api Key	Ключ для использования АРІ	daef4ff758859227ac5ff22b3d73e090
Secret Key	Секретный ключ для формирования токена	f07fce0a
Payment URL	URL для запросов на проведение платежа (оплата)	https://mock01.ecpdss.net/depkasa/a/payment/welcome
Payment Detail URL URL для запросов на уточнение данных платежа (опрос статуса)		https://mock01.ecpdss.net/depkasa/a/payment/detail

Работа мока завязана на отправляемую сумму (amount).

- 1. При отправке суммы 3002.00, мок в колбеке пришлет статус *PENDING*. В этом случае при опросе статуса три раза будет возвращаться статус *PENDING*, а затем *APPROVED*.
- 2. При отправке суммы 500.00, мок ответит ошибкой 500, аналогичной ошибке на NGINX.
- 3. При отправке суммы от 1.00 до 283.00, мок ответит ошибкой с соответствующим кодом, что является аналогом отказа в проведении транзакции.
- 4. Запросы выполняются методом POST с заголовком Content-Type: application/x-www-form-urlencoded

3. Описание протокола

Словарь

"gate" - обозначение стороны шлюза. Например, фраза "Id транзакции в gate" обозначает id транзакции, как он хранится на "нашей" стороне.

Описание параметров запроса на оплату Redirect to DepKasa

Название	Тип	Обяза т.	Описание
token	Char 32	•	Время жизни токена = 10 минут, потом он недействителен. Как формировать токен: php \$apiKey = 'YOUR_API_KEY';</td
			<pre>\$apikey = 'TOOK_AFI_KET'; \$currency = 'EUR'; \$amount = 100; \$referenceNo = uniqid('reference_'); \$timestamp = time (); \$secretKey = 'YOUR_SECRET_KEY';</pre>
			<pre>\$params = ['apiKey' => \$apiKey, 'amount' => \$amount, 'currency' => \$currency, 'referenceNo' => \$referenceNo, 'timestamp' => \$timestamp];</pre>
			<pre>function generateToken(\$request, \$secretKey) { \$rawHash = \$secretKey.\$request['apiKey']. \$request['amount'].\$request['currency'].</pre>

			<pre>\$request['referenceNo'].\$request['timestamp']; return md5(\$rawHash); }</pre>
apiKey	Char 32	•	Ключ для использования АРІ, предоставленный ПС
email	Char 128	•	E-mail адрес покупателя
birthday	1970-01-01 YYYY-MM-DD	•	Дата рождения покупателя
amount	Int 1234 для 12.34 €; 1550 для 15.50 USD	0	Сумма сделки в выбранной валюте
currency	Char 3 ISO 4217	•	Валюта сделки
returnUrl	Char 256	0	URL, куда покупатель будет перенаправлен ПС DepKasa после завершения покупки
referenceNo	Char 32	•	ID транзакции в gate
timestamp	Char 32 1441190134	0	Unix timestamp
language	Char 2 Формат, который требует ПС: English en Turkish tr Chinese cn German de Norwegian no Japanese jp	•	Если будет определён тот язык, который не поддерживается ПС, то нужно передавать язык en .

billingFirstName	Char 64	0	Имя покупателя
billingLastName	Char 64	0	Фамилия покупателя
billingAddress1	Char 128	•	Адрес покупателя
billingCity	Char 64	•	Город покупателя
billingPostcode	Char 16	•	Индекс адреса покупателя
billingCountry	Char 2 ISO 3166-1 alpha-2	•	Страна покупателя
paymentMethod	Char 32	•	Какой платёжный инструмент должен быть использован ПС при оплате картой.
number	40128888888881881	•	Номер карты
cvv	123	•	CVV
expiryMonth	2	•	expiry Month карты
expiryYear	2	0	expiry Year карты
callbackUrl	Char 256		URL, на который ПС DepKasa будет отправлять коллбэк

Параметры, передаваемые в ответе от ПС DepKasa

Название параметра в Depkasa	Описание параметра	Пример	Тип	Обязат ельнос ть
amount	Сумма сделки	1	Int	•
currency	Валюта сделки	EUR	Char 3	•
message	Сообщение к статусу	Wait For IPN	Char 256	•
paymentMethod	Метод оплаты, который был выбран при оплате	GIFTCARD	Char 32	0
referenceNo	ID транзакции в gate	81	Char 32	•
returnForm	Код формы подтверждения. Фактически будет обратный редирект по ссылке returnUrl	PGRpdiBzdHlsZT0idGV4dC1hbGlnbjpjZW50ZXIi PgogICAgPGlmcmFtZSBzcmM9Imh0dHBzOi8vd GVzdGdhdGV3YXkuZ3BzZnNvZnQuY29tL3JlZG VlbS9pZnJhbWUiIGhlaWdodD0iNDM1cHgiIHdp ZHRoPSI2MDBweCI+PC9pZnJhbWU+CjwvZGl2 Pg=		•
returnUrl	URL редиректа	http://requestb.in/15xrl9c1		•
status	Статус транзакции На этом этапе всегда передаётся значение WAITING	WAITING	Char 64	•
token	Токен в кодировке JWT	eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJyZ WZlcmVuY2VObyI6IjA4MSIsInRpbWVzdGFtcCI 6IjE0NzQ1MjY3OTgiLCJtZXJjaGFudElkIjo3N		•
transactionId	ID транзакции в ПС DepKasa	13961-1474526918-757	Char 32	9

Параметры callback от ПС DepKasa

Название параметра в Depkasa	Описание	Пример значения	Тип и размер в ПС
amount	?	1234 (12.34 € к примеру)	Int
cardNumber	Маскированный номер карты	401200000001881	Char 32
code	Код ответа (см. ниже таблицы коды ошибок)	02	String
currency	?	EUR	Char 3
message	Сообщение к статусу	3DS подтверждена	Char 256
operation	Операция: • 3DAUTH (3D Purchase) • DIRECT (Direct Purchase) • STORED (Stored Purchase) • REFUND (Refund)	DIRECT	Char 256
paymentMethod	Метод оплаты, который был выбран при оплате	VISA	Char 32
referenceNo	ID транзакции в gate	1-1386413490-0089-14	Char 32
requestedAmount	Запрашиваемая сумма	1234 (12.34 € к примеру)	Int
requestedCurrency	Запрашиваемая валюта	EUR	Char 32
status	Статус транзакции	Возможные значения: APPROVED Покупка успешно завершена Покупка отклонена по причинам от эквайера CANCELED Транзакция отменена пользователем	Char 64

		PENDING ERROR	Покупатель не выбрал какой-либо метод оплаты пытается совершить покупку или отменить покупку Ошибка в ПС	
storedCardId	Параметр присылается, если карта была сохранена для проведения платежей	6-147453989	1-0-1	Char 32
timestamp	Unix timestamp	1441190134		Char 32
token	Токен в кодировке md5 для сверки с запросом Как формируется токен: php \$request = \$_REQUEST; \$secretKey = 'YOUR_SECRET'; function generateToken(\$request, \$secretKey) { \$rawHash = \$secretKey.\$request['apiKey']. \$request['code'].\$request['status']\$request['amount']. \$request['currency'].\$request['referenceNo']. \$request['timestamp']; return md5(\$rawHash); }</th <th>4a22630a912</th> <th>b8c92d10a5cccf8406a6e</th> <th>Char 256</th>	4a22630a912	b8c92d10a5cccf8406a6e	Char 256
transactionId	ID транзакции в ПС	9-1438782271-1		Char 32
type	Тип транзакции:AUTH (Auth Transaction)PREAUTH (Preauth Transaction)	AUTH		Char 256
voucherCode	Код купленного ваучера	5248-0757-8	817-0001-3987	Char 32

Параметры запроса статуса в ПС DepKasa

Название параметра в Depkasa	Описание параметра	Пример	Тип и размер в ПС	Обязательность
apiKey	Ключ для использования API, предоставленный ПС	4d41d21a935f5bba9dee7c7be4a7ca04	Char 32	•
referenceNo	ID транзакции в gate	98ca055ed2797f53c5144f4	Char 32	•

Параметры ответа на запрос статуса от ПС DepKasa

Название параметра в Depkasa	Описание параметра	Пример		Тип и размер в ПС
code	Код ответа	02	02	
		Возможные за	начения:	Char 64
		APPROVED	Покупка успешно завершена	
	Статус транзакции	DECLINED	Покупка отклонена по причинам от эквайера	
status		CANCELED	Транзакция отменена пользователем	
		PENDING	Покупатель не выбрал какой-либо метод оплаты пытается совершить покупку или отменить покупку	
		ERROR	Ошибка в ПС	
message	Сообщение к статусу	3DS подтверж	кдена	Char 256
referenceNo	ID транзакции в gate	1-1386413490-0089-14		Char 32
transactionId	ID транзакции в ПС	9-1438782271-1		Char 32
amount	Сумма сделки	1234 (12.34 €)		Int
currency	Валюта сделки	EUR		Char 3

Коды ответов от ПС

Код	Заголовок	Описание
00	Approved.	Successful
01	Refer to card issuer.	The merchant must call the issuer before the transaction can be approved.
02	Refer to card issuer, special condition.	The merchant must call the issuer before the transaction can be approved.
03	Invalid merchant number.	The merchant ID is not valid.
04	Pick-up card	Capture for reward The card is listed on the Warning Bulletin. Merchant may receive reward money by capturing the card.
05	Do not honor	The transaction was declined by the issuer without definition or reason The transaction was declined without explanation by the card issuer.
06	Error.	The card issuer returned an error without further explanation.
07	Pick-up card, special condition.	The card is listed on the Warning Bulletin. Merchant may receive reward money by capturing the card.
80	Honor with identification.	Honor with identification.
09	Request in progress.	Request in progress.
10	Approved for partial amount.	Approved for partial amount.
11	Approved, VIP Approved.	VIP program.
12	Invalid transaction.	The requested transaction is not supported or is not valid for the card number presented.
13	Invalid amount.	The amount exceeds the limits established by the issuer for this type of transaction.
14	Invalid card #.	The issuer indicates that this card is not valid.
15	No such issuer.	The card issuer number is not valid.
16	Approved, update track 3.	Approved, update track 3.
17	Customer cancellation.	Customer cancellation.
18	Customer dispute	Customer dispute
19	Re enter transaction.	Customer should resubmit transaction.
20	Invalid response	Invalid response
21	No action taken.	No action taken. The issuer declined with no other explanation.

22	Suspected malfunction.	Suspected malfunction.
23	Unacceptable transaction fee.	Unacceptable transaction fee.
24	File update not supported.	File update not supported.
25	Unable to locate record.	Unable to locate record.
26	Duplicate record.	Duplicate record.
27	File update edit error.	File update edit error.
28	File update file locked.	File update file locked.
30	Format error.	call ECHO The host reported that the transaction was not formatted properly.
31	Bank not supported.	Bank not supported by switch.
32	Completed partially.	Completed partially.
33	Expired card, pick-up.	The card is expired.
34	Issuer suspects fraud, pick-up card.	The card issuer suspects fraud.
35	Contact acquirer, pick-up.	Contact card issuer.
36	Restricted card, pick-up.	The card is restricted by the issuer.
37	Call ECHO security, pick-up.	Contact ECHO security.
38	PIN tries exceeded, pick-up.	PIN attempts exceed issuer limits.
39	No credit account	No credit account
40	Function not supported.	Requested function not supported.
41	Lost Card, capture for reward.	The card has been reported lost.
42	No universal account	No universal account
43	Stolen Card, pickup.	The card has been reported stolen.
44	No investment account.	No investment account.
51	Not sufficient funds.	The credit limit for this account has been exceeded.
54	Expired card.	The card is expired.
55	Incorrect PIN.	The cardholder PIN is incorrect.
56	No card record.	No card record.
57	Transaction not permitted to cardholder.	The card is not allowed the type of transaction requested.
58	Transaction not permitted on terminal.	The Merchant is not allowed this type of transaction.

59	Suspected fraud	Suspected fraud
60	Contact ECHO.	Contact ECHO.
61	Exceeds withdrawal limit.	The amount exceeds the allowed daily maximum.
62	Restricted card.	The card has been restricted.
63	Security violation	The card has been restricted.
64	Original amount incorrect.	Original amount incorrect.
65	Exceeds withdrawal frequency.	The allowable number of daily transactions has been exceeded.
66	Call acquirer security, call ECHO.	Call acquirer security, call ECHO.
67	Response received too late.	Response received too late
75	PIN tries exceeded.	The allowed number of PIN retries has been exceeded.
76	Invalid "to" account.	The debit account does not exist.
77	Invalid "from" account.	The credit account does not exist.
78	Invalid account specified (general).	The associated card number account is invalid or does not exist.
79	Already reversed.	Already reversed.
84	Invalid authorization life cycle.	The authorization life cycle is invalid.
86	Cannot verify PIN.	Cannot verify PIN.
87	Network Unavailable.	Network Unavailable.
89	Ineligible to receive financial position information.	Ineligible to receive financial position information.
90	Cut-off in progress.	Cut-off in progress.
91	Issuer or switch inoperative.	The bank is not available to authorize this transaction.
92	Routing error.	The transaction cannot be routed to the authorizing agency.
93	Violation of law.	Violation of law.
94	Duplicate transaction.	Duplicate transaction.
95	Reconcile error.	Reconcile error.
96	System malfunction.	A system error has occurred.
98	Exceeds cash limit.	Exceeds cash limit.
100	Invalid account information.	Invalid account information
101	Invalid customer information.	Invalid customer information

102 Invalid customer phone number.	Invalid customer phone number
103 Invalid customer address.	Invalid customer address
104 Invalid country association.	Invalid country association
105 Invalid email address value.	Invalid email address value
106 Invalid IP address value.	Invalid IP address value
107 Invalid or expired CC expire info.	Invalid or expired CC expire info
108 Invalid custom field value.	Invalid custom field value
109 Invalid card details.	Invalid card details
110 Invalid date.	Invalid date
111 Invalid date/time.	Invalid date/time
112 Invalid details.	Invalid details
Card number does not match card type.	Card number does not match card type
No acquirer specified.	No acquirer specified
Repeat amount too great.	Repeat amount too great
116 Split amount too great.	Split amount too great
117 Invalid username/password.	Invalid username/password
118 Invalid session.	Invalid session
119 Session has expired.	Session has expired
120 Password expired.	Password expired
Password has been previously used.	Password has been previously used
122 Account has been locked.	Account has been locked
123 New password does not match confirmed password.	New password does not match confirmed password
124 Incorrect current password.	Incorrect current password
125 Invalid selection.	Invalid selection
126 User already exists.	User already exists
No transaction found.	No transaction found
128 Invalid selected transactions.	Invalid selected transactions
129 Invalid filter description.	Invalid filter description

130 Invalid destination description.	Invalid destination description
131 Invalid notification type.	Invalid notification type
132 Invalid destination.	Invalid destination
133 Invalid field selected.	Invalid field selected
134 Invalid email from address.	Invalid email from address
135 Invalid email subject.	Invalid email subject
136 Invalid email type.	Invalid email type
137 Unable to process request.	Unable to process request
138 Request failed.	Request failed
139 Coding error.	Coding error
140 Invalid request.	Invalid request
141 Invalid field selected.	Invalid field selected
Banned card.	Banned card
143 Unknown user.	Unknown user
144 Cannot determine account.	Cannot determine account
No account found.	No account found
146 Transaction de-activated.	Transaction de-activated
147 Invalid data received.	Invalid data received
Timeout.	Timeout
149 Invalid acquirer.	Invalid acquirer
150 Unable to connect to acquirer.	Unable to connect to acquirer
151 Invalid response from acquirer.	Invalid response from acquirer
152 Communication error.	Communication error
Wrong number of emails.	Wrong number of emails
154 Bank System error.	Bank System error
155 Invalid transport configuration.	Invalid transport configuration
156 Transaction reference not found.	Transaction reference not found
157 Invalid request type.	Invalid request type

158 Timeout error.	Timeout error
159 3-D Secure Transport Error.	3-D Secure Transport Error
160 Unauthenticated.	Unauthenticated
161 Invalid request.	Invalid request
162 Invalid response.	Invalid response
163 Invalid acquirer.	Invalid acquirer
164 Invalid account data.	Invalid account data
165 Missing.	Missing
166 Payment error.	Payment error
167 Invalid acquirer for 3-D Secure.	Invalid acquirer for 3-D Secure
168 Invalid payment type for 3-D Secure.	Invalid payment type for 3-D Secure
169 Invalid process.	Invalid process
Name pick required.	Name pick required
171 Address pick required.	Address pick required
172 IP not in range.	IP not in range
173 Decline.	Decline
174 Uncertain result.	Uncertain result
175 Unknown error.	Unknown error
176 Currency not allowed.	Currency not allowed
3d Status not configured correctly.	3d Status not configured correctly
178 Maestro cards should be 3d.	Maestro cards should be 3d
179 Invalid return URL.	Invalid return URL
Post code does not match country.	Post code does not match country
181 Blacklist.	Blacklist
182 Invalid Merchant.	Invalid Merchant
183 Reference no is required.	Reference no is required
Return url is required.	Return url is required
185 Invalid return url.	Invalid return url

188 Amount is required.	Amount is required
190 Amount should be an integer.	Amount should be an integer
191 Amount should be greater than 0.	Amount should be greater than 0
192 Currency is required.	Currency is required
193 Currency length should be 3.	Currency length should be 3
194 Credit Card is required.	Credit Card is required
195 Invalid credit card information.	Invalid credit card information
196 Cvv length should be 3.	Cvv length should be 3
197 Email is required.	Email is required
198 Invalid email address.	Invalid email address
199 Birthday is required.	Birthday is required
Birthday format should be YY-MM-DD.	Birthday format should be YY-MM-DD
201 Billing Firstname is required.	Billing Firstname is required
202 Billing Last Name is required.	Billing Last Name is required
203 Billing Address1 is required.	Billing Address1 is required
204 Billing City is required.	Billing City is required
205 Billing Postcode is required.	Billing Postcode is required
206 Billing Country is required.	Billing Country is required
207 Billing Country size should be 2.	Billing Country size should be 2
208 Billing Agent info is required.	Billing Agent info is required
209 Ip is required.	Ip is required
210 Invalid ip address.	Invalid ip address
211 Transaction id is required.	Transaction id is required
212 User agent is required.	User agent is required
213 Transaction id is required.	Transaction id is required
214 Md is required.	Md is required
215 Pares is required.	Pares is required
216 StoredCardId is required.	StoredCardId is required

217 Country is invalid.	Country is invalid
218 Postcode is invalid.	Postcode is invalid
219 Currency is invalid.	Currency is invalid
Amount should not be greater than 10000000.	Amount should not be greater than 10000000
Acquirer response is required.	Acquirer response is required
223 Waiting for IPN response.	Waiting for IPN response
224 Shipping First Name is invalid.	Shipping First Name is invalid
225 Shipping Last Name is invalid.	Shipping Last Name is invalid
Description is required.	Description is required
Authorization successful.	Authorization successful
228 Status description is required.	Status description is required
229 CURO transaction ID is required.	CURO transaction ID is required
230 Status code is required.	Status code is required
Billing Phone is invalid.	Billing Phone is invalid
Age should not be less than 16 and greater than 110.	Age should not be less than 16 and greater than 110
233 Shipping City is invalid.	Shipping City is invalid
234 Shipping Country is invalid.	Shipping Country is invalid
235 Shipping Country size should be 2.	Shipping Country size should be 2
236 Shipping Phone is invalid.	Shipping Phone is invalid
237 Card is not enrolled to 3-D.	Card is not enrolled to 3-D
238 Password is required.	Password is required
Received minimum amount.	Received minimum amount
240 Maximum amount not match.	Maximum amount not match
Token - Missing Required Field.	Token - Missing Required Field
Token - Authentication Failure	Token - Authentication Failure.
243 Token - JSON Encode Error.	Token - JSON Encode Error
Token - JSON Decode Error.	Token - JSON Decode Error
Token - token parameter length > 40 bytes	Token - token parameter length > 40 bytes.

246	Token - Header X-VAULT-TRACE-ID length > 64 bytes	Token - Header X-VAULT-TRACE-ID length > 64 bytes.
247	Token - last 4 parameter larger than four UTF-8 characters	Token - last 4 parameter larger than four UTF-8 characters.
248	Token - This method is missing the following fields	Token - This method is missing the following fields.
249	Token - last 4 parameter is not a valid four character UTF-8 string	Token - last 4 parameter is not a valid four character UTF-8 string.
250	Token - Invalid Request	Token - Invalid Request.
251	Token - This method has parameters that are non valid UTF-8 string	Token - This method has parameters that are non valid UTF-8 string.
252	Token - encryptedValue parameter length > 2.000 bytes	Token - encryptedValue parameter length > 2.000 bytes.
253	Token - Request header X-VAULT-HMAC is missing	Token - Request header X-VAULT-HMAC is missing.
254	Token - Unknown Method.	Token - Unknown Method
255	Token - Invalid Parameter Format	Token - Invalid Parameter Format.
256	Token - Database Connection Failure	Token - Database Connection Failure.
257	Token - plainText parameter length > 2.000 bytes	Token - plainText parameter length > 2.000 bytes.
258	Token - Invalid or expired session	Token - Invalid or expired session.
259	Token - store_token attempted to overwrite existing token. Use update_token to overwrite	Token - store_token attempted to overwrite existing token. Use update_token to overwrite.
260	Token - update_token attempted to update non-existing token. Use store_token instead	Token - update_token attempted to update non-existing token. Use store_token instead.
261	Token - retrieve_token method cannot decrypt stored data. Use decrypt	Token - retrieve_token method cannot decrypt stored data. Use decrypt.
262	Token - Token not found, or user does not have segment access privilege	Token - Token not found, or user does not have segment access privilege.
263	Token - decrypt method cannot decrypt user-encrypted data. Use retrieve_token	Token - decrypt method cannot decrypt user-encrypted data. Use retrieve_token.
264	Token - Unable to validate session credentials	Token - Unable to validate session credentials.
265	Token - No Read privilege	Token - No Read privilege.
266	Token - No Write privilege	Token - No Write privilege.
267	Token - No Delete privilege	Token - No Delete privilege.

268 Token - No Encrypt privilege	Token - No Encrypt privilege.
269 Token - No Decrypt privilege	Token - No Decrypt privilege.
270 Token - No Token Info privilege	Token - No Token Info privilege.
Token - No Touch Token privilege	Token - No Touch Token privilege.
Token - Need Encrypt or Session Decrypt privilege to obtain a session	Token - Need Encrypt or Session Decrypt privilege to obtain a session.
273 Token - No Session Decrypt privilege	Token - No Session Decrypt privilege.
Token - Message timestamp is more than 30 seconds older than server time	Token - Message timestamp is more than 30 seconds older than server time.
Token - Message timestamp is more than 5 seconds newer than server time.'.	Token - Message timestamp is more than 5 seconds newer than server time.'
276 Token - Unknown segment.	Token - Unknown segment
Token - Unknown retention policy.	Token - Unknown retention policy
278 Voucher code is required.	Voucher code is required
279 Voucher code is invalid.	Voucher code is invalid
280 Login failed.	Login failed
281 CVV failure.	CVV failure
282 Country of bank is required.	Country of bank is required
283 Waiting.	Waiting
404 Custom Error.	Custom Error