

[Home](#) > [VM1](#) > [VM1-ip](#)

VM1-ip | Configuration ☆ ...

Public IP address

Search

<<




Save



Discard



Refresh


 Overview

 Activity log

 Access control (IAM)

 Tags

Settings

 Configuration

Properties

🔒 Locks

Monitoring

💡 Insights

 Alerts

 Metrics

IP address assignment

Static

IP address ⓘ

20.115.11.76

Idle timeout (minutes) ⓘ

4

DNS name label (optional) ⓘ

session1	✓
----------	---

.eastus.cloudapp.azure.com

 You can use the IP address as your 'A' DNS record or DNS label as your 'CNAME' record. [Learn more about adding a custom domain to this IP address](#)

Alias record sets

Create an alias record in Azure DNS. [Learn more](#)

- + Create alias record

VM1 - Microsoft Azure

Just-in-time virtual machine acce

https://portal.azure.com/#@Karthiccloudsoutlook.onmicrosoft.com/resource/subscriptions/8ba64ce0-2ab6-43b4-80...

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Karthicclouds@outlook.c...
DEFAULT DIRECTORY (KARTHICL...

Home >

VM1
Virtual machine

Search

ConnectStartRestartStopCaptureDeleteRefreshOpen in mobileFeedbackCLI / PS

Advisor (1 of 6): Machines should be configured to periodically check for missing system updates →

OverviewActivity logAccess control (IAM)TagsDiagnose and solve problemsSettingsNetworkingConnectDisksSizeMicrosoft Defender for CloudAdvisor recommendations

Essentials

Resource group (move)
Project

Status
Running

Location
East US

Subscription (move)
Free Trial

Subscription ID
8ba64ce0-2ab6-43b4-803f-edbda29c98c5

Tags (edit)
Click here to add tags

Operating system
Linux (ubuntu 20.04)

Size
Standard B1s (1 vcpu, 1 GiB memory)

Public IP address
20.115.11.76

Virtual network/subnet
Vnet-1/subnet1

DNS name
session1.eastus.cloudapp.azure.com

Health state
-

JSON View

Type here to search

31°C

10:00
16-06-2023



Apache2 Ubuntu Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```



Apache2 Ubuntu Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```

VM1-ip | Configuration ☆ ...

« Save Discard Refresh

- ## Settings

- Configuration
- Properties
- Locks

Monitoring

- Insights
- Alerts
- Metrics

IP address assignment
Static

IP address ⓘ
20.115.11.76

Idle timeout (minutes) ⓘ

4

DNS name label (optional) ⓘ

session1

.eastus.cloudapp.azure.com

 You can use the IP address as your 'A' DNS record or DNS label as your 'CNAME' record. [Learn more about adding a custom domain to this IP address](#)

Alias record sets

Create an alias record in Azure DNS. [Learn more](#)

- + Create alias record