CIM - Custodian Message Implementation Guide

Sea Cargo Manifest & Transshipment Regulations, 2018

Directorate General of Systems
and Data Management

Volume – 1.4

Leveraging Technology For Serving Taxpayers

Contents

1. Introduction: 4
1.1 Background: 4
1.2 Scope: 4
1.3 Stakeholders involved: 6
2. Message Guidelines: 6
2.1 Introduction 6
2.2 Submission of the File – ICEGATE: 6
2.3 Acknowledgement of the Declaration: 7
2.3.1 Structural Validation 7
2.3.1.1 Structural Validation File naming format: 7
2.3.1.2 Vocabulary for errors on Structural Validation failure: 7
2.3.1.3 Sample SFL Outbound Files : 8
2.3.2 Business Validation Acknowledgement: 9
2.3.2.1 Business Validation Acknowledgement File Format : 9
3. Process Flow - Sea Terminal Operator: 10
4. Manifest Master Object 10
4.1 JSON Objects: 10
4.2 Structure – Hierarchy: 11
4.3 Attribute Table – Common structure 12
4.3.1 Manifest Master: Declaration 12
4.3.2 Manifest Master: CIM 14
4.3.3 Manifest Master: Location 15
4.3.4 Manifest Master: Transport Means 17
4.3.5 Manifest Master: Events 18
4.3.6 Manifest Master: Cargo Container 20
4.3.7 Manifest Master: Cargo Details 24
4.3.8 Manifest Master: Supporting Document 27
4.3.9 Manifest Master: DigiSign 28
5. Object Attribute Table 29
6. JSON Schema and Samples 31
6.1 Inbound JSON Schema 31

6.2 Inbound JSON Samples 31
6.3 Outbound SFL JSON Schema 31
6.4 Outbound SFL JSON Samples 31
6.5 Outbound ACK JSON Schema 31
6.6 Outbound ACK JSON Samples 31
7. List of Values.....33
8. Error Code List.....36
9. Key Fields Table for Outbound File 38

Revision History

Version	Date	Owner	Comments
Custodian Message Implementation Guide V 0.1	10/08/2019	ICES	
Custodian Message Implementation Guide V 0.2	22/08/2019	ICES	
Custodian Message Implementation Guide V 0.3	30/09/2019	ICES	
Custodian Message Implementation Guide V 1	13/11/2019	ICES	Updated with : indication for list of values, camel case for each attribute of table
Custodian Message Implementation Guide V 1.1	29/11/2019	ICES	Updated with: Error Code List, Object Attributes Table
Custodian Message Implementation Guide V 1.2	09/12/2019	ICES	Updated with: Key Field Table for Outbound, Schema attribute name as per updated CSN JSON Schema
Custodian Message Implementation Guide V 1.3	17/01/2020	ICES	Updated with revised Inbound JSON Schema
Custodian Message Implementation Guide V 1.4	17/08/2020	ICES	Updated with revised Error Code List, JSON Schema & Sample and Field Table

Custodian Message Implementation Guide V 1.5	22/02/2024	ICES	Updated with revised field lengths

1. Introduction:

1.1 Background:

Central Board of Indirect Taxes and Custom (CBIC) vide notification No. 38/2018-Cus (NT)dated 11.05.2018 read with notification No. 65/2018-Cus (NT) dated 30.07.2018 and 88/2018-Cus(NT) dated 30.10.2018 notified Sea Cargo Manifest and Transshipment Regulations 2018.

This regulation supersedes the earlier regulations of Import Manifest (Vessels) Regulations, 1971, Export Manifest (Vessels) Regulation, 1976 and Transportation of Goods (Through Foreign Territory) Regulations of 1965. The new regulation stipulates changes in timelines and requirements for advance notice by shipping lines (vessels) arriving in India and Exports through shipping lines (vessels) out of India.

As per the new regulations, the Authorized Sea Carrier (ASC)/Authorized Sea Agent (ASA) shall submit an Arrival Manifest electronically, prior to departure from the last port of call to the Indian Port of call. And submit a Departure Manifest electronically before departure from the Indian Port of call.

The submission of Arrival and Departure Manifest shall have to be complied with by the ASC/ASA before departure from the last port/customs station of call to every Indian customs station and Departure then on respectively.

In addition, the responsibility is also entrusted with various stakeholders authorized under Handling of Cargo in Customs Inland Station. In case of Export, Stuffing or Stripping report generated after filing Shipping Bill by custodian at Export Departure and in case of Import, Stuffing or Stripping report generated by custodian at Import Departure.

1.2 Scope:

The Scope of this document is to provide list of messages involved in this carrying out above stated responsibility by Terminal operators and provide format, sample for such communication. The brief of messages are as follows:

CIM:	**Customs Inland Manifest**
CIM – SF:	Stuffing Report
CIM – ST:	Stripping Report
CIM – DT:	Departure Time Notification
CIM – AT:	Arrival Time Notification

CIM – CC: Customs to Custodian Notification

1.3 Stakeholders involved:

Following Stakeholders are involved in the implementation

1. Authorized Sea Carrier (Including Shipping line)
2. Inland Custom Station Operators
3. Terminal Operator
4. Custom Officers
5. Transhipper Custodian
6. Authorized Persons of all the above

2. Message Guidelines:

2.1 Introduction

This message guideline would help the users to prepare the declaration in the required format. The users can either utilize the data already available in the internal systems to generate this declaration in the required format by modifying their internal software systems or use an Excel/Json utility provided by CBIC/NIC in this regard. (The link for Java Utility is - http://ices.nic.in/ices/cim).

The following sections may be referred for the preparation of the file.

a) The structure and Hierarchy of the json object is available in Section – 4.2 of this document.
b) The attributes of the json objects for different messages is provided in Section - 5.
c) The Schema and Sample Json formats are available in Section - 6.
d) Certain data elements are coded for bringing uniformity in the processing. The List of values for those data elements are given in Section - 7.
e) The file submitted to the ICEGATE should be in following name format. For e.g

F_CUCHE01_ST_ICEGATEID_7031_20200110_DEC.json

(<messageType><msgID><reportingEvent><SenderID><jobID><date>_declaration)

The latest version is always available at the following link (https://www.icegate.gov.in/SeaManifestRegulation.html)

2.2 Submission of the File – ICEGATE:

The Declaration is to be submitted to Customs by User to ICEGATE either through:

- Web Upload or
- MFTP

An Excel-Utility/Json-Link will be provided to the end user at the Icegate website for generating JSON Inbound file for the simplicity of business.

The JSON file uploaded should be digitally signed as per the required format. (For more details, refer the following link: https://www.icegate.gov.in/digitalSign/digitalSign.html

2.3 Acknowledgement of the Declaration:

Any file sent to Icegate through proper channel would be responded through acknowledged mail with the response codes regarding acceptance or rejection of the declaration. If the file, sent by the user is non readable, a mail to that extent would be reverted back.
The List of Error Codes are available in Section -8 and key fields for Outbound File has described in Section – 9 of this document.

The Inbound message from the user undergoes two level of validations:

1. **Structural Validation**
2. **Data and Business Logic Validation**

2.3.1 Structural Validation

It is the 1st level validation which matches the schema of the inbound file with its objects and attributes with the prescribed structure of that message. In case of a mismatch, a structural validation failure (SFL) acknowledgment would be sent as a response to the User.

2.3.1.1 Structural Validation File naming format:

The file sent by the ICEGATE should be in following name format. For e.g

F_CUCHE01_SF_ICEGATEID_7031_20200110_SFL.json

(<messageType><msgID><reportingEvent><SenderID><jobID><date>_structural validation)

2.3.1.2 Vocabulary for errors on Structural Validation failure:

The most common errors found during structural validation and the Keywords in the SFL Outbound File are as follows :

- Data Type Mismatch (“maxLength “)
- Numeric Minimum Field Length Mismatch (“minLength”)
- String Maximum Field Length Mismatch (“required”)
- Object/Array Discrepancy Mismatch (“type”)
- Pattern Mismatch (“pattern”)
- Missing required Property/Object (“required”)

For additional details, following links may be referred. (Vocabulary for Structural validation is in section 6 of Link 1)

1. https://json-schema.org/draft/2019-09/json-schema-validation.html
2. https://json-schema.org/specification.html
3. https://json-schema.org/draft-06/json-schema-release-notes.html

It is the 1st level validation which arises when submitted file fails at Icegate end due to the error in matching the file against the structural schema validation.

2.3.1.3 Sample SFL Outbound Files :

Examples of the SFL outbound file have been given below:

SFL Example:

Sample A: (Schema Validation Failure)
NAK Response


```
{
"headerField": {
        "senderID": "ICEGATEID",
        "receiverID": "INNSA1",
        "versionNo": "1102",
        "indicator": "T",
        "messageID": "CUCHE01",
        "sequenceOrControlNumber": 7031,
        "date": "20200110",
        "time": "T14:50",
        "reportingEvent": "SF"
    },
"errorDetails":{
    "status": "Schema validation failure",
    "errorCode": "ERR100",
    "errorMessage":[{
    "level": "error",
    "schema": {
        "loadingURI": "#",
        "pointer": "/properties/master/properties/ transportMeans "
    },
    "instance": {
        "pointer": "/master/ "
    },
    "domain": "validation",
    "keyword": "maxLength",
    "message": "string \"Cffkdsahlfk\" is too long (length: 11, maximum allowed: 4)",
```

"value": "Cffkdsahlfk",
"found": 11,
"maxLength": 4
}]
}
}

Additional sample JSON files have been given under Section – 6 of this document

The inbound file would undergo Second level business validation will only after successful structural validation.

2.3.2 Business Validation Acknowledgement:

Once the file has been validated for its structural correctness, the Customs Systems would validate the data with its inbuilt directories and data tables. The list of Error Codes given in Section -8 of can serve as an indication on the kind of data validations the inbound files would undergo. *(Latest list of error codes can be accessed from Customs Duty Calculator page accessible through ICEGATE Website).* On Successful integration of the submitted JSON file with the Customs System, a positive ACK will be sent to the submitter with Event No., Date and/or MCIN/PCIN number. In case of error, a negative ACK file with error code and error description will be sent.

2.3.2.1 Business Validation Acknowledgement File Format :

The file sent by the ICEGATE should be in following name format. For e.g

F_CUCHE01_SF_ICEGATEID_7031_20200110_ACK.json

(<messageType><msgID><reportingEvent><SenderID><jobID><date>_Final Acknowledgment)

2.3.2.2 Sample ACK Files and Schema :

Sample ACK files and schema have been attached under Section - 6 for the benefit of the stakeholders.

3. Process Flow - Sea Terminal Operator:



4. Manifest Master Object

4.1 JSON Objects:

1. Manifest Declaration
2. Master CIM
3. Master Location
4. Master TM
5. Master Events
6. Cargo Container
7. Cargo Document
8. Supporting Document
9. DigiSign

4.2 Structure – Hierarchy:



4.3 Attribute Table – Common structure

4.3.1 Manifest Master: Declaration

Object	Attribute Name	Data Type	Remarks	Pattern & Description
Declaration ("declaration") Required-true 1..1	Message Type ("messageType")	CHAR (1)	The Flag specifying the action requested on this transmission LOV: F - Fresh A - Amendment	Desc: Default Value - F
	Port of Reporting ("portOfReporting")	VARCHAR2 (6)	The Custom Location of Reporting	Pattern: ([I][N])([A-Z]|[0-9]){8}$
	Job No. (“jobNo”)	NUMBER (7)	The Unique ID provided by User for this transmission	
	Job Date (“jobDate”)	DATE	Date of generation of unique id provided by user for this transmission	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])$ Desc: YYYYMMDD
	Reporting Event	CHAR (4)	The Code specifying	

Object	Attribute Name	Data Type	Remarks	Pattern & Description
	("reportingEvent")		the Reporting Event pertaining to this transmission LOV: SF - Stuffing Report ST - Stripping Report AT - Arrival Time DT - Departure Time CC - Communication to Custodian	

4.3.2 Manifest Master: CIM

Object	Attribute Name	Data Type	Remarks	Pattern & Description
CIM Required-true 0…1	CIM No. ("CIMNumber")	NUMBER (12)	The unique id generated by Custom for this compliance	
	CIM Date ("CIMDate")	DATE	The date unique id generated by Custom for this compliance	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])$ Desc: YYYYMMDD

4.3.3 Manifest Master: Location

Object	Attribute Name	Data Type	Remarks	Pattern & Description
Location ("location ") Required-True 1..1	Reporting Party Type (reportingPartyType)	CHAR (7)	LOV: EXP – Exporter, C – Custodian, T – Terminal Operators	
	Reporting party Code (reportingPartyCode)	VARCHAR2 (15)	Custom Identification No.	Pattern: ^[a-zA-Z0-9]{10}$ Desc: 03 digit alphanumeric, like – CON, ADN
	Reference Movement Type ("reference Movement Type")	VARCHAR2 (2)	e-waybill / other movement	Pattern: ^[0-9]{12}$ Desc: EWAY Bill Flag
	Reference Movement No. ("reference Movement Number")	VARCHAR2 (35)	e-waybill no. / Movement No.	Desc: EWAY Bill Number -12 digit numeric, if EW
	Reference Movement Date ("reference Movement Date")	DATE	e-waybill date / Movement date	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])$ Desc: YYYYMMDD

Object	Attribute Name	Data Type	Remarks	Pattern & Description
	Bond No. (bondNumber)	VARCHAR2 (10)	Bond Number	
	Reporting Location Code (reportingLocationCode)	VARCHAR2 (15)	Custodian Code	Pattern: ^([a-zA-Z]|[0-9]){10}([0-9]{3})$ Desc: 10 digit alphanumeric
	Reporting Location Name (reportingLocationName)	VARCHAR2 (35)	Where stuffing took place	Desc: Branch Location
	Next Destination of Unlading (nextDestinationOfUnlading)	VARCHAR2 (10)	Custodian Code of next site	Pattern: ([I][N])([A-Z]|[0-9]){8}$ Desc: Destination Custodian Code 10 digit alphanumeric
	Authorized Person PAN (authorizedPersonPAN)	VARCHAR2 (10)	PAN No. of Authorized Person	Pattern: ^([a-zA-Z]){5}([0-9]){4}([a-zA-Z]){1}$

4.3.4 Manifest Master: Transport Means

Object	Attribute Name	Data Type	Remarks	Pattern /Description
Transport Means Required – True 0…1	Transport Means Type ("transportMeansType")	CHAR (1)	Means of transport for this transmission LOV: 1 – Sea, 2 – Rail, 3 – Truck, 4 - Air	Pattern: ^[a-zA-Z0-9]{1}$
	Transport Means No. ("transportMeansNumber")	VARCHAR2 (12)	Identification No. of train / license plate no. of truck	Desc: Truck or Trailer number | Rail number
	Transport Means eID Type ("transportMeanseIDType")	VARCHAR2 (4)	Fastag or any other type	
	Transport Means eID ("transportMeanseID")	VARCHAR2 (16)	Fastag No.	Desc: RFID Tag number of vehicle
	Total Equipment's ("totalEquipments")	NUMBER (4)	Total no. of transport equipment's	

4.3.5 Manifest Master: Events

Object	Attribute Name	Data Type	Description /Remarks	Sample
Events (“**events**”) Required – True 1…1	Expected Time of Departure (“expectedTimeOfDeparture”)	TIMESTAMP	Date and Time of event	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])[T]([0-1][0-9]|[2][0-3]):([0-5][0-9])$
	Actual Time of Departure (“actualTimeOfDeparture”)	TIMESTAMP	Date and Time of event	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])[T]([0-1][0-9]|[2][0-3]):([0-5][0-9])$
	Expected Time of Arrival (expecteTimeOfArrival)	TIMESTAMP	Date and Time of event	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])[T]([0-1][0-9]|[2][0-

Object	Attribute Name	Data Type	Description /Remarks	Sample
				3]):([0-5][0-9])$
	Actual Time of Arrival (actualTimeOfArrival)	TIMESTAMP	Date and Time of event	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])[T]([0-1][0-9]|[2][0-3]):([0-5][0-9])$

4.3.6 Manifest Master: Cargo Container

Object	Attribute Name	Data Type	Remarks	Pattern & Description
Cargo Container ("cargoContainer") Required – True 1…n	Message Type (“msgTyp”)	CHAR (1)	The Flag specifying the action requested on this transmission LOV: F - Fresh A - Amendment	Desc: Default Value - F
	Equipment Sequence No. ("equipmentSequenceNo")	NUMBER (5)	The Serial number of Equipment referenced in the Transport Document. Starting with 1	
	Equipment ID ("equipmentID")	VARCHAR2 (17)	Identification of container or truck no. in case of bonded truck Marks (letters and/or numbers) which identify equipment e.g. unit load device, Container	
	Equipment type	VARCHAR2 (3)	The Code specifying the	Pattern:

Object	Attribute Name	Data Type	Remarks	Pattern & Description
	("equipmentType")		type of the Equipment used for Transport LOV: CN - Container B - Bonded truck W – Wagon CH – Chassis DPL – Onboard Equipment, TE - Trailer	Pattern : ^[C][N]$\|^[B]$|^[W]$\|^[T][E]$|^[D][P][L]$\|^[C][H]$|^[B][L]$\|^[B][B]$
	Equipment Size ("equipmentSize")	VARCHAR2 (4)	ISO code of container type	Pattern : ^[a-zA-Z0-9]$ Desc: 4 digit alphanumeric
	Equipment Load Status ("equipmentLoadStatus")	CHAR (3)	Code specifying how full piece of transport is. LOV: FCL - Full, LCL - Partial, EMP - Empty	pattern : ^[A-Z]$ Desc: FCL, LCL, EMP
	Additional Equipment Hold ("additionalEquipmentHold")	VARCHAR2 (256)	Wagon No., Trailer No, coded The Identifier for Additional Equipment	Desc: Wagon number incase of Rail

Object	Attribute Name	Data Type	Remarks	Pattern & Description
			used for Hold e.g Tray etc.	
	Final Destination Location (“finalDestinationLocation”)	VARCHAR2 (10)	Port Code of gateway port	Pattern : ([I][N])([A-Z]|[0-9]){8}$ Desc: 10 digit alphanumeric
	Event Date (eventDate)	Date	Date and Time of event when cargo is being transported	Pattern : ^ [0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])$ Desc: Sealing Date
	Equipment seal Type ("equipmentSealType")	CHAR (5)	Eseal / other type: LOV: E-Seal – ESEAL, Bottle Seal - BTSL, Other Seal - OTH	Pattern : ^[A-Z]$
	Equipment Seal No.	CHAR (15)	No. of Equipment Seal	Pattern : "^[a-zA-Z0-9]$

Object	Attribute Name	Data Type	Remarks	Pattern & Description
	("equipmentSealNumber")			Desc: a alphanumeric
	Other Equipment ID ("otherEquipmentID”)	VARCHAR2 (256)	RFID tag or other Reference	
	Equipment Status (equipmentStatus”)	CHAR (3)	The Status of the Transport Equipment Damaged Intact Short landed Delay etc	Pattern : [a-zA-Z0-9] Desc: value= 127
	Equipment Pkg (equipmentPkg)	VARCHAR22)	Container BULK	
	Equipment Quantity (equipmentQuantity)	NUMBER (16)	No. of container/pkg	
	Equipment UQC (equipmentUQC)	CHAR (3)	UQC Code PKG - Package KGS - Kilograms	

4.3.7 Manifest Master: Cargo Details

Object	Attribute Name	Data Type	Remarks	Pattern & Description
Cargo Details ("cargoDetails") Required – True 1…n	Message Type ("messageType")	CHAR (1)	The Flag specifying the action requested on this transmission F - Fresh A - Amendment	Desc: Default value - F
	Cargo Sequence No. (cargoSequenceNo)	NUMBER (4)	The serial No. indicating the cargo items carried I transport document	
	Document Type (documentType)	VARCHAR2 (4)	Identity the type of document LOV: PCIN - Primary Cargo Identification No. MCIN - Master Cargo Identification No.	Pattern: "^[S][B]$\|^[E][B][E]$|^[E][S][B]$\|^[Z][S][B]$|^[M][S][B]$\|^[M][B][E]$|^[Z][B][E]$\|^[M][C][I][N]$|^[P][C][I][N]$" Desc: like SB
	Document Site (documentSite)	VARCHAR2 (6)	Indian port code where document issued	Pattern: "([I][N])([A-Z]|[0-9]){4}$

Object	Attribute Name	Data Type	Remarks	Pattern & Descripti on
	Document No. (documen tNo)	NUMBER (7)	Identification No. of document such as: BE No., SB No., MCIN No., PCIN No.	
	Document Date (documen tDate)	DATE	Date of document	Pattern: ^[0-9]{4}(0[1-9]|1[0-2])(0[1-9]|[1-2][0-9]|3[0-1])$
	Shipment Load Status (“shipmen t LoadStatu s”)	CHAR (3)	To indicate if all cargo pertaining to this SB is in this container (F-Full) or if it is loaded in multiple containers (P-Partial) LOV: F-Full, P-Partial	Pattern: ^[P]$\|^[F]$ Desc: Value = P or F
	Package Type (packageT ype)	VARCHAR2 (2)	LOV: P - Package LB - Liquid Bulk DB - Dry Bulk	Pattern: ^[P]$\|^[L][B]$|^[D][B]$
	Quantity (quantity)	NUMBER (16)	No. of Packages	
	Packets From (packetsFr om)	NUMBER (6)	Starting no. of quantity in the container	
	Packets To (packetsT o)	NUMBER (6)	Ending no of quantity in	

Object	Attribute Name	Data Type	Remarks	Pattern & Descripti on
			the container	
	Pack UQC (packUQC)	CHAR (3)	UQC of quantity LOV: PKG - package KGS - kilograms	
	MCIN / PCIN (“mcinPci n”)	VARCHAR2 (20)	The unique Identifier issued by Customs for Transport Contract issued by Main line operator- Master Cargo Identification Number	

4.3.8 Manifest Master: Supporting Document

Object	Attribute Name	Data Type	Remarks	Pattern & Description
Supporting Document ("supportingDocuments") Required – True 0…n	Message Type ("messageType")	CHAR (1)	The Flag specifying the action requested on this transmission. LOV: F - Fresh, A - Amendment	Desc: Default value - F
	Equipment Serial No. ("equipmentSerialNumber")	NUMBER (5)		
	Document Serial no. ("documentSerialNumber")	NUMBER (4)	Serial No. of document	
	Icegate User ID ("icegateUserID")	CHAR (15)	Icegate ID of user who uploaded the supporting documents	
	IRN No. ("IRNNumber")	NUMBER (14)	The unique reference no given by eSanchit on uploading of document	
	Document Reference No. ("documentReferenceNumber")	VARCHAR (17)	The unique reference no. given by issue to this document.	

Object	Attribute Name	Data Type	Remarks	Pattern & Description
			Eg. Aadhaar No.	
	Document Type Code ("documentTypeCode")	CHAR (6)	The identifier assigned by Custom to identify the type of document	
	Beneficiary Code ("beneficiaryCode")	CHAR (35)	The identifier of beneficiary of this document Eg. IEC, Custodian Code etc.	

4.3.9 Manifest Master: DigiSign

Object	Attribute Name	Data Type	Remarks	Pattern & Description
Digi Sign ("digSign") Required – True 1…1	Signature ("startSignature")	VARCHAR2	Start Signature	
	Certificate ("startCertificate")	VARCHAR2	Start Certificate	
	Version ("signerVersion")	VARCHAR2	Signer Version	

5. Object Attribute Table

Object	Attribute Name	CIM-SF	CIM-ST	CIM-DT	CIM-AT	CIM-CC
Declaration		M	M	M	M	M
	Message Type	M (F)	M (F)	M (F)	M (F)	M (F)
	Port of Reporting	M	M	M	M	M
	Job No.	M	M	X	X	X
	Job Date	M	M	X	X	X
	Reporting Event	M (SF)	M (ST)	M (DT)	M (AT)	M (CC)
CIM		X	X	M	M	M
	CIM No.			M	M	M
	CIM Date			M	M	M
Location		M	M	M	M	M
	Reporting Party Type	M (C)	M (C)	M (C)	M (C)	M (C)
	Reporting party Code	M (Custodian Code)	M (Custodian Code)	M	M	M
	Reference Movement Type	X	X	O	O	O
	Reference Movement No.	X	X	O	O	O
	Reference Movement Date	X	X	O	O	O
	Bond No.	X	X	X	X	M
	Reporting Location Code	M	M	M	M	M
	Reporting Location Name	M	M	O	O	X
	Next Destination of Unlading	X	X	M	M	M
	Authorized Person PAN	M	M	M	M	M
Transport Means		X	X	M	M	M
	Transport Means Type			M	M	M
	Transport Means No.			M	M	M
	Transport Means eID Type			O	O	O
	Transport Means eID			O	O	O
	Total Equipment's			M	M	M
Events		X	X	M	M	M
	Expected Time of Departure			X	X	O
	Actual Time of Departure			M	X	O
	Expected Time of Arrival			X	X	O
	Actual Time of Arrival			X	M	O
Cargo Container		M	M	M	M	M
	Message Type	M (F)	M (F)	M (F)	M (F)	M (F)
	Equipment Sequence No.	M	M	M	M	M
	Container ID	M	M	M	M	M

Object	Attribute Name	CIM-SF	CIM-ST	CIM-DT	CIM-AT	CIM-CC
	Equipment type	M	M	M	M	M
	Equipment Size	M	M	M	M	M
	Equipment Load Status	M	M	X	X	M
	Additional Equipment Hold	O	O	X	X	O
	Final Destination Location	M	M	X	X	O
	Event Date	M	M	X	X	O
	Equipment seal Type	M	M	X	X	O
	Equipment Seal No.	M	M	X	X	O
	Other Equipment ID	O	O	X	X	O
	Equipment Status	M	M	X	X	M
	Equipment Pkg	O	O	X	X	O
	Equipment Quantity	M	M	X	X	O
	Equipment UQC	O	O	X	X	O
Cargo Details		M	M	X	X	X
	Message Type	M (F)	M (F)			
	Cargo Sequence No.	M	M			
	Document Type	M	M			
	Document Site	M	M			
	Document No.	O	O			
	Document Date	O	O			
	Shipment Load Status	M	M			
	Package Type	M	M			
	Quantity	O	O			
	Packets From	O	O			
	Packets To	O	O			
	Pack UQC	M	M			
	MCIN / PCIN	M	M			
Supporting Document		O	O	O	O	O
	Message Type	M (F)	M (F)	O (F)	O (F)	O (F)
	Equipment Serial No.	M	M	M	M	M
	Document Serial no.	M	M	M	M	M
	Icegate User ID	M	M	M	M	M
	IRN No.	M	M	M	M	M
	Document Reference No.	M	M	M	M	M
	Document Type Code	M	M	M	M	M
	Beneficiary Code	O	O	O	O	O

6. JSON Schema and Samples

6.1 Inbound JSON Schema

SF ST_Schema.json

AT_Schema_v0.2.jso
n

DT_Schema_v0.2.jso
n

6.2 Inbound JSON Samples

F_CUCHE01_SF_NIC
TEST_7012_20200702

F_CUCHE01_SF_NIC
TEST_7013_20200702

F_CUCHE01_AT_ICE
GATEID_8100_20200

F_CUCHE01_DT_ICE
GATEID_3_20200218

6.3 Outbound SFL JSON Schema

CUCHE01_SFL_Sche
ma.json

6.4 Outbound SFL JSON Samples

F_CUCHE01_SF_ICE
GATEID_7017_20200

6.5 Outbound ACK JSON Schema

AT_DT_Ack_Schema.
json

SF_ST_Ack_Schema.j
son

6.6 Outbound ACK JSON Samples


F_CUCHE01_SF_NIC
TEST_7012_20200702
F_CUCHE01_SF_NIC
TEST_7013_20200702

7. List of Values

Object Name	Description	Code
Message Type	Fresh	F
	Amendment	A
Indicator	Production	P
	Test	T
Reporting Event	Stuffing Report	SF
	Stripping Report	ST
	Arrival Time	AT
	Departure Time	DT
	Communication to Custodian	CC
Reporting Party Type	Exporter	EXP
	Custodian	C
	Terminal Operators	T
Transport Means Type	Sea	1
	Rail	2
	Truck	3
	Air	4
Equipment type	Container	C
	Bonded truck	B
	wagon	W
Package Type	Packaged	P
	Liquid Bulk	LB
	Dry Bulk	DB
Equipment Load Status	Partial	LCL
	Empty	EMP
	Full	FCL
Equipment Seal Type	E-Seal	ESEAL
	Bottle Seal	BTSL
	Other Seal	OTH
Equipment QUC	Package	PKG
	Kilograms	KGS
Document Type	Entry Bill	EBE – EDI BE, ZBE – SEZ BE, MBE – Manual BE
	Shipping Bill	ESB - EDI SB, ZSB - SEZ SB, MSB – Manual SB
	Primary Cargo Identification No.	PCIN

Object Name	Description	Code
	Master Cargo Identification No.	MCIN
Shipment Load Status	Full	F
	Partial	P

Code List: **Equipment Status and Equipment Type**

Code_Type	Code	Code Name
Equ_Status	001	Arrival, completed
Equ_Status	3	Arrival, in defective condition
Equ_Status	15	Consolidated
Equ_Status	16	Crossed border
Equ_Status	18	Damaged in the course of transportation
Equ_Status	35	Forwarded to destination
Equ_Status	208	Seals, replaced
Equ_Status	218	Damaged
Equ_Status	238	Means of transport, damaged
Equ_Status	309	Packaging/equipment opened
Equ_Status	335	Seals, damaged
Equ_Status	336	Seals, broken
Equ_Status	337	Seals, tampered
Equ_Status	127	Departed, completed on a means of transport
Equ_Status	94	Stuffed and sealed
Equ_Status	71	Ready for transportation
EQU_Type	BB	Breakbulk
EQU_Type	BL	Blocks
EQU_Type	CH	Chassis
EQU_Type	CN	Container
EQU_Type	DPL	Onboard Equipment
EQU_Type	TE	Trailer
EQU_Type	B	Bonded truck
EQU_Type	W	wagon

8. Error Code List

Error Code	Description (Message Level)
M 01	Duplicate record in master table
CCM 02	Duplicate record in Container
CDM 03	Duplicate record in cargo
SDM 04	Duplicate record in Supporting Document
M 05	Master record Is missing

Error Code	Description (Business level)
HFB02	Invalid Reporting event Valid values are (SF,ST,AT,DT)
LCB03	Party type Should be 'C'- Custodian
LCB04	Custodian Commercial Code is invalid
CDB04	Mandatory mcin/pcin is missing
CDB05	PCIN is not valid
CDB06	Shipping Bill is not ready for 'Stuffing'
CDB07	Stripping message is not received for cargo
CDB08	Number of packages are more than declared in SB
CDB09	Cargo is not available at reporting site for stuffing
CDB10	Invalid package range
CDB11	Package is already stuffed
LCB12	Party Type is not valid
LCB13	Party Code is not valid
LCB14	Authorized Person PAN is not valid
CCB15	Only one container is allowed per stuffing message
CDB15	Package numbers are not correct
CCB16	Container is already stuffed
CDB18	Shipment Type is not valid
CCB17	Equipment serial number is already exists for CIN
CDB19	Shipment Type is not valid for all records for PCIN
CDB20	SB Location and SF Location does not tally

HF – Header Field Object, LC - Location Object, DC – Declaration Object, CD – Cargo Details Object, CC – Cargo Container Object, SD – Supporting Documents Object

9. Key Fields Table for Outbound File

Object	Attribute Name	Key Field (SF, ST)	Key Field (AT, DT)	CIM-CC
Declaration		M	M	M
	Message Type	M	M	M
	Port of Reporting	M	M	M
	Job No.	M	X	X
	Job Date	M	X	X
	Reporting Event	M	M	M
CIM		X	M	M
	CIM No.		M	M
	CIM Date		M	M
Location		M	M	M
	Reporting Party Type	M	M	M
	Reporting party Code	M	M	M
	Reference Movement Type	X	X	X
	Reference Movement No.	X	X	X
	Reference Movement Date	X	X	X
	Bond No.	X	X	X
	Reporting Location Code	X	X	X
	Reporting Location Name	X	X	X
	Next Destination of Unlading	X	X	X
	Authorized Person PAN	X	X	X
	Error Code	M	M	M
Transport Means		X	M	M
	Transport Means Type		M	M
	Transport Means No.		M	M
	Transport Means eID Type		X	X
	Transport Means eID		X	X

Object	Attribute Name	Key Field (SF, ST)	Key Field (AT, DT)	CIM-CC
	Total Equipment's		X	X
	Error Code		M	M
Events		X	M	M
	Expected Time of Departure		X	X
	Actual Time of Departure		X	X
	Expected Time of Arrival		X	X
	Actual Time of Arrival		X	X
	Error Code		M	M
Cargo Container		M	M	M
	Message Type	M	M	M
	Equipment Sequence No.	M	M	M
	Container ID	M	M	M
	Equipment type	X	X	X
	Equipment Size	X	X	X
	Equipment Load Status	X	X	X
	Additional Equipment Hold	X	X	X
	Final Destination Location	X	X	X
	Event Date	X	X	X
	Equipment seal Type	X	X	X
	Equipment Seal No.	X	X	X
	Other Equipment ID	X	X	X
	Equipment Status	X	X	X
	Equipment Pkg	X	X	X
	Equipment Quantity	X	X	X
	Equipment QUC	X	X	X
	Error Code			
Cargo Details		M	X	X
	Message Type	M		
	Cargo Sequence No.	M		

Object	Attribute Name	Key Field (SF, ST)	Key Field (AT, DT)	CIM-CC
	Document Type	X		
	Document Site	X		
	Document No.	X		
	Document Date	X		
	Shipment Load Status	X		
	Package Type	X		
	Quantity	X		
	Packets From	X		
	Packets To	X		
	Pack UQC	X		
	MCIN / PCIN	X		
	Error Code	M		
Supporting Document		O	O	O
	Message Type	M	M	M
	Equipment Serial No.	M	M	M
	Document Serial no.	M	M	M
	Icegate User ID	X	X	X
	IRN No.	X	X	X
	Document Reference No.	X	X	X
	Document Type Code	X	X	X
	Beneficiary Code	X	X	X
	Error code	M	M	M