

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Information

Schema: dsp

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

SQLAdditions

97 • select * from employee;

98 • SELECT EMP_NAME,EMP_ID, DEPT_ID FROM EMP CROSS JOIN DPT;

99 • select emp.emp_id, dpt.dept_id from emp

100 right join dpt on emp.d_id = dpt.dept_id

101 UNION

102 select emp.emp_id, dpt.dept_id from emp

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	emp_id	emp_name	emp_address	emp_phone	emp_dep_id	emp_designation	emp_monthly_salary
▶	Emp1	Maya	Chandigarh	9876543210	Dept01	Analyst	500000
	Emp1	Maya	Chandigarh	9876543210	Dept01	Analyst	500000
	Emp2	Ana	London	8765432109	Dept02	Clark	5000
	Emp3	Adil	Bangalore	7654321098	Dept01	Director	750000
	Emp4	Maria	Bangalore	6543210987	Dept02	Junior Analyst	100000
	Emp5	Jessica	New York	5432109876	Dept03	Manager	75000

depT2

DEPT3

emp 4

emp 5

EMP 6

EMP 7 x

DEPT 8

emp 9

emp 10

dpt 11

manager 12

projects 13

Res Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 50	11:52:55	insert into projects values (P1, 'Data Migration', 'E1')	1 row(s) affected	0.016 sec
✓ 51	11:52:55	insert into projects values (P1, 'Data Migration', 'E2')	1 row(s) affected	0.015 sec
✓ 52	11:52:55	insert into projects values (P1, 'Data Migration', 'M3')	1 row(s) affected	0.000 sec
✓ 53	11:52:55	insert into projects values (P2, 'ETL Tool', 'E1')	1 row(s) affected	0.016 sec
✓ 54	11:52:55	insert into projects values (P2, 'ETL Tool', 'M4')	1 row(s) affected	0.015 sec
✓ 55	11:52:55	select from projects LIMIT 0, 10000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Information

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

SQLAdditions

Jump to

97 • select * from employee;

98 • SELECT EMP_NAME,EMP_ID, DEPT_ID FROM EMP CROSS JOIN DPT;

99 • select emp.emp_id, dpt.dept_id from emp

100 right join dpt on emp.d_id = dpt.dept_id

101 UNION

102 select emp.emp_id, dpt.dept_id from emp

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	manager_id	manager_name	dept_id
▶	M1	Priyam	D3
	M2	Shreya	D4
	M3	Nick	D1
	M4	Cory	D1

Schema: dsp

depT2

DEPT3

emp 4

emp 5

EMP 6

EMP 7

DEPT 8

emp 9

emp 10

dpt 11

manager 12 x

projects 13

Res Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 50	11:52:55	insert into projects values (P1, 'Data Migration', 'E1')	1 row(s) affected	0.016 sec
✓ 51	11:52:55	insert into projects values (P1, 'Data Migration', 'E2')	1 row(s) affected	0.015 sec
✓ 52	11:52:55	insert into projects values (P1, 'Data Migration', 'M3')	1 row(s) affected	0.000 sec
✓ 53	11:52:55	insert into projects values (P2, 'ETL Tool', 'E1')	1 row(s) affected	0.016 sec
✓ 54	11:52:55	insert into projects values (P2, 'ETL Tool', 'M4')	1 row(s) affected	0.015 sec
✓ 55	11:52:55	select from projects LIMIT 0, 10000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Information

Schema: dsp

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

SQLAdditions

Jump to

137 • SELECT * FROM DEPT WHERE DEPT_NAME= 'SALES';

138 • SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES';

139 • SELECT * FROM EMP WHERE EMP_DEPT_ID = 'D4';

140 #REPLACE 'D4' WITH THIS ENTIRE QUERY

141 • SELECT * FROM EMP WHERE EMP_DEPT_ID = (SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES');

142 # INNER QUERY GETS EXECUTE FIRST, ITS RESLUT GETS EXECUTED WITH OUTER QUERY

Result Grid

Filter Rows:

Exports

Wrap Cell Content:

	Field	Type	Null	Key	Default	Extra
▶	emp_id	char(5)	YES		NULL	
	emp_name	varchar(30)	YES		NULL	
	emp_phone	varchar(10)	YES		NULL	
	emp_dept_id	varchar(20)	YES		NULL	
	emp_designation	varchar(30)	YES		NULL	
	emp_monthlysalary	varchar(10)	YES		NULL	
	MANAGER_ID	char(10)	YES		NULL	

Result 21 x Result 22 emp 23 dept 24 DEPT 25 DEPT 26 EMP 27

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 75	12:07:03	select * from dept LIMIT 0, 10000	24 row(s) returned	0.000 sec / 0.000 sec
✓ 76	12:07:03	SELECT * FROM DEPT WHERE DEPT_NAME= 'SALES' LIMIT 0, 10000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 77	12:07:03	SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES' LIMIT 0, 10000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 78	12:07:03	SELECT * FROM EMP WHERE EMP_DEPT_ID = 'D4' LIMIT 0, 10000	4 row(s) returned	0.015 sec / 0.000 sec
✓ 79	12:07:03	SELECT * FROM EMP WHERE EMP_DEPT_ID = (SELECT DEPT_ID FROM DEPT WHE...	OK	0.000 sec

Object Info Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Information

Schema: dsp

Query 1 lab file* SQL SCRIPT Search

Limit to 10000 rows

137 • SELECT * FROM DEPT WHERE DEPT_NAME= 'SALES';

138 • SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES';

139 • SELECT * FROM EMP WHERE EMP_DEPT_ID = 'D4';

140 #REPLACE 'D4' WITH THIS ENTIRE QUERY

141 • SELECT * FROM EMP WHERE EMP_DEPT_ID = (SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES');

142 # INNER QUERY GETS EXECUTE FIRST, ITS RESLUT GETS EXECUTED WITH OUTER QUERY

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

DEPT_ID

D4

D4

D4

D4

D4

D4

Result 21 Result 22 emp 23 dept 24 DEPT 25 DEPT 26 x EMP 27

Read Only Context Help Snippets

Output

Action Output

	Time	Action	Message	Duration / Fetch
✖	68 12:07:02	create table emp(emp_id char(5), emp_name varchar(30), emp_phone varchar(10), emp_de...	Error Code: 1050. Table 'emp' already exists	0.000 sec
✔	69 12:07:02	describe emp	7 row(s) returned	0.016 sec / 0.000 sec
✖	70 12:07:02	create table dept(dept_id char(10), dept_name varchar(30), dept_location varchar(30))	Error Code: 1050. Table 'dept' already exists	0.000 sec
✔	71 12:07:02	describe dept	3 row(s) returned	0.032 sec / 0.000 sec
✔	72 12:07:02	insert into emp (emp_id, emp_name, emp_phone, emp_dept_id, emp_designation, emp_mont...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0	0.032 sec
✔	73 12:07:02	select * from emp LIMIT 0, 10000	49 row(s) returned	0.015 sec / 0.000 sec
✔	74 12:07:02	insert into dept (dept_id, dept_name, dept_location) values ('D4','Finance','New York', 'D4'	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

Query Completed

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

137

•

SELECT * FROM DEPT WHERE DEPT_NAME= 'SALES';

138

•

SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES';

139

•

SELECT * FROM EMP WHERE EMP_DEPT_ID = 'D4';

140

#REPLACE 'D4' WITH THIS ENTIRE QUERY

141

•

SELECT * FROM EMP WHERE EMP_DEPT_ID = (SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES');

142

INNER QUERY GETS EXECUTE FIRST, ITS RESLUT GETS EXECUTED WITH OUTER QUERY

Result Grid

Filter Rows:

Exports

Wrap Cell Content:

	Field	Type	Null	Key	Default	Extra
▶	dept_id	char(10)	YES		NULL	
	dept_name	varchar(30)	YES		NULL	
	dept_location	varchar(30)	YES		NULL	

Schema: dsp

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 21

Result 22 x

emp 23

dept 24

DEPT 25

DEPT 26

EMP 27

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 75	12:07:03	select * from dept LIMIT 0, 10000	24 row(s) returned	0.000 sec / 0.000 sec
✓ 76	12:07:03	SELECT * FROM DEPT WHERE DEPT_NAME= 'SALES' LIMIT 0, 10000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 77	12:07:03	SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES' LIMIT 0, 10000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 78	12:07:03	SELECT * FROM EMP WHERE EMP_DEPT_ID = 'D4' LIMIT 0, 10000	4 row(s) returned	0.015 sec / 0.000 sec
✓ 79	12:07:03	SELECT * FROM EMP WHERE EMP_DEPT_ID = (SELECT DEPT_ID FROM DEPT WHE...	OK	0.000 sec

Object Info Session

Query Completed

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

discount_values

revenue

together

transition

Stored Procedures

Functions

Tables

Views

Stored Procedures

Functions

Administration Schemas

Query 1

lab file

SQL SCRIPT

Search

Limit to 10000 rows

SQL Additions

Jump to

137

SELECT * FROM DEPT WHERE DEPT_NAME= 'SALES';

138

SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES';

139

SELECT * FROM EMP WHERE EMP_DEPT_ID = 'D4';

140

#REPLACE 'D4' WITH THIS ENTIRE QUERY

141

SELECT * FROM EMP WHERE EMP_DEPT_ID = (SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES');

142

SELECT * FROM EMP WHERE EMP_DEPT_ID = (SELECT DEPT_ID FROM DEPT WHERE DEPT_NAME = 'SALES');

Result Grid

Filter Rows

Export

Wrap Cell Contents

Dept_id	Dept_name	Dept_location
D1	Finance	New Delhi
D2	Management	Bangalore
D3	Analytics	Bangalore
D4	Sales	Chennai
D5	Finance	New Delhi
D6	Management	Bangalore
D7	Analytics	Bangalore
D8	Sales	Chennai

Result 21

Result 22

emp 23

dept 24

DEPT 25

DEPT 26

EMP 27

Read Only

Context Help

Snippets

Action Output

Time

Action

Message

Duration / Fetch

68

12:07:02

create table emp(emp_id char(5), emp_name varchar(30), emp_phone varchar(10), emp_de...

Error Code: 1050. Table 'emp' already exists

0.000 sec

69

12:07:02

describe emp

7 row(s) returned

0.016 sec / 0.000 sec

70

12:07:02

create table dept(dept_id char(10), dept_name varchar(30), dept_location varchar(30))

Error Code: 1050. Table 'dept' already exists

0.000 sec

71

12:07:02

describe dept

3 row(s) returned

0.032 sec / 0.000 sec

72

12:07:02

insert into emp (emp_id, emp_name, emp_phone, emp_dept_id, emp_designation, emp_mor...

7 row(s) affected Records: 7 Duplicate(s): 0 Warnings: 0

0.032 sec

73

12:07:02

create table dept(dept_id char(10), dept_name varchar(30), dept_location varchar(30))

Error Code: 1050. Table 'dept' already exists

0.000 sec

74

12:07:02

select * from emp emp1, dept dept1

7 row(s) returned

0.016 sec / 0.000 sec

75

12:07:02

insert into dept (dept_id, dept_name, dept_location) values ('D1','Finance','New Delhi'), ('D2',...

4 row(s) affected Records: 4 Duplicate(s): 0 Warnings: 0

0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar icon manually get help for the current context. Click on the icon to toggle automatic help.

Administration Schemas

◀ ▶ | I? I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.




Read Only Context Help Snippets

 **Action Output**

#	Time	Action	Message	Duration / Fetch
68	12:07:02	create table emp(emp_id char(5), emp_name varchar(30), emp_phone varchar(10), emp_de...	Error Code: 1050. Table 'emp' already exists	0.000 sec
69	12:07:02	describe emp	7 row(s) returned	0.016 sec / 0.000 sec
70	12:07:02	create table dept(dept_id char(10), dept_name varchar(30), dept_location varchar(30))	Error Code: 1050. Table 'dept' already exists	0.000 sec
71	12:07:02	describe dept	3 row(s) returned	0.032 sec / 0.000 sec
72	12:07:02	insert into emp (emp_id, emp_name, emp_phone, emp_dept_id, emp_designation, emp_moni...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0	0.032 sec
73	12:07:02	select * from emp LIMIT 0, 10000	49 row(s) returned	0.015 sec / 0.000 sec
74	12:07:02	insert into dept(dept_id, dept_name, dept_location) values ('01', 'Research', 'New Delhi'), ('02', '...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec

Query Completed

```
97 • select * from employee;
98 • SELECT EMP_NAME,EMP_ID, DEPT_ID FROM EMP CROSS JOIN DPT;
99 • select emp.emp_id, dpt.dept_id from emp
100 right join dpt on emp.d_id = dpt.dept_id
101 UNION
102 select emp.emp_id, dpt.dept_id from emp
```

Result Grid   Filter Rows:  Export:  Wrap Cell Content: 

	emp_id	emp_name	salary	d_id	manager_id
E1	Rahul	15000	D1	M1	
E2	Manoj	15000	D1	M1	
E3	James	55000	D2	M2	
E4	Michael	25000	D2	M2	
E5	Ali	20000	D10	M3	
E6	Robin	35000	D10	M3	

dept2 DEPT3 emp 4 emp 5 EMP 6 EMP 7 DEPT 8 emp 9 emp 10 x dpt 11 manager 12 projects 13 Res Read Only Context Help Snippets

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
50	11:52:55	insert into projects values (P1', 'Data Migration', 'E1)	1 row(s) affected	0.016 sec
51	11:52:55	insert into projects values (P1', 'Data Migration', 'E2)	1 row(s) affected	0.015 sec
52	11:52:55	insert into projects values (P1', 'Data Migration', 'M3)	1 row(s) affected	0.000 sec
53	11:52:55	insert into projects values (P2', 'ETL Tool', 'E1)	1 row(s) affected	0.016 sec
54	11:52:55	insert into projects values (P2', 'ETL Tool', 'M4')	1 row(s) affected	0.015 sec
55	11:52:55	select from projects LIMIT 0, 10000	5 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Information

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

97

•

select * from employee;

98

•

SELECT EMP_NAME,EMP_ID, DEPT_ID FROM EMP CROSS JOIN DPT;

99

•

select emp.emp_id, dpt.dept_id from emp

100

right join dpt on emp.d_id = dpt.dept_id

101

UNION

102

select emp.emp_id, dpt.dept_id from emp

...

...

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	project_id	project_name	team_member_id
▶	P1	Data Migration	E1
	P1	Data Migration	E2
	P1	Data Migration	M3
	P2	ETL Tool	E1
	P2	ETL Tool	M4

Schema: dsp

depT2

DEPT3

emp 4

emp 5

EMP 6

EMP 7

DEPT 8

emp 9

emp 10

dpt 11

manager 12

projects 13 x

Res Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 50	11:52:55	insert into projects values (P1, 'Data Migration', 'E1')	1 row(s) affected	0.016 sec
✓ 51	11:52:55	insert into projects values (P1, 'Data Migration', 'E2')	1 row(s) affected	0.015 sec
✓ 52	11:52:55	insert into projects values (P1, 'Data Migration', 'M3')	1 row(s) affected	0.000 sec
✓ 53	11:52:55	insert into projects values (P2, 'ETL Tool', 'E1')	1 row(s) affected	0.016 sec
✓ 54	11:52:55	insert into projects values (P2, 'ETL Tool', 'M4')	1 row(s) affected	0.015 sec
✓ 55	11:52:55	select from projects LIMIT 0, 10000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Schema: dsp

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

SQLAdditions

Jump to

97 • select * from employee;

98 • SELECT EMP_NAME,EMP_ID, DEPT_ID FROM EMP CROSS JOIN DPT;

99 • select emp.emp_id, dpt.dept_id from emp

100 right join dpt on emp.d_id = dpt.dept_id

101 UNION

102 select emp.emp_id, dpt.dept_id from emp

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

emp_id	dept_id	manager_id
E2	D1	M1
E1	D1	M1
E4	D2	M2
E3	D2	M2
M3	M3	M3
M4	M4	M4

EMP 6 EMP 7 DEPT 8 emp 9 emp 10 dpt 11 manager 12 projects 13 Result 14 Result 15 Result 16 x Result : Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 50	11:52:55	insert into projects values (P1, 'Data Migration', 'E1')	1 row(s) affected	0.016 sec
✓ 51	11:52:55	insert into projects values (P1, 'Data Migration', 'E2')	1 row(s) affected	0.015 sec
✓ 52	11:52:55	insert into projects values (P1, 'Data Migration', 'M3')	1 row(s) affected	0.000 sec
✓ 53	11:52:55	insert into projects values (P2, 'ETL Tool', 'E1')	1 row(s) affected	0.016 sec
✓ 54	11:52:55	insert into projects values (P2, 'ETL Tool', 'M4')	1 row(s) affected	0.015 sec
✓ 55	11:52:55	select from projects LIMIT 0, 10000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Information

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

SQLAdditions

Jump to

97 • select * from employee;

98 • SELECT EMP_NAME,EMP_ID, DEPT_ID FROM EMP CROSS JOIN DPT;

99 • select emp.emp_id, dpt.dept_id from emp

100 right join dpt on emp.d_id = dpt.dept_id

101 UNION

102 select emp.emp_id, dpt.dept_id from emp

Result Grid

Filter Rows:

Exports

Wrap Cell Content:

	Field	Type	Null	Key	Default	Extra
▶	emp_id	char(20)	YES		NULL	
	emp_name	char(20)	YES		NULL	
	salary	int	YES		NULL	
	d_id	char(20)	YES		NULL	
	manager_id	char(20)	YES		NULL	

Schema: dsp

emp 10 dpt 11 manager 12 projects 13 Result 14 Result 15 Result 16 Result 17 x employee 18 Result 19 Result : Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 50	11:52:55	insert into projects values (P1, 'Data Migration', 'E1')	1 row(s) affected	0.016 sec
✓ 51	11:52:55	insert into projects values (P1, 'Data Migration', 'E2')	1 row(s) affected	0.015 sec
✓ 52	11:52:55	insert into projects values (P1, 'Data Migration', 'M3')	1 row(s) affected	0.000 sec
✓ 53	11:52:55	insert into projects values (P2, 'ETL Tool', 'E1')	1 row(s) affected	0.016 sec
✓ 54	11:52:55	insert into projects values (P2, 'ETL Tool', 'M4')	1 row(s) affected	0.015 sec
✓ 55	11:52:55	select from projects LIMIT 0, 10000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

discount_values

revenue

together

transaction

Stored Procedures

Functions

digital

Tables

Views

Stored Procedures

Functions

dsp

Administration

Schemas

Information

Query 1

lab file*

SQL SCRIPT

Search

Limit to 10000 rows

SQLAdditions

Jump to

97 • select * from employee;

98 • SELECT EMP_NAME,EMP_ID, DEPT_ID FROM EMP CROSS JOIN DPT;

99 • select emp.emp_id, dpt.dept_id from emp

100 right join dpt on emp.d_id = dpt.dept_id

101 UNION

102 select emp.emp_id, dpt.dept_id from emp

...

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	dept_id	dept_name	dept_location
▶	Fin_01	Finance	New Delhi
	Mgmt_02	Management	Bangalore
	Sales_03	Sales	Chandigarh
	Mkt_04	Marketing	Chandigarh
	Acc_05	Accounts	New Delhi

Schema: dsp

depT2

DEPT3

emp 4

emp 5

EMP 6

EMP 7

DEPT 8 x

emp 9

emp 10

dpt 11

manager 12

projects 13

Res Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 50	11:52:55	insert into projects values (P1, 'Data Migration', 'E1')	1 row(s) affected	0.016 sec
✓ 51	11:52:55	insert into projects values (P1, 'Data Migration', 'E2')	1 row(s) affected	0.015 sec
✓ 52	11:52:55	insert into projects values (P1, 'Data Migration', 'M3')	1 row(s) affected	0.000 sec
✓ 53	11:52:55	insert into projects values (P2, 'ETL Tool', 'E1')	1 row(s) affected	0.016 sec
✓ 54	11:52:55	insert into projects values (P2, 'ETL Tool', 'M4')	1 row(s) affected	0.015 sec
✓ 55	11:52:55	select from projects LIMIT 0, 10000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.