Qiro Dashboard Architecture Assessment

QiroDashboardCharts
Source type: local
Source reference: QiroDashboardCharts
2026-10-31T17:32:22.573466+00:00
Report version: 1.0

Table of Contents

Cover Page
Executive Summary
Repository Overview
Existing Architecture
Architecture Diagrams
Technology Stack
Component and Dependency Analysis
API Architecture
Database and Persistence Architecture
External Integrations
Architecture Findings and Observations
Architecture Synthesis
Synthesized Components and Responsibilities
Architecture Relationships
Architecture Data Flows
External Systems and Integration Boundaries
Architecture Review
Architecture Review Findings
Positive Architecture Observations
Priority Recommendations
Limitations and Unknowns
Evidence References
Appendix

Cover Page

Qiro Dashboard Architecture Assessment
- Repository: QiroDashboardCharts
- Source type: local
- Source reference: QiroDashboardCharts
- Report version: 1.0

Executive Summary

Analyzed QiroDashboardCharts using static repository evidence. Detected technologies: Python. Identified 1 project/package findings, 11 entry points, 1 API route/client findings, and 1 architectural pattern results.
Main technologies: Python.
Architecture synthesis: Static repository synthesis for QiroDashboardCharts identified 30 architectural components, 29 supported relationships, and 17 evidence-supported interactions. 0 relationship(s) are inferred rather than directly established. No runtime communication or deployment topology is claimed.
Architecture review outcome: needs_investigation. Reviewed 30 component(s), 29 relationship(s), 0 external system(s), and 17 data flow(s). Outcome: needs_investigation. Confirmed: 0; inferred: 1; investigation: 1.
Key architecture risks: low: Responsibility for requirements.txt may be unclear; low: Synthesis evidence has limitations.
Priority recommendations: Clarify the responsibility and ownership boundary of requirements.txt in the architecture documentation.; Review the synthesis limitations alongside repository evidence before making architectural decisions..
Important limitation: findings are based on static repository analysis; runtime behavior and deployment topology were not observed.

Repository Overview

- Repository: QiroDashboardCharts
- Source type: local
- Source reference: QiroDashboardCharts
Technology stack: Python
Projects:
- requirements.txt (python-project)
Application entry points:
- Python application entry point: `tmp/py_files/PyDataScript/prepare_ar_usd_data.py`
- Python application entry point: `tmp/py_files/PyDataScript/prepare_banks_and_countries_usd_data.py`
- Python application entry point: `tmp/py_files/PyDataScript/prepare_capex_usd_data.py`
- Python application entry point: `tmp/py_files/PyDataScript/prepare_gsib_usd_data.py`
- Python application entry point: `tmp/py_files/PyDataScript/prepare_nonreporters_usd_data.py`
- Python application entry point: `tmp/py_files/PyDataScript/prepare_opex_usd_data.py`
- Python application entry point: `tmp/py_files/PyDataScript/prepare_reportersandnonreporters_usd_data.py`
- Python application entry point: `tmp/py_files/PyJsonScript/generate_ar_usd_json.py`
- Python application entry point: `tmp/py_files/PyJsonScript/generate_capex_usd_json.py`
- Python application entry point: `tmp/py_files/PyJsonScript/generate_nonreporters_usd_json.py`
- Python application entry point: `tmp/py_files/PyJsonScript/generate_opex_usd_json.py`
Project structure: Identified 1 project/package manifests and 11 application entry points from static evidence.
Source directories: Not identified
Test directories: Not identified
Configuration locations: Not identified
Infrastructure locations: Not identified
Shared libraries: Not identified

Evidence: E0035, E0036, E0037, E0038, E0039, E0040, E0041, E0042, E0043, E0044, E0045, E0046

Existing Architecture

- No sufficiently supported architecture pattern was identified.

Architecture Diagrams

- System Context (`system_context`)
- Component Architecture (`component_architecture`)
- Project and Dependency Relationships (`project_dependencies`)
- API Architecture (`api_architecture`)
- Database and Persistence Architecture (`database_architecture`)
- External Integration Architecture (`external_integrations`)
- Architecture Patterns (`architecture_patterns`)
- Unified Architecture (`unified_architecture`)

Technology Stack

- Python (language, high)

Evidence: E0001, E0002, E0003, E0004, E0005, E0006, E0007, E0008, E0009, E0010, E0011, E0012, E0013, E0014, E0015, E0016, E0017, E0018, E0019, E0020, E0021, E0022, E0023, E0024, E0025, E0026, E0027, E0028, E0029, E0030, E0031, E0032, E0033, E0034

Component and Dependency Analysis

- function_app.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- function_app.py --Python import--> services/utils.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_high_risk_countries.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_banks_countries.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_reporters_nonreporters.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_nonreporters.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_gsib.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_capex.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_opex.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_ihcc.py (resolved: yes, confidence: high)
- function_app.py --Python import--> func_activities/chart_ar.py (resolved: yes, confidence: high)
- func_activities/chart_ar.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_ar.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_banks_countries.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_banks_countries.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_capex.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_capex.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_gsib.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_gsib.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_high_risk_countries.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_high_risk_countries.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_ihcc.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_ihcc.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_nonreporters.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_nonreporters.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_opex.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_opex.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- func_activities/chart_reporters_nonreporters.py --Python import--> services/az_blob_services.py (resolved: yes, confidence: high)
- func_activities/chart_reporters_nonreporters.py --Python import--> services/sql_db_services.py (resolved: yes, confidence: high)
- services/az_blob_services.py --Python import--> services/environment.py (resolved: yes, confidence: high)
- services/az_blob_services.py --Python import--> services/utils.py (resolved: yes, confidence: high)
- services/environment.py --Python import--> services/keyvaultsecrets.py (resolved: yes, confidence: high)
- services/sql_db_services.py --Python import--> services/environment.py (resolved: yes, confidence: high)

Evidence: E0047, E0048, E0049, E0050, E0051, E0052, E0053, E0054, E0055, E0056, E0057, E0058, E0059, E0060, E0061, E0062, E0063, E0064, E0065, E0066, E0067, E0068, E0069, E0070, E0071, E0072, E0073, E0074, E0075, E0076, E0077, E0078, E0079

API Architecture

Exposed APIs: Consumed APIs: - GET unknown (HTTP client)

Evidence: E0080

Database and Persistence Architecture

- Database configuration: configuration key in `local.settings.json`: Configuration key: SqlConnectionString (medium)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_ar.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_banks_countries.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_capex.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_gsib.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_high_risk_countries.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_ihcc.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_nonreporters.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_opex.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `func_activities/chart_reporters_nonreporters.py`: Persistence repository abstraction (high)
- Database configuration: configuration key in `payload/Sample_Payload.txt`: Configuration key: SqlConnectionString (medium)
- Repository persistence abstraction: Persistence repository abstraction in `services/az_blob_services.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `services/environment.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `services/sql_db_services.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `services/utils.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `temp/poc.ipynb`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyDataScript/prepare_ar_usd_data.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyDataScript/prepare_banks_and_countries_usd_data.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyDataScript/prepare_capex_usd_data.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyDataScript/prepare_high_risk_countries_usd_data.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyDataScript/prepare_opex_usd_data.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyJsonScript/generate_banks_and_countries_usd_json.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyJsonScript/generate_capex_usd_json.py`: Persistence repository abstraction (high)
- Repository persistence abstraction: Persistence repository abstraction in `tmp/py_files/PyJsonScript/generate_opex_usd_json.py`: Persistence repository abstraction (high)

Evidence: E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097, E0098, E0099, E0100, E0101, E0102, E0103, E0104

External Integrations

- Object/file storage: storage, status confirmed, source `.gitignore`: Object/file storage API or package usage is present in repository evidence., confidence: high
- Object/file storage: storage, status confirmed, source `local.settings.json`: Object/file storage API or package usage is present in repository evidence., confidence: high

- Object/file storage: storage, status confirmed, source `requirements.txt`: Object/file storage API or package usage is present in repository evidence., confidence: high
- Object/file storage: storage, status confirmed, source `payload/Sample_Payload.txt`: Object/file storage API or package usage is present in repository evidence., confidence: high
- Object/file storage: storage, status confirmed, source `services/az_blob_services.py`: Object/file storage API or package usage is present in repository evidence., confidence: high
- Cloud SDK: cloud, status confirmed, source `services/environment.py`: Cloud SDK API or package usage is present in repository evidence., confidence: high
- Authentication provider: authentication, status confirmed, source `services/environment.py`: Authentication provider API or package usage is present in repository evidence., confidence: high
- Object/file storage: storage, status confirmed, source `services/environment.py`: Object/file storage API or package usage is present in repository evidence., confidence: high
- Object/file storage: storage, status confirmed, source `services/keyvaultsecrets.py`: Object/file storage API or package usage is present in repository evidence., confidence: high
- REST/HTTP client: HTTP, status confirmed, source `services/sql_db_services.py`: REST/HTTP client API or package usage is present in repository evidence., confidence: high
- Message broker: messaging, status confirmed, source `temp/poc.ipynb`: Message broker API or package usage is present in repository evidence., confidence: high
- Cloud SDK: cloud, status confirmed, source `temp/poc.ipynb`: Cloud SDK API or package usage is present in repository evidence., confidence: high
- Object/file storage: storage, status confirmed, source `temp/poc.ipynb`: Object/file storage API or package usage is present in repository evidence., confidence: high

Evidence: E0105, E0106, E0107, E0108, E0109, E0110, E0111, E0112, E0113, E0114, E0115, E0116, E0117

Architecture Findings and Observations

Analyzed QiroDashboardCharts using static repository evidence. Detected technologies: Python. Identified 1 project/package findings, 11 entry points, 1 API route/client findings, and 1 architectural pattern results.
No unsupported quality, vulnerability, or security conclusions are included.

Architecture Synthesis

Static repository synthesis for QiroDashboardCharts identified 30 architectural components, 29 supported relationships, and 17 evidence-supported interactions. 0 relationship(s) are inferred rather than directly established.
No runtime communication or deployment topology is claimed.

Synthesized Components and Responsibilities

- QiroDashboardCharts [repository]: Repository application boundary represented by static analysis findings. (confidence: high)
- requirements.txt [project]: Project/package identified from requirements.txt. (confidence: medium)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyDataScript/prepare_ar_usd_data.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyDataScript/prepare_banks_and_countries_usd_data.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyDataScript/prepare_capex_usd_data.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyDataScript/prepare_gsib_usd_data.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyDataScript/prepare_nonreporters_usd_data.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyDataScript/prepare_opex_usd_data.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyDataScript/prepare_reportersandnonreporters_usd_data.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyJsonScript/generate_ar_usd_json.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyJsonScript/generate_capex_usd_json.py (confidence: high)

- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyJsonScript/generate_nonreporters_usd_json.py (confidence: high)
- Python application entry point entry point [entry_point]: Application entry point from tmp/py_files/PyJsonScript/generate_opex_usd_json.py (confidence: high)
- Database configuration [persistence]: Configuration key: SqlConnectionString (confidence: medium)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Database configuration [persistence]: Configuration key: SqlConnectionString (confidence: medium)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)
- Repository persistence abstraction [persistence]: Persistence repository abstraction (confidence: high)

Evidence: E0002, E0035, E0107, E0035, E0036, E0037, E0038, E0039, E0040, E0041, E0042, E0043, E0044, E0045, E0046, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097

Architecture Relationships

- repository_8a5d4d19 --contains--> project_0cdb17d3: The repository contains this project/package. [confirmed] (confidence: medium)
- repository_8a5d4d19 --hosts--> entrypoint_1f607069: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_6da6b453: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_76ae67b1: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_ac7995e4: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_bef9cb31: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_f5a67352: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_9cb7fc4d: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_e82262bc: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_a9bce482: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_ce6c5f44: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --hosts--> entrypoint_e5f970df: Static evidence identifies this as an application entry point. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_72b041a4: Static repository evidence configures or references persistence. [confirmed] (confidence: medium)
- repository_8a5d4d19 --uses_persistence--> database_96e03f1f: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_b5b79290: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_1813db91: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_6d272935: Static repository evidence configures or

references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_981a826b: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_9c908f82: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_6a8fc845: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_a11f0215: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_35a4d944: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_959d3134: Static repository evidence configures or references persistence. [confirmed] (confidence: medium)
- repository_8a5d4d19 --uses_persistence--> database_5f8fc4e8: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_1cb4880f: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_06c3d1d4: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_4ad19840: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_813098af: Static repository evidence configures or references persistence. [confirmed] (confidence: high)
- repository_8a5d4d19 --uses_persistence--> database_37917c84: Static repository evidence configures or references persistence. [confirmed] (confidence: high)

Evidence: E0035, E0036, E0037, E0038, E0039, E0040, E0041, E0042, E0043, E0044, E0045, E0046, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097

Architecture Data Flows

- repository_8a5d4d19 -> database_72b041a4: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: medium
- repository_8a5d4d19 -> database_96e03f1f: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_b5b79290: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_1813db91: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_6d272935: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_981a826b: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_9c908f82: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_6a8fc845: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_a11f0215: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_35a4d944: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_959d3134: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: medium
- repository_8a5d4d19 -> database_5f8fc4e8: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_1cb4880f: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_06c3d1d4: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_4ad19840: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high

- repository_8a5d4d19 -> database_813098af: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high
- repository_8a5d4d19 -> database_37917c84: Static evidence indicates a persistence interaction; runtime data movement is not established. (persistence access, inferred), confidence: high

Evidence: E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097

External Systems and Integration Boundaries

- No external systems were synthesized.

Architecture Review

Overall outcome: needs_investigation
Reviewed 30 component(s), 29 relationship(s), 0 external system(s), and 17 data flow(s). Outcome: needs_investigation. Confirmed: 0; inferred: 1; investigation: 1.

Architecture Review Findings

- [LOW] Responsibility for requirements.txt may be unclear (architecture_structure; inferred): The synthesized component description is generic or insufficient to explain its responsibility.
Affected components: project_0cdb17d3
Related relationships: None
Related data flows: None
Recommendation: Clarify the responsibility and ownership boundary of requirements.txt in the architecture documentation.
Confidence: medium
- [LOW] Synthesis evidence has limitations (evidence_quality; needs_investigation): The synthesis reports warnings or limitations, so review conclusions should be treated as partial static evidence.
Affected components: Not specified
Related relationships: None
Related data flows: None
Recommendation: Review the synthesis limitations alongside repository evidence before making architectural decisions.
Confidence: medium

Evidence: E0035

Positive Architecture Observations

- Architecture components are traceable to repository evidence: 30 synthesized component(s) include preserved evidence references. (components: repository_8a5d4d19, project_0cdb17d3, entrypoint_1f607069, entrypoint_6da6b453, entrypoint_76ae67b1, entrypoint_ac7995e4, entrypoint_bef9cb31, entrypoint_f5a67352, entrypoint_9cb7fc4d, entrypoint_e82262bc, entrypoint_a9bce482, entrypoint_ce6c5f44, entrypoint_e5f970df, database_72b041a4, database_96e03f1f, database_b5b79290, database_1813db91, database_6d272935, database_981a826b, database_9c908f82, database_6a8fc845, database_a11f0215, database_35a4d944, database_959d3134, database_5f8fc4e8, database_1cb4880f, database_06c3d1d4, database_4ad19840, database_813098af, database_37917c84) (confidence: high)
- Confirmed relationships are evidence-backed: 29 confirmed relationship(s) have supporting evidence references. (components: Not specified) (confidence: high)
- Synthesis preserves traceable data flows: 17 data-flow path(s) are represented with source, target, and evidence metadata. (components: Not specified) (confidence: medium)

Evidence: E0002, E0035, E0036, E0037, E0038, E0039, E0040, E0041, E0042, E0043, E0044, E0045, E0046, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097, E0035, E0036, E0037, E0038, E0039, E0040, E0041, E0042, E0043, E0044, E0045, E0046, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097

Priority Recommendations

- [MEDIUM priority] Clarify the responsibility and ownership boundary of requirements.txt in the architecture documentation.
Benefits: Makes change impact and ownership easier to reason about.
Trade-offs: Documentation detail may need validation against source behavior.
Implementation: Not specified
- [MEDIUM priority] Review the synthesis limitations alongside repository evidence before making architectural decisions.
Benefits: Keeps evidence gaps visible and prevents unsupported conclusions.
Trade-offs: Some questions cannot be resolved without additional repository or runtime context.
Implementation: Not specified

Evidence: E0035

Limitations and Unknowns

- Static analysis only; runtime behavior and deployment topology were not observed.
- Dependency relationships and framework configuration are limited to evidence in discovered text files.
- Diagram system_context failed structural validation: Diagram exceeds the 30-node complexity limit.; Diagram exceeds the 30-edge complexity limit.
- Diagram component_architecture rendered as Mermaid source only; renderer unavailable.
- Diagram project_dependencies failed structural validation: Diagram exceeds the 30-node complexity limit.
- Diagram api_architecture rendered as Mermaid source only; renderer unavailable.
- Diagram database_architecture rendered as Mermaid source only; renderer unavailable.
- Diagram external_integrations rendered as Mermaid source only; renderer unavailable.
- Diagram exceeds the 30-node complexity limit.
- Diagram exceeds the 30-edge complexity limit.
- Diagram limited to the first 30 dependency findings.
- No sufficiently supported architecture pattern was identified.
- Architecture synthesis components limited to 30 items.
- Architecture synthesis relationships limited to 30 items.
- Architecture synthesis data flows limited to 30 items.
- Diagram exceeds the 30-node complexity limit.
- Diagram exceeds the 30-edge complexity limit.
- Diagram limited to the first 30 dependency findings.
- Diagram exceeds the 30-node complexity limit.
- No sufficiently supported architecture pattern was identified.

Evidence References

- E0001: `function_app.py` (technology) - Python evidence found.
- E0002: `requirements.txt` (technology) - Python evidence found.
- E0003: `func_activities/chart_ar.py` (technology) - Python evidence found.
- E0004: `func_activities/chart_banks_countries.py` (technology) - Python evidence found.
- E0005: `func_activities/chart_capex.py` (technology) - Python evidence found.
- E0006: `func_activities/chart_gsib.py` (technology) - Python evidence found.
- E0007: `func_activities/chart_high_risk_countries.py` (technology) - Python evidence found.
- E0008: `func_activities/chart_ihcc.py` (technology) - Python evidence found.
- E0009: `func_activities/chart_nonreporters.py` (technology) - Python evidence found.
- E0010: `func_activities/chart_opex.py` (technology) - Python evidence found.
- E0011: `func_activities/chart_reporters_nonreporters.py` (technology) - Python evidence found.
- E0012: `services/az_blob_services.py` (technology) - Python evidence found.
- E0013: `services/environment.py` (technology) - Python evidence found.
- E0014: `services/keyvaultsecrets.py` (technology) - Python evidence found.
- E0015: `services/sql_db_services.py` (technology) - Python evidence found.
- E0016: `services/utils.py` (technology) - Python evidence found.
- E0017: `tmp/py_files/PyDataScript/prepare_ar_usd_data.py` (technology) - Python evidence found.
- E0018: `tmp/py_files/PyDataScript/prepare_banks_and_countries_usd_data.py` (technology) - Python evidence found.
- E0019: `tmp/py_files/PyDataScript/prepare_capex_usd_data.py` (technology) - Python evidence found.

- E0020: `tmp/py_files/PyDataScript/prepare_gsib_usd_data.py` (technology) - Python evidence found.
- E0021: `tmp/py_files/PyDataScript/prepare_high_risk_countries_usd_data.py` (technology) - Python evidence found.
- E0022: `tmp/py_files/PyDataScript/prepare_ihcc_usd_data.py` (technology) - Python evidence found.
- E0023: `tmp/py_files/PyDataScript/prepare_nonreporters_usd_data.py` (technology) - Python evidence found.
- E0024: `tmp/py_files/PyDataScript/prepare_opex_usd_data.py` (technology) - Python evidence found.
- E0025: `tmp/py_files/PyDataScript/prepare_reportersandnonreporters_usd_data.py` (technology) - Python evidence found.
- E0026: `tmp/py_files/PyJsonScript/generate_ar_usd_json.py` (technology) - Python evidence found.
- E0027: `tmp/py_files/PyJsonScript/generate_banks_and_countries_usd_json.py` (technology) - Python evidence found.
- E0028: `tmp/py_files/PyJsonScript/generate_capex_usd_json.py` (technology) - Python evidence found.
- E0029: `tmp/py_files/PyJsonScript/generate_gsib_usd_json.py` (technology) - Python evidence found.
- E0030: `tmp/py_files/PyJsonScript/generate_high_risk_countries_usd_json.py` (technology) - Python evidence found.
- E0031: `tmp/py_files/PyJsonScript/generate_ihcc_usd_json.py` (technology) - Python evidence found.
- E0032: `tmp/py_files/PyJsonScript/generate_nonreporters_usd_json.py` (technology) - Python evidence found.
- E0033: `tmp/py_files/PyJsonScript/generate_opex_usd_json.py` (technology) - Python evidence found.
- E0034: `tmp/py_files/PyJsonScript/generate_reportersandnonreporters_usd_json.py` (technology) - Python evidence found.
- E0035: `requirements.txt` (project) - Python project manifest or dependency configuration discovered.
- E0036: `tmp/py_files/PyDataScript/prepare_ar_usd_data.py` (entry_point) - Python application entry-point or application object found.
- E0037: `tmp/py_files/PyDataScript/prepare_banks_and_countries_usd_data.py` (entry_point) - Python application entry-point or application object found.
- E0038: `tmp/py_files/PyDataScript/prepare_capex_usd_data.py` (entry_point) - Python application entry-point or application object found.
- E0039: `tmp/py_files/PyDataScript/prepare_gsib_usd_data.py` (entry_point) - Python application entry-point or application object found.
- E0040: `tmp/py_files/PyDataScript/prepare_nonreporters_usd_data.py` (entry_point) - Python application entry-point or application object found.
- E0041: `tmp/py_files/PyDataScript/prepare_opex_usd_data.py` (entry_point) - Python application entry-point or application object found.
- E0042: `tmp/py_files/PyDataScript/prepare_reportersandnonreporters_usd_data.py` (entry_point) - Python application entry-point or application object found.
- E0043: `tmp/py_files/PyJsonScript/generate_ar_usd_json.py` (entry_point) - Python application entry-point or application object found.
- E0044: `tmp/py_files/PyJsonScript/generate_capex_usd_json.py` (entry_point) - Python application entry-point or application object found.
- E0045: `tmp/py_files/PyJsonScript/generate_nonreporters_usd_json.py` (entry_point) - Python application entry-point or application object found.
- E0046: `tmp/py_files/PyJsonScript/generate_opex_usd_json.py` (entry_point) - Python application entry-point or application object found.
- E0047: `function_app.py` (dependency) - Internal Python import of services.az_blob_services.
- E0048: `function_app.py` (dependency) - Internal Python import of services.utils.
- E0049: `function_app.py` (dependency) - Internal Python import of func_activities.chart_high_risk_countries.
- E0050: `function_app.py` (dependency) - Internal Python import of func_activities.chart_banks_countries.
- E0051: `function_app.py` (dependency) - Internal Python import of func_activities.chart_reporters_nonreporters.
- E0052: `function_app.py` (dependency) - Internal Python import of func_activities.chart_nonreporters.
- E0053: `function_app.py` (dependency) - Internal Python import of func_activities.chart_gsib.
- E0054: `function_app.py` (dependency) - Internal Python import of func_activities.chart_capex.
- E0055: `function_app.py` (dependency) - Internal Python import of func_activities.chart_opex.
- E0056: `function_app.py` (dependency) - Internal Python import of func_activities.chart_ihcc.
- E0057: `function_app.py` (dependency) - Internal Python import of func_activities.chart_ar.
- E0058: `func_activities/chart_ar.py` (dependency) - Internal Python import of services.az_blob_services.
- E0059: `func_activities/chart_ar.py` (dependency) - Internal Python import of services.sql_db_services.
- E0060: `func_activities/chart_banks_countries.py` (dependency) - Internal Python import of services.az_blob_services.
- E0061: `func_activities/chart_banks_countries.py` (dependency) - Internal Python import of services.sql_db_services.

- E0062: `func_activities/chart_capex.py` (dependency) - Internal Python import of services.az_blob_services.
- E0063: `func_activities/chart_capex.py` (dependency) - Internal Python import of services.sql_db_services.
- E0064: `func_activities/chart_gsib.py` (dependency) - Internal Python import of services.az_blob_services.
- E0065: `func_activities/chart_gsib.py` (dependency) - Internal Python import of services.sql_db_services.
- E0066: `func_activities/chart_high_risk_countries.py` (dependency) - Internal Python import of services.az_blob_services.
- E0067: `func_activities/chart_high_risk_countries.py` (dependency) - Internal Python import of services.sql_db_services.
- E0068: `func_activities/chart_ihcc.py` (dependency) - Internal Python import of services.az_blob_services.
- E0069: `func_activities/chart_ihcc.py` (dependency) - Internal Python import of services.sql_db_services.
- E0070: `func_activities/chart_nonreporters.py` (dependency) - Internal Python import of services.az_blob_services.
- E0071: `func_activities/chart_nonreporters.py` (dependency) - Internal Python import of services.sql_db_services.
- E0072: `func_activities/chart_opex.py` (dependency) - Internal Python import of services.az_blob_services.
- E0073: `func_activities/chart_opex.py` (dependency) - Internal Python import of services.sql_db_services.
- E0074: `func_activities/chart_reporters_nonreporters.py` (dependency) - Internal Python import of services.az_blob_services.
- E0075: `func_activities/chart_reporters_nonreporters.py` (dependency) - Internal Python import of services.sql_db_services.
- E0076: `services/az_blob_services.py` (dependency) - Internal Python import of services.environment.
- E0077: `services/az_blob_services.py` (dependency) - Internal Python import of services.utils.
- E0078: `services/environment.py` (dependency) - Internal Python import of services.keyvaultsecrets.
- E0079: `services/sql_db_services.py` (dependency) - Internal Python import of services.environment.
- E0080: `services/keyvaultsecrets.py` (api) - Client-side HTTP request found; this API may be consumed, not implemented.
- E0081: `local.settings.json` (database) - Database configuration key SqlConnectionString found; its value is redacted.
- E0082: `func_activities/chart_ar.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0083: `func_activities/chart_banks_countries.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0084: `func_activities/chart_capex.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0085: `func_activities/chart_gsib.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0086: `func_activities/chart_high_risk_countries.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0087: `func_activities/chart_ihcc.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0088: `func_activities/chart_nonreporters.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0089: `func_activities/chart_opex.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0090: `func_activities/chart_reporters_nonreporters.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0091: `payload/Sample_Payload.txt` (database) - Database configuration key SqlConnectionString found; its value is redacted.
- E0092: `services/az_blob_services.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0093: `services/environment.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0094: `services/sql_db_services.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0095: `services/utils.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0096: `temp/poc.ipynb` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0097: `tmp/py_files/PyDataScript/prepare_ar_usd_data.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0098: `tmp/py_files/PyDataScript/prepare_banks_and_countries_usd_data.py` (database) - Repository

persistence abstraction evidence found: Persistence repository abstraction.
- E0099: `tmp/py_files/PyDataScript/prepare_capex_usd_data.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0100: `tmp/py_files/PyDataScript/prepare_high_risk_countries_usd_data.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0101: `tmp/py_files/PyDataScript/prepare_opex_usd_data.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0102: `tmp/py_files/PyJsonScript/generate_banks_and_countries_usd_json.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0103: `tmp/py_files/PyJsonScript/generate_capex_usd_json.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0104: `tmp/py_files/PyJsonScript/generate_opex_usd_json.py` (database) - Repository persistence abstraction evidence found: Persistence repository abstraction.
- E0105: `.gitignore` (integration) - Object/file storage evidence found in source or configuration.
- E0106: `local.settings.json` (integration) - Object/file storage evidence found in source or configuration.
- E0107: `requirements.txt` (integration) - Object/file storage evidence found in source or configuration.
- E0108: `payload/Sample_Payload.txt` (integration) - Object/file storage evidence found in source or configuration.
- E0109: `services/az_blob_services.py` (integration) - Object/file storage evidence found in source or configuration.
- E0110: `services/environment.py` (integration) - Cloud SDK evidence found in source or configuration.
- E0111: `services/environment.py` (integration) - Authentication provider evidence found in source or configuration.
- E0112: `services/environment.py` (integration) - Object/file storage evidence found in source or configuration.
- E0113: `services/keyvaultsecrets.py` (integration) - Object/file storage evidence found in source or configuration.
- E0114: `services/sql_db_services.py` (integration) - REST/HTTP client evidence found in source or configuration.
- E0115: `temp/poc.ipynb` (integration) - Message broker evidence found in source or configuration.
- E0116: `temp/poc.ipynb` (integration) - Cloud SDK evidence found in source or configuration.
- E0117: `temp/poc.ipynb` (integration) - Object/file storage evidence found in source or configuration.

Evidence: E0001, E0002, E0003, E0004, E0005, E0006, E0007, E0008, E0009, E0010, E0011, E0012, E0013, E0014, E0015, E0016, E0017, E0018, E0019, E0020, E0021, E0022, E0023, E0024, E0025, E0026, E0027, E0028, E0029, E0030, E0031, E0032, E0033, E0034, E0035, E0036, E0037, E0038, E0039, E0040, E0041, E0042, E0043, E0044, E0045, E0046, E0047, E0048, E0049, E0050, E0051, E0052, E0053, E0054, E0055, E0056, E0057, E0058, E0059, E0060, E0061, E0062, E0063, E0064, E0065, E0066, E0067, E0068, E0069, E0070, E0071, E0072, E0073, E0074, E0075, E0076, E0077, E0078, E0079, E0080, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097, E0098, E0099, E0100, E0101, E0102, E0103, E0104, E0105, E0106, E0107, E0108, E0109, E0110, E0111, E0112, E0113, E0114, E0115, E0116, E0117

Appendix

- Analysis ID: 0da6e93a-c4aa-48c9-86bc-8e9fc1c1dacb
- Repository: QiroDashboardCharts
- Visualization result: ff1be3be-9ce0-4729-93b4-fefff767702e
- Supported scope: static repository analysis for .NET/C#, Python, Angular, and React technologies.
- Diagram count: 8

System Context

Mermaid source fallback:

```
flowchart LR
application["QiroDashboardCharts"]
application -->|contains| project_0cdb17d3["requirements.txt"]
application -->|persists data with| database_72b041a4["Database configuration"]
application -->|persists data with| database_96e03f1f["Repository persistence abstraction"]
application -->|persists data with| database_b5b79290["Repository persistence abstraction"]
application -->|persists data with| database_1813db91["Repository persistence abstraction"]
application -->|persists data with| database_6d272935["Repository persistence abstraction"]
application -->|persists data with| database_981a826b["Repository persistence abstraction"]
application -->|persists data with| database_9c908f82["Repository persistence abstraction"]
application -->|persists data with| database_6a8fc845["Repository persistence abstraction"]
application -->|persists data with| database_a11f0215["Repository persistence abstraction"]
application -->|persists data with| database_35a4d944["Repository persistence abstraction"]
application -->|persists data with| database_959d3134["Database configuration"]
application -->|persists data with| database_5f8fc4e8["Repository persistence abstraction"]
application -->|persists data with| database_1cb4880f["Repository persistence abstraction"]
application -->|persists data with| database_06c3d1d4["Repository persistence abstraction"]
```

```
application -->|persists data with| database_4ad19840["Repository persistence abstraction"]
application -->|persists data with| database_813098af["Repository persistence abstraction"]
application -->|persists data with| database_37917c84["Repository persistence abstraction"]
application -->|persists data with| database_b0e30ac6["Repository persistence abstraction"]
application -->|persists data with| database_19c83174["Repository persistence abstraction"]
application -->|persists data with| database_cf366a2a["Repository persistence abstraction"]
application -->|persists data with| database_615cdc7d["Repository persistence abstraction"]
application -->|persists data with| database_a1b6a4a4["Repository persistence abstraction"]
application -->|persists data with| database_1884e6be["Repository persistence abstraction"]
application -->|persists data with| database_cbf18ffd["Repository persistence abstraction"]
application -->|integrates with| external_bdf44d0a["Object/file storage"]
application -->|integrates with| external_7776e05f["Object/file storage"]
application -->|integrates with| external_279d6e5b["Object/file storage"]
application -->|integrates with| external_4eca94d1["Object/file storage"]
application -->|integrates with| external_523e5356["Object/file storage"]
application -->|integrates with| external_f099e5dd["Cloud SDK"]
application -->|integrates with| external_be26152f["Authentication provider"]
application -->|integrates with| external_dd09d9e0["Object/file storage"]
application -->|integrates with| external_63c2d7e8["Object/file storage"]
application -->|integrates with| external_ecc6c122["REST/HTTP client"]
application -->|integrates with| external_eaf3f4d1["Message broker"]
application -->|integrates with| external_93597448["Cloud SDK"]
application -->|integrates with| external_548f038a["Object/file storage"]
```

Evidence: E0035, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097, E0098, E0099, E0100, E0101, E0102, E0103, E0104, E0105, E0106, E0107, E0108, E0109, E0110, E0111, E0112, E0113, E0114, E0115, E0116, E0117

Component Architecture

Mermaid source fallback:

```
flowchart LR
application["QiroDashboardCharts"]
application -->|contains| component_624ec649["requirements.txt"]
application -->|contains| component_075677e4["Python"]
```

Evidence: E0001, E0002, E0003, E0004, E0005, E0006, E0007, E0008, E0009, E0010, E0011, E0012, E0013, E0014, E0015, E0016, E0017, E0018, E0019, E0020, E0021, E0022, E0023, E0024, E0025, E0026, E0027, E0028, E0029, E0030, E0031, E0032, E0033, E0034, E0035

Project and Dependency Relationships

Mermaid source fallback:

```
flowchart LR
source_01218b89["function_app.py"]
target_d029a6da["services/az_blob_services.py"]
source_01218b89 -->|Python import| target_d029a6da
source_a47d7278["function_app.py"]
target_42b617fc["services/utils.py"]
source_a47d7278 -->|Python import| target_42b617fc
source_93fd4113["function_app.py"]
target_6bc3ff3c["func_activities/chart_high_risk_countries.py"]
source_93fd4113 -->|Python import| target_6bc3ff3c
source_069e34f1["function_app.py"]
target_5c946c9d["func_activities/chart_banks_countries.py"]
source_069e34f1 -->|Python import| target_5c946c9d
source_a29dbcce["function_app.py"]
target_257e6d63["func_activities/chart_reporters_nonreporters.py"]
source_a29dbcce -->|Python import| target_257e6d63
source_d18edd17["function_app.py"]
target_c4b8beae["func_activities/chart_nonreporters.py"]
source_d18edd17 -->|Python import| target_c4b8beae
source_74013ccd["function_app.py"]
target_f0fa084f["func_activities/chart_gsib.py"]
source_74013ccd -->|Python import| target_f0fa084f
source_b9a29f87["function_app.py"]
target_6724272f["func_activities/chart_capex.py"]
source_b9a29f87 -->|Python import| target_6724272f
source_64d4cf4d["function_app.py"]
target_67b99e65["func_activities/chart_opex.py"]
source_64d4cf4d -->|Python import| target_67b99e65
source_8e42d500["function_app.py"]
target_4bee425b["func_activities/chart_ihcc.py"]
source_8e42d500 -->|Python import| target_4bee425b
source_83eee524["function_app.py"]
target_d596e3d0["func_activities/chart_ar.py"]
```

```
source_83eee524 -->|Python import| target_d596e3d0
source_059dd72f["func_activities/chart_ar.py"]
target_145fd510["services/az_blob_services.py"]
source_059dd72f -->|Python import| target_145fd510
source_e2c41042["func_activities/chart_ar.py"]
target_c3e973f9["services/sql_db_services.py"]
source_e2c41042 -->|Python import| target_c3e973f9
source_4c1a85ba["func_activities/chart_banks_countries.py"]
target_b8e55d4c["services/az_blob_services.py"]
source_4c1a85ba -->|Python import| target_b8e55d4c
source_cdc1cd6f["func_activities/chart_banks_countries.py"]
target_f520eb2a["services/sql_db_services.py"]
source_cdc1cd6f -->|Python import| target_f520eb2a
source_e097580c["func_activities/chart_capex.py"]
target_56b8c299["services/az_blob_services.py"]
source_e097580c -->|Python import| target_56b8c299
source_6d581287["func_activities/chart_capex.py"]
target_6a7604f6["services/sql_db_services.py"]
source_6d581287 -->|Python import| target_6a7604f6
source_343ae0e3["func_activities/chart_gsib.py"]
target_b7be1dbc["services/az_blob_services.py"]
source_343ae0e3 -->|Python import| target_b7be1dbc
source_6c494fad["func_activities/chart_gsib.py"]
target_23998499["services/sql_db_services.py"]
source_6c494fad -->|Python import| target_23998499
source_e2eb47de["func_activities/chart_high_risk_countries.py"]
target_7184107d["services/az_blob_services.py"]
source_e2eb47de -->|Python import| target_7184107d
source_e4949289["func_activities/chart_high_risk_countries.py"]
target_83d50cc2["services/sql_db_services.py"]
source_e4949289 -->|Python import| target_83d50cc2
source_a64efddd["func_activities/chart_ihcc.py"]
target_77df97c3["services/az_blob_services.py"]
source_a64efddd -->|Python import| target_77df97c3
source_7b48b8f9["func_activities/chart_ihcc.py"]
target_af1710cd["services/sql_db_services.py"]
source_7b48b8f9 -->|Python import| target_af1710cd
source_e8c198ec["func_activities/chart_nonreporters.py"]
target_7c8823b6["services/az_blob_services.py"]
source_e8c198ec -->|Python import| target_7c8823b6
source_3150fc6d["func_activities/chart_nonreporters.py"]
target_1e0db50e["services/sql_db_services.py"]
source_3150fc6d -->|Python import| target_1e0db50e
source_4b5b6f1d["func_activities/chart_opex.py"]
target_6332d98d["services/az_blob_services.py"]
source_4b5b6f1d -->|Python import| target_6332d98d
source_4586c2b0["func_activities/chart_opex.py"]
target_68271ea3["services/sql_db_services.py"]
source_4586c2b0 -->|Python import| target_68271ea3
source_73ee42d7["func_activities/chart_reporters_nonreporters.py"]
target_a6a52c6d["services/az_blob_services.py"]
source_73ee42d7 -->|Python import| target_a6a52c6d
source_36d85b63["func_activities/chart_reporters_nonreporters.py"]
target_40cc99fe["services/sql_db_services.py"]
source_36d85b63 -->|Python import| target_40cc99fe
source_0c711c3a["services/az_blob_services.py"]
target_24d3ec42["services/environment.py"]
source_0c711c3a -->|Python import| target_24d3ec42
```

Evidence: E0047, E0048, E0049, E0050, E0051, E0052, E0053, E0054, E0055, E0056, E0057, E0058, E0059, E0060, E0061, E0062, E0063, E0064, E0065, E0066, E0067, E0068, E0069, E0070, E0071, E0072, E0073, E0074, E0075, E0076

API Architecture

Mermaid source fallback:

```
flowchart LR
repository["QiroDashboardCharts"]
consumed_api_7c0a2bbe -->|consumes| consumed_api_7c0a2bbe["GET unknown"]
```

Evidence: E0080

Database and Persistence Architecture

Mermaid source fallback:

```
flowchart LR
application["QiroDashboardCharts"]
```

```
application -->|configuration key| persistence_9bd159bc["Database configuration"]
application -->|Persistence repository abstraction| persistence_243d2d10["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_f12de09a["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_37815c92["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_c59515db["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_8816af70["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_4d3ad404["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_ee086d74["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_a22e022d["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_41571005["Repository persistence
abstraction"]
application -->|configuration key| persistence_f93d962a["Database configuration"]
application -->|Persistence repository abstraction| persistence_4203e7cd["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_d656148b["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_e38144d2["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_6dcd1447["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_e6a53b56["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_20a96c75["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_0dae672e["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_ecb014f9["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_cce5f526["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_f11fa480["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_326763c2["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_bd0aa5bc["Repository persistence
abstraction"]
application -->|Persistence repository abstraction| persistence_f6c21526["Repository persistence
abstraction"]
```

Evidence: E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097, E0098, E0099, E0100, E0101, E0102, E0103, E0104

External Integration Architecture

Mermaid source fallback:

```
flowchart LR
application["QiroDashboardCharts"]
application -->|storage (confirmed)| integration_c3c5d8a6["Object/file storage"]
application -->|storage (confirmed)| integration_c4e8f993["Object/file storage"]
application -->|storage (confirmed)| integration_314a5d71["Object/file storage"]
application -->|storage (confirmed)| integration_6d46fc6b["Object/file storage"]
application -->|storage (confirmed)| integration_97e0c036["Object/file storage"]
application -->|cloud (confirmed)| integration_790303e6["Cloud SDK"]
application -->|authentication (confirmed)| integration_29010416["Authentication provider"]
application -->|storage (confirmed)| integration_34ec52fe["Object/file storage"]
application -->|storage (confirmed)| integration_b71b2011["Object/file storage"]
application -->|HTTP (confirmed)| integration_4e5ee40b["REST/HTTP client"]
application -->|messaging (confirmed)| integration_d1d4e9ca["Message broker"]
application -->|cloud (confirmed)| integration_acfeb3dc["Cloud SDK"]
application -->|storage (confirmed)| integration_48d7ff3a["Object/file storage"]
```

Evidence: E0105, E0106, E0107, E0108, E0109, E0110, E0111, E0112, E0113, E0114, E0115, E0116, E0117

Architecture Patterns

Mermaid source fallback:

```
flowchart LR
application["QiroDashboardCharts"]
pattern_not_determined["Architecture pattern not determined"]
```

Unified Architecture

Mermaid source fallback:

```
flowchart LR
repository_8a5d4d19["QiroDashboardCharts"]
project_0cdb17d3["requirements.txt"]
entrypoint_1f607069["Python application entry point entry point"]
entrypoint_6da6b453["Python application entry point entry point"]
entrypoint_76ae67b1["Python application entry point entry point"]
entrypoint_ac7995e4["Python application entry point entry point"]
entrypoint_bef9cb31["Python application entry point entry point"]
entrypoint_f5a67352["Python application entry point entry point"]
entrypoint_9cb7fc4d["Python application entry point entry point"]
entrypoint_e82262bc["Python application entry point entry point"]
entrypoint_a9bce482["Python application entry point entry point"]
entrypoint_ce6c5f44["Python application entry point entry point"]
entrypoint_e5f970df["Python application entry point entry point"]
database_72b041a4["Database configuration"]
database_96e03f1f["Repository persistence abstraction"]
database_b5b79290["Repository persistence abstraction"]
database_1813db91["Repository persistence abstraction"]
database_6d272935["Repository persistence abstraction"]
database_981a826b["Repository persistence abstraction"]
database_9c908f82["Repository persistence abstraction"]
database_6a8fc845["Repository persistence abstraction"]
database_a11f0215["Repository persistence abstraction"]
database_35a4d944["Repository persistence abstraction"]
database_959d3134["Database configuration"]
database_5f8fc4e8["Repository persistence abstraction"]
database_1cb4880f["Repository persistence abstraction"]
database_06c3d1d4["Repository persistence abstraction"]
database_4ad19840["Repository persistence abstraction"]
database_813098af["Repository persistence abstraction"]
database_37917c84["Repository persistence abstraction"]
repository_8a5d4d19 -->|contains| project_0cdb17d3
repository_8a5d4d19 -->|hosts| entrypoint_1f607069
repository_8a5d4d19 -->|hosts| entrypoint_6da6b453
repository_8a5d4d19 -->|hosts| entrypoint_76ae67b1
repository_8a5d4d19 -->|hosts| entrypoint_ac7995e4
repository_8a5d4d19 -->|hosts| entrypoint_bef9cb31
repository_8a5d4d19 -->|hosts| entrypoint_f5a67352
repository_8a5d4d19 -->|hosts| entrypoint_9cb7fc4d
repository_8a5d4d19 -->|hosts| entrypoint_e82262bc
repository_8a5d4d19 -->|hosts| entrypoint_a9bce482
repository_8a5d4d19 -->|hosts| entrypoint_ce6c5f44
repository_8a5d4d19 -->|hosts| entrypoint_e5f970df
repository_8a5d4d19 -->|uses persistence| database_72b041a4
repository_8a5d4d19 -->|uses persistence| database_96e03f1f
repository_8a5d4d19 -->|uses persistence| database_b5b79290
repository_8a5d4d19 -->|uses persistence| database_1813db91
repository_8a5d4d19 -->|uses persistence| database_6d272935
repository_8a5d4d19 -->|uses persistence| database_981a826b
repository_8a5d4d19 -->|uses persistence| database_9c908f82
repository_8a5d4d19 -->|uses persistence| database_6a8fc845
repository_8a5d4d19 -->|uses persistence| database_a11f0215
repository_8a5d4d19 -->|uses persistence| database_35a4d944
repository_8a5d4d19 -->|uses persistence| database_959d3134
repository_8a5d4d19 -->|uses persistence| database_5f8fc4e8
repository_8a5d4d19 -->|uses persistence| database_1cb4880f
repository_8a5d4d19 -->|uses persistence| database_06c3d1d4
repository_8a5d4d19 -->|uses persistence| database_4ad19840
repository_8a5d4d19 -->|uses persistence| database_813098af
repository_8a5d4d19 -->|uses persistence| database_37917c84
```

Evidence: E0002, E0035, E0036, E0037, E0038, E0039, E0040, E0041, E0042, E0043, E0044, E0045, E0046, E0081, E0082, E0083, E0084, E0085, E0086, E0087, E0088, E0089, E0090, E0091, E0092, E0093, E0094, E0095, E0096, E0097, E0107