CSET

782

23C5E036 KUB23C5E036 KUB23C5E036 KUB23C5E036 KUP23C5E036 KUB23C5E036 KUB25C5E036 KUB23C5E036 KUB23C5E036 KUB23C5E036 KUB23C5E036 KUB23C5E0

.036



STUDENT REPORT

26

DETAILS

Name

DEVARAJ

Roll Number

KUB23CSE036

EXPERIMENT

Fitle

ANT ON RAIL

Description

There is a ant on your balcony. It wants to leave the rail so sometimes it moves right and sometimes it moves left until it gets exhausted. Given an integer array A of size N which consists of integer 1 and -1 only representing ant's moves.

Where 1 means ant moved unit distance towards the right side and -1 means it moved unit distance towards the left . Your task is to find and return the integer value representing how many times the ant reaches back to original starting position.

Note:

- Assume 1-based indexing
- Assume that the railing extends infinitely on the either sides

£03

Input Format:

input1: An integer value N representing the number of moves made by the ant.

LUB23C5E036 KUB23C5E036 KUB23C

KUB23C5E036 KUB23C5E036 KUB23C5E

input2: An integer array A consisting of the ant's moves towards either side

Sample Input

5

£036 £18

1 -1 1 -1 1

Sample Output

LUB23C5E036 KUB23C5E036 * ** KNB23CSE036 KNB23 Source Code:

9/28/24, 11:57 AM KUB23CSE036-Ant on Rail

```
def count_returns_to_start(N, A):
        current_position = 0
        return_count = 0
        for move in A:
            current_position += move
            if current_position == 0:
                return_count += 1
        return return_count
    # Example usage:
    N = int(input())
    A = list(map(int,input().split())) # Example moves
    result = count_returns_to_start(N, A)
    print(result) # Output: 3
RESULT
 5 / 5 Test Cases Passed | 100 %
```