



DE:AD:10:C5

Instituto de Ingeniería y Tecnología
Departamento de Ingeniería Industrial y Manufactura
Doctorado en Tecnología

STASH

ENTER NAME

Enter Name

Enter Name

December 28, 2022

Summary

[cite_sstart] *In this project paper, we will consider the issue of a “dirty” local development environment, and precisely where*
40]. [cite_sstart] *Using freely available Open Source tools and a few easy-to-remember patterns, we can work in a much more*
41].

[cite_sstart] *First, we look at how to set up a workable solution for storing credentials* [cite : 42]. [cite_sstart] *Next, we do some*
43]. [cite_sstart] *Finally, we will see how we can still easily use these credentials though they remain encrypted at rest and in*
44].

Contents

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

2 Setting Up

3 Finding Secrets on Local Machine

4 Storing Secrets

5 Using Secrets