



# Part 3: MCP & RAG

[download latest version](#)

# Review

# Prompting the LLM





**Artificial Intelligence (AI):** Machines with ability to imitate intelligent human behaviour

**Machine Learning (ML):** Application of AI which uses algorithms to learn from experience

**Deep Learning (DL):** Application of ML that uses Deep Neural Networks to process large data sets

# Prompting the LLM



**Artificial Intelligence (AI):** Machines with ability to imitate intelligent human behaviour

**Machine Learning (ML):** Application of AI which uses algorithms to learn from experience

**Deep Learning (DL):** Application of ML that uses Deep Neural Networks to process large data sets

# Model Context Protocol

# Model Context Protocol

- ▶ MCP Hosts: Programs like Claude Desktop, IDEs, or AI tools that want to access data through MCP
- ▶ MCP Clients: Protocol clients that maintain 1:1 connections with servers
- ▶ MCP Servers: Lightweight programs that each expose specific capabilities through the standardized Model Context Protocol
- ▶ Local Data Sources: Your computer's files, databases, and services that MCP servers can securely access
- ▶ Remote Services: External systems available over the internet (e.g., through APIs) that MCP servers can connect to

# Retrieval-Augmented Generation

Retrieval-Augmented Generation (RAG) is an approach that improves how language models respond by connecting them to external data sources.