#### Build a Serverless Github Bot in GCP

Franklin Diaz

DE:AD:10:C5


Tuesday January 10, 2023





# Overview: Usage

The big picture for operation.



# Overview: Deployment

The big picture for deployment.



#### Outline

A high level overview of the learning path is as follows:

- Prerequisites
- Github setup.
- Set up a development environment.
- Review the Python source for the bot.
- Configure Terraform and deploy the bot.
- Test it out.
- Explore possibilities for extending the functionality.











# Setup: VSCode

### VSCode (https://code.visualstudio.com)

- Windows 64 bit User Installer: VSCodeUserSetup-x64-1.73.1.exe
- Mac Universal: VSCode-darwin-universal.zip
- Linux (Debian, Ubuntu): code\_1.73.1-1667967334\_amd64.deb
- Linux (Red Hat, Fedora, SUSE): code-1.73.1-1667967421.el7.x86\_64.rpm

Click this link for details on using dev containers in VSCode





# Setup: git

#### GIT (https://git-scm.com/downloads)

- Windows 32 Bit: Git-2.38.1-64-bit.exe
- Windows 64 Bit: Git-2.38.1-32-bit.exe
- Mac: git-2.15.0-intel-universal-mavericks.dmg

# Setup: Docker Desktop

Docker Desktop (https://www.docker.com/)

- Windows: Docker Desktop Installer.exe
- MacOS (Intel Chip): Docker.dmg
- MacOS (M1 Chip): Docker.dmg
- · Linux instructions can be found: here

Click here to see Docker setup steps from Microsoft





# Setup: Clone and Open the Project Repository

- Time to clone the repository.
- Click this link for the Github repository
- In VSCode, press F1 and enter the command "Dev Containers: Open Folder in Container"
  - You can also choose "Dev Containers: Open Workspace in Container"
  - Here is the Microsoft VSCode dev containers tutorial
- From the top menu select "Terminal New Terminal"
- Now "cd /workspaces/workshop-codemash-2023/bin" and type "setup-dev-env.sh"



PRF-WORK

## Google Cloud: Account Setup

- Sign up for a free tier GCP account.
- Navigate to https://cloud.google.com/ and make sure you have a usable project to work in.
- Here is some infomration about creating projects in GCP



# Google Cloud: Update Project Name and Login

- Update your project name in the file "/workspaces/workshop-codemash-2023/.envrc"
- Update your project name in the file "/workspaces/workshop-codemash-2023/src/config.ini"
- Type the command "direnv allow ." to reload the ENV variables.
- In the dev container, run the command "gcloud auth login" and follow the directions there.
- Verify you are connected to GCP with the command "gcloud auth list"





# Google Cloud: Create Service User

We create a service user in GCP with limited scope of permissions.



INTRODUCTION PRE-WORK IN CLASS SETUP **PYTHON** 

# Google Cloud: Create Secret in Secrets Mgr


The Cloud Function is expecting us to create a secret named "gh\_secret\_token".





# Overview: Python Functions

The big picture for the Python code files.



## The Python Application

 The main function is essentially a Flask app that waits for an incoming JSON messages.

```
if __name__ == "__main__":
    app = Flask(__name__)
    app.route("/")(lambda: main(request))
    app.run()
```

# Python: Logging

- Logging is set to the "INFO" level.
- The log files show up in GCP under the cloud function.

## Python: config.ini

• The Cloud Function is expecting us to create a secret named "gh\_secret\_token".

```
workshop-codemash-2023 > src > config.ini
1     [required_options]
2
3     # GCP Project ID
4     project_id = b|ot-stuff
5     # Create this secret in GCP Secret Mgr, holds GH token.
6     secret_name = gh_secret_token
7     # this is the label that gets set when a PR is opened.
8     label_name = cloudbot-testing
```



#### The Terraform Installer

We use Terraform to automate the Cloud Function installation.



# Deploying with Terraform

Let's do a Terraform deployment.





## Extra: Dockerfile and docker-compose.yml

Check out the docker container and framework, see how all that works.



## Extra: Connect it to your GKE cluster

I can demo this or we can try it if we have time.



#### Extra: GNU Autotools

Wow we must be super bored lets play with GNU Autotools.



#### Future: Scan the PR comments for commands

The Cloud Function could monitor the PR for certain strings, using these to trigger actions.



INTRODUCTION IN CLASS SETUP **EXTRA** 

#### Resources

Click here for Session Details

Project source files are available:

https://github.com/devsecfranklin/workshop-codemash-2023

Prerequisites are available at this link.



## Contact

Mastodon:

"@devsecfranklin@defcon.social"

E-mail: devsecfranklin@duck.com





Build a Serverless Github Bot in GCP