

File Edit Selection View Go Run ... Index.html - Calendar2022 - Visual Studio Code

index.html X style.css

index.html > html

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <title>Full Year Calendar</title>
6   <link rel="stylesheet" href="style.css">
7 </head>
8 <body>
9 </body>
10 </html>
```

Full Year Calendar x Google x Google x +

google.com/webhp?hl=en&sa=X&ved=0ahUKEwjk3uKv5_n0AhXAs1YBHeRgCLYQPAgl

Gmail Images OT

Google

js year calendar

Google Search I'm Feeling Lucky

Google offered in: हिन्दी ವಾರ್ನಾ ಲೆಲ್ಲಾಗು ಮರಾಠಿ ಕುಪ್ಪಿ ಗುಜರಾತಿ ಕನ್ನಡ ಮಲಯಾಳಂ ಪੰਜಾਬੀ

India

About Advertising Business

SUBSCRIBE US FOR DAILY VIDEO

HTTP://WWW.YOUTUBE.COM/C/ONLINETUTORIALS4DESIGNERS

OT
ONLINE
TUTORIALS

```
File Edit Selection View Go Run ... index.html - Calendar2022 - Visual Studio Code
index.html X style.css
index.html > html > body > div.calendar
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <title>Full Year Calendar</title>
6      <link rel="stylesheet" type="text/css"
7          href="https://unpkg.com/
js-year-calendar@latest/dist/js-year-calendar.
min.css" />
8      <link rel="stylesheet" href="style.css">
9  </head>
10 <body>
11     <div class="calendar"></div>
12     <script src="https://unpkg.com/
js-year-calendar@latest/dist/js-year-calendar.
min.js"></script>
13     <script>
14         new Calendar(document.querySelector('..
calendar'));
15     </script>
16 </body>
17 </html>
```

2019							2020							2021													
January							February							March													
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
			1	2			1	2	3	4	5	6		1	2	3	4	5	6		1	2	3		1	2	3
3	4	5	6	7	8	9	7	8	9	10	11	12	13	7	8	9	10	11	12	13	4	5	6	7	8	9	10
10	11	12	13	14	15	16	14	15	16	17	18	19	20	14	15	16	17	18	19	20	11	12	13	14	15	16	17
17	18	19	20	21	22	23	21	22	23	24	25	26	27	21	22	23	24	25	26	27	18	19	20	21	22	23	24
24	25	26	27	28	29	30	28							28	29	30	31				25	26	27	28	29	30	
31																											
May							June							July							August						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
			1				1	2	3	4	5			1	2	3		1	2	3	1	2	3	4	5	6	7
2	3	4	5	6	7	8	6	7	8	9	10	11	12	4	5	6	7	8	9	10	8	9	10	11	12	13	14
9	10	11	12	13	14	15	13	14	15	16	17	18	19	11	12	13	14	15	16	17	15	16	17	18	19	20	21
16	17	18	19	20	21	22	20	21	22	23	24	25	26	18	19	20	21	22	23	24	22	23	24	25	26	27	28
23	24	25	26	27	28	29	27	28	29	30				25	26	27	28	29	30	31	29	30	31				
30	31																										
September							October							November							December						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4			1	2				1	2	3	4	5	6		1	2	3	4	5	6	7
5	6	7	8	9	10	11	3	4	5	6	7	8	9	7	8	9	10	11	12	13	5	6	7	8	9	10	11
12	13	14	15	16	17	18	10	11	12	13	14	15	16	14	15	16	17	18	19	20	12	13	14	15	16	17	18
19	20	21	22	23	24	25	17	18	19	20	21	22	23	21	22	23	24	25	26	27	19	20	21	22	23	24	25
26	27	28	29	30			24	25	26	27	28	29	30	28	29	30					26	27	28	29	30	31	

```
File Edit Selection View Go Run ... index.html - Calendar2022 - Visual Studio Code
index.html style.css

index.html > html > body > div.calendar
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <title>Full Year Calendar</title>
6     <link rel="stylesheet" type="text/css"
7         href="https://unpkg.com/
js-year-calendar@latest/dist/js-year-calendar.
min.css" />
8     <link rel="stylesheet" href="style.css">
9 </head>
10 <body>
11     <div class="calendar"></div>
12     <script src="https://unpkg.com/
js-year-calendar@latest/dist/js-year-calendar.
min.js"></script>
13     <script>
14         new Calendar(document.querySelector('..
calendar'));
15     </script>
16 </body>
17 </html>
```

2019							2020							2021																		
January							February							March																		
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa					
			1	2				1	2	3	4	5	6		1	2	3	4	5	6		1	2	3		4	5	6	7	8	9	10
3	4	5	6	7	8	9	7	8	9	10	11	12	13	7	8	9	10	11	12	13	4	5	6	7	8	9	10					
10	11	12	13	14	15	16	14	15	16	17	18	19	20	14	15	16	17	18	19	20	11	12	13	14	15	16	17					
17	18	19	20	21	22	23	21	22	23	24	25	26	27	21	22	23	24	25	26	27	18	19	20	21	22	23	24					
24	25	26	27	28	29	30	28							28	29	30	31				25	26	27	28	29	30						
31																																
May							June							July							August											
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa					
			1					1	2	3	4	5			1	2	3				1	2	3		4	5	6	7				
2	3	4	5	6	7	8	6	7	8	9	10	11	12	4	5	6	7	8	9	10	8	9	10	11	12	13	14					
9	10	11	12	13	14	15	13	14	15	16	17	18	19	11	12	13	14	15	16	17	15	16	17	18	19	20	21					
16	17	18	19	20	21	22	20	21	22	23	24	25	26	18	19	20	21	22	23	24	22	23	24	25	26	27	28					
23	24	25	26	27	28	29	27	28	29	30				25	26	27	28	29	30	31	29	30	31									
30	31																															
September							October							November							December											
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa					
			1	2	3	4			1	2					1	2	3	4	5	6		1	2	3		4	5	6	7			
5	6	7	8	9	10	11	3	4	5	6	7	8	9	7	8	9	10	11	12	13	5	6	7	8	9	10	11					
12	13	14	15	16	17	18	10	11	12	13	14	15	16	14	15	16	17	18	19	20	12	13	14	15	16	17	18					
19	20	21	22	23	24	25	17	18	19	20	21	22	23	21	22	23	24	25	26	27	19	20	21	22	23	24	25					
26	27	28	29	30			24	25	26	27	28	29	30	28	29	30					26	27	28	29	30	31						

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

style.css > OT:

```
1 *  
2 {  
3   margin: 0;  
4   padding: 0;  
5   box-sizing: border-box;  
6 }
```

Full Year Calendar GitHub - year-calendar/ Google

127.0.0.1:5500/index.html

2020 2021 2023

January							February							March							April								
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa		
							1	2		1	2	3	4	5	6		1	2	3	4	5	6		1	2	3	4	5	6
3	4	5	6	7	8	9	7	8	9	10	11	12	13	7	8	9	10	11	12	13	7	8	9	10	11	12	13		
10	11	12	13	14	15	16	14	15	16	17	18	19	20	14	15	16	17	18	19	20	14	15	16	17	18	19	20		
17	18	19	20	21	22	23	21	22	23	24	25	26	27	21	22	23	24	25	26	27	21	22	23	24	25	26	27		
24	25	26	27	28	29	30	28							28	29	30	31				28	29	30	31					
							31																						
May							June							July							August								
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa		
							1		1	2	3	4	5		1	2	3		1	2	3		1	2	3	4	5	6	7
2	3	4	5	6	7	8	6	7	8	9	10	11	12	6	7	8	9	10	11	12	4	5	6	7	8	9	10		
9	10	11	12	13	14	15	13	14	15	16	17	18	19	13	14	15	16	17	18	19	11	12	13	14	15	16	17		
16	17	18	19	20	21	22	20	21	22	23	24	25	26	20	21	22	23	24	25	26	18	19	20	21	22	23	24		
23	24	25	26	27	28	29	27	28	29	30				27	28	29	30				25	26	27	28	29	30	31		
30	31																												
September							October							November							December								
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa		
							1	2	3	4		1	2		1	2	3	4	5	6		1	2	3	4	5	6	7	
5	6	7	8	9	10	11	3	4	5	6	7	8	9	5	6	7	8	9	10	11	7	8	9	10	11	12	13		
12	13	14	15	16	17	18	10	11	12	13	14	15	16	10	11	12	13	14	15	16	14	15	16	17	18	19	20		
19	20	21	22	23	24	25	17	18	19	20	21	22	23	17	18	19	20	21	22	23	14	15	16	17	18	19	20		
26	27	28	29	30			24	25	26	27	28	29	30	24	25	26	27	28	29	30	21	22	23	24	25	26	27		
							31														28	29	30						

File Edit Selection View Go Run ... style.css - Calendar2022 - Virtual S... Full Year Calendar GitHub - year-calendar/ Google +

index.html style.css

style.css

```
* { margin: 0; padding: 0; box-sizing: border-box; }
```

Full Year Calendar x GitHub - year-calendar/ x Google x +

127.0.0.1:5500/index.html

2019 2021

January February March April

Su	Mo	Tu	We	Th	Fr	Sa
			1	2		
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
				28		
31						

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

May June July August

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

September October November December

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
* { margin: 0; padding: 0; box-sizing: border-box; }
```

Full Year Calendar Quicksand - Google Fonts +

fonts.google.com/specimen/Quicksand?query=quick

Google Fonts

Quicksand

Designed by Andrew Paglinawan

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it we had left the ground

64px

Light 300

Almost before we kne + Select this style

Regular 400

Almost before we kne + Select this style

Medium 500

File Edit Selection View Go Run ... style.css - Calendar 2022 - Visual Studio Code

index.html style.css

```
* { margin: 0; padding: 0; box-sizing: border-box; }
```

Full Year Calendar Quicksand - Google Fonts

fonts.google.com/specimen/Quicksand?query=quicksand

Google Fonts

Quicksand

Designed by Andrew Paglinawan

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it, we had left the ground.

64px

Light 300

Almost before we knew it, we had left the ground.

Regular 400

Almost before we knew it, we had left the ground.

Medium 500

Selected family

Review

Quicksand

Light 300

Regular 400

Medium 500

Semi-bold 600

Add more styles Remove all

To embed a font, copy the code into the <head> of your html

<link> @import

```
<style>
@import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300:400:500:600&display=swap');
</style>
```

CSS rules to specify families

```
font-family: 'Quicksand', sans-serif;
```

API docs Download all

File Edit Selection View Go Run ... • style.css - Calendar2022 - Visual Studio Code

index.html style.css style.css > ...

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

2 *

3 {

4 margin: 0;

5 padding: 0;

6 box-sizing: border-box;

7 }

Full Year Calendar Quicksand - Google Fonts +

fonts.google.com/specimen/Quicksand?query=quick

Google Fonts

Quicksand

Designed by Andrew Paglinawan

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it, we had left the ground.

64px

Light 300

Almost before we knew it, we had left the ground.

Regular 400

Almost before we knew it, we had left the ground.

Medium 500

Selected family

Review

Quicksand

Light 300

Regular 400

Medium 500

Semi-bold 600

Add more styles Remove all

To embed a font, copy the code into the <head> of your html

<link> @import

```
<style>
@import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
</style>
```

CSS rules to specify families

```
font-family: 'Quicksand', sans-serif;
```

API docs Download all

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

2 *

3 {

4 margin: 0;

5 padding: 0;

6 box-sizing: border-box;

7 font-family: 'Quicksand', sans-serif;

8 }

Full Year Calendar Quicksand - Google Fonts

fonts.google.com/specimen/Quicksand?query=quick

Google Fonts

Quicksand

Designed by Andrew Paglinawan

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it, we had left the ground

64px

Light 300

Almost before we knew it, we had left the ground

Regular 400

Almost before we knew it, we had left the ground

Medium 500

Selected family

Review

Quicksand

Light 300

Regular 400

Medium 500

Semi-bold 600

Add more styles Remove all

To embed a font, copy the code into the <head> of your html

<link> @import

```
<style>
@import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
</style>
```

CSS rules to specify families

```
Font-family: 'Quicksand', sans-serif;
```

API docs Download all

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

Full Year Calendar x Quicksand - Google Fonts x +

127.0.0.1:5500/index.html

2022							2024							2026														
January							February							March							April							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27		
28	29	30	31				25	26	27	28	29		24	25	26	27	28	29	30		28	29	30					
May							June							July							August							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27		
26	27	28	29	30	31		23	24	25	26	27	28	29	30	31		28	29	30	31		25	26	27	28	29	30	31
September							October							November							December							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27		
22	23	24	25	26	27	28	29	30	31		27	28	29	30	31		24	25	26	27	28	29	30	29	30	31		

```
File Edit Selection View Go Run ... style.css - Calendar2022 - Visual S... X
index.html X style.css X
style.css > OT ...

1 @import url('https://fonts.googleapis.com/css2?
family=Quicksand:wght@300;400;500;600&
display=swap');
2 *
3 {
4   margin: 0;
5   padding: 0;
6   box-sizing: border-box;
7   font-family: 'Quicksand', sans-serif;
8 }

Full Year Calendar x Quicksand - Google Fonts x +
127.0.0.1:5500/index.html
2022 2024 2026
January February March April
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
1 2 3 4 5 6 1 2 3 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 10 11 12 13
7 8 9 10 11 12 13 4 5 6 7 8 9 10 3 4 5 6 7 8 9 14 15 16 17 18 19 20 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27
14 15 16 17 18 19 20 11 12 13 14 15 16 17 21 22 23 24 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31
21 22 23 24 25 26 27 18 19 20 21 22 23 24 25 26 27 28 29 24 25 26 27 28 29 30 28 29 30
28 29 30 31 25 26 27 28 29 31
May June July August
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
1 2 3 4 1 2 3 4 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6
5 6 7 8 9 10 11 2 3 4 5 6 7 8 7 8 9 10 11 12 13 4 5 6 7 8 9 10 11 12 13 14 15 16 17
12 13 14 15 16 17 18 9 10 11 12 13 14 15 14 15 16 17 18 19 20 11 12 13 14 15 16 17 18 19 20 21 22 23 24
19 20 21 22 23 24 25 16 17 18 19 20 21 22 21 22 23 24 25 26 27 18 19 20 21 22 23 24 25 26 27 28 29 30 31
26 27 28 29 30 31 23 24 25 26 27 28 29 28 29 30 31 25 26 27 28 29 30 25 26 27 28 29 30 31
September October November December
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
1 2 3 4 5 6 7 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31
8 9 10 11 12 13 14 6 7 8 9 10 11 12 3 4 5 6 7 8 9 15 16 17 18 19 20 21 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31
15 16 17 18 19 20 21 13 14 15 16 17 18 19 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31
22 23 24 25 26 27 28 20 21 22 23 24 25 26 17 18 19 20 21 22 23 24 25 26 27 28 29 30 24 25 26 27 28 29 30 29 30 31
```

```
File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code
index.html style.css x
style.css > body
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
2 *
3 {
4     margin: 0;
5     padding: 0;
6     box-sizing: border-box;
7     font-family: 'Quicksand', sans-serif;
8 }
9 body
10 [
11     background: #f1fbff;
12 }
```

2022							2024							2026													
January							February							March													
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6			1	2	3				1	2				1	2		1	2	3	4	5	6
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	7	8	9	7	8	9	10	11	12	13
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16	14	15	16	17	18	19	20
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23	21	22	23	24	25	26	27
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30	28	29	30				
														31													
May							June							July							August						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4									1		1	2	3	4	5	6		1	2	3	4	5	6
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13	4	5	6	7	8	9	10
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20	11	12	13	14	15	16	17
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27	18	19	20	21	22	23	24
26	27	28	29	30	31		23	24	25	26	27	28	29	28	29	30	31				25	26	27	28	29	30	31
							30																				
September							October							November							December						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7		1	2	3	4	5			1	2					1	2	3	4	5	6	7
8	9	10	11	12	13	14	6	7	8	9	10	11	12	3	4	5	6	7	8	9	8	9	10	11	12	13	14
15	16	17	18	19	20	21	13	14	15	16	17	18	19	10	11	12	13	14	15	16	15	16	17	18	19	20	21
22	23	24	25	26	27	28	20	21	22	23	24	25	26	17	18	19	20	21	22	23	22	23	24	25	26	27	28

```
File Edit Selection View Go Run ... index.html - Calendar2022 - Visual Studio Code

index.html X style.css

index.html > html > body > div.calendar

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <title>Full Year Calendar</title>
6      <link rel="stylesheet" type="text/css"
7          href="https://unpkg.com/
js-year-calendar@latest/dist/js-year-calendar.
min.css" />
8      <link rel="stylesheet" href="style.css">
9  </head>
10 <body>
11     <div class="calendar"></div>
12     <script src="https://unpkg.com/
js-year-calendar@latest/dist/js-year-calendar.
min.js"></script>
13     <script>
14         new Calendar(document.querySelector('.calendar'));
15     </script>
16 </body>
17 </html>
```

2022							2024							2026						
January							February							March						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6			1	2	3				1	2				1	2
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	7	8	9
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30
May							June							July						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4					1						1	2	3	4	5	6	
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27
26	27	28	29	30	31		23	24	25	26	27	28	29	28	29	30	31			
September							October							November						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7		1	2	3	4	5			1	2				
8	9	10	11	12	13	14	6	7	8	9	10	11	12	3	4	5	6	7	8	9
15	16	17	18	19	20	21	13	14	15	16	17	18	19	10	11	12	13	14	15	16
22	23	24	25	26	27	28	20	21	22	23	24	25	26	17	18	19	20	21	22	23
29	30						27	28	29	30	31			24	25	26	27	28	29	30
December																				
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7								1	2					
8	9	10	11	12	13	14	6	7	8	9	10	11	12	3	4	5	6	7	8	9
15	16	17	18	19	20	21	13	14	15	16	17	18	19	10	11	12	13	14	15	16
22	23	24	25	26	27	28	20	21	22	23	24	25	26	17	18	19	20	21	22	23
29	30						27	28	29	30	31			24	25	26	27	28	29	30

```
File Edit Selection View Go Run ... * style.css - Calendar2022 - Visual ... — □

index.html 0 style.css 1 ●
style.css > .calendar
1 @import url('https://fonts.googleapis.com/css2?
family=Quicksand:wght@300;400;500;600&
display=swap');
2 *
3 {
4     margin: 0;
5     padding: 0;
6     box-sizing: border-box;
7     font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11     background: #f1fbff;
12 }
13 .calendar
14 {
15 }
16 }
```

2022							2024							2026													
January							February							March													
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6			1	2	3				1	2				1	2		1	2	3	4	5	6
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	7	8	9	7	8	9	10	11	12	13
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16	14	15	16	17	18	19	20
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23	21	22	23	24	25	26	27
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30	28	29	30				
May							June							July							August						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4					1						1	2	3	4	5	6		1	2	3				
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13	4	5	6	7	8	9	10
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20	11	12	13	14	15	16	17
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27	18	19	20	21	22	23	24
26	27	28	29	30	31		23	24	25	26	27	28	29	28	29	30	31				25	26	27	28	29	30	31
September							October							November							December						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7		1	2	3	4	5			1	2					1	2	3	4	5	6	7
8	9	10	11	12	13	14	6	7	8	9	10	11	12	3	4	5	6	7	8	9	8	9	10	11	12	13	14
15	16	17	18	19	20	21	13	14	15	16	17	18	19	10	11	12	13	14	15	16	15	16	17	18	19	20	21
22	23	24	25	26	27	28	20	21	22	23	24	25	26	17	18	19	20	21	22	23	22	23	24	25	26	27	28
29	30						27	28	29	30	31			24	25	26	27	28	29	30	29	30	31				

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css .calendar

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

Full Year Calendar 127.0.0.1:5500/index.html

2024

		January					February					March								
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6		1	2	3	4	5	6	7	1	2	3	4	5	6	7
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	7	8	9
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30
														31						

April May June

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6		1	2	3	4			1							
7	8	9	10	11	12	13	5	6	7	8	9	10	11	2	3	4	5	6	7	8
14	15	16	17	18	19	20	12	13	14	15	16	17	18	9	10	11	12	13	14	15
21	22	23	24	25	26	27	19	20	21	22	23	24	25	16	17	18	19	20	21	22
28	29	30					26	27	28	29	30	31	25	24	25	26	27	28	29	30

July August September


Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6		1	2	3	1	2	3	4	5	6	7	8	9	10	11
7	8	9	10	11	12	13	4	5	6	7	8	9	10	8	9	10	11	12	13	14
14	15	16	17	18	19	20	11	12	13	14	15	16	17	15	16	17	18	19	20	21
21	22	23	24	25	26	27	18	19	20	21	22	23	24	22	23	24	25	26	27	28
28	29	30	31				25	26	27	28	29	30	31	29	30					

October November December

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5			1	2	1	2	3	4	5	6	7	8	9	10	11	12
6	7	8	9	10	11	12	3	4	5	6	7	8	9	8	9	10	11	12	13	14
13	14	15	16	17	18	19	10	11	12	13	14	15	16	15	16	17	18	19	20	21
20	21	22	23	24	25	26	17	18	19	20	21	22	23	22	23	24	25	26	27	28
27	28	29	30	31			25	26	27	28	29	30	31	29	30					

bem! 584.8 x 834.4

```
File Edit Selection View Go Run ... style.css -> Calendar2022 - Visual Studio Code
index.html style.css .calendar
1 @import url('https://fonts.googleapis.com/css2?
  family=Quicksand:wght@300;400;500;600&
  display=swap');
2 *
3 {
4   margin: 0;
5   padding: 0;
6   box-sizing: border-box;
7   font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11   background: #f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
```



File Edit Selection View Go Run ... style.css - Calendar2023 - Visual Studio Code

index.html style.css .calendar

style.css > .calendar

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```


Full Year Calendar 127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa																																			
1	2	3	4	5	6		1	2	3		1	2		1	2	3	4	5	6	7	8	9	10	11	12	13																																				
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	7	8	9	10	11	12	13	14																																					
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16	17	18	19	20	21																																					
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23	24	25	26	27	28																																					
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30	28	29	30																																							
														31																																																
May							June							July							August																																									
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa																																			
1	2	3	4				1			1	2	3	4	5	6				1	2	3				1	2	3																																			
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13	4	5	6	7	8	9	10																																			
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20	11	12	13	14	15	16	17																																			
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27	18	19	20	21	22	23	24																																			
26	27	28	29	30	31		23	24	25	26	27	28	29	28	29	30	31				25	26	27	28	29	30	31																																			
													30																																																	
September							October							November							December																																									
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa																																			
1	2	3	4	5	6	7	1	2	3	4	5			1	2	3	4	5	6	7	8	9	10	11	12	13	14																																			
8	9	10	11	12	13	14	6	7	8	9	10	11	12	3	4	5	6	7	8	9	10	11	12	13	14																																					
15	16	17	18	19	20	21	13	14	15	16	17	18	19	10	11	12	13	14	15	16	17	18	19	20	21	22																																				
														10	11	12	13	14	15	16	17	18	19	20	21	22	23																																			
Elements							Console							Sources							Network							Memory							Performance							Application							Security							Lighthouse						
<!DOCTYPE html>																												Styles Computed Layout Event Listener >																																		
<html lang="en"> == 50																												Filter :hov .cls +																																		
> <head>_</head>																												element.style {																																		
<body>																												}																																		
> <div class="calendar">_</div>																												* {																																		
<script src="https://unpkg.com/js-year-calendar@latest/dist/js-year-c																												margin: 0;																																		
alendar.min.js"></script>																												padding: 0;																																		
<script> new Calendar(document.querySelector('.calendar'));																												box-sizing: border-box;																																		
<!-- Code injected by live-server -->																												font-family: 'Quicksand', sans-serif;																																		
</script type="text/javascript"></script>																												}																																		
</body>																												html[Attributes Style] {																																		
</html>																												-webkit-locale: "en";																																		
																												}																																		
																												html {																																		
																												display: block;																																		
																												user agent stylesheet																																		

```
File Edit Selection View Go Run ... style.css - Calendar2022 - Visual S... □

index.html style.css x
style.css > .calendar

1 @import url('https://fonts.googleapis.com/css2?
  family=Quicksand:wght@300;400;500;600&
  display=swap');
2 *
3 {
4   margin: 0;
5   padding: 0;
6   box-sizing: border-box;
7   font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11   background: #f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
```



File Edit Selection View Go Run ... style.css - Calendar 2022 - Visual Studio Code

index.html style.css

style.css > .calendar

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

Full Year Calendar Quicksand - Google Fonts 127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa		
	1	2	3	4	5	6		1	2	3		1	2		1	2	3	4	5	6		1	2	3	4	5	6		
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	/	8	9	7	8	9	10	11	12	13		
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16	14	15	16	17	18	19	20		
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23	21	22	23	24	25	26	27		
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30	28	29	30						
														31															
May							June							July							August								
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa		
	1	2	3	4				1		2	3	4	5	6		1	2	3	4	5	6		1	2	3		4	5	6
5	6	7	8	9	10	11	2	3	4	5	6	7	8	9	7	8	9	10	11	12	13	4	5	6	7	8	9	10	
12	13	14	15	16	17	18	9	10	11	12	13	14	15	16	14	15	16	17	18	19	20	11	12	13	14	15	16	17	
19	20	21	22	23	24	25	16	17	18	19	20	21	22	23	21	22	23	24	25	26	27	18	19	20	21	22	23	24	
														26	27	28	29	28	29	30	31								
div.months-container 755.2 x 563.4																													

```
File Edit Selection View Go Run ... • style.css - Calendar2022 - Visual ... ━ ━ ━
index.html 0 style.css 1
style.css > .months-container
1 @import url('https://fonts.googleapis.com/css2?
family=Quicksand:wght@300;400;500;600&
display=swap');
2 *
3 {
4     margin: 0;
5     padding: 0;
6     box-sizing: border-box;
7     font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11     background: #f1fbff;
12 }
13 .calendar
14 {
15     padding: 20px 40px;
16 }
17 .months-container
18 {
19     |
20 }
```

File Edit Selection View Go Run ... style.css - Calendar2022 Visual ... Full Year Calendar Quicksand - Google Fonts +

index.html style.css 1 style.css .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19 }
```

```
20 }
```

Full Year Calendar x Quicksand - Google Fonts x +

127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
	1	2	3	4	5	6		1	2	3					1	2					
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	7	8	9	
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16	
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23	
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30	
														31							

April May June

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
	1	2	3	4	5	6		1	2	3	4				1						
7	8	9	10	11	12	13	5	6	7	8	9	10	11	2	3	4	5	6	7	8	
14	15	16	17	18	19	20	12	13	14	15	16	17	18	9	10	11	12	13	14	15	
21	22	23	24	25	26	27	19	20	21	22	23	24	25	16	17	18	19	20	21	22	
28	29	30					26	27	28	29	30	31		23	24	25	26	27	28	29	

Elements Console Sources Network Memory Performance > Styles Computed Layout >

```
<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <div class="calendar">
      <div class="calendar-header">...</div>
      <div class="months-container" style="opacity: 1; display: flex; flex-wrap: wrap; gap: 30px;">
        <div class="month-container month-3" data-month-id="0">...</div>
        <div class="month-container month-3" data-month-id="1">...</div>
        <div class="month-container month-3" data-month-id="2">...</div>
        <div class="month-container month-3" data-month-id="3">...</div>
        <div class="month-container month-3" data-month-
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css 1

style.css .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19
```

```
20 }
```

Full Year Calendar Quicksand - Google Fonts 127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Su	Mo	Tu	We	Th	Fr	Sa
1	2					
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

April May June

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7
9	10	11	12	13	14	15
16	17	18	19	20	21	22

Elements Console Sources Network Memory Performance

```
<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <div class="calendar">
      <div class="calendar-header">...</div>
      <div class="months-container" style="opacity: 1; display: flex; flex-direction: row; gap: 40px; width: 100%; height: 100%;">
        <div class="month-container month-1" data-month-id="0">...</div>
        <div class="month-container month-2" data-month-id="1">...</div>
        <div class="month-container month-3" data-month-id="2">...</div>
        <div class="month-container month-4" data-month-id="3">...</div>
        <div class="month-container month-5" data-month-id="4">...</div>
      </div>
    </div>
  </body>
</html>
```

Styles Filter element. opacity: 1; display: flex; flex-direction: row; gap: 40px; width: 100%; height: 100%;

Copy declaration Copy property Copy value Copy declaration as JS

Copy rule Copy all declarations View computed value Copy all declarations as JS

Copy Copy link to highlight Search Google for "gap:40px px;"

* { margin: 0; padding: 0; box-sizing: border-box; font-family: 'Quicksand', sans-serif; }

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19   gap: 40px;
```

```
20 }
```

Full Year Calendar x Quicksand - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January							February							March						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
							1	2	3	4	5	6		1	2	3		1	2	
7	8	9	10	11	12	13	4	5	6	7	8	9	10	3	4	5	6	7	8	9
14	15	16	17	18	19	20	11	12	13	14	15	16	17	10	11	12	13	14	15	16
21	22	23	24	25	26	27	18	19	20	21	22	23	24	17	18	19	20	21	22	23
28	29	30	31				25	26	27	28	29			24	25	26	27	28	29	30
														31						
April							May							June						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
							1	2	3	4	5	6	7	1	2	3	4	5	6	7
							8	9	10	11	12	13	14	15	16	17	18	19	20	21
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28
							22	23	24	25	26	27	28	29	30	31	1	2	3	4
							1	2	3	4	5	6	7	8	9	10	11	12	13	14
							15	16	17	18	19	20	21	22	23	24	25	26	27	28

File Edit Selection View Go Run ... style.css - Calendar2022 - Vada... Full Year Calendar Quicksand - Google Fonts +

index.html style.css .months-container

style.css > .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19   gap: 40px;
```

```
20 }
```

Full Year Calendar 127.0.0.1:5500/index.html

2022 2024 2026

January							February							March						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6		1	2	3		1	2	3	3	4	5	6	7	8	9
7	8	9	10	11	12	13	4	5	6	7	8	9	10	10	11	12	13	14	15	16
14	15	16	17	18	19	20	11	12	13	14	15	16	17	17	18	19	20	21	22	23
21	22	23	24	25	26	27	18	19	20	21	22	23	24	24	25	26	27	28	29	30
28	29	30	31				25	26	27	28	29			31						

April							May							June						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
							1	2	3	4	5	6	7	1	2	3	4	5	6	7

Elements Console Sources Network Memory Performance > Styles Computed Layout >

<!DOCTYPE html>
<html lang="en">
 <head>...</head>
 <body>
 <div class="calendar">
 <div class="calendar-header">...</div>
 <div class="months-container" style="opacity: 1; display: flex; flex-wrap: wrap; gap: 40px;">

Filter :hov .cls +

element.style {
 opacity: 1;
 display: flex; }

.calendar .months-container {<style>
 width: 100%;
 display: none;
 flex-wrap: wrap;
}

.months-container {
 gap: 40px;
}

* {<style>
 margin: 0;
 padding: 0;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19   justify-content: center;
```

```
20   gap: 40px;
```

```
21 }
```

Full Year Calendar x Quicksand - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January							February							March							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
			1	2	3	4	5	6			1	2	3		1	2	3	4	5	6	7
			7	8	9	10	11	12	13		4	5	6	7	8	9	10	11	12	13	14
			14	15	16	17	18	19	20		11	12	13	14	15	16	17	10	11	12	13
			21	22	23	24	25	26	27		18	19	20	21	22	23	24	17	18	19	20
			28	29	30	31					25	26	27	28	29			24	25	26	27
																	31				

April							May							June						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa

Elements Console Sources Network Memory Performance > Styles Computed Layout >

<!DOCTYPE html>
<html lang="en">
 <head>...</head>
 <body>
 <div class="calendar">
 <div class="calendar-header">...</div>
 <div class="months-container" style="opacity: 1; display: flex; flex-wrap: wrap; width: 100%; display: none; justify-content: center; gap: 40px;" data-month-id="0">...</div>
 <div class="month-container month-3" data-month-id="1">...</div>
 <div class="month-container month-3" data-month-id="2">...</div>
 <div class="month-container month-3" data-month-id="3">...</div>
 <div class="month-container month-3" data-month-id="4">...</div>
 </div>

Filter :hover .cls +

```
element.style {  
  opacity: 1;  
  display: flex; }
```

```
.calendar .months-container {  
  width: 100%;  
  display: none;  
  flex-wrap: wrap; }
```

```
.months-container {  
  justify-content: center;  
  gap: 40px; }
```

```
* { margin: 0; }
```

```
style.css?_59063920:18
```

```
style.css?_59063920:3
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19   justify-content: center;
```

```
20   gap: 40px;
```

```
21 }
```

Full Year Calendar x Quicksand - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January							February							March							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
			1	2	3	4	5	6			1	2	3		1	2	3	4	5	6	7
			7	8	9	10	11	12	13		4	5	6	7	8	9	10	11	12	13	14
			14	15	16	17	18	19	20		11	12	13	14	15	16	17	10	11	12	13
			21	22	23	24	25	26	27		18	19	20	21	22	23	24	17	18	19	20
			28	29	30	31					25	26	27	28	29			24	25	26	27
																	28	29	30	31	

January February March April May June

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa

Elements Console Sources Network Memory Performance > Styles Computed Layout >

<!DOCTYPE html>
<html lang="en">
 <head>...</head>
 <body>
 <div class="calendar">
 <div class="calendar-header">...</div>
 <div class="months-container" style="opacity: 1; display: flex; flex-wrap: wrap; width: 100%; height: 100%; position: relative; align-items: center; justify-content: center; gap: 40px; margin: auto; border: 1px solid black; border-radius: 10px; padding: 20px; background-color: white; z-index: 1; transition: opacity 0.5s ease-in-out; transform: scale(1);>
 <div class="month-container month-3" data-month-id="0">...</div>
 <div class="month-container month-3" data-month-id="1">...</div>
 <div class="month-container month-3" data-month-id="2">...</div>
 <div class="month-container month-3" data-month-id="3">...</div>
 <div class="month-container month-3" data-month-id="4">...</div>
 <div class="month-container month-3" data-month-id="5">...</div>
 <div class="month-container month-3" data-month-id="6">...</div>
 <div class="month-container month-3" data-month-id="7">...</div>
 <div class="month-container month-3" data-month-id="8">...</div>
 <div class="month-container month-3" data-month-id="9">...</div>
 <div class="month-container month-3" data-month-id="10">...</div>
 <div class="month-container month-3" data-month-id="11">...</div>
 <div class="month-container month-3" data-month-id="12">...</div>
 </div>
 </div>
 </body>
</html>

Filter :hover .cls +

element.style {
 opacity: 1;
 display: flex;
}
.calendar .months-container {
 width: 100%;
 display: none;
 flex-wrap: wrap;
}
.months-container {
 justify-content: center;
 gap: 40px;
}
* {
 margin: 0;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css .months-container

style.css > .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19   justify-content: center;
```

```
20   gap: 40px;
```

```
21 }
```

Full Year Calendar Quicksand - Google Fonts +

127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa														
1	2	3	4	5	6															
7	8	9	10	11	12	13														
14	15	16	17	18	19	20														
21	22	23	24	25	26	27														
28	29	30	31																	
1	2	3	4	5	6	7														
8	9	10	11	12	13	14														
15	16	17	18	19	20	21														
22	23	24	25	26	27	28														
29	30																			
October							November							December						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5			1	2						1	2	3	4	5	6	7
6	7	8	9	10	11	12	3	4	5	6	7	8	9	8	9	10	11	12	13	14
13	14	15	16	17	18	19	10	11	12	13	14	15	16	15	16	17	18	19	20	21
20	21	22	23	24	25	26	17	18	19	20	21	22	23	22	23	24	25	26	27	28
27	28	29	30	31			24	25	26	27	28	29	30	29	30	31				

Elements Console Sources Network Memory Performance

calendar .months-container

Styles Computed Layout

Filter :hover .cls +

element.style { opacity: 1; display: flex; }

.calendar .months-container { width: 100%; display: none; flex-wrap: wrap; }

.months-container { justify-content: center; gap: 40px; }

* { margin: 0; }

style.css?_59063920:18

html body div.calendar div.months-container

style.css?_259063920:3

File Edit Selection View Go Run ... style.css - Calendar 2022 - Visual Studio Code

index.html style.css

style.css .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19   justify-content: center;
```

```
20   gap: 40px;
```

```
21 }
```

Full Year Calendar Quicksand - Google Fonts +

127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

October November December

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5		
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

element.style {}

.calendar js-year-cal_r.min.css:1

.months-container .month-container.month-3 { width: 25%; }

.calendar js-year-cal_r.min.css:1

.months-container .month-container { float: left; text-align: center; padding: 0; }

* { margin: 0; padding: 0; }

html body div.calendar div.months-container div.month ...

File Edit Selection View Go Run ... style.css - Calendar 2022 - Visual Studio Code

index.html style.css

style.css .months-container

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');
```

```
2 *
```

```
3 {
```

```
4   margin: 0;
```

```
5   padding: 0;
```

```
6   box-sizing: border-box;
```

```
7   font-family: 'Quicksand', sans-serif;
```

```
8 }
```

```
9 body
```

```
10 {
```

```
11   background: #f1fbff;
```

```
12 }
```

```
13 .calendar
```

```
14 {
```

```
15   padding: 20px 40px;
```

```
16 }
```

```
17 .months-container
```

```
18 {
```

```
19   justify-content: center;
```

```
20   gap: 40px;
```

```
21 }
```

Full Year Calendar x Quicksand - Google Fonts x +

127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5		
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

October November December

Elements Console Sources Network Memory Performance > Styles Computed Layout >

Filter :hover .cls +

element.style {

inner .month-3 {

js-year-cal_r.min.css:1

inner .month-

;

js-year-cal_r.min.css:1

inner .month-container {

t;

: center;

0;

style.css?_259063920:3

margin: 0;

padding: 0;

Cut Ctrl+X

Copy Ctrl+C

Paste Ctrl+V

Paste as plain text Ctrl+Shift+V

Select all Ctrl+A

Search Google for "month-container"

Spell check

Writing Direction

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css 1

style.css

```
6 box-sizing: border-box;
7 font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11 background: #f1fbff;
12 }
13 .calendar
14 {
15 padding: 20px 40px;
16 }
17 .months-container
18 {
19 justify-content: center;
20 gap: 40px;
21 }
22
```

Full Year Calendar Quicksand - Google Fonts

127.0.0.1:5500/index.html

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5		
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

October November December

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

element.style { }

.calendar js-year-cal_r.min.css:1

.months-container .month-container.month-3 { width: 25%; }

.calendar js-year-cal_r.min.css:1

.months-container .month-container { float: left; text-align: center; padding: 0; }

* { margin: 0; padding: 0; }

html body div.calendar div.months-container div.month-3 table tr td

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual S... Full Year Calendar Quicksand - Google Fonts 127.0.0.1:5500/index.html

```
index.html style.css
style.css .calendar .months-container .month-container
6 box-sizing: border-box;
7 font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11 background: #f1fbff;
12 }
13 .calendar
14 {
15 padding: 20px 40px;
16 }
17 .months-container
18 {
19 justify-content: center;
20 gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24 background: #fff;
25 }
```

2022 2024 2026

January							February							March							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
			1	2	3	4	5	6			1	2	3			1	2				
			7	8	9	10	11	12	13		4	5	6	7	8	9	10		3	4	5
			14	15	16	17	18	19	20		11	12	13	14	15	16	17		10	11	12
			21	22	23	24	25	26	27		18	19	20	21	22	23	24		17	18	19
			28	29	30	31					25	26	27	28	29				24	25	26

April May June

Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa

Elements Console Sources Network Memory Performance Styles Computed Layout

Filter :hover .cls +

element.style {}

.calendar js-year-cal.r.min.css:1

.months-container .month-container.month-3 { width: 25%; }

.calendar style.css?_59095071:23

.months-container .month-container { background: #fff; }

.calendar js-year-cal.r.min.css:1

.months-container .month-container { float: left; text-align: center; padding: 0; }

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar .months-container .month-container
6   box-sizing: border-box;
7   font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11   background: #f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
17 .months-container
18 {
19   justify-content: center;
20   gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24   background: #fff;
25   padding: 20px;
26 }
```

Full Year Calendar 127.0.0.1:5500/index.html

2022 2023 2024 2025 2026

May					June					July					August										
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa					
						1							1							1	2	3	4	5	6
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13	14	15	16	17	
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20	21	22	23	24	
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27	28	29	30	31	
26	27	28	29	30	31		23	24	25	26	27	28	29	28	29	30	31								

Elements Console Sources Network Memory Performance >

Styles Computed Layout >

Filter :hover .cls +

element.style {

.calendar style.css?_59103332:23

.months-container .month-container {

background: #fff;

padding: 20px;

}

* { style.css?_259103332:3

margin: 0;

padding: 0;

box-sizing: border-box;

font-family: 'Quicksand', sans-serif;

}

div { user agent stylesheet

display: block;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css .calendar .months-container .month-container
6   box-sizing: border-box;
7   font-family: 'Quicksand', sans-serif;
8 }
9 body
10 {
11   background: #f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
17 .months-container
18 {
19   justify-content: center;
20   gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24   background: #fff;
25   padding: 20px;
26   min-width: 280px;
27 }
```

Full Year Calendar 127.0.0.1:5500/index.html

2022 2024 2026

January							February																							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa																	
							1	2	3	4	5	6																		
							7	8	9	10	11	12	13																	
							14	15	16	17	18	19	20																	
							21	22	23	24	25	26	27																	
							28	29	30	31																				
March														April																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

element.style { } .calendar js-year-cal_r.min.css:1 .months-container .month-container { width: 25%; } .calendar style.css?_59110680:23 .months-container .month-container { background: #fff; padding: 20px; min-width: 280px; } .calendar js-year-cal_r.min.css:1 .months-container .month-container { float: left; }

File Edit Selection View Go Run ... • style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar .months-container .month-container
10 {
11   background: #f1fbff;
12 }
13 .calendar {
14   padding: 20px 40px;
15 }
16 }
17 .months-container {
18   justify-content: center;
19   gap: 40px;
20 }
21 }
22 .calendar .months-container .month-container {
23 {
24   background: #fff;
25   padding: 20px;
26   min-width: 280px;
27   box-shadow: 15px 15px 40px rgba(0,0);
28 }
```

Full Year Calendar Quicksand - Google Fonts 127.0.0.1:5500/index.html

2022 2024 2026

January							February										
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa				
							1	2	3	4	5	6					
							7	8	9	10	11	12	13				
							14	15	16	17	18	19	20				
							21	22	23	24	25	26	27				
							28	29	30	31							
March														April			
▼<div class="calendar">														Styles	Computed	Layout	»
><div class="calendar-header">...</div>														Filter	:hov .cls +	»	
><div class="months-container" style="opacity: 1; display: flex;"> flex														element.style {			
><div class="month-container month-3" data-month-id="0"> == \$0														.calendar js-year-cal_r.min.css:1			
><table class="month">...</table>														.months-container .month-container.month-3 {			
></div>														width: 25%;			
><div class="month-container month-3" data-month-id="1">...</div>														}			
><div class="month-container month-3" data-month-id="2">...</div>														.calendar style.css?_59110680:23			
><div class="month-container month-3" data-month-id="3">...</div>														.months-container .month-container {			
><div class="month-container month-3" data-month-id="4">...</div>														background: #fff;			
><div class="month-container month-3" data-month-id="5">...</div>														padding: 20px;			
><div class="month-container month-3" data-month-id="6">...</div>														min-width: 280px;			
></div>														}			
><div class="months-container" style="float: left;">														.calendar js-year-cal_r.min.css:1			
></div>														.months-container .month-container {			
></div>														float: left;			

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar .months-container .month-container
10 {
11   background: #f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
17 .months-container
18 {
19   justify-content: center;
20   gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24   background: #fff;
25   padding: 20px;
26   min-width: 280px;
27   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
28 }
```

Full Year Calendar 127.0.0.1:5500/index.html

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
					1	2
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

March

Su	Mo	Tu	We	Th	Fr	Sa

April

Su	Mo	Tu	We	Th	Fr	Sa

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

calendar js-year-cal_r.min.css:1

.months-container .month-container.month-3 { width: 25%; }

calendar style.css?_59131126:23

.months-container .month-container { background: #fff; padding: 20px; min-width: 280px; box-shadow: 15px 15px 40px rgba(0,0,0,0.15); }

calendar js-year-cal_r.min.css:1

.months-container .month-container { }

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
10 .calendar .months-container .month-container { background: #f1fbff; }
11 }
12 }
13 .calendar {
14   padding: 20px 40px;
15 }
16 }
17 .months-container {
18   justify-content: center;
19   gap: 40px;
20 }
21 }
22 .calendar .months-container .month-container {
23   background: #fff;
24   padding: 20px;
25   min-width: 280px;
26   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
27 }
28 }
```

Full Year Calendar Quicksand - Google Fonts 127.0.0.1:5500/index.html

2022 2024 2026

January							February											
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa					
			1	2	3	4	5	6				1	2	3				
			7	8	9	10	11	12	13			4	5	6	7	8	9	10
			14	15	16	17	18	19	20			11	12	13	14	15	16	17
			21	22	23	24	25	26	27			18	19	20	21	22	23	24
			28	29	30	31						25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

calendar js-year-cal_r.min.css:1 months-container .month-container { width: 25%; } calendar style.css?_59131126:23 months-container .month-container { background: #fff; padding: 20px; min-width: 280px; box-shadow: 15px 15px 40px rgba(0,0,0,0.15); } calendar js-year-cal_r.min.css:1 months-container .month-container { }

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar .months-container .month-container
10 {
11   background: #f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
17 .months-container
18 {
19   justify-content: center;
20   gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24   background: #fff;
25   padding: 20px;
26   min-width: 280px;
27   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
28 }
```

Full Year Calendar 127.0.0.1:5500/index.html

2022 2024 2026

January						
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February						
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

calendar js-year-cal_r.min.css:1

.months-container .month-container.month-3 { width: 25%; }

calendar style.css?_59131126:23

.months-container .month-container { background: #fff; padding: 20px; min-width: 280px; box-shadow: 15px 15px 40px rgba(0,0,0,0.15); }


calendar js-year-cal_r.min.css:1

.months-container .month-container { }

```
File Edit Selection View Go Run ... style.css - Calendar2022 - Vadal S... □

index.html style.css x


style.css > .calendar .months-container .month-container
10 {
11   background: ■#f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
17 .months-container
18 {
19   justify-content: center;
20   gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24   background: ■#fff;
25   padding: 20px;
26   min-width: 280px;
27   box-shadow: 15px 15px 40px □rgba(0,0,0,0.15);
28 }
```



```
File Edit Selection View Go Run ... style.css - Calendar2022 - Vatal S... □

index.html style.css x

style.css > .calendar .months-container .month-container
10 {
11   background: ■#f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
17 .months-container
18 {
19   justify-content: center;
20   gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24   background: ■#fff;
25   padding: 20px;
26   min-width: 280px;
27   box-shadow: 15px 15px 40px □rgba(0,0,0,0.15);
28 }
```



File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css 1

style.css > .calendar table.month th.month-title

```
10 {
11   background: #f1fbff;
12 }
13 .calendar
14 {
15   padding: 20px 40px;
16 }
17 .months-container
18 {
19   j color: #000; Emmet Abbreviation
20   g color
21   cursor
22   .ca content
23   { clear
24     b clip
25     p clip-path
26     m column-gap
27     b contain
28   } column-count
29   .ca counter-increment
30   { counter-reset
31   c
32 }
```

Full Year Calendar x Quicksand - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
					1	2
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
<div class="calendar">
  <div class="calendar-header">...</div>
  <div class="months-container" style="opacity: 1; display: flex;"> flex
    <div class="month-container month-3" data-month-id="0">
      <table class="month">
        <thead>
          <tr>
            <th class="month-title" colspan="7"> January</th> == $0
          </tr>
        </thead>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
      </table>
    </div>
    <div class="month-container month-4" data-month-id="1">
      <table class="month">
        <thead>
          <tr>
            <th class="month-title" colspan="7"> February</th> == $1
          </tr>
        </thead>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
      </table>
    </div>
  </div>
</div>
```

.calendar js-year-cal_r.min.css:1 table.month th.month-title {
 font-size: 16px;
 padding-bottom: 5px;
}
.calendar js-year-cal_r.min.css:1 table.month tr td, .calendar table.month tr th {
 padding: 0;
}
.calendar js-year-cal_r.min.css:1 table td, .calendar table th {
 text-align: center;
 width: 20px;
 height: 20px;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar table.month th.month-title
10 {
11     background: #f1fbff;
12 }
13 .calendar
14 {
15     padding: 20px 40px;
16 }
17 .months-container
18 {
19     justify-content: center;
20     gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24     background: #fff;
25     padding: 20px;
26     min-width: 280px;
27     box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
28 }
29 .calendar table.month th.month-title
30 {
31     color: #f00;
32 }
```

#f00 Emmet Abbreviation

Full Year Calendar Quicksand - Google Fonts 127.0.0.1:5500/index.html

2022 2024 2026

January						
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February						
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

calendar style.css?_59161337:30 table.month th.month-title { color: #f00; }

calendar js-year-cal_r.min.css:1 table.month th.month-title { font-size: 16px; padding-bottom: 5px; }

calendar js-year-cal_r.min.css:1 table.month tr td, .calendar table.month tr th { padding: 0; }

... container.month-3 table.month thead tr th.month-title ...

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar table.month th.month-title
10 {
11     background: #f1fbff;
12 }
13 .calendar
14 {
15     padding: 20px 40px;
16 }
17 .months-container
18 {
19     justify-content: center;
20     gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24     background: #fff;
25     padding: 20px;
26     min-width: 280px;
27     box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
28 }
29 .calendar table.month th.month-title
30 {
31     color: #5a8990;
32 }
```

Full Year Calendar Quicksand - Google Fonts 127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3			
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hov .cls +

Container.calendar >

- ><div class="calendar-header">...</div>
- ><div class="months-container" style="opacity: 1; display: flex;"> flex
- ><div class="month-container month-3" data-month-id="0">
- ><table class="month">
- ><thead>
- ><tr>
- ><th class="month-title" colspan="7"> January</th> == \$0
- </tr>
- ><tr>...</tr>
- </thead>
- ><tr>...</tr>
- ><tr>...</tr>
- ><tr>...</tr>

Container.month-3 table.month thead tr th.month-title ...

.calendar style.css?_59171469:30 table.month th.month-title { color: #5a8990; }


.calendar js-year-cal.r.min.css:1 table.month th.month-title { font-size: 16px; padding-bottom: 5px; }

.calendar js-year-cal.r.min.css:1 table.month tr td, .calendar table.month tr th { padding: 0; }

```
File Edit Selection View Go Run ... style.css - Calendar2022 - Visual S... ━ ━ ━

index.html style.css X

0 style.css > .calendar table.month th.month-title
10 {
11     background: ■#f1fbff;
12 }
13 .calendar
14 {
15     padding: 20px 40px;
16 }
17 .months-container
18 {
19     justify-content: center;
20     gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24     background: ■#ffff;
25     padding: 20px;
26     min-width: 280px;
27     box-shadow: 15px 15px 40px □rgba(0,0,0,0.15);
28 }
29 .calendar table.month th.month-title
30 {
31     color: ■#5a8990;
32     font-size: 1.9em;
33 }
```



File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
10 .calendar table.month th.month-title { background: #f1fbff; }
11 .calendar { padding: 20px 40px; }
12 .months-container { justify-content: center; gap: 40px; }
13 .calendar .months-container .month-container { background: #fff; padding: 20px; min-width: 280px; box-shadow: 15px 15px 40px rgba(0,0,0,0.15); }
14 .calendar table.month th.month-title { color: #5a8990; font-size: 1.9em; font-weight: 200; }
```

Full Year Calendar x Dancing Script - Google Fonts +

Dancing Script

Select styles Glyphs About License

Type here to preview text

Almost before we knew it, we had left the ground.

64px

Regular 400

Almost before we knew it. + Select this style

Medium 500

Almost before we knew it. + Select this style

Semi-bold 600

Almost before we knew it. + Select this style

Bold 700

Almost before we knew it. + Select this style

The screenshot shows a Microsoft Edge browser window with two tabs open. The left tab contains the code for a CSS file named 'style.css', which includes styles for a calendar application. The right tab is a specimen page from fonts.google.com for the 'Dancing Script' font, showing various weight and style options. The 'Regular 400' style is currently selected, as indicated by the blue underline and the blue '+' button next to the text sample. Other styles shown include 'Medium 500', 'Semi-bold 600', and 'Bold 700'. Each style is accompanied by a blue '+' button labeled 'Select this style'.

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

```
index.html
style.css
```

style.css .calendar table.month th.month-title
10 {
11 background: #f1fbff;
12 }
13 .calendar
14 {
15 padding: 20px 40px;
16 }
17 .months-container
18 {
19 justify-content: center;
20 gap: 40px;
21 }
22 .calendar .months-container .month-container
23 {
24 background: #fff;
25 padding: 20px;
26 min-width: 280px;
27 box-shadow: 15px 15px 40px 0 rgba(0,0,0,0.15);
28 }
29 .calendar table.month th.month-title
30 {
31 color: #5a8990;
32 font-size: 1.9em;
33 font-weight: 200;
34 }

Full Year Calendar x Dancing Script - Google Fonts +

fonts.google.com/specimen/Dancing+Script?category=Handwriting

Google Fonts

Dancing Script

Designed by Impallari Type

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it we had left the ground.

64px ▾

Regular 400

Almost before we kne

Medium 500

Almost before we kne

Semi-bold 600

Selected family

Dancing Script

Medium 500

Add more styles Remove all

Use on the web

To embed a font, copy the code into the <head> of your html

<link> @import

```
<style>
@import url('https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&display=swap');
</style>
```

CSS rules to specify families

```
font-family: 'Dancing Script', cursive;
```

API docs Download all

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
10 .calendar table.month th.month-title { background: #f1fbff; }
11 }
12 }
13 .calendar {
14   padding: 20px 40px;
15 }
16 }
17 .months-container {
18   justify-content: center;
19   gap: 40px;
20 }
21 }
22 .calendar .months-container .month-container {
23   background: #fff;
24   padding: 20px;
25   min-width: 280px;
26   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
27 }
28 }
29 .calendar table.month th.month-title {
30   color: #5a8990;
31   font-size: 1.9em;
32   font-weight: 200;
33 }
34 }
```

Full Year Calendar x Dancing Script - Google Fonts +

fonts.google.com/specimen/Dancing+Script?category=Handwriting

Google Fonts

Dancing Script

Designed by Impallari Type

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it we had left the ground.

64px

Regular 400

Medium 500

Semi-bold 600

API docs Download all

Selected family

Review

Dancing Script

Medium 500

Add more styles Remove all

Use on the web

To embed a font, copy the code into the <head> of your html

<link> @import

```
<style>
@import url('https://fonts.googleapis.com/css2?family=Dancing+Script:wght...')
```

Copy Copy link to highlight Search Google for "@import url('https://fonts.googleapis.com/css2?..." Print... Inspect

File Edit Selection View Go Run ... • style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');  
2 @import url('https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&display=swap');  
3 *  
4 {  
5   margin: 0;  
6   padding: 0;  
7   box-sizing: border-box;  
8   font-family: 'Quicksand', sans-serif;  
9 }  
10 body  
11 {  
12   background: #f1fbff;  
13 }  
14 .calendar  
15 {  
16   padding: 20px 40px;  
17 }  
18 .months-container  
19 {  
20   justify-content: center;  
21   gap: 40px;  
22 }  
23 .calendar .months-container .month-container  
24 {  
25   background: #ffff;
```

Full Year Calendar x Dancing Script - Google Fonts +

fonts.google.com/specimen/Dancing+Script?category=Handwriting

Google Fonts

Dancing Script

Designed by Impallari Type

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it, we had left the ground.

64px

Regular 400

Almost before we kne

Medium 500

Almost before we kne

Semi-bold 600

Selected family

Dancing Script

Medium 500

Add more styles Remove all

Use on the web

To embed a font, copy the code into the <head> of your html

<link> @import

```
<style>  
@import url('https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&display=swap');  
</style>
```

CSS rules to specify families

```
font-family: 'Dancing Script', cursive;
```

API docs Download all

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
1 @import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300;400;500;600&display=swap');  
2 @import url('https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&display=swap');  
3 *  
4 {  
5   margin: 0;  
6   padding: 0;  
7   box-sizing: border-box;  
8   font-family: 'Quicksand', sans-serif;  
9 }  
10 body  
11 {  
12   background: #f1fbff;  
13 }  
14 .calendar  
15 {  
16   padding: 20px 40px;  
17 }  
18 .months-container  
19 {  
20   justify-content: center;  
21   gap: 40px;  
22 }  
23 .calendar .months-container .month-container  
24 {  
25   background: #ffff;
```

Full Year Calendar x Dancing Script - Google Fonts +

fonts.google.com/specimen/Dancing+Script?category=Handwriting

Google Fonts

Dancing Script

Designed by Impallari Type

Select styles Glyphs About License

Styles

Type here to preview text

Almost before we knew it, we had left the ground.

64px

Regular 400

Medium 500

Semi-bold 600

Selected family

Review

Dancing Script

Medium 500

Add more styles Remove all

Use on the web

To embed a font, copy the code into the <head> of your html

<link> @import

```
<style>  
@import url('https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&display=swap');  
</style>
```

CSS rules to specify families

```
font-family: 'Dancing Script', cursive;
```

API docs Download all

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar table.month th.month-title
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0 rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
		8	9	10	11	12
	15	16	17	18	19	20
	22	23	24	25	26	27
	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	
	4	5	6	7	8	9
	11	12	13	14	15	16
	18	19	20	21	22	23
	25	26	27	28	29	

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

font-family: Dancing Script, cursive;

color: #5a8990;
font-size: 1.9em;
font-weight: 200;

.calendar js-year-cal.r.min.css:1
table.month th.month-title {
 font-size: 16px;
 padding-bottom: 5px;
}

.calendar js-year-cal.r.min.css:1
table.month tr td, .calendar table.month tr th {
 padding: 0;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar table.month th.month-title
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0 rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
	8	9	10	11	12	13
	15	16	17	18	19	20
	22	23	24	25	26	27
	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	
	4	5	6	7	8	9
	11	12	13	14	15	16
	18	19	20	21	22	23
	25	26	27	28	29	

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

font-family: Dancing Script, cursive;

color: #5a8990;
font-size: 1.9em;
font-weight: 200;

.calendar js-year-cal.r.min.css:1
table.month th.month-title {
 font-size: 16px;
 padding-bottom: 5px;
}

.calendar js-year-cal.r.min.css:1
table.month tr td, .calendar table.month tr th {
 padding: 0;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

style.css > .calendar table.month th.month-title

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

<div class="calendar">

- ><div class="calendar-header">...</div>
- ><div class="months-container" style="opacity: 1; display: flex;"> flex
- ><div class="month-container month-3" data-month-id="0">
- ><table class="month">
- ><thead>
- ><tr>
- ><th class="month-title" colspan="7"> January</th> == \$0
- ></tr>
- ><tr>...</tr>
- ></thead>
- ><tr>...</tr>
- ><tr>...</tr>
- ><tr>...</tr>

... container.month-3 table.month thead tr th.month-title ...

.calendar style.css?_59230689:31

```
table.month th.month-title {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
```

.calendar js-year-cal_r.min.css:1

```
table.month th.month-title {
  font-size: 16px;
  padding-bottom: 5px;
}
```

.calendar js-year-cal_r.min.css:1

```
table.month td .calendar_table_month {
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
<div class="calendar">
  <div class="calendar-header">...</div>
  <div class="months-container" style="opacity: 1; display: flex;"> <div class="month-container month-3" data-month-id="0">
    <table class="month">
      <thead>
        <tr>
          <th class="month-title" colspan="7"> January</th> == $0
        </tr>
      </thead>
      <tr>...</tr>
      <tr>...</tr>
      <tr>...</tr>
      <tr>...</tr>
      <tr>...</tr>
    </table>
  </div>
  <div class="month-container month-4" data-month-id="1">
    <table class="month">
      <thead>
        <tr>
          <th class="month-title" colspan="7"> February</th> == $1
        </tr>
      </thead>
      <tr>...</tr>
      <tr>...</tr>
      <tr>...</tr>
      <tr>...</tr>
      <tr>...</tr>
    </table>
  </div>
</div>
```

.calendar style.css?_59230689:31

```
table.month th.month-title {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
```

.calendar js-year-cal.r.min.css:1

```
table.month th.month-title {
  font-size: 16px;
  padding-bottom: 5px;
}
```

.calendar js-year-cal.r.min.css:1

```
table.month th.month-title {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar table.month th.month-title
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
	7	8	9	10	11	12
	14	15	16	17	18	19
	21	22	23	24	25	26
	28	29	30	31		

February

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3			
	4	5	6	7	8	9
	11	12	13	14	15	16
	18	19	20	21	22	23
	25	26	27	28	29	

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
<div class="calendar">
  <div class="calendar-header">...</div>
  <div class="months-container" style="opacity: 1; display: flex;"><div class="month-container month-3" data-month-id="0">
    <table class="month">
      <thead>
        <tr>
          <th class="month-title" colspan="7">January</th> == $0
        </tr>
      </thead>
      <tbody>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
      </tbody>
    </table>
  </div>
  <div class="month-container month-4" data-month-id="1">
    <table class="month">
      <thead>
        <tr>
          <th class="month-title" colspan="7">February</th> == $1
        </tr>
      </thead>
      <tbody>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
        <tr>...</tr>
      </tbody>
    </table>
  </div>
</div>
```

.calendar style.css?_59230689:31

```
table.month th.month-title {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
```

.calendar js-year-cal_r.min.css:1

```
table.month th.month-title {
  font-size: 16px;
  padding-bottom: 5px;
}
```

.calendar js-year-cal_r.min.css:1

```
table.month tr td, calendar-table-month
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
```

Full Year Calendar 127.0.0.1:5500/index.html

2022 2024 2026

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3			
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

January February

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

calendar style.css?_59230689:31

table.month th.month-title { color: #5a8990; font-size: 1.9em; font-weight: 200; font-family: 'Dancing Script', cursive; }

calendar js-year-cal_r.min.css:1

table.month th.month-title { font-size: 16px; padding-bottom: 5px; }

calendar js-year-cal_r.min.css:1

table month tr td .calendar table month

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
```

Full Year Calendar 127.0.0.1:5500/index.html

2022 2024 2026

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3			
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

January February

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

calendar style.css?_59230689:31

table.month th.month-title { color: #5a8990; font-size: 1.9em; font-weight: 200; font-family: 'Dancing Script', cursive; }

calendar js-year-cal_r.min.css:1

table.month th.month-title { font-size: 16px; padding-bottom: 5px; }

calendar js-year-cal_r.min.css:1

table month tr td .calendar table month

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar table.month th.month-title
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

table.month js-year-cal.r.min.css:1

td.day .day-content:hover {

background-color: #rgba(0,0,0,.2);

cursor: pointer;

.calendar js-year-cal.r.min.css:1

table.month td.day .day-content {

-webkit-border-radius: 4px;

-moz-border-radius: 4px;

border-radius: 4px;

padding: 5px 6px;

* { style.css?_259230689:4

margin: 0;

padding: 0;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

style.css > table.month td.day .day-content:hover

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td.day .day-content:hover
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
element.style { }
table.month js-year-cal_r.min.css:1
td.day .day-content:hover {
  background: #5a8990;
  cursor: pointer;
}
.calendar js-year-cal_r.min.css:1
table.month td.day .day-content {
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  border-radius: 4px;
  padding: 5px 6px;
}
* { margin: 0; }
```

style.css?_259230689:4

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css 2

style.css > table.month td:first-child

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child
38 {
39   color: #;
40 }
```

#5a8990
#f1fbff
#fff

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
element.style { }
table.month js-year-cal_r.min.css:1
td.day .day-content:hover {
  background: #rgba(0,0,0,.2);
  cursor: pointer;
}
.calendar js-year-cal_r.min.css:1
table.month td.day .day-content {
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  border-radius: 4px;
  padding: 5px 6px;
}
* { style.css?_259230689:4
  margin: 0;
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > table.month td:first-child
18 .months-container
19 {
  justify-content: center;
  gap: 40px;
}
20 .calendar .months-container .month-container
21 {
  background: #fff;
  padding: 20px;
  min-width: 280px;
  box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
}
22 }
23 .calendar table.month th.month-title
24 {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
25 }
26 table.month td:first-child
27 {
  color: #f75c90;
}
28 }
```

#f75c90 Emmet Abbreviation

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

<th class="month-title" colspan="7"> January</th>

<tr><th class="day-header">Su</th><th class="day-header">Mo</th><th class="day-header">Tu</th><th class="day-header">We</th><th class="day-header">Th</th><th class="day-header">Fr</th><th class="day-header">Sa</th></tr>

</thead><tbody><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td></td></tr><tr><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td></tr><tr><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr><tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td></tr><tr><td>28</td><td>29</td><td>30</td><td>31</td><td></td><td></td><td></td></tr></tbody></table>

Styles Computed Layout

Filter :hover .cls +

element.style {

.calendar js-year-cal_r.min.css:1

table.month td.day .day-content {

-webkit-border-radius: 4px;
-moz-border-radius: 4px;
border-radius: 4px;
padding: 5px 6px;

}

* { style.css?_259306887:4

margin: 0;
padding: 0;
box-sizing: border-box;
font-family: 'Quicksand', sans-serif;

}

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > table.month td:first-child
18 .months-container
19 {
  justify-content: center;
  gap: 40px;
}
20 .calendar .months-container .month-container
21 {
  background: #fff;
  padding: 20px;
  min-width: 280px;
  box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
}
22 }
23 .calendar table.month th.month-title
24 {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
25 }
26 table.month td:first-child,
27 table.month td:last-child
28 {
  color: #f75c90;
}
29 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
element.style { }
.calendar js-year-cal_r.min.css:1
table.month td.day .day-content {
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  border-radius: 4px;
  padding: 5px 6px;
}
* { style.css?_259319755:4
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Quicksand', sans-serif;
}
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css 3

style.css > .months-container

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 {
40   color: #f75c90;
41 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
element.style { }
.calendar js-year-cal_r.min.css:1
table.month td.day .day-content {
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  border-radius: 4px;
  padding: 5px 6px;
}
* { style.css?_259319755:4
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Quicksand', sans-serif;
}
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css 3

style.css > .months-container

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 {
40   color: #f75c90;
41 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

tr 176.82 x 41.36

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

id="0">>

<table class="month">

<thead>

<tr>

<th class="month-title" colspan="7">January</th>

</tr>

<tr>

<th class="day-header">Su</th>

<th class="day-header">Mo</th>

<th class="day-header">Tu</th>

<th class="day-header">We</th>

<th class="day-header">Th</th>

<th class="day-header">Fr</th>

<th class="day-header">Sa</th>

</tr>

</thead>

Styles Computed Layout

Filter :hover .cls +

element.style {

}

.calendar js-year-cal.r.min.css:1

table.month th.day-header {

font-size: 14px;

}

.calendar js-year-cal.r.min.css:1

table.month tr td, .calendar table.month tr th {

padding: 0;

}

.calendar js-year-cal.r.min.css:1

table td, .calendar table th {

text-align: center;

width: 20px;

height: 20px;

File Edit Selection View Go Run ... style.css - Calendar2023 - Visual Studio Code

index.html style.css 3

style.css >...

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0 rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 {
40   color: #f75c90;
41 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

February

th.day-header 25.14 x 20

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su	Mo	Tu	We	Th	Fr	Sa
					1	2
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

id="0">

<table class="month">

<thead>

<tr>

<th class="month-title" colspan="7">January</th>

</tr>

<tr>

<th class="day-header">Su</th> = \$0

<th class="day-header">Mo</th>

<th class="day-header">Tu</th>

<th class="day-header">We</th>

<th class="day-header">Th</th>

<th class="day-header">Fr</th>

<th class="day-header">Sa</th>

</tr>

</thead>

Styles Computed Layout

Filter :hover .cls +

element.style {

.calendar js-year-cal_r.min.css:1

table.month th.day-header {

font-size: 14px;

}

.calendar js-year-cal_r.min.css:1

table.month tr td, .calendar table.month tr th {

padding: 0;

}

.calendar js-year-cal_r.min.css:1

table td, .calendar table th {

text-align: center;

width: 20px;

height: 20px;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

style.css > table.month td:first-child

18 .months-container

19 { justify-content: center; gap: 40px; }

20 .calendar .months-container .month-container

21 { background: #fff; padding: 20px; min-width: 280px; box-shadow: 15px 15px 40px rgba(0,0,0,0.15); }

22 } .calendar table.month th.month-title

23 { color: #5a8990; font-size: 1.9em; font-weight: 200; font-family: 'Dancing Script', cursive; }

24 } table.month td:first-child, table.month td:last-child, table.month

25 { color: #f75c90; }

26

27

28

29 }

30 .calendar table.month th.month-title

31 { color: #5a8990; font-size: 1.9em; font-weight: 200; font-family: 'Dancing Script', cursive; }

32 } table.month td:first-child, table.month td:last-child, table.month

33 { color: #f75c90; }

34

35

36 }

37 table.month td:first-child,

38 table.month td:last-child,

39 table.month

40 { color: #f75c90; }

41 }

42

43 }

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

th.month-title 176.82 x 41.36

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

id="0"><table class="month"> == \$0

<thead>

<tr> <th class="month-title" colspan="7"> January</th>

</tr>

<tr> <th class="day-header">Su</th> <th class="day-header">Mo</th> <th class="day-header">Tu</th> <th class="day-header">We</th> <th class="day-header">Th</th> <th class="day-header">Fr</th> <th class="day-header">Sa</th>

</tr>

</thead>

Styles Computed Layout

Filter :hover .cls +

element.style {}

.calendar js-year-cal.r.min.css:1

table { margin: auto; border-spacing: 0; }

* { margin: 0; padding: 0; box-sizing: border-box; font-family: 'Quicksand', sans-serif; }

table { user agent stylesheet display: table;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > table.month td:first-child
18 .months-container
19 {
  justify-content: center;
  gap: 40px;
}
20 .calendar .months-container .month-container
21 {
  background: #fff;
  padding: 20px;
  min-width: 280px;
  box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
}
22 }
23 .calendar table.month th.month-title
24 {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
25 }
26 table.month td:first-child,
27 table.month td:last-child,
28 table.month thead tr:nth-child()
29 {
  color: #f75c90;
}
30 .calendar table.month th.month-title
31 {
  color: #5a8990;
  font-size: 1.9em;
  font-weight: 200;
  font-family: 'Dancing Script', cursive;
}
32 }
33 table.month td:first-child,
34 table.month td:last-child,
35 table.month thead tr:nth-child()
36 {
  color: #f75c90;
}
37 .calendar .months-container .month-container
38 {
  background: #fff;
  padding: 20px;
  min-width: 280px;
  box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
}
39 }
40 }
41 
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

February

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

id="0">>

<table class="month">

<thead>

<tr> == \$0

<th class="month-title" colspan="7"> January</th>

</tr>

<tr>

<th class="day-header">Su</th>

<th class="day-header">Mo</th>

<th class="day-header">Tu</th>

<th class="day-header">We</th>

<th class="day-header">Th</th>

<th class="day-header">Fr</th>

<th class="day-header">Sa</th>

</tr>

</thead>

Styles Computed Layout

Filter :hover .cls +

element.style { }

* { style.css?_259319755:4

margin: 0;
padding: 0;
box-sizing: border-box;
font-family: 'Quicksand', sans-serif;

tr { user agent stylesheet
display: table-row;
vertical-align: inherit;
border-color: inherit;

Inherited from table.month

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

style.css > table.month td:first-child

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0 rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2)
40 {
41   color: #f75c90;
42 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

February

th.day-header 25.14 × 20

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su Mo Tu We Th Fr Sa

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

id="0">>

<table class="month">

<thead>

<tr>

<th class="month-title" colspan="7">January</th>

</tr>

<tr>

<th class="day-header">Su</th> == \$0

<th class="day-header">Mo</th>

<th class="day-header">Tu</th>

<th class="day-header">We</th>

<th class="day-header">Th</th>

<th class="day-header">Fr</th>

<th class="day-header">Sa</th>

</tr>

</thead>

Styles Computed Layout

Filter :hover .cls +

element.style {

}

.calendar js-year-cal...r.min.css:1

table.month tr td, .calendar table.month tr th {

padding: 0;

}

.calendar js-year-cal...r.min.css:1

table td, .calendar table th {

text-align: center;

width: 20px;

height: 20px;

border: none;

padding: 4px-5px;

font-size: 12px;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0 rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2) th
40 {
41   color: #f75c90;
42 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3				
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

id="0">>

<table class="month">

<thead>

<tr>

<th class="month-title" colspan="7">January</th>

</tr>

<tr>

<th class="day-header">Su</th> == \$0

<th class="day-header">Mo</th>

<th class="day-header">Tu</th>

<th class="day-header">We</th>

<th class="day-header">Th</th>

<th class="day-header">Fr</th>

<th class="day-header">Sa</th>

</tr>

</thead>

Styles Computed Layout

Filter :hover .cls +

element.style {

}

.calendar js-year-cal_r.min.css:1

table.month th.day-header {

font-size: 14px;

}

table.month style.css?_59399097:41

td:first-child, table.month td:last-child, table.month thead tr:nth-child(2) th {

color: #f75c90;

}

.calendar js-year-cal_r.min.css:1

table.month tr td, .calendar table.month tr th {

padding: 0;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2) th:first-child,
40 table.month thead tr:nth-child(2) th:last-child
41 {
42   color: #f75c90;
43 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
	7	8	9	10	11	12
	14	15	16	17	18	19
	21	22	23	24	25	26
	28	29	30	31		

February

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3			
	4	5	6	7	8	9
	11	12	13	14	15	16
	18	19	20	21	22	23
	25	26	27	28	29	

Elements Console Sources Network Memory Performance

id="0">>

<table class="month">

<thead>

<tr> <th class="month-title" colspan="7"> January </th> </tr>

<tr> <th class="day-header" > Su </th> == \$0 <th class="day-header" > Mo </th> <th class="day-header" > Tu </th> <th class="day-header" > We </th> <th class="day-header" > Th </th> <th class="day-header" > Fr </th> <th class="day-header" > Sa </th> </tr>

</thead>

Styles Computed Layout

Filter :hover .cls +

element.style { }

table.month style.css?_59416338:42

td:first-child, table.month td:last-child, table.month thead tr:nth-child(2) th:first-child, table.month thead tr:nth-child(2) th:last-child { color: #f75c90; }

.calendar js-year-cal.r.min.css:1

table.month th.day-header { font-size: 14px; }

.calendar js-year-cal.r.min.css:1

table.month tr td, .calendar table.month tr th { }

File Edit Selection View Go Run ... style.css - Calendar 2022 - Visual Studio Code

index.html style.css

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2) th:first-child,
40 table.month thead tr:nth-child(2) th:last-child
41 {
42   color: #f75c90;
43 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3			
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

<th class="day-header">Sa</th>

Styles Computed Layout

Filter :hover .cls +

element.style {

}

.calendar js-year-cal_r.min.css:1

table.month td.day .day-content {

-webkit-border-radius: 4px;

-moz-border-radius: 4px;

border-radius: 4px;

padding: 5px 6px;

}

* { style.css?_259416338:4

✓ margin: 0;

✓ padding: 0;

✓ box-sizing: border-box;

✓ font-family: 'Quicksand', sans-serif;

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
18 .months-container
19 {
20   justify-content: center;
21   gap: 40px;
22 }
23 .calendar .months-container .month-container
24 {
25   background: #fff;
26   padding: 20px;
27   min-width: 280px;
28   box-shadow: 15px 15px 40px 0 rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2) th:first-child,
40 table.month thead tr:nth-child(2) th:last-child
41 {
42   color: #f75c90;
43 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

<th class="day-header">Sa</th>

Styles Computed Layout

Filter :hover .cls +

element.style {

.calendar js-year-cal_r.min.css:1

table.month td.day .day-content {

-webkit-border-radius: 4px;

-moz-border-radius: 4px;

border-radius: 4px;

padding: 6px 8px;

}

* { style.css?_259416338:4

margin: 0;

padding: 0;

box-sizing: border-box;

font-family: 'Quicksand', sans-serif;

File Edit Selection View Go Run ... • style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
style.css > .calendar table.month td.day .day-content
25 background: #fff;
26 padding: 20px;
27 min-width: 280px;
28 box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2) th:first-child,
40 table.month thead tr:nth-child(2) th:last-child
41 {
42   color: #f75c90;
43 }
44 .calendar table.month td.day .day-content
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February

Su	Mo	Tu	We	Th	Fr	Sa
					1	2
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

<th class="day-header">Sa</th>

Styles Computed Layout

Filter :hov .cls

element.style { }

.calendar js-year-cal_r.min.css:1

table.month td.day .day-content {

-webkit-border-radius: 4px;

-moz-border-radius: 4px;

border-radius: 4px;

padding: 6px 8px;

}

* { style.css?_259416338:4

margin: 0;

padding: 0;

box-sizing: border-box;

font-family: 'Quicksand', sans-serif;

}

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
25 background: #fff;
26 padding: 20px;
27 min-width: 280px;
28 box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title
31 {
32   color: #5a8990;
33   font-size: 1.9em;
34   font-weight: 200;
35   font-family: 'Dancing Script', cursive;
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2) th:first-child,
40 table.month thead tr:nth-child(2) th:last-child
41 {
42   color: #f75c90;
43 }
44 .calendar table.month td.day .day-content
45 {
46   padding: 6px 8px;
47   border-radius: 4px;
48 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January						
Su	Mo	Tu	We	Th	Fr	Sa
		1	2	3	4	5
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February						
Su	Mo	Tu	We	Th	Fr	Sa
		1	2	3		
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

<th class="day-header">Sa</th>

Styles Computed Layout

Filter :hov .cls +

element.style {

.calendar style.css?_59462271:46

table.month td.day .day-content {

padding: 6px 8px;

}

.calendar table.month td.day <style>

.day-content {

border-radius: 4px;

padding: 5px 6px;

}

* { style.css?_259462271:4

margin: 0;

padding: 0;

box-sizing: border-box;

font-family: 'Quicksand', sans-

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
25 background: #fff;
26 padding: 20px;
27 min-width: 280px;
28 box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title {
31   color: #5a8990;
32   font-size: 1.9em;
33   font-weight: 200;
34   font-family: 'Dancing Script', cursive;
35 }
36 }
37 table.month td:first-child,
38 table.month td:last-child,
39 table.month thead tr:nth-child(2) th:first-child,
40 table.month thead tr:nth-child(2) th:last-child
41 {
42   color: #f75c90;
43 }
44 }
45 .calendar table.month td.day .day-content
46 {
47   padding: 6px 8px;
48 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

February

th.day-header	29.35 x 20					
Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

```
element.style { }
.calendar js-year-cal_r.min.css:1
table.month th.day-header {
  font-size: 14px;
}
.calendar js-year-cal_r.min.css:1
table.month tr td, .calendar table.month tr th {
  padding: 0;
}
.calendar js-year-cal_r.min.css:1
table td, .calendar table th {
  text-align: center;
  width: 20px;
  height: 20px;
```

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
25 background: #fff;
26 padding: 20px;
27 min-width: 280px;
28 box-shadow: 15px 15px 40px rgba(0,0,0,0.15);
29 }
30 .calendar table.month th.month-title {
31   color: #5a8990;
32   font-size: 1.9em;
33   font-weight: 200;
34   font-family: 'Dancing Script', cursive;
35 }
36 table.month td:first-child,
37 table.month td:last-child,
38 table.month thead tr:nth-child(2) th:first-child,
39 table.month thead tr:nth-child(2) th:last-child
40 {
41   color: #f75c90;
42 }
43 .calendar table.month td.day .day-content
44 {
45   padding: 6px 8px;
46 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

February

th.day-header 29.35 x 20

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Elements Console Sources Network Memory Performance

Styles Computed Layout

Filter :hover .cls +

element.style {}

.calendar table.month th.day-header {

font-size: 14px;

.calendar table.month tr td, .calendar table.month tr th {

padding: 0;

.calendar table td, .calendar table th {

text-align: center;

width: 20px;

height: 20px;

... container.month-4 table.month thead tr th.day-header ...

File Edit Selection View Go Run ... style.css - Calendar2022 - Visual Studio Code

index.html style.css

```
25 .calendar table.month td.day .day-content { background: #fff; padding: 20px; min-width: 280px; box-shadow: 15px 15px 40px rgba(0,0,0,0.15); }
26
27
28
29 }
30 .calendar table.month th.month-title { color: #5a8990; font-size: 1.9em; font-weight: 200; font-family: 'Dancing Script', cursive; }
31
32 table.month td:first-child, table.month td:last-child, table.month thead tr:nth-child(2) th:first-child, table.month thead tr:nth-child(2) th:last-child { color: #f75c90; }
33
34 .calendar table.month td.day .day-content { padding: 6px 8px; }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

February

th.day-header 29.35 x 20

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Elements Console Sources Network

<table class="month">
 <thead>
 <tr>
 <th class="month-title" colspan="7">January</th>
 </tr>
 <tr>
 <th class="day-header">Su</th>
 <th class="day-header">Mo</th> = \$0
 <th class="day-header">Tu</th>
 <th class="day-header">We</th>
 <th class="day-header">Th</th>
 <th class="day-header">Fr</th>
 <th class="day-header">Sa</th>
 </tr>
 </thead>
 <tbody>
 <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td></tr>
 <tr><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td></tr>
 <tr><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td></tr>
 <tr><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td></tr>
 <tr><td>29</td><td>30</td><td>31</td><td></td><td></td><td></td><td></td></tr>
 </tbody>

Copy selector

Copy rule

Copy all declarations

Emoji

Win+Period

Cut

Ctrl+X

Copy

Ctrl+C

Paste

Ctrl+V

Paste as plain text

Ctrl+Shift+V

Select all

Ctrl+A

Search Google for ".calendar table.month th.day-header"

Spell check

Writing Direction

table.month th.day-header {
 font-size: 14px;
}

.calendar js-year-cal.r.min.css:1
table.month tr td, .calendar table.month tr th {
 padding: 0;
}

.calendar js-year-cal.r.min.css:1
table td, .calendar table th {
 text-align: center;
 width: 20px;
 height: 20px;

File Edit Selection View Go Run ... style.css · Calendar2022 · Visual Studio Code

index.html style.css

```
38 .calendar table.month th.month-title
39 {
40   color: #5a8990;
41   font-size: 1.9em;
42   font-weight: 200;
43   font-family: 'Dancing Script', cursive;
44 }
45 table.month td:first-child,
46 table.month td:last-child,
47 table th:counter-reset: 1; Emmet Abbreviation
48 table th:counter-increment: 1;
49 table th:counter-reset: 0;
50 table th:counter-increment: 1;
51 table th:counter-reset: 0;
52 }
```

Full Year Calendar x Dancing Script - Google Fonts x +

127.0.0.1:5500/index.html

2022 2024 2026

January						
Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

February						
Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3			
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

Elements Console Sources Network Memory Performance

<table class="month">

<thead>

<tr> <th class="month-title" colspan="7"> January </th>

<tr> <th class="day-header"> Su </th>

<th class="day-header"> Mo </th> == \$0

<th class="day-header"> Tu </th>

<th class="day-header"> We </th>

<th class="day-header"> Th </th>

<th class="day-header"> Fr </th>

<th class="day-header"> Sa </th>

</tr>

</thead>

<tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr>

Styles Computed Layout

Filter :hover .cls +

```
element.style { }
.calendar js-year-cal_r.min.css:1
table.month th.day-header {
  font-size: 14px;
}
.calendar js-year-cal_r.min.css:1
table.month tr td, .calendar table.month tr th {
  padding: 0;
}
.calendar js-year-cal_r.min.css:1
table td, .calendar table th {
  text-align: center;
  width: 20px;
  height: 20px;
}
```