



# AMPCORE 51-210

Power Anywhere, Anytime, Engineered  
for **Long-Lasting Performance**



# SPECIFICATION & DIMENSIONS.

## Battery Specifications

|                    |                           |
|--------------------|---------------------------|
| Model              | AMPCORE 51-210            |
| Cell Configuration | 16S2P (16 in Series)      |
| Cell Chemistry     | LiFePO <sub>4</sub> (LFP) |

## Electrical Performance

|                 |                       |
|-----------------|-----------------------|
| Nominal Voltage | 51.2v                 |
| Voltage Range   | 44.8v – 57.6v         |
| Rated Capacity  | 210ah                 |
| Energy Storage  | 10.75 kWh (10,752 Wh) |

## Charge & Discharge

|                           |                                             |
|---------------------------|---------------------------------------------|
| Max. Continuous Discharge | 210 A (1C)                                  |
| Peak Discharge            | 500 A (30 seconds)                          |
| Max. Continuous Charge    | 210 A (1C)                                  |
| Charging Voltage          | 57.6v                                       |
| Charging Current          | ≤ 210 A (Recommended: 105 A / 0.5C)         |
| Charging Method           | CC/CV (Constant Current / Constant Voltage) |

## Durability & Lifecycle

|            |                               |
|------------|-------------------------------|
| Cycle Life | 6000+ cycles @ 0.5C (80% DoD) |
|------------|-------------------------------|

## Environmental Performance



|                                   |                             |
|-----------------------------------|-----------------------------|
| Operating Temperature (Charge)    | 0°C to 55°C                 |
| Operating Temperature (Discharge) | –20°C to 60°C               |
| Low-Temperature Protection        | Charging disabled below 0°C |

## Physical Specifications

|                        |                    |
|------------------------|--------------------|
| Dimensions (L x W x H) | 854 x 344 x 252 mm |
| Weight                 | Approx. 100 kg     |



# AMPCORE 51.2v 210ah



# WARRANTY & SUPPORT.

Engineered for long-service operation, AmpCore battery systems are supported by UAE-based technical support, diagnostics, and structured warranty coverage.

## Engineered and Manufactured in the UAE

UAE-based manufacturing, technical support, and diagnostics infrastructure designed for responsive regional service and operational support.

## Warranty Coverage

- Up to 6-year standard warranty coverage
- Extended coverage programs available up to 8 years

## Operational Requirements

- Operate within specified environmental and charging conditions
- Use approved AmpCore charging systems and installation practices
- Unauthorized modifications or improper installation may affect warranty eligibility

## Scan to access



for complete warranty details & terms & conditions.

## Warranty Protection

Coverage against manufacturing defects, system faults, and verified battery management system failures under approved operating conditions.

## Protection Architecture

Advanced battery management and thermal protection systems engineered for stable operation in demanding environments.

## Technical Support and Warranty Service

UAE-based technical support team providing diagnostics, servicing assistance, warranty assessment, and operational support.





## Sales and Technical Support

*[sales@ampcore.tech](mailto:sales@ampcore.tech)*

*[support@ampcore.tech](mailto:support@ampcore.tech)*

+971 54 224 9901

**[www.ampcore.tech](http://www.ampcore.tech)**



**Umida Mirzoeva**

*[umida@ampcore.tech](mailto:umida@ampcore.tech)*

+971 50 479 6338




**Emiliano Sala**

*[emiliano@ampcore.tech](mailto:emiliano@ampcore.tech)*

+971 50 166 7993

Scan for Product  
Information & Support



AmpCore Energy  
A Revion Vehicle  
Technologies Company



**REVION**  
—VEHICLE TECHNOLOGIES—