



AMPCORE 77-105

Power Anywhere, Anytime, Engineered
for **Long-Lasting Performance**



SPECIFICATION & DIMENSIONS.

Battery Specifications

Model	AMPCORE 77-105
Cell Configuration	24S1P (24 in Series)
Cell Chemistry	LiFePO ₄ (LFP)

Electrical Performance

Nominal Voltage	76.8v
Voltage Range	67.2v – 86.4v
Rated Capacity	150ah
Energy Storage	8.06 kWh (8,064 Wh)

Charge & Discharge

Max. Continuous Discharge	105 A (1C)
Peak Discharge	300 A (30 seconds)
Max. Continuous Charge	105 A (1C)
Charging Voltage	76.8v
Charging Current	≤ 105 A (Recommended: 52.5 A / 0.5C)
Charging Method	CC/CV (Constant Current / Constant Voltage)

Durability & Lifecycle

Cycle Life	6000+ cycles @ 0.5C (80% DoD)
------------	-------------------------------

Environmental Performance


Operating Temperature (Charge)	0°C to 55°C
Operating Temperature (Discharge)	–20°C to 60°C
Low-Temperature Protection	Charging disabled below 0°C

Physical Specifications

Dimensions (L x W x H)	661 x 344 x 252 mm
Weight	Approx. 75 kg



AMPCORE 76.8v 105ah



WARRANTY & SUPPORT.

Engineered for long-service operation, AmpCore battery systems are supported by UAE-based technical support, diagnostics, and structured warranty coverage.

Engineered and Manufactured in the UAE

UAE-based manufacturing, technical support, and diagnostics infrastructure designed for responsive regional service and operational support.

Warranty Coverage

- Up to 6-year standard warranty coverage
- Extended coverage programs available up to 8 years

Operational Requirements

- Operate within specified environmental and charging conditions
- Use approved AmpCore charging systems and installation practices
- Unauthorized modifications or improper installation may affect warranty eligibility

Scan to access



for complete warranty details & terms & conditions.

Warranty Protection

Coverage against manufacturing defects, system faults, and verified battery management system failures under approved operating conditions.

Protection Architecture

Advanced battery management and thermal protection systems engineered for stable operation in demanding environments.

Technical Support and Warranty Service

UAE-based technical support team providing diagnostics, servicing assistance, warranty assessment, and operational support.





Sales and Technical Support

sales@ampcore.tech

support@ampcore.tech

+971 54 224 9901

www.ampcore.tech



Umida Mirzoeva

umida@ampcore.tech

+971 50 479 6338




Emiliano Sala

emiliano@ampcore.tech

+971 50 166 7993

Scan for Product
Information & Support



AmpCore Energy
A Revion Vehicle
Technologies Company



REVION
—VEHICLE TECHNOLOGIES—