



SERVICE POSTAL

ENTREPRISES

Envoyez vos courriers postaux
depuis votre ordinateur !

Four icons in a row: a printer, an envelope, a document with a Euro symbol, and a delivery van.

IMPRESSION MISE SOUS PLI AFFRANCHISSEMENT DÉPÔT EN POSTE

A man in a white shirt and tie stands on the right, holding a laptop. The background features a blue sky with clouds and a stylized cityscape at the bottom with various buildings, trees, and a delivery truck.

API description



Table of Contents

SOMMAIRE

Introduction	5
Services Overview	5
Typical API call sequence	5
Step 1 - Initialization and authentication.....	5
Step 2 - Submit a document.....	5
Step 3 - Document tracking	5
Step 4 - Release the session and its allocated resources.....	6
Uploading attachments to the server	6
Session Service overview	6
User authentication	6
Transfer protocols.....	6
Submission Service overview	6
Query Service overview	7
API Quick Reference.....	8
List of available API functions	8
List of available API Objects	9
List of available API Enumeration	10
Objects description	11
SP_LoginResult object.....	11
SP_BindingList object.....	11
SP_SessionInformation object	11
SP_PostalAddress object.....	11
SP_JobParameters object	12
SP_JobResult object	13
SP_PreviewResult object.....	13
SP_QueryFileResult object.....	14
SP_MailingResult object.....	14
SP_PreviewMailingResult object.....	14
SP_File object.....	15
SP_DocumentStatusResult object.....	15
SP_ServiceCode object.....	16
SP_QueryRateResult object	16



SP_PostOfficeResult object	16
SP_PostOfficeMailingResult object	16
SP_QueryStatisticsResult object	17
SP_LetterTypeEnum object	17
SP_ColorEnum object	17
SP_RectoEnum object	17
SP_EnvelopePrintingMode object	17
SP_EnvelopeEnum object	18
SP_PaperFormatEnum object	18
SP_YesNoEnum object	18
SP_FileStorageModeEnum object	18
SP_DocumentTypeEnum object	18
SP_DocumentStatusEnum object	18
SP_SuccessFailureEnum object	19
SP_TypeOfJobEnum object	19
Functions description	20
Session service	20
sp_get_bindings	20
sp_get_session_information	21
sp_login	21
sp_logout	22
sp_set_url	22
Submission service	23
sp_upload_file	23
sp_append_file	25
sp_submit_letter	27
sp_preview_letter	28
sp_preview_mailing	29
sp_preview_mailing_pdf	31
sp_submit_mailing	35
sp_validate_letter	36
sp_validate_mailing	36
sp_set_url	37
sp_cancel_job	37
sp_estimate_price	37



Query service.....	39
sp_query_status.....	39
sp_query_document.....	40
sp_query_letter_cost.....	40
sp_query_letter_rate.....	41
sp_set_url.....	42
sp_query_post_office_status.....	43
sp_query_post_office_status_mailing.....	43
sp_query_jobs_statistics.....	44
Mandatory Fields for mailing.....	44
Service COUNTRY list	45
Service code list.....	51
Examples	52



INTRODUCTION

The purpose of this document is to describe the API feature that allow a user to submit letters to Service Postal servers from its own application.

SERVICES OVERVIEW

Service Postal Web Service is divided into three main services. Each of them provides you with functions that are specific to the type of action you want to perform:

Session Service: The Session Service is used to open a session context that will be used by the other services later. This is the first service you need to instantiate, as it is an entry point to all other services.

Submission Service: The Submission Service is used to use Service Postal services, launch printing.

Query Service: The Query Service is used to query information from our servers about previously submitted jobs.

TYPICAL API CALL SEQUENCE

STEP 1 - INITIALIZATION AND AUTHENTICATION

This will allow you to log in the proper server and create a new session:

- Instantiate a SP_SessionService object (client).
- Retrieve the Web service bindings (which contains the proper URLs to associate with each instantiated service), using the sp_get_bindings function from instantiated SP_SessionService object.
- Set URL of instantiated SP_SessionService object to the appropriate URL retrieved by sp_get_bindings in SP_BindingList object using sp_set_url function.
- Log on the server using the sp_login function, which retrieves the SP_LoginResult object which contains field SessionID.
- Instantiate SP_SubmissionService and SP_QueryService objects. Set URL's of instantiated objects using sp_set_url function with appropriate urls from SP_BindingList retrieved earlier with sp_get_bindings function. Create SP_SessionHeader object (for each SP_SubmissionService and SP_QueryService) and set its SP_SessionID field to SessionID value retrieved in SP_LoginResult earlier.

STEP 2 - SUBMIT A DOCUMENT

All the functions below are available for use after the first step from SP_SubmissionService instantiated object:

- Upload the attachment file(s) on the server, using the sp_upload_file function to initiate the upload or the sp_append_file (for bigger files) function.
- If a validation is necessary, retrieve the preview of the submitted job with a call to sp_preview_letter or sp_preview_mailing to display the results to the users. Then use the sp_validate_letter or sp_validate_mailing to start the task.
- If a validation is not needed, submit the job with the sp_submit_letter or sp_submit_mailing functions to start the printing and sending process.

STEP 3 - DOCUMENT TRACKING

All the functions below are available for use after the first step from SP_QueryService instantiated object. After you have submitted a document to the server, you want to know the state in which your submission is in real time, to make sure no error occurred and that your documents have been effectively sent. To do so:

- Call sp_query_status to get the status of the document and the tracking ID if available
- Call sp_query_document to retrieve a document like a proof of delivery or the content of the letter which has been sent
- Call sp_query_cost to get the price of the submitted task

STEP 4 - RELEASE THE SESSION AND ITS ALLOCATED RESOURCES.

Use the `sp_logout` function of the `SP_SessionService` object to release the session on the server.

UPLOADING ATTACHMENTS TO THE SERVER

When you need to upload big attachments to the server, it is strongly recommended that you upload it by chunks of data to avoid losing the connection and needing to re-upload the file. To do so, use the `sp_append_file` function of the submission service.

SESSION SERVICE OVERVIEW

USER AUTHENTICATION

The authentication of a user must be done in three steps, first by retrieving the correct URL that will be used by the service, then by binding the URL to the service and last by logging in. This is done by calling two functions provided by the `SP_SessionService`

1. First, `sp_get_bindings` : returns a list of service entry points (URLs) to use in your application.
2. Then, bind the retrieved url to the service.
3. And last, call `sp_login`: returns a unique session identifier that must be set in the session headers so that the API calls are authenticated.

TRANSFER PROTOCOLS

In order to guarantee an optimal protection of the information, all connections are made through secure HTTP. Secure HTTP is the standard encrypted communication mechanism on the World Wide Web, which is actually HTTP over SSL.

SUBMISSION SERVICE OVERVIEW

The `SP_SubmissionService` object allows the client to submit documents, generate previews, upload files on the server.

Before any use, initialize a `SP_SubmissionService` object with an URL and the `SP_SessionID` provided by a `SP_SessionService` object:

1. Set the service URL with the `spSubmissionServiceLocation` parameter returned by `sp_get_bindings` using `sp_set_url` function from `SP_SubmissionService` object.
2. Initialize the `SP_SessionHeader` object, field: `SP_SessionID` with `SessionID` value returned by `sp_login` function in `SP_LoginResult` object.

The client sends us document using either two of the following functions: `sp_upload_file` or `sp_append_file`

The `sp_upload_file` function must be used with file smaller than 64 kilobytes. This function returns a `SP_File` object

The `sp_append_file` function can be used to upload large files in several parts on the server to avoid network timeouts. We recommend using 64 kilobytes packets. To use the `sp_append_file` function, a first call to the `sp_upload_file` function must be made to get a `SP_File` object.

When calling a submit function (such as `sp_submit_letter` or `sp_submit_mailing`), the task will be processed by Service Postal teams who will be print and send the letter. It is the caller's responsibility to check with the user that the letter has been validated (using `sp_preview_letter` for example). The preview step is not mandatory in the printing/sending process.

So if a validation step is needed, the function `sp_preview_letter` (or `sp_preview_mailing`) should be used, followed by a call to `sp_validate_letter` (or `sp_validate_mailing`).

If no validation step is required, then the function `sp_submit_letter` or the function `sp_submit_mailing` should be called.



QUERY SERVICE OVERVIEW

The SP_QueryService object allows the client retrieve data about previously submitted jobs via sp_query_status, sp_query_document and sp_query_letter_cost functions.

Before any use, initialize a SP_QueryService object with an URL and the SP_SessionID provided by a SP_QueryService object:

1. Set the service URL with the spQueryServiceLocation parameter returned by sp_get_bindings using sp_set_url function from SP_QueryService object.
2. Initialize the SP_SessionHeader object, field: SP_SessionID with SessionID value returned by sp_login function in SP_LoginResult object.



API QUICK REFERENCE

LIST OF AVAILABLE API FUNCTIONS

Function name	Description
Session Service	
sp_get_bindings	Requests the list of service entry points (URLs) to use in the client application.
sp_get_session_information	Retrieves the logged user's data. (can be called only after sp_login)
sp_login	Opens an authenticated session on the server.
sp_logout	Closes an authenticated session on the server.
sp_set_url	Set the service URL (must be called before just after the sp_get_bindings, and before sp_login).
Submission Service	
sp_preview_letter	Previews a document with the given printing parameters. Returns a link to a PDF file or the PDF file in byte array depending on the parameter sent.
sp_submit_letter	Submits a document with the given printing parameters.
sp_upload_file	Uploads some data to the server for later availability.
sp_append_file	Uploads some large data on the server. (sp_upload_file must be called first to initiate uploading)
sp_submit_mailing	Submits a document and a csv file with the given printing parameters for starting a mailing printing job
sp_preview_mailing	Previews a document from a mailing job with the given printing parameters. Returns a link to a PDF file or the PDF file in byte array depending on the parameter sent.
sp_validate_letter	Submits a previously previewed letter
sp_validate_mailing	Submits a previously previewed mailing
sp_set_url	Set the service URL (must be called before any other function).
sp_cancel_job	Cancels a previously submitted or previewed job. If the letter(s) have already been printed, the cancellation is not possible. A failure status is returned
sp_set_session_header	Sets the unique session id value. Must be called before any other function of this service to instantiate session on the service, as well as sp_set_url. The order of calling sp_set_session_header and sp_set_url isn't important, but it is important that both should be called prior instantiation of service object.
sp_estimate_price	Obsolete: Use method sp_estimate_job_price instead Returns the price of a letter from an SP_JobParameters object and the expected number of pages of the document. The function returns also the price of the stamp.
sp_preview_mailing_pdf	Previews a document from a mailing job with the given printing parameters. The caller is responsible for building the mailing. The whole letters made by the caller will be transmitted through a single pdf file. All the letters must have the same number of pages. The function will cut the pdf file into letters. Returns a link to a PDF file or the PDF file in byte array depending on the parameter sent.
sp_estimate_job_price	Returns the price of a letter from an SP_JobParameters object and the expected number of pages of the document. The function returns also the price of the stamp.
Query Service	
sp_query_status	Obsolete: Use method sp_query_job_status instead Returns the production status of a specified letter (using the spServicePostalID of the task): previewed, submitted, and printed. Returns also the tracking ID from La Poste when available
sp_query_document	Obsolete: Use method sp_query_job_document instead



	Retrieves a document from a specified task (using the spServicePostalID).
sp_query_letter_cost	Returns the cost of a specified letter (using the spServicePostalID of the task).
sp_query_letter_rate	Returns the rate of a specified letter (using the spServicePostalID of the task). The function returns also the price of the stamp.
sp_set_url	Set the service URL. (must be called before any other function).
sp_set_session_header	Sets the unique session id value. Must be called before any other function of this service to instantiate session on the service, as well as sp_set_url. The order of calling sp_set_session_header and sp_set_url isn't important, but it is important that both should be called prior instantiation of service object.
sp_query_job_status	Returns the production status of a specified letter (using the spServicePostalID of the task): previewed, submitted, and printed. Returns also the tracking ID from La Poste when available
sp_query_job_document	Retrieves a document from a specified task (using the spServicePostalID).
sp_query_jobs_statistics	Returns statuses and cost for all the letters from the logged in user sent in the timeframe defined by two dates provided by the customer: from and to.
sp_query_post_office_status	Returns the statuses from Post Office of the job for the single letter defined by spServicePostalID.
sp_query_post_office_status_mailing	Returns the statuses from Post Office of the job for the mailing letters defined by spServicePostalID.
sp_query_mailing_status	Not implemented yet, just signature added to Web Service. Will be in next version.
sp_query_status_all_history	Not implemented yet, just signature added to Web Service. Will be in next version.
sp_query_status_mailing_all_history	Not implemented yet, just signature added to Web Service. Will be in next version.

LIST OF AVAILABLE API OBJECTS

Object name	Description
SP_SessionService	The SP_SessionService object allows the client to authenticate itself and open a session context that will be used with other services. This is the very first service you need to instantiate, as it is an entry point to all other services
SP_SubmissionService	The SP_SubmissionService object allows the client to submit documents, generate previews, upload files on the server.
SP_SessionHeader	SessionHeader which includes SessionID retrieved by SP_LoginResult
SP_LoginResult	Retrieves the unique SessionID
SP_QueryService	The SP_QueryService object allows the client to retrieve data about previously submitted jobs.
SP_BindingList	This structure describes the bindings (also known as locations, or Web Service's URLs) to use with your Web services objects. This object is returned by a call to sp_get_bindings
SP_File	This structure specifies a file reference, who can be stored inside the object or who has been previously uploaded to the server
SP_JobParameters	This structure contains all the parameters needed to print a letter and send it to its recipient
SP_PostalAddress	This structure stores a postal address with the names of the person (last name, first name, company name)
SP_JobResult	This structure contains the result of a printing task submission
SP_PreviewResult	This structure contains the result of a preview task.
SP_QueryFileResult	This structure contains the result of a file query
SP_MailingResult	This structure contains the result of a mailing task
SP_PreviewMailingResult	This structure contains the result of a preview mailing task
SP_DocumentStatusResult	This structure contains the result of document's status query



SP_ServiceCode	This structure contains a service code and the corresponding price for a unitary service provided by Service Postal
SP_QueryRateResult	This structure contains the result of a query about rate and stamp price of a letter
SP_PostOfficeResult	This structure contains the result of a query for Post Office statuses for single letter
SP_PostOfficeMailingResult	This structure contains the result of a query for Post Office statuses for mailing letters
SP_QueryStatisticsResult	This structure contains data of a query of letter cost and status
SP_DocumentStatusMailingResult	Not implemented yet, but structure is added to Web Service
SP_DocumentStatusMailingResult	Not implemented yet, but structure is added to Web Service
SP_StatusHistoryMailingResult	Not implemented yet, but structure is added to Web Service

LIST OF AVAILABLE API ENUMERATION

Enumeration name	Description
SP_LetterTypeEnum	List of possible type of letters (registered, registered with proof of delivery, economic letter, green letter, priority letter)
SP_ColorEnum	List of possible color printing options
SP_RectoEnum	List of recto or recto/verso options
SP_EnveloppeEnum	List of enveloppe options
SP_PaperFormatEnum	List of paper format options
SP_YesNoEnum	Yes or no values
SP_FileStorageModeEnum	List of possible storage mode in a SP_File object
SP_DocumentTypeEnum	List of all possible document type that could be queried by the API
SP_DocumentStatusEnum	List of all possible document status that could be queried by the API
SP_SuccessFailureEnum	Success or Failure values

OBJECTS DESCRIPTION

SP_LoginResult object

Object of this type is retrieved prior to call sp_login method from SP_SessionService object. It returns SessionID.

Properties name	Type	Description
spSessionID	String	Unique sessionID for the current user retrieved from server
spErrorMessage	String	Error message

SP_BindingList object

This structure describes the bindings (also known as locations, or Web Service's URLs) to use with your Web services objects. This object is returned by a call to sp_get_bindings.

Properties name	Type	Description
spSessionServiceLocation	String	URL for SP_SessionService object
spSubmissionServiceLocation	String	URL for SP_SubmissionService object
spQueryServiceLocation	String	URL for SP_QueryService object
spErrorMessage	String	Error message

SP_SessionInformation object

This structure describes returned the data about the logged in user.

Properties name	Type	Description
spEmail	String	Client's email
spLogin	String	Client's username
spCompany	String	Client's company
spErrorMessage	String	Error message

SP_PostalAddress object

This structure stores a postal address with the names of the person (last name, first name, company name)

Properties name	Type	Description
spFirstName	String	First name of the person
spLastName	String	Last name of the person
spCompanyName	String	Name of the company
spFirstLine	String	First line of the postal address
spSecondLine	String	Second line of the postal address
spPostalCode	String	Postal code
spCityName	String	City name
spCountry	String	Country (if not defined, default is France), if set to any other country different then France, weather in sender or in destination, you will be only allowed to send Priority or registered with proof of deliverytype of letter.



SP_JobParameters object

This structure contains all the parameters needed to print a letter and send it to its recipient. This parameters could be stored inside the object or linked to a previously uploaded file who contains the parameters

Properties name	Type	Description
spLetterType	SP_LetterTypeEnum	Type of the letter to send. Mandatory
spRecipient	SP_PostalAddress	Address and name of the recipient. Mandatory
spSender	SP_PostalAddress	Address and name of the sender. Mandatory for registered letters
spColorParameter	SP_ColorEnum	Color or B&W printing. Mandatory
spRectoParameter	SP_RectoEnum	Recto or Recto-Verso printing. Mandatory
spEnvelopeParameter	SP_EnvelopeEnum	Size of the envelope to use. Mandatory
spPaperFormat	SP_PaperFormatEnum	Paper format to use (only A4 allowed for the moment). Mandatory
spHeaderPageWindowEnvelope	SP_YesNoEnum	Indicates whether or not a header page with name and address of the recipient and of the sender must be added. Only applicable if SP_ENVELOPPE_WINDOW is set in spEnvelopePrintingMode .
spDepositSlipHandling	SP_YesNoEnum	Indicates whether or not the deposit slip must be returned to Service Postal address. This option must be activated on the client account. If the deposit slip handling is asked and is not allowed for the demanding client, an error will occur
spExternalReference	String	Client reference for this letter for binding the letter to its own system
spExternalReferenceOnDepositSlip	SP_YesNoEnum	If set to SP_YES value, the QR code with the value of the spExternalReference parameter of SP_JobParameters will be printed on depot. Of course if spExternalReference is null or empty string it won't be printed even if spExternalReferenceOnDepositSlip is set to SP_YES .
spEnvelopePrintingMode	SP_EnvelopePrintingMode	Indicates weather envelope will be printed or window envelope. If not set, SP_ENVELOPPE_PRINTED will be automatically set.
spSenderPrintedOnEnvelope	SP_YesNoEnum	Indicates weather sender should be printed on envelope. If not set it will be automatically set to SP_YES . Applicable to both, SP_ENVELOPPE_PRINTED and



		SP_ENVELOPPE_WINDOW value of spEnvelopePrintingMode.
spAddressStitchedOnDocumentPrintedEnvelope	SP_YesNoEnum	Applicable only if SP_ENVELOPPE_PRINTED, and it means that address will be also stitched to the first page of the document that customer sent. So this for sure means that destination will be added, and if you want sender to be added as well spSenderPrintedOnEnvelope should be set to SP_YES as well. Its default value is SP_NO if not set directly in a code.
spAddBarCodeToDocumentPrintedEnvelope	SP_YesNoEnum	This indicates if set to SP_YES that bar code will be added to the customers document – in case if spRectoParameter is set to SP_RECTO to each page in the lower left corner of the document, in case of SP_RECTO_VERSO to every second page of the document. It is only applicable for SP_ENVELOPPE_PRINTED parameter and it is by default set to SP_YES if user didn't set something else in a code. For SP_ENVELOPPE_WINDOW this bar code will be always printed.

SP_JobResult object

This structure contains the result of a printing task submission.

Properties name	Type	Description
spServicePostalID	String	Internal reference of the submitted job. Used for querying information about this job
spStatus	Integer	0 means no error, below value means error occurs
spTotalCost	Numeric	Total cost of the submitted printing job
spErrorMessage	String	Error message
spExpectedDispatchNotice	Integer	Expected notice (in working days) for the letter to be dispatched. 0 means that the letter will be sent today. 1 means that the letter will be sent tomorrow
spEstimatedDispatchNoticeDate	String	Expected production date

SP_PreviewResult object

This structure contains the result of a preview task.

Properties name	Type	Description
spOutputFile	SP_File	PDF file produced by the preview function
spStatus	Integer	0 means no error, below value means error occurs
spTotalCost	Numeric	Total cost of the printing job if submitted

spServicePostalID	String	Internal reference of the previewed job. To be used for starting the job
spErrorMessage	String	Error message
spEstimatedDispatchNotice	Integer	Estimated notice (in working days) for the letter to be dispatched. 0 means that the letter will be sent today. 1 means that the letter will be sent tomorrow. This notice is informational, because it will depends on the date and hour of the real submission of the job.
spEstimatedDispatchNoticeDate	String	Expected production date

SP_QueryFileResult object

This structure contains the result of a file query.

Properties name	Type	Description
spOutputFile	SP_File	File requested
spStatus	Integer	0 means no error, below value means error occurs
spErrorMessage	String	Error message

SP_MailingResult object

This structure contains the result of a mailing task.

Properties name	Type	Description
spServicePostalID	String	Internal reference of the submitted job. Used for querying information about this job
spStatus	Integer	0 means no error, below value means error occurs
spLettersCount	Numeric	Number of letters produced by the mailing task (even if only one document is asked to be printed)
spTotalCost	Numeric	Total cost of the submitted printing job
spErrorMessage	String	Error message
spExpectedDispatchNotice	Integer	Expected notice (in working days) for the letter to be dispatched. 0 means that the letter will be sent today. 1 means that the letter will be sent tomorrow
spEstimatedDispatchNoticeDate	DateTime	Expected production date

SP_PreviewMailingResult object

This structure contains the result of a preview mailing task.

Properties name	Type	Description
spOutputFile	SP_File	PDF file produced by the preview function
spStatus	Integer	0 means no error, below value means error occurs
spLettersCount	Numeric	Number of letters produced by the mailing task (even if only one document at a time is returned by the preview call)
spTotalCost	Numeric	Total cost of the printing job if submitted

spServicePostalID	String	Internal reference of the previewed mailing. To be used for starting the mailing
spErrorMessage	String	Error message
spEstimatedDispatchNotice	Integer	Estimated notice (in working days) for the letter to be dispatched. 0 means that the letter will be sent today. 1 means that the letter will be sent tomorrow. This notice is informational, because it will depends on the date and hour of the real submission of the job.
spEstimatedDispatchNotice Date	String	Expected production date

SP_File object

This structure specifies a file reference, who can be stored inside the object or who has been previously uploaded to the server.

Properties name	Type	Description
spName	String	The logical name of the file
spStorageMode	SP_FileStorageModeEnum	Specifies where the file content is located
spContent	Array of byte values	The file content when the storage mode parameter is SP_INLINED
spURL	String	The file content when the storage mode parameter is SP_UPLOADED
spFileID	String	Unique file id. This is the key to access the file within the API

SP_DocumentStatusResult object

This structure contains the result of querying the status of a document.

Properties name	Type	Description
spStatus	SP_DocumentStatusEnum	The status of the document (submitted, printed, ...)
spTrackingID	String	Tracking ID used to track the letter on "La Poste" website. If the tracking ID is not available, the string is empty
spSuccessFailure	SP_SuccessFailureEnum	Success of failure of getting data for letter
spExternalReference	String	External reference to the letter
spNumberOfPages	Numeric	Number of pages of letter
spSubmissionTimeStamp	Nullable DateTime	Date of submission of document
spProductionTimeStamp	Nullable DateTime	Production date – not yet functional
spServicePostalID	String	SP unique job id
spIndex	String	Index of the letter in case of the mailing
spTypeOfJob	SP_TypeOfJobEnum	Returns SP_SINGLE or SP_MAILING

SP_ServiceCode object

This structure contains a service code and the corresponding price for a unitary service provided by Service Postal. The list of the unitary services and their corresponding code is provided further in this document.

Properties name	Type	Description
spCode	String	Code of the unitary service
spPrice	Numeric	Price (in euros) of one unitary service (billed by Service Postal). To get the total price, you need to multiply spPrice by spQuantity
spQuantity	Numeric	Number of unitary services used
spVAT	Boolean	True if the VAT apply to the unitary service

SP_QueryRateResult object

This structure contains the result of a query about rate code and price of a letter.

Properties name	Type	Description
spServiceCodeList	List of SP_ServiceCode object	List of all the service codes used to build and send a letter or a mailing
spWeight	Numeric	Expected weight of the letter in gram
spServicePrice	Numeric	Price of the service to build the letter without the VAT (in euros).
spStampPrice	Numeric	Price of the stamp to send the letter (in euros). There is no VAT on stamp prices

SP_PostOfficeResult object

This structure contains data received from Post Office for particular letter.

Properties name	Type	Description
status	String	True if everything fine, False if not – gathered from Post Office
code	String	Post Office code – tracking number
client	String	Always: "Particulier"
date	String	Date of the Post Office action
message	String	The most important part of the status
gamme	String	Always 8
base_label	String	Always: "Courrier"
link	String	Link to la poste page for this letter with detailed view of statuses
error	String	Message of error in case status returns false
spMessage	String	Message of error in case spStatus returns SP_Failure
spStatus	SP_SuccessFailureEnum	Status

SP_PostOfficeMailingResult object

This structure contains data received from Post Office for particular mailing letter.

Properties name	Type	Description
-----------------	------	-------------



spServicePostalID	String	spServicePostalID of mailing
splIndex	String	Index of the mailing letter
spPostOfficeResult	List of SP_PostOfficeResult	List of statuses from Post Office for particular letter
spMessage	String	Message of error in case spStatus returns SP_Failure
spStatus	SP_SuccessFailureEnum	Status

SP_QueryStatisticsResult object

This structure contains data received from Post Office for particular mailing letter.

Properties name	Type	Description
spSuccessFailure	SP_SuccessFailureEnum	Success of failure of getting data for letter
spStatus	SP_DocumentStatusResult	Results of querying status of the document
spLetterCost	Numeric	Letter cost

SP_LetterTypeEnum object

List of possible type of letters (registered, registered with proof of delivery, economic, green, priority)

Enum values	Type	Description
SP_REGISTERED_LETTER	Enum	Registered letter without proof of delivery
SP_REGISTERED_WITH_PROOF	Enum	Registered letter with proof of delivery
SP_PRIORITY_LETTER	Enum	Priority letter
SP_ECONOMIC_LETTER	Enum	Economic letter (ecopli)
SP_GREEN_LETTER	Enum	Green letter

SP_ColorEnum object

List of possible color printing options

Enum values	Type	Description
SP_BLACK_AND_WHITE	Enum	Black and white printing
SP_COLOR	Enum	Color printing

SP_RectoEnum object

List of recto or recto/verso options

Enum values	Type	Description
SP_RECTO_VERSO	Enum	Recto/verso printing
SP_RECTO	Enum	Recto printing

SP_EnvelopePrintingMode object

List of envelope options

Enum values	Type	Description
SP_ENVELOPPE_PRINTED	Enum	Envelope is printed or our printers.
SP_ENVELOPPE_WINDOW	Enum	Window envelope is used for packing the letter.
SP_DEFAULT	Enum	Default value is envelope printed.

SP_EnvelopeEnum object

List of envelope options

Enum values	Type	Description
SP_DL_ENVELOPPE_THIRD_A4	Enum	Use a DL envelope. Paper creased in three
SP_C5_ENVELOPPE_HALF_A4	Enum	Use a C5 envelope. Paper creased in two
SP_C4_ENVELOPPE_A4	Enum	Use a C4 envelope. Paper not creased

SP_PaperFormatEnum object

List of paper format options

Enum values	Type	Description
SP_A4_FORMAT	Enum	A4 paper format
SP_A3_FORMAT	Enum	For future use, not allowed for the moment

SP_YesNoEnum object

Yes or no values

Enum values	Type	Description
SP_YES	Enum	Yes
SP_NO	Enum	No

SP_FileStorageModeEnum object

List of possible storage mode in a SP_File object.

Enum values	Type	Description
SP_INLINED	Enum	File is stored inside the SP_File object
SP_UPLOADED	Enum	File has been uploaded to our servers. An URL must be provided

SP_DocumentTypeEnum object

List of all possible document type that could be queried by the API.

Enum values	Type	Description
SP_DOCUMENT	Enum	Letter content sent by the client
SP_PROOF_OF_DEPOSIT	Enum	Proof of deposit to the postal office, generated by Service Postal server
SP_PROOF_OF_DELIVERY	Enum	Proof of delivery (in the case the deposit slip is sent back to our office with the appropriate option)

SP_DocumentStatusEnum object

List of all possible document status that could be queried by the API

Enum values	Type	Description
SP_SUBMITTED	Enum	The letter has been sent to Service Postal server and the job of printing and sending has been submitted
SP_PRINTED	Enum	The letter has been printed



SP_SCANNED	Enum	The letter has been scanned and is about to be carried to the post office
SP_DELIVERED	Enum	The letter has been delivered. For now I cannot see how this status could be returned as we don't know when the letter is delivered.
SP_DEPOSIT_SLIP_RECEIVED	Enum	The deposit slip has been received by Service Postal
SP_UNKNOWN	Enum	The letter is not found in our database
SP_PREVIEWED	Enum	The letter has been previewed but not validated

SP_SuccessFailureEnum object

Success or Failure values

Enum values	Type	Description
SP_SUCCESS	Enum	Success
SP_FAILURE	Enum	Failure

SP_TypeOfJobEnum object

Success or Failure values

Enum values	Type	Description
SP_SINGLE	Enum	Job is single letter
SP_MAILING	Enum	Job is mailing

FUNCTIONS DESCRIPTION

SESSION SERVICE

sp_get_bindings

Requests the list of service entry points (URLs) to use in the client application.

Parameters name	Type	Description
spUsername	string	Client's username
Returns	Type	Description
SP_BindingList	SP_BindingList	Contains URLs for each of the services
Exceptions	Type	Description
	FaultException	Username not submitted
	FaultException	Wrong username
	FaultException	Database problem

C# sample

Before starting with examples, if using .NET client for calling web service, web services should be added to the service reference with provided WSDL files. Also make sure that the app.config or web.config of the application has this part:

```
<bindings>
  <basicHttpBinding>
    <binding name="BasicHttpBinding_IQuery" maxReceivedMessageSize="2147483647" />
    <binding name="BasicHttpBinding_ISubmission" maxReceivedMessageSize="2147483647" />
    <binding name="BasicHttpBinding_ISession" maxReceivedMessageSize="2147483647" />
  </basicHttpBinding>
</bindings>
```

maxReceivedMessageSize="2147483647" is attribute that user should add himself – it won't be added automatically. The value **2147483647** is defined by client, and it presents the number of bytes that its application can receive from Web Services. (for example when receiving file in bytes).

The following C# sample code shows how to retrieve the entry points to use with the Web services objects.

```
SessionEnt.SessionClient sessionclient = new SessionEnt.SessionClient();
SessionEnt.SP_BindingObject bindings = sessionclient.sp_get_bindings("username");
sessionclient.sp_set_url(bindings.sessionServiceLocation);
SubmissionEnt.SubmissionClient submissionclient = new SubmissionEnt.SubmissionClient();
submissionclient.sp_set_url(bindings.submissionServiceLocation);
QueryEnt.QueryClient queryclient = new QueryEnt.QueryClient();
queryclient.sp_set_url(bindings.queryServiceLocation);
```

Java sample

The following Java/AXIS sample code shows how to retrieve the entry points to use with the Web services objects.

```
ISessionProxy sessionproxy = new ISessionProxy();  
SP_BindingObject bindings = sessionproxy.sp_get_bindings("username");  
sessionproxy.sp_set_url(bindings.getSessionServiceLocation());  
  
ISubmissionProxy submissionproxy = new ISubmissionProxy();  
submissionproxy.sp_set_url(bindings.getSubmissionServiceLocation());  
  
IQueryProxy queryproxy = new IQueryProxy();  
queryproxy.sp_set_url(bindings.getQueryServiceLocation());
```

sp_get_session_information

Retrieves the logged user's data.

Parameters name	Type	Description
/	/	/
Returns	Type	Description
SP_SessionInformation	SP_SessionInformation	Contains the data about the logged user

sp_login

Opens an authenticated session on the server.

Parameters name	Type	Description
spUsername	string	Client's username
spPassword	string	Client's password
Returns	Type	Description
SP_LoginResult	SP_LoginResult	Contains SessionID
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	An error has occurred while calling remote server

C# sample

The following C# sample code shows how to create a session to use with the Web services objects.

```
SessionEnt.SessionClient sessionclient = new SessionEnt.SessionClient();  
SessionEnt.SP_BindingObject bindings = sessionclient.sp_get_bindings("username");  
sessionclient.sp_set_url(bindings.sessionServiceLocation);  
SessionEnt.SP_LoginResult loginresult = sessionclient.sp_login("username", "password");  
SubmissionEnt.SubmissionClient submissionclient = new SubmissionEnt.SubmissionClient();  
submissionclient.sp_set_url(bindings.submissionServiceLocation);  
SubmissionEnt.SP_SessionHeader ssheader = new SubmissionEnt.SP_SessionHeader();  
ssheader.spSessionID = loginresult.SessionID;  
submissionclient.sp_set_session_header(ssheader);  
QueryEnt.QueryClient queryclient = new QueryEnt.QueryClient();  
queryclient.sp_set_url(bindings.queryServiceLocation);
```



```
QueryEnt.SP_SessionHeader qsheader = new QueryEnt.SP_SessionHeader();
qsheader.spSessionID = loginresult.SessionID;
queryclient.sp_set_session_header(qsheader);
// Start to code here
// ...

sessionclient.sp_logout();
```

Java sample

The following Java/AJAX sample code shows how to create a session to use with the Web services objects.

```
ISessionProxy sessionproxy = new ISessionProxy();
SP_BindingObject bindings = sessionproxy.sp_get_bindings("username");
sessionproxy.sp_set_url(bindings.getSessionServiceLocation());
SP_LoginResult loginresult = sessionproxy.sp_login("username", "password");

ISubmissionProxy submissionproxy = new ISubmissionProxy();
submissionproxy.sp_set_url(bindings.getSubmissionServiceLocation());
SP_SessionHeader spSessionHeader = new SP_SessionHeader();// SP_SessionHeader from submission package
spSessionHeader.setSpSessionID(loginresult.getSessionID());
submissionproxy.sp_set_session_header(spSessionHeader);

IQueryProxy queryproxy = new IQueryProxy();
queryproxy.sp_set_url(bindings.getQueryServiceLocation());

SP_SessionHeader spSessionHeader = new SP_SessionHeader();// SP_SessionHeader from query package
spSessionHeader.setSpSessionID(loginresult.getSessionID());
queryproxy.sp_set_session_header(spSessionHeader);
// Start to code here
// ...

sessionproxy.sp_logout();
```

sp_logout

Closes an authenticated session on the server.

Parameters name	Type	Description
/	/	/
Returns	Type	Description
/	/	/
Exceptions	Type	Description
	FaultException	An error has occurred while calling remote server

sp_set_url

Set the service URL for the SP_SessionService.

Parameters name	Type	Description
spURL	String	URL returned by the call to sp_get_bindings
Returns	Type	Description
/	/	/
Exceptions	Type	Description
	FaultException	An error has occurred while calling remote server

SUBMISSION SERVICE

sp_upload_file

Uploads some data to the server for later availability.

Parameters name	Type	Description
spFileContent	Array of bytes	File to be uploaded
spFileName	String	The logical file name (without the path)
Returns	Type	Description
	SP_File	Link to the uploaded file. This object must be stored for future use of the file
Exceptions	Type	Description
	FaultException	Byte array to large, max is 64KB
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set
	FaultException	An error has occurred while calling remote server
	FaultException	Destination file is missing

C# sample

The following C# sample code shows how to upload a text file which size is less then 64KB on the server. If the filesize is bigger then 64KB, sp_append_file should be used.

```
SP_JobParameters jobparam = new SP_JobParameters();
jobparam.spLetterType = SP_LetterTypeEnum.SP_GREEN_LETTER;
jobparam.spColorParameter = SP_ColorEnum.SP_BLACK_AND_WHITE;
jobparam.spRectoParameter = SP_RectoEnum.SP_RECTO;
jobparam.spEnvelopeParameter = SP_EnvelopeEnum.SP_DL_ENVELOPPE_THIRD_A4;
jobparam.spEnvelopePrintingMode = SP_EnvelopePrintingMode.SP_ENVELOPPE_PRINTED;
jobparam.spAddBarCodeToDocumentPrintedEnvelope = SP_YesNoEnum.SP_YES;
jobparam.spHeaderPageWindowEnvelope = SP_YesNoEnum.SP_YES;
jobparam.spSenderPrintedOnEnvelope = SP_YesNoEnum.SP_NO;
jobparam.spAddressStitchedOnDocumentPrintedEnvelope = SP_YesNoEnum.SP_YES;

SP_PostalAddress adr = new SP_PostalAddress();
```

```
adr.spFirstName = "destinationFirstName";
adr.spLastName = "destinationLastName";
adr.spCompanyName = "destinationCompany";
adr.spFirstLine = "destinationAddress1";
adr.spSecondLine = "destinationAddress2";
adr.spPostalCode = "12345";
adr.spCityName = "destinationCity";
jobparam.spRecipient = adr;
SP_File file = new SP_File();
file.spName = "file.txt";
string filepath = @"D:\data\file.txt";
file.spContent = System.IO.File.ReadAllBytes(filepath);
SP_File filereturn = submissionclient.sp_upload_file(buffer, file.spName);
SP_PreviewResult pr = submissionclient.sp_preview_letter(filereturn, jobparam,
SubmissionReference.SP_FileStorageModeEnum.SP_UPLOADED);
```

Java sample

The following Java/AXIS sample code shows how to upload a text file on the server.

```
SP_JobParameters jobparam = new SP_JobParameters();
jobparam.setSpLetterType(SP_LetterTypeEnum.SP_GREEN_LETTER);
jobparam.setSpColorParameter(SP_ColorEnum.SP_BLACK_AND_WHITE);
jobparam.setSpRectoParameter(SP_RectoEnum.SP_RECTO);
jobparam.setSpEnvelopeParameter(SP_EnvelopeEnum.SP_DL_ENVELOPPE_THIRD_A4);
jobparam.setSpEnvelopePrintingMode(SP_EnvelopePrintingMode.SP_ENVELOPPE_PRINTED);
jobparam.setSpAddBarCodeToDocumentPrintedEnvelope(SP_YesNoEnum.SP_YES);

jobparam.setSpHeaderPageWindowEnvelope(SP_YesNoEnum.SP_YES); // this won't apply, it will be no, because
printed envelope is selected
jobparam.setSpSenderPrintedOnEnvelope(SP_YesNoEnum.SP_NO);
jobparam.setSpAddressStitchedOnDocumentPrintedEnvelope(SP_YesNoEnum.SP_YES);

SP_PostalAddress adrdestination = new SP_PostalAddress();
adrdestination.setSpFirstLine("destinationFirstName");
adrdestination.setSpLastName("destinationLastName");
adrdestination.setSpCompanyName("destinationCompany");
adrdestination.setSpFirstLine("destinationAdress1");
adrdestination.setSpSecondLine("destinationAdress2");
adrdestination.setSpPostalCode("12345");
adrdestination.setSpCityName("destinationCity");
jobparam.setSpRecipient(adr);
SP_File file = new SP_File();
file.setSpName("file.txt");
```




```
File filetxt = new File("D:\\data\\file.txt");  
byte[] bFile = new byte[(int) filetxt.length()];  
java.io.FileInputStream fileOutputStream = new FileInputStream(filetxt);  
fileOutputStream.read(bFile);  
fileOutputStream.close();  
file.setSpContent(bFile);  
SP_File filereturn = submissionproxy.sp_upload_file(file.getSpContent(), file.getSpName());  
SP_PreviewResult pr = submissionproxy.sp_preview_letter(filereturn, jobparam,  
SP_FileStorageModeEnum.SP_UPLOADED);
```

sp_append_file

Uploads some large data on the server.

Parameters name	Type	Description
spFileContent	Array of bytes	File to be uploaded
spDestinationFile	SP_File	Destination file where the file will be appended
Returns	Type	Description
	SP_File	Link to the uploaded file. This object must be stored for future use (or append) of the file
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Destination file is missing
	FaultException	Wrong session header!
	FaultException	Wrong spFile id

C# sample

The following C# sample code shows how to upload a text file which size is less then 64KB on the server. If the filesize is bigger then 64KB, sp_append_file should be used.

```
SP_File filetxt = new SP_File();  
file.spName = "file.txt";  
//path of a file (use your own path)  
string filepath = @"D:\data\file.txt";  
filetxt.spContent = System.IO.File.ReadAllBytes(filepath);  
SP_File filereturn = new SP_File();  
  
//example of file bigger then 64KB (using append function)  
  
if (filetxt.spContent.Length > 65536)  
{  
    Stream stream = new FileStream(filepath, FileMode.Open);  
    byte[] buffer = new byte[64 * 1024];
```

```
while (true)
{
    int space = 64 * 1024, read, offset = 0;
    while (space > 0 && (read = stream.Read(buffer, offset, space)) > 0)
    {
        space -= read;
        offset += read;
    }
    if (space != 0)
    { // EOF - final
        if (offset != 0)
        { // something to send
            Array.Resize(ref buffer, offset);
            filereturn = submissionclient.sp_append_file(buffer, newfile);
        }
        break;
    }
    else
    { // full buffer
        filereturn = submissionclient.sp_upload_file(buffer, filetxt.spName);
    }
}
//else - file smaller than 64KB
else
{
    filereturn = submissionclient.sp_upload_file(filetxt.spContent, filetxt.spName);
}
SP_PreviewResult pr = submissionclient.sp_preview_letter(filereturn, jobparam,
SubmissionReference.SP_FileStorageModeEnum.SP_UPLOADED);
```

Java sample

The following Java/AXIS sample code shows how to upload a text file which size is less then 64KB on the server. If the filesize is bigger then 64KB, sp_append_file should be used.

```
SP_File uploadedFile = null;
FileInputStream stream = new FileInputStream("D:\\data\\file.txt");
if( stream.available() > 64*1024)
{
    while( stream.available() > 0 )
    {
        byte[] data = new byte[(int)java.lang.Math.min(stream.available(),64*1024)];
        stream.read(data, 0, data.length);
        if( uploadedFile == null )
```



```
        uploadedFile = submissionproxy.sp_upload_file(data, file.getSpName());
    else
        uploadedFile = submissionproxy.sp_append_file(data, uploadedFile);
    }
}
else
{
    byte[] data = new byte[(int)java.lang.Math.min(stream.available(),64*1024)];
    uploadedFile = submissionproxy.sp_upload_file(data, file.getSpName());
}

SP_PreviewResult previewResult = submissionproxy.sp_preview_letter(uploadedFile, jobparam,
SP_FileStorageModeEnum.SP_UPLOADED);

stream.close();
```

sp_submit_letter

Submits a document with the given printing parameters.

Parameters name	Type	Description
spDocumentToPrint	SP_File	File containing the letter to print
spPrintingParameters	SP_JobParameters	Printing parameters (including recipient address).
Returns	Type	Description
	SP_JobResult	Status and ServicePostalID
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Wrong session header
	FaultException	Session header is not set!
	FaultException	Not supported file extension.
	FaultException	Cannot be converted
	FaultException	Sender's address is not set
	FaultException	Destination address is not set

C# sample

The following C# sample code shows how to upload a text file which size is less then 64KB on the server. If the filesize is bigger then 64KB, sp_append_file should be used.

```
SP_File filetxt = new SP_File();
file.spName = "file.txt";
//path of a file (use your own path)
string filepath = @"D:\data\file.txt";
filetxt.spContent = System.IO.File.ReadAllBytes(filepath);
SP_File filereturn = new SP_File();
SP_JobResult res = submissionclient.sp_submit_letter(fileDocx, jobparam);
```

```
SP_PreviewResult pr = submissionclient.sp_preview_letter(filereturn, jobparam,  
SubmissionReference.SP_FileStorageModeEnum.SP_UPLOADED);
```

Java sample

The following Java/AXIS sample code shows how to upload a text file which size is less then 64KB on the server. If the filesize is bigger then 64KB, `sp_append_file` should be used.

```
SP_File file = new SP_File();  
file.setSpName("file.txt");  
File filetxt = new File("D:\\data\\file.txt");  
byte[] bFile = new byte[(int) filetxt.length()];  
java.io.FileInputStream fileOutputStream = new FileInputStream(filetxt);  
fileOutputStream.read(bFile);  
fileOutputStream.close();  
file.setSpContent(bFile);  
SP_JobResult jobresult = submissionproxy.sp_submit_letter(file, jobparam);
```

sp_preview_letter

Previews a document with the given printing parameters. Returns a link to a PDF file or the PDF file itself (depending on the `spReturnMode` parameter).

Parameters name	Type	Description
spDocumentToPrint	SP_File	File containing the letter to print
spPrintingParameters	SP_JobParameters	Printing parameters (including recipient address).
spReturnMode	SP_FileStorageMode Enum	Indicates how to return the PDF file (inside the SP_File or as an URL)
Returns	Type	Description
	SP_PreviewResult	Function returns : Preview status. Total cost of the printing job A ServicePostalID is provided to allow the submission of the previewed job
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Wrong session header
	FaultException	Session header is not set!
	FaultException	Not supported file extension.
	FaultException	Cannot be converted
	FaultException	Sender's address is not set
	FaultException	Destination address is not set
	FaultException	International letter must be register letter with proof of deposit or priority letter. Please fix your parameters accordingly and try again.



sp_preview_mailing

Previews a document from a mailing job with the given printing parameters. Returns a link to a PDF file or the PDF file itself (depending on the spReturnMode parameter).. The preview will concern only the nth letter whom index is provided (1 for the first letter, and so on).

The function will return the number of letters that the mailing will produce. Even if only one document is returned by the call to this function.

Parameters name	Type	Description
spDocumentToPrint	SP_File	File containing the letter to print
spFieldValuesFile	SP_File	File containing the fields value in a CSV format to be merged with the letter to print.
spPrintingParameters	SP_JobParameters	Printing parameters. No recipient address required.
spReturnMode	SP_FileStorageMode Enum	Indicates how to return the PDF file (inside the SP_File or as an URL)
spIndex	Numeric	Index of the letter to be returned
Returns	Type	Description
	SP_PreviewMailingResult	Function returns : Execution status. Number of documents to be produce in the mailing. PDF File for the specific given index. Total cost of the printing job. A ServicePostalID is provided (which is the same for all the letters within the mailing job) to allow the submission of the previewed job
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Filename is missing
	FaultException	File content is missing
	FaultException	Wrong file extension, should be docx!
	FaultException	Wrong file extension, should be csv!
	FaultException	Destination: mandatory fields missing.Please make sure that RecAddressLine1,RecZipPostalCode,RecCity have values !
	FaultException	Destination: mandatory fields missing.Please make sure that at least one of the fields is filled: RecLastName, RecFirstName,RecCompany!
	FaultException	Sender: mandatory fields missing.Please make sure that RecAddressLine1,RecZipPostalCode,RecCity have values !
	FaultException	Sender: mandatory fields missing.Please make sure that at least one of the fields is filled: RecLastName, RecFirstName,RecCompany!
	FaultException	Wrong File ID of template file!
	FaultException	Please provide file content!



	FaultException	Wrong File ID of content file!
	FaultException	Please select bigger envelope
	FaultException	International letter must be register letter with proof of deposit or priority letter. Please fix your csv accordingly and try again.
	FaultException	Index out of range!

C# sample

The following C# sample code shows how to use mailing functionality.

```
SP_File fileDocx = new SP_File();
fileDocx.spName = "file.docx";
fileDocx.spContent = File.ReadAllBytes(@"D:\data\file.docx");
SP_File fileCSV = new SP_File();
fileCSV.spName = "file.csv";
fileCSV.spContent = File.ReadAllBytes(@"D:\data\file.csv");
SubmissionReference.SP_PreviewMailingResult pmr = submissionclient.sp_preview_mailing(fileDocx, fileCSV,
jobparam, SubmissionReference.SP_FileStorageModeEnum.SP_UPLOADED, 1);
SP_MailingResult resMail = submissionclient.sp_validate_mailing(pmr.spServicePostalID);
```

Java sample

The following Java/AXIS sample code shows how to use mailing functionality.

```
SP_File filedocx = new SP_File();
filedocx.setSpName("file.docx");
File filesend = new File("C:\\data\\file.docx");
byte[] bFile = new byte[(int) filesend.length()];
java.io.FileInputStream fileOutputStream = new FileInputStream(filesend);
fileOutputStream.read(bFile);
fileOutputStream.close();
file.setSpContent(bFile);
SP_File csvfile = new SP_File();
csvfile.setSpName("file.csv");
File csvfilesend = new File("D:\\data\\file.csv");
byte[] bFileCSV = new byte[(int) csvfilesend.length()];
java.io.FileInputStream fileInputStream = new FileInputStream(csvfilesend);
fileInputStream.read(bFileCSV);
fileInputStream.close();
csvfile.setSpContent(bFileCSV);
SP_PreviewMailingResult previewmailigresult = submissionproxy.sp_preview_mailing(filedocx, csvfile, jobparam,
SP_FileStorageModeEnum.SP_UPLOADED, 1);
SP_MailingResult mailingresult = submissionproxy.sp_validate_mailing(previewmailigresult.getSpServicePostalID());
```

sp_preview_mailing_pdf

Previews a document from a mailing job with the given printing parameters. The caller is responsible for building the mailing. The whole letters made by the caller will be transmitted through a single pdf file. All the letters must have the same number of pages. The function will cut the pdf file into letters.

The function returns a link to a PDF file or the PDF file itself (depending on the spReturnMode parameter).. The preview will concern only the nth letter whom index is provided (1 for the first letter, and so on).

The function will return the number of letters that the mailing will produce. Even if only one document is returned by the call to this function.

Parameters name	Type	Description
spDocumentToPrint	SP_File	File containing all the letters to print
spFieldValuesFile	SP_File	File containing the fields value in a CSV format to build the header pages
spPrintingParameters	SP_JobParameters	Printing parameters. No recipient address required.
spReturnMode	SP_FileStorageModeEnum	Indicates how to return the PDF file (inside the SP_File or as an URL)
spIndex	Numeric	Index of the letter to be returned
spNumberOfPages	Numeric	Number of pages of one single letter (all the letters must have the same length)
Returns	Type	Description
	SP_PreviewMailingResult	Function returns : Execution status. Number of documents to be produce in the mailing. PDF File for the specific given index. Total cost of the printing job. A ServicePostalID is provided (which is the same for all the letters within the mailing job) to allow the submission of the previewed job
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Filename is missing
	FaultException	File content is missing
	FaultException	Wrong file extension, should be pdf!
	FaultException	Wrong file extension, should be csv!
	FaultException	Destination: mandatory fields missing.Please make sure that RecAddressLine1,RecZipPostalCode,RecCity have values !
	FaultException	Destination: mandatory fields missing.Please make sure that at least one of the fields is filled: RecLastName, RecFirstName,RecCompany!
	FaultException	Sender: mandatory fields missing.Please make sure that RecAddressLine1,RecZipPostalCode,RecCity have values !



	FaultException	Sender: mandatory fields missing. Please make sure that at least one of the fields is filled: RecLastName, RecFirstName, RecCompany!
	FaultException	Wrong File ID of template file!
	FaultException	Please provide file content!
	FaultException	Wrong File ID of content file!
	FaultException	Number of pages in the document doesn't match the number of addresses!
	FaultException	Please select bigger envelope
	FaultException	International letter must be register letter with proof of deposit or priority letter. Please fix your csv accordingly and try again.
	FaultException	Index out of range!

C# sample

The following C# sample code shows how to use pdf mailing functionality.

```
// Create job parameters
SP_JobParameters jobparam = new SP_JobParameters();
jobparam.spLetterType = SP_LetterTypeEnum.SP_ECONOMIC_LETTER;
jobparam.spColorParameter = SP_ColorEnum.SP_COLOR;
jobparam.spRectoParameter = SP_RectoEnum.SP_RECTO_VERSO;
jobparam.spEnvelopeParameter = SP_EnvelopeEnum.SP_DL_ENVELOPPE_THIRD_A4;
jobparam.spEnvelopePrintingMode = SP_EnvelopePrintingMode.SP_ENVELOPPE_PRINTED;
jobparam.spAddBarCodeToDocumentPrintedEnvelope = SP_YesNoEnum.SP_YES;
jobparam.spHeaderPageWindowEnvelope = SP_YesNoEnum.SP_YES;
jobparam.spSenderPrintedOnEnvelope = SP_YesNoEnum.SP_NO;
jobparam.spAddressStitchedOnDocumentPrintedEnvelope = SP_YesNoEnum.SP_YES;

SP_File fileDocx = new SP_File();
fileDocx.spName = "Courriers.pdf";

byte[] tempBuffer = new byte[1024 * 1024];
string filepath = @"D:\data\Courriers.pdf";
//tempBuffer = System.IO.File.ReadAllBytes(filepath);
fileDocx.spContent = System.IO.File.ReadAllBytes(filepath);
//fileDocx = submissionclient.sp_upload_file(tempBuffer, fileDocx.spName);

SP_File newfile = new SP_File();

// files for publipostage are usually bigger then 64KB, so we provide example with appending content

if (fileDocx.spContent.Length > 65536)
{
    Stream stream = new FileStream(filepath, FileMode.Open);
    byte[] buffer = new byte[64 * 1024];
```




```
while (true)
{
    int space = 64 * 1024, read, offset = 0;
    while (space > 0 && (read = stream.Read(buffer, offset, space)) > 0)
    {
        space -= read;
        offset += read;
    }
    if (space != 0)
    { // EOF - final
        if (offset != 0)
        { // something to send
            Array.Resize(ref buffer, offset);
            newfile = submissionclient.sp_append_file(buffer, newfile);
        }
        break;
    }
    else
    { // full buffer
        newfile = submissionclient.sp_upload_file(buffer, fileDocx.spName);
    }
}

// else - file smaller than 64KB
else
{
    newfile = submissionclient.sp_upload_file(fileDocx.spContent, fileDocx.spName);
}

SP_File fileCSV = new SP_File();
fileCSV.spName = "liste-destinataires.csv ";
filepath = @"C:\data\liste-destinataires.csv";
tempBuffer = System.IO.File.ReadAllBytes(filepath);
fileCSV = submissionclient.sp_upload_file(tempBuffer, fileCSV.spName);

Submission.SP_PreviewMailingResult pmr = submissionclient.sp_preview_mailing_pdf(fileDocx, fileCSV, jobparam,
Submission.SP_FileStorageModeEnum.SP_UPLOADED, 1,4);
SP_MailingResult spmailing = submissionclient.sp_validate_mailing(pmr.spServicePostalID);
Different approach for sending file in chunks

int fullfilesize = file.spContent.Length; // full size of file
int DefaultReadValue = 65536; //read 10 mb at a time
int toRead = 65536;
int position =0;
```



```
int j = 0;
// int
// byte[] ByteReadFirst = new byte[10485760];

using (var fs = new FileStream(filepath, FileMode.Open, FileAccess.Read))
{
    using (MemoryStream requestStream = new MemoryStream())
    {
        while (true)
        {
            fs.Position = position;

            if (fs.Position >= fullfilesize)
            {
                //MessageBox.Show(" all done");
                break;
            }
            System.Diagnostics.Debug.WriteLine("file position" + fs.Position);

            if (fullfilesize - position < toRead)
            {
                toRead = fullfilesize - position;
                // MessageBox.Show("last time");
            }
            //System.Diagnostics.Debug.WriteLine("toread" + toRead);
            int bytesRead;
            byte[] buffer = new byte[toRead];
            int offset = 0;
            position += toRead;
            while (toRead > 0 && (bytesRead = fs.Read(buffer, offset, toRead)) > 0)
            {
                if (j == 0)
                {
                    newfile = submissionclient.sp_upload_file(buffer, file.spName);
                }
                else
                {
                    newfile = submissionclient.sp_append_file(buffer, newfile);
                }
                toRead -= bytesRead;
                offset += bytesRead;
                j++;
            }
            toRead = DefaultReadValue;
```

```
}  
}  
}
```

Java sample

The following Java/AXIS sample code shows how to use mailing functionality.

```
SP_File filePDF = new SP_File();  
filePDF.setSpName("file.docx");  
File filesend = new File("D:\\data\\Courriers.pdf");  
byte[] bFile = new byte[(int) filesend.length()];  
java.io.FileInputStream fileOutputStream = new FileInputStream(filesend);  
fileOutputStream.read(bFile);  
fileOutputStream.close();  
file.setSpContent(bFile);  
SP_File csvfile = new SP_File();  
csvfile.setSpName("file.csv");  
File csvfilesend = new File("D:\\data\\liste-destinataire.csv");  
byte[] bFileCSV = new byte[(int) csvfilesend.length()];  
java.io.FileInputStream fileInputStream = new FileInputStream(csvfilesend);  
fileInputStream.read(bFileCSV);  
fileInputStream.close();  
csvfile.setSpContent(bFileCSV);  
SP_PreviewMailingResult previewmailingresult = submissionproxy.sp_preview_mailing_pdf(filePDF, csvfile, jobparam,  
SP_FileStorageModeEnum.SP_UPLOADED, 1, 4);  
SP_MailingResult mailingresult = submissionproxy.sp_validate_mailing(previewmailingresult.getSpServicePostalID());
```

sp_submit_mailing

Submits a mailing job with the given printing parameters. Optionally one single letter could be produced.

The function will return the number of letters that the mailing will produce and the total cost for the mailing. If a single letter is asked to print, the total cost will give the amount for this letter only.

Parameters name	Type	Description
spDocumentToPrint	SP_File	File containing the letter to print
spFieldValuesFile	SP_File	File containing the fields value in a CSV format to be merged with the letter to print.
spPrintingParameters	SP_JobParameters	Printing parameters. No recipient address required.
spIndex	Numeric	Index of the letter to be produced. 0 means all the letters will be printed
Returns	Type	Description
	SP_MailingResult	Function returns : Execution status. Number of documents to be produced in the mailing. ServicePostalID. Total cost of the printing job
Exceptions	Type	Description
	FaultException	Please set URL first



	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	File content is missing
	FaultException	Filename is missing
	FaultException	Wrong file extension, should be docx!
	FaultException	Wrong file extension, should be csv!
	FaultException	Destination: mandatory fields missing. Please make sure that RecAddressLine1, RecZipPostalCode, RecCity have values !
	FaultException	Destination: mandatory fields missing. Please make sure that at least one of the fields is filled: RecLastName, RecFirstName, RecCompany!
	FaultException	Sender: mandatory fields missing. Please make sure that RecAddressLine1, RecZipPostalCode, RecCity have values !
	FaultException	Sender: mandatory fields missing. Please make sure that at least one of the fields is filled: RecLastName, RecFirstName, RecCompany!

sp_validate_letter

Submits a previously previewed letter.

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job.
Returns	Type	Description
	SP_JobResult	Function returns : Execution status. Total cost of the printing job
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header

sp_validate_mailing

Submits a previously previewed mailing. The call to this function starts the whole mailing task.

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job.
Returns	Type	Description
	SP_MailingResult	Function returns : Execution status. Number of documents to be produce in the mailing. Total cost of the printing job
Exceptions	Type	Description
	FaultException	Please set URL first

	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header

sp_set_url

Set the service URL for the SP_SubmissionService.

Parameters name	Type	Description
spURL	String	URL returned by the call to sp_get_bindings

sp_cancel_job

Cancels a previously submitted or previewed job. If the letter(s) have already been printed, the cancellation is not possible. A failure status is returned.

In case of a mailing task, an index must be provided to cancel one single letter. If an index of 0 is provided, the whole mailing task is cancelled. If at least one letter from the mailing have been printed, it is not possible to cancel the whole mailing.

In case of a mailing task, if at least one letter has been printed, the whole process cannot be cancelled using 0 value for splIndex. If this happens, the sp_cancel_job function will return a failure value and the user will have to cancel letter by letter in a loop to remove the letters who have not be printed yet from the job queue. The returned status will tell if the cancellation has been done or not for each letter.

Parameters name	Type	Description
spServicePostallID	String	Internal reference of the job who must be cancelled
splIndex	Numeric	Index of the letter to be cancelled. (in case of a mailing job). Parameter is optional
Returns	Type	Description
	SP_SuccessFailureEnum	Success or failure
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Not your file!
	Exception	Wrong spServicePostallID
	IndexOutOfRangeException	Index out of range

sp_estimate_price

Returns the rate of a letter from an SP_JobParameters object and the expected number of pages of the document. The function returns also the price of the stamp.

Parameters name	Type	Description
spLetterOptions	SP_JobParameters	Printing options of the requested letter



spNbOfPages	Numeric	Number of the page of the document. The header page with address shouldn't be taken into account. It will be automatically added if the option is chosen.
Returns	Type	Description
	SP_QueryRateResult	Rate and price stamp of the letter
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Number of pages out of range

C# sample

The following C# sample code shows how to use this functionality.

```
SP_JobParameters jobparam = new SP_JobParameters();
jobparam.spLetterType = SP_LetterTypeEnum.SP_REGISTERED_WITH_PROOF;
jobparam.spColorParameter = SP_ColorEnum.SP_BLACK_AND_WHITE;
jobparam.spRectoParameter = SP_RectoEnum.SP_RECTO;
jobparam.spEnvelopeParameter = SP_EnvelopeEnum.SP_DL_ENVELOPPE_THIRD_A4;
jobparam.spEnvelopePrintingMode = SP_EnvelopePrintingMode.SP_ENVELOPPE_PRINTED;
jobparam.spAddBarCodeToDocumentPrintedEnvelope = SP_YesNoEnum.SP_YES;
jobparam.spHeaderPageWindowEnvelope = SP_YesNoEnum.SP_YES;
jobparam.spSenderPrintedOnEnvelope = SP_YesNoEnum.SP_NO;
jobparam.spAddressStitchedOnDocumentPrintedEnvelope = SP_YesNoEnum.SP_YES;

// the same address object will be set for both sender and recipient just for example
SP_PostalAddress adr = new SP_PostalAddress();
adr.spFirstName = "Test";
adr.spLastName = "User";
adr.spCompanyName = "Test Company";
adr.spFirstLine = "Test Address Line 1";
adr.spSecondLine = "Test Address Line 2";
adr.spPostalCode = "12345";
adr.spCityName = "Test City";
adr.spCountry= "France";

jobparam.spSender = adr;
jobparam.spRecipient = adr;
SP_QueryRateResult result = submissionclient.sp_estimate_price(jobparam, 4);
decimal amountPoste = result.spStampPrice;
decimal amountService = result.spServicePrice;
```

```
decimal totalWeight = result.spWeight;

decimal totalPrice = amountService + amountPoste;
foreach (var item in result.spServiceCodeList)
{
    Console.WriteLine(item.spCode);
    Console.WriteLine(item.spPrice);
    Console.WriteLine(item.spQuantity);
    Console.WriteLine(item.spVAT);
}
```

Java sample

The following Java/AXIS sample code shows how to use this functionality.

```
SP_QueryRateResult qr = sub.sp_estimate_price(jobparam, 4);
BigDecimal amountService = qr.getSpServicePrice();
BigDecimal amountPost = qr.getSpStampPrice();
BigDecimal weight = qr.getSpWeight();
BigDecimal totalPriceVatFree = new BigDecimal(0);
totalPriceVatFree.add(amountPost);
totalPriceVatFree.add(amountService);
SP_ServiceCode [] spServiceCode = qr.getSpServiceCodeList();
for(int i = 0; i < spServiceCode.length; i++)
{
    System.out.println(spServiceCode[i].getSpCode());
    System.out.println(spServiceCode[i].getSpPrice().toString());
    System.out.println(spServiceCode[i].getSpQuantity().toString());
    System.out.println(spServiceCode[i].getSpVAT().toString());
}
System.out.println(weight);
System.out.println(totalPriceVatFree.toString());
```

QUERY SERVICE

sp_query_status

Ask the status of a specified letter (using the ServicePostalID of the task): printed, given to the Postal Office, received, distributed.

In case of a mailing task, an index must be provided to query the status of one single letter

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job. Used for querying information about this job
spIndex	Numeric	Index of the letter to be queried. (in case of a mailing job)
Returns	Type	Description



	SP_DocumentStatusResult	Status of the queried document
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Not your file!
	FaultException	Seems like the letter is part of mailing job, please provide valid splIndex parameter
	FaultException	Index out of range!
	FaultException	splIndex cannot be 0!

sp_query_document

Retrieve a document from a specified task (using the ServicePostalID).

In case of a mailing task, an index must be provided to query the document of one single letter

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job.
splIndex	Numeric	Index of the letter to be queried. (in case of a mailing job)
spDocumentType	SP_DocumentTypeEnum	Type of the document to be retrieved (proof of depository, proof of delivery, content of the letter as PDF)
spReturnMode	SP_FileStorageModeEnum	Indicates how to return the document (inside the SP_File or as an URL)
Returns	Type	Description
	SP_QueryFileResult	Requested file
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Index out of range

sp_query_letter_cost

Ask the cost of a specified letter (using the spServicePostalID of the task).

In case of a mailing task, an index must be provided to query the cost of one single letter. If an index of 0 is provided, the total cost of the mailing is returned.

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job.



spIndex	Numeric	Index of the letter to be queried. (in case of a mailing job)
Returns	Type	Description
		Cost of the letter in euros
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Index out of range
	FaultException	Wrong spServicePostalID

sp_query_letter_rate

Returns the rate of a letter from its ServicePostalID. The function returns also the price of the stamp. To call this function, the letter must have been sent to ServicePostal server through a preview or submit functions.

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job.
spIndex	Numeric	Index of the letter to be queried. (in case of a mailing job)
Returns	Type	Description
	SP_QueryRateResult	Rate and price stamp of the letter
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Index out of range
	FaultException	Wrong spServicePostalID

C# sample

The following C# sample code shows how to use this functionality.

```
string spServicePostalID = "123456";
int index = 1;
SP_QueryRateResult result = queryclient.sp_query_letter_rate(spServicePostalID, index);
decimal amountPoste = result.spStampPrice;
decimal amountService = result.spServicePrice;
decimal totalWeight = result.spWeight;

decimal totalPrice = amountService + amountPoste;
foreach (var item in result.spServiceCodeList)
{
```



```
Console.WriteLine(item.spCode);  
Console.WriteLine(item.spPrice);  
Console.WriteLine(item.spQuantity);  
Console.WriteLine(item.spVAT);  
}
```

Java sample

The following Java/AXIS sample code shows how to use this functionality.

```
string spServicePostalID = "123456";  
int index = 1;  
IQueryProxy query = new IQueryProxy();  
query.sp_set_url(bindings.getQueryServiceLocation());  
//SP_SessionHeader spSessionHeader = new SP_SessionHeader();  
com.servicepostal.doc.Query.SP_SessionHeader spSessionHeaderQuery = new  
com.servicepostal.doc.Query.SP_SessionHeader();  
spSessionHeaderQuery.setSpSessionID(loginresult.getSessionID());  
query.sp_set_session_header(spSessionHeaderQuery);  
com.servicepostal.doc.Query.SP_QueryRateResult queryresult = query.sp_query_letter_rate  
spServicePostalID, index );  
  
BigDecimal amountServiceQuery = queryresult.getSpServicePrice();  
BigDecimal amountPostQuery = queryresult.getSpStampPrice();  
BigDecimal weightQuery = queryresult.getSpWeight();  
BigDecimal totalPriceVatFreeQuery = new BigDecimal(0);  
totalPriceVatFree.add(amountServiceQuery);  
totalPriceVatFree.add(amountServiceQuery);  
com.servicepostal.doc.Query.SP_ServiceCode [] spServiceCodeQuery =  
queryresult.getSpServiceCodeList();  
for(int i = 0; i < spServiceCodeQuery.length; i++)  
{  
    System.out.println(spServiceCodeQuery[i].getSpCode());  
    System.out.println(spServiceCodeQuery[i].getSpPrice().toString());  
    System.out.println(spServiceCodeQuery[i].getSpQuantity().toString());  
    System.out.println(spServiceCodeQuery[i].getSpVAT().toString());  
}  
  
System.out.println(weightQuery);  
System.out.println(totalPriceVatFreeQuery.toString());
```

sp_set_url

Set the service URL for the SP_QueryService.

Parameters name	Type	Description
-----------------	------	-------------

spURL	String	URL returned by the call to sp_get_bindings
-------	--------	---

sp_query_post_office_status

Gets Post Office statuses for single letter

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job.
Returns	Type	Description
	List of SP_PostOfficeResult	Post Office statuses list
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Wrong spServicePostalID
	FaultException	Letter with provided spServicePostalID doesn't exist.
	FaultException	Please use function sp_query_post_office_status_mailing
	FaultException	Not your letter, please provide spServicePostalID that is sent from your account!
	FaultException	This type of letter is not supported. Letter must be LRAR or LR!

sp_query_post_office_status_mailing

Gets Post Office statuses for single letter

Parameters name	Type	Description
spServicePostalID	String	Internal reference of the submitted job.
Returns	Type	Description
	List of SP_PostOfficeMailingResult	Post Office statuses list
Exceptions	Type	Description
	FaultException	Please set URL first
	FaultException	Wrong binding id
	FaultException	Session header is not set!
	FaultException	Wrong session header
	FaultException	Wrong spServicePostalID

	FaultException	Letter with provided spServicePostalID doesn't exist.
	FaultException	Please use function sp_query_post_office_status
	FaultException	Not your letter, please provide spServicePostalID that is sent from your account!
	FaultException	This type of letter is not supported. Letter must be LRAR or LR!

sp_query_jobs_statistics

Set the service URL for the SP_QueryService.

Parameters name	Type	Description
from	DateTime	Datetime from which you want data for your letters
to	DateTime	Datetime until you want data for your letters
Returns	Type	Description
	List of SP_QueryStatisticsResult	List of Status and costs of letters of the defined timeframe
Exceptions	Type	Description

MANDATORY FIELDS FOR MAILING

Here is a list of fields needed for a mailing and that must be given in the data file. If the column of a mandatory field is missing, the mailing process will fail.

The order of the fields in the data file is not important. The fields's names are case sensitive. sensitive and should be uppercase. In the mailing document, the field names should be surrounded by two '#' (for example : ##NOM_DESTINATAIRE##).

Recipient's fields	Type	Maxlength (chars)	Mandatory	Description
NOM_DESTINATAIRE	String	32	Yes	Last name
PRENOM_DESTINATAIRE	String	32	Yes	First name
NOM_SOCIETE_DESTINATAIRE	String	32	No	Company name Default is empty
ADRESSE_LIGNE1_DESTINATAIRE	String	32	Yes	Line 1 of the address
ADRESSE_LIGNE2_DESTINATAIRE	String	32	No	Line 2 of the address Default is empty
CODE_POSTAL_DESTINATAIRE	Numeric	5	Yes	Zip postal code
VILLE_DESTINATAIRE	String	26	Yes	City name
PAYS_DESTINATAIRE	String	32	No	Country Default is France



Sender's fields	Type		Mandatory	Description
NOM_EXPEDITEUR	String	32	Yes if registered letter	Last name
PRENOM_EXPEDITEUR	String	32	Yes if registered letter	Last name
NOM_SOCIETE_EXPEDITEUR	String	32	No	Company name Default is empty
ADRESSE_LIGNE1_EXPEDITEUR	String	32	Yes if registered letter	Line 1 of the address
ADRESSE_LIGNE2_EXPEDITEUR	String	32	No	Line 2 of the address Default is empty
CODE_POSTAL_EXPEDITEUR	Numeric	5	Yes if registered letter	Zip postal code
VILLE_EXPEDITEUR	String	26	Yes if registered letter	City name
PAYS_EXPEDITEUR	String	32	No	Country Default is France
REFERENCE_CLIENT	String	32	No	A string to be printed on the deposit slip. The meaning is for the client only

SERVICE COUNTRY LIST

This is a list of countries that can be put on the spCountry parameter of SP_PostalAddress object. If you misspell the country and it doesn't match any country in this list below then France is automatically selected.

Country	Type
France	DOMESTIC
Afghanistan	WORLD
Albanie	WORLD
Algérie	WORLD
Samoa Américaines	WORLD
Andorre	WORLD
Angola	WORLD
Anguilla	WORLD
Antarctique	WORLD
Antigua-et-Barbuda	WORLD
Argentine	WORLD
Arménie	WORLD
Aruba	WORLD
Australie	WORLD
Autriche	EU
Azerbaïdjan	WORLD
Bahamas	WORLD
Bahreïn	WORLD
Bangladesh	WORLD



Barbade	WORLD
Bélarus	WORLD
Belgique	EU
Belize	WORLD
Bénin	WORLD
Bermudes	WORLD
Bhoutan	WORLD
Bolivie	WORLD
Bosnie-Herzégovine	WORLD
Botswana	WORLD
Brésil	WORLD
Brunéi Darussalam	WORLD
Bulgarie	EU
Burkina Faso	WORLD
Burundi	WORLD
Cambodge	WORLD
Cameroun	WORLD
Canada	WORLD
Cap-Vert	WORLD
Caïmanes, Îles	WORLD
Centrafricaine, République	WORLD
Tchad	WORLD
Chili	WORLD
Chine	WORLD
Île Christmas	WORLD
Îles Cocos (Keeling)	WORLD
Colombie	WORLD
Comores	WORLD
Congo, La République Démocratique du	WORLD
République du Congo	WORLD
Îles Cook	WORLD
Costa Rica	WORLD
Côte D'ivoire	WORLD
Croatie	EU
Cuba	WORLD
Chypre	EU
République Tchèque	EU
Danemark	EU



Djibouti	WORLD
Dominique	WORLD
Dominicaine, République	WORLD
Équateur	WORLD
Égypte	WORLD
El Salvador	WORLD
Guinée Équatoriale	WORLD
Érythrée	WORLD
Estonie	EU
Éthiopie	WORLD
Falkland, îles (Malvinas)	WORLD
Îles Féroé	WORLD
Fidji	WORLD
Finlande	EU
Gabon	WORLD
Gambie	WORLD
Géorgie	WORLD
Allemagne	EU
Ghana	WORLD
Gibraltar	EU
Grande-Bretagne	WORLD
Grèce	EU
Groenland	WORLD
Grenade	WORLD
Guam	WORLD
Guatemala	WORLD
Guinée	WORLD
Guinée-Bissau	WORLD
Guyana	WORLD
Haïti	WORLD
Saint-Siège (État de la Cité du Vatican)	WORLD
Honduras	WORLD
Hong-Kong	WORLD
Hongrie	EU
Islande	WORLD
Inde	WORLD
Indonésie	WORLD
République Islamique d' Iran	WORLD



Iraq	WORLD
Irlande	EU
Israël	WORLD
Italie	EU
Jamaïque	WORLD
Japon	WORLD
Jordanie	WORLD
Kazakstan	WORLD
Kenya	WORLD
Kiribati	WORLD
Corée, République Populaire Démocratique de	WORLD
Corée, République de	WORLD
Koweït	WORLD
Kirghizistan	WORLD
Lao, République Démocratique Populaire	WORLD
Lettonie	EU
Liban	WORLD
Lesotho	WORLD
Libéria	WORLD
Libye	WORLD
Liechtenstein	EU
Lituanie	EU
Luxembourg	EU
Macao	WORLD
Macédoine, l'ex-République Yougoslave de	WORLD
Madagascar	WORLD
Malawi	WORLD
Malaisie	WORLD
Maldives	WORLD
Mali	WORLD
Malte	EU
Îles Marshall	WORLD
Mauritanie	WORLD
Mexique	WORLD
États Fédérés de Micronésie	WORLD
Moldova, République de	WORLD
Monaco	WORLD
Mongolie	WORLD



Monténégro	WORLD
Montserrat	WORLD
Maroc	WORLD
Mozambique	WORLD
Myanmar, Birmanie	WORLD
Namibie	WORLD
Nauru	WORLD
Népal	WORLD
Pays-Bas	EU
Antilles Néerlandaises	WORLD
Nouvelle-Calédonie	WORLD
Nouvelle-Zélande	WORLD
Nicaragua	WORLD
Niger	WORLD
Nigéria	WORLD
Nioué	WORLD
Îles Mariannes du Nord	WORLD
Norvège	WORLD
Oman	WORLD
Pakistan	WORLD
Palaos	WORLD
Autorité Nationale Palestinienne	WORLD
Panama	WORLD
Papouasie-Nouvelle-Guinée	WORLD
Paraguay	WORLD
Pérou	WORLD
Philippines	WORLD
Pitcairn	WORLD
Pologne	EU
Portugal	EU
Porto Rico	WORLD
Qatar	WORLD
Roumanie	EU
Russie, Fédération de	WORLD
Rwanda	WORLD
Saint-Kitts-et-Nevis	WORLD
Sainte-Lucie	WORLD
Saint-Vincent-et-les Grenadines	WORLD



Samoa	WORLD
Saint-Marin	EU
Sao Tomé-et-Principe	WORLD
Arabie Saoudite	WORLD
Sénégal	WORLD
Serbie	WORLD
Seychelles	WORLD
Sierra Leone	WORLD
Singapour	WORLD
Slovaquie	EU
Slovénie	EU
Salomon, Îles	WORLD
Somalie	WORLD
Afrique du Sud	WORLD
Soudan du Sud	WORLD
Espagne	EU
Sri Lanka	WORLD
Soudan	WORLD
Suriname	WORLD
Swaziland	WORLD
Suède	EU
Suisse	EU
Syrienne, République Arabe	WORLD
Taïwan, Province de Chine	WORLD
Tadjikistan	WORLD
Tanzanie, République-Unie de	WORLD
Thaïlande	WORLD
Tibet	WORLD
Togo	WORLD
Tokelau	WORLD
Tonga	WORLD
Trinité-et-Tobago	WORLD
Tunisie	WORLD
Turquie	WORLD
Turkménistan	WORLD
Turks et Caïques, Îles	WORLD
Tuvalu	WORLD
Ouganda	WORLD



Ukraine	WORLD
Émirats Arabes Unis	WORLD
Royaume-Uni	EU
États-Unis	WORLD
Uruguay	WORLD
Ouzbékistan	WORLD
Vanuatu	WORLD
Saint-Siège (État de la Cité du Vatican)	EU
Venezuela	WORLD
Viêt Nam	WORLD
Îles Vierges Britanniques	WORLD
Îles Vierges des États-Unis	WORLD
Sahara Occidental	WORLD
Yémen	WORLD
Zambie	WORLD
Zimbabwe	WORLD

SERVICE CODE LIST

The object SP_ServiceCode gives the service code of a unitary service provided by Service Postal.

The final price billed by Service Postal will be the sum of the all these unitary services depending on the printing options and the type of letters (registered, ecopli, ...) :

Unitary service description	Rate Code	VAT
Timbre Ecopli	TIM-ECO	No
Timbre Lettre prioritaire	TIM-LP	No
Timbre Lettre verte	TIM-LV	No
Timbre Lettre recommandée avec accusé de réception	TIM-LRAR	No
Timbre Lettre recommandée sans accusé de réception	TIM-LR	No
Enveloppe au format C5 (feuilles A4 pliées en deux)	ENV-C5-1F	Yes
Enveloppe au format C4 (feuilles A4 non pliées)	ENV-C4-1F	Yes
Impression première page en noir et blanc	PAGE-1-NB	Yes
Impression première page en couleur	PAGE-1-COUL	Yes
Impression page suivante en noir et blanc recto	PAGE-S-NB	Yes
Impression page suivante en noir et blanc recto/verso	PAGE-S-NB-RV	Yes
Impression page suivante en couleur recto	PAGE-S-COUL	Yes
Impression page suivante en couleur recto/verso	PAGE-S-COUL-RV	Yes
Fabrication d'un recommandé	LR-AR	Yes
Gestion du retour des AR	LR-AR-RETOUR	Yes



Option lettre recommandé internationale	LR-AR-INTER	Yes
Option stockage AR 3 ans	LR-AR-STOCK1	Yes
Option stockage AR 6 ans	LR-AR-STOCK6	Yes
Option stockage AR 10 ans	LR-AR-STOCK10	Yes
Gestion des plis non distribués	PND	Yes

EXAMPLES

To build and send a registered letter of 4 recto color pages, we will give the following rate codes

Quantity	Code	VAT
1	TIM-LRAR	No
1	PAGE-1-COUL	Yes
3	PAGE-S-COUL	Yes
1	LR-AR	Yes

To build and send an ecopli letter of 10 recto/verso B&W pages, we will give the following rate codes

Quantity	Code	VAT
1	TIM-ECO	No
1	PAGE-1-NB	Yes
9	PAGE-S-NB	Yes
1	ENV-C5-1F	Yes

