Healthians

Smart Report 3.0

India's trusted Health Test @Home Service



NABL ACCREDITED
MC-4245

Booking ID : 14609027617

Sample Collection Date : 30/Jul/2025

Abhinav Srivastava

Male, 36 Yrs

Healthians Relationship Status — Preferred Silver Since 2022

A Comprehensive Health Analysis Report

AI Based Personalized Report for You

Flagship Lab in Gurugram
CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS
CAP #: 9019582 | AU-ID: 2107746

INDIA'S FIRST & ONLY CREDIBILITY CHECK FOR YOUR LAB REPORT

Check the authenticity of your lab report with machine data

Scan the QR using any QR code scanner

HEALTH ANALYSIS

Personalized Summary & Vital Parameters

Abhinav Srivastava

Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

Abhinav Srivastava,

Congratulations, We have successfully completed your health diagnosis. This is a big step towards staying on top of your health and identify potential to improve!

10 Vital Health Parameters of a Human Body Ecosystem

Below are the health parameters which require routine checkups for primary healthcare. The view also includes *personalised information* depending on the tests you have taken.

Your Health Score

89

Out of 100

**Calculated from test reports*



Thyroid Function

Thyroid Stimulating Hormone (TSH)-Ultrasensitive : 0.5 µIU/ml

- Concern

Cholesterol Total

127 mg/dl

- Everything looks good

Kidney Function

Serum Creatinine : 0.93 mg/dl

- Everything looks good

Vitamin D

21.86 ng/ml

- Concern

HbA1c

5.5 %

- Everything looks good

Vitamin B12

208 pg/ml

- Concern

Liver Function

Alanine Aminotransferase (ALT/SGPT) : 30 U/L

- Everything looks good

Calcium Total

9.4 mg/dl

- Everything looks good

Iron studies

Serum Iron : 99 ug/dl

- Everything looks good

Complete Hemogram

Haemoglobin (HB) : 14.9 g/dL

- Everything looks good

New Features

Report Summary

Abhinav Srivastava
Booking ID 14609027617 | Sample Collection Date: 30/Jul/2025

Understanding laboratory reports can be complex, often leading to unwarranted anxiety.
At Healthians, we understand that you shouldn't have to rely on a Google search to decipher your own health report. That's why we offer comprehensive summaries that are easy to understand.

Summary of Deranged Parameters

Dear Abhinav,

Thank you for sharing your recent health test results. Itâ€™s understandable to feel concerned when faced with test results that are outside the normal range. However, itâ€™s important to remember that these values can often be improved with some lifestyle adjustments and monitoring.

Your test results indicate a few areas that may benefit from attention, including vitamin levels, homocysteine levels, and lipid profile components. These findings suggest that there are opportunities to enhance your overall health and well-being.

Suggestions for Improvement

1. **Nutritional Focus**
: Consider incorporating foods rich in vitamin D and vitamin B12 into your diet. Foods such as fatty fish, fortified dairy products, and leafy greens can be beneficial. Additionally, you might explore options for safe sun exposure to boost your vitamin D levels naturally.

2. **Balanced Diet**
: A heart-healthy diet can help manage your lipid levels. Focus on whole grains, fruits, vegetables, and healthy fats while reducing saturated fats and sugars. This can also assist in lowering homocysteine levels.

3. **Regular Physical Activity**
: Engaging in regular exercise can have a positive impact on your overall health. Aim for a mix of aerobic activities and strength training, which can help improve your lipid profile and support cardiovascular health.

4. **Routine Monitoring**
: It may be helpful to keep track of your health parameters over time. Regular check-ups and monitoring can provide valuable insights into your progress and help you stay on track with your health goals.

Taking proactive steps can lead to significant improvements in your health. Remember, small changes can make a big difference over time.

HEALTH ANALYSIS

HISTORICAL CHARTS

Abhinav Srivastava


Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

Glycated Hemoglobin (HbA1c)

Everything looks good

Your Latest result
5.5 %
30th Jul 2025

4.2 — 5.7




Iron, Serum

Everything looks good

Your Latest result
99 ug/dl
30th Jul 2025

65 — 175




Vitamin B12 Cyanocobalamin

Concern

Your Latest result
208 pg/ml
30th Jul 2025

211 — 912




Calcium Total, Serum

Everything looks good

Your Latest result
9.4 mg/dl
30th Jul 2025

8.7 — 10.4




Creatinine, Serum

Everything looks good

Your Latest result
0.93 mg/dl
30th Jul 2025

0.6 — 1.6




Hemoglobin Hb

Everything looks good

Your Latest result
14.9 g/dL
30th Jul 2025

13.0 — 17.0




Vitamin D Total-25 Hydroxy

Concern

Your Latest result
21.86 ng/ml
30th Jul 2025

30 — 100




Cholesterol-Total, Serum

Everything looks good

Your Latest result
127 mg/dl
30th Jul 2025

0 — 200



HEALTH ANALYSIS

COMPARATIVE CHARTS

Abhinav Srivastava
Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

↑ Increase From Last Time

↓ Decrease From Last Time

Total Parameters :28 (As per latest result)

25 Everything Looks Good | 0 Borderline | 3 Concern

Test Name	Risk Area	1 Month Ago Booking ID 12025315586 30 Oct 2024 10:00 AM	1 Month Ago Booking ID 12306855810 11 Dec 2024 03:30 PM	3 Months Ago Booking ID 12567636331 18 Jan 2025 09:30 AM	2 Months Ago Booking ID 13685991213 13 May 2025 11:00 AM	Latest Result 30 Jul 2025
Cholesterol-Total, Serum 0 -200 Normal Range	--	-	-	135.9 mg/dl	-	↓ 127 mg/dl Everything Looks Good
HDL Cholesterol Direct 40 -60 Normal Range	--	-	-	55.7 mg/dl	-	↓ 44.3 mg/dl Everything Looks Good
Triglycerides, Serum 0 -150 Normal Range		-	-	169.5 mg/dl	-	↓ 155 mg/dl High (Concern)
Alkaline Phosphatase, Serum 38 -126 Normal Range	--	-	-	-	-	98 U/L Everything Looks Good
GGTP (Gamma GT) 0 -55 Normal Range	--	-	-	-	-	26 U/L Everything Looks Good
Proteins, Serum 5.7 -8.2 Normal Range	--	-	-	-	-	7.02 g/dl Everything Looks Good
SGOT/AST 5 -34 Normal Range	--	-	-	-	-	22 U/L Everything Looks Good
SGPT/ALT 10 -49 Normal Range	--	-	-	-	-	30 U/L Everything Looks Good
ESR Automated 0 -10 Normal Range	--	-	-	-	-	7 mm/1st hour Everything Looks Good
Hemoglobin Hb 13.0 -17.0 Normal Range	--	-	-	-	-	14.9 g/dL Everything Looks Good
Platelet Count Thrombocyte count 150 -410 Normal Range	--	-	-	-	-	227 10^3/µl Everything Looks Good
T3, Total Tri Iodothyronine 0.60 -1.81 Normal Range	--	1.17 ng/ml	-	↑ 1.18 ng/ml	↓ 0.81 ng/ml	↑ 1.11 ng/ml Everything Looks Good

HEALTH ANALYSIS

COMPARATIVE CHARTS

Abhinav Srivastava

Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

↑ Increase From Last Time

↓ Decrease From Last Time

Total Parameters :28 (As per latest result)

25 Everything Looks Good | 0 Borderline | 3 Concern

Test Name	Risk Area	1 Month Ago Booking ID 12025315586 30 Oct 2024 10:00 AM	1 Month Ago Booking ID 12306855810 11 Dec 2024 03:30 PM	3 Months Ago Booking ID 12567636331 18 Jan 2025 09:30 AM	2 Months Ago Booking ID 13685991213 13 May 2025 11:00 AM	Latest Result 30 Jul 2025
T4, Total Thyroxine 3.2 -12.6 Normal Range	--	10.8 ug/dl	-	↓ 9.86 ug/dl	↑ 10.2 ug/dl	↓ 8.8 ug/dl Everything Looks Good
TSH Ultra - Sensitive 0.55 -4.78 Normal Range		1.31 µIU/ml	-	↑ 11.89 µIU/ml	↓ 1.38 µIU/ml	↓ 0.5 µIU/ml Low (Concern)
Iron, Serum 65 -175 Normal Range	--	-	-	-	-	99 ug/dl Everything Looks Good
Calcium Total, Serum 8.7 -10.4 Normal Range	--	-	10 mg/dl	-	-	↓ 9.4 mg/dl Everything Looks Good
Chlorides, Serum 99 -109 Normal Range	--	-	-	-	-	102 mmol/L Everything Looks Good
Creatinine, Serum 0.6 -1.6 Normal Range	--	-	-	-	-	0.93 mg/dl Everything Looks Good
Phosphorus-Inorganic, Serum 2.4 -5.1 Normal Range	--	-	-	-	-	4.6 mg/dl Everything Looks Good
Sodium, Serum 132 -146 Normal Range	--	-	-	-	-	142 mmol/L Everything Looks Good
Urea, Serum 19.3 -49.38 Normal Range	--	-	-	-	-	29 mg/dl Everything Looks Good
Uric Acid, Serum 3.5 -7.2 Normal Range	--	-	-	-	-	5.3 mg/dl Everything Looks Good
Glycated Hemoglobin (HbA1c) 4.2 -5.7 Normal Range	--	-	-	-	-	5.5 % Everything Looks Good
Potassium, Serum 3.5 -5.5 Normal Range	--	-	-	-	-	4.79 mmol/L Everything Looks Good

HEALTH ANALYSIS

COMPARATIVE CHARTS

Abhinav Srivastava
Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

↑ Increase From Last Time

↓ Decrease From Last Time

Total Parameters :28
(As per latest result)

25 Everything Looks Good | 0 Borderline | 3 Concern

Test Name	Risk Area	1 Month Ago Booking ID 12025315586 30 Oct 2024 10:00 AM	1 Month Ago Booking ID 12306855810 11 Dec 2024 03:30 PM	3 Months Ago Booking ID 12567636331 18 Jan 2025 09:30 AM	2 Months Ago Booking ID 13685991213 13 May 2025 11:00 AM	Latest Result 30 Jul 2025
Vitamin D Total-25 Hydroxy 30 -100 Normal Range		-	20.48 ng/ml	-	-	↑ 21.86 ng/ml Low (Concern)
HsCRP High Sensitivity CRP 0 -3 Normal Range	--	-	-	2.06 mg/L	↓ 1.31 mg/L	↓ 0.94 mg/L Everything Looks Good
Amylase Enzymatic, Serum 30 -118 Normal Range	--	-	-	-	-	50 U/L Everything Looks Good
Lipase, Serum 12 -53 Normal Range	--	-	-	-	-	35 U/L Everything Looks Good

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 12:30PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 02:14PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY HBA1C

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathalogist
DMC-64636, Healthians Labs

SIN No:E3616897

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)
Plot 1 & 2, Udyog Vihar, Phase-4, Gurgaon, Haryana, Pincode-122016 (CAP Number: 9019582)

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 12:30PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 02:14PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY HBA1C

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
HbA1c - Glycosylated Hemoglobin			
Hba1c (Glycosylated Hemoglobin) Method: HPLC	5.50	%	4.2 - 5.7
Average Estimated Glucose - plasma Method: Calculated	111.15	mg/dl	

INTERPRETATION:

AS PER AMERICAN DIABETES ASSOCIATION (ADA):		
REFERENCE GROUP	**GLYCOSYLATED HEMOGLOBIN (HBA1c) in %**	
Non diabetic	<5.7	
At Risk (Prediabetes)	5.7 – 6.4	
Diagnosing Diabetes	>= 6.5	
Therapeutic goals for glycemic control	**Age > 19 Years**	
	Goals of Therapy:	< 7.0
	Actions Suggested:	>8.0
	Age < 19 Years	
	Goal of therapy:	<7.5

REMARKS

1. HbA1c is used for monitoring diabetic control. It reflects the mean plasma glucose over three months
2. HbA1c may be falsely low in diabetics with hemolytic disease. In these individuals a plasma fructosamine level may be used which evaluates diabetes over 15 days.
3. Inappropriately low HbA1c values may be reported due to hemolysis, recent blood transfusion, acute blood loss, hypertriglyceridemia, chronic liver disease. Drugs like dapsone, ribavirin, antiretroviral drugs, trimethoprim, may also cause interference with estimation of HbA1c, causing falsely low values.
4. HbA1c may be increased in patients with polycythemia or post-splenectomy.
5. Inappropriately higher values of HbA1c may be caused due to iron deficiency, vitamin B12 deficiency, alcohol intake, uremia, hyperbilirubinemia and large doses of aspirin.
6. Trends in HbA1c are a better indicator of diabetic control than a solitary test. 7. Any sample with >15% HbA1c should be suspected of having a hemoglobin variant, especially in a non-diabetic patient. Similarly, below 4% should prompt additional studies to determine the possible presence of variant hemoglobin.
8. HbA1c target in pregnancy is to attain level <6 % .
9. HbA1c target in paediatric age group is to attain level < 7.5 %.
Method : Ion-exchange high-performance liquid chromatography (HPLC).
Reference : American Diabetes Associations. Standards of Medical Care in Diabetes 2023
10.The presence of some hemoglobinopathies/hemoglobin variants may be missed by some platforms used for measuring HbA1c values. In these cases, the HbA1c result may vary or give deviant results, depending on the platform used. Alternative measures of glycemic control like fructosamine or glycated albumin may be considered in such cases.
11.In presence of hemoglobinopathy/hemoglobin variants in homozygous/compound heterozygous conditions alternative forms of testing such as fructosamine or glycated albumin may be considered.

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathalogist
DMC-64636, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 12:30PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 02:14PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY HBA1C

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathalogist
DMC-64636, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:02PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Fasting Blood Sugar			
Glucose, Fasting	86.5	mg/dl	70 - 100

Method: Hexokinase
Machine: BECKMAN COULTER DXC 700 AU

American Diabetes Association Reference Range :

Normal : < 100 mg/dl
Impaired fasting glucose(Prediabetes) : 100 - 125 mg/dl
Diabetes : >= 126 mg/dl

Conditions that can result in an elevated blood glucose level include:

- Diabetes mellitus ,Hemochromatosis ,Cushing syndrome ,Acromegaly and gigantism.
- Increased circulating epinephrine such as in pheochromocytoma and adrenalin injections
- Acute pancreatitis
- Chronic pancreatitis

Conditions that cause low blood glucose level include :

- Pancreatic disorders : Islet cell tumor , pancreatitis
- Hepatic disease (diffuse severe disease)
- Endocrine disorders : hypopituitarism, Addison's disease ,hypothyroidism
- Alcoholism
- Malnutrition

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:02PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Potassium - Serum			
Serum Potassium Method: ISE (Indirect) Machine: Siemens Atellica CH 930	4.79	mmol/L	3.5 - 5.5

Potassium is a primary intracellular ion , only 2 % is extracellular , high intracellular concentration is maintained by a Na- K ATPase pump, which continuously transports potassium into the cell against a concentration gradient . The pump is a critical factor in maintaining and adjusting the ionic gradients , on which nerve impulse transmission and contractility of cardiac and skeletal muscle depends . In acidemia , potassium moves out of the cells , in alkalemia , potassium moves into the cells . Hypokalemia inhibits aldosterone production and hyperkalemia stimulates aldosterone production.

Rheumatoid Factor (RA) - Quantitative - Serum			
RHEUMATOID FACTOR Method: Latex-Enhanced Immunoturbidimetric Machine: Siemens Atellica CH 930	<3.5	IU/ml	<14

Rheumatoid factor is an immunoglobulin present in serum of 50 -95% of adults with Rheumatoid arthritis(RA).It appears in serum and synovial fluid several months after onset of RA and is present upto years after therapy

Use

- Assisting in the diagnosis of RA ,especially when clinical diagnosis is difficult

Increased in : RA ,Chronic hepatitis , chronic viral infection ,Cirrhosis, SLE, Scleroderma ,syphilis ,Infectious mononucleosis, TB ,Sjogren syndrome , Sarcoidosis , malaria, Leishmaniasis

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:02PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Amylase - Serum			
AMYLASE	50	U/L	30 - 118
Method: Ethylidene Blocked-pNPG7			
Machine: Siemens Atellica CH 930			

Amylase is produced by exocrine pancrease and also by the salivary glands. it is used to evaluate pancreatic function and also used in the diagnosis and management of pancreatitis.
Diseases resulting in elevation of plasma alpha-amylase include: acute pancreatitis, parotitis, alcoholism, renal insufficiency and diseases such as viral hepatitis, AIDS, abdominal typhoid, sarcoidosis and trauma to the upper abdomen. There is also a detectable increase in amylase after an ERCP procedure. In acute pancreatitis, amylase increases 5-6 hours after the onset of symptoms and remains elevated for 2-5 days. The increase in plasma activity does not reflect disease severity and conversely, extensive destruction of the pancreas may not cause a significant increase in the plasma concentration of pancreatic alpha-amylase.

Lipase - Serum			
LIPASE	35	U/L	12-53
Method: Colorimetric rate (DGGMR)			
Machine: Siemens Atellica CH 930			

Lipase is produced in the acinar cells of the pancreas and is responsible for the hydrolysis of water-insoluble long chain fatty acid esters of glycerol. Lipase measurement in serum and plasma is used exclusively for the investigation of pancreatic disorders, usually pancreatitis. Serum lipase may be elevated in acute pancreatitis, acute episodes of chronic pancreatitis and obstructive pancreatitis
Slight elevations are also frequently present in diabetic ketoacidosis, viral hepatitis, epidemic parotiditis, abdominal typhoid and sarcoidosis, due to involvement of the pancreas.

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:11PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
hs CRP (C-Reactive Protein high sensitive)			
HS-CRP (HIGH SENSITIVITY C-REACTIVE PROTEIN) Method: Latex Particle Immunoturbidimetry Machine: Siemens Atellica CH 930	0.94	mg/L	Healthy Individuals:- <=3 mg/L Low Risk <1 mg/L Average Risk >1 and <3 mg/L High Risk >3 mg/L

High sensitivity C-reactive protein, when used in conjunction with other clinical laboratory evaluation of acute coronary syndromes, may be useful as an independent marker of prognosis for recurrent events in patients with stable coronary disease or acute coronary syndrome. Hs-CRP levels should not be substituted for assessment of traditional cardiovascular risk factors. Patients with persistently unexplained, marked evaluation of hs-CRP after repeated testing should be evaluated for non-cardiovascular etiologies.

Clinical significance :

Hs-CRP measurements may be used as an independent risk marker for the identification of individuals at risk for future cardiovascular disease. Elevated CRP values may be indicative of prognosis of individuals with acute coronary syndromes, and may be useful in the management of such individuals.

Dr. Priyanka Gothwal
MBBS, MD Pathology
Consultant Pathologist
HN-28938, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:02PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Liver Function Test (LFT)			
Serum Bilirubin, (Total) Method: Vanadate oxidation Machine: Siemens Atellica CH 930	0.43	mg/dl	0.3 - 1.2
Serum Bilirubin, (Direct) Method: Vanadate oxidation Machine: Siemens Atellica CH 930	0.16	mg/dl	0 - 0.3
Serum Bilirubin, (Indirect) Method: Calculated	0.27	mg/dl	0.0 - 0.8
Aspartate Aminotransferase (AST/SGOT) Method: UV without P5P Machine: Siemens Atellica CH 930	22.00	U/L	5 - 34
Alanine Aminotransferase (ALT/SGPT) Method: UV without P5P Machine: Siemens Atellica CH 930	30	U/L	10 - 49
Alkaline Phosphatase (ALP) Method: AMP Buffer Machine: Siemens Atellica CH 930	98.00	U/L	38 - 126
Gamma Glutamyl Transferase (GGT) Method: Modified IFCC Machine: Siemens Atellica CH 930	26.0	U/L	0 -55
Serum Total Protein Method: Biuret Machine: Siemens Atellica CH 930	7.02	g/dl	5.7-8.2
Serum Albumin Method: Bromo Cresol Green(BCG) Machine: Siemens Atellica CH 930	4.43	g/dl	3.4 - 4.8
Serum Globulin Method: Calculated	**2.59**	gm/dl	3.0 - 4.2
Albumin/Globulin Ratio Method: Calculated	1.71	Ratio	1.2 - 2.5
SGOT/SGPT Ratio Method: Calculated	0.73	Ratio	0.7 - 1.4

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Elevated levels are a result of increased

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:02PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval

bilirubin production (e.g hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (e.g.; obstruction and hepatitis) and abnormal bilirubin metabolism (e.g; hereditary and neonatal jaundice) .

Conjugated (direct) bilirubin is elevated in conditions like- Hereditary disorders(Dubin Johnson syndrome, Rotor syndrome),Hepatocellular damage(e.g –viral ,toxic ,alcohol ,drugs) ,biliary duct obstruction (extrahepatic or intrahepatic), Infiltrations ,space occupying lesions(e.g metastasis, abscess , granuloma , amyloidosis. Increased unconjugated (indirect) bilirubin may be a result of hemolytic or pernicious anemia, transfusion reaction & a common metabolic condition termed Gilbert syndrome.
AST levels increase in viral hepatitis, blockage of the bile duct ,cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.
ALT is a liver specific enzyme commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.

Elevated ALP levels are seen in Biliary Obstruction, Osteoblastic Bone Tumors, Osteomalacia, Hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc.
Elevated serum GGT activity can be found in diseases of the liver, Biliary system and pancreas. Obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs lead to raised GGT levels .

Serum total protein measures the total amount of protein in serum. It is largely comprised of albumin and globulins. Increased levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, multiple myeloma, Waldenstrom's disease. Decreased levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic Syndrome.

Albumin is the most abundant protein in the serum and is produced in the liver. Low serum albumin levels (hypoalbuminemia) can be caused by: Liver diseases like liver cirrhosis, nephrotic syndrome, protein-losing enteropathy, burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting .
Globulins are increased in most liver diseases , in chronic inflammatory diseases and neoplastic diseases

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:02PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: SERUM	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Iron study			
Serum Iron Method: Ferene Machine: Siemens Atellica CH 930	99.0	ug/dl	65-175
UIBC Method: Nitroso-PSAP Machine: Siemens Atellica CH 930	252.20	ug/dl	120- 470
Serum Total Iron Binding Capicity (TIBC) Method: FE+UIBC (saturation with iron)	351.2	µg/dl	250 - 400
Transferrin Saturation % Method: Calculated	28.19	%	10 - 50

Iron participates in a variety of vital processes in the body varying from cellular oxidative mechanisms to the transport and delivery of oxygen to body cells. It is a constituent of the oxygen-carrying chromoproteins, haemoglobin and myoglobin, as well as various enzymes, such as cytochrome oxidase and peroxidases.

Serum iron may be increased in hemolytic, megaloblastic and aplastic anemias, and in hemochromatosis acute leukemia, lead poisoning, pyridoxine deficiency, thalassemia, excessive iron therapy, and after repeated transfusions. Drugs causing increased serum iron include chloramphenicol, cisplatin, estrogens (including oral contraceptives), ethanol, iron dextran, and methotrexate. Iron can be decreased in iron-deficiency anemia, acute and chronic infections, carcinoma, nephrotic syndrome hypothyroidism, in protein- calorie malnutrition and after surgery.Diurnal variation is seen in serum iron levels with normal values obtained in the midmorning, low values in midafternoon and very low values near midnight.

TIBC measures the blood's capacity to bind iron with transferrin (TRF). Estrogens and oral contraceptives increase TIBC levels. Asparaginase, chloramphenicol, corticotropin, cortisone, and testosterone decrease the TIBC levels.

Transferrin is the primary plasma iron transport protein, which binds iron strongly at physiological pH. Transferrin is generally only 25% to 30% saturated with iron. The additional amount of iron that can be bound is the unsaturated iron-binding capacity (UIBC). Transferrin saturation represents the number of iron-binding sites that are occupied. It is a better index of iron stores than serum iron alone. Transferrin saturation is decreased in iron deficiency anemia (usually <10% in established deficiency).

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:11PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: SERUM	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Kidney Function Test1 (KFT1)			
Serum Creatinine Method: Jaffes Kinetic Machine: Siemens Atellica CH 930	0.93	mg/dl	0.6 - 1.6
GFR, ESTIMATED Method: Calculated	109.13	mL/min/1.73m2	
Serum Uric Acid Method: Uricase/Peroxidase Machine: Siemens Atellica CH 930	5.3	mg/dl	3.5 - 7.2
Serum Calcium Method: Arsenazo III Machine: Siemens Atellica CH 930	9.4	mg/dl	8.7-10.4
Serum Phosphorus Method: Phosphomolybdate/UV Machine: Siemens Atellica CH 930	4.6	mg/dl	2.4 - 5.1
Serum Sodium Method: ISE (Indirect) Machine: Siemens Atellica CH 930	142	mmol/L	132 - 146
Serum Chloride Method: ISE (Indirect) Machine: Siemens Atellica CH 930	102	mmol/L	99-109
Blood Urea Method: Urease Machine: Siemens Atellica CH 930	29	mg/dl	19.3-49.38
Blood Urea Nitrogen (BUN) Method: Calculated	13.6	mg/dl	8 - 20
Bun/Creatinine Ratio Method: Calculated	14.57	Ratio	
Urea/Creatinine Ratio Method: Calculated	31.18	Ratio	

The kidneys play a vital role in the excretion of waste products and toxins such as urea, creatinine and uric acid, regulation of extracellular fluid volume, serum osmolality and electrolyte concentrations, as well as the production of hormones like erythropoietin and 1,25 dihydroxy vitamin D and renin. Assessment of renal function is important in the management of patients with kidney disease or pathologies affecting renal function. Tests of renal function have utility in identifying the presence of renal disease, monitoring the response of kidneys to treatment, and determining the progression of renal disease.

Dr. Priyanka Gothwal
MBBS, MD Pathology
Consultant Pathologist
HN-28938, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:11PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: SERUM	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval

Urea is synthesized in the liver as the final product of protein and amino acid metabolism. Urea synthesis is therefore dependent on daily protein intake and endogenous protein metabolism.
Creatinine is a metabolic product of creatine and phosphocreatine, which are both found almost exclusively in muscle.
Uric Acid is the major product of purine catabolism in humans. Uric acid levels are used to monitor the treatment of gout.
Measurement of calcium is used in the diagnosis and treatment of parathyroid disease, a variety of bone diseases, chronic renal disease, urolithiasis and tetany. Phosphorus levels are increased in acute or chronic renal failure with decreased GFR .
Sodium is an electrolyte, and it helps regulate the amount of water in and around the cells & the balance of chemicals in the body called acids and bases.
Chloride is a negatively charged ion that works with other electrolytes such as potassium, sodium, and bicarbonate, to help regulate the amount of fluid in the body and maintain the acid-base balance.

Dr. Priyanka Gothwal
MBBS, MD Pathology
Consultant Pathologist
HN-28938, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:11PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: SERUM	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Lipid Profile			
Total Cholesterol Method: CHO-POD Machine: Siemens Atellica CH 930	127.0	mg/dl	Desirable : <200 Borderline: 200-239 High : >/=240
Serum Triglycerides Method: GPO Trinder without serum blank Machine: Siemens Atellica CH 930	**155.0**	mg/dl	Desirable : <150 Borderline high : 150-199 High : 200-499 Very high : > 500
Serum HDL Cholesterol Method: Elimination/catalase Machine: Siemens Atellica CH 930	44.3	mg/dl	40 - 60
LDL Cholesterol Calculated Method: Calculated	51.70	mg/dl	Optimal : <100 near /above Optimal:100 - 129 Borderline High: 130- 159 High : 160 - 189 Very High :>/=190
VLDL Cholesterol Calculated Method: Calculated	**31**	mg/dl	<30
Total CHOL / HDL Cholesterol Ratio Method: Calculated	**2.87**	Ratio	3.30 - 4.40
LDL / HDL Cholesterol Ratio Method: Calculated	1.17	Ratio	Desirable/Low Risk: 0.5-3.0 Line/Moderate Risk: 3.0-6.0 Elevated/High Risk: >6.0
HDL / LDL Cholesterol Ratio Method: Calculated	0.86	Ratio	Optimal->0.4 Moderate-0.4 to 0.3 High-<0.3
Non-HDL Cholesterol Method: Calculated	82.7	mg/dl	0.0 - 160.0

Dyslipidemia is a disorder of fat or lipoprotein metabolism in the body and includes lipoprotein overproduction or deficiency. Dyslipidemias means increase in the level of one or more of the following: Total Cholesterol, low density lipoprotein (LDL) and/or triglyceride concentrations.

Dr. Priyanka Gothwal
MBBS, MD Pathology
Consultant Pathologist
HN-28938, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:11PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: SERUM	ReportStatus	: Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval

Dyslipidemia also includes a decrease in the “good" cholesterol or high-density lipoprotein (HDL) concentration in the blood.
Cholesterol is a steroid carried in the bloodstream as lipoprotein, necessary for cell membrane functioning and as a precursor to bile acids, progesterone ,vitamin D ,estrogens ,glucocorticoids and mineralocorticoids.
HDL is termed “good cholesterol” because its levels are inversely related to the risk of Coronary heart disease.
LDL cholesterol is termed the “bad cholesterol” and their increased levels are associated with increased risk of atherosclerosis and coronary heart disease.
Lipid level assessments must be made following 9 to 12 hours of fasting, otherwise assay results might lead to erroneous interpretation.
Healthians labs report biological reference intervals (normal ranges) in accordance with the recommendations of The National Cholesterol Education Program (NCEP) & Adult Treatment Panel IV (ATP IV) guidelines providing the most desirable targets of various circulating lipid fractions in the blood. NCEP recommends that all adults above 20 years of age must be screened for abnormal lipid levels.

Dr. Priyanka Gothwal
MBBS, MD Pathology
Consultant Pathologist
HN-28938, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 12:30PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 01:16PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	ReportStatus	: Final Report

DEPARTMENT OF HAEMATOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
ERYTHROCYTE SEDIMENTATION RATE (ESR)			
ESR	07	mm/1st hour	0-10
Method: Kinetic Red Cells Aggregation			
Machine: ALIFAX TEST - 1			

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathalogist
DMC-64636, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 12:30PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 12:53PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: WHOLE BLOOD EDTA	ReportStatus	: Final Report

DEPARTMENT OF HAEMATOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Complete Blood Count Advanced			
Haemoglobin (HB) Method: Photometry Machine: BECKMAN COULTER DxH900	14.9	g/dL	13.0-17.0
Total Leucocyte Count (TLC) Method: Impedance Machine: BECKMAN COULTER DxH900	7.5	10^3/uL	4.0-10.0
Hematocrit (PCV) Method: Calculated Machine: BECKMAN COULTER DxH900	44.2	%	40.0-50.0
Red Blood Cell Count (RBC) Method: Impedance Machine: BECKMAN COULTER DxH900	5.10	10^6/µl	4.50-5.50
Mean Corp Volume (MCV) Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH900	87.5	fL	83.0-101.0
Mean Corp Hb (MCH) Method: Calculated Machine: BECKMAN COULTER DxH900	29.5	pg	27.0-32.0
Mean Corp Hb Conc (MCHC) Method: Calculated Machine: BECKMAN COULTER DxH900	33.7	g/dL	31.5-34.5
RDW - CV Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH900	13.9	%	11.6-14.0
RDW - SD Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH900	43.30	fL	39.0-46.0
Mentzer Index Method: Calculated	17.16	Ratio	
RDWI Method: Calculated	238.48	Ratio	
Green and king index Method: Calculated	71	Ratio	

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathalogist
DMC-64636, Healthians Labs

SIN No:E3616897

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)
Plot 1 & 2, Udyog Vihar, Phase-4, Gurgaon, Haryana, Pincode-122016 (CAP Number: 9019582)

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 12:30PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 12:53PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: WHOLE BLOOD EDTA	ReportStatus	: Final Report

DEPARTMENT OF HAEMATOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Differential Leucocyte Count			
Neutrophils Method: VCS Technology Machine: BECKMAN COULTER DxH900	55.7	%	40 - 80
Lymphocytes Method: VCS Technology Machine: BECKMAN COULTER DxH900	32.9	%	20-40
Monocytes Method: VCS Technology Machine: BECKMAN COULTER DxH900	8.6	%	02 - 10
Eosinophils Method: VCS Technology Machine: BECKMAN COULTER DxH900	2.2	%	01 - 06
Basophils Method: VCS Technology Machine: BECKMAN COULTER DxH900	0.6	%	00 - 02
Absolute Leucocyte Count			
Absolute Neutrophil Count (ANC) Method: Calculated	4.18	10^3/uL	2.0-7.0
Absolute Lymphocyte Count (ALC) Method: Calculated	2.47	10^3/uL	1.0-3.0
Absolute Monocyte Count Method: Calculated	0.65	10^3/uL	0.2-1.0
Absolute Eosinophil Count (AEC) Method: Calculated	0.17	10^3/uL	0.02-0.5
Absolute Basophil Count Method: Calculated	0.05	10^3/uL	0.02 - 0.10
Platelet Count(PLT) Method: Impedance Machine: BECKMAN COULTER DxH900	227	10^3/µl	150-410
MPV Method: Derived from PLT Histogram Machine: BECKMAN COULTER DxH900	**11.6**	fL	7 - 9
NLR (Neutrophil Lymphocyte Ratio)	1.69	Ratio	

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathalogist
DMC-64636, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 12:30PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 12:53PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: WHOLE BLOOD EDTA	ReportStatus	: Final Report

DEPARTMENT OF HAEMATOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Method: Calculated			
PLR (Platelet Lymphocyte Ratio)	92	Ratio	
Method: Calculated			

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

The Mentzer index is used to differentiate iron deficiency anaemia beta thalassemia trait. If a CBC indicates microcytic anaemia, these are two of the most likely causes, making It necessary to distinguish between them.
If the quotient of the mean corpuscular volume divided by the red blood cell count is then 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anaemia is more likely.
Green and King Index used to differentiate IDA from thalassemia trait value >65 is likely to be Iron Deficiency Anemiaand value <65 Beta Thalassemia Trait. For RDWI Value >220 more likely to be Iron Deficiency Anemia and value <220 more likely to be Beta Thalassemia Trait .

The neutrophil to lymphocyte ratio (NLR) is considered to be a sensitive indicator of infection, inflammation and sepsis, and a robust prognostic marker of disease severity.
The platelet-to-lymphocyte ratio (PLR) is a marker revealing shifts in platelet & lymphocyte cell counts due to acute inflammatory and pro-thrombotic states.

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathalogist
DMC-64636, Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 06:52PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: SERUM	ReportStatus	: Final Report

DEPARTMENT OF IMMUNOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Immunoglobulin - IgE Total - Serum			
IMMUNOGLOBULIN E (IgE) TOTAL	15.9	IU/ml	<158

Method: CLIA
Machine: Siemens Atellica IM1300

Immunoglobulin E (IgE) It is the most important trigger molecule for allergic information. It mediates allergic and hypersensitivity reactions. There is a significant overlap in total IgE between allergic and non-allergic individuals. For this reason, the measurement of a total IgE is not very useful as a stand-alone screen for allergic disease. A normal level of IgE in serum does not eliminate the possibility of allergic diseases.

Uses

- For allergy testing . Ig E antibodies and skin tests are essentially interchangeable
- Indicates various parasitic diseases
- Diagnosis of IgE-myeloma.
- Diagnosis of bronchopulmonary aspergillosis; a normal serum IgE level excludes the diagnosis.

Increased In :

- Atopic diseases like exogenous asthma, Hay fever , Atopic eczema (Levels are Influenced by type of allergen, duration of stimulation, presence of symptoms and hyposensitization treatment.)
- Parasitic diseases (e.g., ascariasis, visceral larva migrans, hookworm disease, schistosomiasis, Echinococcus infection)
- Monoclonal IgE myeloma.

Decrease In:
Hereditary deficiencies , acquired immunodeficiency Ataxia–telangiectasia, Non-IgE myeloma.

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 06:52PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF IMMUNOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
CEA (Carcino Embryonic Antigen)			
CARCINO EMBRYONIC ANTIGEN (CEA) Method: CLIA Machine: Siemens Atellica IM1300	1.85	ng/mL	Non smokers < 2.50 Smokers < 5.00

CEA

CEA is a glycoprotein normally produced during early Fetal life and rapid multiplication of epithelial cells especially those of the digestive system.CEAalso appears in blood of chronic smokers.

Interpretation

Reference group	Reference range in ng/ ml
Non smokers	< 2.5
Smokers	< 5

Use

- Monitoring colorectal cancer and selected other cancers such as medullary thyroid carcinoma
- May be useful in assessing the effectiveness of chemotherapy or radiation treatment
- Diagnosis of malignant pleural effusion'
- Not useful in screening general population for undetected cancers

Disease	Percentage positivity of CEA
Colorectal carcinoma	75
Gastric cancer	75
Pancreas	75
Lung	75
Breast	50
Ovary	50
Head and neck cancer	50

Note : Tumour marker results obtained can vary due to differences in assay method and reagent specificity

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 06:56PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF IMMUNOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Homocysteine			
HOMOCYSTEINE Method: CLIA Machine: Siemens Atellica IM1300	**19.14**	µmol/L	3.7-13.9

Homocysteine is a thiol containing amino acid ,produced by intracellular demethylation of methionine to cysteine. Elevated Homocysteine has primary atherogenic and prothrombotic properties

Use

- Elevated Homocysteine levels may be used to exclude or confirm deficiencies of vitamin B 12 or folate
- Elevations in Homocysteine levels have also been used as an independent risk factor of coronary or cerebral vascular disease

Increased in

- Vitamin B12, Vitamin B 6 or folate deficiency
- Hypothyroidism
- Chronic renal failure
- Coronary heart disease

Decreased in

- Down syndrome
- Pregnancy
- Hyperthyroidism
- Early diabetes

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 06:56PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF IMMUNOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Vitamin B12			
VITAMIN B12	**208**	pg/ml	211 - 912

Method: CLIA
Machine: Siemens Atellica IM1300

Interpretation

Vitamin B12 is a coenzyme that is involved in two very important metabolic functions vital to normal cell growth and DNA synthesis: 1) the synthesis of methionine from homocysteine and 2) the conversion of methyl malonyl CoA to succinyl CoA. Deficiency of this vitamin can lead to megaloblastic anemia andultimately to severe neurological problems. It can also lead to macrocytic anemia, glossitis, peripheral neuropathy, weakness, hyperreflexia, ataxia, loss of proprioception, poor coordination, and affective behavioral changes. A significant increase in RBC mean corpuscular volume (MCV) may be an important indicator of vitamin B12 deficiency.

Patients taking vitamin B12 supplementation may have misleading results. A normal serum concentration of Vitamin B12 does not rule out tissue deficiency of vitamin B12. The most sensitive test for Vitamin B12 deficiency at the cellular level is the assay for methyl malonic acid (MMA). If clinicalsymptoms suggest deficiency, measurement of MMA and homocysteine should be considered, even ifserum B12 concentrations are normal.

The Bio Ref Interval for Vitamin B12 has been changed on Beckman Coulter UniCel DxI800 with effect from 18.2.25.

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 06:56PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF IMMUNOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Vitamin D, 25-Hydroxy			
VITAMIN D (25 - OH VITAMIN D) Method: CLIA Machine: Siemens Atellica IM1300	**21.86**	ng/ml	30 - 100

VITAMIN D STATUS	VITAMIN D 25 HYDROXY (ng/mL), Adult	VITAMIN D 25 HYDROXY (ng/mL), Pediatric
DEFICIENCY	<20	<15
INSUFFICIENCY	20 - 30	15 - 20
SUFFICIENCY	30 – 100	20 - 100

Vitamin D is a steroid hormone known for its important role in regulating body levels of calcium and phosphorus and in the mineralization of bone

Uses:

- Diagnosis of Vitamin D deficiency
- Differential diagnosis of causes of rickets and Osteomalacia
- Monitoring Vitamin D replacement therapy
- Diagnosis of hypervitaminosis D

Increased in:

- Vitamin D intoxication
- Excessive exposure to sunlight

Decreased in:

- Malabsorption
- Steatorrhoea
- Dietary osteomalacia
- Thyrotoxicosis
- Coeliac disease
- Inflammatory bowel disease
- Rickets
- Pancreatic insufficiency

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Patient Name	: Abhinav Srivastava	Barcode	: E3616897
Age/Gender	: 36Y 0M 0D /Male	Sample Collected On	: 30/Jul/2025 07:39AM
Order Id	: 14609027617	Sample Received On	: 30/Jul/2025 01:09PM
Referred By	: Self	Report Generated On	: 30/Jul/2025 07:15PM
Customer Since	: 26/Aug/2022	Sample Temperature	: Maintained ✓
Sample Type	: Serum	ReportStatus	: Final Report

DEPARTMENT OF IMMUNOLOGY

Healthians Summer Wellness Package - Male

Test Name	Value	Unit	Bio. Ref Interval
Thyroid Profile (Total T3,T4, TSH)			
Tri-Iodothyronine (T3, Total) Method: CLIA Machine: Siemens Atellica IM1300	1.11	ng/ml	0.60-1.81
Thyroxine (T4, Total) Method: CLIA Machine: Siemens Atellica IM1300	8.80	ug/dl	3.2-12.6
Thyroid Stimulating Hormone (TSH)-Ultrasensitive Method: CLIA Machine: Siemens Atellica IM1300	**0.500**	µIU/ml	0.55-4.78

Pregnancy interval	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 – 3.0
Third trimester	0.3 – 3.0

Healthians recommends that the following potential sources of variation should be considered while interpreting thyroid hormone results:
1. Thyroid hormones undergo rhythmic variation within the body this is called circadian variation in TSH secretion: Peak levels are seen between 2-4 AM. Minimum levels seen between 6-10 AM. This variation may be as much as 50% thus, influence of sampling time needs to be considered for clinical interpretation.
2. Circulating forms of T3 and T4 are mostly reversibly bound with Thyroxine binding globulins (TBG), and to a lesser extent with albumin and Thyroid binding Pre-Albumin. Thus the conditions in which TBG and protein levels alter such as chronic liver disorders, pregnancy, excess of estrogens, androgens, anabolic steroids and glucocorticoids may cause misleading total T3, total T4 and TSH interpretations.
3. Total T3 and T4 levels are seen to have physiological rise during pregnancy and in patients on steroid treatment.
4. T4 may be normal even in the presence of hyperthyroidism under the following conditions : T3 thyrotoxicosis, Hypoproteinemia related reduced binding, during intake of certain drugs (eg Phenytoin, Salicylates etc)
5. Neonates and infants have higher levels of T4 due to increased concentration of TBG
6. TSH levels may be normal in central hypothyroidism, recent rapid correction of hypothyroidism or hyperthyroidism, pregnancy, phenytoin therapy etc.
7. TSH values of <0.03 uIU/mL must be clinically correlated to evaluate the presence of a rare TSH variant in certain individuals which is undetectable by conventional methods.
8. Presence of Autoimmune disorders may lead to spurious results of thyroid hormones.
9. Various drugs influence the levels of thyroid hormones such as L-Dopa, Lithium, Glucocorticoids, Phenytoin etc.
10. Healthians recommends evaluation of unbound fractions, that is free T3 (fT3) and free T4 (fT4) for clinic-pathologic correlation, as these are the metabolically active forms.

***** End Of Report *****

Dr. Walia Murshida Huda
MBBS, MD, Biochemistry
Consultant Biochemist
DMC-97314,Healthians Labs

SIN No:E3616897

Terms & Conditions:

1) Machine Data is available for last 7 days only. In case of manual testing & outsourced testing, machine data will not be available.
2) CBC parameters may vary when it is manually reviewed by the Pathologists.
3) **For Thyroid tests** - Circulating TSH shows a normal circadian rhythm with a peak between 11pm-5am and a nadir between 5pm-8pm. TSH values are also lowered after food when compared to fasting in a statistically significant manner. This variation is of the order of ±50%, hence time of day and fasting status have influence on the reported TSH level.
4) **For Lipid profile** - Lipid and Lipoprotein concentrations vary during the normal course of daily activity. Also, certain drugs, diet and alcohol can have lasting effects on Triglyceride levels. To obtain best results for Lipid testing, a strict fasting of 10-12 hours with a light meal on the previous night is recommended.
5) Test results released pertain to the specimen submitted.
6) Test results are dependent on the quality of the sample received by the Lab.
7) The tests are carried out in the lab with the presumption that the specimen belongs to the patient named or identified in the bill/test request form/booking ID.
8) The reported results are for information and are subject to confirmation and interpretation by the referring doctor to co-relate clinically.
9) Test results may show interlaboratory variations.
10) Liability of Healthians for deficiency of services or other errors and omissions shall be limited to the fee paid by the patient for the relevant laboratory services.
11) This report is not subject to use for any medico-legal purposes.
12) Few of the tests might be outsourced to partner labs as and when required.
13) This report is not intended to replace but to lead by providing comprehensive information. It is recommended that you consult your doctor/physician for interpretation of results.
14) All reports might not be applicable for individuals less than 18, pregnant women or individuals suffering from diseases for which health test has not been performed or symptoms not diagnosed.
15) This report is based on preventive health test screening and is meant for a healthy lifestyle. It does not provide any recommendation for life threatening situations.
16) It is strongly recommended to take required precautions for allergic reactions or sensitivities.
17) Authorised partner labs as mentioned for certain tests are as below:
    HL/PL/001- Metropolis Healthcare Ltd
    HL/PL/002- Thyrocare technologies Limited
    HL/PL/003- Lifecell International Pvt. Ltd. - Laboratory Services
    HL/PL/004- Modern Diagnostic & Research Centre

ADVISORY
Health Advisory

Abhinav Srivastava
Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

29.38 Body Mass Index	**5'4"** Height (ft/in)	**80** Weight (kgs.)

Physical Activity 2 or less times a week	**Smoke** No, I don't smoke	**Food Preference** Occasional Non-Veg (1-3 times a week)	**Alcohol** I don't drink at all	**Medication** No Data	**Family History** Diabetes, Hypertension, High cholesterol
Blood Pressure No Data	**Pulse Rate** No Data	**Waist (In Cm)** 0cm	**Hip Circumference (In Cm)** No Data	**SPO2 Levels** No Data	**Sugar Levels** No Data

Additional Remarks :
NA

SUGGESTED
NUTRITION

SUGGESTED NUTRITION

Do's
- Have a balanced diet that includes whole grains, pulses, dairy, fruits, vegetables, nuts and healthy fats
- Include fruits like apples, berries and melons in your diet
- Include calcium rich foods like milk, yoghurt, cheese and green, leafy vegetables
- Include Brazil nuts, sesame seeds, sunflower seeds
- Have high protein, moderate fat diet with low fat milk, yoghurt or buttermilk
- Include whole grains in your diet like whole wheat bread and other products, brown rice or hand pounded rice, oats

Dont's
- Avoid flavoured and seasoned foods
- Decrease intake of colas and sugary drinks
- Avoid saturated fats, transfats, oily and greasy foods like cakes, creamy or fried foods
- Limit sugar intake
- Reduce caffeine intake
- Avoid salty foods and pickles
- Avoid red meat and organ meats
- Limit the use of oil and avoid sauces and dressings

SUGGESTED
LIFESTYLE

SUGGESTED LIFESTYLE


Do's
- Have regular exposure to sunlight
- Stay active and maintain ideal weight
- Lose weight gradually and stay active

Dont's
- Avoid overexertion without having food or drink
- Avoid strenuous exercises
- Avoid smoking and alcohol
- Avoid long periods of inactivity
- Avoid overeating or calorie rich food
- Avoid having long gaps in meals or skipping meals

SUGGESTED
FUTURE TESTS

SUGGESTED FUTURE TESTS

- Complete Hemogram - **Every 2 Month**
- Peripheral Smear Examination By Pathologist - **Every 2 Month**
- Vitamin D Total-25 Hydroxy - **Every 2 Month**
- Calcium Total, Serum - **Every 2 Month**
- Vitamin B12 Cyanocobalamin - **Every 1 Month**
- Folic Acid - **Every 1 Month**
- Electrocardiogram - **Every 1 Month**



HEALTH ADVISORY

Suggestions for Health & Well-being

Abhinav Srivastava
Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

PHYSICAL
ACTIVITY

PHYSICAL ACTIVITY

Physical activities can vary from Regular walks (Brisk or normal), Jogging , Sports, Stretching, Yoga to light weight lifting etc. It is recommended to partake in physical activity at least 30 minutes a day for 3-4 days a week.
If regular workout is difficult, then we can adapt changes such as using stairs instead of lift/escalators and doing household work!





BALANCED DIET

A balanced diet is the key to healthy lifestyle. Include Whole grains, vegetables, whole fruits, nuts, seeds, beans, plant oils in your diet.
It is recommended to always have a high protein breakfast and a light dinner. Avoid items such as processed foods, potatoes and high calorie/sugar products. Don't forget to drink water regularly!


BALANCED
DIET

STRESS
MANAGEMENT

STRESS MANAGEMENT

Managing stress is an essential part of well-being. Some day to day changes can help such as having sufficient sleep (6-8 hours), indulging yourself in meditation, positive attitude towards lifestyle, using humor, traveling, talking to people whom you feel comfortable with and making time for hobbies by doing what you love to do.





BMI

BMI recommended range is 18.5 to 24.9. Your BMI is **29.35**, which is on a higher side.
Please follow recommended diet and maintain a healthy lifestyle and try to keep your BMI within the desired range. Keeping the right BMI for your body helps prevent many untimely diseases and goes a long way.

BMI CHART

UNDERWEIGHT	NORMAL	OVERWEIGHT	OBESE
Less than 18.5	Between 18.5 - 24.9	Between 25.0 - 29.9	More than 30

SUGGESTED
BMI

Supplement Suggestions

Abhinav Srivastava
Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

Your test report has indicated that you have certain deficiencies in your body which may hamper your health & wellbeing in the longer run.

In order to fulfill the gaps in nutrition and promote a healthier body we suggest you the following supplements mentioned below:

Deficiency/Out of Range Parameter(s)	Suggested Supplement
TSH Ultra - Sensitive	THYRO FIX
Vitamin B12 Cyanocobalamin	VITAMIN B12

To order, call 1800-572-000-4

Suggestions for Improving Deficiencies



THYRO FIX

Here's nature's way to improve your thyroid function.

THYRO-FIX is a scientifically formulated and clinically proven all-natural supplement that helps strike the optimum balance of your thyroid levels. Whether hyperthyroidism or hypothyroidism, this ayurvedic supplement keeps your thyroid balanced and optimally functioning. Take the all-natural road to a healthy thyroid with THYRO-FIX.

Be it hyperthyroidism or hypothyroidism, untreated thyroid conditions can cause serious health issues, such as:

• Cardiovascular Diseases | • Brittle Bones | • Eye Issues | • Infertility | • Mental Health Concerns


Infused with the ages-proven goodness of all-natural ingredients, THYRO-FIX is the perfect supplement to promote and maintain good thyroid health, without having to worry about side effects. Sourced from nature's own pharmacy of herbs, the ingredients in THYRO-FIX present the following benefits:

Arjun Tree Extract
Decreases thyroid levels in hyperthyroidism to maintain hormonal balance

Ashwagandha
Increases thyroid levels in hypothyroidism to maintain hormonal balance

Anantmool
Anti-inflammatory & anti-oxidant properties reduce the symptoms of thyroid disorder

Asparagus
Regulates blood sugar levels & promotes heart health



VITAMIN B12

Make healthier blood the foundation of a healthier life!

Keep your blood clean and your nerve cells healthy with Vitamin B12. This essential supplement also protects against anemia, which causes persistent fatigue. Extracted from natural food sources, such as amla and beetroot, daily intake of Vitamin B12 can help in the formation of red blood cells.

A lack of vitamin B12 can cause dangerous health complications, such as:

• Memory Loss | • Vision Loss | • Ataxia or Loss of Physical Coordination | • Irreversible Neurological Problems | • Heart Diseases

Prevents Osteoporosis & Promotes Bone Health

Prevents Anemia & Promotes Red Blood Cell (RBC) Production

Alleviates Symptoms of Depression

Boosts Heart Health

Prevents Major Birth Defects

Supplement Suggestions

Abhinav Srivastava
Booking ID : 14609027617 | Sample Collection Date : 30/Jul/2025

Deficiency/Out of Range Parameter(s)	Suggested Supplement
Vitamin D Total-25 Hydroxy	VITAMIN D3

To order, call 1800-572-000-4

Suggestions for Improving Deficiencies





VITAMIN D3

Improve bone health with enhanced calcium absorption, the natural way

Make your muscles and bones stronger with VITAMIN D3. Sourced from natural substances, it helps in regulating the absorption of calcium and phosphorus, which help keep your bones strong and enhancing the normal immune system functioning. Vitamin D3 is an essential nutrient that's critical for normal growth and development of bones and teeth, as well as improved resistance against certain diseases.

Remember, a lack of vitamin D3 can cause dangerous health situations.

• Rickets (in children) | • Brittle Bones | • Osteoporosis | • Weakened Bones (in adults)

Strengthens Bones & Muscles	Protects Against Pneumonia & Acute Respiratory Infections	Helps in Reducing Depression	Boosts Heart Health	Aids in Kidney Disease Treatment



IMMUNO-PLUS

Give your immunity a boost the all-natural way.

IMMUNO-PLUS is the perfect all-natural herbal supplement to boost your immune system and strengthens your body's defenses against diseases and infections.IMMUNO-PLUS provides your immune system the necessary reinforcement to keep you safe and healthy.

A weakened immune system opens you to a host of illnesses, such as:

• Recurring Infections | • Heightened Risk of Cancer | • Autoimmune Disorders | • Slow Growth Rate | • Serious Damage to the Heart, Lungs, Digestive Tract & the Nervous System

Infused with the ages-proven goodness of all-natural ingredients, IMMUNO-PLUS is the perfect supplement to strengthen your immune system without having to worry about side effects. Sourced from nature's own pharmacy of herbs, the ingredients in IMMUNO-PLUS present the following benefits:

Amla	Jetwatika	Aloe Vera	Ashwagandha	Ginger
Boosts immunity & Stores antioxidants	Antioxidant properties strengthen the immune system	Fights against oxygenated rogue molecules in the blood	Reinforces the immune system to increase its fighting ability	Anti-inflammatory & antioxidant effects reinforce the immune system

Herbवेद+ by Healthians

To order, call 1800-572-000-4

Healthians

Smart Report 3.0



Healthians Scans

Your one-stop destination for affordable & reliable imaging services

- Honest pricing
- 100% covid safe
- Highly experienced 130+ radiology specialists
- State-of-the-art radiology labs across India

2% CASH BACK + 100% Cash Back

When you book via app

Know More

About Healthians Labs

How we control Report Accuracy at Healthians

Quality Control
We follow Quality control to ensure both **precision & accuracy** of patient results.

Machine Data
We save patient's result values **directly from machines** ensuring no manipulations & no fake values.

QR Code
QR Code based authenticity check on all its reports

Calibration
We make use of calibrators to evaluate the **precision & accuracy** of measurement equipment.

Equipment
Our Labs are equipped with state-of-the-art instruments with **cutting edge technology** to provide faster & reliable results.

EQA
Our Labs participate in EQA & show proven accuracy by checking **laboratory performance** through external agency or facility.

JOIN **100,000+** HAPPY USERS WHO TRUST HEALTHIANS!

KNOW ALL ABOUT YOUR HEALTH ON YOUR FINGERTIPS

- Book & track your health tests
- Smart reports on your Phone
- Health Tracker
- Health Articles

DOWNLOAD HEALTHIANS APP:

GET IT ON Google Play | Download on the App Store

