Student ID: 123456789
Student Name: null
Files Submitted: []
Missing Files: []
Overall Score: 16

Passenger Class Score: 8/16

Flight Class Score: 5/16

Luggage Slip Class Score: 3/14

Luggage Manifest Class Score: 0/20

Test Cases Feedback:

Passenger Class Tests:

testPassengerConstructor(team1project.PassengerTest) PASSED 5 Error: null

testNumLuggageAttribute(teamlproject.PassengerTest) FAILED 0 Error: expected: <true> but was: <false>

testStringAttributes(team1project.PassengerTest) PASSED 1 Error: null

 ${\tt testAssignRandomCabinClass(teamlproject.PassengerTest)~PASSED~2~Error:~null}$

testToStringMethodFormat(teamlproject.PassengerTest) FAILED 0 Error: expected: <PP NO. TA890789 NAME: J.Bean NUMLUGGAGE: 3 CLASS: E> but was: <PP NO. TA890789 NAME: J.Bean NUMLUGGAGE: 3

Flight Class Tests:

testPrintLuggageManifest(team1project.FlightTest) PASSED 1 Error: null

testCheckInLuggage(team1project.FlightTest) PASSED 1 Error: null

testToString(teamlproject.FlightTest) FAILED 0 Error: expected: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: <FL123 DESTINATION

testStringAttributes(team1project.FlightTest) PASSED 1 Error: null

testGetAllowedLuggage(team1project.FlightTest) PASSED 1 Error: null

testFlightConstructor(team1project.FlightTest) PASSED 1 Error: null

Luggage Slip Class Tests:

testToString(teamlproject.LuggageSlipTest) FAILED 0 Error: expected: <FL123_Doe_1 PP NO. AB123456 NAME: J.Doe LUGGAGE: 0 CLASS: \$> but was: <FL123_Doe_5 PP NO. AB123456 NAME: J.DOE NUML

testIntegerAttribute(teamlproject.LuggageSlipTest) PASSED 1 Error: null

testStringAttributes(team1project.LuggageSlipTest) PASSED 1 Error: null

testHasOwner(team1project.LuggageSlipTest) PASSED 1 Error: null

testLuggageSlipConstructorWithLabel(teamlproject.LuggageSlipTest) FAILED 0 Error: expected: <FL123 DESTINATION: New York ORGIN: London 2023-11-16714:10:04.103245400> but was: <ABC123>

testLuggageSlipConstructor(teamlproject.LuggageSlipTest) FAILED 0 Error: expected: <FL123 DESTINATION: New York ORGIN: London 2023-11-16714:10:04.103245400> but was: <ABC123>

Luggage Manifest Class Tests:

testPrintLuggageManifest(teamlproject.LuggageManifestTest) FAILED 0 Error: expected: <true> but was: <false>

testGetExcessLuggageCostByPassenger(team1project.LuggageManifestTest) FAILED 0 Error: expected: <\$35.0> but was: <No Cost>

testAddLuggage(teamlproject.LuggageManifestTest) FAILED 0 Error: expected: <3 pieces of luggage, 1 excess

PP NO. 123456 NAME: J.D NUMLUGGAGE: 3 CLASS: F

Pieces Added: (3). Excess Cost: \$35.0> but was: <1 piece of luggage, 0 excess

PP NO. 123456 NAME: J.BIDEN NUMLUGGAGE: 1 CLASS: B

Pieces Added: (1). Excess Cost: \$0.0>

```
testPrintLuggageManifest(teamlproject.LuggageManifestTest)
  Comment: expected: <true> but was: <false>
  testToString(team1project.LuggageSlipTest)
  Comment: expected: <FL123_Doe_1 PP NO. AB123456 NAME: J.Doe LUGGAGE: 0 CLASS: $> but was: <FL123_Doe_5 PP NO. AB123456 NAME: J.DOE NUMLUGGAGE: 0 CLASS: F >
  testToString(teamlproject.FlightTest)
  Comment: expected: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500> but was: <FL123 DESTINATION: New York ORIGIN: London 2023-11-16T14:10:04.061235500>
  testNumLuggageAttribute(teamlproject.PassengerTest)
  Comment: expected: <true> but was: <false>
  {\tt testGetExcessLuggageCostByPassenger(team1project.LuggageManifestTest)}
  Comment: expected: <$35.0> but was: <No Cost>
  testAddLuggage(teamlproject.LuggageManifestTest)
  Comment: expected: <3 pieces of luggage, 1 excess
PP NO. 123456 NAME: J.D NUMLUGGAGE: 3 CLASS: F
Pieces Added: (3). Excess Cost: $35.0> but was: <1 piece of luggage, 0 excess
PP NO. 123456 NAME: J.BIDEN NUMLUGGAGE: 1 CLASS: B
Pieces Added: (1). Excess Cost: $0.0>
  testToStringMethodFormat(team1project.PassengerTest)
  Comment: expected: <PP NO. TA890789 NAME: J.Bean NUMLUGGAGE: 3 CLASS: E> but was: <PP NO. TA890789 NAME: J.BEAN NUMLUGGAGE: 3 CLASS: E>
  testLuggageSlipConstructorWithLabel(team1project.LuggageSlipTest)
  Comment: expected: <FL123 DESTINATION: New York ORGIN: London 2023-11-16T14:10:04.103245400> but was: <ABC123>
  {\tt testLuggageSlipConstructor(teamlproject.LuggageSlipTest)}
  Comment: expected: <FL123 DESTINATION: New York ORGIN: London 2023-11-16T14:10:04.103245400> but was: <ABC123>
```