

VaultKeep Secrets Manager Documentation

Internal reference documentation for the VaultKeep secrets management service. This document contains two dated revisions of the same API section, provided for extraction and contradiction-detection testing purposes.

Authentication and Configuration

Version 1.0 — Released February 2025

The VaultKeep API requires a service token for authentication on all endpoints. The service token must be included in the X-Vault-Token request header. VaultKeep issues service tokens through the command-line interface. The command-line interface is maintained by the VaultKeep Core team.

VaultKeep encrypts all secrets using AES-256 encryption. VaultKeep rotates the root encryption key every 90 days. Secret rotation for individual entries is configured per secret. The default secret rotation period is 180 days.

VaultKeep enforces access control using a role-based permission model. Roles are assigned at the namespace level. The default namespace is named root. Administrators can create additional namespaces for team isolation.

VaultKeep replicates encrypted backups to a secondary region every 24 hours. The primary region for VaultKeep is US East. The secondary backup region is US West. Backup integrity is verified using SHA-256 checksums.

Authentication and Configuration

Version 2.0 — Released April 2026

The VaultKeep API requires a service token for authentication on all endpoints. The service token must be included in the Authorization header as a bearer token. VaultKeep issues service tokens through the command-line interface. The command-line interface is now maintained by the VaultKeep Security team.

VaultKeep encrypts all secrets using AES-256-GCM encryption. VaultKeep rotates the root encryption key every 30 days. Secret rotation for individual entries is configured per secret. The default secret rotation period is 90 days.

VaultKeep enforces access control using an attribute-based permission model. Attributes are assigned at the namespace level. The default namespace is named root. Administrators can create additional namespaces for team isolation.

VaultKeep replicates encrypted backups to a secondary region every 6 hours. The primary region for VaultKeep is US East. The secondary backup region is EU Central. Backup integrity is verified using SHA-512 checksums.