



**LAYOUT PLAN**  
SCALE 1:xx

**L - 01**







## 2nd & 3rd FLOOR PLAN

SCALE 1:xx


A - 02






**SECTION A-A**  
SCALE 1:xx

**A - 04**




SOUTH ELEVATION

SCALE : 1:xx



NORTH ELEVATION

SCALE : 1:xx



EAST ELEVATION

SCALE : 1:xx






$8' = 8 \times 0.3038\text{m} = 2.44\text{m}$

FOOTING SCHEDULE


S.L NO	SIZE	DEPTH	SLOPE	TOTAL CASTING	REINFORCEMENT
F 1	8'-0" X 8'-0"	18"	6"	24"	16 mm Ø 5" c/c Both way
F 2	6'-0" X 7'-0"	15"	6"	21"	16 mm Ø 5" c/c Both way
F 3	5'-6" X 5'-6"	15"	6"	21"	16 mm Ø 5" c/c Both way

COLUMN SIZE & REINFORCING BARS SCHEDULE

COLUMN ID	SUB-STRUCTURE	FIRST FLOOR	2ND & 3RD FLOOR	4 TH FLOOR AND ABOVE
C 1	COLUMN SIZE 17"X14"	<div><div>10 mm Ø 6" C/C</div><div></div><div>4-20mm Ø+ 6-16mm Ø</div></div>	<div><div>10 mm Ø 6" C/C</div><div></div><div>4-20mm Ø+ 6-16mm Ø</div></div>	<div><div>10 mm Ø 6" C/C</div><div></div><div>4-20mm Ø+ 6-16mm Ø</div></div>
C 2	COLUMN SIZE 17"X12"	<div><div>10 mm Ø 6" C/C</div><div></div><div>4-20mm Ø+ 4-16mm Ø</div></div>	<div><div>10 mm Ø 6" C/C</div><div></div><div>4-20mm Ø+ 4-16mm Ø</div></div>	<div><div>10 mm Ø 6" C/C</div><div></div><div>4-20mm Ø+ 4-16mm Ø</div></div>
C 3	COLUMN SIZE 14"X12"	<div><div>10 mm Ø 6" C/C</div><div></div><div>8-16mm Ø</div></div>	<div><div>10 mm Ø 6" C/C</div><div></div><div>8-16mm Ø</div></div>	<div><div>10 mm Ø 6" C/C</div><div></div><div>8-16mm Ø</div></div>
CLIENT	CONSULTANTS	DESIGNED BY	CHECKED BY	APPROVED BY




**Footings Layout - Plan**  
SCALE 1:xx



**Footings Details (Typ)**


Scale: 1:xx

**S - 02**




**Grade Beam - Plan**


SCALE 1:xx



**SEC :- G.B A-A**



**SEC :- G.B B-B**



**Longitudinal Section - Grade Beam**

SCALE 1:xx

**S - 03**