



IHACPA

The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM)

Chronicle

First Edition to Thirteenth Edition

Part 1: A00–T98, Z00–Z99

**The International Statistical Classification of Diseases and Related Health Problems,
Tenth Revision, Australian Modification (ICD-10-AM) – Chronicle – First Edition to
Thirteenth Edition Part 1: A00–T98, Z00–Z99**

© Independent Health and Aged Care Pricing Authority 2025

The Independent Health and Aged Care Pricing Authority prefers the
following attribution:

Source: The Independent Health and Aged Care Pricing Authority (2025)
ICD-10-AM Chronicle First Edition to Thirteenth Edition – Part 1: A00–T98,
Z00–Z99, IHACPA.

**The International Statistical Classification of
Diseases and Related Health Problems,
Tenth Revision, Australian Modification (ICD-10-AM)**

**Chronicle Part 1: A00–T98, Z00–Z99
First Edition to Thirteenth Edition**

List of ICD-10-AM Chapters

CHAPTER DESCRIPTOR

1	Certain infectious and parasitic diseases (A00–B99)
2	Neoplasms (C00–D48)
3	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50–D89)
4	Endocrine, nutritional and metabolic diseases (E00–E89)
5	Mental and behavioural disorders (F00–F99)
6	Diseases of the nervous system (G00–G99)
7	Diseases of the eye and adnexa (H00–H59)
8	Diseases of the ear and mastoid process (H60–H95)
9	Diseases of the circulatory system (I00–I99)
10	Diseases of the respiratory system (J00–J99)
11	Diseases of the digestive system (K00–K93)
12	Diseases of the skin and subcutaneous tissue (L00–L99)
13	Diseases of the musculoskeletal system and connective tissue (M00–M99)
14	Diseases of the genitourinary system (N00–N99)
15	Pregnancy, childbirth and the puerperium (O00–O99)
16	Certain conditions originating in the perinatal period (P00–P96)
17	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
18	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)
19	Injury, poisoning and certain other consequences of external causes (S00–T98)
21	Factors influencing health status and contact with health services (Z00–Z99)

Historical listing of ICD-10-AM codes

A00–T98, Z00–Z99

Chapter 1 CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00–B99)

A00–B99 Certain infectious and parasitic diseases

A00	Cholera
A00.0	Cholera due to <i>Vibrio cholerae</i> 01, biovar cholerae
A00.1	Cholera due to <i>Vibrio cholerae</i> 01, biovar eltor
A00.9	Cholera, unspecified
A01	Typhoid and paratyphoid fevers
A01.0	Typhoid fever
A01.1	Paratyphoid fever A
A01.2	Paratyphoid fever B
A01.3	Paratyphoid fever C
A01.4	Paratyphoid fever, unspecified
A02	Other <i>Salmonella</i> infections
A02.0	<i>Salmonella</i> enteritis
A02.1	Sepsis due to <i>Salmonella</i>
A02.2	Localised <i>Salmonella</i> infections
A02.8	Other specified <i>Salmonella</i> infections
A02.9	<i>Salmonella</i> infection, unspecified
A03	Shigellosis
A03.0	Shigellosis due to <i>Shigella dysenteriae</i>
A03.1	Shigellosis due to <i>Shigella flexneri</i>
A03.2	Shigellosis due to <i>Shigella boydii</i>
A03.3	Shigellosis due to <i>Shigella sonnei</i>
A03.7	Sepsis due to <i>Shigella</i>
A03.8	Other shigellosis
A03.9	Shigellosis, unspecified
A04	Other bacterial intestinal infections
A04.0	Enteropathogenic <i>Escherichia coli</i> infection
A04.1	Enterotoxigenic <i>Escherichia coli</i> infection
A04.2	Enteroinvasive <i>Escherichia coli</i> infection
A04.3	Enterohaemorrhagic <i>Escherichia coli</i> infection
A04.4	Other intestinal <i>Escherichia coli</i> infection
A04.5	Campylobacter enteritis
A04.6	Enteritis due to <i>Yersinia enterocolitica</i>
A04.7	Enterocolitis due to <i>Clostridioides</i> [<i>Clostridium</i>] <i>difficile</i>
A04.8	Other specified bacterial intestinal infection
A04.9	Bacterial intestinal infection, unspecified
A05	Other bacterial food-borne intoxications, not elsewhere classified
A05.0	Food-borne staphylococcal intoxication
A05.1	Botulism
A05.2	Food-borne <i>Clostridium perfringens</i> [<i>Clostridium welchii</i>] intoxication
A05.3	Food-borne <i>Vibrio parahaemolyticus</i> intoxication
A05.4	Food-borne <i>Bacillus cereus</i> intoxication
A05.8	Other specified bacterial food-borne intoxications

A05.9	Bacterial food-borne intoxication, unspecified
A06	Amoebiasis
A06.0	Acute amoebic dysentery
A06.1	Chronic intestinal amoebiasis
A06.2	Amoebic nondysenteric colitis
A06.3	Amoeboma of intestine
A06.4	Amoebic liver abscess
A06.5	Amoebic lung abscess
A06.6	Amoebic brain abscess
A06.7	Cutaneous amoebiasis
A06.8	Amoebic infection of other sites
A06.9	Amoebiasis, unspecified
A07	Other protozoal intestinal diseases
A07.0	Balantidiasis
A07.1	Giardiasis [lambliasis]
A07.2	Cryptosporidiosis
A07.3	Isosporiasis
A07.8	Other specified protozoal intestinal diseases
A07.9	Protozoal intestinal disease, unspecified
A08	Viral and other specified intestinal infections
A08.0	Rotaviral enteritis
A08.1	Acute gastroenteropathy due to Norovirus
A08.2	Adenoviral enteritis
A08.3	Other viral enteritis
A08.4	Viral intestinal infection, unspecified
A08.5	Other specified intestinal infections
A09	Other gastroenteritis and colitis of infectious and unspecified origin
A09.0	Other gastroenteritis and colitis of infectious origin
A09.9	Gastroenteritis and colitis of unspecified origin
A15–A19	Tuberculosis
A15	Respiratory tuberculosis, bacteriologically and histologically confirmed
A15.0	Tuberculosis of lung, confirmed by sputum microscopy with or without culture
A15.1	Tuberculosis of lung, confirmed by culture only
A15.2	Tuberculosis of lung, confirmed histologically
A15.3	Tuberculosis of lung, confirmed by unspecified means
A15.4	Tuberculosis of intrathoracic lymph nodes, confirmed bacteriologically and histologically
A15.5	Tuberculosis of larynx, trachea and bronchus, confirmed bacteriologically and histologically
A15.6	Tuberculous pleurisy, confirmed bacteriologically and histologically
A15.7	Primary respiratory tuberculosis, confirmed bacteriologically and histologically
A15.8	Other respiratory tuberculosis, confirmed bacteriologically and histologically
A15.9	Respiratory tuberculosis unspecified, confirmed bacteriologically and histologically
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically
A16.0	Tuberculosis of lung, bacteriologically and histologically negative
A16.1	Tuberculosis of lung, bacteriological and histological examination not done
A16.2	Tuberculosis of lung, without mention of bacteriological or histological confirmation
A16.3	Tuberculosis of intrathoracic lymph nodes, without mention of bacteriological or histological confirmation

A16.4	Tuberculosis of larynx, trachea and bronchus, without mention of bacteriological or histological confirmation
A16.5	Tuberculous pleurisy, without mention of bacteriological or histological confirmation
A16.7	Primary respiratory tuberculosis without mention of bacteriological or histological confirmation
A16.8	Other respiratory tuberculosis, without mention of bacteriological or histological confirmation
A16.9	Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation
A17	Tuberculosis of nervous system
A17.0	Tuberculous meningitis
A17.1	Meningeal tuberculoma
A17.8†	Other tuberculosis of nervous system
A17.9	Tuberculosis of nervous system, unspecified
A18	Tuberculosis of other organs
A18.0†	Tuberculosis of bones and joints
A18.1	Tuberculosis of genitourinary system
A18.2	Tuberculous peripheral lymphadenopathy
A18.3	Tuberculosis of intestines, peritoneum and mesenteric glands
A18.4	Tuberculosis of skin and subcutaneous tissue
A18.5	Tuberculosis of eye
A18.6	Tuberculosis of ear
A18.7	Tuberculosis of adrenal glands
A18.8†	Tuberculosis of other specified organs
A19	Miliary tuberculosis
A19.0	Acute miliary tuberculosis of a single specified site
A19.1	Acute miliary tuberculosis of multiple sites
A19.2	Acute miliary tuberculosis, unspecified
A19.8	Other miliary tuberculosis
A19.9	Miliary tuberculosis, unspecified
A20	Plague
A20.0	Bubonic plague
A20.1	Cellulocutaneous plague
A20.2	Pneumonic plague
A20.3	Plague meningitis
A20.7	Sepsis due to plague
A20.8	Other forms of plague
A20.9	Plague, unspecified
A21	Tularaemia
A21.0	Ulceroglandular tularaemia
A21.1	Oculoglandular tularaemia
A21.2	Pulmonary tularaemia
A21.3	Gastrointestinal tularaemia
A21.7	Sepsis due to tularaemia
A21.8	Other forms of tularaemia
A21.9	Tularaemia, unspecified
A22	Anthrax
A22.0	Cutaneous anthrax
A22.1	Pulmonary anthrax

A22.2	Gastrointestinal anthrax
A22.7	Sepsis due to anthrax
A22.8	Other forms of anthrax
A22.9	Anthrax, unspecified
A23	Brucellosis
A23.0	Brucellosis due to <i>Brucella melitensis</i>
A23.1	Brucellosis due to <i>Brucella abortus</i>
A23.2	Brucellosis due to <i>Brucella suis</i>
A23.3	Brucellosis due to <i>Brucella canis</i>
A23.7	Sepsis due to Brucella
A23.8	Other brucellosis
A23.9	Brucellosis, unspecified
A24	Glanders and melioidosis
A24.0	Glanders
A24.1	Acute and fulminating melioidosis
A24.2	Subacute and chronic melioidosis
A24.3	Other melioidosis
A24.4	Melioidosis, unspecified
A24.7	Sepsis due to glanders and melioidosis
A25	Rat-bite fevers
A25.0	Spirillosis
A25.1	Streptobacillosis
A25.9	Rat-bite fever, unspecified
A26	Erysipeloid
A26.0	Cutaneous erysipeloid
A26.7	Sepsis due to <i>Erysipelothrix [erysipeloid] [rhusiopathiae]</i>
A26.8	Other forms of erysipeloid
A26.9	Erysipeloid, unspecified
A27	Leptospirosis
A27.0	Leptospirosis icterohaemorrhagica
A27.8	Other forms of leptospirosis
A27.9	Leptospirosis, unspecified
A28	Other zoonotic bacterial diseases, not elsewhere classified
A28.0	Pasteurellosis
A28.00	Pasteurellosis, not elsewhere classified
A28.01	Sepsis due to <i>Pasteurella</i> , not elsewhere classified
A28.1	Cat-scratch disease
A28.2	Extraintestinal yersiniosis
A28.20	Extraintestinal yersiniosis, not elsewhere classified
A28.21	Sepsis due to extraintestinal yersiniosis
A28.8	Other specified zoonotic bacterial diseases, not elsewhere classified
A28.9	Zoonotic bacterial disease, unspecified
A30	Leprosy [Hansen's disease]
A30.0	Indeterminate leprosy
A30.1	Tuberculoid leprosy
A30.2	Borderline tuberculoid leprosy
A30.3	Borderline leprosy
A30.4	Borderline lepromatous leprosy

A30.5	Lepromatous leprosy
A30.8	Other forms of leprosy
A30.9	Leprosy, unspecified
A31	Infection due to other mycobacteria
A31.0	Pulmonary mycobacterial infection
A31.1	Cutaneous mycobacterial infection
A31.8	Other mycobacterial infections
A31.9	Mycobacterial infection, unspecified
A32	Listeriosis
A32.0	Cutaneous listeriosis
A32.1†	Listerial meningitis and meningoencephalitis
A32.7	Sepsis due to <i>Listeria</i> [<i>monocytogenes</i>]
A32.8	Other forms of listeriosis
A32.9	Listeriosis, unspecified
A33	Tetanus neonatorum
A34	Obstetrical tetanus
A35	Other tetanus
A36	Diphtheria
A36.0	Pharyngeal diphtheria
A36.1	Nasopharyngeal diphtheria
A36.2	Laryngeal diphtheria
A36.3	Cutaneous diphtheria
A36.8	Other diphtheria
A36.9	Diphtheria, unspecified
A37	Whooping cough
A37.0	Whooping cough due to <i>Bordetella pertussis</i>
A37.1	Whooping cough due to <i>Bordetella parapertussis</i>
A37.8	Whooping cough due to other <i>Bordetella</i> species
A37.9	Whooping cough, unspecified
A38	Scarlet fever
A39	Meningococcal infection
A39.0	Meningococcal meningitis
A39.1†	Waterhouse-Friderichsen syndrome (E35.1*)
A39.2	Acute meningococcaemia
A39.3	Chronic meningococcaemia
A39.4	Meningococcaemia, unspecified
A39.5	Meningococcal heart disease
A39.7	Sepsis due to <i>Meningococcus</i>
A39.8	Other meningococcal infections
A39.9	Meningococcal infection, unspecified
A40	Sepsis due to <i>Streptococcus</i> and <i>Enterococcus</i>
A40.0	Sepsis due to <i>Streptococcus</i> , group A
A40.1	Sepsis due to <i>Streptococcus</i> , group B
A40.2	Sepsis due to <i>Streptococcus</i> , group D and <i>Enterococcus</i>
A40.21	Sepsis due to <i>Streptococcus</i> , group D
A40.22	Sepsis due to <i>Enterococcus</i>
A40.3	Sepsis due to <i>Streptococcus pneumoniae</i>
A40.8	Other streptococcal sepsis

A40.9	Streptococcal sepsis, unspecified
A41	Other and unspecified sepsis
A41.0	Sepsis due to <i>Staphylococcus aureus</i>
A41.1	Sepsis due to other specified <i>Staphylococcus</i>
A41.2	Sepsis due to unspecified <i>Staphylococcus</i>
A41.3	Sepsis due to <i>Haemophilus influenzae</i>
A41.4	Sepsis due to anaerobes
A41.5	Sepsis due to other and unspecified Gram-negative organisms
A41.50	Sepsis due to unspecified Gram-negative organisms
A41.51	Sepsis due to <i>Escherichia coli</i> [<i>E. Coli</i>]
A41.52	Sepsis due to <i>Pseudomonas</i>
A41.58	Sepsis due to other Gram-negative organisms
A41.8	Sepsis due to other specified organism
A41.9	Sepsis, unspecified
A42	Actinomycosis
A42.0	Pulmonary actinomycosis
A42.1	Abdominal actinomycosis
A42.2	Cervicofacial actinomycosis
A42.7	Sepsis due to actinomycosis
A42.8	Other forms of actinomycosis
A42.9	Actinomycosis, unspecified
A43	Nocardiosis
A43.0	Pulmonary nocardiosis
A43.1	Cutaneous nocardiosis
A43.8	Other forms of nocardiosis
A43.9	Nocardiosis, unspecified
A44	Bartonellosis
A44.0	Systemic bartonellosis
A44.1	Cutaneous and mucocutaneous bartonellosis
A44.8	Other forms of bartonellosis
A44.9	Bartonellosis, unspecified
A46	Erysipelas
A48	Other bacterial diseases, not elsewhere classified
A48.0	Gas gangrene
A48.1	Legionnaires' disease
A48.2	Nonpneumonic Legionnaires' disease [Pontiac fever]
A48.3	Toxic shock syndrome
A48.4	Brazilian purpuric fever
A48.8	Other specified bacterial diseases
A49	Bacterial infection of unspecified site
A49.0	Staphylococcal infection, unspecified site
A49.00	Staphylococcal infection, unspecified site
A49.01	<i>Staphylococcus aureus</i> infection, unspecified site
A49.1	Streptococcal and enterococcal infection, unspecified site
A49.11	Streptococcal infection, unspecified site
A49.12	Enterococcal infection, unspecified site
A49.2	<i>Haemophilus influenzae</i> infection, unspecified site
A49.3	<i>Mycoplasma</i> infection, unspecified site

A49.8	Other bacterial infections of unspecified site
A49.81	<i>Bacteroides (fragilis)</i> infection, unspecified site
A49.82	<i>Burkholderia</i> infection not elsewhere classified, unspecified site
A49.83	<i>Campylobacter</i> infection, unspecified site
A49.84	<i>Escherichia coli</i> [<i>E. coli</i>] infection, unspecified site
A49.85	<i>Klebsiella pneumoniae</i> [<i>K. pneumoniae</i>] infection, unspecified site
A49.86	<i>Proteus (mirabilis)</i> , <i>Morganella (morganii)</i> and <i>Providencia (rettgeri)</i> infection, unspecified site
A49.87	<i>Pseudomonas (aeruginosa)</i> infection, unspecified site
A49.89	Other bacterial infection of unspecified site
A49.9	Bacterial infection, unspecified
A50–A64	Infections with a predominantly sexual mode of transmission
A50	Congenital syphilis
A50.0	Early congenital syphilis, symptomatic
A50.1	Early congenital syphilis, latent
A50.2	Early congenital syphilis, unspecified
A50.3	Late congenital syphilitic oculopathy
A50.4	Late congenital neurosyphilis [juvenile neurosyphilis]
A50.5	Other late congenital syphilis, symptomatic
A50.6	Late congenital syphilis, latent
A50.7	Late congenital syphilis, unspecified
A50.9	Congenital syphilis, unspecified
A51	Early syphilis
A51.0	Primary genital syphilis
A51.1	Primary anal syphilis
A51.2	Primary syphilis of other sites
A51.3	Secondary syphilis of skin and mucous membranes
A51.4	Other secondary syphilis
A51.5	Early syphilis, latent
A51.9	Early syphilis, unspecified
A52	Late syphilis
A52.0	Cardiovascular syphilis
A52.1	Symptomatic neurosyphilis
A52.2	Asymptomatic neurosyphilis
A52.3	Neurosyphilis, unspecified
A52.7	Other symptomatic late syphilis
A52.8	Late syphilis, latent
A52.9	Late syphilis, unspecified
A53	Other and unspecified syphilis
A53.0	Latent syphilis, unspecified as early or late
A53.9	Syphilis, unspecified
A54	Gonococcal infection
A54.0	Gonococcal infection of lower genitourinary tract without periurethral or accessory gland abscess
A54.1	Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess
A54.2	Gonococcal pelviperitonitis and other gonococcal genitourinary infections
A54.3	Gonococcal infection of eye

A54.4†	Gonococcal infection of musculoskeletal system
A54.5	Gonococcal pharyngitis
A54.6	Gonococcal infection of anus and rectum
A54.7	Sepsis due to <i>Gonococcus</i>
A54.8	Other gonococcal infections
A54.9	Gonococcal infection, unspecified
A55	Chlamydial lymphogranuloma (venereum)
A56	Other sexually transmitted chlamydial diseases
A56.0	Chlamydial infection of lower genitourinary tract
A56.1	Chlamydial infection of pelviperitoneum and other genitourinary organs
A56.2	Chlamydial infection of genitourinary tract, unspecified
A56.3	Chlamydial infection of anus and rectum
A56.4	Chlamydial infection of pharynx
A56.8	Sexually transmitted chlamydial infection of other sites
A57	Chancroid
A58	Granuloma inguinale
A59	Trichomoniasis
A59.0	Urogenital trichomoniasis
A59.8	Trichomoniasis of other sites
A59.9	Trichomoniasis, unspecified
A60	Anogenital herpesviral [herpes simplex] infection
A60.0	Herpesviral infection of genitalia and urogenital tract
A60.1	Herpesviral infection of perianal skin and rectum
A60.9	Anogenital herpesviral infection, unspecified
A63	Other predominantly sexually transmitted diseases, not elsewhere classified
A63.0	Anogenital [venereal] warts
A63.00	Anogenital [venereal] warts, unspecified site
A63.01	Perianal [venereal] warts
A63.02	Cervical [venereal] warts
A63.03	Urethral [venereal] warts
A63.04	Vaginal [venereal] warts
A63.05	Vulval [venereal] warts
A63.06	Penile [venereal] warts
A63.07	Scrotal [venereal] warts
A63.09	Anogenital [venereal] warts, other site
A63.8	Other specified predominantly sexually transmitted diseases
A64	Unspecified sexually transmitted disease
A65	Nonvenereal syphilis
A66	Yaws
A66.0	Initial lesions of yaws
A66.1	Multiple papillomata and wet crab yaws
A66.2	Other early skin lesions of yaws
A66.3	Hyperkeratosis of yaws
A66.4	Gummata and ulcers of yaws
A66.5	Gangosa
A66.6	Bone and joint lesions of yaws
A66.7	Other manifestations of yaws
A66.8	Latent yaws

A66.9	Yaws, unspecified
A67	Pinta [carate]
A67.0	Primary lesions of pinta
A67.1	Intermediate lesions of pinta
A67.2	Late lesions of pinta
A67.3	Mixed lesions of pinta
A67.9	Pinta, unspecified
A68	Relapsing fevers
A68.0	Louse-borne relapsing fever
A68.1	Tick-borne relapsing fever
A68.9	Relapsing fever, unspecified
A69	Other spirochaetal infections
A69.0	Necrotising ulcerative stomatitis
A69.1	Other Vincent's infections
A69.2	Lyme disease
A69.8	Other specified spirochaetal infections
A69.9	Spirochaetal infection, unspecified
A70	Chlamydia psittaci infection
A71	Trachoma
A71.0	Initial stage of trachoma
A71.1	Active stage of trachoma
A71.9	Trachoma, unspecified
A74	Other diseases caused by chlamydiae
A74.0	Chlamydial conjunctivitis
A74.8	Other chlamydial diseases
A74.9	Chlamydial infection, unspecified
A75	Typhus fever
A75.0	Epidemic louse-borne typhus fever due to <i>Rickettsia prowazekii</i>
A75.1	Recrudescent typhus [Brill's disease]
A75.2	Typhus fever due to <i>Rickettsia typhi</i>
A75.3	Typhus fever due to <i>Rickettsia tsutsugamushi</i>
A75.9	Typhus fever, unspecified
A77	Spotted fever [tick-borne rickettsioses]
A77.0	Spotted fever due to <i>Rickettsia rickettsii</i>
A77.1	Spotted fever due to <i>Rickettsia conorii</i>
A77.2	Spotted fever due to <i>Rickettsia siberica</i>
A77.3	Spotted fever due to <i>Rickettsia australis</i>
A77.8	Other spotted fevers
A77.9	Spotted fever, unspecified
A78	Q fever
A79	Other rickettsioses
A79.0	Trench fever
A79.1	Rickettsialpox due to <i>Rickettsia akari</i>
A79.8	Other specified rickettsioses
A79.9	Rickettsiosis, unspecified
A80	Acute poliomyelitis
A80.0	Acute paralytic poliomyelitis, vaccine-associated
A80.1	Acute paralytic poliomyelitis, wild virus, imported

A80.2	Acute paralytic poliomyelitis, wild virus, indigenous
A80.3	Acute paralytic poliomyelitis, other and unspecified
A80.4	Acute nonparalytic poliomyelitis
A80.9	Acute poliomyelitis, unspecified
A81	Atypical virus infections of central nervous system
A81.0	Creutzfeldt-Jakob disease
A81.1	Subacute sclerosing panencephalitis
A81.2	Progressive multifocal leukoencephalopathy
A81.8	Other atypical virus infections of central nervous system
A81.9	Atypical virus infection of central nervous system, unspecified
A82	Rabies
A82.0	Sylvatic rabies
A82.1	Urban rabies
A82.9	Rabies, unspecified
A83	Mosquito-borne viral encephalitis
A83.0	Japanese encephalitis
A83.1	Western equine encephalitis
A83.2	Eastern equine encephalitis
A83.3	St Louis encephalitis
A83.4	Australian encephalitis
A83.5	California encephalitis
A83.6	Rocio virus disease
A83.8	Other mosquito-borne viral encephalitis
A83.9	Mosquito-borne viral encephalitis, unspecified
A84	Tick-borne viral encephalitis
A84.0	Far Eastern tick-borne encephalitis [Russian spring-summer encephalitis]
A84.1	Central European tick-borne encephalitis
A84.8	Other tick-borne viral encephalitis
A84.9	Tick-borne viral encephalitis, unspecified
A85	Other viral encephalitis, not elsewhere classified
A85.0	Enteroviral encephalitis
A85.1	Adenoviral encephalitis
A85.2	Arthropod-borne viral encephalitis, unspecified
A85.8	Other specified viral encephalitis
A86	Unspecified viral encephalitis
A87	Viral meningitis
A87.0	Enteroviral meningitis
A87.1	Adenoviral meningitis
A87.2	Lymphocytic choriomeningitis
A87.8	Other viral meningitis
A87.9	Viral meningitis, unspecified
A88	Other viral infections of central nervous system, not elsewhere classified
A88.0	Enteroviral exanthematous fever [Boston exanthem]
A88.1	Epidemic vertigo
A88.8	Other specified viral infections of central nervous system
A89	Unspecified viral infection of central nervous system
A90	Dengue fever [classical dengue]
A91	Dengue haemorrhagic fever

A92	Other mosquito-borne viral fevers
A92.0	Chikungunya virus disease
A92.1	O'nyong-nyong fever
A92.2	Venezuelan equine fever
A92.3	West Nile virus infection
A92.4	Rift Valley fever
A92.5	Zika virus disease
A92.8	Other specified mosquito-borne viral fevers
A92.9	Mosquito-borne viral fever, unspecified
A93	Other arthropod-borne viral fevers, not elsewhere classified
A93.0	Oropouche virus disease
A93.1	Sandfly fever
A93.2	Colorado tick fever
A93.8	Other specified arthropod-borne viral fevers
A94	Unspecified arthropod-borne viral fever
A95	Yellow fever
A95.0	Sylvatic yellow fever
A95.1	Urban yellow fever
A95.9	Yellow fever, unspecified
A96	Arenaviral haemorrhagic fever
A96.0	Junin haemorrhagic fever
A96.1	Machupo haemorrhagic fever
A96.2	Lassa fever
A96.8	Other arenaviral haemorrhagic fevers
A96.9	Arenaviral haemorrhagic fever, unspecified
A97	Dengue
A97.0	Dengue without warning signs
A97.1	Dengue with warning signs
A97.2	Severe Dengue
A97.9	Dengue, unspecified
A98	Other viral haemorrhagic fevers, not elsewhere classified
A98.0	Crimean-Congo haemorrhagic fever
A98.1	Omsk haemorrhagic fever
A98.2	Kyasanur Forest disease
A98.3	Marburg virus disease
A98.4	Ebola virus disease
A98.5	Haemorrhagic fever with renal syndrome
A98.8	Other specified viral haemorrhagic fevers
A99	Unspecified viral haemorrhagic fever
B00	Herpesviral [herpes simplex] infections
B00.0	Eczema herpeticum
B00.1	Herpesviral vesicular dermatitis
B00.2	Herpesviral gingivostomatitis and pharyngotonsillitis
B00.3	Herpesviral meningitis
B00.4	Herpesviral encephalitis
B00.5	Herpesviral ocular disease
B00.7	Disseminated herpesviral disease
B00.70	Disseminated herpesviral disease, not elsewhere classified

B00.71	Sepsis due to herpesviral [herpes simplex] infection
B00.8	Other forms of herpesviral infection
B00.9	Herpesviral infection, unspecified
B01	Varicella [chickenpox]
B01.0	Varicella meningitis
B01.1	Varicella encephalitis
B01.2	Varicella pneumonia
B01.8	Varicella with other complications
B01.9	Varicella without complication
B02	Zoster [herpes zoster]
B02.0	Zoster encephalitis
B02.1	Zoster meningitis
B02.2†	Zoster with other nervous system involvement
B02.3†	Zoster ocular disease
B02.7	Disseminated zoster
B02.8	Zoster with other complications
B02.9	Zoster without complication
B03	Smallpox
B04	Monkeypox
B05	Measles
B05.0	Measles complicated by encephalitis
B05.1	Measles complicated by meningitis
B05.2	Measles complicated by pneumonia
B05.3	Measles complicated by otitis media
B05.4	Measles with intestinal complications
B05.8	Measles with other complications
B05.9	Measles without complication
B06	Rubella [German measles]
B06.0†	Rubella with neurological complications
B06.8	Rubella with other complications
B06.9	Rubella without complication
B07	Viral warts
B08	Other viral infections characterised by skin and mucous membrane lesions, not elsewhere classified
B08.0	Other orthopoxvirus infections
B08.1	Molluscum contagiosum
B08.2	Exanthema subitum [sixth disease]
B08.3	Erythema infectiosum [fifth disease]
B08.4	Enteroviral vesicular stomatitis with exanthem
B08.5	Enteroviral vesicular pharyngitis
B08.8	Other specified viral infections characterised by skin and mucous membrane lesions
B09	Unspecified viral infection characterised by skin and mucous membrane lesions
B15–B19	Viral hepatitis
B15	Acute hepatitis A
B15.0	Hepatitis A with hepatic coma
B15.9	Hepatitis A without hepatic coma
B16	Acute hepatitis B
B16.0	Acute hepatitis B with delta-agent [coinfection] with hepatic coma

B16.1	Acute hepatitis B with delta-agent [coinfection] without hepatic coma
B16.2	Acute hepatitis B without delta-agent with hepatic coma
B16.9	Acute hepatitis B without delta-agent and without hepatic coma
B17	Other acute viral hepatitis
B17.0	Acute delta-(super)infection in chronic hepatitis B
B17.1	Acute hepatitis C
B17.2	Acute hepatitis E
B17.8	Other specified acute viral hepatitis
B17.9	Acute viral hepatitis, unspecified
B18	Chronic viral hepatitis
B18.0	Chronic viral hepatitis B with delta-agent
B18.1	Chronic viral hepatitis B without delta-agent
B18.2	Chronic viral hepatitis C
B18.8	Other chronic viral hepatitis
B18.9	Chronic viral hepatitis, unspecified
B19	Unspecified viral hepatitis
B19.0	Unspecified viral hepatitis with hepatic coma
B19.9	Unspecified viral hepatitis without hepatic coma
B20–B24	Human immunodeficiency virus [HIV] disease
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions
B23.0	Acute HIV infection syndrome
B23.8	HIV disease resulting in other specified conditions
B24	Unspecified human immunodeficiency virus [HIV] disease
B25	Cytomegaloviral disease
B25.0†	Cytomegaloviral pneumonitis (J17.1*)
B25.1	Cytomegaloviral hepatitis
B25.2	Cytomegaloviral pancreatitis
B25.8	Other cytomegaloviral diseases
B25.9	Cytomegaloviral disease, unspecified
B26	Mumps
B26.0	Mumps orchitis
B26.1	Mumps meningitis
B26.2	Mumps encephalitis
B26.3	Mumps pancreatitis
B26.8	Mumps with other complications
B26.9	Mumps without complication
B27	Infectious mononucleosis
B27.0	Gammaherpesviral mononucleosis
B27.1	Cytomegaloviral mononucleosis
B27.8	Other infectious mononucleosis
B27.9	Infectious mononucleosis, unspecified
B30	Viral conjunctivitis
B30.0	Keratoconjunctivitis due to adenovirus
B30.1	Conjunctivitis due to adenovirus
B30.2	Viral pharyngoconjunctivitis

B30.3	Acute epidemic haemorrhagic conjunctivitis [enteroviral]
B30.8	Other viral conjunctivitis
B30.9	Viral conjunctivitis, unspecified
B33	Other viral diseases, not elsewhere classified
B33.0	Epidemic myalgia
B33.1	Ross River disease
B33.2	Viral carditis
B33.3	Retrovirus infections, not elsewhere classified
B33.4†	Hantavirus (cardio-) pulmonary syndrome [HPS] [HCPS] (J17.1*)
B33.8	Other specified viral diseases
B34	Viral infection of unspecified site
B34.0	Adenovirus infection, unspecified site
B34.1	Enterovirus infection, unspecified site
B34.2	Coronavirus infection, unspecified site
B34.3	Parvovirus infection, unspecified site
B34.4	Papovavirus infection, unspecified site
B34.8	Other viral infections of unspecified site
B34.9	Viral infection, unspecified
B35	Dermatophytosis
B35.0	Tinea barbae and tinea capitis
B35.1	Tinea unguium
B35.2	Tinea manuum
B35.3	Tinea pedis
B35.4	Tinea corporis
B35.5	Tinea imbricata
B35.6	Tinea inguinalis [tinea cruris]
B35.8	Other dermatophytoses
B35.9	Dermatophytosis, unspecified
B36	Other superficial mycoses
B36.0	Pityriasis versicolor
B36.1	Tinea nigra
B36.2	White piedra
B36.3	Black piedra
B36.8	Other specified superficial mycoses
B36.9	Superficial mycosis, unspecified
B37	Candidiasis and certain <i>Candida</i> species
B37.0	Candidal stomatitis
B37.1	Pulmonary candidiasis
B37.2	Candidiasis of skin and nail
B37.3†	Candidiasis of vulva and vagina (N77.1*)
B37.4	Candidiasis of other urogenital sites
B37.5	Candidal meningitis
B37.6	Candidal endocarditis
B37.7	Sepsis due to <i>Candida</i>
B37.8	Candidiasis of other sites and certain <i>Candida</i> species
B37.81	Candidal oesophagitis
B37.82	<i>Candida albicans</i> [<i>C. albicans</i>]
B37.83	<i>Candida auris</i> [<i>C. auris</i>]

B37.88	Candidiasis of other sites
B37.89	Candidiasis of other sites
B37.9	Candidiasis, unspecified site
B38	Coccidioidomycosis
B38.0	Acute pulmonary coccidioidomycosis
B38.1	Chronic pulmonary coccidioidomycosis
B38.2	Pulmonary coccidioidomycosis, unspecified
B38.3	Cutaneous coccidioidomycosis
B38.4	Coccidioidomycosis meningitis
B38.7	Disseminated coccidioidomycosis
B38.8	Other forms of coccidioidomycosis
B38.9	Coccidioidomycosis, unspecified
B39	Histoplasmosis
B39.0	Acute pulmonary histoplasmosis capsulati
B39.1	Chronic pulmonary histoplasmosis capsulati
B39.2	Pulmonary histoplasmosis capsulati, unspecified
B39.3	Disseminated histoplasmosis capsulati
B39.4	Histoplasmosis capsulati, unspecified
B39.5	Histoplasmosis duboisii
B39.9	Histoplasmosis, unspecified
B40	Blastomycosis
B40.0	Acute pulmonary blastomycosis
B40.1	Chronic pulmonary blastomycosis
B40.2	Pulmonary blastomycosis, unspecified
B40.3	Cutaneous blastomycosis
B40.7	Disseminated blastomycosis
B40.8	Other forms of blastomycosis
B40.9	Blastomycosis, unspecified
B41	Paracoccidioidomycosis
B41.0	Pulmonary paracoccidioidomycosis
B41.7	Disseminated paracoccidioidomycosis
B41.8	Other forms of paracoccidioidomycosis
B41.9	Paracoccidioidomycosis, unspecified
B42	Sporotrichosis
B42.0	Pulmonary sporotrichosis
B42.1	Lymphocutaneous sporotrichosis
B42.7	Disseminated sporotrichosis
B42.8	Other forms of sporotrichosis
B42.9	Sporotrichosis, unspecified
B43	Chromomycosis and phaeomycotic abscess
B43.0	Cutaneous chromomycosis
B43.1	Phaeomycotic brain abscess
B43.2	Subcutaneous phaeomycotic abscess and cyst
B43.8	Other forms of chromomycosis
B43.9	Chromomycosis, unspecified
B44	Aspergillosis
B44.0	Invasive pulmonary aspergillosis
B44.1	Other pulmonary aspergillosis

B44.2	Tonsillar aspergillosis
B44.7	Disseminated aspergillosis
B44.8	Other forms of aspergillosis
B44.9	Aspergillosis, unspecified
B45	Cryptococcosis
B45.0	Pulmonary cryptococcosis
B45.1	Cerebral cryptococcosis
B45.2	Cutaneous cryptococcosis
B45.3	Osseous cryptococcosis
B45.7	Disseminated cryptococcosis
B45.8	Other forms of cryptococcosis
B45.9	Cryptococcosis, unspecified
B46	Zygomycosis
B46.0	Pulmonary mucormycosis
B46.1	Rhinocerebral mucormycosis
B46.2	Gastrointestinal mucormycosis
B46.3	Cutaneous mucormycosis
B46.4	Disseminated mucormycosis
B46.5	Mucormycosis, unspecified
B46.8	Other zygomycoses
B46.9	Zygomycosis, unspecified
B47	Mycetoma
B47.0	Eumycetoma
B47.1	Actinomycetoma
B47.9	Mycetoma, unspecified
B48	Other mycoses, not elsewhere classified
B48.0	Lobomycosis
B48.1	Rhinosporidiosis
B48.2	Allescheriasis
B48.3	Geotrichosis
B48.4	Penicilliosis
B48.5†	Pneumocystosis (J17.2*)
B48.7	Opportunistic mycoses
B48.8	Other specified mycoses
B49	Unspecified mycosis
B50	<i>Plasmodium falciparum</i> malaria
B50.0	<i>Plasmodium falciparum</i> malaria with cerebral complications
B50.8	Other severe and complicated <i>Plasmodium falciparum</i> malaria
B50.9	<i>Plasmodium falciparum</i> malaria, unspecified
B51	<i>Plasmodium vivax</i> malaria
B51.0	<i>Plasmodium vivax</i> malaria with rupture of spleen
B51.8	<i>Plasmodium vivax</i> malaria with other complications
B51.9	<i>Plasmodium vivax</i> malaria without complication
B52	<i>Plasmodium malariae</i> malaria
B52.0	<i>Plasmodium malariae</i> malaria with nephropathy
B52.8	<i>Plasmodium malariae</i> malaria with other complications
B52.9	<i>Plasmodium malariae</i> malaria without complication
B53	Other parasitologically confirmed malaria

B53.0	<i>Plasmodium ovale</i> malaria
B53.1	Malaria due to simian plasmodia
B53.8	Other parasitologically confirmed malaria, not elsewhere classified
B54	Unspecified malaria
B55	Leishmaniasis
B55.0	Visceral leishmaniasis
B55.1	Cutaneous leishmaniasis
B55.2	Mucocutaneous leishmaniasis
B55.9	Leishmaniasis, unspecified
B56	African trypanosomiasis
B56.0	Gambiense trypanosomiasis
B56.1	Rhodesiense trypanosomiasis
B56.9	African trypanosomiasis, unspecified
B57	Chagas' disease
B57.0	Acute Chagas' disease with heart involvement
B57.1	Acute Chagas' disease without heart involvement
B57.2	Chagas' disease (chronic) with heart involvement
B57.3	Chagas' disease (chronic) with digestive system involvement
B57.4	Chagas' disease (chronic) with nervous system involvement
B57.5	Chagas' disease (chronic) with other organ involvement
B58	Toxoplasmosis
B58.0	Toxoplasma oculopathy
B58.1	Toxoplasma hepatitis
B58.2†	Toxoplasma meningoencephalitis (G05.2*)
B58.3†	Pulmonary toxoplasmosis (J17.3*)
B58.8	Toxoplasmosis with other organ involvement
B58.9	Toxoplasmosis, unspecified
B59†	Pneumocystosis (J17.3*)
B60	Other protozoal diseases, not elsewhere classified
B60.0	Babesiosis
B60.1	Acanthamoebiasis
B60.2	Naegleriasis
B60.8	Other specified protozoal diseases
B64	Unspecified protozoal disease
B65	Schistosomiasis [bilharziasis]
B65.0	Schistosomiasis due to <i>Schistosoma haematobium</i> [urinary schistosomiasis]
B65.1	Schistosomiasis due to <i>Schistosoma mansoni</i> [intestinal schistosomiasis]
B65.2	Schistosomiasis due to <i>Schistosoma japonicum</i>
B65.3	Cercarial dermatitis
B65.8	Other schistosomiasis
B65.9	Schistosomiasis, unspecified
B66	Other fluke infections
B66.0	Opisthorchiasis
B66.1	Clonorchiasis
B66.2	Dicrocoeliasis
B66.3	Fascioliasis
B66.4	Paragonimiasis
B66.5	Fasciolopsiasis

B66.8	Other specified fluke infections
B66.9	Fluke infection, unspecified
B67	Echinococcosis
B67.0	<i>Echinococcus granulosus</i> infection of liver
B67.1	<i>Echinococcus granulosus</i> infection of lung
B67.2	<i>Echinococcus granulosus</i> infection of bone
B67.3	<i>Echinococcus granulosus</i> infection, other and multiple sites
B67.4	<i>Echinococcus granulosus</i> infection, unspecified
B67.5	<i>Echinococcus multilocularis</i> infection of liver
B67.6	<i>Echinococcus multilocularis</i> infection, other and multiple sites
B67.7	<i>Echinococcus multilocularis</i> infection, unspecified
B67.8	Echinococcosis, unspecified, of liver
B67.9	Echinococcosis, other and unspecified
B68	Taeniasis
B68.0	<i>Taenia solium</i> taeniasis
B68.1	<i>Taenia saginata</i> taeniasis
B68.9	Taeniasis, unspecified
B69	Cysticercosis
B69.0	Cysticercosis of central nervous system
B69.1	Cysticercosis of eye
B69.8	Cysticercosis of other sites
B69.9	Cysticercosis, unspecified
B70	Diphyllobothriasis and sparganosis
B70.0	Diphyllobothriasis
B70.1	Sparganosis
B71	Other cestode infections
B71.0	Hymenolepiasis
B71.1	Dipylidiasis
B71.8	Other specified cestode infections
B71.9	Cestode infection, unspecified
B72	Dracunculiasis
B73	Onchocerciasis
B74	Filariasis
B74.0	Filariasis due to <i>Wuchereria bancrofti</i>
B74.1	Filariasis due to <i>Brugia malayi</i>
B74.2	Filariasis due to <i>Brugia timori</i>
B74.3	Loiasis
B74.4	Mansonelliasis
B74.8	Other filariases
B74.9	Filariasis, unspecified
B75	Trichinellosis
B76	Hookworm diseases
B76.0	Ancylostomiasis
B76.1	Necatoriasis
B76.8	Other hookworm diseases
B76.9	Hookworm disease, unspecified
B77	Ascariasis
B77.0	Ascariasis with intestinal complications

B77.8	Ascariasis with other complications
B77.9	Ascariasis, unspecified
B78	Strongyloidiasis
B78.0	Intestinal strongyloidiasis
B78.1	Cutaneous strongyloidiasis
B78.7	Disseminated strongyloidiasis
B78.9	Strongyloidiasis, unspecified
B79	Trichuriasis
B80	Enterobiasis
B81	Other intestinal helminthiasis, not elsewhere classified
B81.0	Anisakiasis
B81.1	Intestinal capillariasis
B81.2	Trichostrongyliasis
B81.3	Intestinal angiostrongyliasis
B81.4	Mixed intestinal helminthiasis
B81.8	Other specified intestinal helminthiasis
B82	Unspecified intestinal parasitism
B82.0	Intestinal helminthiasis, unspecified
B82.9	Intestinal parasitism, unspecified
B83	Other helminthiasis
B83.0	Visceral larva migrans
B83.1	Gnathostomiasis
B83.2	Angiostrongyliasis due to <i>Parastrongylus cantonensis</i>
B83.3	Syngamiasis
B83.4	Internal hirudiniasis
B83.8	Other specified helminthiasis
B83.9	Helminthiasis, unspecified
B85	Pediculosis and phthiriasis
B85.0	Pediculosis due to <i>Pediculus humanus capitis</i>
B85.1	Pediculosis due to <i>Pediculus humanus corporis</i>
B85.2	Pediculosis, unspecified
B85.3	Phthiriasis
B85.4	Mixed pediculosis and phthiriasis
B86	Scabies
B87	Myiasis
B87.0	Cutaneous myiasis
B87.1	Wound myiasis
B87.2	Ocular myiasis
B87.3	Nasopharyngeal myiasis
B87.4	Aural myiasis
B87.8	Myiasis of other sites
B87.9	Myiasis, unspecified
B88	Other infestations
B88.0	Other acariasis
B88.1	Tungiasis [sandflea infestation]
B88.2	Other arthropod infestations
B88.3	External hirudiniasis
B88.8	Other specified infestations

B88.9	Infestation, unspecified
B89	Unspecified parasitic disease
B90–B94	Sequelae of infectious and parasitic diseases
B90	Sequelae of tuberculosis
B90.0	Sequelae of central nervous system tuberculosis
B90.1	Sequelae of genitourinary tuberculosis
B90.2	Sequelae of tuberculosis of bones and joints
B90.8	Sequelae of tuberculosis of other organs
B90.9	Sequelae of respiratory and unspecified tuberculosis
B91	Sequelae of poliomyelitis
B92	Sequelae of leprosy
B94	Sequelae of other and unspecified infectious and parasitic diseases
B94.0	Sequelae of trachoma
B94.1	Sequelae of viral encephalitis
B94.2	Sequelae of viral hepatitis
B94.8	Sequelae of other specified infectious and parasitic diseases
B94.9	Sequelae of unspecified infectious or parasitic disease
B95–B97	Bacterial and viral agents as the cause of diseases classified to other chapters
B95	<i>Streptococcus</i> , <i>Enterococcus</i> and <i>Staphylococcus</i> as the cause of diseases classified to other chapters
B95.0	<i>Streptococcus</i> , group A, as the cause of diseases classified to other chapters
B95.1	<i>Streptococcus</i> , group B, as the cause of diseases classified to other chapters
B95.2	<i>Streptococcus</i> , group D and <i>Enterococcus</i> , as the cause of diseases classified to other chapters
B95.21	<i>Streptococcus</i> , group D, as the cause of diseases classified to other chapters
B95.22	<i>Enterococcus</i> , as the cause of diseases classified to other chapters
B95.3	<i>Streptococcus pneumoniae</i> as the cause of diseases classified to other chapters
B95.4	Other <i>Streptococcus</i> as the cause of diseases classified to other chapters
B95.41	<i>Streptococcus</i> , Group C, as the cause of diseases classified to other chapters
B95.42	<i>Streptococcus</i> , Group G, as the cause of diseases classified to other chapters
B95.48	<i>Streptococcus</i> , other specified group, as the cause of diseases classified to other chapters
B95.5	Unspecified <i>Streptococcus</i> as the cause of diseases classified to other chapters
B95.6	<i>Staphylococcus aureus</i> as the cause of diseases classified to other chapters
B95.7	Other <i>Staphylococcus</i> as the cause of diseases classified to other chapters
B95.71	<i>Staphylococcus argenteus</i> as the cause of diseases classified to other chapters
B95.79	Other <i>Staphylococcus</i> as the cause of diseases classified to other chapters
B95.8	Unspecified <i>Staphylococcus</i> as the cause of diseases classified to other chapters
B96	Other bacterial agents as the cause of diseases classified to other chapters
B96.0	<i>Mycoplasma pneumoniae</i> [M. pneumoniae] as the cause of diseases classified to other chapters
B96.1	<i>Klebsiella pneumoniae</i> [K. pneumoniae] as the cause of diseases classified to other chapters
B96.2	<i>Escherichia coli</i> [E. coli] as the cause of diseases classified to other chapters
B96.3	<i>Haemophilus influenzae</i> [H. influenzae] as the cause of diseases classified to other chapters
B96.31	<i>Haemophilus influenzae</i> [H. influenzae] type B, as the cause of diseases classified to other chapters
B96.38	<i>Haemophilus influenzae</i> [H. influenzae] other specified type, as the cause of diseases classified to other chapters

- B96.39 *Haemophilus influenzae* [*H. influenzae*] type not specified, as the cause of diseases classified to other chapters
- B96.4 *Proteus*, *Morganella* and *Providencia* as the cause of diseases classified to other chapters
- B96.41 *Proteus* (*mirabilis*) as the cause of diseases classified to other chapters
- B96.42 *Morganella* (*morganii*) as the cause of diseases classified to other chapters
- B96.43 *Providencia* (*rettgeri*) as the cause of diseases classified to other chapters
- B96.5 *Pseudomonas* (*aeruginosa*) as the cause of diseases classified to other chapters
- B96.6 *Bacteroides* (*fragilis*) as the cause of diseases classified to other chapters
- B96.7 *Clostridium perfringens* [*C. perfringens*] as the cause of diseases classified to other chapters
- B96.8 Other specified bacterial agents as the cause of diseases classified to other chapters
- B96.81 *Helicobacter pylori* [*H. pylori*] as the cause of diseases classified to other chapters
- B96.82 *Vibrio vulnificus* as the cause of diseases classified to other chapters
- B96.83 *Acinetobacter baumannii* [*A. baumannii*] as the cause of diseases classified to other chapters
- B96.84 *Burkholderia* (*mallei*) (*pseudomallei*) as the cause of diseases classified to other chapters
- B96.85 *Campylobacter* as the cause of diseases classified to other chapters
- B96.86 *Clostridioides* [*Clostridium*] *difficile* [*C. difficile*] as the cause of diseases classified to other chapters
- B96.87 Other enterobacterales as the cause of diseases classified to other chapters
- B96.88 Other and unspecified bacterial agents as the cause of diseases classified to other chapters
- B96.89 Other specified bacterial agents as the cause of diseases classified to other chapters
- B97 Viral agents as the cause of diseases classified to other chapters
- B97.0 Adenovirus as the cause of diseases classified to other chapters
- B97.1 Enterovirus as the cause of diseases classified to other chapters
- B97.2 Coronavirus as the cause of diseases classified to other chapters
- B97.3 Retrovirus as the cause of diseases classified to other chapters
- B97.4 Respiratory syncytial virus as the cause of diseases classified to other chapters
- B97.5 Reovirus as the cause of diseases classified to other chapters
- B97.6 Parvovirus as the cause of diseases classified to other chapters
- B97.7 Papillomavirus as the cause of diseases classified to other chapters
- B97.8 Other viral agents as the cause of diseases classified to other chapters
- B97.81 Rhinovirus as the cause of diseases classified to other chapters
- B97.82 Astrovirus as the cause of diseases classified to other chapters
- B97.83 Parainfluenza virus as the cause of diseases classified to other chapters
- B97.89 Viral agents as the cause of diseases classified to other chapters, not elsewhere classified
- B99 Other and unspecified infectious diseases

Chapter 2 NEOPLASMS (C00–D48)

- C00–D48 Neoplasms
- C00 Malignant neoplasm of lip
- C00.0 Malignant neoplasm of external upper lip
- C00.1 Malignant neoplasm of external lower lip
- C00.2 Malignant neoplasm of external lip, unspecified
- C00.3 Malignant neoplasm of upper lip, inner aspect
- C00.4 Malignant neoplasm of lower lip, inner aspect
- C00.5 Malignant neoplasm of lip, unspecified, inner aspect
- C00.6 Malignant neoplasm of commissure of lip

C00.8	Overlapping malignant lesion of lip
C00.9	Malignant neoplasm of lip, unspecified
C01	Malignant neoplasm of base of tongue
C02	Malignant neoplasm of other and unspecified parts of tongue
C02.0	Malignant neoplasm of dorsal surface of tongue
C02.1	Malignant neoplasm of border of tongue
C02.2	Malignant neoplasm of ventral surface of tongue
C02.3	Malignant neoplasm of anterior two-thirds of tongue, part unspecified
C02.4	Malignant neoplasm of lingual tonsil
C02.8	Malignant neoplasm of overlapping lesion of tongue
C02.9	Malignant neoplasm of tongue, unspecified
C03	Malignant neoplasm of gum
C03.0	Malignant neoplasm of upper gum
C03.1	Malignant neoplasm of lower gum
C03.9	Malignant neoplasm of gum, unspecified
C04	Malignant neoplasm of floor of mouth
C04.0	Malignant neoplasm of anterior floor of mouth
C04.1	Malignant neoplasm of lateral floor of mouth
C04.8	Overlapping malignant lesion of floor of mouth
C04.9	Malignant neoplasm of floor of mouth, unspecified
C05	Malignant neoplasm of palate
C05.0	Malignant neoplasm of hard palate
C05.1	Malignant neoplasm of soft palate
C05.2	Malignant neoplasm of uvula
C05.8	Overlapping malignant lesion of palate
C05.9	Malignant neoplasm of palate, unspecified
C06	Malignant neoplasm of other and unspecified parts of mouth
C06.0	Malignant neoplasm of cheek mucosa
C06.1	Malignant neoplasm of vestibule of mouth
C06.2	Malignant neoplasm of retromolar area
C06.8	Overlapping malignant lesion of other and unspecified parts of mouth
C06.9	Malignant neoplasm of mouth, unspecified
C07	Malignant neoplasm of parotid gland
C08	Malignant neoplasm of other and unspecified major salivary glands
C08.0	Malignant neoplasm of submandibular gland
C08.1	Malignant neoplasm of sublingual gland
C08.8	Overlapping malignant lesion of major salivary glands
C08.9	Malignant neoplasm of major salivary gland, unspecified
C09	Malignant neoplasm of tonsil
C09.0	Malignant neoplasm of tonsillar fossa
C09.1	Malignant neoplasm of tonsillar pillar (anterior)(posterior)
C09.8	Overlapping malignant lesion of tonsil
C09.9	Malignant neoplasm of tonsil, unspecified
C10	Malignant neoplasm of oropharynx
C10.0	Malignant neoplasm of vallecula
C10.1	Malignant neoplasm of anterior surface of epiglottis
C10.2	Malignant neoplasm of lateral wall of oropharynx
C10.3	Malignant neoplasm of posterior wall of oropharynx

C10.4	Malignant neoplasm of branchial cleft
C10.8	Overlapping malignant lesion of oropharynx
C10.9	Malignant neoplasm of oropharynx, unspecified
C11	Malignant neoplasm of nasopharynx
C11.0	Malignant neoplasm of superior wall of nasopharynx
C11.1	Malignant neoplasm of posterior wall of nasopharynx
C11.2	Malignant neoplasm of lateral wall of nasopharynx
C11.3	Malignant neoplasm of anterior wall of nasopharynx
C11.8	Overlapping malignant lesion of nasopharynx
C11.9	Malignant neoplasm of nasopharynx, unspecified
C12	Malignant neoplasm of pyriform sinus
C13	Malignant neoplasm of hypopharynx
C13.0	Malignant neoplasm of postcricoid region
C13.1	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect
C13.2	Malignant neoplasm of posterior wall of hypopharynx
C13.8	Overlapping malignant lesion of hypopharynx
C13.9	Malignant neoplasm of hypopharynx, unspecified
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx
C14.0	Malignant neoplasm of pharynx, unspecified
C14.2	Malignant neoplasm of Waldeyer ring
C14.8	Overlapping malignant lesion of lip, oral cavity and pharynx
C15	Malignant neoplasm of oesophagus
C15.0	Malignant neoplasm of cervical part of oesophagus
C15.1	Malignant neoplasm of thoracic part of oesophagus
C15.2	Malignant neoplasm of abdominal part of oesophagus
C15.3	Malignant neoplasm of upper third of oesophagus
C15.4	Malignant neoplasm of middle third of oesophagus
C15.5	Malignant neoplasm of lower third of oesophagus
C15.8	Overlapping malignant lesion of oesophagus
C15.9	Malignant neoplasm of oesophagus, unspecified
C16	Malignant neoplasm of stomach
C16.0	Malignant neoplasm of cardia
C16.1	Malignant neoplasm of fundus of stomach
C16.2	Malignant neoplasm of body of stomach
C16.3	Malignant neoplasm of pyloric antrum
C16.4	Malignant neoplasm of pylorus
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified
C16.8	Overlapping malignant lesion of stomach
C16.9	Malignant neoplasm of stomach, unspecified
C17	Malignant neoplasm of small intestine
C17.0	Malignant neoplasm of duodenum
C17.1	Malignant neoplasm of jejunum
C17.2	Malignant neoplasm of ileum
C17.3	Malignant neoplasm of Meckel's diverticulum
C17.8	Overlapping malignant lesion of small intestine
C17.9	Malignant neoplasm of small intestine, unspecified
C18	Malignant neoplasm of colon

C18.0	Malignant neoplasm of caecum
C18.1	Malignant neoplasm of appendix
C18.2	Malignant neoplasm of ascending colon
C18.3	Malignant neoplasm of hepatic flexure
C18.4	Malignant neoplasm of transverse colon
C18.5	Malignant neoplasm of splenic flexure
C18.6	Malignant neoplasm of descending colon
C18.7	Malignant neoplasm of sigmoid colon
C18.8	Overlapping malignant lesion of colon
C18.9	Malignant neoplasm of colon, part unspecified
C19	Malignant neoplasm of rectosigmoid junction
C20	Malignant neoplasm of rectum
C21	Malignant neoplasm of anus and anal canal
C21.0	Malignant neoplasm of anus, unspecified
C21.1	Malignant neoplasm of anal canal
C21.2	Malignant neoplasm of cloacogenic zone
C21.8	Overlapping malignant lesion of rectum, anus and anal canal
C22	Malignant neoplasm of liver and intrahepatic bile ducts
C22.0	Liver cell carcinoma
C22.1	Intrahepatic bile duct carcinoma
C22.2	Hepatoblastoma
C22.3	Angiosarcoma of liver
C22.4	Other sarcomas of liver
C22.7	Other specified carcinomas of liver
C22.9	Malignant neoplasm of liver, unspecified
C23	Malignant neoplasm of gallbladder
C24	Malignant neoplasm of other and unspecified parts of biliary tract
C24.0	Malignant neoplasm of extrahepatic bile duct
C24.1	Malignant neoplasm of ampulla of Vater
C24.8	Overlapping malignant lesion of biliary tract
C24.9	Malignant neoplasm of biliary tract, unspecified
C25	Malignant neoplasm of pancreas
C25.0	Malignant neoplasm of head of pancreas
C25.1	Malignant neoplasm of body of pancreas
C25.2	Malignant neoplasm of tail of pancreas
C25.3	Malignant neoplasm of pancreatic duct
C25.4	Malignant neoplasm of endocrine pancreas
C25.7	Malignant neoplasm of other parts of pancreas
C25.8	Overlapping malignant lesion of pancreas
C25.9	Malignant neoplasm of pancreas, part unspecified
C26	Malignant neoplasm of other and ill-defined digestive organs
C26.0	Malignant neoplasm of intestinal tract, part unspecified
C26.1	Malignant neoplasm of spleen
C26.8	Overlapping malignant lesion of digestive system
C26.9	Malignant neoplasm of ill-defined sites within the digestive system
C30	Malignant neoplasm of nasal cavity and middle ear
C30.0	Malignant neoplasm of nasal cavity
C30.1	Malignant neoplasm of middle ear

C31	Malignant neoplasm of accessory sinuses
C31.0	Malignant neoplasm of maxillary sinus
C31.1	Malignant neoplasm of ethmoidal sinus
C31.2	Malignant neoplasm of frontal sinus
C31.3	Malignant neoplasm of sphenoidal sinus
C31.8	Overlapping malignant lesion of accessory sinuses
C31.9	Malignant neoplasm of accessory sinus, unspecified
C32	Malignant neoplasm of larynx
C32.0	Malignant neoplasm of glottis
C32.1	Malignant neoplasm of supraglottis
C32.2	Malignant neoplasm of subglottis
C32.3	Malignant neoplasm of laryngeal cartilage
C32.8	Overlapping malignant lesion of larynx
C32.9	Malignant neoplasm of larynx, unspecified
C33	Malignant neoplasm of trachea
C34	Malignant neoplasm of bronchus and lung
C34.0	Malignant neoplasm of main bronchus
C34.1	Malignant neoplasm of upper lobe, bronchus or lung
C34.2	Malignant neoplasm of middle lobe, bronchus or lung
C34.3	Malignant neoplasm of lower lobe, bronchus or lung
C34.8	Overlapping malignant lesion of bronchus and lung
C34.9	Malignant neoplasm of bronchus or lung, unspecified
C37	Malignant neoplasm of thymus
C38	Malignant neoplasm of heart, mediastinum and pleura
C38.0	Malignant neoplasm of heart
C38.1	Malignant neoplasm of anterior mediastinum
C38.2	Malignant neoplasm of posterior mediastinum
C38.3	Malignant neoplasm of mediastinum, part unspecified
C38.4	Malignant neoplasm of pleura
C38.8	Overlapping malignant lesion of heart, mediastinum and pleura
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs
C39.0	Malignant neoplasm of upper respiratory tract, part unspecified
C39.8	Overlapping malignant lesion of respiratory and intrathoracic organs
C39.9	Malignant neoplasm of ill-defined sites within the respiratory system
C40	Malignant neoplasm of bone and articular cartilage of limbs
C40.0	Malignant neoplasm of scapula and long bones of upper limb
C40.1	Malignant neoplasm of short bones of upper limb
C40.2	Malignant neoplasm of long bones of lower limb
C40.3	Malignant neoplasm of short bones of lower limb
C40.8	Overlapping malignant lesion of bone and articular cartilage of limbs
C40.9	Malignant neoplasm of bone and articular cartilage of limb, unspecified
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites
C41.0	Malignant neoplasm of bones of skull and face
C41.01	Malignant neoplasm of craniofacial bones
C41.02	Malignant neoplasm of maxillofacial bones
C41.1	Malignant neoplasm of mandible
C41.2	Malignant neoplasm of vertebral column

C41.3	Malignant neoplasm of ribs, sternum and clavicle
C41.4	Malignant neoplasm of pelvic bones, sacrum and coccyx
C41.8	Overlapping malignant lesion of bone and articular cartilage
C41.9	Malignant neoplasm of bone and articular cartilage, unspecified
C43	Malignant melanoma of skin
C43.0	Malignant melanoma of lip
C43.1	Malignant melanoma of eyelid, including canthus
C43.2	Malignant melanoma of ear and external auricular canal
C43.3	Malignant melanoma of other and unspecified parts of face
C43.4	Malignant melanoma of scalp and neck
C43.5	Malignant melanoma of trunk
C43.6	Malignant melanoma of upper limb, including shoulder
C43.7	Malignant melanoma of lower limb, including hip
C43.8	Overlapping malignant melanoma of skin
C43.9	Malignant melanoma of skin, unspecified
C44	Other malignant neoplasms of skin
C44.0	Malignant neoplasm of skin of lip
C44.1	Malignant neoplasm of skin of eyelid, including canthus
C44.2	Malignant neoplasm of skin of ear and external auricular canal
C44.3	Malignant neoplasm of skin of other and unspecified parts of face
C44.4	Malignant neoplasm of skin of scalp and neck
C44.5	Malignant neoplasm of skin of trunk
C44.6	Malignant neoplasm of skin of upper limb, including shoulder
C44.7	Malignant neoplasm of skin of lower limb, including hip
C44.8	Overlapping malignant lesion of skin
C44.9	Malignant neoplasm of skin, unspecified
C45	Mesothelioma
C45.0	Mesothelioma of pleura
C45.1	Mesothelioma of peritoneum
C45.2	Mesothelioma of pericardium
C45.7	Mesothelioma of other sites
C45.9	Mesothelioma, unspecified
C46	Kaposi sarcoma
C46.0	Kaposi sarcoma of skin
C46.1	Kaposi sarcoma of soft tissue
C46.2	Kaposi sarcoma of palate
C46.3	Kaposi sarcoma of lymph nodes
C46.7	Kaposi sarcoma of other sites
C46.8	Kaposi sarcoma of multiple organs
C46.9	Kaposi sarcoma, unspecified
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system
C47.0	Malignant neoplasm of peripheral nerves of head, face and neck
C47.1	Malignant neoplasm of peripheral nerves of upper limb, including shoulder
C47.2	Malignant neoplasm of peripheral nerves of lower limb, including hip
C47.3	Malignant neoplasm of peripheral nerves of thorax
C47.4	Malignant neoplasm of peripheral nerves of abdomen
C47.5	Malignant neoplasm of peripheral nerves of pelvis
C47.6	Malignant neoplasm of peripheral nerves of trunk, unspecified

C47.8	Overlapping malignant lesion of peripheral nerves and autonomic nervous system
C47.9	Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified
C48	Malignant neoplasm of malignant neoplasm of retroperitoneum and peritoneum
C48.0	Malignant neoplasm of retroperitoneum
C48.1	Malignant neoplasm of specified parts of peritoneum
C48.2	Malignant neoplasm of peritoneum, unspecified
C48.8	Overlapping malignant lesion of retroperitoneum and peritoneum
C49	Malignant neoplasm of other connective and soft tissue
C49.0	Malignant neoplasm of connective and soft tissue of head, face and neck
C49.1	Malignant neoplasm of connective and soft tissue of upper limb, including shoulder
C49.2	Malignant neoplasm of connective and soft tissue of lower limb, including hip
C49.3	Malignant neoplasm of connective and soft tissue of thorax
C49.4	Malignant neoplasm of connective and soft tissue of abdomen
C49.5	Malignant neoplasm of connective and soft tissue of pelvis
C49.6	Malignant neoplasm of connective and soft tissue of trunk, unspecified
C49.8	Overlapping malignant lesion of connective and soft tissue
C49.9	Malignant neoplasm of connective and soft tissue, unspecified
C50	Malignant neoplasm of breast
C50.0	Malignant neoplasm of nipple and areola
C50.1	Malignant neoplasm of central portion of breast
C50.2	Malignant neoplasm of upper-inner quadrant of breast
C50.3	Malignant neoplasm of lower-inner quadrant of breast
C50.4	Malignant neoplasm of upper-outer quadrant of breast
C50.5	Malignant neoplasm of lower-outer quadrant of breast
C50.6	Malignant neoplasm of axillary tail of breast
C50.8	Overlapping malignant lesion of breast
C50.9	Malignant neoplasm of breast, unspecified part
C51	Malignant neoplasm of vulva
C51.0	Malignant neoplasm of labium majus
C51.1	Malignant neoplasm of labium minus
C51.2	Malignant neoplasm of clitoris
C51.8	Overlapping malignant lesion of vulva
C51.9	Malignant neoplasm of vulva, unspecified
C52	Malignant neoplasm of vagina
C53	Malignant neoplasm of cervix uteri
C53.0	Malignant neoplasm of endocervix
C53.1	Malignant neoplasm of exocervix
C53.8	Overlapping malignant lesion of cervix uteri
C53.9	Malignant neoplasm of cervix uteri, unspecified
C54	Malignant neoplasm of corpus uteri
C54.0	Malignant neoplasm of isthmus uteri
C54.1	Malignant neoplasm of endometrium
C54.2	Malignant neoplasm of myometrium
C54.3	Malignant neoplasm of fundus uteri
C54.8	Overlapping malignant lesion of corpus uteri
C54.9	Malignant neoplasm of corpus uteri, unspecified
C55	Malignant neoplasm of uterus, part unspecified
C56	Malignant neoplasm of ovary

C57	Malignant neoplasm of other and unspecified female genital organs
C57.0	Malignant neoplasm of fallopian tube
C57.1	Malignant neoplasm of broad ligament
C57.2	Malignant neoplasm of round ligament
C57.3	Malignant neoplasm of parametrium
C57.4	Malignant neoplasm of uterine adnexa, unspecified
C57.7	Malignant neoplasm of other specified female genital organs
C57.8	Overlapping malignant lesion of female genital organs
C57.9	Malignant neoplasm of female genital organ, unspecified
C58	Malignant neoplasm of placenta
C60	Malignant neoplasm of penis
C60.0	Malignant neoplasm of prepuce
C60.1	Malignant neoplasm of glans penis
C60.2	Malignant neoplasm of body of penis
C60.8	Overlapping malignant lesion of penis
C60.9	Malignant neoplasm of penis, unspecified
C61	Malignant neoplasm of prostate
C62	Malignant neoplasm of testis
C62.0	Malignant neoplasm of undescended testis
C62.1	Malignant neoplasm of descended testis
C62.9	Malignant neoplasm of testis, unspecified
C63	Malignant neoplasm of other and unspecified male genital organs
C63.0	Malignant neoplasm of epididymis
C63.1	Malignant neoplasm of spermatic cord
C63.2	Malignant neoplasm of scrotum
C63.7	Other specified male genital organs
C63.8	Overlapping malignant lesion of male genital organs
C63.9	Malignant neoplasm of male genital organ, unspecified
C64	Malignant neoplasm of kidney, except renal pelvis
C65	Malignant neoplasm of renal pelvis
C66	Malignant neoplasm of ureter
C67	Malignant neoplasm of bladder
C67.0	Malignant neoplasm of trigone of bladder
C67.1	Malignant neoplasm of dome of bladder
C67.2	Malignant neoplasm of lateral wall of bladder
C67.3	Malignant neoplasm of anterior wall of bladder
C67.4	Malignant neoplasm of posterior wall of bladder
C67.5	Malignant neoplasm of bladder neck
C67.6	Malignant neoplasm of ureteric orifice
C67.7	Malignant neoplasm of urachus
C67.8	Overlapping malignant lesion of bladder
C67.9	Malignant neoplasm of bladder, unspecified
C68	Malignant neoplasm of other and unspecified urinary organs
C68.0	Malignant neoplasm of urethra
C68.1	Malignant neoplasm of paraurethral gland
C68.8	Overlapping malignant lesion of urinary organs
C68.9	Malignant neoplasm of urinary organ, unspecified
C69	Malignant neoplasm of eye and adnexa

C69.0	Malignant neoplasm of conjunctiva
C69.1	Malignant neoplasm of cornea
C69.2	Malignant neoplasm of retina
C69.3	Malignant neoplasm of choroid
C69.4	Malignant neoplasm of ciliary body
C69.5	Malignant neoplasm of lacrimal gland and duct
C69.6	Malignant neoplasm of orbit
C69.7	Malignant neoplasm of other specified parts of eye
C69.8	Overlapping malignant lesion of eye and adnexa
C69.9	Malignant neoplasm of eye, unspecified
C70	Malignant neoplasm of meninges
C70.0	Malignant neoplasm of cerebral meninges
C70.1	Malignant neoplasm of spinal meninges
C70.9	Malignant neoplasm of meninges, unspecified
C71	Malignant neoplasm of brain
C71.0	Malignant neoplasm of cerebrum, except lobes and ventricles
C71.1	Malignant neoplasm of frontal lobe
C71.2	Malignant neoplasm of temporal lobe
C71.3	Malignant neoplasm of parietal lobe
C71.4	Malignant neoplasm of occipital lobe
C71.5	Malignant neoplasm of cerebral ventricle
C71.6	Malignant neoplasm of cerebellum
C71.7	Malignant neoplasm of brain stem
C71.8	Overlapping malignant lesion of brain
C71.9	Malignant neoplasm of brain, unspecified
C72	Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system
C72.0	Malignant neoplasm of spinal cord
C72.1	Malignant neoplasm of cauda equina
C72.2	Malignant neoplasm of olfactory nerve
C72.3	Malignant neoplasm of optic nerve
C72.4	Malignant neoplasm of acoustic nerve
C72.5	Malignant neoplasm of other and unspecified cranial nerves
C72.8	Overlapping malignant lesion of brain and other parts of central nervous system
C72.9	Malignant neoplasm of central nervous system, unspecified
C73	Malignant neoplasm of thyroid gland
C74	Malignant neoplasm of adrenal gland
C74.0	Malignant neoplasm of cortex of adrenal gland
C74.1	Malignant neoplasm of medulla of adrenal gland
C74.9	Malignant neoplasm of adrenal gland, unspecified
C75	Malignant neoplasm of other endocrine glands and related structures
C75.0	Malignant neoplasm of parathyroid gland
C75.1	Malignant neoplasm of pituitary gland
C75.2	Malignant neoplasm of craniopharyngeal duct
C75.3	Malignant neoplasm of pineal gland
C75.4	Malignant neoplasm of carotid body
C75.5	Malignant neoplasm of aortic body and other paraganglia
C75.8	Malignant neoplasm of pluriglandular involvement, unspecified

C75.9	Malignant neoplasm of endocrine gland, unspecified
C76	Malignant neoplasm of other and ill-defined sites
C76.0	Malignant neoplasm of head, face and neck
C76.1	Malignant neoplasm of thorax
C76.2	Malignant neoplasm of abdomen
C76.3	Malignant neoplasm of pelvis
C76.31	Malignant neoplasm of male pelvic organs
C76.32	Malignant neoplasm of female pelvic organs
C76.39	Malignant neoplasm of pelvic organs, not elsewhere classified
C76.4	Malignant neoplasm of upper limb
C76.5	Malignant neoplasm of lower limb
C76.7	Malignant neoplasm of other ill-defined sites
C76.8	Overlapping malignant lesion of other and ill-defined sites
C77	Secondary and unspecified malignant neoplasm of lymph nodes
C77.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck
C77.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes
C77.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes
C77.3	Secondary and unspecified malignant neoplasm of axillary and upper limb lymph nodes
C77.4	Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes
C77.5	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes
C77.8	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions
C77.9	Secondary and unspecified malignant neoplasm of lymph node, unspecified
C78	Secondary malignant neoplasm of respiratory and digestive organs
C78.0	Secondary malignant neoplasm of lung
C78.1	Secondary malignant neoplasm of mediastinum
C78.2	Secondary malignant neoplasm of pleura
C78.3	Secondary malignant neoplasm of other and unspecified respiratory organs
C78.4	Secondary malignant neoplasm of small intestine
C78.5	Secondary malignant neoplasm of large intestine and rectum
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct
C78.8	Secondary malignant neoplasm of other and unspecified digestive organs
C79	Secondary malignant neoplasm of other and unspecified sites
C79.0	Secondary malignant neoplasm of kidney and renal pelvis
C79.1	Secondary malignant neoplasm of bladder and other and unspecified urinary organs
C79.2	Secondary malignant neoplasm of skin
C79.3	Secondary malignant neoplasm of brain and cerebral meninges
C79.4	Secondary malignant neoplasm of other and unspecified parts of nervous system
C79.5	Secondary malignant neoplasm of bone and bone marrow
C79.6	Secondary malignant neoplasm of ovary
C79.7	Secondary malignant neoplasm of adrenal gland
C79.8	Secondary malignant neoplasm of other specified sites
C79.81	Secondary malignant neoplasm of breast
C79.82	Secondary malignant neoplasm of genital organs
C79.83	Secondary malignant neoplasm of male genital organs
C79.84	Secondary malignant neoplasm of female genital organs
C79.88	Secondary malignant neoplasm of other specified sites
C79.9	Secondary malignant neoplasm, unspecified site

C80	Malignant neoplasm without specification of site
C80.0	Malignant neoplasm, primary site unknown, so stated
C80.9	Malignant neoplasm, primary site unspecified
C81–C96	Malignant neoplasms of lymphoid, haematopoietic and related tissue
C81	Hodgkin lymphoma
C81.0	Nodular lymphocyte predominant Hodgkin lymphoma
C81.1	Nodular sclerosis (classical) Hodgkin lymphoma
C81.2	Mixed cellularity (classical) Hodgkin lymphoma
C81.3	Lymphocyte depleted (classical) Hodgkin lymphoma
C81.4	Lymphocyte-rich (classical) Hodgkin lymphoma
C81.7	Other (classical) Hodgkin lymphoma
C81.9	Hodgkin lymphoma, unspecified
C82	Follicular lymphoma
C82.0	Follicular lymphoma grade 1
C82.1	Follicular lymphoma grade 2
C82.2	Follicular lymphoma grade 3, unspecified
C82.3	Follicular lymphoma grade 3a
C82.4	Follicular lymphoma grade 3b
C82.5	Diffuse follicle centre lymphoma
C82.6	Cutaneous follicle centre lymphoma
C82.7	Other types of follicular lymphoma
C82.9	Follicular lymphoma, unspecified
C83	Non-follicular lymphoma
C83.0	Small cell B-cell lymphoma
C83.1	Mantle cell lymphoma
C83.2	Mixed small and large cell (diffuse) non-Hodgkin lymphoma
C83.3	Diffuse large B-cell lymphoma
C83.4	Immunoblastic (diffuse) non-Hodgkin lymphoma
C83.5	Lymphoblastic (diffuse) lymphoma
C83.6	Undifferentiated (diffuse) non-Hodgkin lymphoma
C83.7	Burkitt lymphoma
C83.8	Other non-follicular lymphoma
C83.9	Non-follicular (diffuse) lymphoma, unspecified
C84	Mature T/NK-cell lymphomas
C84.0	Mycosis fungoides
C84.1	Sézary disease
C84.2	T-zone lymphoma
C84.3	Lymphoepithelioid lymphoma
C84.4	Peripheral T-cell lymphoma, not elsewhere classified
C84.5	Other mature T/NK-cell lymphomas
C84.6	Anaplastic large cell lymphoma, ALK-positive
C84.7	Anaplastic large cell lymphoma, ALK-negative
C84.8	Cutaneous T-cell lymphoma, unspecified
C84.9	Mature T/NK-cell lymphoma, unspecified
C85	Other and unspecified types of non-Hodgkin lymphoma
C85.0	Lymphosarcoma
C85.1	B-cell lymphoma, unspecified
C85.2	Mediastinal (thymic) large B-cell lymphoma

C85.7	Other specified types of non-Hodgkin lymphoma
C85.9	Non-Hodgkin lymphoma, unspecified type
C86	Other specified types of T/NK-cell lymphoma
C86.0	Extranodal NK/T-cell lymphoma, nasal type
C86.1	Hepatosplenic T-cell lymphoma
C86.2	Enteropathy-type (intestinal) T-cell lymphoma
C86.3	Subcutaneous panniculitis-like T-cell lymphoma
C86.4	Blastic NK-cell lymphoma
C86.5	Angioimmunoblastic T-cell lymphoma
C86.6	Primary cutaneous CD30-positive T-cell proliferations
C88–C95	
C88	Malignant immunoproliferative diseases
C88.0	Waldenström macroglobulinaemia
C88.00	Waldenström macroglobulinaemia, without mention of remission
C88.01	Waldenström macroglobulinaemia, in remission
C88.1	Alpha heavy chain disease
C88.10	Alpha heavy chain disease, without mention of remission
C88.11	Alpha heavy chain disease, in remission
C88.2	Other heavy chain disease
C88.20	Other heavy chain disease, without mention of remission
C88.21	Other heavy chain disease, in remission
C88.3	Immunoproliferative small intestinal disease
C88.30	Immunoproliferative small intestinal disease, without mention of remission
C88.31	Immunoproliferative small intestinal disease, in remission
C88.4	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]
C88.40	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma], without mention of remission
C88.41	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma], in remission
C88.7	Other malignant immunoproliferative diseases
C88.70	Other malignant immunoproliferative diseases, without mention of remission
C88.71	Other malignant immunoproliferative diseases, in remission
C88.9	Malignant immunoproliferative disease, unspecified
C88.90	Malignant immunoproliferative disease, unspecified, without mention of remission
C88.91	Malignant immunoproliferative disease, unspecified, in remission
C90	Multiple myeloma and malignant plasma cell neoplasms
C90.0	Multiple myeloma
C90.00	Multiple myeloma, without mention of remission
C90.01	Multiple myeloma, in remission
C90.1	Plasma cell leukaemia
C90.10	Plasma cell leukaemia, without mention of remission
C90.11	Plasma cell leukaemia, in remission
C90.2	Extramedullary plasmacytoma
C90.20	Extramedullary plasmacytoma, without mention of remission
C90.21	Extramedullary plasmacytoma, in remission
C90.3	Solitary plasmacytoma
C90.30	Solitary plasmacytoma, without mention of remission

C90.31	Solitary plasmacytoma, in remission
C91	Lymphoid leukaemia
C91.0	Acute lymphoblastic leukaemia [ALL]
C91.00	Acute lymphoblastic leukaemia [ALL], without mention of remission
C91.01	Acute lymphoblastic leukaemia [ALL], in remission
C91.1	Chronic lymphocytic leukaemia of B-cell type
C91.10	Chronic lymphocytic leukaemia of B-cell type, without mention of remission
C91.11	Chronic lymphocytic leukaemia of B-cell type, in remission
C91.2	Subacute lymphocytic leukaemia
C91.20	Subacute lymphocytic leukaemia, without mention of remission
C91.21	Subacute lymphocytic leukaemia, in remission
C91.3	Prolymphocytic leukaemia of B-cell type
C91.30	Prolymphocytic leukaemia of B-cell type, without mention of remission
C91.31	Prolymphocytic leukaemia of B-cell type, in remission
C91.4	Hairy-cell leukaemia
C91.40	Hairy-cell leukaemia, without mention of remission
C91.41	Hairy-cell leukaemia, in remission
C91.5	Adult T-cell leukaemia/lymphoma [HTLV-1-associated]
C91.50	Adult T-cell leukaemia/lymphoma [HTLV-1-associated], without mention of remission
C91.51	Adult T-cell leukaemia/lymphoma [HTLV-1-associated], in remission
C91.6	Prolymphocytic leukaemia of T-cell type
C91.60	Prolymphocytic leukaemia of T-cell type, without mention of remission
C91.61	Prolymphocytic leukaemia of T-cell type, in remission
C91.7	Other lymphoid leukaemia
C91.70	Other lymphoid leukaemia, without mention of remission
C91.71	Other lymphoid leukaemia, in remission
C91.8	Mature B-cell leukaemia Burkitt-type
C91.80	Mature B-cell leukaemia Burkitt-type, without mention of remission
C91.81	Mature B-cell leukaemia Burkitt-type, in remission
C91.9	Lymphoid leukaemia, unspecified
C91.90	Lymphoid leukaemia, unspecified, without mention of remission
C91.91	Lymphoid leukaemia, unspecified, in remission
C92	Myeloid leukaemia
C92.0	Acute myeloblastic leukaemia [AML]
C92.00	Acute myeloblastic leukaemia [AML], without mention of remission
C92.01	Acute myeloblastic leukaemia [AML], in remission
C92.1	Chronic myeloid leukaemia [CML], BCR/ABL-positive
C92.10	Chronic myeloid leukaemia [CML], BCR/ABL-positive, without mention of remission
C92.11	Chronic myeloid leukaemia [CML], BCR/ABL-positive, in remission
C92.2	Atypical chronic myeloid leukaemia, BCR/ABL-negative
C92.20	Atypical chronic myeloid leukaemia, BCR/ABL-negative, without mention of remission
C92.21	Atypical chronic myeloid leukaemia, BCR/ABL-negative, in remission
C92.3	Myeloid sarcoma
C92.30	Myeloid sarcoma, without mention of remission
C92.31	Myeloid sarcoma, in remission, in remission
C92.4	Acute promyelocytic leukaemia [PML]
C92.40	Acute promyelocytic leukaemia [PML], without mention of remission
C92.41	Acute promyelocytic leukaemia [PML], in remission

C92.5	Acute myelomonocytic leukaemia
C92.50	Acute myelomonocytic leukaemia, without mention of remission
C92.51	Acute myelomonocytic leukaemia, in remission
C92.6	Acute myeloid leukaemia with 11q23-abnormality
C92.60	Acute myeloid leukaemia with 11q23-abnormality, without mention of remission
C92.61	Acute myeloid leukaemia with 11q23-abnormality, in remission
C92.7	Other myeloid leukaemia
C92.70	Other myeloid leukaemia, without mention of remission
C92.71	Other myeloid leukaemia, in remission
C92.8	Acute myeloid leukaemia with multilineage dysplasia
C92.80	Acute myeloid leukaemia with multilineage dysplasia, without mention of remission
C92.81	Acute myeloid leukaemia with multilineage dysplasia, in remission
C92.9	Myeloid leukaemia, unspecified
C92.90	Myeloid leukaemia, unspecified, without mention of remission
C92.91	Myeloid leukaemia, unspecified, in remission
C93	Monocytic leukaemia
C93.0	Acute monoblastic/monocytic leukaemia
C93.00	Acute monoblastic/monocytic leukaemia, without mention of remission
C93.01	Acute monoblastic/monocytic leukaemia, in remission
C93.1	Chronic myelomonocytic leukaemia [CMML]
C93.10	Chronic myelomonocytic leukaemia [CMML], without mention of remission
C93.11	Chronic myelomonocytic leukaemia [CMML], in remission
C93.2	Subacute monocytic leukaemia
C93.20	Subacute monocytic leukaemia, without mention of remission
C93.21	Subacute monocytic leukaemia, in remission
C93.3	Juvenile myelomonocytic leukaemia
C93.30	Juvenile myelomonocytic leukaemia, without mention of remission
C93.31	Juvenile myelomonocytic leukaemia, in remission
C93.7	Other monocytic leukaemia
C93.70	Other monocytic leukaemia, without mention of remission
C93.71	Other monocytic leukaemia, in remission
C93.9	Monocytic leukaemia, unspecified
C93.90	Monocytic leukaemia, unspecified, without mention of remission
C93.91	Monocytic leukaemia, unspecified, in remission
C94	Other leukaemias of specified cell type
C94.0	Acute erythroid leukaemia
C94.00	Acute erythroid leukaemia, without mention of remission
C94.01	Acute erythroid leukaemia, in remission
C94.1	Chronic erythraemia
C94.10	Chronic erythraemia, without mention of remission
C94.11	Chronic erythraemia, in remission
C94.2	Acute megakaryoblastic leukaemia
C94.20	Acute megakaryoblastic leukaemia, without mention of remission
C94.21	Acute megakaryoblastic leukaemia, in remission
C94.3	Mast cell leukaemia
C94.30	Mast cell leukaemia, without mention of remission
C94.31	Mast cell leukaemia, in remission
C94.4	Acute panmyelosis with myelofibrosis

C94.40	Acute panmyelosis with myelofibrosis, without mention of remission
C94.41	Acute panmyelosis with myelofibrosis, in remission
C94.5	Acute myelofibrosis
C94.50	Acute myelofibrosis, without mention of remission
C94.51	Acute myelofibrosis, in remission
C94.6	Myelodysplastic and myeloproliferative disease, not elsewhere classified
C94.60	Myelodysplastic and myeloproliferative disease, not elsewhere classified, without mention of remission
C94.61	Myelodysplastic and myeloproliferative disease, not elsewhere classified, in remission
C94.7	Other specified leukaemias
C94.70	Other specified leukaemias, without mention of remission
C94.71	Other specified leukaemias, in remission
C95	Leukaemia of unspecified cell type
C95.0	Acute leukaemia of unspecified cell type
C95.00	Acute leukaemia of unspecified cell type, without mention of remission
C95.01	Acute leukaemia of unspecified cell type, in remission
C95.1	Chronic leukaemia of unspecified cell type
C95.10	Chronic leukaemia of unspecified cell type, without mention of remission
C95.11	Chronic leukaemia of unspecified cell type, in remission
C95.2	Subacute leukaemia of unspecified cell type
C95.20	Subacute leukaemia of unspecified cell type, without mention of remission
C95.21	Subacute leukaemia of unspecified cell type, in remission
C95.7	Other leukaemia of unspecified cell type
C95.70	Other leukaemia of unspecified cell type, without mention of remission
C95.71	Other leukaemia of unspecified cell type, in remission
C95.9	Leukaemia, unspecified
C95.90	Leukaemia, unspecified, without mention of remission
C95.91	Leukaemia, unspecified, in remission
C96	Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue
C96.0	Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis [Letterer-Siwe disease]
C96.1	Malignant histiocytosis
C96.2	Malignant mast cell tumour
C96.3	True histiocytic lymphoma
C96.4	Sarcoma of dendritic cells (accessory cells)
C96.5	Multifocal and unisystemic Langerhans-cell histiocytosis
C96.6	Unifocal Langerhans-cell histiocytosis
C96.7	Other specified malignant neoplasms of lymphoid, haematopoietic and related tissue
C96.8	Histiocytic sarcoma
C96.9	Malignant neoplasm of lymphoid, haematopoietic and related tissue, unspecified
C97	Malignant neoplasms of independent (primary) multiple sites
D00–D09	In situ neoplasms
D00	Carcinoma in situ of oral cavity, oesophagus and stomach
D00.0	Carcinoma in situ of lip, oral cavity and pharynx
D00.1	Carcinoma in situ of oesophagus
D00.2	Carcinoma in situ of stomach
D01	Carcinoma in situ of other and unspecified digestive organs

D01.0	Carcinoma in situ of colon
D01.1	Carcinoma in situ of rectosigmoid junction
D01.2	Carcinoma in situ of rectum
D01.3	Carcinoma in situ of anus and anal canal
D01.4	Carcinoma in situ of other and unspecified parts of intestine
D01.5	Carcinoma in situ of liver, gallbladder and bile ducts
D01.7	Carcinoma in situ of other specified digestive organs
D01.9	Carcinoma in situ of digestive organ, unspecified
D02	Carcinoma in situ of middle ear and respiratory system
D02.0	Carcinoma in situ of larynx
D02.1	Carcinoma in situ of trachea
D02.2	Carcinoma in situ of bronchus and lung
D02.3	Carcinoma in situ of other parts of respiratory system
D02.4	Carcinoma in situ of respiratory system, unspecified
D03	Melanoma in situ
D03.0	Melanoma in situ of lip
D03.1	Melanoma in situ of eyelid, including canthus
D03.2	Melanoma in situ of ear and external auricular canal
D03.3	Melanoma in situ of other and unspecified parts of face
D03.4	Melanoma in situ of scalp and neck
D03.5	Melanoma in situ of trunk
D03.6	Melanoma in situ of upper limb, including shoulder
D03.7	Melanoma in situ of lower limb, including hip
D03.8	Melanoma in situ of other sites
D03.9	Melanoma in situ, unspecified
D04	Carcinoma in situ of skin
D04.0	Carcinoma in situ of skin of lip
D04.1	Carcinoma in situ of skin of eyelid, including canthus
D04.2	Carcinoma in situ of skin of ear and external auricular canal
D04.3	Carcinoma in situ of skin of other and unspecified parts of face
D04.4	Carcinoma in situ of skin of scalp and neck
D04.5	Carcinoma in situ of skin of trunk
D04.6	Carcinoma in situ of skin of upper limb, including shoulder
D04.7	Carcinoma in situ of skin of lower limb, including hip
D04.8	Carcinoma in situ of skin of other sites
D04.9	Carcinoma in situ of skin, unspecified
D05	Carcinoma in situ of breast
D05.0	Lobular carcinoma in situ of breast
D05.1	Intraductal carcinoma in situ of breast
D05.7	Other carcinoma in situ of breast
D05.9	Carcinoma in situ of breast, unspecified
D06	Carcinoma in situ of cervix uteri
D06.0	Carcinoma in situ of endocervix
D06.1	Carcinoma in situ of exocervix
D06.7	Carcinoma in situ of other parts of cervix
D06.9	Carcinoma in situ of cervix, unspecified
D07	Carcinoma in situ of other and unspecified genital organs
D07.0	Carcinoma in situ of endometrium

D07.1	Carcinoma in situ of vulva
D07.2	Carcinoma in situ of vagina
D07.3	Carcinoma in situ of other and unspecified female genital organs
D07.4	Carcinoma in situ of penis
D07.5	Carcinoma in situ of prostate
D07.6	Carcinoma in situ of other and unspecified male genital organs
D09	Carcinoma in situ of other and unspecified sites
D09.0	Carcinoma in situ of bladder
D09.1	Carcinoma in situ of other and unspecified urinary organs
D09.2	Carcinoma in situ of eye
D09.3	Carcinoma in situ of thyroid and other endocrine glands
D09.7	Carcinoma in situ of other specified sites
D09.9	Carcinoma in situ, unspecified
D10	Benign neoplasm of mouth and pharynx
D10.0	Benign neoplasm of lip
D10.1	Benign neoplasm of tongue
D10.2	Benign neoplasm of floor of mouth
D10.3	Benign neoplasm of other and unspecified parts of mouth
D10.4	Benign neoplasm of tonsil
D10.5	Benign neoplasm of other parts of oropharynx
D10.6	Benign neoplasm of nasopharynx
D10.7	Benign neoplasm of hypopharynx
D10.9	Benign neoplasm of pharynx, unspecified
D11	Benign neoplasm of major salivary glands
D11.0	Benign neoplasm of parotid gland
D11.7	Benign neoplasm of other major salivary glands
D11.9	Benign neoplasm of major salivary gland, unspecified
D12	Benign neoplasm of colon, rectum, anus and anal canal
D12.0	Benign neoplasm of caecum
D12.1	Benign neoplasm of appendix
D12.2	Benign neoplasm of ascending colon
D12.3	Benign neoplasm of transverse colon
D12.4	Benign neoplasm of descending colon
D12.5	Benign neoplasm of sigmoid colon
D12.6	Benign neoplasm of colon, unspecified
D12.7	Benign neoplasm of rectosigmoid junction
D12.8	Benign neoplasm of rectum
D12.9	Benign neoplasm of anus and anal canal
D13	Benign neoplasm of other and ill-defined parts of digestive system
D13.0	Benign neoplasm of oesophagus
D13.1	Benign neoplasm of stomach
D13.2	Benign neoplasm of duodenum
D13.3	Benign neoplasm of other and unspecified parts of small intestine
D13.4	Benign neoplasm of liver
D13.5	Benign neoplasm of extrahepatic bile ducts
D13.6	Benign neoplasm of pancreas
D13.7	Benign neoplasm of endocrine pancreas
D13.9	Benign neoplasm of ill-defined sites within the digestive system

D14	Benign neoplasm of middle ear and respiratory system
D14.0	Benign neoplasm of middle ear, nasal cavity and accessory sinuses
D14.1	Benign neoplasm of larynx
D14.2	Benign neoplasm of trachea
D14.3	Benign neoplasm of bronchus and lung
D14.4	Benign neoplasm of respiratory system, unspecified
D15	Benign neoplasm of other and unspecified intrathoracic organs
D15.0	Benign neoplasm of thymus
D15.1	Benign neoplasm of heart
D15.2	Benign neoplasm of mediastinum
D15.7	Benign neoplasm of other specified intrathoracic organs
D15.9	Benign neoplasm of intrathoracic organ, unspecified
D16	Benign neoplasm of bone and articular cartilage
D16.0	Benign neoplasm of scapula and long bones of upper limb
D16.1	Benign neoplasm of short bones of upper limb
D16.2	Benign neoplasm of long bones of lower limb
D16.3	Benign neoplasm of short bones of lower limb
D16.4	Benign neoplasm of bones of skull and face
D16.41	Benign neoplasm of craniofacial bones
D16.42	Benign neoplasm of maxillofacial bones
D16.5	Benign neoplasm of lower jaw bone
D16.6	Benign neoplasm of vertebral column
D16.7	Benign neoplasm of ribs, sternum and clavicle
D16.8	Benign neoplasm of pelvic bones, sacrum and coccyx
D16.9	Benign neoplasm of bone and articular cartilage, unspecified
D17	Benign lipomatous neoplasm
D17.0	Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face and neck
D17.1	Benign lipomatous neoplasm of skin and subcutaneous tissue of trunk
D17.2	Benign lipomatous neoplasm of skin and subcutaneous tissue of limbs
D17.3	Benign lipomatous neoplasm of skin and subcutaneous tissue of other and unspecified sites
D17.4	Benign lipomatous neoplasm of intrathoracic organs
D17.5	Benign lipomatous neoplasm of intra-abdominal organs
D17.6	Benign lipomatous neoplasm of spermatic cord
D17.7	Benign lipomatous neoplasm of other sites
D17.9	Benign lipomatous neoplasm, unspecified
D18	Haemangioma and lymphangioma
D18.0	Haemangioma
D18.00	Haemangioma, unspecified site
D18.01	Haemangioma, skin and subcutaneous tissue
D18.02	Haemangioma, intracranial structures
D18.03	Haemangioma, structures of the hepatobiliary system and pancreas
D18.04	Haemangioma, structures of the digestive system
D18.05	Haemangioma, structures of the ear, nose, mouth and throat
D18.06	Haemangioma, structures of the eye and adnexa
D18.08	Haemangioma, other sites
D18.1	Lymphangioma, any site
D19	Benign neoplasm of mesothelial tissue

D19.0	Benign neoplasm of mesothelial tissue of pleura
D19.1	Benign neoplasm of mesothelial tissue of peritoneum
D19.7	Benign neoplasm of mesothelial tissue of other sites
D19.9	Benign neoplasm of mesothelial tissue, unspecified
D20	Benign neoplasm of soft tissue of retroperitoneum and peritoneum
D20.0	Benign neoplasm of retroperitoneum
D20.1	Benign neoplasm of peritoneum
D21	Other benign neoplasms of connective and other soft tissue
D21.0	Other benign neoplasms of connective and other soft tissue of head, face and neck
D21.1	Other benign neoplasms of connective and other soft tissue of upper limb, including shoulder
D21.2	Other benign neoplasms of connective and other soft tissue of lower limb, including hip
D21.3	Other benign neoplasms of connective and other soft tissue of thorax
D21.4	Other benign neoplasms of connective and other soft tissue of abdomen
D21.5	Other benign neoplasms of connective and other soft tissue of pelvis
D21.6	Other benign neoplasms of connective and other soft tissue of trunk, unspecified
D21.9	Other benign neoplasms of connective and other soft tissue, unspecified
D22	Melanocytic naevi
D22.0	Melanocytic naevi of lip
D22.1	Melanocytic naevi of eyelid, including canthus
D22.2	Melanocytic naevi of ear and external auricular canal
D22.3	Melanocytic naevi of other and unspecified parts of face
D22.4	Melanocytic naevi of scalp and neck
D22.5	Melanocytic naevi of trunk
D22.6	Melanocytic naevi of upper limb, including shoulder
D22.7	Melanocytic naevi of lower limb, including hip
D22.9	Melanocytic naevi, unspecified
D23	Other benign neoplasms of skin
D23.0	Other benign neoplasms of skin of lip
D23.1	Other benign neoplasms of skin of eyelid, including canthus
D23.2	Other benign neoplasms of skin of ear and external auricular canal
D23.3	Other benign neoplasms of skin of other and unspecified parts of face
D23.4	Other benign neoplasms of skin of scalp and neck
D23.5	Other benign neoplasms of skin of trunk
D23.6	Other benign neoplasms of skin of upper limb, including shoulder
D23.7	Other benign neoplasms of skin of lower limb, including hip
D23.9	Other benign neoplasms of skin, unspecified
D24	Benign neoplasm of breast
D25	Leiomyoma of uterus
D25.0	Submucous leiomyoma of uterus
D25.1	Intramural leiomyoma of uterus
D25.2	Subserosal leiomyoma of uterus
D25.9	Leiomyoma of uterus, unspecified
D26	Other benign neoplasms of uterus
D26.0	Other benign neoplasms of cervix uteri
D26.1	Other benign neoplasms of corpus uteri
D26.7	Other benign neoplasms of other parts of uterus
D26.9	Other benign neoplasms of uterus, unspecified

D27	Benign neoplasm of ovary
D28	Benign neoplasm of other and unspecified female genital organs
D28.0	Benign neoplasm of vulva
D28.1	Benign neoplasm of vagina
D28.2	Benign neoplasm of uterine tubes and ligaments
D28.7	Benign neoplasm of other specified female genital organs
D28.9	Benign neoplasm of female genital organ, unspecified
D29	Benign neoplasm of male genital organs
D29.0	Benign neoplasm of penis
D29.1	Benign neoplasm of prostate
D29.2	Benign neoplasm of testis
D29.3	Benign neoplasm of epididymis
D29.4	Benign neoplasm of scrotum
D29.7	Benign neoplasm of other male genital organs
D29.9	Benign neoplasm of male genital organ, unspecified
D30	Benign neoplasm of urinary organs
D30.0	Benign neoplasm of kidney
D30.1	Benign neoplasm of renal pelvis
D30.2	Benign neoplasm of ureter
D30.3	Benign neoplasm of bladder
D30.4	Benign neoplasm of urethra
D30.7	Benign neoplasm of other urinary organs
D30.9	Benign neoplasm of urinary organ, unspecified
D31	Benign neoplasm of eye and adnexa
D31.0	Benign neoplasm of conjunctiva
D31.1	Benign neoplasm of cornea
D31.2	Benign neoplasm of retina
D31.3	Benign neoplasm of choroid
D31.4	Benign neoplasm of ciliary body
D31.5	Benign neoplasm of lacrimal gland and duct
D31.6	Benign neoplasm of orbit, unspecified
D31.7	Benign neoplasm of other specified parts of eye
D31.9	Benign neoplasm of eye, unspecified
D32	Benign neoplasm of meninges
D32.0	Benign neoplasm of cerebral meninges
D32.1	Benign neoplasm of spinal meninges
D32.9	Benign neoplasm of meninges, unspecified
D33	Benign neoplasm of brain and other parts of central nervous system
D33.0	Benign neoplasm of brain, supratentorial
D33.1	Benign neoplasm of brain, infratentorial
D33.2	Benign neoplasm of brain unspecified
D33.3	Benign neoplasm of cranial nerves
D33.4	Benign neoplasm of spinal cord
D33.7	Benign neoplasm of other specified parts of central nervous system
D33.9	Benign neoplasm of central nervous system, unspecified
D34	Benign neoplasm of thyroid gland
D35	Benign neoplasm of other and unspecified endocrine glands
D35.0	Benign neoplasm of adrenal gland

D35.1	Benign neoplasm of parathyroid gland
D35.2	Benign neoplasm of pituitary gland
D35.3	Benign neoplasm of craniopharyngeal duct
D35.4	Benign neoplasm of pineal gland
D35.5	Benign neoplasm of carotid body
D35.6	Benign neoplasm of aortic body and other paraganglia
D35.7	Benign neoplasm of other specified endocrine glands
D35.8	Benign neoplasm of pluriglandular involvement
D35.9	Benign neoplasm of endocrine gland, unspecified
D36	Benign neoplasm of other and unspecified sites
D36.0	Benign neoplasm of lymph nodes
D36.1	Benign neoplasm of peripheral nerves and autonomic nervous system
D36.7	Benign neoplasm of other specified sites
D36.9	Benign neoplasm of unspecified site
D37	Neoplasm of uncertain or unknown behaviour of oral cavity and digestive organs
D37.0	Neoplasm of uncertain or unknown behaviour of lip, oral cavity and pharynx
D37.1	Neoplasm of uncertain or unknown behaviour of stomach
D37.2	Neoplasm of uncertain or unknown behaviour of small intestine
D37.3	Neoplasm of uncertain or unknown behaviour of appendix
D37.4	Neoplasm of uncertain or unknown behaviour of colon
D37.5	Neoplasm of uncertain or unknown behaviour of rectum
D37.6	Neoplasm of uncertain or unknown behaviour of liver, gallbladder and bile ducts
D37.7	Neoplasm of uncertain or unknown behaviour of other digestive organs
D37.71	Neoplasm of uncertain or unknown behaviour of pancreas
D37.79	Neoplasm of uncertain or unknown behaviour of other specified digestive organs
D37.9	Neoplasm of uncertain or unknown behaviour of digestive organ, unspecified
D38	Neoplasm of uncertain or unknown behaviour of middle ear and respiratory and intrathoracic organs
D38.0	Neoplasm of uncertain or unknown behaviour of larynx
D38.1	Neoplasm of uncertain or unknown behaviour of trachea, bronchus and lung
D38.2	Neoplasm of uncertain or unknown behaviour of pleura
D38.3	Neoplasm of uncertain or unknown behaviour of mediastinum
D38.4	Neoplasm of uncertain or unknown behaviour of thymus
D38.5	Neoplasm of uncertain or unknown behaviour of other respiratory organs
D38.6	Neoplasm of uncertain or unknown behaviour of respiratory organ, unspecified
D39	Neoplasm of uncertain or unknown behaviour of female genital organs
D39.0	Neoplasm of uncertain or unknown behaviour of uterus
D39.1	Neoplasm of uncertain or unknown behaviour of ovary
D39.2	Neoplasm of uncertain or unknown behaviour of placenta
D39.7	Neoplasm of uncertain or unknown behaviour of other female genital organs
D39.9	Neoplasm of uncertain or unknown behaviour of female genital organ, unspecified
D40	Neoplasm of uncertain or unknown behaviour of male genital organs
D40.0	Neoplasm of uncertain or unknown behaviour of prostate
D40.1	Neoplasm of uncertain or unknown behaviour of testis
D40.7	Neoplasm of uncertain or unknown behaviour of other male genital organs
D40.9	Neoplasm of uncertain or unknown behaviour of male genital organ, unspecified
D41	Neoplasm of uncertain or unknown behaviour of urinary organs
D41.0	Neoplasm of uncertain or unknown behaviour of kidney

D41.1	Neoplasm of uncertain or unknown behaviour of renal pelvis
D41.2	Neoplasm of uncertain or unknown behaviour of ureter
D41.3	Neoplasm of uncertain or unknown behaviour of urethra
D41.4	Neoplasm of uncertain or unknown behaviour of bladder
D41.7	Neoplasm of uncertain or unknown behaviour of other urinary organs
D41.9	Neoplasm of uncertain or unknown behaviour of urinary organ, unspecified
D42	Neoplasm of uncertain or unknown behaviour of meninges
D42.0	Neoplasm of uncertain or unknown behaviour of cerebral meninges
D42.1	Neoplasm of uncertain or unknown behaviour of spinal meninges
D42.9	Neoplasm of uncertain or unknown behaviour of meninges, unspecified
D43	Neoplasm of uncertain or unknown behaviour of brain and central nervous system
D43.0	Neoplasm of uncertain or unknown behaviour of brain, supratentorial
D43.1	Neoplasm of uncertain or unknown behaviour of brain, infratentorial
D43.2	Neoplasm of uncertain or unknown behaviour of brain, unspecified
D43.3	Neoplasm of uncertain or unknown behaviour of cranial nerves
D43.4	Neoplasm of uncertain or unknown behaviour of spinal cord
D43.7	Neoplasm of uncertain or unknown behaviour of other parts of central nervous system
D43.9	Neoplasm of uncertain or unknown behaviour of central nervous system, unspecified
D44	Neoplasm of uncertain or unknown behaviour of endocrine glands
D44.0	Neoplasm of uncertain or unknown behaviour of thyroid gland
D44.1	Neoplasm of uncertain or unknown behaviour of adrenal gland
D44.2	Neoplasm of uncertain or unknown behaviour of parathyroid gland
D44.3	Neoplasm of uncertain or unknown behaviour of pituitary gland
D44.4	Neoplasm of uncertain or unknown behaviour of craniopharyngeal duct
D44.5	Neoplasm of uncertain or unknown behaviour of pineal gland
D44.6	Neoplasm of uncertain or unknown behaviour of carotid body
D44.7	Neoplasm of uncertain or unknown behaviour of aortic body and other paraganglia
D44.8	Neoplasm of uncertain or unknown behaviour of pluriglandular involvement
D44.9	Neoplasm of uncertain or unknown behaviour of endocrine gland, unspecified
D45	Polycythaemia vera
D46	Myelodysplastic syndromes
D46.0	Refractory anaemia without ring sideroblasts, so stated
D46.1	Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia
D46.2	Myelodysplastic syndrome with excess blasts
D46.3	Refractory anaemia with excess of blasts with transformation
D46.4	Myelodysplastic syndrome with single lineage dysplasia
D46.5	Myelodysplastic syndrome with multilineage dysplasia
D46.6	Myelodysplastic syndrome with isolated del (5q)
D46.7	Other myelodysplastic syndromes
D46.9	Myelodysplastic syndrome, unspecified
D47	Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue
D47.0	Histiocytic and mast cell tumours of uncertain and unknown behaviour
D47.1	Chronic myeloproliferative disease
D47.2	Monoclonal gammopathy of undetermined significance (MGUS)
D47.3	Essential (haemorrhagic) thrombocythaemia
D47.4	Osteomyelofibrosis
D47.5	Chronic eosinophilic leukaemia [hypereosinophilic syndrome]

- D47.7 Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue
- D47.9 Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified
- D48 Neoplasm of uncertain or unknown behaviour of other and unspecified sites
- D48.0 Neoplasm of uncertain or unknown behaviour of bone and articular cartilage
- D48.1 Neoplasm of uncertain or unknown behaviour of connective and other soft tissue
- D48.2 Neoplasm of uncertain or unknown behaviour of peripheral nerves and autonomic nervous system
- D48.3 Neoplasm of uncertain or unknown behaviour of retroperitoneum
- D48.4 Neoplasm of uncertain or unknown behaviour of peritoneum
- D48.5 Neoplasm of uncertain or unknown behaviour of skin
- D48.6 Neoplasm of uncertain or unknown behaviour of breast
- D48.7 Neoplasm of uncertain or unknown behaviour of other specified sites
- D48.9 Neoplasm of uncertain or unknown behaviour, unspecified

Chapter 3 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (D50–D89)

- D50–D89 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
- D50 Iron deficiency anaemia
- D50.0 Iron deficiency anaemia secondary to blood loss (chronic)
- D50.1 Sideropenic dysphagia
- D50.8 Other iron deficiency anaemias
- D50.9 Iron deficiency anaemia, unspecified
- D51 Vitamin B₁₂ deficiency anaemia
- D51.0 Vitamin B₁₂ deficiency anaemia due to intrinsic factor deficiency
- D51.1 Vitamin B₁₂ deficiency anaemia due to selective vitamin B₁₂ malabsorption with proteinuria
- D51.2 Transcobalamin II deficiency
- D51.3 Other dietary vitamin B₁₂ deficiency anaemia
- D51.8 Other vitamin B₁₂ deficiency anaemias
- D51.9 Vitamin B₁₂ deficiency anaemia, unspecified
- D52 Folate deficiency anaemia
- D52.0 Dietary folate deficiency anaemia
- D52.1 Drug-induced folate deficiency anaemia
- D52.8 Other folate deficiency anaemias
- D52.9 Folate deficiency anaemia, unspecified
- D53 Other nutritional anaemias
- D53.0 Protein deficiency anaemia
- D53.1 Other megaloblastic anaemias, not elsewhere classified
- D53.2 Scorbutic anaemia
- D53.8 Other specified nutritional anaemias
- D53.9 Nutritional anaemia, unspecified
- D55 Anaemia due to enzyme disorders
- D55.0 Anaemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency
- D55.1 Anaemia due to other disorders of glutathione metabolism
- D55.2 Anaemia due to disorders of glycolytic enzymes
- D55.3 Anaemia due to disorders of nucleotide metabolism
- D55.8 Other anaemias due to enzyme disorders

D55.9	Anaemia due to enzyme disorder, unspecified
D56	Thalassaemia
D56.0	Alpha thalassaemia
D56.1	Beta thalassaemia
D56.2	Deltabeta thalassaemia
D56.3	Thalassaemia trait
D56.4	Hereditary persistence of fetal haemoglobin [HPFH]
D56.8	Other thalassaemias
D56.9	Thalassaemia, unspecified
D57	Sickle-cell disorders
D57.0	Sickle-cell anaemia with crisis
D57.1	Sickle-cell anaemia without crisis
D57.2	Double heterozygous sickling disorders
D57.3	Sickle-cell trait
D57.8	Other sickle-cell disorders
D58	Other hereditary haemolytic anaemias
D58.0	Hereditary spherocytosis
D58.1	Hereditary elliptocytosis
D58.2	Other haemoglobinopathies
D58.8	Other specified hereditary haemolytic anaemias
D58.9	Hereditary haemolytic anaemia, unspecified
D59	Acquired haemolytic anaemia
D59.0	Drug-induced autoimmune haemolytic anaemia
D59.1	Other autoimmune haemolytic anaemias
D59.2	Drug-induced nonautoimmune haemolytic anaemia
D59.3	Haemolytic-uraemic syndrome
D59.4	Other nonautoimmune haemolytic anaemias
D59.5	Paroxysmal nocturnal haemoglobinuria [Marchiafava-Micheli]
D59.6	Haemoglobinuria due to haemolysis from other external causes
D59.8	Other acquired haemolytic anaemias
D59.9	Acquired haemolytic anaemia, unspecified
D60	Acquired pure red cell aplasia [erythroblastopenia]
D60.0	Chronic acquired pure red cell aplasia
D60.1	Transient acquired pure red cell aplasia
D60.8	Other acquired pure red cell aplasias
D60.9	Acquired pure red cell aplasia, unspecified
D61	Other aplastic anaemias
D61.0	Constitutional aplastic anaemia
D61.1	Drug-induced aplastic anaemia
D61.2	Aplastic anaemia due to other external agents
D61.3	Idiopathic aplastic anaemia
D61.8	Other specified aplastic anaemias
D61.9	Aplastic anaemia, unspecified
D62	Acute posthaemorrhagic anaemia
D63*	Anaemia in chronic diseases classified elsewhere
D63.0*	Anaemia in neoplastic disease
D63.8*	Anaemia in other chronic diseases classified elsewhere
D64	Other anaemias

D64.0	Hereditary sideroblastic anaemia
D64.1	Secondary sideroblastic anaemia due to disease
D64.2	Secondary sideroblastic anaemia due to drugs and toxins
D64.3	Other sideroblastic anaemias
D64.4	Congenital dyserythropoietic anaemia
D64.8	Other specified anaemias
D64.9	Anaemia, unspecified
D65	Disseminated intravascular coagulation [defibrination syndrome]
D66	Hereditary factor VIII deficiency
D67	Hereditary factor IX deficiency
D68	Other coagulation defects
D68.0	Von Willebrand's disease
D68.1	Hereditary factor XI deficiency
D68.2	Hereditary deficiency of other clotting factors
D68.3	Haemorrhagic disorder due to circulating anticoagulants
D68.4	Acquired coagulation factor deficiency
D68.5	Primary thrombophilia
D68.6	Other thrombophilia
D68.8	Other specified coagulation defects
D68.9	Coagulation defect, unspecified
D69	Purpura and other haemorrhagic conditions
D69.0	Allergic purpura
D69.1	Qualitative platelet defects
D69.2	Other nonthrombocytopenic purpura
D69.3	Idiopathic thrombocytopenic purpura
D69.4	Other primary thrombocytopenia
D69.5	Secondary thrombocytopenia
D69.6	Thrombocytopenia, unspecified
D69.8	Other specified haemorrhagic conditions
D69.9	Haemorrhagic condition, unspecified
D70	Agranulocytosis
D71	Functional disorders of polymorphonuclear neutrophils
D72	Other disorders of white blood cells
D72.0	Genetic anomalies of leukocytes
D72.1	Eosinophilia
D72.8	Other specified disorders of white blood cells
D72.9	Disorder of white blood cells, unspecified
D73	Diseases of spleen
D73.0	Hyposplenism
D73.1	Hypersplenism
D73.2	Chronic congestive splenomegaly
D73.3	Abscess of spleen
D73.4	Cyst of spleen
D73.5	Infarction of spleen
D73.8	Other diseases of spleen
D73.9	Disease of spleen, unspecified
D74	Methaemoglobinaemia
D74.0	Congenital methaemoglobinaemia

D74.8	Other methaemoglobinaemias
D74.9	Methaemoglobinaemia, unspecified
D75	Other diseases of blood and blood-forming organs
D75.0	Familial erythrocytosis
D75.1	Secondary polycythaemia
D75.2	Essential thrombocytosis
D75.8	Other specified diseases of blood and blood-forming organs
D75.81	Secondary thrombocytosis
D75.89	Other specified diseases of blood and blood-forming organs
D75.9	Disease of blood and blood-forming organs, unspecified
D76	Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue
D76.0	Langerhans' cell histiocytosis, not elsewhere classified
D76.1	Haemophagocytic lymphohistiocytosis
D76.2	Haemophagocytic syndrome, infection-associated
D76.3	Other histiocytosis syndromes
D77*	Other disorders of blood and blood-forming organs in diseases classified elsewhere
D80	Immunodeficiency with predominantly antibody defects
D80.0	Hereditary hypogammaglobulinaemia
D80.1	Nonfamilial hypogammaglobulinaemia
D80.2	Selective deficiency of immunoglobulin A [IgA]
D80.3	Selective deficiency of immunoglobulin G [IgG] subclasses
D80.4	Selective deficiency of immunoglobulin M [IgM]
D80.5	Immunodeficiency with increased immunoglobulin M [IgM]
D80.6	Antibody deficiency with near-normal immunoglobulins or with hyperimmunoglobulinaemia
D80.7	Transient hypogammaglobulinaemia of infancy
D80.8	Other immunodeficiencies with predominantly antibody defects
D80.9	Immunodeficiency with predominantly antibody defects, unspecified
D81	Combined immunodeficiencies
D81.0	Severe combined immunodeficiency [SCID] with reticular dysgenesis
D81.1	Severe combined immunodeficiency [SCID] with low T- and B-cell numbers
D81.2	Severe combined immunodeficiency [SCID] with low or normal B-cell numbers
D81.3	Adenosine deaminase [ADA] deficiency
D81.4	Nezelof's syndrome
D81.5	Purine nucleoside phosphorylase [PNP] deficiency
D81.6	Major histocompatibility complex class I deficiency
D81.7	Major histocompatibility complex class II deficiency
D81.8	Other combined immunodeficiencies
D81.9	Combined immunodeficiency, unspecified
D82	Immunodeficiency associated with other major defects
D82.0	Wiskott-Aldrich syndrome
D82.1	Di George's syndrome
D82.2	Immunodeficiency with short-limbed stature
D82.3	Immunodeficiency following hereditary defective response to Epstein-Barr virus
D82.4	Hyperimmunoglobulin E [IgE] syndrome
D82.8	Immunodeficiency associated with other specified major defects
D82.9	Immunodeficiency associated with major defect, unspecified
D83	Common variable immunodeficiency

D83.0	Common variable immunodeficiency with predominant abnormalities of B-cell numbers and function
D83.1	Common variable immunodeficiency with predominant immunoregulatory T-cell disorders
D83.2	Common variable immunodeficiency with autoantibodies to B- or T-cells
D83.8	Other common variable immunodeficiencies
D83.9	Common variable immunodeficiency, unspecified
D84	Other immunodeficiencies
D84.0	Lymphocyte function antigen-1 [LFA-1] defect
D84.1	Defects in the complement system
D84.8	Other specified immunodeficiencies
D84.9	Immunodeficiency, unspecified
D86	Sarcoidosis
D86.0	Sarcoidosis of lung
D86.1	Sarcoidosis of lymph nodes
D86.2	Sarcoidosis of lung with sarcoidosis of lymph nodes
D86.3	Sarcoidosis of skin
D86.8	Sarcoidosis of other and combined sites
D86.9	Sarcoidosis, unspecified
D89	Other disorders involving the immune mechanism, not elsewhere classified
D89.0	Polyclonal hypergammaglobulinaemia
D89.1	Cryoglobulinaemia
D89.2	Hypergammaglobulinaemia, unspecified
D89.3	Immune reconstitution syndrome
D89.8	Other specified disorders involving the immune mechanism, not elsewhere classified
D89.81	Cytokine release syndrome
D89.82	Immunocompromised status
D89.89	Other specified disorders involving the immune mechanism, not elsewhere classified
D89.9	Disorder involving the immune mechanism, unspecified

Chapter 4 ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00–E89)

E00–E89	Endocrine, nutritional and metabolic diseases
E00	Congenital iodine-deficiency syndrome
E00.0	Congenital iodine-deficiency syndrome, neurological type
E00.1	Congenital iodine-deficiency syndrome, myxoedematous type
E00.2	Congenital iodine-deficiency syndrome, mixed type
E00.9	Congenital iodine-deficiency syndrome, unspecified
E01	Iodine-deficiency-related thyroid disorders and allied conditions
E01.0	Iodine-deficiency-related diffuse (endemic) goitre
E01.1	Iodine-deficiency-related multinodular (endemic) goitre
E01.2	Iodine-deficiency-related (endemic) goitre, unspecified
E01.8	Other iodine-deficiency-related thyroid disorders and allied conditions
E02	Subclinical iodine-deficiency hypothyroidism
E03	Other hypothyroidism
E03.0	Congenital hypothyroidism with diffuse goitre
E03.1	Congenital hypothyroidism without goitre
E03.2	Hypothyroidism due to medicaments and other exogenous substances
E03.3	Postinfectious hypothyroidism
E03.4	Atrophy of thyroid (acquired)

E03.5	Myxoedema coma
E03.8	Other specified hypothyroidism
E03.9	Hypothyroidism, unspecified
E04	Other nontoxic goitre
E04.0	Nontoxic diffuse goitre
E04.1	Nontoxic single thyroid nodule
E04.2	Nontoxic multinodular goitre
E04.8	Other specified nontoxic goitre
E04.9	Nontoxic goitre, unspecified
E05	Thyrotoxicosis [hyperthyroidism]
E05.0	Thyrotoxicosis with diffuse goitre
E05.1	Thyrotoxicosis with toxic single thyroid nodule
E05.2	Thyrotoxicosis with toxic multinodular goitre
E05.3	Thyrotoxicosis from ectopic thyroid tissue
E05.4	Thyrotoxicosis factitia
E05.5	Thyroid crisis or storm
E05.8	Other thyrotoxicosis
E05.9	Thyrotoxicosis, unspecified
E06	Thyroiditis
E06.0	Acute thyroiditis
E06.1	Subacute thyroiditis
E06.2	Chronic thyroiditis with transient thyrotoxicosis
E06.3	Autoimmune thyroiditis
E06.4	Drug-induced thyroiditis
E06.5	Other chronic thyroiditis
E06.9	Thyroiditis, unspecified
E07	Other disorders of thyroid
E07.0	Hypersecretion of calcitonin
E07.1	Dyshormogenetic goitre
E07.8	Other specified disorders of thyroid
E07.9	Disorder of thyroid, unspecified
E09–E14	Intermediate hyperglycaemia and diabetes mellitus
E09	Intermediate hyperglycaemia
E09.0	Impaired glucose regulation with peripheral angiopathy
E09.01	Impaired glucose regulation with peripheral angiopathy without gangrene
E09.02	Impaired glucose regulation with peripheral angiopathy with gangrene
E09.1	Impaired glucose regulation with features of insulin resistance
E09.2	Intermediate hyperglycaemia with kidney complication
E09.21	Intermediate hyperglycaemia with incipient nephropathy
E09.29	Intermediate hyperglycaemia with other specified kidney complication
E09.3	Intermediate hyperglycaemia with ophthalmic complication
E09.31	Intermediate hyperglycaemia with background retinopathy
E09.32	Intermediate hyperglycaemia with preproliferative retinopathy
E09.4	Intermediate hyperglycaemia with neurological complication
E09.40	Intermediate hyperglycaemia with unspecified neuropathy
E09.42	Intermediate hyperglycaemia with polyneuropathy
E09.5	Intermediate hyperglycaemia with peripheral angiopathy
E09.51	Intermediate hyperglycaemia with peripheral angiopathy without gangrene

E09.52	Intermediate hyperglycaemia with peripheral angiopathy with gangrene
E09.7	Intermediate hyperglycaemia with multiple complications
E09.71	Intermediate hyperglycaemia with multiple microvascular complications
E09.72	Intermediate hyperglycaemia with features of insulin resistance
E09.8	Intermediate hyperglycaemia with unspecified complication
E09.9	Intermediate hyperglycaemia without complication
E10	Type 1 diabetes mellitus
E10.0	Type 1 diabetes mellitus with hyperosmolarity
E10.00	Insulin-dependent diabetes mellitus with coma, not stated as uncontrolled
E10.01	Type 1 diabetes with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHCC]
E10.02	Type 1 diabetes with hyperosmolarity with coma
E10.1	Type 1 diabetes mellitus with acidosis
E10.10	Insulin-dependent diabetes mellitus with ketoacidosis, not stated as uncontrolled
E10.11	Type 1 diabetes mellitus with ketoacidosis, without coma
E10.12	Type 1 diabetes mellitus with ketoacidosis, with coma
E10.13	Type 1 diabetes mellitus with lactic acidosis, without coma
E10.14	Type 1 diabetes mellitus with lactic acidosis, with coma
E10.15	Type 1 diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
E10.16	Type 1 diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
E10.2	Type 1 diabetes mellitus with kidney complication
E10.20	Type 1 diabetes mellitus with renal complication, unspecified
E10.21	Type 1 diabetes mellitus with incipient diabetic nephropathy
E10.22	Type 1 diabetes mellitus with established diabetic nephropathy
E10.23	Type 1 diabetes mellitus with advanced renal disease
E10.29	Type 1 diabetes mellitus with other specified kidney complication
E10.3	Type 1 diabetes mellitus with ophthalmic complication
E10.30	Type 1 diabetes mellitus with ophthalmic complication, unspecified
E10.31	Type 1 diabetes mellitus with background retinopathy
E10.32	Type 1 diabetes mellitus with preproliferative retinopathy
E10.33	Type 1 diabetes mellitus with proliferative retinopathy
E10.34	Type 1 diabetes mellitus with other retinopathy
E10.35	Type 1 diabetes mellitus with advanced ophthalmic disease
E10.36	Type 1 diabetes mellitus with diabetic cataract
E10.39	Type 1 diabetes mellitus with other specified ophthalmic complication
E10.4	Type 1 diabetes mellitus with neurological complication
E10.40	Type 1 diabetes mellitus with unspecified neuropathy
E10.41	Type 1 diabetes mellitus with diabetic mononeuropathy
E10.42	Type 1 diabetes mellitus with diabetic polyneuropathy
E10.43	Type 1 diabetes mellitus with diabetic autonomic neuropathy
E10.49	Type 1 diabetes mellitus with other specified neurological complication
E10.5	Type 1 diabetes mellitus with circulatory complication
E10.50	Type 1 diabetes mellitus with circulatory complication, unspecified
E10.51	Type 1 diabetes mellitus with peripheral angiopathy, without gangrene
E10.52	Type 1 diabetes mellitus with peripheral angiopathy, with gangrene
E10.53	Type 1 diabetes mellitus with diabetic cardiomyopathy
E10.59	Type 1 diabetes mellitus with other specified circulatory complication
E10.6	Type 1 diabetes mellitus with other specified complication

E10.60	Insulin-dependent diabetes mellitus with other specified complications, not stated as uncontrolled
E10.61	Type 1 diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
E10.62	Type 1 diabetes mellitus with specified skin and subcutaneous tissue complication
E10.63	Type 1 diabetes mellitus with specified periodontal complication
E10.64	Type 1 diabetes mellitus with hypoglycaemia
E10.65	Type 1 diabetes mellitus with poor control
E10.69	Type 1 diabetes mellitus with other specified complication
E10.7	Type 1 diabetes mellitus with multiple complications
E10.70	Insulin-dependent diabetes mellitus with multiple complications, not stated as uncontrolled
E10.71	Type 1 diabetes mellitus with multiple microvascular or other specified nonvascular complications
E10.73	Type 1 diabetes mellitus with foot ulcer due to multiple causes
E10.8	Type 1 diabetes mellitus with unspecified complication
E10.80	Insulin-dependent diabetes mellitus with unspecified complications, not stated as uncontrolled
E10.81	Insulin-dependent diabetes mellitus with unspecified complications, stated as uncontrolled
E10.9	Type 1 diabetes mellitus without complication
E10.90	Insulin-dependent diabetes mellitus without complications, not stated as uncontrolled
E10.91	Insulin-dependent diabetes mellitus without complications, stated as uncontrolled
E11	Type 2 diabetes mellitus
E11.0	Type 2 diabetes mellitus with hyperosmolarity
E11.00	Non-insulin-dependent diabetes mellitus with coma, not stated as uncontrolled
E11.01	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
E11.02	Type 2 diabetes mellitus with hyperosmolarity with coma
E11.1	Type 2 diabetes mellitus with acidosis
E11.10	Non-insulin-dependent diabetes mellitus with ketoacidosis, not stated as uncontrolled
E11.11	Type 2 diabetes mellitus with ketoacidosis, without coma
E11.12	Type 2 diabetes mellitus with ketoacidosis, with coma
E11.13	Type 2 diabetes mellitus with lactic acidosis, without coma
E11.14	Type 2 diabetes mellitus with lactic acidosis, with coma
E11.15	Type 2 diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
E11.16	Type 2 diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
E11.2	Type 2 diabetes mellitus with kidney complication
E11.20	Type 2 diabetes mellitus with renal complication, unspecified
E11.21	Type 2 diabetes mellitus with incipient diabetic nephropathy
E11.22	Type 2 diabetes mellitus with established diabetic nephropathy
E11.23	Type 2 diabetes mellitus with advanced renal disease
E11.29	Type 2 diabetes mellitus with other specified kidney complication
E11.3	Type 2 diabetes mellitus with ophthalmic complication
E11.30	Type 2 diabetes mellitus with ophthalmic complication, unspecified
E11.31	Type 2 diabetes mellitus with background retinopathy
E11.32	Type 2 diabetes mellitus with preproliferative retinopathy
E11.33	Type 2 diabetes mellitus with proliferative retinopathy
E11.34	Type 2 diabetes mellitus with other retinopathy
E11.35	Type 2 diabetes mellitus with advanced ophthalmic disease
E11.36	Type 2 diabetes mellitus with diabetic cataract

E11.39	Type 2 diabetes mellitus with other specified ophthalmic complication
E11.4	Type 2 diabetes mellitus with neurological complication
E11.40	Type 2 diabetes mellitus with unspecified neuropathy
E11.41	Type 2 diabetes mellitus with diabetic mononeuropathy
E11.42	Type 2 diabetes mellitus with diabetic polyneuropathy
E11.43	Type 2 diabetes mellitus with diabetic autonomic neuropathy
E11.49	Type 2 diabetes mellitus with other specified neurological complication
E11.5	Type 2 diabetes mellitus with circulatory complication
E11.50	Type 2 diabetes mellitus with circulatory complication, unspecified
E11.51	Type 2 diabetes mellitus with peripheral angiopathy, without gangrene
E11.52	Type 2 diabetes mellitus with peripheral angiopathy, with gangrene
E11.53	Type 2 diabetes mellitus with diabetic cardiomyopathy
E11.59	Type 2 diabetes mellitus with other specified circulatory complication
E11.6	Type 2 diabetes mellitus with other specified complication
E11.60	Non-insulin-dependent diabetes mellitus with other specified complications, not stated as uncontrolled
E11.61	Type 2 diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
E11.62	Type 2 diabetes mellitus with specified skin and subcutaneous tissue complication
E11.63	Type 2 diabetes mellitus with specified periodontal complication
E11.64	Type 2 diabetes mellitus with hypoglycaemia
E11.65	Type 2 diabetes mellitus with poor control
E11.69	Type 2 diabetes mellitus with other specified complication
E11.7	Type 2 diabetes mellitus with multiple complications
E11.70	Non-insulin-dependent diabetes mellitus with multiple complications, not stated as uncontrolled
E11.71	Type 2 diabetes mellitus with multiple microvascular or other specified nonvascular complications
E11.72	Type 2 diabetes mellitus with features of insulin resistance
E11.73	Type 2 diabetes mellitus with foot ulcer due to multiple causes
E11.8	Type 2 diabetes mellitus with unspecified complication
E11.80	Non-insulin-dependent diabetes mellitus with unspecified complications, not stated as uncontrolled
E11.81	Non-insulin-dependent diabetes mellitus with unspecified complications, stated as uncontrolled
E11.9	Type 2 diabetes mellitus without complication
E11.90	Non-insulin-dependent diabetes mellitus without complications, not stated as uncontrolled
E11.91	Non-insulin-dependent diabetes mellitus without complications, stated as uncontrolled
E12	Malnutrition-related diabetes mellitus
E12.0	Malnutrition-related diabetes mellitus with coma
E12.00	Malnutrition-related diabetes mellitus with coma, not stated as uncontrolled
E12.01	Malnutrition-related diabetes mellitus with coma, stated as uncontrolled
E12.1	Malnutrition-related diabetes mellitus with ketoacidosis
E12.10	Malnutrition-related diabetes mellitus with ketoacidosis, not stated as uncontrolled
E12.11	Malnutrition-related diabetes mellitus with ketoacidosis, stated as uncontrolled
E12.2†	Malnutrition-related diabetes mellitus with renal complications
E12.20†	Malnutrition-related diabetes mellitus with renal complications, not stated as uncontrolled
E12.21†	Malnutrition-related diabetes mellitus with renal complications, stated as uncontrolled
E12.3†	Malnutrition-related diabetes mellitus with ophthalmic complications

E12.30†	Malnutrition-related diabetes mellitus with ophthalmic complications, not stated as uncontrolled
E12.31†	Malnutrition-related diabetes mellitus with ophthalmic complications, stated as uncontrolled
E12.4†	Malnutrition-related diabetes mellitus with neurological complications
E12.40†	Malnutrition-related diabetes mellitus with neurological complications, not stated as uncontrolled
E12.41†	Malnutrition-related diabetes mellitus with neurological complications, stated as uncontrolled
E12.5	Malnutrition-related diabetes mellitus with peripheral circulatory complications
E12.50	Malnutrition-related diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
E12.51	Malnutrition-related diabetes mellitus with peripheral circulatory complications, stated as uncontrolled
E12.6	Malnutrition-related diabetes mellitus with other specified complications
E12.60	Malnutrition-related diabetes mellitus with other specified complications, not stated as uncontrolled
E12.61	Malnutrition-related diabetes mellitus with other specified complications, stated as uncontrolled
E12.7	Malnutrition-related diabetes mellitus with multiple complications
E12.70	Malnutrition-related diabetes mellitus with multiple complications, not stated as uncontrolled
E12.71	Malnutrition-related diabetes mellitus with multiple complications, stated as uncontrolled
E12.8	Malnutrition-related diabetes mellitus with unspecified complications
E12.80	Malnutrition-related diabetes mellitus with unspecified complications, not stated as uncontrolled
E12.81	Malnutrition-related diabetes mellitus with unspecified complications, stated as uncontrolled
E12.9	Malnutrition-related diabetes mellitus without complications
E12.90	Malnutrition-related diabetes mellitus without complications, not stated as uncontrolled
E12.91	Malnutrition-related diabetes mellitus without complications, stated as uncontrolled
E13	Other specified diabetes mellitus
E13.0	Other specified diabetes mellitus with hyperosmolarity
E13.00	Other specified diabetes mellitus with coma, not stated as uncontrolled
E13.01	Other specified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
E13.02	Other specified diabetes mellitus with hyperosmolarity, with coma
E13.1	Other specified diabetes mellitus with acidosis
E13.10	Other specified diabetes mellitus with ketoacidosis, not stated as uncontrolled
E13.11	Other specified diabetes mellitus with ketoacidosis, without coma
E13.12	Other specified diabetes mellitus with ketoacidosis, with coma
E13.13	Other specified diabetes mellitus with lactic acidosis, without coma
E13.14	Other specified diabetes mellitus with lactic acidosis, with coma
E13.15	Other specified diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
E13.16	Other specified diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
E13.2	Other specified diabetes mellitus with kidney complication
E13.20	Other specified diabetes mellitus with renal complication, unspecified
E13.21	Other specified diabetes mellitus with incipient diabetic nephropathy
E13.22	Other specified diabetes mellitus with established diabetic nephropathy
E13.23	Other specified diabetes mellitus with advanced renal disease
E13.29	Other specified diabetes mellitus with other specified kidney complication

E13.3	Other specified diabetes mellitus with ophthalmic complication
E13.30	Other specified diabetes mellitus with ophthalmic complication, unspecified
E13.31	Other specified diabetes mellitus with background retinopathy
E13.32	Other specified diabetes mellitus with preproliferative retinopathy
E13.33	Other specified diabetes mellitus with proliferative retinopathy
E13.34	Other specified diabetes mellitus with other retinopathy
E13.35	Other specified diabetes mellitus with advanced ophthalmic disease
E13.36	Other specified diabetes mellitus with diabetic cataract
E13.39	Other specified diabetes mellitus with other specified ophthalmic complication
E13.4	Other specified diabetes mellitus with neurological complication
E13.40	Other specified diabetes mellitus with unspecified neuropathy
E13.41	Other specified diabetes mellitus with diabetic mononeuropathy
E13.42	Other specified diabetes mellitus with diabetic polyneuropathy
E13.43	Other specified diabetes mellitus with diabetic autonomic neuropathy
E13.49	Other specified diabetes mellitus with other specified neurological complication
E13.5	Other specified diabetes mellitus with circulatory complication
E13.50	Other specified diabetes mellitus with circulatory complication, unspecified
E13.51	Other specified diabetes mellitus with peripheral angiopathy, without gangrene
E13.52	Other specified diabetes mellitus with peripheral angiopathy, with gangrene
E13.53	Other specified diabetes mellitus with diabetic cardiomyopathy
E13.59	Other specified diabetes mellitus with other specified circulatory complication
E13.6	Other specified diabetes mellitus with other specified complication
E13.60	Other specified diabetes mellitus with other specified complications, not stated as uncontrolled
E13.61	Other specified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
E13.62	Other specified diabetes mellitus with specified skin and subcutaneous tissue complication
E13.63	Other specified diabetes mellitus with specified periodontal complication
E13.64	Other specified diabetes mellitus with hypoglycaemia
E13.65	Other specified diabetes mellitus with poor control
E13.69	Other specified diabetes mellitus with other specified complication
E13.7	Other specified diabetes mellitus with multiple complications
E13.70	Other specified diabetes mellitus with multiple complications, not stated as uncontrolled
E13.71	Other specified diabetes mellitus with multiple microvascular or other specified nonvascular complications
E13.72	Other specified diabetes mellitus with features of insulin resistance
E13.73	Other specified diabetes mellitus with foot ulcer due to multiple causes
E13.8	Other specified diabetes mellitus with unspecified complication
E13.80	Other specified diabetes mellitus with unspecified complications, not stated as uncontrolled
E13.81	Other specified diabetes mellitus with unspecified complications, stated as uncontrolled
E13.9	Other specified diabetes mellitus without complication
E13.90	Other specified diabetes mellitus without complications, not stated as uncontrolled
E13.91	Other specified diabetes mellitus without complications, stated as uncontrolled
E14	Unspecified diabetes mellitus
E14.0	Unspecified diabetes mellitus with hyperosmolarity
E14.00	Unspecified diabetes mellitus with coma, not stated as uncontrolled
E14.01	Unspecified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
E14.02	Unspecified diabetes mellitus with hyperosmolarity, with coma

E14.1	Unspecified diabetes mellitus with acidosis
E14.10	Unspecified diabetes mellitus with ketoacidosis, not stated as uncontrolled
E14.11	Unspecified diabetes mellitus with ketoacidosis, without coma
E14.12	Unspecified diabetes mellitus with ketoacidosis, with coma
E14.13	Unspecified diabetes mellitus with lactic acidosis, without coma
E14.14	Unspecified diabetes mellitus with lactic acidosis, with coma
E14.15	Unspecified diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
E14.16	Unspecified diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
E14.2	Unspecified diabetes mellitus with kidney complication
E14.20	Unspecified diabetes mellitus with renal complication, unspecified
E14.21	Unspecified diabetes mellitus with incipient diabetic nephropathy
E14.22	Unspecified diabetes mellitus with established diabetic nephropathy
E14.23	Unspecified diabetes mellitus with advanced renal disease
E14.29	Unspecified diabetes mellitus with other specified kidney complication
E14.3	Unspecified diabetes mellitus with ophthalmic complication
E14.30	Unspecified diabetes mellitus with ophthalmic complication, unspecified
E14.31	Unspecified diabetes mellitus with background retinopathy
E14.32	Unspecified diabetes mellitus with preproliferative retinopathy
E14.33	Unspecified diabetes mellitus with proliferative retinopathy
E14.34	Unspecified diabetes mellitus with other retinopathy
E14.35	Unspecified diabetes mellitus with advanced ophthalmic disease
E14.36	Unspecified diabetes mellitus with diabetic cataract
E14.39	Unspecified diabetes mellitus with other specified ophthalmic complication
E14.4	Unspecified diabetes mellitus with neurological complication
E14.40	Unspecified diabetes mellitus with unspecified neuropathy
E14.41	Unspecified diabetes mellitus with diabetic mononeuropathy
E14.42	Unspecified diabetes mellitus with diabetic polyneuropathy
E14.43	Unspecified diabetes mellitus with diabetic autonomic neuropathy
E14.49	Unspecified diabetes mellitus with other specified neurological complication
E14.5	Unspecified diabetes mellitus with circulatory complication
E14.50	Unspecified diabetes mellitus with circulatory complication, unspecified
E14.51	Unspecified diabetes mellitus with peripheral angiopathy, without gangrene
E14.52	Unspecified diabetes mellitus with peripheral angiopathy, with gangrene
E14.53	Unspecified diabetes mellitus with diabetic cardiomyopathy
E14.59	Unspecified diabetes mellitus with other specified circulatory complication
E14.6	Unspecified diabetes mellitus with other specified complication
E14.60	Unspecified diabetes mellitus with other specified complications, not stated as uncontrolled
E14.61	Unspecified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
E14.62	Unspecified diabetes mellitus with specified skin and subcutaneous tissue complication
E14.63	Unspecified diabetes mellitus with specified periodontal complication
E14.64	Unspecified diabetes mellitus with hypoglycaemia
E14.65	Unspecified diabetes mellitus with poor control
E14.69	Unspecified diabetes mellitus with other specified complication
E14.7	Unspecified diabetes mellitus with multiple complications
E14.70	Unspecified diabetes mellitus with multiple complications, not stated as uncontrolled
E14.71	Unspecified diabetes mellitus with multiple microvascular or other specified nonvascular complications

E14.72	Unspecified diabetes mellitus with features of insulin resistance
E14.73	Unspecified diabetes mellitus with foot ulcer due to multiple causes
E14.8	Unspecified diabetes mellitus with unspecified complication
E14.80	Unspecified diabetes mellitus with unspecified complications, not stated as uncontrolled
E14.81	Unspecified diabetes mellitus with unspecified complications, stated as uncontrolled
E14.9	Unspecified diabetes mellitus without complication
E14.90	Unspecified diabetes mellitus without complications, not stated as uncontrolled
E14.91	Unspecified diabetes mellitus without complications, stated as uncontrolled
E15	Nondiabetic hypoglycaemic coma
E16	Other disorders of pancreatic internal secretion
E16.0	Drug-induced hypoglycaemia without coma
E16.1	Other hypoglycaemia
E16.2	Hypoglycaemia, unspecified
E16.3	Increased secretion of glucagon
E16.4	Abnormal secretion of gastrin
E16.8	Other specified disorders of pancreatic internal secretion
E16.81	Increased secretion of gastrin
E16.88	Other specified disorders of pancreatic internal secretion
E16.9	Disorder of pancreatic internal secretion, unspecified
E20	Hypoparathyroidism
E20.0	Idiopathic hypoparathyroidism
E20.1	Pseudohypoparathyroidism
E20.8	Other hypoparathyroidism
E20.9	Hypoparathyroidism, unspecified
E21	Hyperparathyroidism and other disorders of parathyroid gland
E21.0	Primary hyperparathyroidism
E21.1	Secondary hyperparathyroidism, not elsewhere classified
E21.2	Other hyperparathyroidism
E21.3	Hyperparathyroidism, unspecified
E21.4	Other specified disorders of parathyroid gland
E21.5	Disorder of parathyroid gland, unspecified
E22	Hyperfunction of pituitary gland
E22.0	Acromegaly and pituitary gigantism
E22.1	Hyperprolactinaemia
E22.2	Syndrome of inappropriate secretion of antidiuretic hormone
E22.8	Other hyperfunction of pituitary gland
E22.9	Hyperfunction of pituitary gland, unspecified
E23	Hypofunction and other disorders of pituitary gland
E23.0	Hypopituitarism
E23.1	Drug-induced hypopituitarism
E23.2	Diabetes insipidus
E23.3	Hypothalamic dysfunction, not elsewhere classified
E23.6	Other disorders of pituitary gland
E23.7	Disorder of pituitary gland, unspecified
E24	Cushing's syndrome
E24.0	Pituitary-dependent Cushing's disease
E24.1	Nelson's syndrome
E24.2	Drug-induced Cushing's syndrome

E24.3	Ectopic ACTH syndrome
E24.4	Alcohol-induced pseudo-Cushing's syndrome
E24.8	Other Cushing's syndrome
E24.9	Cushing's syndrome, unspecified
E25	Adrenogenital disorders
E25.0	Congenital adrenogenital disorders associated with enzyme deficiency
E25.8	Other adrenogenital disorders
E25.9	Adrenogenital disorder, unspecified
E26	Hyperaldosteronism
E26.0	Primary hyperaldosteronism
E26.1	Secondary hyperaldosteronism
E26.8	Other hyperaldosteronism
E26.9	Hyperaldosteronism, unspecified
E27	Other disorders of adrenal gland
E27.0	Other adrenocortical overactivity
E27.1	Primary adrenocortical insufficiency
E27.2	Addisonian crisis
E27.3	Drug-induced adrenocortical insufficiency
E27.4	Other and unspecified adrenocortical insufficiency
E27.5	Adrenomedullary hyperfunction
E27.8	Other specified disorders of adrenal gland
E27.9	Disorder of adrenal gland, unspecified
E28	Ovarian dysfunction
E28.0	Oestrogen excess
E28.1	Androgen excess
E28.2	Polycystic ovarian syndrome
E28.3	Primary ovarian failure
E28.8	Other ovarian dysfunction
E28.9	Ovarian dysfunction, unspecified
E29	Testicular dysfunction
E29.0	Testicular hyperfunction
E29.1	Testicular hypofunction
E29.8	Other testicular dysfunction
E29.9	Testicular dysfunction, unspecified
E30	Disorders of puberty, not elsewhere classified
E30.0	Delayed puberty
E30.1	Precocious puberty
E30.8	Other disorders of puberty
E30.9	Disorder of puberty, unspecified
E31	Polyglandular dysfunction
E31.0	Autoimmune polyglandular failure
E31.1	Polyglandular hyperfunction
E31.8	Other polyglandular dysfunction
E31.9	Polyglandular dysfunction, unspecified
E32	Diseases of thymus
E32.0	Persistent hyperplasia of thymus
E32.1	Abscess of thymus
E32.8	Other diseases of thymus

E32.9	Disease of thymus, unspecified
E34	Other endocrine disorders
E34.0	Carcinoid syndrome
E34.1	Other hypersecretion of intestinal hormones
E34.2	Ectopic hormone secretion, not elsewhere classified
E34.3	Short stature, not elsewhere classified
E34.4	Constitutional tall stature
E34.5	Androgen resistance syndrome
E34.8	Other specified endocrine disorders
E34.9	Endocrine disorder, unspecified
E35*	Disorders of endocrine glands in diseases classified elsewhere
E35.0*	Disorders of thyroid gland in diseases classified elsewhere
E35.1*	Disorders of adrenal glands in diseases classified elsewhere
E35.8*	Disorders of other endocrine glands in diseases classified elsewhere
E40–E46	Malnutrition
E40	Kwashiorkor
E41	Nutritional marasmus
E42	Marasmic kwashiorkor
E43	Unspecified severe protein-energy malnutrition
E44	Protein-energy malnutrition of moderate and mild degree
E44.0	Moderate protein-energy malnutrition
E44.1	Mild protein-energy malnutrition
E45	Retarded development following protein-energy malnutrition
E46	Unspecified protein-energy malnutrition
E50	Vitamin A deficiency
E50.0	Vitamin A deficiency with conjunctival xerosis
E50.1	Vitamin A deficiency with Bitot's spot and conjunctival xerosis
E50.2	Vitamin A deficiency with corneal xerosis
E50.3	Vitamin A deficiency with corneal ulceration and xerosis
E50.4	Vitamin A deficiency with keratomalacia
E50.5	Vitamin A deficiency with night blindness
E50.6	Vitamin A deficiency with xerophthalmic scars of cornea
E50.7	Other ocular manifestations of vitamin A deficiency
E50.8	Other manifestations of vitamin A deficiency
E50.9	Vitamin A deficiency, unspecified
E51	Thiamine deficiency
E51.1	Beriberi
E51.2	Wernicke's encephalopathy
E51.8	Other manifestations of thiamine deficiency
E51.9	Thiamine deficiency, unspecified
E52	Niacin deficiency [pellagra]
E53	Deficiency of other B group vitamins
E53.0	Riboflavin deficiency
E53.1	Pyridoxine deficiency
E53.8	Deficiency of other specified B group vitamins
E53.9	Vitamin B deficiency, unspecified
E54	Ascorbic acid deficiency
E55	Vitamin D deficiency

E55.0	Rickets, active
E55.9	Vitamin D deficiency, unspecified
E56	Other vitamin deficiencies
E56.0	Deficiency of vitamin E
E56.1	Deficiency of vitamin K
E56.8	Deficiency of other vitamins
E56.9	Vitamin deficiency, unspecified
E58	Dietary calcium deficiency
E59	Dietary selenium deficiency
E60	Dietary zinc deficiency
E61	Deficiency of other nutrient elements
E61.0	Copper deficiency
E61.1	Iron deficiency
E61.2	Magnesium deficiency
E61.3	Manganese deficiency
E61.4	Chromium deficiency
E61.5	Molybdenum deficiency
E61.6	Vanadium deficiency
E61.7	Deficiency of multiple nutrient elements
E61.8	Deficiency of other specified nutrient elements
E61.9	Deficiency of nutrient element, unspecified
E63	Other nutritional deficiencies
E63.0	Essential fatty acid [EFA] deficiency
E63.1	Imbalance of constituents of food intake
E63.8	Other specified nutritional deficiencies
E63.9	Nutritional deficiency, unspecified
E64	Sequelae of malnutrition and other nutritional deficiencies
E64.0	Sequelae of protein-energy malnutrition
E64.1	Sequelae of vitamin A deficiency
E64.2	Sequelae of vitamin C deficiency
E64.3	Sequelae of rickets
E64.8	Sequelae of other nutritional deficiencies
E64.9	Sequelae of unspecified nutritional deficiency
E65	Localised adiposity
E66	Obesity and overweight
E66.0	Obesity due to excess calories
E66.1	Drug-induced obesity
E66.10	Drug-induced obesity, body mass index [BMI] not elsewhere classified
E66.11	Drug-induced obesity, body mass index [BMI] 30 kg/m ² to 34.99 kg/m ²
E66.12	Drug-induced obesity, body mass index [BMI] 35 kg/m ² to 39.99 kg/m ²
E66.13	Drug-induced obesity, body mass index [BMI] 40 kg/m ² or more
E66.2	Obesity with alveolar hypoventilation
E66.20	Obesity with alveolar hypoventilation, body mass index [BMI] not elsewhere classified
E66.21	Obesity with alveolar hypoventilation, body mass index [BMI] 30 kg/m ² to 34.99 kg/m ²
E66.22	Obesity with alveolar hypoventilation, body mass index [BMI] 35 kg/m ² to 39.99 kg/m ²
E66.23	Obesity with alveolar hypoventilation, body mass index [BMI] 40 kg/m ² or more
E66.3	Overweight
E66.8	Other obesity

E66.9	Obesity, not elsewhere classified
E66.90	Obesity, not elsewhere classified, body mass index [BMI] not elsewhere classified
E66.91	Obesity, not elsewhere classified, body mass index [BMI] 30 kg/m ² to 34.99 kg/m ²
E66.92	Obesity, not elsewhere classified, body mass index [BMI] 35 kg/m ² to 39.99 kg/m ²
E66.93	Obesity, not elsewhere classified, body mass index [BMI] 40 kg/m ² or more
E67	Other hyperalimentation
E67.0	Hypervitaminosis A
E67.1	Hypercarotenaemia
E67.2	Megavitamin-B ₆ syndrome
E67.3	Hypervitaminosis D
E67.8	Other specified hyperalimentation
E68	Sequelae of hyperalimentation
E70	Disorders of aromatic amino-acid metabolism
E70.0	Classical phenylketonuria
E70.1	Other hyperphenylalaninaemias
E70.2	Disorders of tyrosine metabolism
E70.3	Albinism
E70.8	Other disorders of aromatic amino-acid metabolism
E70.9	Disorder of aromatic amino-acid metabolism, unspecified
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism
E71.0	Maple-syrup-urine disease
E71.1	Other disorders of branched-chain amino-acid metabolism
E71.2	Disorder of branched-chain amino-acid metabolism, unspecified
E71.3	Disorders of fatty-acid metabolism
E72	Other disorders of amino-acid metabolism
E72.0	Disorders of amino-acid transport
E72.1	Disorders of sulfur-bearing amino-acid metabolism
E72.2	Disorders of urea cycle metabolism
E72.3	Disorders of lysine and hydroxylysine metabolism
E72.4	Disorders of ornithine metabolism
E72.5	Disorders of glycine metabolism
E72.8	Other specified disorders of amino-acid metabolism
E72.9	Disorder of amino-acid metabolism, unspecified
E73	Lactose intolerance
E73.0	Congenital lactase deficiency
E73.1	Secondary lactase deficiency
E73.8	Other lactose intolerance
E73.9	Lactose intolerance, unspecified
E74	Other disorders of carbohydrate metabolism
E74.0	Glycogen storage disease
E74.1	Disorders of fructose metabolism
E74.2	Disorders of galactose metabolism
E74.3	Other disorders of intestinal carbohydrate absorption
E74.4	Disorders of pyruvate metabolism and gluconeogenesis
E74.8	Other specified disorders of carbohydrate metabolism
E74.9	Disorder of carbohydrate metabolism, unspecified
E75	Disorders of sphingolipid metabolism and other lipid storage disorders
E75.0	GM ₂ gangliosidosis

E75.1	Other gangliosidosis
E75.2	Other sphingolipidosis
E75.3	Sphingolipidosis, unspecified
E75.4	Neuronal ceroid lipofuscinosis
E75.5	Other lipid storage disorders
E75.6	Lipid storage disorder, unspecified
E76	Disorders of glycosaminoglycan metabolism
E76.0	Mucopolysaccharidosis, type I
E76.1	Mucopolysaccharidosis, type II
E76.2	Other mucopolysaccharidoses
E76.3	Mucopolysaccharidosis, unspecified
E76.8	Other disorders of glucosaminoglycan metabolism
E76.9	Disorder of glucosaminoglycan metabolism, unspecified
E77	Disorders of glycoprotein metabolism
E77.0	Defects in post-translational modification of lysosomal enzymes
E77.1	Defects in glycoprotein degradation
E77.8	Other disorders of glycoprotein metabolism
E77.9	Disorder of glycoprotein metabolism, unspecified
E78	Disorders of lipoprotein metabolism and other lipidaemias
E78.0	Pure hypercholesterolaemia
E78.1	Pure hyperglyceridaemia
E78.2	Mixed hyperlipidaemia
E78.3	Hyperchylomicronaemia
E78.4	Other hyperlipidaemia
E78.5	Hyperlipidaemia, unspecified
E78.6	Lipoprotein deficiency
E78.8	Other disorders of lipoprotein metabolism
E78.9	Disorder of lipoprotein metabolism, unspecified
E79	Disorders of purine and pyrimidine metabolism
E79.0	Hyperuricaemia without signs of inflammatory arthritis and tophaceous disease
E79.1	Lesch-Nyhan syndrome
E79.8	Other disorders of purine and pyrimidine metabolism
E79.9	Disorder of purine and pyrimidine metabolism, unspecified
E80	Disorders of porphyrin and bilirubin metabolism
E80.0	Hereditary erythropoietic porphyria
E80.1	Porphyria cutanea tarda
E80.2	Other porphyria
E80.3	Defects of catalase and peroxidase
E80.4	Gilbert's syndrome
E80.5	Crigler-Najjar syndrome
E80.6	Other disorders of bilirubin metabolism
E80.7	Disorder of bilirubin metabolism, unspecified
E83	Disorders of mineral metabolism
E83.0	Disorders of copper metabolism
E83.1	Disorders of iron metabolism
E83.2	Disorders of zinc metabolism
E83.3	Disorders of phosphorus metabolism and phosphatases
E83.4	Disorders of magnesium metabolism

E83.5	Disorders of calcium metabolism
E83.8	Other disorders of mineral metabolism
E83.9	Disorder of mineral metabolism, unspecified
E84	Cystic fibrosis
E84.0	Cystic fibrosis with pulmonary manifestations
E84.1	Cystic fibrosis with intestinal manifestations
E84.8	Cystic fibrosis with other manifestations
E84.9	Cystic fibrosis, unspecified
E85	Amyloidosis
E85.0	Non-neuropathic heredofamilial amyloidosis
E85.01	Familial Mediterranean fever
E85.09	Non-neuropathic heredofamilial amyloidosis, not elsewhere classified
E85.1	Neuropathic heredofamilial amyloidosis
E85.2	Heredofamilial amyloidosis, unspecified
E85.3	Secondary systemic amyloidosis
E85.4	Organ-limited amyloidosis
E85.8	Other amyloidosis
E85.9	Amyloidosis, unspecified
E86	Volume depletion
E87	Other disorders of fluid, electrolyte and acid-base balance
E87.0	Hyperosmolality and hypernatraemia
E87.1	Hypo-osmolality and hyponatraemia
E87.2	Acidosis
E87.3	Alkalosis
E87.4	Mixed disorder of acid-base balance
E87.5	Hyperkalaemia
E87.6	Hypokalaemia
E87.7	Fluid overload
E87.8	Other disorders of electrolyte and fluid balance, not elsewhere classified
E88	Other metabolic disorders
E88.0	Disorders of plasma-protein metabolism, not elsewhere classified
E88.1	Lipodystrophy, not elsewhere classified
E88.2	Lipomatosis, not elsewhere classified
E88.3	Tumour lysis syndrome
E88.4	Lipoedema
E88.8	Other specified metabolic disorders
E88.9	Metabolic disorder, unspecified
E89	Intraoperative and postprocedural disorders of endocrine and metabolic system
E89.0	Postprocedural hypothyroidism
E89.1	Postprocedural hypoinsulinaemia
E89.2	Postprocedural hypoparathyroidism
E89.3	Postprocedural hypopituitarism
E89.4	Postprocedural ovarian failure
E89.5	Postprocedural testicular hypofunction
E89.6	Postprocedural adrenocortical(-medullary) hypofunction
E89.7	Accidental puncture and laceration of endocrine system organ or structure during a procedure
E89.71	Accidental puncture and laceration of thyroid gland during a procedure
E89.72	Accidental puncture and laceration of parathyroid gland during a procedure
E89.73	Accidental puncture and laceration of adrenal gland during a procedure
E89.74	Accidental puncture and laceration of pituitary gland during a procedure

- E89.79 Accidental puncture and laceration of endocrine system organ or structure during a procedure, not elsewhere classified
- E89.8 Other intraoperative and postprocedural disorders of endocrine and metabolic system
- E89.9 Intraoperative and postprocedural disorders of endocrine and metabolic system, unspecified
- E90 Nutritional and metabolic disorders in diseases classified elsewhere

Chapter 5 MENTAL AND BEHAVIOURAL DISORDERS (F00–F99)

- F00-F09 Organic, including symptomatic, mental disorders
- F00* Dementia in Alzheimer's disease (G30.-†)
- F00.0* Dementia in Alzheimer's disease with early onset (G30.0†)
- F00.00* Dementia in Alzheimer's disease with early onset, without mention of psychological or behavioural disturbance (G30.0†)
- F00.01* Dementia in Alzheimer's disease with early onset, with psychological or behavioural disturbance (G30.0†)
- F00.1* Dementia in Alzheimer's disease with late onset (G30.1†)
- F00.10* Dementia in Alzheimer's disease with late onset, without mention of psychological or behavioural disturbance (G30.1†)
- F00.11* Dementia in Alzheimer's disease with late onset, with psychological or behavioural disturbance (G30.1†)
- F00.2* Dementia in Alzheimer's disease, atypical or mixed type (G30.8†)
- F00.20* Dementia in Alzheimer's disease, atypical or mixed type, without mention of psychological or behavioural disturbance (G30.8†)
- F00.21* Dementia in Alzheimer's disease, atypical or mixed type, with psychological or behavioural disturbance (G30.8†)
- F00.9* Dementia in Alzheimer's disease, unspecified (G30.9†)
- F00.90* Dementia in Alzheimer's disease, unspecified, without mention of psychological or behavioural disturbance (G30.9†)
- F00.91* Dementia in Alzheimer's disease, unspecified, with psychological or behavioural disturbance (G30.9†)
- F01 Vascular dementia
- F01.0 Vascular dementia of acute onset
- F01.00 Vascular dementia of acute onset, without mention of psychological or behavioural disturbance
- F01.01 Vascular dementia of acute onset, with psychological or behavioural disturbance
- F01.1 Multi-infarct dementia
- F01.10 Multi-infarct dementia, without mention of psychological or behavioural disturbance
- F01.11 Multi-infarct dementia, with psychological or behavioural disturbance
- F01.2 Subcortical vascular dementia
- F01.20 Subcortical vascular dementia, without mention of psychological or behavioural disturbance
- F01.21 Subcortical vascular dementia, with psychological or behavioural disturbance
- F01.3 Mixed cortical and subcortical vascular dementia
- F01.30 Mixed cortical and subcortical vascular dementia, without mention of psychological or behavioural disturbance
- F01.31 Mixed cortical and subcortical vascular dementia, with psychological or behavioural disturbance
- F01.8 Other vascular dementia
- F01.80 Other vascular dementia, without mention of psychological or behavioural disturbance
- F01.81 Other vascular dementia, with psychological or behavioural disturbance
- F01.9 Vascular dementia, unspecified

F01.90	Vascular dementia, unspecified, without mention of psychological or behavioural disturbance
F01.91	Vascular dementia, unspecified, with psychological or behavioural disturbance
F02*	Dementia in other diseases classified elsewhere
F02.0*	Dementia in Pick's disease (G31.0†)
F02.00*	Dementia in Pick's disease, without mention of psychological or behavioural disturbance (G31.0†)
F02.01*	Dementia in Pick's disease, with psychological or behavioural disturbance (G31.0†)
F02.1*	Dementia in Creutzfeldt-Jakob disease (A81.0†)
F02.10*	Dementia in Creutzfeldt-Jakob disease, without mention of psychological or behavioural disturbance (A81.0†)
F02.11*	Dementia in Creutzfeldt-Jakob disease, with psychological or behavioural disturbance (A81.0†)
F02.2*	Dementia in Huntington's disease (G10†)
F02.20*	Dementia in Huntington's disease, without mention of psychological or behavioural disturbance (G10†)
F02.21*	Dementia in Huntington's disease, with psychological or behavioural disturbance (G10†)
F02.3*	Dementia in Parkinson's disease (G20†)
F02.30*	Dementia in Parkinson's disease, without mention of psychological or behavioural disturbance (G20†)
F02.31*	Dementia in Parkinson's disease, with psychological or behavioural disturbance (G20†)
F02.4*	Dementia in human immunodeficiency virus [HIV] disease (B22†)
F02.40*	Dementia in human immunodeficiency virus [HIV] disease, without mention of psychological or behavioural disturbance (B22†)
F02.41*	Dementia in human immunodeficiency virus [HIV] disease, with psychological or behavioural disturbance (B22†)
F02.8*	Dementia in other specified diseases classified elsewhere
F02.80*	Dementia in other specified diseases classified elsewhere, without mention of psychological or behavioural disturbance
F02.81*	Dementia in other specified diseases classified elsewhere, with psychological or behavioural disturbance
F03	Unspecified dementia
F03.00	Unspecified dementia, without mention of psychological or behavioural disturbance
F03.01	Unspecified dementia, with psychological or behavioural disturbance
F04	Organic amnesic syndrome, not induced by alcohol and other psychoactive substances
F04.0	Post traumatic amnesia
F04.00	Post traumatic amnesia, unspecified
F04.01	Post traumatic amnesia, less than 24 hours duration
F04.02	Post traumatic amnesia, 24 hours or more but less than 14 days duration
F04.03	Post traumatic amnesia, 14 days or more duration
F04.9	Amnesic syndrome, unspecified
F05	Delirium, not induced by alcohol and other psychoactive substances
F05.0	Delirium not superimposed on dementia, so described
F05.1	Delirium superimposed on dementia
F05.8	Other delirium
F05.9	Delirium, unspecified
F06	Other mental disorders due to brain damage and dysfunction and to physical disease or condition
F06.0	Organic hallucinosis
F06.1	Organic catatonic disorder

F06.2	Organic delusional [schizophrenia-like] disorder
F06.3	Organic mood [affective] disorders
F06.30	Organic mood [affective] disorder, unspecified
F06.31	Organic manic disorder
F06.32	Organic bipolar disorder
F06.33	Organic depressive disorder
F06.34	Organic mixed affective disorder
F06.39	Other organic mood [affective] disorder
F06.4	Organic anxiety disorder
F06.5	Organic dissociative disorder
F06.6	Organic emotionally labile [asthenic] disorder
F06.7	Mild cognitive disorder
F06.8	Other specified mental disorders due to brain damage and dysfunction and to physical disease or condition
F06.9	Unspecified mental disorder due to brain damage and dysfunction and to physical disease or condition
F07	Personality and behavioural disorders due to brain disease, damage and dysfunction and to physical disease
F07.0	Organic personality disorder
F07.1	Postencephalitic syndrome
F07.2	Postconcussional syndrome
F07.8	Other organic personality and behavioural disorders due to brain disease, damage and dysfunction
F07.9	Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction
F09	Unspecified organic or symptomatic mental disorder
F10–F19	Mental and behavioural disorders due to psychoactive substance use
F10	Mental and behavioural disorders due to use of alcohol
F10.0	Mental and behavioural disorders due to use of alcohol, acute intoxication
F10.1	Mental and behavioural disorders due to use of alcohol, harmful use
F10.2	Mental and behavioural disorders due to use of alcohol, dependence syndrome
F10.3	Mental and behavioural disorders due to use of alcohol, withdrawal state
F10.4	Mental and behavioural disorders due to use of alcohol, withdrawal state with delirium
F10.5	Mental and behavioural disorders due to use of alcohol, psychotic disorder
F10.6	Mental and behavioural disorders due to use of alcohol, amnesic syndrome
F10.7	Mental and behavioural disorders due to use of alcohol, residual and late-onset psychotic disorder
F10.8	Mental and behavioural disorders due to use of alcohol, other mental and behavioural disorders
F10.9	Mental and behavioural disorders due to use of alcohol, unspecified mental and behavioural disorder
F11	Mental and behavioural disorders due to use of opioids
F11.0	Mental and behavioural disorders due to use of opioids, acute intoxication
F11.1	Mental and behavioural disorders due to use of opioids, harmful use
F11.2	Mental and behavioural disorders due to use of opioids, dependence syndrome
F11.3	Mental and behavioural disorders due to use of opioids, withdrawal state
F11.4	Mental and behavioural disorders due to use of opioids, withdrawal state with delirium
F11.5	Mental and behavioural disorders due to use of opioids, psychotic disorder
F11.6	Mental and behavioural disorders due to use of opioids, amnesic syndrome

F11.7	Mental and behavioural disorders due to use of opioids, residual and late-onset psychotic disorder
F11.8	Mental and behavioural disorders due to use of opioids, other mental and behavioural disorders
F11.9	Mental and behavioural disorders due to use of opioids, unspecified mental and behavioural disorder
F12	Mental and behavioural disorders due to use of cannabinoids
F12.0	Mental and behavioural disorders due to use of cannabinoids, acute intoxication
F12.1	Mental and behavioural disorders due to use of cannabinoids, harmful use
F12.2	Mental and behavioural disorders due to use of cannabinoids, dependence syndrome
F12.3	Mental and behavioural disorders due to use of cannabinoids, withdrawal state
F12.4	Mental and behavioural disorders due to use of cannabinoids, withdrawal state with delirium
F12.5	Mental and behavioural disorders due to use of cannabinoids, psychotic disorder
F12.6	Mental and behavioural disorders due to use of cannabinoids, amnesic syndrome
F12.7	Mental and behavioural disorders due to use of cannabinoids, residual and late-onset psychotic disorder
F12.8	Mental and behavioural disorders due to use of cannabinoids, other mental and behavioural disorders
F12.9	Mental and behavioural disorders due to use of cannabinoids, unspecified mental and behavioural disorder
F13	Mental and behavioural disorders due to use of sedatives or hypnotics
F13.0	Mental and behavioural disorders due to use of sedatives or hypnotics, acute intoxication
F13.00	Mental and behavioural disorders due to use of sedatives or hypnotics, acute intoxication, unspecified sedative or hypnotic
F13.01	Mental and behavioural disorders due to use of sedatives or hypnotics, acute intoxication, gamma hydroxybutyrate
F13.09	Mental and behavioural disorders due to use of sedatives or hypnotics, acute intoxication, other specified sedative or hypnotic
F13.1	Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use
F13.10	Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use, unspecified sedative or hypnotic
F13.11	Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use, gamma hydroxybutyrate
F13.19	Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use, other specified sedative or hypnotic
F13.2	Mental and behavioural disorders due to use of sedatives or hypnotics, dependence syndrome
F13.20	Mental and behavioural disorders due to use of sedatives or hypnotics, dependence syndrome, unspecified sedative or hypnotic
F13.21	Mental and behavioural disorders due to use of sedatives or hypnotics, dependence syndrome, gamma hydroxybutyrate
F13.29	Mental and behavioural disorders due to use of sedatives or hypnotics, dependence syndrome, other specified sedative or hypnotic
F13.3	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state
F13.30	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state, unspecified sedative or hypnotic
F13.31	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state, gamma hydroxybutyrate
F13.39	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state, other specified sedative or hypnotic

F13.4	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium
F13.40	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium, unspecified sedative or hypnotic
F13.41	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium, gamma hydroxybutyrate
F13.49	Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium, other specified sedative or hypnotic
F13.5	Mental and behavioural disorders due to use of sedatives or hypnotics, psychotic disorder
F13.50	Mental and behavioural disorders due to use of sedatives or hypnotics, psychotic disorder, unspecified sedative or hypnotic
F13.51	Mental and behavioural disorders due to use of sedatives or hypnotics, psychotic disorder, gamma hydroxybutyrate
F13.59	Mental and behavioural disorders due to use of sedatives or hypnotics, psychotic disorder, other specified sedative or hypnotic
F13.6	Mental and behavioural disorders due to use of sedatives or hypnotics, amnesic syndrome
F13.60	Mental and behavioural disorders due to use of sedatives or hypnotics, amnesic syndrome, unspecified sedative or hypnotic
F13.61	Mental and behavioural disorders due to use of sedatives or hypnotics, amnesic syndrome, gamma hydroxybutyrate
F13.69	Mental and behavioural disorders due to use of sedatives or hypnotics, amnesic syndrome, other specified sedative or hypnotic
F13.7	Mental and behavioural disorders due to use of sedatives or hypnotics, residual and late-onset psychotic disorder
F13.70	Mental and behavioural disorders due to use of sedatives or hypnotics, residual and late-onset psychotic disorder, unspecified sedative or hypnotic
F13.71	Mental and behavioural disorders due to use of sedatives or hypnotics, residual and late-onset psychotic disorder, gamma hydroxybutyrate
F13.79	Mental and behavioural disorders due to use of sedatives or hypnotics, residual and late-onset psychotic disorder, other specified sedative or hypnotic
F13.8	Mental and behavioural disorders due to use of sedatives or hypnotics, other mental and behavioural disorders
F13.80	Mental and behavioural disorders due to use of sedatives or hypnotics, other mental and behavioural disorders, unspecified sedative or hypnotic
F13.81	Mental and behavioural disorders due to use of sedatives or hypnotics, other mental and behavioural disorders, gamma hydroxybutyrate
F13.89	Mental and behavioural disorders due to use of sedatives or hypnotics, other mental and behavioural disorders, other specified sedative or hypnotic
F13.9	Mental and behavioural disorders due to use of sedatives or hypnotics, unspecified mental and behavioural disorder
F13.90	Mental and behavioural disorders due to use of sedatives or hypnotics, unspecified mental and behavioural disorder, unspecified sedative or hypnotic
F13.91	Mental and behavioural disorders due to use of sedatives or hypnotics, unspecified mental and behavioural disorder, gamma hydroxybutyrate
F13.99	Mental and behavioural disorders due to use of sedatives or hypnotics, unspecified mental and behavioural disorder, other specified sedative or hypnotic
F14	Mental and behavioural disorders due to use of cocaine
F14.0	Mental and behavioural disorders due to use of cocaine, acute intoxication
F14.1	Mental and behavioural disorders due to use of cocaine, harmful use
F14.2	Mental and behavioural disorders due to use of cocaine, dependence syndrome
F14.3	Mental and behavioural disorders due to use of cocaine, withdrawal state
F14.4	Mental and behavioural disorders due to use of cocaine, withdrawal state with delirium

F14.5	Mental and behavioural disorders due to use of cocaine, psychotic disorder
F14.6	Mental and behavioural disorders due to use of cocaine, amnesic syndrome
F14.7	Mental and behavioural disorders due to use of cocaine, residual and late-onset psychotic disorder
F14.8	Mental and behavioural disorders due to use of cocaine, other mental and behavioural disorders
F14.9	Mental and behavioural disorders due to use of cocaine, unspecified mental and behavioural disorder
F15	Mental and behavioural disorders due to use of other stimulants, including caffeine
F15.0	Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication
F15.00	Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication, unspecified stimulants
F15.01	Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication, methylamphetamine
F15.02	Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication, methylenedioxy methylamphetamine
F15.09	Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication, other specified stimulants
F15.1	Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use
F15.10	Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use, unspecified stimulants
F15.11	Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use, methylamphetamine
F15.12	Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use, methylenedioxy methylamphetamine
F15.19	Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use, other specified stimulants
F15.2	Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome
F15.20	Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome, unspecified stimulants
F15.21	Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome, methylamphetamine
F15.22	Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome, methylenedioxy methylamphetamine
F15.29	Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome, other specified stimulants
F15.3	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state
F15.30	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state, unspecified stimulants
F15.31	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state, methylamphetamine
F15.32	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state, methylenedioxy methylamphetamine
F15.39	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state, other specified stimulants
F15.4	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state with delirium
F15.40	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state with delirium, unspecified stimulants

F15.41	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state with delirium, methylamphetamine
F15.42	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state with delirium, methylamphetamine
F15.49	Mental and behavioural disorders due to use of other stimulants including caffeine, withdrawal state with delirium, other specified stimulants
F15.5	Mental and behavioural disorders due to use of other stimulants including caffeine, psychotic disorder
F15.50	Mental and behavioural disorders due to use of other stimulants including caffeine, psychotic disorder, unspecified stimulants
F15.51	Mental and behavioural disorders due to use of other stimulants including caffeine, psychotic disorder, methylamphetamine
F15.52	Mental and behavioural disorders due to use of other stimulants including caffeine, psychotic disorder, methylenedioxy methylamphetamine
F15.59	Mental and behavioural disorders due to use of other stimulants including caffeine, psychotic disorder, other specified stimulants
F15.6	Mental and behavioural disorders due to use of other stimulants including caffeine, amnesic syndrome
F15.60	Mental and behavioural disorders due to use of other stimulants including caffeine, amnesic syndrome, unspecified stimulants
F15.61	Mental and behavioural disorders due to use of other stimulants including caffeine, amnesic syndrome, methylamphetamine
F15.62	Mental and behavioural disorders due to use of other stimulants including caffeine, amnesic syndrome, methylenedioxy methylamphetamine
F15.69	Mental and behavioural disorders due to use of other stimulants including caffeine, amnesic syndrome, other specified stimulants
F15.7	Mental and behavioural disorders due to use of other stimulants including caffeine, residual and late-onset psychotic disorder
F15.70	Mental and behavioural disorders due to use of other stimulants including caffeine, residual and late-onset psychotic disorder, unspecified stimulants
F15.71	Mental and behavioural disorders due to use of other stimulants including caffeine, residual and late-onset psychotic disorder, methylamphetamine
F15.72	Mental and behavioural disorders due to use of other stimulants including caffeine, residual and late-onset psychotic disorder, methylenedioxy methylamphetamine
F15.79	Mental and behavioural disorders due to use of other stimulants including caffeine, residual and late-onset psychotic disorder, other specified stimulants
F15.8	Mental and behavioural disorders due to use of other stimulants including caffeine, other mental and behavioural disorders
F15.80	Mental and behavioural disorders due to use of other stimulants including caffeine, other mental and behavioural disorders, unspecified stimulants
F15.81	Mental and behavioural disorders due to use of other stimulants including caffeine, other mental and behavioural disorders, methylamphetamine
F15.82	Mental and behavioural disorders due to use of other stimulants including caffeine, other mental and behavioural disorders, methylenedioxy methylamphetamine
F15.89	Mental and behavioural disorders due to use of other stimulants including caffeine, other mental and behavioural disorders, other specified stimulants
F15.9	Mental and behavioural disorders due to use of other stimulants including caffeine, unspecified mental and behavioural disorder
F15.90	Mental and behavioural disorders due to use of other stimulants including caffeine, unspecified mental and behavioural disorder, unspecified stimulants
F15.91	Mental and behavioural disorders due to use of other stimulants including caffeine, unspecified mental and behavioural disorder, methylamphetamine

F15.92	Mental and behavioural disorders due to use of other stimulants including caffeine, unspecified mental and behavioural disorder, methylenedioxy methylamphetamine
F15.99	Mental and behavioural disorders due to use of other stimulants including caffeine, unspecified mental and behavioural disorder, other specified stimulants
F16	Mental and behavioural disorders due to use of hallucinogens
F16.0	Mental and behavioural disorders due to use of hallucinogens, acute intoxication
F16.00	Mental and behavioural disorders due to use of hallucinogens, acute intoxication, unspecified hallucinogen
F16.01	Mental and behavioural disorders due to use of hallucinogens, acute intoxication, ketamine
F16.09	Mental and behavioural disorders due to use of hallucinogens, acute intoxication, other specified hallucinogen
F16.1	Mental and behavioural disorders due to use of hallucinogens, harmful use
F16.10	Mental and behavioural disorders due to use of hallucinogens, harmful use, unspecified hallucinogen
F16.11	Mental and behavioural disorders due to use of hallucinogens, harmful use, ketamine
F16.19	Mental and behavioural disorders due to use of hallucinogens, harmful use, other specified hallucinogen
F16.2	Mental and behavioural disorders due to use of hallucinogens, dependence syndrome
F16.20	Mental and behavioural disorders due to use of hallucinogens, dependence syndrome, unspecified hallucinogen
F16.21	Mental and behavioural disorders due to use of hallucinogens, dependence syndrome, ketamine
F16.29	Mental and behavioural disorders due to use of hallucinogens, dependence syndrome, other specified hallucinogen
F16.3	Mental and behavioural disorders due to use of hallucinogens, withdrawal state
F16.30	Mental and behavioural disorders due to use of hallucinogens, withdrawal state, unspecified hallucinogen
F16.31	Mental and behavioural disorders due to use of hallucinogens, withdrawal state, Ketamine
F16.39	Mental and behavioural disorders due to use of hallucinogens, withdrawal state, other specified hallucinogen
F16.4	Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium
F16.40	Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium, unspecified hallucinogen
F16.41	Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium, ketamine
F16.49	Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium, other specified hallucinogen
F16.5	Mental and behavioural disorders due to use of hallucinogens, psychotic disorder
F16.50	Mental and behavioural disorders due to use of hallucinogens, psychotic disorder, unspecified hallucinogen
F16.51	Mental and behavioural disorders due to use of hallucinogens, psychotic disorder, ketamine
F16.59	Mental and behavioural disorders due to use of hallucinogens, psychotic disorder, other specified hallucinogen
F16.6	Mental and behavioural disorders due to use of hallucinogens, amnesic syndrome
F16.60	Mental and behavioural disorders due to use of hallucinogens, amnesic syndrome, unspecified hallucinogen
F16.61	Mental and behavioural disorders due to use of hallucinogens, amnesic syndrome, ketamine
F16.69	Mental and behavioural disorders due to use of hallucinogens, amnesic syndrome, other specified hallucinogen

F16.7	Mental and behavioural disorders due to use of hallucinogens, residual and late-onset psychotic disorder
F16.70	Mental and behavioural disorders due to use of hallucinogens, residual and late-onset psychotic disorder, unspecified hallucinogen
F16.71	Mental and behavioural disorders due to use of hallucinogens, residual and late-onset psychotic disorder, ketamine
F16.79	Mental and behavioural disorders due to use of hallucinogens, residual and late-onset psychotic disorder, other specified hallucinogen
F16.8	Mental and behavioural disorders due to use of hallucinogens, other mental and behavioural disorders
F16.80	Mental and behavioural disorders due to use of hallucinogens, other mental and behavioural disorders, unspecified hallucinogen
F16.81	Mental and behavioural disorders due to use of hallucinogens, other mental and behavioural disorders, ketamine
F16.89	Mental and behavioural disorders due to use of hallucinogens, other mental and behavioural disorders, other specified hallucinogen
F16.9	Mental and behavioural disorders due to use of hallucinogens, unspecified mental and behavioural disorder
F16.90	Mental and behavioural disorders due to use of hallucinogens, unspecified mental and behavioural disorder, unspecified hallucinogen
F16.91	Mental and behavioural disorders due to use of hallucinogens, unspecified mental and behavioural disorder, ketamine
F16.99	Mental and behavioural disorders due to use of hallucinogens, unspecified mental and behavioural disorder, other specified hallucinogen
F17	Mental and behavioural disorders due to use of tobacco
F17.0	Mental and behavioural disorders due to use of tobacco, acute intoxication
F17.1	Mental and behavioural disorders due to use of tobacco, harmful use
F17.2	Mental and behavioural disorders due to use of tobacco, dependence syndrome
F17.3	Mental and behavioural disorders due to use of tobacco, withdrawal state
F17.4	Mental and behavioural disorders due to use of tobacco, withdrawal state with delirium
F17.5	Mental and behavioural disorders due to use of tobacco, psychotic disorder
F17.6	Mental and behavioural disorders due to use of tobacco, amnesic syndrome
F17.7	Mental and behavioural disorders due to use of tobacco, residual and late-onset psychotic disorder
F17.8	Mental and behavioural disorders due to use of tobacco, other mental and behavioural disorders
F17.9	Mental and behavioural disorders due to use of tobacco, unspecified mental and behavioural disorder
F18	Mental and behavioural disorders due to use of volatile solvents
F18.0	Mental and behavioural disorders due to use of volatile solvents, acute intoxication
F18.1	Mental and behavioural disorders due to use of volatile solvents, harmful use
F18.2	Mental and behavioural disorders due to use of volatile solvents, dependence syndrome
F18.3	Mental and behavioural disorders due to use of volatile solvents, withdrawal state
F18.4	Mental and behavioural disorders due to use of volatile solvents, withdrawal state with delirium
F18.5	Mental and behavioural disorders due to use of volatile solvents, psychotic disorder
F18.6	Mental and behavioural disorders due to use of volatile solvents, amnesic syndrome
F18.7	Mental and behavioural disorders due to use of volatile solvents, residual and late-onset psychotic disorder
F18.8	Mental and behavioural disorders due to use of volatile solvents, other mental and behavioural disorders

F18.9	Mental and behavioural disorders due to use of volatile solvents, unspecified mental and behavioural disorder
F19	Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances
F19.0	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, acute intoxication
F19.1	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use
F19.2	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome
F19.3	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state
F19.4	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state with delirium
F19.5	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, psychotic disorder
F19.6	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, amnesic syndrome
F19.7	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, residual and late-onset psychotic disorder
F19.8	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, other mental and behavioural disorders
F19.9	Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, unspecified mental and behavioural disorder
F20	Schizophrenia
F20.0	Paranoid schizophrenia
F20.1	Hebephrenic schizophrenia
F20.2	Catatonic schizophrenia
F20.3	Undifferentiated schizophrenia
F20.4	Post-schizophrenic depression
F20.5	Residual schizophrenia
F20.6	Simple schizophrenia
F20.8	Other schizophrenia
F20.9	Schizophrenia, unspecified
F21	Schizotypal disorder
F22	Persistent delusional disorders
F22.0	Delusional disorder
F22.8	Other persistent delusional disorders
F22.9	Persistent delusional disorder, unspecified
F23	Acute and transient psychotic disorders
F23.0	Acute polymorphic psychotic disorder without symptoms of schizophrenia
F23.00	Acute polymorphic psychotic disorder without symptoms of schizophrenia, without mention of associated acute stress
F23.01	Acute polymorphic psychotic disorder without symptoms of schizophrenia, with mention of associated acute stress
F23.1	Acute polymorphic psychotic disorder with symptoms of schizophrenia
F23.10	Acute polymorphic psychotic disorder with symptoms of schizophrenia, without mention of associated acute stress
F23.11	Acute polymorphic psychotic disorder with symptoms of schizophrenia, with mention of associated acute stress
F23.2	Acute schizophrenia-like psychotic disorder

F23.20	Acute schizophrenia-like psychotic disorder, without mention of associated acute stress
F23.21	Acute schizophrenia-like psychotic disorder, with mention of associated acute stress
F23.3	Other acute predominantly delusional psychotic disorders
F23.30	Other acute predominantly delusional psychotic disorders, without mention of associated acute stress
F23.31	Other acute predominantly delusional psychotic disorders, with mention of associated acute stress
F23.8	Other acute and transient psychotic disorders
F23.80	Other acute and transient psychotic disorders, without mention of associated acute stress
F23.81	Other acute and transient psychotic disorders, with mention of associated acute stress
F23.9	Acute and transient psychotic disorder, unspecified
F23.90	Acute and transient psychotic disorder, unspecified, without mention of associated acute stress
F23.91	Acute and transient psychotic disorder, unspecified, with mention of associated acute stress
F24	Induced delusional disorder
F25	Schizoaffective disorders
F25.0	Schizoaffective disorder, manic type
F25.1	Schizoaffective disorder, depressive type
F25.2	Schizoaffective disorder, mixed type
F25.8	Other schizoaffective disorders
F25.9	Schizoaffective disorder, unspecified
F28	Other nonorganic psychotic disorders
F29	Unspecified nonorganic psychosis
F30	Manic episode
F30.0	Hypomania
F30.1	Mania without psychotic symptoms
F30.2	Mania with psychotic symptoms
F30.8	Other manic episodes
F30.9	Manic episode, unspecified
F31	Bipolar affective disorder
F31.0	Bipolar affective disorder, current episode hypomanic
F31.1	Bipolar affective disorder, current episode manic without psychotic symptoms
F31.2	Bipolar affective disorder, current episode manic with psychotic symptoms
F31.3	Bipolar affective disorder, current episode mild or moderate depression
F31.4	Bipolar affective disorder, current episode severe depression without psychotic symptoms
F31.5	Bipolar affective disorder, current episode severe depression with psychotic symptoms
F31.6	Bipolar affective disorder, current episode mixed
F31.7	Bipolar affective disorder, currently in remission
F31.8	Other bipolar affective disorders
F31.9	Bipolar affective disorder, unspecified
F32	Depressive episode
F32.0	Mild depressive episode
F32.00	Mild depressive episode, not specified as arising in the postnatal period
F32.01	Mild depressive episode, arising in the postnatal period
F32.1	Moderate depressive episode
F32.10	Moderate depressive episode, not specified as arising in the postnatal period
F32.11	Moderate depressive episode, arising in the postnatal period
F32.2	Severe depressive episode without psychotic symptoms

F32.20	Severe depressive episode without psychotic symptoms, not specified as arising in the postnatal period
F32.21	Severe depressive episode without psychotic symptoms, arising in the postnatal period
F32.3	Severe depressive episode with psychotic symptoms
F32.30	Severe depressive episode with psychotic symptoms, not specified as arising in the postnatal period
F32.31	Severe depressive episode with psychotic symptoms, arising in the postnatal period
F32.8	Other depressive episodes
F32.80	Other depressive episodes, not specified as arising in the postnatal period
F32.81	Other depressive episodes, arising in the postnatal period
F32.9	Depressive episode, unspecified
F32.90	Depressive episode, unspecified, not specified as arising in the postnatal period
F32.91	Depressive episode, unspecified, arising in the postnatal period
F33	Recurrent depressive disorder
F33.0	Recurrent depressive disorder, current episode mild
F33.1	Recurrent depressive disorder, current episode moderate
F33.2	Recurrent depressive disorder, current episode severe without psychotic symptoms
F33.3	Recurrent depressive disorder, current episode severe with psychotic symptoms
F33.4	Recurrent depressive disorder, currently in remission
F33.8	Other recurrent depressive disorders
F33.9	Recurrent depressive disorder, unspecified
F34	Persistent mood [affective] disorders
F34.0	Cyclothymia
F34.1	Dysthymia
F34.8	Other persistent mood [affective] disorders
F34.9	Persistent mood [affective] disorder, unspecified
F38	Other mood [affective] disorders
F38.0	Other single mood [affective] disorders
F38.1	Other recurrent mood [affective] disorders
F38.8	Other specified mood [affective] disorders
F39	Unspecified mood [affective] disorder
F40	Phobic anxiety disorders
F40.0	Agoraphobia
F40.00	Agoraphobia without mention of panic disorder
F40.01	Agoraphobia with panic disorder
F40.1	Social phobias
F40.2	Specific [isolated] phobias
F40.8	Other phobic anxiety disorders
F40.9	Phobic anxiety disorder, unspecified
F41	Other anxiety disorders
F41.0	Panic disorder [episodic paroxysmal anxiety]
F41.1	Generalised anxiety disorder
F41.2	Mixed anxiety and depressive disorder
F41.3	Other mixed anxiety disorders
F41.8	Other specified anxiety disorders
F41.9	Anxiety disorder, unspecified
F42	Obsessive-compulsive disorder
F42.0	Predominantly obsessional thoughts or ruminations

F42.1	Predominantly compulsive acts [obsessional rituals]
F42.2	Mixed obsessional thoughts and acts
F42.8	Other obsessive-compulsive disorders
F42.9	Obsessive-compulsive disorder, unspecified
F43	Reaction to severe stress, and adjustment disorders
F43.0	Acute stress reaction
F43.1	Post-traumatic stress disorder
F43.2	Adjustment disorders
F43.8	Other reactions to severe stress
F43.9	Reaction to severe stress, unspecified
F44	Dissociative [conversion] disorders
F44.0	Dissociative amnesia
F44.1	Dissociative fugue
F44.2	Dissociative stupor
F44.3	Trance and possession disorders
F44.4	Dissociative motor disorders
F44.5	Dissociative convulsions
F44.6	Dissociative anaesthesia and sensory loss
F44.7	Mixed dissociative [conversion] disorders
F44.8	Other dissociative [conversion] disorders
F44.80	Ganser's syndrome
F44.81	Multiple personality disorder
F44.82	Transient dissociative [conversion] disorders occurring in childhood and adolescence
F44.88	Other specified dissociative [conversion] disorders
F44.9	Dissociative [conversion] disorder, unspecified
F45	Somatoform disorders
F45.0	Somatisation disorder
F45.1	Undifferentiated somatoform disorder
F45.2	Hypochondriacal disorder
F45.3	Somatoform autonomic dysfunction
F45.30	Somatoform autonomic dysfunction, unspecified organ or system
F45.31	Somatoform autonomic dysfunction, heart and cardiovascular system
F45.32	Somatoform autonomic dysfunction, upper gastrointestinal tract
F45.33	Somatoform autonomic dysfunction, lower gastrointestinal tract
F45.34	Somatoform autonomic dysfunction, respiratory system
F45.35	Somatoform autonomic dysfunction, genitourinary system
F45.38	Somatoform autonomic dysfunction, other organ or system
F45.39	Somatoform autonomic dysfunction, multiple organs or systems
F45.4	Persistent somatoform pain disorder
F45.8	Other somatoform disorders
F45.9	Somatoform disorder, unspecified
F48	Other neurotic disorders
F48.0	Neurasthenia
F48.1	Depersonalisation-derealisation syndrome
F48.8	Other specified neurotic disorders
F48.9	Neurotic disorder, unspecified
F50	Eating disorders
F50.0	Anorexia nervosa

F50.1	Atypical anorexia nervosa
F50.2	Bulimia nervosa
F50.3	Atypical bulimia nervosa
F50.4	Overeating associated with other psychological disturbances
F50.5	Vomiting associated with other psychological disturbances
F50.8	Other eating disorders
F50.9	Eating disorder, unspecified
F51	Nonorganic sleep disorders
F51.0	Nonorganic insomnia
F51.1	Nonorganic hypersomnia
F51.2	Nonorganic disorder of the sleep-wake schedule
F51.3	Sleepwalking [somnambulism]
F51.4	Sleep terrors [night terrors]
F51.5	Nightmares
F51.8	Other nonorganic sleep disorders
F51.9	Nonorganic sleep disorder, unspecified
F52	Sexual dysfunction, not caused by organic disorder or disease
F52.0	Lack or loss of sexual desire
F52.1	Sexual aversion and lack of sexual enjoyment
F52.2	Failure of genital response
F52.3	Orgasmic dysfunction
F52.4	Premature ejaculation
F52.5	Nonorganic vaginismus
F52.6	Nonorganic dyspareunia
F52.7	Excessive sexual drive
F52.8	Other sexual dysfunction, not caused by organic disorder or disease
F52.9	Unspecified sexual dysfunction, not caused by organic disorder or disease
F53	Mental and behavioural disorders associated with the puerperium, not elsewhere classified
F53.0	Mild mental and behavioural disorders associated with the puerperium, not elsewhere classified
F53.1	Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified
F53.8	Other mental and behavioural disorders associated with the puerperium, not elsewhere classified
F53.9	Puerperal mental disorder, unspecified
F54	Psychological and behavioural factors associated with disorders or diseases classified elsewhere
F55	Harmful use of nondependence-producing substances
F55.0	Harmful use of nondependence-producing substance, antidepressants
F55.1	Harmful use of nondependence-producing substance, laxatives
F55.2	Harmful use of nondependence-producing substance, analgesics
F55.3	Harmful use of nondependence-producing substance, antacids
F55.4	Harmful use of nondependence-producing substance, vitamins
F55.5	Harmful use of nondependence-producing substance, steroids or hormones
F55.6	Harmful use of nondependence-producing substance, specific herbal or folk remedies
F55.8	Other substances that do not produce dependence
F55.9	Unspecified harmful use of non-dependence producing substance
F59	Unspecified behavioural syndromes associated with physiological disturbances and physical factors

F60	Specific personality disorders
F60.0	Paranoid personality disorder
F60.1	Schizoid personality disorder
F60.2	Dissocial personality disorder
F60.3	Emotionally unstable personality disorder
F60.30	Emotionally unstable personality disorder, impulsive type
F60.31	Emotionally unstable personality disorder, borderline type
F60.4	Histrionic personality disorder
F60.5	Anankastic personality disorder
F60.6	Anxious [avoidant] personality disorder
F60.7	Dependent personality disorder
F60.8	Other specific personality disorders
F60.9	Personality disorder, unspecified
F61	Mixed and other personality disorders
F62	Enduring personality changes, not attributable to brain damage and disease
F62.0	Enduring personality change after catastrophic experience
F62.1	Enduring personality change after psychiatric illness
F62.8	Other enduring personality changes
F62.9	Enduring personality change, unspecified
F63	Habit and impulse disorders
F63.0	Pathological gambling
F63.1	Pathological fire-setting [pyromania]
F63.2	Pathological stealing [kleptomania]
F63.3	Trichotillomania
F63.8	Other habit and impulse disorders
F63.9	Habit and impulse disorder, unspecified
F64	Gender incongruence
F64.0	Transsexualism
F64.1	Dual-role transvestism
F64.2	Gender identity disorder of childhood
F64.8	Other gender identity disorders
F64.9	Gender identity disorder, unspecified
F65	Paraphilic disorders
F65.0	Fetishism
F65.1	Fetishistic transvestism
F65.2	Exhibitionistic disorder
F65.3	Voyeuristic disorder
F65.4	Paedophilic disorder
F65.5	Sadomasochism
F65.6	Multiple paraphilic disorders
F65.8	Other paraphilic disorders
F65.9	Paraphilic disorder, unspecified
F66	Other sexual disorders
F66.0	Sexual maturation disorder
F66.1	Egodystonic sexual orientation
F66.2	Sexual relationship disorder
F66.8	Other psychosexual development disorders
F66.9	Psychosexual development disorder, unspecified

F68	Other disorders of adult personality and behaviour
F68.0	Elaboration of physical symptoms for psychological reasons
F68.1	Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder]
F68.8	Other specified disorders of adult personality and behaviour
F69	Unspecified disorder of adult personality and behaviour
F70–F79	Disorders of intellectual development
F70	Mild intellectual development disorder
F70.0	Mild intellectual development disorder with the statement of no, or minimal, impairment of behaviour
F70.1	Mild intellectual development disorder, significant impairment of behaviour requiring attention or treatment
F70.8	Mild intellectual development disorder, other impairments of behaviour
F70.9	Mild intellectual development disorder without mention of impairment of behaviour
F71	Moderate intellectual development disorder
F71.0	Moderate mental retardation with the statement of no, or minimal, impairment of behaviour
F71.1	Moderate intellectual development disorder, significant impairment of behaviour requiring attention or treatment
F71.8	Moderate intellectual development disorder, other impairments of behaviour
F71.9	Moderate intellectual development disorder without mention of impairment of behaviour
F72	Severe intellectual development disorder
F72.0	Severe intellectual development disorder with the statement of no, or minimal, impairment of behaviour
F72.1	Severe intellectual development disorder, significant impairment of behaviour requiring attention or treatment
F72.8	Severe intellectual development disorder, other impairments of behaviour
F72.9	Severe intellectual development disorder without mention of impairment of behaviour
F73	Profound intellectual development disorder
F73.0	Profound intellectual development disorder with the statement of no, or minimal, impairment of behaviour
F73.1	Profound intellectual development disorder, significant impairment of behaviour requiring attention or treatment
F73.8	Profound intellectual development disorder, other impairments of behaviour
F73.9	Profound intellectual development disorder without mention of impairment of behaviour
F78	Other intellectual development disorder
F78.0	Other intellectual development disorder with the statement of no, or minimal, impairment of behaviour
F78.1	Other intellectual development disorder, significant impairment of behaviour requiring attention or treatment
F78.8	Other intellectual development disorder, other impairments of behaviour
F78.9	Other intellectual development disorder without mention of impairment of behaviour
F79	Unspecified intellectual development disorder
F79.0	Unspecified intellectual development disorder with the statement of no, or minimal, impairment of behaviour
F79.1	Unspecified intellectual development disorder, significant impairment of behaviour requiring attention or treatment
F79.8	Unspecified intellectual development disorder, other impairments of behaviour
F79.9	Unspecified intellectual development disorder without mention of impairment of behaviour
F80	Specific developmental disorders of speech and language
F80.0	Specific speech articulation disorder

F80.1	Expressive language disorder
F80.2	Receptive language disorder
F80.3	Acquired aphasia with epilepsy [Landau-Kleffner]
F80.8	Other developmental disorders of speech and language
F80.9	Developmental disorder of speech and language, unspecified
F81	Specific developmental disorders of scholastic skills
F81.0	Specific reading disorder
F81.1	Specific spelling disorder
F81.2	Specific disorder of arithmetical skills
F81.3	Mixed disorder of scholastic skills
F81.8	Other developmental disorders of scholastic skills
F81.9	Developmental disorder of scholastic skills, unspecified
F82	Specific developmental disorder of motor function
F83	Mixed specific developmental disorders
F84	Autism spectrum disorder
F84.0	Childhood autism
F84.1	Atypical autism
F84.2	Rett's syndrome
F84.3	Other childhood disintegrative disorder
F84.4	Overactive disorder associated with mental retardation and stereotyped movements
F84.5	Asperger's syndrome
F84.8	Other pervasive developmental disorders
F84.9	Pervasive developmental disorder, unspecified
F85	Rett syndrome
F88	Other disorders of psychological development
F89	Unspecified disorder of psychological development
F90	Hyperkinetic disorders
F90.0	Disturbance of activity and attention
F90.1	Hyperkinetic conduct disorder
F90.8	Other hyperkinetic disorders
F90.9	Hyperkinetic disorder, unspecified
F91	Conduct disorders
F91.0	Conduct disorder confined to the family context
F91.1	Unsocialised conduct disorder
F91.2	Socialised conduct disorder
F91.3	Oppositional defiant disorder
F91.8	Other conduct disorders
F91.9	Conduct disorder, unspecified
F92	Mixed disorders of conduct and emotions
F92.0	Depressive conduct disorder
F92.8	Other mixed disorders of conduct and emotions
F92.9	Mixed disorder of conduct and emotions, unspecified
F93	Emotional disorders with onset specific to childhood
F93.0	Separation anxiety disorder of childhood
F93.1	Phobic anxiety disorder of childhood
F93.2	Social anxiety disorder of childhood
F93.3	Sibling rivalry disorder
F93.8	Other childhood emotional disorders

F93.9	Childhood emotional disorder, unspecified
F94	Disorders of social functioning with onset specific to childhood and adolescence
F94.0	Elective mutism
F94.1	Reactive attachment disorder of childhood
F94.2	Disinhibited attachment disorder of childhood
F94.8	Other childhood disorders of social functioning
F94.9	Childhood disorder of social functioning, unspecified
F95	Tic disorders
F95.0	Transient tic disorder
F95.1	Chronic motor or vocal tic disorder
F95.2	Combined vocal and multiple motor tic disorder [de la Tourette]
F95.8	Other tic disorders
F95.9	Tic disorder, unspecified
F98	Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence
F98.0	Nonorganic enuresis
F98.1	Nonorganic encopresis
F98.2	Feeding disorder of infancy and childhood
F98.3	Pica of infancy and childhood
F98.4	Stereotyped movement disorders
F98.5	Stuttering [stammering]
F98.6	Cluttering
F98.8	Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence
F98.9	Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence
F99	Mental disorder, not otherwise specified

Chapter 6 DISEASES OF THE NERVOUS SYSTEM (G00–G99)

G00–G99	Diseases of the nervous system
G00	Bacterial meningitis, not elsewhere classified
G00.0	Haemophilus meningitis
G00.1	Pneumococcal meningitis
G00.2	Streptococcal meningitis, not elsewhere classified
G00.3	Staphylococcal meningitis
G00.8	Other bacterial meningitis
G00.9	Bacterial meningitis, unspecified
G01*	Meningitis in bacterial diseases classified elsewhere
G02*	Meningitis in other infectious and parasitic diseases classified elsewhere
G02.0*	Meningitis in viral diseases classified elsewhere
G02.1*	Meningitis in mycoses
G02.8*	Meningitis in other specified infectious and parasitic diseases classified elsewhere
G03	Meningitis due to other and unspecified causes
G03.0	Nonpyogenic meningitis
G03.1	Chronic meningitis
G03.2	Benign recurrent meningitis [Mollaret]
G03.8	Meningitis due to other specified causes
G03.9	Meningitis, unspecified
G04	Encephalitis, myelitis and encephalomyelitis

G04.0	Acute disseminated encephalitis
G04.1	Human T-cell lymphotropic virus associated myelopathy
G04.2	Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified
G04.8	Other encephalitis, myelitis and encephalomyelitis
G04.9	Encephalitis, myelitis and encephalomyelitis, unspecified
G05*	Encephalitis, myelitis and encephalomyelitis in diseases classified elsewhere
G05.0*	Encephalitis, myelitis and encephalomyelitis in bacterial diseases classified elsewhere
G05.1*	Encephalitis, myelitis and encephalomyelitis in viral diseases classified elsewhere
G05.2*	Encephalitis, myelitis and encephalomyelitis in other infectious and parasitic diseases classified elsewhere
G05.8*	Encephalitis, myelitis and encephalomyelitis in other diseases classified elsewhere
G06	Intracranial and intraspinal abscess and granuloma
G06.0	Intracranial abscess and granuloma
G06.1	Intraspinal abscess and granuloma
G06.2	Extradural and subdural abscess, unspecified
G07*	Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere
G08	Intracranial and intraspinal phlebitis and thrombophlebitis
G09	Sequelae of inflammatory diseases of central nervous system
G10	Huntington's disease
G11	Hereditary ataxia
G11.0	Congenital nonprogressive ataxia
G11.1	Early-onset cerebellar ataxia
G11.2	Late-onset cerebellar ataxia
G11.3	Cerebellar ataxia with defective DNA repair
G11.4	Hereditary spastic paraplegia
G11.8	Other hereditary ataxias
G11.9	Hereditary ataxia, unspecified
G12	Spinal muscular atrophy and related syndromes
G12.0	Infantile spinal muscular atrophy, type I [Werdnig-Hoffman]
G12.1	Other inherited spinal muscular atrophy
G12.2	Motor neuron disease
G12.8	Other spinal muscular atrophies and related syndromes
G12.9	Spinal muscular atrophy, unspecified
G13*	Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere
G13.0*	Paraneoplastic neuromyopathy and neuropathy
G13.1*	Other systemic atrophy primarily affecting central nervous system in neoplastic disease
G13.2*	Systemic atrophy primarily affecting central nervous system in myxoedema (E00.1†, E03.-†)
G13.8*	Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere
G14	Postpolio syndrome
G20	Parkinson's disease
G21	Secondary parkinsonism
G21.0	Malignant neuroleptic syndrome
G21.1	Other drug-induced secondary parkinsonism
G21.2	Secondary parkinsonism due to other external agents
G21.3	Postencephalitic parkinsonism
G21.4	Vascular parkinsonism

G21.8	Other secondary parkinsonism
G21.9	Secondary parkinsonism, unspecified
G22*	Parkinsonism in diseases classified elsewhere
G23	Other degenerative diseases of basal ganglia
G23.0	Pigmentary pallidal degeneration
G23.1	Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]
G23.2	Multiple system atrophy, parkinsonian type [MSA-P]
G23.3	Multiple system atrophy, cerebellar type [MSA-C]
G23.8	Other specified degenerative diseases of basal ganglia
G23.9	Degenerative disease of basal ganglia, unspecified
G24	Dystonia
G24.0	Drug-induced dystonia
G24.1	Idiopathic familial dystonia
G24.2	Idiopathic nonfamilial dystonia
G24.3	Spasmodic torticollis
G24.4	Idiopathic orofacial dystonia
G24.5	Blepharospasm
G24.8	Other dystonia
G24.9	Dystonia, unspecified
G25	Other extrapyramidal and movement disorders
G25.0	Essential tremor
G25.1	Drug-induced tremor
G25.2	Other specified forms of tremor
G25.3	Myoclonus
G25.4	Drug-induced chorea
G25.5	Other chorea
G25.6	Drug-induced tics and other tics of organic origin
G25.8	Other specified extrapyramidal and movement disorders
G25.9	Extrapyramidal and movement disorder, unspecified
G26*	Extrapyramidal and movement disorders in diseases classified elsewhere
G30	Alzheimer's disease
G30.0	Alzheimer's disease with early onset
G30.1	Alzheimer's disease with late onset
G30.8	Other Alzheimer's disease
G30.9	Alzheimer's disease, unspecified
G31	Other degenerative diseases of nervous system, not elsewhere classified
G31.0	Circumscribed brain atrophy
G31.1	Senile degeneration of brain, not elsewhere classified
G31.2	Degeneration of nervous system due to alcohol
G31.3	Lewy body disease
G31.8	Other specified degenerative diseases of nervous system
G31.81	Mitochondrial cytopathy
G31.88	Other specified degenerative diseases of nervous system
G31.9	Degenerative disease of nervous system, unspecified
G32*	Other degenerative disorders of nervous system in diseases classified elsewhere
G32.0*	Subacute combined degeneration of spinal cord in diseases classified elsewhere
G32.8*	Other specified degenerative disorders of nervous system in diseases classified elsewhere
G35	Multiple sclerosis

G36	Other acute disseminated demyelination
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute haemorrhagic leukoencephalitis [Hurst]
G36.8	Other specified acute disseminated demyelination
G36.9	Acute disseminated demyelination, unspecified
G37	Other demyelinating diseases of central nervous system
G37.0	Diffuse sclerosis
G37.1	Central demyelination of corpus callosum
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotising myelitis
G37.5	Concentric sclerosis [Baló]
G37.8	Other specified demyelinating diseases of central nervous system
G37.9	Demyelinating disease of central nervous system, unspecified
G40	Epilepsy
G40.0	Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset
G40.00	Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset, without mention of intractable epilepsy
G40.01	Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset, with intractable epilepsy
G40.1	Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures
G40.10	Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, without mention of intractable epilepsy
G40.11	Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, with intractable epilepsy
G40.2	Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures
G40.20	Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, without mention of intractable epilepsy
G40.21	Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy
G40.3	Generalised idiopathic epilepsy and epileptic syndromes
G40.30	Generalised idiopathic epilepsy and epileptic syndromes, without mention of intractable epilepsy
G40.31	Generalised idiopathic epilepsy and epileptic syndromes, with intractable epilepsy
G40.4	Other generalised epilepsy and epileptic syndromes
G40.40	Other generalised epilepsy and epileptic syndromes, without mention of intractable epilepsy
G40.41	Other generalised epilepsy and epileptic syndromes, with intractable epilepsy
G40.5	Special epileptic syndromes
G40.50	Special epileptic syndromes, without mention of intractable epilepsy
G40.51	Special epileptic syndromes, with intractable epilepsy
G40.6	Grand mal seizures, unspecified (with or without petit mal)
G40.60	Grand mal seizures, unspecified (with or without petit mal), without mention of intractable epilepsy
G40.61	Grand mal seizures, unspecified (with or without petit mal), with intractable epilepsy
G40.7	Petit mal, unspecified, without grand mal seizures
G40.70	Petit mal, unspecified, without grand mal seizures, without mention of intractable epilepsy

G40.71	Petit mal, unspecified, without grand mal seizures, with intractable epilepsy
G40.8	Other epilepsy
G40.80	Other epilepsy, without mention of intractable epilepsy
G40.81	Other epilepsy, with intractable epilepsy
G40.9	Epilepsy, unspecified
G40.90	Epilepsy, unspecified, without mention of intractable epilepsy
G40.91	Epilepsy, unspecified, with intractable epilepsy
G41	Status epilepticus
G41.0	Grand mal status epilepticus
G41.1	Petit mal status epilepticus
G41.2	Complex partial status epilepticus
G41.8	Other status epilepticus
G41.9	Status epilepticus, unspecified
G43	Migraine
G43.0	Migraine without aura [common migraine]
G43.1	Migraine with aura [classical migraine]
G43.2	Status migrainosus
G43.3	Complicated migraine
G43.8	Other migraine
G43.9	Migraine, unspecified
G44	Other headache syndromes
G44.0	Cluster headache syndrome
G44.1	Vascular headache, not elsewhere classified
G44.2	Tension-type headache
G44.3	Chronic post-traumatic headache
G44.4	Drug-induced headache, not elsewhere classified
G44.8	Other specified headache syndromes
G45	Transient cerebral ischaemic attacks and related syndromes
G45.0	Vertebro-basilar artery syndrome
G45.1	Carotid artery syndrome (hemispheric)
G45.2	Multiple and bilateral precerebral artery syndromes
G45.3	Amaurosis fugax
G45.4	Transient global amnesia
G45.8	Other transient cerebral ischaemic attacks and related syndromes
G45.9	Transient cerebral ischaemic attack, unspecified
G46*	Vascular syndromes of brain in cerebrovascular diseases (I60-I67†)
G46.0*	Middle cerebral artery syndrome (I66.0†)
G46.1*	Anterior cerebral artery syndrome (I66.1†)
G46.2*	Posterior cerebral artery syndrome (I66.2†)
G46.3*	Brain stem stroke syndrome (I60-I67†)
G46.4*	Cerebellar stroke syndrome (I60-I67†)
G46.5*	Pure motor lacunar syndrome (I60-I67†)
G46.6*	Pure sensory lacunar syndrome (I60-I67†)
G46.7*	Other lacunar syndromes (I60-I67†)
G46.8*	Other vascular syndromes of brain in cerebrovascular diseases (I60-I67†)
G47	Sleep disorders
G47.0	Disorders of initiating and maintaining sleep [insomnias]
G47.1	Disorders of excessive somnolence [hypersomnias]

G47.2	Disorders of the sleep-wake schedule
G47.3	Sleep apnoea
G47.30	Sleep apnoea, unspecified
G47.31	Central sleep apnoea syndrome
G47.32	Obstructive sleep apnoea syndrome [OSAS]
G47.33	Sleep hypoventilation syndrome
G47.39	Other sleep apnoea
G47.4	Narcolepsy and cataplexy
G47.8	Other sleep disorders
G47.9	Sleep disorder, unspecified
G50–G59	Nerve, nerve root and plexus disorders
G50	Disorders of trigeminal nerve
G50.0	Trigeminal neuralgia
G50.1	Atypical facial pain
G50.8	Other disorders of trigeminal nerve
G50.9	Disorder of trigeminal nerve, unspecified
G51	Facial nerve disorders
G51.0	Facial nerve palsy
G51.1	Geniculate ganglionitis
G51.2	Melkersson's syndrome
G51.3	Clonic hemifacial spasm
G51.4	Facial myokymia
G51.8	Other disorders of facial nerve
G51.9	Disorder of facial nerve, unspecified
G52	Disorders of other cranial nerves
G52.0	Disorders of olfactory nerve
G52.1	Disorders of glossopharyngeal nerve
G52.2	Disorders of vagus nerve
G52.3	Disorders of hypoglossal nerve
G52.7	Disorders of multiple cranial nerves
G52.8	Disorders of other specified cranial nerves
G52.9	Cranial nerve disorder, unspecified
G53*	Cranial nerve disorders in diseases classified elsewhere
G53.0*	Postzoster neuralgia (B02.2†)
G53.1*	Multiple cranial nerve palsies in infectious and parasitic diseases classified elsewhere (A00–B94.9, B99†)
G53.2*	Multiple cranial nerve palsies in sarcoidosis (D86.8†)
G53.3*	Multiple cranial nerve palsies in neoplastic disease (C00–D48†)
G53.8*	Other cranial nerve disorders in other diseases classified elsewhere
G54	Nerve root and plexus disorders
G54.0	Brachial plexus disorders
G54.1	Lumbosacral plexus disorders
G54.2	Cervical root disorders, not elsewhere classified
G54.3	Thoracic root disorders, not elsewhere classified
G54.4	Lumbosacral root disorders, not elsewhere classified
G54.5	Neuralgic amyotrophy
G54.6	Phantom limb syndrome with pain
G54.7	Phantom limb syndrome without pain

G54.8	Other nerve root and plexus disorders
G54.9	Nerve root and plexus disorder, unspecified
G55*	Nerve root and plexus compressions in diseases classified elsewhere
G55.0*	Nerve root and plexus compressions in neoplastic disease (C00-D48†)
G55.1*	Nerve root and plexus compressions in intervertebral disc disorders (M50-M51†)
G55.2*	Nerve root and plexus compressions in spondylosis (M47.-†)
G55.3*	Nerve root and plexus compressions in other dorsopathies (M45-M46†, M48.-†, M53-M54†)
G55.8*	Nerve root and plexus compressions in other diseases classified elsewhere
G56	Mononeuropathies of upper limb
G56.0	Carpal tunnel syndrome
G56.1	Other lesions of median nerve
G56.2	Lesion of ulnar nerve
G56.3	Lesion of radial nerve
G56.4	Causalgia of upper limb
G56.8	Other mononeuropathies of upper limb
G56.9	Mononeuropathy of upper limb, unspecified
G57	Mononeuropathies of lower limb
G57.0	Lesion of sciatic nerve
G57.1	Meralgia paraesthetica
G57.2	Lesion of femoral nerve
G57.3	Lesion of lateral popliteal nerve
G57.4	Lesion of medial popliteal nerve
G57.5	Tarsal tunnel syndrome
G57.6	Lesion of plantar nerve
G57.7	Causalgia of lower limb
G57.8	Other mononeuropathies of lower limb
G57.9	Mononeuropathy of lower limb, unspecified
G58	Other mononeuropathies
G58.0	Intercostal neuropathy
G58.1	Complex regional pain syndrome type I
G58.10	Complex regional pain syndrome type I, unspecified site
G58.11	Complex regional pain syndrome type I, upper limb
G58.12	Complex regional pain syndrome type I, lower limb
G58.19	Complex regional pain syndrome type I, other specified site
G58.7	Mononeuritis multiplex
G58.8	Other specified mononeuropathies
G58.9	Mononeuropathy, unspecified
G59*	Mononeuropathy in diseases classified elsewhere
G59.0*	Diabetic mononeuropathy
G59.8*	Other mononeuropathies in diseases classified elsewhere
G60–G64	Polyneuropathies and other disorders of the peripheral nervous system
G60	Hereditary and idiopathic neuropathy
G60.0	Hereditary motor and sensory neuropathy
G60.1	Refsum's disease
G60.2	Neuropathy in association with hereditary ataxia
G60.3	Idiopathic progressive neuropathy
G60.8	Other hereditary and idiopathic neuropathies

G60.9	Hereditary and idiopathic neuropathy, unspecified
G61	Inflammatory polyneuropathy
G61.0	Guillain-Barré syndrome
G61.1	Serum neuropathy
G61.8	Other inflammatory polyneuropathies
G61.9	Inflammatory polyneuropathy, unspecified
G62	Other polyneuropathies
G62.0	Drug-induced polyneuropathy
G62.1	Alcoholic polyneuropathy
G62.2	Polyneuropathy due to other toxic agents
G62.8	Other specified polyneuropathies
G62.9	Polyneuropathy, unspecified
G63*	Polyneuropathy in diseases classified elsewhere
G63.0*	Polyneuropathy in infectious and parasitic diseases classified elsewhere
G63.1*	Polyneuropathy in neoplastic disease (C00-D48†)
G63.2*	Diabetic polyneuropathy
G63.3*	Polyneuropathy in endocrine and metabolic diseases (E00-E07†, E15-E16†, E20-E34†, E70-E89†)
G63.4*	Polyneuropathy in nutritional deficiency (E40-E64†)
G63.5*	Polyneuropathy in systemic connective tissue disorders (M30-M35†)
G63.6*	Polyneuropathy in other musculoskeletal disorders (M00-M25†, M40-M96†)
G63.8*	Polyneuropathy in other diseases classified elsewhere
G64	Other disorders of peripheral nervous system
G70	Myasthenia gravis and other myoneural disorders
G70.0	Myasthenia gravis
G70.1	Toxic myoneural disorders
G70.2	Congenital and developmental myasthenia
G70.8	Other specified myoneural disorders
G70.9	Myoneural disorder, unspecified
G71	Primary disorders of muscles
G71.0	Muscular dystrophy
G71.1	Myotonic disorders
G71.2	Congenital myopathies
G71.3	Mitochondrial myopathy, not elsewhere classified
G71.8	Other primary disorders of muscles
G71.9	Primary disorder of muscle, unspecified
G72	Other myopathies
G72.0	Drug-induced myopathy
G72.1	Alcoholic myopathy
G72.2	Myopathy due to other toxic agents
G72.3	Periodic paralysis
G72.4	Inflammatory myopathy, not elsewhere classified
G72.8	Other specified myopathies
G72.9	Myopathy, unspecified
G73*	Disorders of myoneural junction and muscle in diseases classified elsewhere
G73.0*	Myasthenic syndromes in endocrine diseases
G73.1*	Lambert-Eaton syndrome (C00-D48†)
G73.2*	Other myasthenic syndromes in neoplastic disease (C00-D48†)

G73.3*	Myasthenic syndromes in other diseases classified elsewhere
G73.4*	Myopathy in infectious and parasitic diseases classified elsewhere
G73.5*	Myopathy in endocrine diseases
G73.6*	Myopathy in metabolic diseases
G73.7*	Myopathy in other diseases classified elsewhere
G80	Cerebral palsy
G80.0	Spastic cerebral palsy
G80.00	Spastic cerebral palsy, unspecified
G80.01	Spastic diplegic cerebral palsy
G80.02	Spastic hemiplegic cerebral palsy
G80.03	Spastic quadriplegic cerebral palsy
G80.09	Other spastic cerebral palsy
G80.1	Spastic diplegia
G80.2	Infantile hemiplegia
G80.3	Dyskinetic cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy
G80.9	Cerebral palsy, unspecified
G81	Hemiplegia
G81.0	Flaccid hemiplegia
G81.1	Spastic hemiplegia
G81.9	Hemiplegia, unspecified
G82	Paraplegia and tetraplegia
G82.0	Flaccid paraplegia
G82.00	Flaccid paraplegia, unspecified
G82.01	Flaccid paraplegia, unspecified, acute
G82.02	Flaccid paraplegia, unspecified, chronic
G82.03	Flaccid paraplegia, complete, acute
G82.04	Flaccid paraplegia, complete, chronic
G82.05	Flaccid paraplegia, incomplete, acute
G82.06	Flaccid paraplegia, incomplete, chronic
G82.1	Spastic paraplegia
G82.10	Spastic paraplegia, unspecified
G82.11	Spastic paraplegia, unspecific, acute
G82.12	Spastic paraplegia, unspecified chronic
G82.13	Spastic paraplegia, complete, acute
G82.14	Spastic paraplegia, complete, chronic
G82.15	Spastic paraplegia, incomplete, acute
G82.16	Spastic paraplegia, incomplete, chronic
G82.2	Paraplegia, unspecified
G82.20	Paraplegia, unspecified
G82.21	Paraplegia, unspecified, acute
G82.22	Paraplegia, unspecified, chronic
G82.23	Paraplegia, unspecified, complete, acute
G82.24	Paraplegia, unspecified, complete, chronic
G82.25	Paraplegia, unspecified, incomplete, acute
G82.26	Paraplegia, unspecified, incomplete, chronic
G82.3	Flaccid tetraplegia

G82.30	Flaccid tetraplegia, unspecified
G82.31	Flaccid tetraplegia, unspecified, acute
G82.32	Flaccid tetraplegia, unspecified, chronic
G82.33	Flaccid tetraplegia, complete, acute
G82.34	Flaccid tetraplegia, complete, chronic
G82.35	Flaccid tetraplegia, incomplete, acute
G82.36	Flaccid tetraplegia, incomplete, chronic
G82.4	Spastic tetraplegia
G82.40	Spastic tetraplegia, unspecified
G82.41	Spastic tetraplegia, unspecified, acute
G82.42	Spastic tetraplegia, unspecified, chronic
G82.43	Spastic tetraplegia, complete, acute
G82.44	Spastic tetraplegia, complete, chronic
G82.45	Spastic tetraplegia, incomplete, acute
G82.46	Spastic tetraplegia, incomplete, chronic
G82.5	Tetraplegia, unspecified
G82.51	Tetraplegia, unspecified
G82.51	Tetraplegia, unspecified, acute
G82.52	Tetraplegia, unspecified, chronic
G82.53	Tetraplegia, unspecified, complete, acute
G82.54	Tetraplegia, unspecified, complete, chronic
G82.55	Tetraplegia, unspecified, incomplete, acute
G82.56	Tetraplegia, unspecified, incomplete, chronic
G83	Other paralytic syndromes
G83.0	Diplegia of upper limbs
G83.1	Monoplegia of lower limb
G83.2	Monoplegia of upper limb
G83.3	Monoplegia, unspecified
G83.4	Cauda equina syndrome
G83.5	Locked-in syndrome
G83.6	Upper motor neuron facial paralysis
G83.8	Other specified paralytic syndromes
G83.81	Facial paralysis due to cerebrovascular accident
G83.89	Other specified paralytic syndromes
G83.9	Paralytic syndrome, unspecified
G90	Disorders of autonomic nervous system
G90.0	Idiopathic peripheral autonomic neuropathy
G90.1	Familial dysautonomia [Riley-Day]
G90.2	Horner's syndrome
G90.3	Multi-system degeneration
G90.4	Autonomic dysreflexia
G90.5	Complex regional pain syndrome type I
G90.50	Complex regional pain syndrome type I, unspecified site
G90.51	Complex regional pain syndrome type I, upper limb
G90.52	Complex regional pain syndrome type I, lower limb
G90.59	Complex regional pain syndrome type I, other site
G90.6	Complex regional pain syndrome type II
G90.60	Complex regional pain syndrome type II, unspecified site

G90.61	Complex regional pain syndrome type II, upper limb
G90.62	Complex regional pain syndrome type II, lower limb
G90.69	Complex regional pain syndrome type II, other site
G90.7	Complex regional pain syndrome, other and unspecified type
G90.70	Complex regional pain syndrome, other and unspecified type, unspecified site
G90.71	Complex regional pain syndrome, other and unspecified type, upper limb
G90.72	Complex regional pain syndrome, other and unspecified type, lower limb
G90.79	Complex regional pain syndrome, other and unspecified type, other site
G90.8	Other disorders of autonomic nervous system
G90.81	Postural orthostatic tachycardia syndrome [POTS]
G90.89	Other disorders of autonomic nervous system, not elsewhere classified
G90.9	Disorder of autonomic nervous system, unspecified
G91	Hydrocephalus
G91.0	Communicating hydrocephalus
G91.1	Obstructive hydrocephalus
G91.2	Normal-pressure hydrocephalus
G91.3	Post-traumatic hydrocephalus, unspecified
G91.8	Other hydrocephalus
G91.9	Hydrocephalus, unspecified
G92	Toxic encephalopathy
G92.0	Immune effector cell-associated neurotoxicity syndrome
G92.8	Other toxic encephalopathy
G92.9	Unspecified toxic encephalopathy
G93	Other disorders of brain
G93.0	Cerebral cysts
G93.1	Anoxic brain damage, not elsewhere classified
G93.2	Benign intracranial hypertension
G93.3	Postviral fatigue syndrome
G93.4	Encephalopathy, unspecified
G93.5	Compression of brain
G93.6	Cerebral oedema
G93.7	Reye's syndrome
G93.8	Other specified disorders of brain
G93.9	Disorder of brain, unspecified
G94*	Other disorders of brain in diseases classified elsewhere
G94.0*	Hydrocephalus in infectious and parasitic diseases classified elsewhere (A00–B94.9, B99†)
G94.1*	Hydrocephalus in neoplastic disease (C00–D48†)
G94.2*	Hydrocephalus in other diseases classified elsewhere
G94.3*	Encephalopathy in diseases classified elsewhere
G94.8*	Other specified disorders of brain in diseases classified elsewhere
G95	Other diseases of spinal cord
G95.0	Syringomyelia and syringobulbia
G95.1	Vascular myelopathies
G95.2	Cord compression, unspecified
G95.8	Other specified diseases of spinal cord
G95.9	Disease of spinal cord, unspecified
G96	Other disorders of central nervous system

G96.0	Cerebrospinal fluid leak
G96.1	Disorders of meninges, not elsewhere classified
G96.8	Other specified disorders of central nervous system
G96.9	Disorder of central nervous system, unspecified
G97	Intraoperative and postprocedural disorders of nervous system
G97.0	Postprocedural cerebrospinal fluid leak
G97.1	Reaction to spinal and lumbar puncture
G97.11	Headache following spinal and lumbar puncture
G97.19	Other reaction to spinal and lumbar puncture
G97.2	Intracranial hypotension following ventricular shunting
G97.3	Accidental puncture and laceration of nervous system organ or structure during a procedure
G97.31	Accidental puncture and laceration of dura during a procedure
G97.32	Accidental puncture and laceration of spinal cord during a procedure
G97.33	Accidental puncture and laceration of nerve root and plexus during a procedure
G97.34	Accidental puncture and laceration of peripheral nerve during a procedure
G97.35	Accidental puncture and laceration of cranial nerve during a procedure
G97.39	Accidental puncture and laceration of nervous system organ or structure during a procedure, not elsewhere classified
G97.8	Other intraoperative and postprocedural disorders of nervous system
G97.9	Intraoperative and postprocedural disorder of nervous system, unspecified
G98	Other disorders of nervous system, not elsewhere classified
G99*	Other disorders of nervous system in diseases classified elsewhere
G99.0*	Autonomic neuropathy in endocrine and metabolic diseases
G99.1*	Other disorders of autonomic nervous system in other diseases classified elsewhere
G99.2*	Myelopathy in diseases classified elsewhere
G99.8*	Other specified disorders of nervous system in diseases classified elsewhere

Chapter 7 DISEASES OF THE EYE AND ADNEXA (H00–H59)

H00–H59	Diseases of the eye and adnexa
H00	Hordeolum and chalazion
H00.0	Hordeolum and other deep inflammation of eyelid
H00.1	Chalazion
H01	Other inflammation of eyelid
H01.0	Blepharitis
H01.1	Noninfectious dermatoses of eyelid
H01.8	Other specified inflammation of eyelid
H01.9	Inflammation of eyelid, unspecified
H02	Other disorders of eyelid
H02.0	Entropion and trichiasis of eyelid
H02.1	Ectropion of eyelid
H02.2	Lagophthalmos
H02.3	Blepharochalasis
H02.4	Ptosis of eyelid
H02.5	Other disorders affecting eyelid function
H02.6	Xanthelasma of eyelid
H02.7	Other degenerative disorders of eyelid and periocular area
H02.8	Other specified disorders of eyelid
H02.9	Disorder of eyelid, unspecified

H03*	Disorders of eyelid in diseases classified elsewhere
H03.0*	Parasitic infestation of eyelid in diseases classified elsewhere
H03.1*	Involvement of eyelid in other infectious diseases classified elsewhere
H03.8*	Involvement of eyelid in other diseases classified elsewhere
H04	Disorders of lacrimal system
H04.0	Dacryoadenitis
H04.1	Other disorders of lacrimal gland
H04.2	Epiphora
H04.3	Acute and unspecified inflammation of lacrimal passages
H04.4	Chronic inflammation of lacrimal passages
H04.5	Stenosis and insufficiency of lacrimal passages
H04.6	Other changes in lacrimal passages
H04.8	Other disorders of lacrimal system
H04.9	Disorder of lacrimal system, unspecified
H05	Disorders of orbit
H05.0	Acute inflammation of orbit
H05.1	Chronic inflammatory disorders of orbit
H05.2	Exophthalmic conditions
H05.3	Deformity of orbit
H05.4	Enophthalmos
H05.5	Retained (old) foreign body following penetrating wound of orbit
H05.8	Other disorders of orbit
H05.9	Disorder of orbit, unspecified
H06*	Disorders of lacrimal system and orbit in diseases classified elsewhere
H06.0*	Disorders of lacrimal system in diseases classified elsewhere
H06.1*	Parasitic infestation of orbit in diseases classified elsewhere
H06.2*	Dysthyroid exophthalmos (E05.-†)
H06.3*	Other disorders of orbit in diseases classified elsewhere
H10	Conjunctivitis
H10.0	Mucopurulent conjunctivitis
H10.1	Acute atopic conjunctivitis
H10.2	Other acute conjunctivitis
H10.3	Acute conjunctivitis, unspecified
H10.4	Chronic conjunctivitis
H10.5	Blepharoconjunctivitis
H10.8	Other conjunctivitis
H10.9	Conjunctivitis, unspecified
H11	Other disorders of conjunctiva
H11.0	Pterygium
H11.1	Conjunctival degenerations and deposits
H11.2	Conjunctival scars
H11.3	Conjunctival haemorrhage
H11.4	Other conjunctival vascular disorders and cysts
H11.8	Other specified disorders of conjunctiva
H11.9	Disorder of conjunctiva, unspecified
H13*	Disorders of conjunctiva in diseases classified elsewhere
H13.0*	Filarial infection of conjunctiva (B74.-†)
H13.1*	Conjunctivitis in infectious and parasitic diseases classified elsewhere

H13.2*	Conjunctivitis in other diseases classified elsewhere
H13.3*	Ocular pemphigoid (L12.-†)
H13.8*	Other disorders of conjunctiva in diseases classified elsewhere
H15	Disorders of sclera
H15.0	Scleritis
H15.1	Episcleritis
H15.8	Other disorders of sclera
H15.9	Disorder of sclera, unspecified
H16	Keratitis
H16.0	Corneal ulcer
H16.1	Other superficial keratitis without conjunctivitis
H16.2	Keratoconjunctivitis
H16.3	Interstitial and deep keratitis
H16.4	Corneal neovascularisation
H16.8	Other keratitis
H16.9	Keratitis, unspecified
H17	Corneal scars and opacities
H17.0	Adherent leukoma
H17.1	Other central corneal opacity
H17.8	Other corneal scars and opacities
H17.9	Corneal scar and opacity, unspecified
H18	Other disorders of cornea
H18.0	Corneal pigmentations and deposits
H18.1	Bullous keratopathy
H18.2	Other corneal oedema
H18.3	Changes in corneal membranes
H18.4	Corneal degeneration
H18.5	Hereditary corneal dystrophies
H18.6	Keratoconus
H18.7	Other corneal deformities
H18.8	Other specified disorders of cornea
H18.9	Disorder of cornea, unspecified
H19*	Disorders of sclera and cornea in diseases classified elsewhere
H19.0*	Scleritis and episcleritis in diseases classified elsewhere
H19.1*	Herpesviral keratitis and keratoconjunctivitis (B00.5†)
H19.2*	Keratitis and keratoconjunctivitis in other infectious and parasitic diseases classified elsewhere
H19.3*	Keratitis and keratoconjunctivitis in other diseases classified elsewhere
H19.8*	Other disorders of sclera and cornea in diseases classified elsewhere
H20	Iridocyclitis
H20.0	Acute and subacute iridocyclitis
H20.1	Chronic iridocyclitis
H20.2	Lens-induced iridocyclitis
H20.8	Other iridocyclitis
H20.9	Iridocyclitis, unspecified
H21	Other disorders of iris and ciliary body
H21.0	Hyphaema
H21.1	Other vascular disorders of iris and ciliary body

H21.2	Degeneration of iris and ciliary body
H21.3	Cyst of iris, ciliary body and anterior chamber
H21.4	Pupillary membranes
H21.5	Other adhesions and disruptions of iris and ciliary body
H21.8	Other specified disorders of iris and ciliary body
H21.9	Disorder of iris and ciliary body, unspecified
H22*	Disorders of iris and ciliary body in diseases classified elsewhere
H22.0*	Iridocyclitis in infectious and parasitic diseases classified elsewhere
H22.1*	Iridocyclitis in other diseases classified elsewhere
H22.8*	Other disorders of iris and ciliary body in diseases classified elsewhere
H25	Senile cataract
H25.0	Senile incipient cataract
H25.1	Senile nuclear cataract
H25.2	Senile cataract, morgagnian type
H25.8	Other senile cataract
H25.9	Senile cataract, unspecified
H26	Other cataract
H26.0	Infantile, juvenile and presenile cataract
H26.1	Traumatic cataract
H26.2	Complicated cataract
H26.3	Drug-induced cataract
H26.4	After-cataract
H26.8	Other specified cataract
H26.9	Cataract, unspecified
H27	Other disorders of lens
H27.0	Aphakia
H27.1	Dislocation of lens
H27.8	Other specified disorders of lens
H27.9	Disorder of lens, unspecified
H28*	Cataract and other disorders of lens in diseases classified elsewhere
H28.0*	Diabetic cataract
H28.1*	Cataract in endocrine, nutritional and metabolic diseases
H28.2*	Cataract in other diseases classified elsewhere
H28.8*	Other disorders of lens in diseases classified elsewhere
H30	Chorioretinal inflammation
H30.0	Focal chorioretinal inflammation
H30.1	Disseminated chorioretinal inflammation
H30.2	Posterior cyclitis
H30.8	Other chorioretinal inflammations
H30.9	Chorioretinal inflammation, unspecified
H31	Other disorders of choroid
H31.0	Chorioretinal scars
H31.1	Choroidal degeneration
H31.2	Hereditary choroidal dystrophy
H31.3	Choroidal haemorrhage and rupture
H31.4	Choroidal detachment
H31.8	Other specified disorders of choroid
H31.9	Disorder of choroid, unspecified

H32*	Chorioretinal disorders in diseases classified elsewhere
H32.0*	Chorioretinal inflammation in infectious and parasitic diseases classified elsewhere
H32.8*	Other chorioretinal disorders in diseases classified elsewhere
H33	Retinal detachments and breaks
H33.0	Retinal detachment with retinal break
H33.1	Retinoschisis and retinal cysts
H33.2	Serous retinal detachment
H33.3	Retinal breaks without detachment
H33.4	Traction detachment of retina
H33.5	Other retinal detachments
H34	Retinal vascular occlusions
H34.0	Transient retinal artery occlusion
H34.1	Central retinal artery occlusion
H34.2	Other retinal artery occlusions
H34.8	Other retinal vascular occlusions
H34.9	Retinal vascular occlusion, unspecified
H35	Other retinal disorders
H35.0	Background retinopathy and retinal vascular changes
H35.1	Retinopathy of prematurity
H35.2	Other proliferative retinopathy
H35.3	Degeneration of macula and posterior pole
H35.4	Peripheral retinal degeneration
H35.5	Hereditary retinal dystrophy
H35.6	Retinal haemorrhage
H35.7	Separation of retinal layers
H35.8	Other specified retinal disorders
H35.9	Retinal disorder, unspecified
H36*	Retinal disorders in diseases classified elsewhere
H36.0*	Diabetic retinopathy
H36.8*	Other retinal disorders in diseases classified elsewhere
H40	Glaucoma
H40.0	Glaucoma suspect
H40.1	Primary open-angle glaucoma
H40.2	Primary angle-closure glaucoma
H40.3	Glaucoma secondary to eye trauma
H40.4	Glaucoma secondary to eye inflammation
H40.5	Glaucoma secondary to other eye disorders
H40.6	Glaucoma secondary to drugs
H40.8	Other glaucoma
H40.9	Glaucoma, unspecified
H42*	Glaucoma in diseases classified elsewhere
H42.0*	Glaucoma in endocrine, nutritional and metabolic diseases
H42.8*	Glaucoma in other diseases classified elsewhere
H43	Disorders of vitreous body
H43.0	Vitreous prolapse
H43.1	Vitreous haemorrhage
H43.2	Crystalline deposits in vitreous body
H43.3	Other vitreous opacities

H43.8	Other disorders of vitreous body
H43.9	Disorder of vitreous body, unspecified
H44	Disorders of globe
H44.0	Purulent endophthalmitis
H44.1	Other endophthalmitis
H44.2	Degenerative myopia
H44.3	Other degenerative disorders of globe
H44.4	Hypotony of eye
H44.5	Degenerated conditions of globe
H44.6	Retained (old) intraocular foreign body, magnetic
H44.7	Retained (old) intraocular foreign body, nonmagnetic
H44.8	Other disorders of globe
H44.9	Disorder of globe, unspecified
H45*	Disorders of vitreous body and globe in diseases classified elsewhere
H45.0*	Vitreous haemorrhage in diseases classified elsewhere
H45.1*	Endophthalmitis in diseases classified elsewhere
H45.8*	Other disorders of vitreous body and globe in diseases classified elsewhere
H46	Optic neuritis
H47	Other disorders of optic [2nd] nerve and visual pathways
H47.0	Disorders of optic nerve, not elsewhere classified
H47.1	Papilloedema, unspecified
H47.2	Optic atrophy
H47.3	Other disorders of optic disc
H47.4	Disorders of optic chiasm
H47.5	Disorders of other visual pathways
H47.6	Disorders of visual cortex
H47.7	Disorder of visual pathways, unspecified
H48*	Disorders of optic [2nd] nerve and visual pathways in diseases classified elsewhere
H48.0*	Optic atrophy in diseases classified elsewhere
H48.1*	Retrobulbar neuritis in diseases classified elsewhere
H48.8*	Other disorders of optic nerve and visual pathways in diseases classified elsewhere
H49	Paralytic strabismus
H49.0	Third [oculomotor] nerve palsy
H49.1	Fourth [trochlear] nerve palsy
H49.2	Sixth [abducent] nerve palsy
H49.3	Total (external) ophthalmoplegia
H49.4	Progressive external ophthalmoplegia
H49.8	Other paralytic strabismus
H49.9	Paralytic strabismus, unspecified
H50	Other strabismus
H50.0	Convergent concomitant strabismus
H50.1	Divergent concomitant strabismus
H50.2	Vertical strabismus
H50.3	Intermittent heterotropia
H50.4	Other and unspecified heterotropia
H50.5	Heterophoria
H50.6	Mechanical strabismus
H50.8	Other specified strabismus

H50.9	Strabismus, unspecified
H51	Other disorders of binocular movement
H51.0	Palsy of conjugate gaze
H51.1	Convergence insufficiency and excess
H51.2	Internuclear ophthalmoplegia
H51.8	Other specified disorders of binocular movement
H51.9	Disorder of binocular movement, unspecified
H52	Disorders of refraction and accommodation
H52.0	Hypermetropia
H52.1	Myopia
H52.2	Astigmatism
H52.3	Anisometropia and aniseikonia
H52.4	Presbyopia
H52.5	Disorders of accommodation
H52.6	Other disorders of refraction
H52.7	Disorder of refraction, unspecified
H53	Visual disturbances
H53.0	Amblyopia ex anopsia
H53.1	Subjective visual disturbances
H53.2	Diplopia
H53.3	Other disorders of binocular vision
H53.4	Visual field defects
H53.5	Colour vision deficiencies
H53.6	Night blindness
H53.8	Other visual disturbances
H53.9	Visual disturbance, unspecified
H54	Visual impairment including binocular or monocular blindness
H54.0	Blindness, binocular
H54.1	Severe visual impairment, binocular
H54.2	Moderate visual impairment, binocular
H54.3	Mild or no visual impairment, binocular
H54.4	Blindness, monocular
H54.5	Severe visual impairment, monocular
H54.6	Moderate visual impairment, monocular
H54.7	Unspecified visual loss
H54.9	Unspecified visual impairment
H55	Nystagmus and other irregular eye movements
H57	Other disorders of eye and adnexa
H57.0	Anomalies of pupillary function
H57.1	Ocular pain
H57.8	Other specified disorders of eye and adnexa
H57.9	Disorder of eye and adnexa, unspecified
H58*	Other disorders of eye and adnexa in diseases classified elsewhere
H58.0*	Anomalies of pupillary function in diseases classified elsewhere
H58.1*	Visual disturbances in diseases classified elsewhere
H58.8*	Other specified disorders of eye and adnexa in diseases classified elsewhere
H59	Intraoperative and postprocedural disorders of eye and adnexa
H59.0	Postprocedural keratopathy [bullous aphakic]
H59.1	Accidental puncture and laceration of eye and adnexa during a procedure
H59.11	Accidental puncture and laceration of cornea during a procedure

H59.12	Accidental puncture and laceration of conjunctiva during a procedure
H59.13	Accidental puncture and laceration of capsule of lens during a procedure
H59.14	Accidental puncture and laceration of retina during a procedure
H59.15	Accidental puncture and laceration of vitreous during a procedure
H59.16	Accidental puncture and laceration of macula during a procedure
H59.19	Accidental puncture and laceration of structure of eye and adnexa during a procedure, not elsewhere classified
H59.8	Other intraoperative and postprocedural disorders of eye and adnexa
H59.81	Postprocedural cystoid macula oedema
H59.82	Postprocedural blebitis
H59.83	Postprocedural endophthalmitis
H59.84	Postprocedural chorioretinal scars
H59.85	Postprocedural hyphaema
H59.89	Other intraoperative and postprocedural disorders of eye and adnexa, not elsewhere classified
H59.9	Intraoperative and postprocedural disorder of eye and adnexa, unspecified
Chapter 8	DISEASES OF THE EAR AND MASTOID PROCESS (H60–H95)
H60–H95	Diseases of the ear and mastoid process
H60	Otitis externa
H60.0	Abscess of external ear
H60.1	Cellulitis of external ear
H60.2	Malignant otitis externa
H60.3	Other infective otitis externa
H60.4	Cholesteatoma of external ear
H60.5	Acute otitis externa, noninfective
H60.8	Other otitis externa
H60.9	Otitis externa, unspecified
H61	Other disorders of external ear
H61.0	Perichondritis of external ear
H61.1	Noninfective disorders of pinna
H61.2	Impacted cerumen
H61.3	Acquired stenosis of external ear canal
H61.8	Other specified disorders of external ear
H61.9	Disorder of external ear, unspecified
H62*	Disorders of external ear in diseases classified elsewhere
H62.0*	Otitis externa in bacterial diseases classified elsewhere
H62.1*	Otitis externa in viral diseases classified elsewhere
H62.2*	Otitis externa in mycoses
H62.3*	Otitis externa in other infectious and parasitic diseases classified elsewhere
H62.4*	Otitis externa in other diseases classified elsewhere
H62.8*	Other disorders of external ear in diseases classified elsewhere
H65	Nonsuppurative otitis media
H65.0	Acute serous otitis media
H65.1	Other acute nonsuppurative otitis media
H65.2	Chronic serous otitis media
H65.3	Chronic mucoid otitis media
H65.4	Other chronic nonsuppurative otitis media
H65.9	Nonsuppurative otitis media, unspecified
H66	Suppurative and unspecified otitis media

H66.0	Acute suppurative otitis media
H66.1	Chronic tubotympanic suppurative otitis media
H66.2	Chronic atticotympanic suppurative otitis media
H66.3	Other chronic suppurative otitis media
H66.4	Suppurative otitis media, unspecified
H66.9	Otitis media, unspecified
H67*	Otitis media in diseases classified elsewhere
H67.0*	Otitis media in bacterial diseases classified elsewhere
H67.1*	Otitis media in viral diseases classified elsewhere
H67.8*	Otitis media in other diseases classified elsewhere
H68	Eustachian salpingitis and obstruction
H68.0	Eustachian salpingitis
H68.1	Obstruction of Eustachian tube
H69	Other disorders of Eustachian tube
H69.0	Patulous Eustachian tube
H69.8	Other specified disorders of Eustachian tube
H69.9	Eustachian tube disorder, unspecified
H70	Mastoiditis and related conditions
H70.0	Acute mastoiditis
H70.1	Chronic mastoiditis
H70.2	Petrositis
H70.8	Other mastoiditis and related conditions
H70.9	Mastoiditis, unspecified
H71	Cholesteatoma of middle ear
H72	Perforation of tympanic membrane
H72.0	Central perforation of tympanic membrane
H72.1	Attic perforation of tympanic membrane
H72.2	Other marginal perforations of tympanic membrane
H72.8	Other perforations of tympanic membrane
H72.9	Perforation of tympanic membrane, unspecified
H73	Other disorders of tympanic membrane
H73.0	Acute myringitis
H73.1	Chronic myringitis
H73.8	Other specified disorders of tympanic membrane
H73.9	Disorder of tympanic membrane, unspecified
H74	Other disorders of middle ear and mastoid
H74.0	Tympanosclerosis
H74.1	Adhesive middle ear disease
H74.2	Discontinuity and dislocation of ear ossicles
H74.3	Other acquired abnormalities of ear ossicles
H74.4	Polyp of middle ear
H74.8	Other specified disorders of middle ear and mastoid
H74.9	Disorder of middle ear and mastoid, unspecified
H75*	Other disorders of middle ear and mastoid in diseases classified elsewhere
H75.0*	Mastoiditis in infectious and parasitic diseases classified elsewhere
H75.8*	Other specified disorders of middle ear and mastoid in diseases classified elsewhere
H80	Otosclerosis
H80.0	Otosclerosis involving oval window, nonobliterative

H80.1	Otosclerosis involving oval window, obliterative
H80.2	Cochlear otosclerosis
H80.8	Other otosclerosis
H80.9	Otosclerosis, unspecified
H81	Disorders of vestibular function
H81.0	Meniere's disease
H81.1	Benign paroxysmal vertigo
H81.2	Vestibular neuronitis
H81.3	Other peripheral vertigo
H81.4	Vertigo of central origin
H81.8	Other disorders of vestibular function
H81.9	Disorder of vestibular function, unspecified
H82	Vertiginous syndromes in diseases classified elsewhere
H83	Other diseases of inner ear
H83.0	Labyrinthitis
H83.1	Labyrinthine fistula
H83.2	Labyrinthine dysfunction
H83.3	Noise effects on inner ear
H83.8	Other specified diseases of inner ear
H83.9	Disease of inner ear, unspecified
H90	Conductive and sensorineural hearing loss
H90.0	Conductive hearing loss, bilateral
H90.1	Conductive hearing loss, unilateral with unrestricted hearing on the contralateral side
H90.2	Conductive hearing loss, unspecified
H90.3	Sensorineural hearing loss, bilateral
H90.4	Sensorineural hearing loss, unilateral with unrestricted hearing on the contralateral side
H90.5	Sensorineural hearing loss, unspecified
H90.6	Mixed conductive and sensorineural hearing loss, bilateral
H90.7	Mixed conductive and sensorineural hearing loss, unilateral with unrestricted hearing on the contralateral side
H90.8	Mixed conductive and sensorineural hearing loss, unspecified
H91	Other hearing loss
H91.0	Ototoxic hearing loss
H91.1	Presbycusis
H91.2	Sudden idiopathic hearing loss
H91.3	Deaf mutism, not elsewhere classified
H91.8	Other specified hearing loss
H91.9	Hearing loss, unspecified
H92	Otalgia and effusion of ear
H92.0	Otalgia
H92.1	Otorrhoea
H92.2	Otorrhagia
H93	Other disorders of ear, not elsewhere classified
H93.0	Degenerative and vascular disorders of ear
H93.1	Tinnitus
H93.2	Other abnormal auditory perceptions
H93.3	Disorders of acoustic nerve
H93.8	Other specified disorders of ear

H93.9	Disorder of ear, unspecified
H94*	Other disorders of ear in diseases classified elsewhere
H94.0*	Acoustic neuritis in infectious and parasitic diseases classified elsewhere
H94.8*	Other specified disorders of ear in diseases classified elsewhere
H95	Intraoperative and postprocedural disorders of ear and mastoid process
H95.0	Recurrent cholesteatoma of postmastoidectomy cavity
H95.1	Other disorders following mastoidectomy
H95.11	Chronic inflammation of postmastoidectomy cavity
H95.12	Granulation of postmastoidectomy cavity
H95.13	Mucosal cyst of postmastoidectomy cavity
H95.19	Other disorders following mastoidectomy
H95.2	Accidental puncture and laceration of structure of ear and mastoid process during a procedure
H95.8	Other intraoperative and postprocedural disorders of ear and mastoid process
H95.9	Intraoperative and postprocedural disorder of ear and mastoid process, unspecified

Chapter 9 DISEASES OF THE CIRCULATORY SYSTEM (I00–I99)

I00–I99	Diseases of the circulatory system
I00	Rheumatic fever without mention of heart involvement
I01	Rheumatic fever with heart involvement
I01.0	Acute rheumatic pericarditis
I01.1	Acute rheumatic endocarditis
I01.2	Acute rheumatic myocarditis
I01.8	Other acute rheumatic heart disease
I01.9	Acute rheumatic heart disease, unspecified
I02	Rheumatic chorea
I02.0	Rheumatic chorea with heart involvement
I02.9	Rheumatic chorea without heart involvement
I05	Rheumatic mitral valve diseases
I05.0	Mitral stenosis
I05.1	Rheumatic mitral insufficiency
I05.2	Mitral stenosis with insufficiency
I05.8	Other mitral valve diseases
I05.9	Mitral valve disease, unspecified
I06	Rheumatic aortic valve diseases
I06.0	Rheumatic aortic stenosis
I06.1	Rheumatic aortic insufficiency
I06.2	Rheumatic aortic stenosis with insufficiency
I06.8	Other rheumatic aortic valve diseases
I06.9	Rheumatic aortic valve disease, unspecified
I07	Rheumatic tricuspid valve diseases
I07.0	Tricuspid stenosis
I07.1	Tricuspid insufficiency
I07.2	Tricuspid stenosis with insufficiency
I07.8	Other tricuspid valve diseases
I07.9	Tricuspid valve disease, unspecified
I08	Multiple valve diseases
I08.0	Disorders of both mitral and aortic valves

I08.1	Disorders of both mitral and tricuspid valves
I08.2	Disorders of both aortic and tricuspid valves
I08.3	Combined disorders of mitral, aortic and tricuspid valves
I08.8	Other multiple valve diseases
I08.9	Multiple valve disease, unspecified
I09	Other rheumatic heart diseases
I09.0	Rheumatic myocarditis
I09.1	Rheumatic diseases of endocardium, valve unspecified
I09.2	Chronic rheumatic pericarditis
I09.8	Other specified rheumatic heart diseases
I09.9	Rheumatic heart disease, unspecified
I10–I15	Hypertensive diseases
I10	Essential (primary) hypertension
I11	Hypertensive heart disease
I11.0	Hypertensive heart disease with (congestive) heart failure
I11.9	Hypertensive heart disease without (congestive) heart failure
I12	Hypertensive kidney disease
I12.0	Hypertensive kidney disease with kidney failure
I12.9	Hypertensive kidney disease without kidney failure
I13	Hypertensive heart and kidney disease
I13.0	Hypertensive heart and kidney disease with (congestive) heart failure
I13.1	Hypertensive heart and kidney disease with kidney failure
I13.2	Hypertensive heart and kidney disease with both (congestive) heart failure and kidney failure
I13.9	Hypertensive heart and kidney disease, unspecified
I15	Secondary hypertension
I15.0	Renovascular hypertension
I15.1	Hypertension secondary to other kidney disorders
I15.2	Hypertension secondary to endocrine disorders
I15.8	Other secondary hypertension
I15.9	Secondary hypertension, unspecified
I20–I25	Ischaemic heart diseases
I20	Angina pectoris
I20.0	Unstable angina
I20.1	Angina pectoris with documented spasm
I20.8	Other forms of angina pectoris
I20.9	Angina pectoris, unspecified
I21	Acute myocardial infarction
I21.0	Acute transmural myocardial infarction of anterior wall
I21.1	Acute transmural myocardial infarction of inferior wall
I21.2	Acute transmural myocardial infarction of other sites
I21.3	Acute transmural myocardial infarction of unspecified site
I21.4	Acute subendocardial myocardial infarction
I21.9	Acute myocardial infarction, unspecified
I22	Subsequent myocardial infarction
I22.0	Subsequent myocardial infarction of anterior wall
I22.1	Subsequent myocardial infarction of inferior wall
I22.8	Subsequent myocardial infarction of other sites

I22.9	Subsequent myocardial infarction of unspecified site
I23	Certain current complications following acute myocardial infarction
I23.0	Haemopericardium as current complication following acute myocardial infarction
I23.1	Atrial septal defect as current complication following acute myocardial infarction
I23.2	Ventricular septal defect as current complication following acute myocardial infarction
I23.3	Rupture of cardiac wall without haemopericardium as current complication following acute myocardial infarction
I23.4	Rupture of chordae tendineae as current complication following acute myocardial infarction
I23.5	Rupture of papillary muscle as current complication following acute myocardial infarction
I23.6	Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial infarction
I23.8	Other current complications following acute myocardial infarction
I24	Other acute ischaemic heart diseases
I24.0	Coronary thrombosis not resulting in myocardial infarction
I24.1	Dressler's syndrome
I24.8	Other forms of acute ischaemic heart disease
I24.9	Acute ischaemic heart disease, unspecified
I25	Chronic ischaemic heart disease
I25.0	Atherosclerotic cardiovascular disease, so described
I25.1	Atherosclerotic heart disease
I25.10	Atherosclerotic heart disease of unspecified vessel
I25.11	Atherosclerotic heart disease of native coronary artery
I25.12	Atherosclerotic heart disease of autologous bypass graft
I25.13	Atherosclerotic heart disease of nonautologous bypass graft
I25.2	Old myocardial infarction
I25.3	Aneurysm of heart
I25.4	Coronary artery aneurysm and dissection
I25.5	Ischaemic cardiomyopathy
I25.6	Silent myocardial ischaemia
I25.8	Other forms of chronic ischaemic heart disease
I25.9	Chronic ischaemic heart disease, unspecified
I26	Pulmonary embolism
I26.0	Pulmonary embolism with mention of acute cor pulmonale
I26.8	Iatrogenic pulmonary embolism
I26.9	Pulmonary embolism without mention of acute cor pulmonale
I27	Other pulmonary heart diseases
I27.0	Primary pulmonary hypertension
I27.1	Kyphoscoliotic heart disease
I27.2	Other secondary pulmonary hypertension
I27.8	Other specified pulmonary heart diseases
I27.9	Pulmonary heart disease, unspecified
I28	Other diseases of pulmonary vessels
I28.0	Arteriovenous fistula of pulmonary vessels
I28.1	Aneurysm of pulmonary artery
I28.8	Other specified diseases of pulmonary vessels
I28.9	Disease of pulmonary vessels, unspecified
I30	Acute pericarditis
I30.0	Acute nonspecific idiopathic pericarditis

I30.1	Infective pericarditis
I30.8	Other forms of acute pericarditis
I30.9	Acute pericarditis, unspecified
I31	Other diseases of pericardium
I31.0	Chronic adhesive pericarditis
I31.1	Chronic constrictive pericarditis
I31.2	Haemopericardium, not elsewhere classified
I31.3	Pericardial effusion (noninflammatory)
I31.8	Other specified diseases of pericardium
I31.9	Disease of pericardium, unspecified
I32*	Pericarditis in diseases classified elsewhere
I32.0*	Pericarditis in bacterial diseases classified elsewhere
I32.1*	Pericarditis in other infectious and parasitic diseases classified elsewhere
I32.8*	Pericarditis in other diseases classified elsewhere
I33	Acute and subacute endocarditis
I33.0	Acute and subacute infective endocarditis
I33.9	Acute endocarditis, unspecified
I34	Nonrheumatic mitral valve disorders
I34.0	Mitral (valve) insufficiency
I34.1	Mitral (valve) prolapse
I34.2	Nonrheumatic mitral (valve) stenosis
I34.8	Other nonrheumatic mitral valve disorders
I34.9	Nonrheumatic mitral valve disorder, unspecified
I35	Nonrheumatic aortic valve disorders
I35.0	Aortic (valve) stenosis
I35.1	Aortic (valve) insufficiency
I35.2	Aortic (valve) stenosis with insufficiency
I35.8	Other aortic valve disorders
I35.9	Aortic valve disorder, unspecified
I36	Nonrheumatic tricuspid valve disorders
I36.0	Nonrheumatic tricuspid (valve) stenosis
I36.1	Nonrheumatic tricuspid (valve) insufficiency
I36.2	Nonrheumatic tricuspid (valve) stenosis with insufficiency
I36.8	Other nonrheumatic tricuspid valve disorders
I36.9	Nonrheumatic tricuspid valve disorder, unspecified
I37	Pulmonary valve disorders
I37.0	Pulmonary valve stenosis
I37.1	Pulmonary valve insufficiency
I37.2	Pulmonary valve stenosis with insufficiency
I37.8	Other pulmonary valve disorders
I37.9	Pulmonary valve disorder, unspecified
I38	Endocarditis, valve unspecified
I39*	Endocarditis and heart valve disorders in diseases classified elsewhere
I39.0*	Mitral valve disorders in diseases classified elsewhere
I39.1*	Aortic valve disorders in diseases classified elsewhere
I39.2*	Tricuspid valve disorders in diseases classified elsewhere
I39.3*	Pulmonary valve disorders in diseases classified elsewhere
I39.4*	Multiple valve disorders in diseases classified elsewhere

I39.8*	Endocarditis, valve unspecified, in diseases classified elsewhere
I40	Acute myocarditis
I40.0	Infective myocarditis
I40.1	Isolated myocarditis
I40.8	Other acute myocarditis
I40.9	Acute myocarditis, unspecified
I41*	Myocarditis in diseases classified elsewhere
I41.0*	Myocarditis in bacterial diseases classified elsewhere
I41.1*	Myocarditis in viral diseases classified elsewhere
I41.2*	Myocarditis in other infectious and parasitic diseases classified elsewhere
I41.8*	Myocarditis in other diseases classified elsewhere
I42	Cardiomyopathy
I42.0	Dilated cardiomyopathy
I42.1	Obstructive hypertrophic cardiomyopathy
I42.2	Other hypertrophic cardiomyopathy
I42.3	Endomyocardial (eosinophilic) disease
I42.4	Endocardial fibroelastosis
I42.5	Other restrictive cardiomyopathy
I42.6	Alcoholic cardiomyopathy
I42.7	Cardiomyopathy due to drugs and other external agents
I42.8	Other cardiomyopathies
I42.9	Cardiomyopathy, unspecified
I43*	Cardiomyopathy in diseases classified elsewhere
I43.0*	Cardiomyopathy in infectious and parasitic diseases classified elsewhere
I43.1*	Cardiomyopathy in metabolic diseases
I43.2*	Cardiomyopathy in nutritional diseases
I43.8*	Cardiomyopathy in other diseases classified elsewhere
I44	Atrioventricular and left bundle-branch block
I44.0	Atrioventricular block, first degree
I44.1	Atrioventricular block, second degree
I44.2	Atrioventricular block, complete
I44.3	Other and unspecified atrioventricular block
I44.4	Left anterior fascicular block
I44.5	Left posterior fascicular block
I44.6	Other and unspecified fascicular block
I44.7	Left bundle-branch block, unspecified
I45	Other conduction disorders
I45.0	Right fascicular block
I45.1	Other and unspecified right bundle-branch block
I45.2	Bifascicular block
I45.3	Trifascicular block
I45.4	Nonspecific intraventricular block
I45.5	Other specified heart block
I45.6	Pre-excitation syndrome
I45.8	Other specified conduction disorders
I45.9	Conduction disorder, unspecified
I46	Cardiac arrest
I46.0	Cardiac arrest with successful resuscitation

I46.1	Sudden cardiac death, so described
I46.9	Cardiac arrest, unspecified
I47	Paroxysmal tachycardia
I47.0	Re-entry ventricular arrhythmia
I47.1	Supraventricular tachycardia
I47.2	Ventricular tachycardia
I47.9	Paroxysmal tachycardia, unspecified
I48	Atrial fibrillation and flutter
I48.0	Paroxysmal atrial fibrillation
I48.1	Persistent atrial fibrillation
I48.2	Chronic atrial fibrillation
I48.3	Typical atrial flutter
I48.4	Atypical atrial flutter
I48.9	Atrial fibrillation and atrial flutter, unspecified
I49	Other cardiac arrhythmias
I49.0	Ventricular fibrillation and flutter
I49.1	Atrial premature depolarisation
I49.2	Junctional premature depolarisation
I49.3	Ventricular premature depolarisation
I49.4	Other and unspecified premature depolarisation
I49.5	Sinus node dysfunction, not elsewhere classified
I49.50	Sinus node dysfunction, unspecified
I49.51	Sick sinus syndrome
I49.8	Other specified cardiac arrhythmias
I49.9	Cardiac arrhythmia, unspecified
I50	Heart failure
I50.0	Congestive heart failure
I50.1	Left ventricular failure
I50.9	Heart failure, unspecified
I51	Complications and ill-defined descriptions of heart disease
I51.0	Cardiac septal defect, acquired
I51.1	Rupture of chordae tendineae, not elsewhere classified
I51.2	Rupture of papillary muscle, not elsewhere classified
I51.3	Intracardiac thrombosis, not elsewhere classified
I51.4	Myocarditis, unspecified
I51.5	Myocardial degeneration
I51.6	Cardiovascular disease, unspecified
I51.7	Cardiomegaly
I51.8	Other ill-defined heart diseases
I51.9	Heart disease, unspecified
I52*	Other heart disorders in diseases classified elsewhere
I52.0*	Other heart disorders in bacterial diseases classified elsewhere
I52.1*	Other heart disorders in other infectious and parasitic diseases classified elsewhere
I52.8*	Other heart disorders in other diseases classified elsewhere
I60–I69	Cerebrovascular diseases
I60	Subarachnoid haemorrhage
I60.0	Subarachnoid haemorrhage from carotid siphon and bifurcation
I60.1	Subarachnoid haemorrhage from middle cerebral artery

I60.2	Subarachnoid haemorrhage from anterior communicating artery
I60.3	Subarachnoid haemorrhage from posterior communicating artery
I60.4	Subarachnoid haemorrhage from basilar artery
I60.5	Subarachnoid haemorrhage from vertebral artery
I60.6	Subarachnoid haemorrhage from other intracranial arteries
I60.7	Subarachnoid haemorrhage from intracranial artery, unspecified
I60.8	Other subarachnoid haemorrhage
I60.9	Subarachnoid haemorrhage, unspecified
I61	Intracerebral haemorrhage
I61.0	Intracerebral haemorrhage in hemisphere, subcortical
I61.1	Intracerebral haemorrhage in hemisphere, cortical
I61.2	Intracerebral haemorrhage in hemisphere, unspecified
I61.3	Intracerebral haemorrhage in brain stem
I61.4	Intracerebral haemorrhage in cerebellum
I61.5	Intracerebral haemorrhage, intraventricular
I61.6	Intracerebral haemorrhage, multiple localised
I61.8	Other intracerebral haemorrhage
I61.9	Intracerebral haemorrhage, unspecified
I62	Other nontraumatic intracranial haemorrhage
I62.0	Nontraumatic subdural haemorrhage
I62.1	Nontraumatic extradural haemorrhage
I62.9	Intracranial haemorrhage (nontraumatic), unspecified
I63	Cerebral infarction
I63.0	Cerebral infarction due to thrombosis of precerebral arteries
I63.1	Cerebral infarction due to embolism of precerebral arteries
I63.2	Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries
I63.3	Cerebral infarction due to thrombosis of cerebral arteries
I63.4	Cerebral infarction due to embolism of cerebral arteries
I63.5	Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries
I63.6	Cerebral infarction due to cerebral venous thrombosis, nonpyogenic
I63.8	Other cerebral infarction
I63.9	Cerebral infarction, unspecified
I64	Stroke, not specified as haemorrhage or infarction
I65	Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction
I65.0	Occlusion and stenosis of vertebral artery
I65.1	Occlusion and stenosis of basilar artery
I65.2	Occlusion and stenosis of carotid artery
I65.3	Occlusion and stenosis of multiple and bilateral precerebral arteries
I65.8	Occlusion and stenosis of other precerebral artery
I65.9	Occlusion and stenosis of unspecified precerebral artery
I66	Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction
I66.0	Occlusion and stenosis of middle cerebral artery
I66.1	Occlusion and stenosis of anterior cerebral artery
I66.2	Occlusion and stenosis of posterior cerebral artery
I66.3	Occlusion and stenosis of cerebellar arteries
I66.4	Occlusion and stenosis of multiple and bilateral cerebral arteries
I66.8	Occlusion and stenosis of other cerebral artery
I66.9	Occlusion and stenosis of unspecified cerebral artery

I67	Other cerebrovascular diseases
I67.0	Dissection of cerebral arteries, nonruptured
I67.1	Cerebral aneurysm, nonruptured
I67.2	Cerebral atherosclerosis
I67.3	Progressive vascular leukoencephalopathy
I67.4	Hypertensive encephalopathy
I67.5	Moyamoya disease
I67.6	Nonpyogenic thrombosis of intracranial venous system
I67.7	Cerebral arteritis, not elsewhere classified
I67.8	Other specified cerebrovascular diseases
I67.9	Cerebrovascular disease, unspecified
I68*	Cerebrovascular disorders in diseases classified elsewhere
I68.0*	Cerebral amyloid angiopathy (E85.-†)
I68.1*	Cerebral arteritis in infectious and parasitic diseases classified elsewhere
I68.2*	Cerebral arteritis in other diseases classified elsewhere
I68.8*	Other cerebrovascular disorders in diseases classified elsewhere
I69	Sequelae of cerebrovascular disease
I69.0	Sequelae of subarachnoid haemorrhage
I69.1	Sequelae of intracerebral haemorrhage
I69.2	Sequelae of other nontraumatic intracranial haemorrhage
I69.3	Sequelae of cerebral infarction
I69.4	Sequelae of stroke, not specified as haemorrhage or infarction
I69.8	Sequelae of other and unspecified cerebrovascular diseases
I70	Atherosclerosis
I70.0	Atherosclerosis of aorta
I70.1	Atherosclerosis of renal artery
I70.2	Atherosclerosis of arteries of extremities
I70.20	Atherosclerosis of arteries of extremities, unspecified
I70.21	Atherosclerosis of arteries of extremities with intermittent claudication
I70.22	Atherosclerosis of arteries of extremities with rest pain
I70.23	Atherosclerosis of arteries of extremities with ulceration
I70.24	Atherosclerosis of arteries of extremities with gangrene
I70.8	Atherosclerosis of other arteries
I70.9	Generalised and unspecified atherosclerosis
I71	Aortic aneurysm and dissection
I71.0	Dissection of aorta
I71.00	Dissection of aorta, unspecified site
I71.01	Dissection of thoracic aorta
I71.02	Dissection of abdominal aorta
I71.03	Dissection of thoracoabdominal aorta
I71.1	Thoracic aortic aneurysm, ruptured
I71.2	Thoracic aortic aneurysm, without mention of rupture
I71.3	Abdominal aortic aneurysm, ruptured
I71.4	Abdominal aortic aneurysm, without mention of rupture
I71.5	Thoracoabdominal aortic aneurysm, ruptured
I71.6	Thoracoabdominal aortic aneurysm, without mention of rupture
I71.8	Aortic aneurysm of unspecified site, ruptured
I71.9	Aortic aneurysm of unspecified site, without mention of rupture

I72	Other aneurysm and dissection
I72.0	Aneurysm and dissection of carotid artery
I72.1	Aneurysm and dissection of artery of upper extremity
I72.2	Aneurysm and dissection of renal artery
I72.3	Aneurysm and dissection of iliac artery
I72.4	Aneurysm and dissection of artery of lower extremity
I72.5	Aneurysm and dissection of other precerebral arteries
I72.6	Aneurysm and dissection of vertebral artery
I72.8	Aneurysm and dissection of other specified arteries
I72.9	Aneurysm and dissection of unspecified site
I73	Other peripheral vascular diseases
I73.0	Raynaud's syndrome
I73.00	Raynaud's syndrome without gangrene
I73.01	Raynaud's syndrome with gangrene
I73.1	Thromboangiitis obliterans [Buerger]
I73.8	Other specified peripheral vascular diseases
I73.9	Peripheral vascular disease, unspecified
I74	Arterial embolism and thrombosis
I74.0	Embolism and thrombosis of abdominal aorta
I74.1	Embolism and thrombosis of other and unspecified parts of aorta
I74.2	Embolism and thrombosis of arteries of upper extremities
I74.3	Embolism and thrombosis of arteries of lower extremities
I74.4	Embolism and thrombosis of arteries of extremities, unspecified
I74.5	Embolism and thrombosis of iliac artery
I74.8	Embolism and thrombosis of other arteries
I74.9	Embolism and thrombosis of unspecified artery
I77	Other disorders of arteries and arterioles
I77.0	Arteriovenous fistula, acquired
I77.1	Stricture of artery
I77.2	Rupture of artery
I77.3	Arterial fibromuscular dysplasia
I77.4	Coeliac artery compression syndrome
I77.5	Necrosis of artery
I77.6	Arteritis, unspecified
I77.8	Other specified disorders of arteries and arterioles
I77.9	Disorder of arteries and arterioles, unspecified
I78	Diseases of capillaries
I78.0	Hereditary haemorrhagic telangiectasia
I78.1	Naevus, non-neoplastic
I78.8	Other diseases of capillaries
I78.9	Disease of capillaries, unspecified
I79*	Disorders of arteries, arterioles and capillaries in diseases classified elsewhere
I79.0*	Aneurysm of aorta in diseases classified elsewhere
I79.1*	Aortitis in diseases classified elsewhere
I79.2*	Peripheral angiopathy in diseases classified elsewhere
I79.8*	Other disorders of arteries, arterioles and capillaries in diseases classified elsewhere
I80	Phlebitis and thrombophlebitis
I80.0	Phlebitis and thrombophlebitis of superficial vessels of lower extremities

I80.1	Phlebitis and thrombophlebitis of femoral vein
I80.2	Phlebitis and thrombophlebitis of other deep vessels of lower extremities
I80.20	Phlebitis and thrombophlebitis of deep vessels of lower extremities, not elsewhere classified
I80.21	Phlebitis and thrombophlebitis of iliac vein
I80.22	Phlebitis and thrombophlebitis of popliteal vein
I80.23	Phlebitis and thrombophlebitis of tibial vein
I80.3	Phlebitis and thrombophlebitis of lower extremities, unspecified
I80.4	Phlebitis and thrombophlebitis vessels of upper extremities
I80.40	Phlebitis and thrombophlebitis of vessels of upper extremities, not elsewhere classified
I80.41	Phlebitis and thrombophlebitis of superficial vessels of upper extremities
I80.42	Phlebitis and thrombophlebitis of deep vessels of upper extremities
I80.8	Phlebitis and thrombophlebitis of other sites
I80.9	Phlebitis and thrombophlebitis of unspecified site
I81	Portal vein thrombosis
I82	Other venous embolism and thrombosis
I82.0	Budd-Chiari syndrome
I82.1	Thrombophlebitis migrans
I82.2	Embolism and thrombosis of vena cava
I82.3	Embolism and thrombosis of renal vein
I82.8	Embolism and thrombosis of other specified veins
I82.9	Embolism and thrombosis of unspecified vein
I83	Varicose veins of lower extremities
I83.0	Varicose veins of lower extremities with ulcer
I83.1	Varicose veins of lower extremities with inflammation
I83.2	Varicose veins of lower extremities with both ulcer and inflammation
I83.9	Varicose veins of lower extremities without ulcer or inflammation
I84	Haemorrhoids
I84.0	Internal thrombosed haemorrhoids
I84.1	Internal haemorrhoids with other complications
I84.2	Internal haemorrhoids without complication
I84.3	External thrombosed haemorrhoids
I84.4	External haemorrhoids with other complications
I84.5	External haemorrhoids without complication
I84.6	Residual haemorrhoidal skin tags
I84.7	Unspecified thrombosed haemorrhoids
I84.8	Unspecified haemorrhoids with other complications
I84.9	Unspecified haemorrhoids without complication
I85	Oesophageal varices
I85.0	Oesophageal varices with bleeding
I85.9	Oesophageal varices without bleeding
I86	Varicose veins of other sites
I86.0	Sublingual varices
I86.1	Scrotal and other male pelvic varices
I86.2	Female pelvic varices
I86.3	Vulval varices
I86.4	Gastric varices
I86.5	Bladder varices

186.8	Varicose veins of other specified sites
187	Other disorders of veins
187.0	Postthrombotic syndrome
187.1	Compression of vein
187.2	Venous insufficiency (chronic)(peripheral)
187.8	Other specified disorders of veins
187.9	Disorder of vein, unspecified
188	Nonspecific lymphadenitis
188.0	Nonspecific mesenteric lymphadenitis
188.1	Chronic lymphadenitis, except mesenteric
188.8	Other nonspecific lymphadenitis
188.9	Nonspecific lymphadenitis, unspecified
189	Other noninfective disorders of lymphatic vessels and lymph nodes
189.0	Lymphoedema, not elsewhere classified
189.1	Lymphangitis
189.8	Other specified noninfective disorders of lymphatic vessels and lymph nodes
189.9	Noninfective disorder of lymphatic vessels and lymph nodes, unspecified
195	Hypotension
195.0	Idiopathic hypotension
195.1	Orthostatic hypotension
195.10	Orthostatic hypotension, unspecified
195.11	Primary orthostatic hypotension
195.12	Neurogenic orthostatic hypotension
195.19	Other specified orthostatic hypotension
195.2	Hypotension due to drugs
195.8	Other hypotension
195.9	Hypotension, unspecified
197	Intraoperative and postprocedural disorders of circulatory system
197.0	Postcardiotomy syndrome
197.1	Other functional disturbances following cardiac surgery
197.2	Postmastectomy lymphoedema syndrome
197.3	Accidental puncture and laceration of circulatory system organ or structure during a procedure
197.31	Accidental puncture and laceration of aorta during a procedure
197.32	Accidental puncture and laceration of coronary artery during a procedure
197.33	Accidental puncture and laceration of vena cava during a procedure
197.34	Accidental puncture and laceration of other blood vessels during a procedure
197.35	Accidental puncture and laceration of heart during a procedure
197.39	Accidental puncture and laceration of circulatory system organ or structure during a procedure, not elsewhere classified
197.8	Other intraoperative and postprocedural disorders of circulatory system
197.81	Postprocedural steal syndrome
197.82	Pacemaker syndrome
197.83	Postprocedural lymphocele, lymphoedema and chylothorax
197.84	Haemorrhage and haematoma of access site, from percutaneous cardiovascular procedure
197.89	Other intraoperative and postprocedural disorders of circulatory system, not elsewhere classified
197.9	Intraoperative and postprocedural disorder of circulatory system, unspecified

I98*	Other disorders of circulatory system in diseases classified elsewhere
I98.0*	Cardiovascular syphilis (A52.0†)
I98.1*	Cardiovascular disorders in other infectious and parasitic diseases classified elsewhere
I98.2*	Oesophageal varices without mention of bleeding in diseases classified elsewhere
I98.20*	Oesophageal varices in diseases classified elsewhere, without mention of bleeding
I98.21*	Oesophageal varices in diseases classified elsewhere, with bleeding
I98.3*	Oesophageal varices with bleeding in diseases classified elsewhere
I98.8*	Other specified disorders of circulatory system in diseases classified elsewhere
I99	Other and unspecified disorders of circulatory system

Chapter 10 DISEASES OF THE RESPIRATORY SYSTEM (J00–J99)

J00–J99	Diseases of the respiratory system
J00	Acute nasopharyngitis [common cold]
J01	Acute sinusitis
J01.0	Acute maxillary sinusitis
J01.1	Acute frontal sinusitis
J01.2	Acute ethmoidal sinusitis
J01.3	Acute sphenoidal sinusitis
J01.4	Acute pansinusitis
J01.8	Other acute sinusitis
J01.9	Acute sinusitis, unspecified
J02	Acute pharyngitis
J02.0	Streptococcal pharyngitis
J02.8	Acute pharyngitis due to other specified organisms
J02.9	Acute pharyngitis, unspecified
J03	Acute tonsillitis
J03.0	Streptococcal tonsillitis
J03.8	Acute tonsillitis due to other specified organisms
J03.9	Acute tonsillitis, unspecified
J04	Acute laryngitis and tracheitis
J04.0	Acute laryngitis
J04.1	Acute tracheitis
J04.2	Acute laryngotracheitis
J05	Acute obstructive laryngitis [croup] and epiglottitis
J05.0	Acute obstructive laryngitis [croup]
J05.1	Acute epiglottitis
J06	Acute upper respiratory infections of multiple and unspecified sites
J06.0	Acute laryngopharyngitis
J06.8	Other acute upper respiratory infections of multiple sites
J06.9	Acute upper respiratory infection, unspecified
J09	Influenza due to identified zoonotic or pandemic influenza virus
J10	Influenza due to other identified influenza virus
J10.0	Influenza with pneumonia, other influenza virus identified
J10.1	Influenza with other respiratory manifestations, other influenza virus identified
J10.8	Influenza with other manifestations, other influenza virus identified
J11	Influenza, virus not identified
J11.0	Influenza with pneumonia, virus not identified
J11.1	Influenza with other respiratory manifestations, virus not identified

J11.8	Influenza with other manifestations, virus not identified
J12	Viral pneumonia, not elsewhere classified
J12.0	Adenoviral pneumonia
J12.1	Respiratory syncytial virus pneumonia
J12.2	Parainfluenza virus pneumonia
J12.3	Human metapneumovirus pneumonia
J12.8	Other viral pneumonia
J12.9	Viral pneumonia, unspecified
J13	Pneumonia due to <i>Streptococcus pneumoniae</i>
J14	Pneumonia due to <i>Haemophilus influenzae</i>
J15	Bacterial pneumonia, not elsewhere classified
J15.0	Pneumonia due to <i>Klebsiella pneumoniae</i>
J15.1	Pneumonia due to <i>Pseudomonas</i>
J15.2	Pneumonia due to <i>Staphylococcus</i>
J15.3	Pneumonia due to <i>Streptococcus</i> , group B
J15.4	Pneumonia due to other streptococci
J15.5	Pneumonia due to <i>Escherichia coli</i>
J15.6	Pneumonia due to other Gram-negative bacteria
J15.7	Pneumonia due to <i>Mycoplasma pneumoniae</i>
J15.8	Other bacterial pneumonia
J15.9	Bacterial pneumonia, unspecified
J16	Pneumonia due to other infectious organisms, not elsewhere classified
J16.0	Chlamydial pneumonia
J16.1	Fungal pneumonia, not elsewhere classified
J16.8	Pneumonia due to other specified infectious organisms
J17*	Pneumonia in diseases classified elsewhere
J17.0*	Pneumonia in bacterial diseases classified elsewhere
J17.1*	Pneumonia in viral diseases classified elsewhere
J17.2*	Pneumonia in mycoses
J17.3*	Pneumonia in parasitic diseases
J17.8*	Pneumonia in other diseases classified elsewhere
J18	Pneumonia, organism unspecified
J18.0	Bronchopneumonia, unspecified
J18.1	Lobar pneumonia, unspecified
J18.2	Hypostatic pneumonia, unspecified
J18.8	Other pneumonia, organism unspecified
J18.9	Pneumonia, unspecified
J20	Acute bronchitis
J20.0	Acute bronchitis due to <i>Mycoplasma pneumoniae</i>
J20.1	Acute bronchitis due to <i>Haemophilus influenzae</i>
J20.2	Acute bronchitis due to <i>Streptococcus</i>
J20.3	Acute bronchitis due to coxsackievirus
J20.4	Acute bronchitis due to parainfluenza virus
J20.5	Acute bronchitis due to respiratory syncytial virus
J20.6	Acute bronchitis due to rhinovirus
J20.7	Acute bronchitis due to echovirus
J20.8	Acute bronchitis due to other specified organisms
J20.9	Acute bronchitis, unspecified

J21	Acute bronchiolitis
J21.0	Acute bronchiolitis due to respiratory syncytial virus
J21.1	Acute bronchiolitis due to human metapneumovirus
J21.8	Acute bronchiolitis due to other specified organisms
J21.9	Acute bronchiolitis, unspecified
J22	Unspecified acute lower respiratory infection
J30	Vasomotor and allergic rhinitis
J30.0	Vasomotor rhinitis
J30.1	Allergic rhinitis due to pollen
J30.2	Other seasonal allergic rhinitis
J30.3	Other allergic rhinitis
J30.4	Allergic rhinitis, unspecified
J31	Chronic rhinitis, nasopharyngitis and pharyngitis
J31.0	Chronic rhinitis
J31.1	Chronic nasopharyngitis
J31.2	Chronic pharyngitis
J32	Chronic sinusitis
J32.0	Chronic maxillary sinusitis
J32.1	Chronic frontal sinusitis
J32.2	Chronic ethmoidal sinusitis
J32.3	Chronic sphenoidal sinusitis
J32.4	Chronic pansinusitis
J32.8	Other chronic sinusitis
J32.9	Chronic sinusitis, unspecified
J33	Nasal polyp
J33.0	Polyp of nasal cavity
J33.1	Polypoid sinus degeneration
J33.8	Other polyp of sinus
J33.9	Nasal polyp, unspecified
J34	Other disorders of nose and nasal sinuses
J34.0	Abscess, furuncle and carbuncle of nose
J34.1	Cyst and mucocele of nose and nasal sinus
J34.2	Deviated nasal septum
J34.3	Hypertrophy of nasal turbinates
J34.8	Other specified disorders of nose and nasal sinuses
J35	Chronic diseases of tonsils and adenoids
J35.0	Chronic tonsillitis
J35.1	Hypertrophy of tonsils
J35.2	Hypertrophy of adenoids
J35.3	Hypertrophy of tonsils with hypertrophy of adenoids
J35.8	Other chronic diseases of tonsils and adenoids
J35.9	Chronic disease of tonsils and adenoids, unspecified
J36	Peritonsillar abscess
J37	Chronic laryngitis and laryngotracheitis
J37.0	Chronic laryngitis
J37.1	Chronic laryngotracheitis
J38	Diseases of vocal cords and larynx, not elsewhere classified
J38.0	Paralysis of vocal cords and larynx

J38.00	Paralysis of vocal cords and larynx, unspecified
J38.01	Paralysis of vocal cords and larynx, unilateral, partial
J38.02	Paralysis of vocal cords and larynx, unilateral, complete
J38.03	Paralysis of vocal cords and larynx, bilateral, partial
J38.04	Paralysis of vocal cords and larynx, bilateral, complete
J38.1	Polyp of vocal cord and larynx
J38.2	Nodules of vocal cords
J38.3	Other diseases of vocal cords
J38.4	Oedema of larynx
J38.5	Laryngeal spasm
J38.6	Stenosis of larynx
J38.7	Other diseases of larynx
J39	Other diseases of upper respiratory tract
J39.0	Retropharyngeal and parapharyngeal abscess
J39.1	Other abscess of pharynx
J39.2	Other diseases of pharynx
J39.3	Upper respiratory tract hypersensitivity reaction, site unspecified
J39.8	Other specified diseases of upper respiratory tract
J39.9	Disease of upper respiratory tract, unspecified
J40–J47	Chronic lower respiratory diseases
J40	Bronchitis, not specified as acute or chronic
J41	Other specified chronic bronchitis
J41.0	Simple chronic bronchitis
J41.1	Mucopurulent chronic bronchitis
J41.2	Protracted bacterial bronchitis
J41.8	Mixed simple and mucopurulent chronic bronchitis
J42	Unspecified chronic bronchitis
J43	Emphysema
J43.0	MacLeod's syndrome
J43.1	Panlobular emphysema
J43.2	Centrilobular emphysema
J43.8	Other emphysema
J43.9	Emphysema, unspecified
J44	Other chronic obstructive pulmonary disease [COPD]
J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection
J44.1	Chronic obstructive pulmonary disease with acute exacerbation, unspecified
J44.8	Other specified chronic obstructive pulmonary disease
J44.9	Chronic obstructive pulmonary disease, unspecified
J45	Asthma
J45.0	Predominantly allergic asthma
J45.1	Nonallergic asthma
J45.8	Mixed asthma
J45.9	Asthma, unspecified
J46	Status asthmaticus
J47	Bronchiectasis
J60	Coalworker's pneumoconiosis
J61	Pneumoconiosis due to asbestos and other mineral fibres
J62	Pneumoconiosis due to dust containing silica

J62.0	Pneumoconiosis due to talc dust
J62.8	Pneumoconiosis due to other dust containing silica
J63	Pneumoconiosis due to other inorganic dusts
J63.0	Aluminosis (of lung)
J63.1	Bauxite fibrosis (of lung)
J63.2	Berylliosis
J63.3	Graphite fibrosis (of lung)
J63.4	Siderosis
J63.5	Stannosis
J63.8	Pneumoconiosis due to other specified inorganic dusts
J64	Unspecified pneumoconiosis
J65	Pneumoconiosis associated with tuberculosis
J66	Airway disease due to specific organic dust
J66.0	Byssinosis
J66.1	Flax-dresser's disease
J66.2	Cannabinosis
J66.8	Airway disease due to other specific organic dusts
J67	Hypersensitivity pneumonitis due to organic dust
J67.0	Farmer's lung
J67.1	Bagassosis
J67.2	Bird fancier's lung
J67.3	Suberosis
J67.4	Maltworker's lung
J67.5	Mushroom-worker's lung
J67.6	Maple-bark-stripper's lung
J67.7	Air-conditioner and humidifier lung
J67.8	Hypersensitivity pneumonitis due to other organic dusts
J67.9	Hypersensitivity pneumonitis due to unspecified organic dust
J68	Respiratory conditions due to inhalation of chemicals, gases, fumes and vapours
J68.0	Bronchitis and pneumonitis due to chemicals, gases, fumes and vapours
J68.1	Pulmonary oedema due to chemicals, gases, fumes and vapours
J68.2	Upper respiratory inflammation due to chemicals, gases, fumes and vapours, not elsewhere classified
J68.3	Other acute and subacute respiratory conditions due to chemicals, gases, fumes and vapours
J68.4	Chronic respiratory conditions due to chemicals, gases, fumes and vapours
J68.8	Other respiratory conditions due to chemicals, gases, fumes and vapours
J68.9	Unspecified respiratory condition due to chemicals, gases, fumes and vapours
J69	Pneumonitis due to solids and liquids
J69.0	Pneumonitis due to food and vomit
J69.1	Pneumonitis due to oils and essences
J69.8	Pneumonitis due to other solids and liquids
J70	Respiratory conditions due to other external agents
J70.0	Acute pulmonary manifestations due to radiation
J70.1	Chronic and other pulmonary manifestations due to radiation
J70.2	Acute drug-induced interstitial lung disorders
J70.3	Chronic drug-induced interstitial lung disorders
J70.4	Drug-induced interstitial lung disorders, unspecified

J70.8	Respiratory conditions due to other specified external agents
J70.9	Respiratory conditions due to unspecified external agent
J80	Acute respiratory distress syndrome
J81	Pulmonary oedema
J82	Pulmonary eosinophilia, not elsewhere classified
J84	Other interstitial pulmonary diseases
J84.0	Alveolar and parietoalveolar conditions
J84.1	Other interstitial pulmonary diseases with fibrosis
J84.8	Other specified interstitial pulmonary diseases
J84.9	Interstitial pulmonary disease, unspecified
J85	Abscess of lung and mediastinum
J85.0	Gangrene and necrosis of lung
J85.1	Abscess of lung with pneumonia
J85.2	Abscess of lung without pneumonia
J85.3	Abscess of mediastinum
J86	Pyothorax
J86.0	Pyothorax with fistula
J86.9	Pyothorax without fistula
J90	Pleural effusion, not elsewhere classified
J91*	Pleural effusion in conditions classified elsewhere
J92	Pleural plaque
J92.0	Pleural plaque with presence of asbestos
J92.9	Pleural plaque without asbestos
J93	Pneumothorax
J93.0	Spontaneous tension pneumothorax
J93.1	Other spontaneous pneumothorax
J93.2	Iatrogenic pneumothorax
J93.8	Other pneumothorax
J93.9	Pneumothorax, unspecified
J94	Other pleural conditions
J94.0	Chylous effusion
J94.1	Fibrothorax
J94.2	Haemothorax
J94.8	Other specified pleural conditions
J94.9	Pleural condition, unspecified
J95	Intraoperative and postprocedural disorders of respiratory system
J95.0	Malfunction of tracheostomy
J95.01	Haemorrhage from tracheostomy
J95.02	Infection of tracheostomy
J95.03	Leak from tracheostomy
J95.04	Tracheo-oesophageal fistula following tracheostomy
J95.09	Malfunction of tracheostomy, not elsewhere classified
J95.1	Acute pulmonary insufficiency following thoracic surgery
J95.2	Acute pulmonary insufficiency following nonthoracic surgery
J95.3	Chronic pulmonary insufficiency following surgery
J95.4	Chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia
J95.5	Postprocedural subglottic stenosis

J95.6	Accidental puncture and laceration of respiratory system organ or structure during a procedure
J95.61	Accidental puncture and laceration of larynx during a procedure
J95.62	Accidental puncture and laceration of pharynx during a procedure
J95.63	Accidental puncture and laceration of trachea during a procedure
J95.64	Accidental puncture and laceration of lung during a procedure
J95.65	Accidental puncture and laceration of pleura and diaphragm during a procedure
J95.69	Accidental puncture and laceration of respiratory system organ or structure during a procedure, not elsewhere classified
J95.8	Other intraoperative and postprocedural disorders of respiratory system
J95.81	Postprocedural tracheal stenosis
J95.82	Ventilation associated pneumonia
J95.83	Transfusion related acute lung injury [TRALI]
J95.84	Postprocedural pneumothorax
J95.85	Postprocedural haemothorax
J95.89	Other intraoperative and postprocedural disorders of respiratory system, not elsewhere classified
J95.9	Intraoperative and postprocedural disorders of respiratory system, unspecified
J96	Respiratory failure, not elsewhere classified
J96.0	Acute respiratory failure
J96.00	Acute respiratory failure, type I
J96.01	Acute respiratory failure, type II
J96.09	Acute respiratory failure, type unspecified
J96.1	Chronic respiratory failure
J96.10	Chronic respiratory failure, type I
J96.11	Chronic respiratory failure, type II
J96.19	Chronic respiratory failure, type unspecified
J96.9	Respiratory failure, unspecified
J96.90	Respiratory failure, unspecified
J96.91	Respiratory failure, unspecified
J96.99	Respiratory failure, unspecified
J98	Other respiratory disorders
J98.0	Diseases of bronchus, not elsewhere classified
J98.1	Pulmonary collapse
J98.2	Interstitial emphysema
J98.3	Compensatory emphysema
J98.4	Other disorders of lung
J98.5	Diseases of mediastinum, not elsewhere classified
J98.6	Disorders of diaphragm
J98.7	Respiratory infection, not elsewhere classified
J98.8	Other specified respiratory disorders
J98.9	Respiratory disorder, unspecified
J99*	Respiratory disorders in diseases classified elsewhere
J99.0	Rheumatoid lung disease (M05.1†)
J99.1*	Respiratory disorders in other diffuse connective tissue disorders
J99.8*	Respiratory disorders in other diseases classified elsewhere

Chapter 11 DISEASES OF THE DIGESTIVE SYSTEM (K00–K93)

K00–K93 Diseases of the digestive system

K00	Disorders of tooth development and eruption
K00.0	Anodontia
K00.1	Supernumerary teeth
K00.2	Abnormalities of size and form of teeth
K00.3	Mottled teeth
K00.4	Disturbances in tooth formation
K00.5	Hereditary disturbances in tooth structure, not elsewhere classified
K00.6	Disturbances in tooth eruption
K00.7	Teething syndrome
K00.8	Other disorders of tooth development
K00.9	Disorder of tooth development, unspecified
K01	Embedded and impacted teeth
K01.0	Embedded teeth
K01.1	Impacted teeth
K02	Dental caries
K02.0	Caries limited to enamel
K02.1	Caries of dentine
K02.2	Caries of cementum
K02.3	Arrested dental caries
K02.4	Odontoclasia
K02.5	Caries with pulp exposure
K02.8	Other dental caries
K02.9	Dental caries, unspecified
K03	Other diseases of hard tissues of teeth
K03.0	Excessive attrition of teeth
K03.1	Abrasion of teeth
K03.2	Erosion of teeth
K03.3	Pathological resorption of teeth
K03.4	Hypercementosis
K03.5	Ankylosis of teeth
K03.6	Deposits [accretions] on teeth
K03.7	Posteruptive colour changes of dental hard tissues
K03.8	Other specified diseases of hard tissues of teeth
K03.9	Disease of hard tissues of teeth, unspecified
K04	Diseases of pulp and periapical tissues
K04.0	Pulpitis
K04.1	Necrosis of pulp
K04.2	Pulp degeneration
K04.3	Abnormal hard tissue formation in pulp
K04.4	Acute apical periodontitis of pulpal origin
K04.5	Chronic apical periodontitis
K04.6	Periapical abscess with sinus
K04.7	Periapical abscess without sinus
K04.8	Radicular cyst
K04.9	Other and unspecified diseases of pulp and periapical tissues
K05	Gingivitis and periodontal diseases
K05.0	Acute gingivitis
K05.1	Chronic gingivitis

K05.2	Acute periodontitis
K05.3	Chronic periodontitis
K05.4	Periodontosis
K05.5	Other periodontal diseases
K05.6	Periodontal disease, unspecified
K06	Other disorders of gingiva and edentulous alveolar ridge
K06.0	Gingival recession
K06.1	Gingival enlargement
K06.2	Gingival and edentulous alveolar ridge lesions associated with trauma
K06.8	Other specified disorders of gingiva and edentulous alveolar ridge
K06.9	Disorder of gingiva and edentulous alveolar ridge, unspecified
K07	Dentofacial anomalies [including malocclusion]
K07.0	Major anomalies of jaw size
K07.00	Major anomaly of jaw size, unspecified
K07.01	Hypoplasia of maxilla
K07.02	Hyperplasia of maxilla
K07.03	Hypoplasia of mandible
K07.04	Hyperplasia of mandible
K07.09	Other major anomalies of jaw size
K07.1	Anomalies of jaw-cranial base relationship
K07.2	Anomalies of dental arch relationship
K07.3	Anomalies of tooth position
K07.4	Malocclusion, unspecified
K07.5	Dentofacial functional abnormalities
K07.6	Temporomandibular joint disorders
K07.8	Other dentofacial anomalies
K07.9	Dentofacial anomaly, unspecified
K08	Other disorders of teeth and supporting structures
K08.0	Exfoliation of teeth due to systemic causes
K08.1	Loss of teeth due to accident, extraction or local periodontal disease
K08.2	Atrophy of edentulous alveolar ridge
K08.3	Retained dental root
K08.8	Other specified disorders of teeth and supporting structures
K08.81	Pathological fracture of tooth
K08.88	Other specified disorders of teeth and supporting structures
K08.9	Disorder of teeth and supporting structures, unspecified
K09	Cysts of oral region, not elsewhere classified
K09.0	Developmental odontogenic cysts
K09.1	Developmental (nonodontogenic) cysts of oral region
K09.2	Other cysts of jaw
K09.8	Other cysts of oral region, not elsewhere classified
K09.9	Cyst of oral region, unspecified
K10	Other diseases of jaws
K10.0	Developmental disorders of jaws
K10.1	Giant cell granuloma, central
K10.2	Inflammatory conditions of jaws
K10.3	Alveolitis of jaws
K10.8	Other specified diseases of jaws

K10.9	Disease of jaws, unspecified
K11	Diseases of salivary glands
K11.0	Atrophy of salivary gland
K11.1	Hypertrophy of salivary gland
K11.2	Sialoadenitis
K11.3	Abscess of salivary gland
K11.4	Fistula of salivary gland
K11.5	Sialolithiasis
K11.6	Mucocele of salivary gland
K11.7	Disturbances of salivary secretion
K11.8	Other diseases of salivary glands
K11.9	Disease of salivary gland, unspecified
K12	Stomatitis and related lesions
K12.0	Recurrent oral aphthae
K12.1	Other forms of stomatitis
K12.2	Cellulitis and abscess of mouth
K12.3	Oral mucositis (ulcerative)
K13	Other diseases of lip and oral mucosa
K13.0	Diseases of lips
K13.1	Cheek and lip biting
K13.2	Leukoplakia and other disturbances of oral epithelium, including tongue
K13.3	Hairy leukoplakia
K13.4	Granuloma and granuloma-like lesions of oral mucosa
K13.5	Oral submucous fibrosis
K13.6	Irritative hyperplasia of oral mucosa
K13.7	Other and unspecified lesions of oral mucosa
K13.8	Other and unspecified diseases of oral mucosa
K14	Diseases of tongue
K14.0	Glossitis
K14.1	Geographic tongue
K14.2	Median rhomboid glossitis
K14.3	Hypertrophy of tongue papillae
K14.4	Atrophy of tongue papillae
K14.5	Plicated tongue
K14.6	Glossodynia
K14.8	Other diseases of tongue
K14.9	Disease of tongue, unspecified
K20	Oesophagitis
K21	Gastro-oesophageal reflux disease
K21.0	Gastro-oesophageal reflux disease with oesophagitis
K21.9	Gastro-oesophageal reflux disease without oesophagitis
K22	Other diseases of oesophagus
K22.0	Achalasia of cardia
K22.1	Ulcer of oesophagus
K22.2	Oesophageal obstruction
K22.3	Perforation of oesophagus
K22.4	Dyskinesia of oesophagus
K22.5	Diverticulum of oesophagus, acquired

K22.6	Gastro-oesophageal laceration-haemorrhage syndrome
K22.7	Barrett's oesophagus
K22.8	Other specified diseases of oesophagus
K22.9	Disease of oesophagus, unspecified
K23*	Disorders of oesophagus in diseases classified elsewhere
K23.0*	Tuberculous oesophagitis (A18.8†)
K23.1*	Megaoesophagus in Chagas' disease (B57.3†)
K23.8*	Disorders of oesophagus in other diseases classified elsewhere
K25	Gastric ulcer
K25.0	Gastric ulcer, acute with haemorrhage
K25.1	Gastric ulcer, acute with perforation
K25.2	Gastric ulcer, acute with both haemorrhage and perforation
K25.3	Gastric ulcer, acute without haemorrhage or perforation
K25.4	Gastric ulcer, chronic or unspecified with haemorrhage
K25.5	Gastric ulcer, chronic or unspecified with perforation
K25.6	Gastric ulcer, chronic or unspecified with both haemorrhage and perforation
K25.7	Gastric ulcer, chronic without haemorrhage or perforation
K25.9	Gastric ulcer, unspecified as acute or chronic, without haemorrhage or perforation
K26	Duodenal ulcer
K26.0	Duodenal ulcer, acute with haemorrhage
K26.1	Duodenal ulcer, acute with perforation
K26.2	Duodenal ulcer, acute with both haemorrhage and perforation
K26.3	Duodenal ulcer, acute without haemorrhage or perforation
K26.4	Duodenal ulcer, chronic or unspecified with haemorrhage
K26.5	Duodenal ulcer, chronic or unspecified with perforation
K26.6	Duodenal ulcer, chronic or unspecified with both haemorrhage and perforation
K26.7	Duodenal ulcer, chronic without haemorrhage or perforation
K26.9	Duodenal ulcer, unspecified as acute or chronic, without haemorrhage or perforation
K27	Peptic ulcer, site unspecified
K27.0	Peptic ulcer, acute with haemorrhage
K27.1	Peptic ulcer, acute with perforation
K27.2	Peptic ulcer, acute with both haemorrhage and perforation
K27.3	Peptic ulcer, acute without haemorrhage or perforation
K27.4	Peptic ulcer, chronic or unspecified with haemorrhage
K27.5	Peptic ulcer, chronic or unspecified with perforation
K27.6	Peptic ulcer, chronic or unspecified with both haemorrhage and perforation
K27.7	Peptic ulcer, chronic without haemorrhage or perforation
K27.9	Peptic ulcer, unspecified as acute or chronic, without haemorrhage or perforation
K28	Gastrojejunal ulcer
K28.0	Gastrojejunal ulcer, acute with haemorrhage
K28.1	Gastrojejunal ulcer, acute with perforation
K28.2	Gastrojejunal ulcer, acute with both haemorrhage and perforation
K28.3	Gastrojejunal ulcer, acute without haemorrhage or perforation
K28.4	Gastrojejunal ulcer, chronic or unspecified with haemorrhage
K28.5	Gastrojejunal ulcer, chronic or unspecified with perforation
K28.6	Gastrojejunal ulcer, chronic or unspecified with both haemorrhage and perforation
K28.7	Gastrojejunal ulcer, chronic without haemorrhage or perforation
K28.9	Gastrojejunal ulcer, unspecified as acute or chronic, without haemorrhage or perforation

K29	Gastritis and duodenitis
K29.0	Acute haemorrhagic gastritis
K29.1	Other acute gastritis
K29.2	Alcoholic gastritis
K29.20	Alcoholic gastritis, without mention of haemorrhage
K29.21	Alcoholic gastritis, with mention of haemorrhage
K29.3	Chronic superficial gastritis
K29.30	Chronic superficial gastritis, without mention of haemorrhage
K29.31	Chronic superficial gastritis, with mention of haemorrhage
K29.4	Chronic atrophic gastritis
K29.40	Chronic atrophic gastritis, without mention of haemorrhage
K29.41	Chronic atrophic gastritis, with mention of haemorrhage
K29.5	Chronic gastritis, unspecified
K29.50	Chronic gastritis, unspecified, without mention of haemorrhage
K29.51	Chronic gastritis, unspecified, with mention of haemorrhage
K29.6	Other gastritis
K29.60	Other gastritis, without mention of haemorrhage
K29.61	Other gastritis, with mention of haemorrhage
K29.7	Gastritis, unspecified
K29.70	Gastritis, unspecified, without mention of haemorrhage
K29.71	Gastritis, unspecified, with mention of haemorrhage
K29.8	Duodenitis
K29.80	Duodenitis, without mention of haemorrhage
K29.81	Duodenitis, with mention of haemorrhage
K29.9	Gastroduodenitis, unspecified
K29.90	Gastroduodenitis, unspecified, without mention of haemorrhage
K29.91	Gastroduodenitis, unspecified, with mention of haemorrhage
K30	Functional dyspepsia
K31	Other diseases of stomach and duodenum
K31.0	Acute dilatation of stomach
K31.1	Adult hypertrophic pyloric stenosis
K31.2	Hourglass stricture and stenosis of stomach
K31.3	Pylorospasm, not elsewhere classified
K31.4	Gastric diverticulum
K31.5	Obstruction of duodenum
K31.6	Fistula of stomach and duodenum
K31.7	Polyp of stomach and duodenum
K31.8	Other specified diseases of stomach and duodenum
K31.81	Angiodysplasia of stomach without mention of haemorrhage
K31.82	Angiodysplasia of stomach with haemorrhage
K31.88	Other specified diseases of stomach and duodenum
K31.9	Disease of stomach and duodenum, unspecified
K35	Acute appendicitis
K35.0	Acute appendicitis with generalised peritonitis
K35.1	Acute appendicitis with peritoneal abscess
K35.2	Acute appendicitis with generalised peritonitis
K35.3	Acute appendicitis with localised peritonitis
K35.8	Acute appendicitis, other and unspecified

K35.9	Acute appendicitis, unspecified
K36	Other appendicitis
K37	Unspecified appendicitis
K38	Other diseases of appendix
K38.0	Hyperplasia of appendix
K38.1	Appendicular concretions
K38.2	Diverticulum of appendix
K38.3	Fistula of appendix
K38.8	Other specified diseases of appendix
K38.9	Disease of appendix, unspecified
K40	Inguinal hernia
K40.0	Bilateral inguinal hernia, with obstruction, without gangrene
K40.00	Bilateral inguinal hernia, with obstruction, without gangrene, not specified as recurrent
K40.01	Bilateral inguinal hernia, with obstruction, without gangrene, recurrent
K40.1	Bilateral inguinal hernia, with gangrene
K40.10	Bilateral inguinal hernia, with gangrene, not specified as recurrent
K40.11	Bilateral inguinal hernia, with gangrene, recurrent
K40.2	Bilateral inguinal hernia, without obstruction or gangrene
K40.20	Bilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent
K40.21	Bilateral inguinal hernia, without obstruction or gangrene, recurrent
K40.3	Unilateral or unspecified inguinal hernia, with obstruction, without gangrene
K40.30	Unilateral or unspecified inguinal hernia, with obstruction, without gangrene, not specified as recurrent
K40.31	Unilateral or unspecified inguinal hernia, with obstruction, without gangrene, recurrent
K40.4	Unilateral or unspecified inguinal hernia, with gangrene
K40.40	Unilateral or unspecified inguinal hernia, with gangrene, not specified as recurrent
K40.41	Unilateral or unspecified inguinal hernia, with gangrene, recurrent
K40.9	Unilateral or unspecified inguinal hernia, without obstruction or gangrene
K40.90	Unilateral or unspecified inguinal hernia, without obstruction or gangrene, not specified as recurrent
K40.91	Unilateral or unspecified inguinal hernia, without obstruction or gangrene, recurrent
K41	Femoral hernia
K41.0	Bilateral femoral hernia, with obstruction, without gangrene
K41.1	Bilateral femoral hernia, with gangrene
K41.2	Bilateral femoral hernia, without obstruction or gangrene
K41.3	Unilateral or unspecified femoral hernia, with obstruction, without gangrene
K41.4	Unilateral or unspecified femoral hernia, with gangrene
K41.9	Unilateral or unspecified femoral hernia, without obstruction or gangrene
K42	Umbilical hernia
K42.0	Umbilical hernia with obstruction, without gangrene
K42.1	Umbilical hernia with gangrene
K42.9	Umbilical hernia without obstruction or gangrene
K43	Ventral hernia
K43.0	Incisional hernia with obstruction, without gangrene
K43.1	Incisional hernia with gangrene
K43.2	Incisional hernia without obstruction or gangrene
K43.3	Parastomal hernia with obstruction, without gangrene
K43.4	Parastomal hernia with gangrene

K43.5	Parastomal hernia without obstruction or gangrene
K43.6	Other and unspecified ventral hernia with obstruction, without gangrene
K43.7	Other and unspecified ventral hernia with gangrene
K43.9	Other and unspecified ventral hernia without obstruction or gangrene
K44	Diaphragmatic hernia
K44.0	Diaphragmatic hernia with obstruction, without gangrene
K44.1	Diaphragmatic hernia with gangrene
K44.9	Diaphragmatic hernia without obstruction or gangrene
K45	Other abdominal hernia
K45.0	Other specified abdominal hernia with obstruction, without gangrene
K45.1	Other specified abdominal hernia with gangrene
K45.8	Other specified abdominal hernia without obstruction or gangrene
K46	Unspecified abdominal hernia
K46.0	Unspecified abdominal hernia with obstruction, without gangrene
K46.1	Unspecified abdominal hernia with gangrene
K46.9	Unspecified abdominal hernia without obstruction or gangrene
K50	Crohn's disease [regional enteritis]
K50.0	Crohn's disease of small intestine
K50.1	Crohn's disease of large intestine
K50.8	Other Crohn's disease
K50.9	Crohn's disease, unspecified
K51	Ulcerative colitis
K51.0	Ulcerative [chronic] pancolitis
K51.1	Ulcerative (chronic) ileocolitis
K51.2	Ulcerative [chronic] proctitis
K51.3	Ulcerative [chronic] rectosigmoiditis
K51.4	Inflammatory polyps
K51.5	Left sided proctocolitis
K51.8	Other ulcerative colitis
K51.9	Ulcerative colitis, unspecified
K52	Other noninfective gastroenteritis and colitis
K52.0	Gastroenteritis and colitis due to radiation
K52.1	Toxic gastroenteritis and colitis
K52.2	Allergic and dietetic gastroenteritis and colitis
K52.3	Indeterminate colitis
K52.8	Other specified noninfective gastroenteritis and colitis
K52.9	Noninfective gastroenteritis and colitis, unspecified
K55	Vascular disorders of intestine
K55.0	Acute vascular disorders of intestine
K55.1	Chronic vascular disorders of intestine
K55.2	Angiodysplasia of colon
K55.21	Angiodysplasia of colon without mention of haemorrhage
K55.22	Angiodysplasia of colon with haemorrhage
K55.3	Angiodysplasia of small intestine
K55.31	Angiodysplasia of small intestine, without mention of haemorrhage
K55.32	Angiodysplasia of small intestine, with haemorrhage
K55.8	Other vascular disorders of intestine
K55.9	Vascular disorder of intestine, unspecified

K56	Paralytic ileus and intestinal obstruction without hernia
K56.0	Paralytic ileus
K56.1	Intussusception
K56.2	Volvulus
K56.3	Gallstone ileus
K56.4	Other impaction of intestine
K56.5	Intestinal adhesions [bands] with obstruction
K56.6	Other and unspecified intestinal obstruction
K56.7	Ileus, unspecified
K57	Diverticular disease of intestine
K57.0	Diverticular disease of small intestine with perforation and abscess
K57.00	Diverticulosis of small intestine with perforation and abscess, without mention of haemorrhage
K57.01	Diverticulosis of small intestine with haemorrhage, perforation and abscess
K57.02	Diverticulitis of small intestine with perforation and abscess, without mention of haemorrhage
K57.03	Diverticulitis of small intestine with haemorrhage, perforation and abscess
K57.1	Diverticular disease of small intestine without perforation or abscess
K57.10	Diverticulosis of small intestine, without perforation, abscess or mention of haemorrhage
K57.11	Diverticulosis of small intestine without perforation or abscess, with haemorrhage
K57.12	Diverticulitis of small intestine without perforation, abscess or mention of haemorrhage
K57.13	Diverticulitis of small intestine without perforation or abscess, with haemorrhage
K57.2	Diverticular disease of large intestine with perforation and abscess
K57.20	Diverticulosis of large intestine with perforation and abscess, without mention of haemorrhage
K57.21	Diverticulosis of large intestine with haemorrhage, perforation and abscess
K57.22	Diverticulitis of large intestine with perforation and abscess, without mention of haemorrhage
K57.23	Diverticulitis of large intestine with haemorrhage, perforation and abscess
K57.3	Diverticular disease of large intestine without perforation or abscess
K57.30	Diverticulosis of large intestine without perforation, abscess or mention of haemorrhage
K57.31	Diverticulosis of large intestine without perforation or abscess, with haemorrhage
K57.32	Diverticulitis of large intestine without perforation, abscess or mention of haemorrhage
K57.33	Diverticulitis of large intestine without perforation or abscess, with haemorrhage
K57.4	Diverticular disease of both small and large intestine with perforation and abscess
K57.40	Diverticulosis of both small and large intestine with perforation and abscess, without mention of haemorrhage
K57.41	Diverticulosis of both small and large intestine with haemorrhage, perforation and abscess
K57.42	Diverticulitis of both small and large intestine with perforation and abscess, without mention of haemorrhage
K57.43	Diverticulitis of both small and large intestine with haemorrhage, perforation and abscess
K57.5	Diverticular disease of both small and large intestine without perforation or abscess
K57.50	Diverticulosis of both small and large intestine without perforation, abscess or mention of haemorrhage
K57.51	Diverticulosis of both small and large intestine without perforation or abscess, with haemorrhage
K57.52	Diverticulitis of both small and large intestine without perforation, abscess or mention of haemorrhage
K57.53	Diverticulitis of both small and large intestine without perforation or abscess, with haemorrhage

K57.8	Diverticular disease of intestine, part unspecified, with perforation and abscess
K57.80	Diverticulosis of intestine, part unspecified, with perforation and abscess without mention of haemorrhage
K57.81	Diverticulosis of intestine, part unspecified, with haemorrhage, perforation and abscess
K57.82	Diverticulitis of intestine, part unspecified, with perforation and abscess, without mention of haemorrhage
K57.83	Diverticulitis of intestine, part unspecified, with haemorrhage, perforation and abscess
K57.9	Diverticular disease of intestine, part unspecified, without perforation or abscess
K57.90	Diverticulosis of intestine, part unspecified, without perforation, abscess or mention of haemorrhage
K57.91	Diverticulosis of intestine, part unspecified, without perforation or abscess, with haemorrhage
K57.92	Diverticulitis of intestine, part unspecified, without perforation, abscess or mention of haemorrhage
K57.93	Diverticulitis of intestine, part unspecified, without perforation or abscess, with haemorrhage
K58	Irritable bowel syndrome
K58.0	Irritable bowel syndrome with diarrhoea
K58.1	Irritable bowel syndrome with predominant diarrhoea [IBS-D]
K58.2	Irritable bowel syndrome with predominant constipation [IBS-C]
K58.3	Irritable bowel syndrome with mixed bowel habits [IBS-M]
K58.8	Irritable bowel syndrome, not elsewhere classified
K58.9	Irritable bowel syndrome without diarrhoea
K59	Other functional intestinal disorders
K59.0	Constipation
K59.1	Functional diarrhoea
K59.2	Neurogenic bowel, not elsewhere classified
K59.3	Megacolon, not elsewhere classified
K59.4	Anal spasm
K59.8	Other specified functional intestinal disorders
K59.9	Functional intestinal disorder, unspecified
K60	Fissure and fistula of anal and rectal regions
K60.0	Acute anal fissure
K60.1	Chronic anal fissure
K60.2	Anal fissure, unspecified
K60.3	Anal fistula
K60.4	Rectal fistula
K60.5	Anorectal fistula
K61	Abscess of anal and rectal regions
K61.0	Anal abscess
K61.1	Rectal abscess
K61.2	Anorectal abscess
K61.3	Ischiorectal abscess
K61.4	Intrasphincteric abscess
K62	Other diseases of anus and rectum
K62.0	Anal polyp
K62.1	Rectal polyp
K62.2	Anal prolapse
K62.3	Rectal prolapse

K62.4	Stenosis of anus and rectum
K62.5	Haemorrhage of anus and rectum
K62.6	Ulcer of anus and rectum
K62.7	Radiation proctitis
K62.8	Other specified diseases of anus and rectum
K62.9	Disease of anus and rectum, unspecified
K63	Other diseases of intestine
K63.0	Abscess of intestine
K63.1	Perforation of intestine (nontraumatic)
K63.2	Fistula of intestine
K63.3	Ulcer of intestine
K63.4	Enteroptosis
K63.5	Polyp of colon
K63.50	Polyp of colon, unspecified
K63.51	Juvenile polyp of colon
K63.58	Other polyp of colon
K63.8	Other specified diseases of intestine
K63.9	Disease of intestine, unspecified
K64	Haemorrhoids and perianal venous thrombosis
K64.0	First degree haemorrhoids
K64.1	Second degree haemorrhoids
K64.2	Third degree haemorrhoids
K64.3	Fourth degree haemorrhoids
K64.4	Residual haemorrhoidal skin tags
K64.5	Perianal venous thrombosis
K64.8	Other specified haemorrhoids
K64.9	Haemorrhoids, unspecified
K65	Peritonitis
K65.0	Acute peritonitis
K65.1	Primary peritonitis
K65.11	Spontaneous bacterial peritonitis
K65.19	Primary peritonitis, not elsewhere classified
K65.2	Secondary peritonitis
K65.21	Eosinophilic peritonitis
K65.22	Mesenteric peritonitis
K65.23	Chronic proliferative peritonitis
K65.24	Chemical peritonitis
K65.29	Secondary peritonitis, not elsewhere classified
K65.3	Peritoneal abscess
K65.8	Other peritonitis
K65.9	Peritonitis, unspecified
K66	Other disorders of peritoneum
K66.0	Peritoneal adhesions
K66.1	Haemoperitoneum
K66.2	Retroperitoneal fibrosis
K66.8	Other specified disorders of peritoneum
K66.9	Disorder of peritoneum, unspecified
K67*	Disorders of peritoneum in infectious diseases classified elsewhere

K67.0*	Chlamydial peritonitis (A74.8†)
K67.1*	Gonococcal peritonitis (A54.8†)
K67.2*	Syphilitic peritonitis (A52.7†)
K67.3*	Tuberculous peritonitis (A18.3†)
K67.8*	Other disorders of peritoneum in infectious diseases classified elsewhere
K70–K77	Diseases of liver
K70	Alcoholic liver disease
K70.0	Alcoholic fatty liver
K70.1	Alcoholic hepatitis
K70.2	Alcoholic fibrosis and sclerosis of liver
K70.3	Alcoholic cirrhosis of liver
K70.4	Alcoholic hepatic failure
K70.9	Alcoholic liver disease, unspecified
K71	Toxic liver disease
K71.0	Toxic liver disease with cholestasis
K71.1	Toxic liver disease with hepatic necrosis
K71.2	Toxic liver disease with acute hepatitis
K71.3	Toxic liver disease with chronic persistent hepatitis
K71.4	Toxic liver disease with chronic lobular hepatitis
K71.5	Toxic liver disease with chronic active hepatitis
K71.6	Toxic liver disease with hepatitis, not elsewhere classified
K71.7	Toxic liver disease with fibrosis and cirrhosis of liver
K71.8	Toxic liver disease with other disorders of liver
K71.9	Toxic liver disease, unspecified
K72	Hepatic failure, not elsewhere classified
K72.0	Acute and subacute hepatic failure
K72.1	Chronic hepatic failure
K72.9	Hepatic failure, unspecified
K73	Chronic hepatitis, not elsewhere classified
K73.0	Chronic persistent hepatitis, not elsewhere classified
K73.1	Chronic lobular hepatitis, not elsewhere classified
K73.2	Chronic active hepatitis, not elsewhere classified
K73.8	Other chronic hepatitis, not elsewhere classified
K73.9	Chronic hepatitis, unspecified
K74	Fibrosis and cirrhosis of liver
K74.0	Hepatic fibrosis
K74.1	Hepatic sclerosis
K74.2	Hepatic fibrosis with hepatic sclerosis
K74.3	Primary biliary cirrhosis
K74.4	Secondary biliary cirrhosis
K74.5	Biliary cirrhosis, unspecified
K74.6	Other and unspecified cirrhosis of liver
K75	Other inflammatory liver diseases
K75.0	Abscess of liver
K75.1	Phlebitis of portal vein
K75.2	Nonspecific reactive hepatitis
K75.3	Granulomatous hepatitis, not elsewhere classified
K75.4	Autoimmune hepatitis

K75.8	Other specified inflammatory liver diseases
K75.9	Inflammatory liver disease, unspecified
K76	Other diseases of liver
K76.0	Fatty (change of) liver, not elsewhere classified
K76.1	Chronic passive congestion of liver
K76.2	Central haemorrhagic necrosis of liver
K76.3	Infarction of liver
K76.4	Peliosis hepatis
K76.5	Hepatic veno-occlusive disease
K76.6	Portal hypertension
K76.7	Hepatorenal syndrome
K76.8	Other specified diseases of liver
K76.9	Liver disease, unspecified
K77*	Liver disorders in diseases classified elsewhere
K77.0*	Liver disorders in infectious and parasitic diseases classified elsewhere
K77.8*	Liver disorders in other diseases classified elsewhere
K80	Cholelithiasis
K80.0	Calculus of gallbladder with acute cholecystitis
K80.00	Calculus of gallbladder with acute cholecystitis, without mention of obstruction
K80.01	Calculus of gallbladder with acute cholecystitis, with obstruction
K80.1	Calculus of gallbladder with other cholecystitis
K80.10	Calculus of gallbladder with other cholecystitis, without mention of obstruction
K80.11	Calculus of gallbladder with other cholecystitis, with obstruction
K80.2	Calculus of gallbladder without cholecystitis
K80.20	Calculus of gallbladder without cholecystitis, without mention of obstruction
K80.21	Calculus of gallbladder without cholecystitis, with obstruction
K80.3	Calculus of bile duct with cholangitis
K80.30	Calculus of bile duct with cholangitis, without mention of obstruction
K80.31	Calculus of bile duct with cholangitis, with obstruction
K80.4	Calculus of bile duct with cholecystitis
K80.40	Calculus of bile duct with cholecystitis, without mention of obstruction
K80.41	Calculus of bile duct with cholecystitis, with obstruction
K80.5	Calculus of bile duct without cholangitis or cholecystitis
K80.50	Calculus of bile duct without cholangitis or cholecystitis, without mention of obstruction
K80.51	Calculus of bile duct without cholangitis or cholecystitis, with obstruction
K80.8	Other cholelithiasis
K80.80	Other cholelithiasis, without mention of obstruction
K80.81	Other cholelithiasis, with obstruction
K81	Cholecystitis
K81.0	Acute cholecystitis
K81.1	Chronic cholecystitis
K81.8	Other cholecystitis
K81.9	Cholecystitis, unspecified
K82	Other diseases of gallbladder
K82.0	Obstruction of gallbladder
K82.1	Hydrops of gallbladder
K82.2	Perforation of gallbladder
K82.3	Fistula of gallbladder

K82.4	Cholesterolosis of gallbladder
K82.8	Other specified diseases of gallbladder
K82.9	Disease of gallbladder, unspecified
K83	Other diseases of biliary tract
K83.0	Cholangitis
K83.1	Obstruction of bile duct
K83.2	Perforation of bile duct
K83.3	Fistula of bile duct
K83.4	Spasm of sphincter of Oddi
K83.5	Biliary cyst
K83.8	Other specified diseases of biliary tract
K83.9	Disease of biliary tract, unspecified
K85	Acute pancreatitis
K85.0	Idiopathic acute pancreatitis
K85.1	Biliary acute pancreatitis
K85.2	Alcohol-induced acute pancreatitis
K85.3	Drug-induced acute pancreatitis
K85.8	Other acute pancreatitis
K85.9	Acute pancreatitis, unspecified
K86	Other diseases of pancreas
K86.0	Alcohol-induced chronic pancreatitis
K86.1	Other chronic pancreatitis
K86.2	Cyst of pancreas
K86.3	Pseudocyst of pancreas
K86.8	Other specified diseases of pancreas
K86.9	Disease of pancreas, unspecified
K87*	Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere
K87.0*	Disorders of gallbladder and biliary tract in diseases classified elsewhere
K87.1*	Disorders of pancreas in diseases classified elsewhere
K90	Intestinal malabsorption
K90.0	Coeliac disease
K90.1	Tropical sprue
K90.2	Blind loop syndrome, not elsewhere classified
K90.3	Pancreatic steatorrhoea
K90.4	Malabsorption due to intolerance, not elsewhere classified
K90.8	Other intestinal malabsorption
K90.9	Intestinal malabsorption, unspecified
K91	Intraoperative and postprocedural disorders of digestive system
K91.0	Vomiting following gastrointestinal surgery
K91.1	Postgastric surgery syndromes
K91.2	Postprocedural malabsorption, not elsewhere classified
K91.3	Postprocedural intestinal obstruction
K91.4	Malfunction of stoma of the digestive system
K91.41	Haemorrhage from stoma of the digestive system
K91.42	Infection of stoma of the digestive system
K91.43	Leak from stoma of the digestive system
K91.49	Malfunction of stoma of the digestive system, not elsewhere classified
K91.5	Postcholecystectomy syndrome

K91.6	Accidental puncture and laceration of digestive system organ or structure during a procedure
K91.61	Accidental puncture and laceration of oesophagus during a procedure
K91.62	Accidental puncture and laceration of stomach during a procedure
K91.63	Accidental puncture and laceration of intestine during a procedure
K91.64	Accidental puncture and laceration of gallbladder or bile duct during a procedure
K91.65	Accidental puncture and laceration of liver during a procedure
K91.66	Accidental puncture and laceration of pancreas during a procedure
K91.67	Accidental puncture and laceration of spleen during a procedure
K91.68	Accidental puncture and laceration of peritoneum during a procedure
K91.69	Accidental puncture and laceration of digestive system organ or structure during a procedure, not elsewhere classified
K91.7	Retained calculi postcholecystectomy
K91.8	Other intraoperative and postprocedural disorders of digestive system
K91.81	Haemorrhage from surgical anastomosis of digestive tract
K91.82	Stenosis of surgical anastomosis of digestive tract
K91.83	Leak from surgical anastomosis of digestive tract
K91.84	Postprocedural bile leak, not elsewhere classified
K91.85	Postprocedural adhesions [peritoneal], not elsewhere classified
K91.89	Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified
K91.9	Intraoperative and postprocedural disorder of digestive system, unspecified
K92	Other diseases of digestive system
K92.0	Haematemesis
K92.1	Melaena
K92.2	Gastrointestinal haemorrhage, unspecified
K92.8	Other specified diseases of digestive system
K92.9	Disease of digestive system, unspecified
K93*	Disorders of other digestive organs in diseases classified elsewhere
K93.0	Tuberculous disorders of intestines, peritoneum and mesenteric glands (A18.3†)
K93.1*	Megacolon in Chagas' disease (B57.3†)
K93.8*	Disorders of other specified digestive organs in diseases classified elsewhere

Chapter 12 DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (L00–L99)

L00–L99	Diseases of the skin and subcutaneous tissue
L00–L08	Infections of the skin and subcutaneous tissue
L00	Staphylococcal scalded skin syndrome
L01	Impetigo
L01.0	Impetigo [any organism] [any site]
L01.1	Impetiginisation of other dermatoses
L02	Cutaneous abscess, furuncle and carbuncle
L02.0	Cutaneous abscess, furuncle and carbuncle of face
L02.1	Cutaneous abscess, furuncle and carbuncle of neck
L02.2	Cutaneous abscess, furuncle and carbuncle of trunk
L02.3	Cutaneous abscess, furuncle and carbuncle of buttock
L02.4	Cutaneous abscess, furuncle and carbuncle of limb
L02.40	Cutaneous abscess, furuncle and carbuncle of limb, unspecified
L02.41	Cutaneous abscess, furuncle and carbuncle of upper limb
L02.42	Cutaneous abscess, furuncle and carbuncle of lower limb

L02.43	Cutaneous abscess, furuncle and carbuncle of foot
L02.8	Cutaneous abscess, furuncle and carbuncle of other sites
L02.9	Cutaneous abscess, furuncle and carbuncle, unspecified
L03	Cellulitis
L03.0	Cellulitis of finger and toe
L03.01	Cellulitis of finger
L03.02	Cellulitis of toe
L03.1	Cellulitis of other parts of limb
L03.10	Cellulitis of upper limb
L03.11	Cellulitis of lower limb
L03.12	Cellulitis of upper limb
L03.13	Cellulitis of lower limb
L03.14	Cellulitis of foot
L03.19	Cellulitis of limb, not elsewhere classified
L03.2	Cellulitis of face
L03.3	Cellulitis of trunk
L03.8	Cellulitis of other sites
L03.9	Cellulitis, unspecified
L04	Acute lymphadenitis
L04.0	Acute lymphadenitis of face, head and neck
L04.1	Acute lymphadenitis of trunk
L04.2	Acute lymphadenitis of upper limb
L04.3	Acute lymphadenitis of lower limb
L04.8	Acute lymphadenitis of other sites
L04.9	Acute lymphadenitis, unspecified
L05	Pilonidal cyst
L05.0	Pilonidal cyst with abscess
L05.9	Pilonidal cyst without abscess
L08	Other local infections of skin and subcutaneous tissue
L08.0	Pyoderma
L08.1	Erythrasma
L08.8	Other specified local infections of skin and subcutaneous tissue
L08.9	Local infection of skin and subcutaneous tissue, unspecified
L10	Pemphigus
L10.0	Pemphigus vulgaris
L10.1	Pemphigus vegetans
L10.2	Pemphigus foliaceus
L10.3	Brazilian pemphigus [fogo selvagem]
L10.4	Pemphigus erythematosus
L10.5	Drug-induced pemphigus
L10.8	Other pemphigus
L10.9	Pemphigus, unspecified
L11	Other acantholytic disorders
L11.0	Acquired keratosis follicularis
L11.1	Transient acantholytic dermatosis [Grover]
L11.8	Other specified acantholytic disorders
L11.9	Acantholytic disorder, unspecified
L12	Pemphigoid

L12.0	Bullous pemphigoid
L12.1	Cicatricial pemphigoid
L12.2	Chronic bullous disease of childhood
L12.3	Acquired epidermolysis bullosa
L12.8	Other pemphigoid
L12.9	Pemphigoid, unspecified
L13	Other bullous disorders
L13.0	Dermatitis herpetiformis
L13.1	Subcorneal pustular dermatitis
L13.8	Other specified bullous disorders
L13.9	Bullous disorder, unspecified
L14*	Bullous disorders in diseases classified elsewhere
L20	Atopic dermatitis
L20.0	Besnier's prurigo
L20.8	Other atopic dermatitis
L20.9	Atopic dermatitis, unspecified
L21	Seborrhoeic dermatitis
L21.0	Seborrhoea capitis
L21.1	Seborrhoeic infantile dermatitis
L21.8	Other seborrhoeic dermatitis
L21.9	Seborrhoeic dermatitis, unspecified
L22–L30	Dermatitis and eczema
L22	Diaper [napkin] dermatitis
L23	Allergic contact dermatitis
L23.0	Allergic contact dermatitis due to metals
L23.1	Allergic contact dermatitis due to adhesives
L23.2	Allergic contact dermatitis due to cosmetics
L23.3	Allergic contact dermatitis due to drugs in contact with skin
L23.4	Allergic contact dermatitis due to dyes
L23.5	Allergic contact dermatitis due to other chemical products
L23.6	Allergic contact dermatitis due to food in contact with skin
L23.7	Allergic contact dermatitis due to plants, except food
L23.8	Allergic contact dermatitis due to other agents
L23.9	Allergic contact dermatitis, unspecified cause
L24	Irritant contact dermatitis
L24.0	Irritant contact dermatitis due to detergents
L24.1	Irritant contact dermatitis due to oils and greases
L24.2	Irritant contact dermatitis due to solvents
L24.3	Irritant contact dermatitis due to cosmetics
L24.4	Irritant contact dermatitis due to drugs in contact with skin
L24.5	Irritant contact dermatitis due to other chemical products
L24.6	Irritant contact dermatitis due to food in contact with skin
L24.7	Irritant contact dermatitis due to plants, except food
L24.8	Irritant contact dermatitis due to other agents
L24.9	Irritant contact dermatitis, unspecified cause
L25	Unspecified contact dermatitis
L25.0	Unspecified contact dermatitis due to cosmetics
L25.1	Unspecified contact dermatitis due to drugs in contact with skin

L25.2	Unspecified contact dermatitis due to dyes
L25.3	Unspecified contact dermatitis due to other chemical products
L25.4	Unspecified contact dermatitis due to food in contact with skin
L25.5	Unspecified contact dermatitis due to plants, except food
L25.8	Unspecified contact dermatitis due to other agents
L25.9	Unspecified contact dermatitis, unspecified cause
L26	Exfoliative dermatitis
L27	Dermatitis due to substances taken internally
L27.0	Generalised skin eruption due to drugs and medicaments
L27.1	Localised skin eruption due to drugs and medicaments
L27.2	Dermatitis due to ingested food
L27.8	Dermatitis due to other substances taken internally
L27.9	Dermatitis due to unspecified substance taken internally
L28	Lichen simplex chronicus and prurigo
L28.0	Lichen simplex chronicus
L28.1	Prurigo nodularis
L28.2	Other prurigo
L29	Pruritus
L29.0	Pruritus ani
L29.1	Pruritus scroti
L29.2	Pruritus vulvae
L29.3	Anogenital pruritus, unspecified
L29.8	Other pruritus
L29.9	Pruritus, unspecified
L30	Other dermatitis
L30.0	Nummular dermatitis
L30.1	Dyshidrosis [pompholyx]
L30.2	Cutaneous autosensitisation
L30.3	Infective dermatitis
L30.4	Erythema intertrigo
L30.5	Pityriasis alba
L30.8	Other specified dermatitis
L30.9	Dermatitis, unspecified
L40	Psoriasis
L40.0	Psoriasis vulgaris
L40.1	Generalised pustular psoriasis
L40.2	Acrodermatitis continua
L40.3	Pustulosis palmaris et plantaris
L40.4	Guttate psoriasis
L40.5†	Arthropathic psoriasis (M07.0-M07.3*, M09.0*)
L40.8	Other psoriasis
L40.9	Psoriasis, unspecified
L41	Parapsoriasis
L41.0	Pityriasis lichenoides et varioliformis acuta
L41.1	Pityriasis lichenoides chronica
L41.2	Lymphomatoid papulosis
L41.3	Small plaque parapsoriasis
L41.4	Large plaque parapsoriasis

L41.5	Retiform parapsoriasis
L41.8	Other parapsoriasis
L41.9	Parapsoriasis, unspecified
L42	Pityriasis rosea
L43	Lichen planus
L43.0	Hypertrophic lichen planus
L43.1	Bullous lichen planus
L43.2	Lichenoid drug reaction
L43.3	Subacute (active) lichen planus
L43.8	Other lichen planus
L43.9	Lichen planus, unspecified
L44	Other papulosquamous disorders
L44.0	Pityriasis rubra pilaris
L44.1	Lichen nitidus
L44.2	Lichen striatus
L44.3	Lichen ruber moniliformis
L44.4	Infantile papular acrodermatitis [Gianotti-Crosti]
L44.8	Other specified papulosquamous disorders
L44.9	Papulosquamous disorder, unspecified
L45*	Papulosquamous disorders in diseases classified elsewhere
L50	Urticaria
L50.0	Allergic urticaria
L50.1	Idiopathic urticaria
L50.2	Urticaria due to cold and heat
L50.3	Dermatographic urticaria
L50.4	Vibratory urticaria
L50.5	Cholinergic urticaria
L50.6	Contact urticaria
L50.8	Other urticaria
L50.9	Urticaria, unspecified
L51	Erythema multiforme
L51.0	Nonbullous erythema multiforme
L51.1	Bullous erythema multiforme
L51.2	Toxic epidermal necrolysis [Lyell]
L51.8	Other erythema multiforme
L51.9	Erythema multiforme, unspecified
L52	Erythema nodosum
L53	Other erythematous conditions
L53.0	Toxic erythema
L53.1	Erythema annulare centrifugum
L53.2	Erythema marginatum
L53.3	Other chronic figurate erythema
L53.8	Other specified erythematous conditions
L53.9	Erythematous condition, unspecified
L54*	Erythema in diseases classified elsewhere
L54.0*	Erythema marginatum in acute rheumatic fever (I00†)
L54.8*	Erythema in other diseases classified elsewhere
L55	Sunburn

L55.0	Sunburn, erythema
L55.1	Sunburn, partial thickness
L55.2	Sunburn, full thickness
L55.8	Other sunburn
L55.9	Sunburn, unspecified
L56	Other acute skin changes due to ultraviolet radiation
L56.0	Drug phototoxic response
L56.1	Drug photoallergic response
L56.2	Photocontact dermatitis [berloque dermatitis]
L56.3	Solar urticaria
L56.4	Polymorphous light eruption
L56.8	Other specified acute skin changes due to ultraviolet radiation
L56.9	Acute skin change due to ultraviolet radiation, unspecified
L57	Skin changes due to chronic exposure to nonionising radiation
L57.0	Keratosis, not elsewhere classified
L57.1	Actinic reticuloid
L57.2	Cutis rhomboidalis nuchae
L57.3	Poikiloderma of Civate
L57.4	Cutis laxa senilis
L57.5	Actinic granuloma
L57.8	Other skin changes due to chronic exposure to nonionising radiation
L57.9	Skin changes due to chronic exposure to nonionising radiation, unspecified
L58	Radiodermatitis
L58.0	Acute radiodermatitis
L58.1	Chronic radiodermatitis
L58.9	Radiodermatitis, unspecified
L59	Other disorders of skin and subcutaneous tissue related to radiation
L59.0	Erythema ab igne [dermatitis ab igne]
L59.8	Other specified disorders of skin and subcutaneous tissue related to radiation
L59.9	Disorder of skin and subcutaneous tissue related to radiation, unspecified
L60	Nail disorders
L60.0	Ingrowing nail
L60.1	Onycholysis
L60.2	Onychogryphosis
L60.3	Nail dystrophy
L60.4	Beau's lines
L60.5	Yellow nail syndrome
L60.8	Other nail disorders
L60.9	Nail disorder, unspecified
L62*	Nail disorders in diseases classified elsewhere
L62.0*	Clubbed nail pachydermoperiostosis (M89.4†)
L62.8*	Nail disorders in other diseases classified elsewhere
L63	Alopecia areata
L63.0	Alopecia (capitis) totalis
L63.1	Alopecia universalis
L63.2	Ophiasis
L63.8	Other alopecia areata
L63.9	Alopecia areata, unspecified

L64	Androgenic alopecia
L64.0	Drug-induced androgenic alopecia
L64.8	Other androgenic alopecia
L64.9	Androgenic alopecia, unspecified
L65	Other nonscarring hair loss
L65.0	Telogen effluvium
L65.1	Anagen effluvium
L65.2	Alopecia mucinosa
L65.8	Other specified nonscarring hair loss
L65.9	Nonscarring hair loss, unspecified
L66	Cicatricial alopecia [scarring hair loss]
L66.0	Pseudopelade
L66.1	Lichen planopilaris
L66.2	Folliculitis decalvans
L66.3	Perifolliculitis capitis abscedens
L66.4	Folliculitis ulerythematososa reticulata
L66.8	Other cicatricial alopecia
L66.9	Cicatricial alopecia, unspecified
L67	Hair colour and hair shaft abnormalities
L67.0	Trichorrhexis nodosa
L67.1	Variations in hair colour
L67.8	Other hair colour and hair shaft abnormalities
L67.9	Hair colour and hair shaft abnormality, unspecified
L68	Hypertrichosis
L68.0	Hirsutism
L68.1	Acquired hypertrichosis lanuginosa
L68.2	Localised hypertrichosis
L68.3	Polytrichia
L68.8	Other hypertrichosis
L68.9	Hypertrichosis, unspecified
L70	Acne
L70.0	Acne vulgaris
L70.1	Acne conglobata
L70.2	Acne varioliformis
L70.3	Acne tropica
L70.4	Infantile acne
L70.5	Acné excoりée
L70.8	Other acne
L70.9	Acne, unspecified
L71	Rosacea
L71.0	Perioral dermatitis
L71.1	Rhinophyma
L71.8	Other rosacea
L71.9	Rosacea, unspecified
L72	Follicular cysts of skin and subcutaneous tissue
L72.0	Epidermal cyst
L72.1	Trichilemmal cyst
L72.2	Steatocystoma multiplex

L72.8	Other follicular cysts of skin and subcutaneous tissue
L72.9	Follicular cyst of skin and subcutaneous tissue, unspecified
L73	Other follicular disorders
L73.0	Acne keloid
L73.1	Pseudofolliculitis barbae
L73.2	Hidradenitis suppurativa
L73.8	Other specified follicular disorders
L73.9	Follicular disorder, unspecified
L74	Ecocrine sweat disorders
L74.0	Miliaria rubra
L74.1	Miliaria crystallina
L74.2	Miliaria profunda
L74.3	Miliaria, unspecified
L74.4	Anhidrosis
L74.8	Other ecocrine sweat disorders
L74.9	Ecocrine sweat disorder, unspecified
L75	Apocrine sweat disorders
L75.0	Bromhidrosis
L75.1	Chromhidrosis
L75.2	Apocrine miliaria
L75.8	Other apocrine sweat disorders
L75.9	Apocrine sweat disorder, unspecified
L80	Vitiligo
L81	Other disorders of pigmentation
L81.0	Postinflammatory hyperpigmentation
L81.1	Chloasma
L81.2	Freckles
L81.3	Café au lait spots
L81.4	Other melanin hyperpigmentation
L81.5	Leukoderma, not elsewhere classified
L81.6	Other disorders of diminished melanin formation
L81.7	Pigmented purpuric dermatosis
L81.8	Other specified disorders of pigmentation
L81.9	Disorder of pigmentation, unspecified
L82	Seborrhoeic keratosis
L83	Acanthosis nigricans
L84	Corns and callosities
L84.0	Corns and callosities of foot
L84.8	Corns and callosities of other sites
L84.9	Corns and callosities, unspecified
L85	Other epidermal thickening
L85.0	Acquired ichthyosis
L85.1	Acquired keratosis [keratoderma] palmaris et plantaris
L85.2	Keratosis punctata (palmaris et plantaris)
L85.3	Xerosis cutis
L85.8	Other specified epidermal thickening
L85.9	Epidermal thickening, unspecified
L86*	Keratoderma in diseases classified elsewhere

L87	Transepidermal elimination disorders
L87.0	Keratosis follicularis et parafollicularis in cutem penetrans [Kyrle]
L87.1	Reactive perforating collagenosis
L87.2	Elastosis perforans serpiginosa
L87.8	Other transepidermal elimination disorders
L87.9	Transepidermal elimination disorder, unspecified
L88	Pyoderma gangrenosum
L89	Pressure injury
L89.0	Pressure injury, stage I
L89.00	Pressure injury, stage I, site not elsewhere classified
L89.01	Pressure injury, stage I, head
L89.02	Pressure injury, stage I, upper extremity
L89.03	Pressure injury, stage I, upper back
L89.04	Pressure injury, stage I, lower back
L89.05	Pressure injury, stage I, ischium
L89.06	Pressure injury, stage I, trochanter
L89.07	Pressure injury, stage I, heel
L89.08	Pressure injury, stage I, toe
L89.09	Pressure injury, stage I, other site of lower extremity (excluding heel and toe)
L89.1	Pressure injury, stage II
L89.10	Pressure injury, stage II, site not elsewhere classified
L89.11	Pressure injury, stage II, head
L89.12	Pressure injury, stage II, upper extremity
L89.13	Pressure injury, stage II, upper back
L89.14	Pressure injury, stage II, lower back
L89.15	Pressure injury, stage II, ischium
L89.16	Pressure injury, stage II, trochanter
L89.17	Pressure injury, stage II, heel
L89.18	Pressure injury, stage II, toe
L89.19	Pressure injury, stage II, other site of lower extremity (excluding heel and toe)
L89.2	Pressure injury, stage III
L89.20	Pressure injury, stage III, site not elsewhere classified
L89.21	Pressure injury, stage III, head
L89.22	Pressure injury, stage III, upper extremity
L89.23	Pressure injury, stage III, upper back
L89.24	Pressure injury, stage III, lower back
L89.25	Pressure injury, stage III, ischium
L89.26	Pressure injury, stage III, trochanter
L89.27	Pressure injury, stage III, heel
L89.28	Pressure injury, stage III, toe
L89.29	Pressure injury, stage III, other site of lower extremity (excluding heel and toe)
L89.3	Pressure injury, stage IV
L89.30	Pressure injury, stage IV, site not elsewhere classified
L89.31	Pressure injury, stage IV, head
L89.32	Pressure injury, stage IV, upper extremity
L89.33	Pressure injury, stage IV, upper back
L89.34	Pressure injury, stage IV, lower back
L89.35	Pressure injury, stage IV, ischium

L89.36	Pressure injury, stage IV, trochanter
L89.37	Pressure injury, stage IV, heel
L89.38	Pressure injury, stage IV, toe
L89.39	Pressure injury, stage IV, other site of lower extremity (excluding heel and toe)
L89.4	Pressure injury, unstageable, so stated
L89.40	Pressure injury, unstageable, so stated, site not elsewhere classified
L89.41	Pressure injury, unstageable, so stated, head
L89.42	Pressure injury, unstageable, so stated, upper extremity
L89.43	Pressure injury, unstageable, so stated, upper back
L89.44	Pressure injury, unstageable, so stated, lower back
L89.45	Pressure injury, unstageable, so stated, ischium
L89.46	Pressure injury, unstageable, so stated, trochanter
L89.47	Pressure injury, unstageable, so stated, heel
L89.48	Pressure injury, unstageable, so stated, toe
L89.49	Pressure injury, unstageable, so stated, other site of lower extremity (excluding heel and toe)
L89.5	Suspected deep tissue injury, depth unknown, so stated
L89.50	Suspected deep tissue injury, depth unknown, so stated, site not elsewhere classified
L89.51	Suspected deep tissue injury, depth unknown, so stated, head
L89.52	Suspected deep tissue injury, depth unknown, so stated, upper extremity
L89.53	Suspected deep tissue injury, depth unknown, so stated, upper back
L89.54	Suspected deep tissue injury, depth unknown, so stated, lower back
L89.55	Suspected deep tissue injury, depth unknown, so stated, ischium
L89.56	Suspected deep tissue injury, depth unknown, so stated, trochanter
L89.57	Suspected deep tissue injury, depth unknown, so stated, heel
L89.58	Suspected deep tissue injury, depth unknown, so stated, toe
L89.59	Suspected deep tissue injury, depth unknown, so stated, other site of lower extremity (excluding heel and toe)
L89.9	Pressure injury, unspecified stage
L89.90	Pressure injury, unspecified stage, site not elsewhere classified
L89.91	Pressure injury, unspecified stage, head
L89.92	Pressure injury, unspecified stage, upper extremity
L89.93	Pressure injury, unspecified stage, upper back
L89.94	Pressure injury, unspecified stage, lower back
L89.95	Pressure injury, unspecified stage, ischium
L89.96	Pressure injury, unspecified stage, trochanter
L89.97	Pressure injury, unspecified stage, heel
L89.98	Pressure injury, unspecified stage, toe
L89.99	Pressure injury, unspecified stage, other site of lower extremity (excluding heel and toe)
L90	Atrophic disorders of skin
L90.0	Lichen sclerosus et atrophicus
L90.1	Anetoderma of Schweneringer-Buzzi
L90.2	Anetoderma of Jadassohn-Pellizzari
L90.3	Atrophoderma of Pasini and Pierini
L90.4	Acrodermatitis chronica atrophicans
L90.5	Scar conditions and fibrosis of skin
L90.50	Scar conditions and fibrosis of skin due to unspecified cause
L90.51	Scar conditions and fibrosis of skin due to burn

L90.59	Scar conditions and fibrosis of skin due to other specified cause
L90.6	Striae atrophicae
L90.8	Other atrophic disorders of skin
L90.9	Atrophic disorder of skin, unspecified
L91	Hypertrophic disorders of skin
L91.0	Hypertrophic scar
L91.00	Hypertrophic scar, unspecified cause
L91.01	Hypertrophic scar due to burn
L91.09	Hypertrophic scar due to other specified cause
L91.8	Other hypertrophic disorders of skin
L91.9	Hypertrophic disorder of skin, unspecified
L92	Granulomatous disorders of skin and subcutaneous tissue
L92.0	Granuloma annulare
L92.1	Necrobiosis lipoidica, not elsewhere classified
L92.2	Granuloma faciale [eosinophilic granuloma of skin]
L92.3	Foreign body granuloma of skin and subcutaneous tissue
L92.8	Other granulomatous disorders of skin and subcutaneous tissue
L92.9	Granulomatous disorder of skin and subcutaneous tissue, unspecified
L93	Lupus erythematosus
L93.0	Discoid lupus erythematosus
L93.1	Subacute cutaneous lupus erythematosus
L93.2	Other local lupus erythematosus
L94	Other localised connective tissue disorders
L94.0	Localised scleroderma [morphea]
L94.1	Linear scleroderma
L94.2	Calcinosis cutis
L94.3	Sclerodactyly
L94.4	Gotttron's papules
L94.5	Poikiloderma vasculare atrophicans
L94.6	Ainhum
L94.8	Other specified localised connective tissue disorders
L94.9	Localised connective tissue disorder, unspecified
L95	Vasculitis limited to skin, not elsewhere classified
L95.0	Livedoid vasculitis
L95.1	Erythema elevatum diutinum
L95.8	Other vasculitis limited to skin
L95.9	Vasculitis limited to skin, unspecified
L97	Ulcer of lower limb, not elsewhere classified
L97.0	Ulcer of foot
L97.8	Ulcer of lower limb, other sites
L97.9	Ulcer of lower limb, unspecified
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified
L98.0	Pyogenic granuloma
L98.1	Factitial dermatitis
L98.2	Febrile neutrophilic dermatosis [Sweet]
L98.3	Eosinophilic cellulitis [Wells]
L98.4	Chronic ulcer of skin, not elsewhere classified
L98.5	Mucinosis of skin

L98.6	Other infiltrative disorders of skin and subcutaneous tissue
L98.7	Excessive and redundant skin and subcutaneous tissue
L98.8	Other specified disorders of skin and subcutaneous tissue
L98.9	Disorder of skin and subcutaneous tissue, unspecified
L99*	Other disorders of skin and subcutaneous tissue in diseases classified elsewhere
L99.0*	Amyloidosis of skin (E85.-†)
L99.8*	Other specified disorders of skin and subcutaneous tissue in diseases classified elsewhere

Chapter 13 DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (M00–M99)

M00–M99	Diseases of the musculoskeletal system and connective tissue
M00	Pyogenic arthritis
M00.0	Staphylococcal arthritis and polyarthritis
M00.00	Staphylococcal arthritis and polyarthritis, multiple sites
M00.01	Staphylococcal arthritis and polyarthritis, shoulder region
M00.02	Staphylococcal arthritis and polyarthritis, upper arm
M00.03	Staphylococcal arthritis and polyarthritis, forearm
M00.04	Staphylococcal arthritis and polyarthritis, hand
M00.05	Staphylococcal arthritis and polyarthritis, pelvic region and thigh
M00.06	Staphylococcal arthritis and polyarthritis, lower leg
M00.07	Staphylococcal arthritis and polyarthritis, ankle and foot
M00.08	Staphylococcal arthritis and polyarthritis, other site
M00.09	Staphylococcal arthritis and polyarthritis, site unspecified
M00.1	Pneumococcal arthritis and polyarthritis
M00.10	Pneumococcal arthritis and polyarthritis, multiple sites
M00.11	Pneumococcal arthritis and polyarthritis, shoulder region
M00.12	Pneumococcal arthritis and polyarthritis, upper arm
M00.13	Pneumococcal arthritis and polyarthritis, forearm
M00.14	Pneumococcal arthritis and polyarthritis, hand
M00.15	Pneumococcal arthritis and polyarthritis, pelvic region and thigh
M00.16	Pneumococcal arthritis and polyarthritis, lower leg
M00.17	Pneumococcal arthritis and polyarthritis, ankle and foot
M00.18	Pneumococcal arthritis and polyarthritis, other site
M00.19	Pneumococcal arthritis and polyarthritis, site unspecified
M00.2	Other streptococcal arthritis and polyarthritis
M00.20	Other streptococcal arthritis and polyarthritis, multiple sites
M00.21	Other streptococcal arthritis and polyarthritis, shoulder region
M00.22	Other streptococcal arthritis and polyarthritis, upper arm
M00.23	Other streptococcal arthritis and polyarthritis, forearm
M00.24	Other streptococcal arthritis and polyarthritis, hand
M00.25	Other streptococcal arthritis and polyarthritis, pelvic region and thigh
M00.26	Other streptococcal arthritis and polyarthritis, lower leg
M00.27	Other streptococcal arthritis and polyarthritis, ankle and foot
M00.28	Other streptococcal arthritis and polyarthritis, other site
M00.29	Other streptococcal arthritis and polyarthritis, site unspecified
M00.8	Arthritis and polyarthritis due to other specified bacterial agents
M00.80	Arthritis and polyarthritis due to other specified bacterial agents, multiple sites
M00.81	Arthritis and polyarthritis due to other specified bacterial agents, shoulder region

M00.82	Arthritis and polyarthritis due to other specified bacterial agents, upper arm
M00.83	Arthritis and polyarthritis due to other specified bacterial agents, forearm
M00.84	Arthritis and polyarthritis due to other specified bacterial agents, hand
M00.85	Arthritis and polyarthritis due to other specified bacterial agents, pelvic region and thigh
M00.86	Arthritis and polyarthritis due to other specified bacterial agents, lower leg
M00.87	Arthritis and polyarthritis due to other specified bacterial agents, ankle and foot
M00.88	Arthritis and polyarthritis due to other specified bacterial agents, other site
M00.89	Arthritis and polyarthritis due to other specified bacterial agents, site unspecified
M00.9	Pyogenic arthritis, unspecified
M00.90	Pyogenic arthritis, unspecified, multiple sites
M00.91	Pyogenic arthritis, unspecified, shoulder region
M00.92	Pyogenic arthritis, unspecified, upper arm
M00.93	Pyogenic arthritis, unspecified, forearm
M00.94	Pyogenic arthritis, unspecified, hand
M00.95	Pyogenic arthritis, unspecified, pelvic region and thigh
M00.96	Pyogenic arthritis, unspecified, lower leg
M00.97	Pyogenic arthritis, unspecified, ankle and foot
M00.98	Pyogenic arthritis, unspecified, other site
M00.99	Pyogenic arthritis, unspecified, site unspecified
M01*	Direct infections of joint in infectious and parasitic diseases classified elsewhere
M01.0*	Meningococcal arthritis (A39.8†)
M01.00*	Meningococcal arthritis, multiple sites (A39.8†)
M01.01*	Meningococcal arthritis, shoulder region (A39.8†)
M01.02*	Meningococcal arthritis, upper arm (A39.8†)
M01.03*	Meningococcal arthritis, forearm (A39.8†)
M01.04*	Meningococcal arthritis, hand (A39.8†)
M01.05*	Meningococcal arthritis, pelvic region and thigh (A39.8†)
M01.06*	Meningococcal arthritis, lower leg (A39.8†)
M01.07*	Meningococcal arthritis, ankle and foot (A39.8†)
M01.08*	Meningococcal arthritis, other site (A39.8†)
M01.09*	Meningococcal arthritis, site unspecified (A39.8†)
M01.1*	Tuberculous arthritis (A18.0†)
M01.10*	Tuberculous arthritis, multiple sites (A18.0†)
M01.11*	Tuberculous arthritis, shoulder region (A18.0†)
M01.12*	Tuberculous arthritis, upper arm (A18.0†)
M01.13*	Tuberculous arthritis, forearm (A18.0†)
M01.14*	Tuberculous arthritis, hand (A18.0†)
M01.15*	Tuberculous arthritis, pelvic region and thigh (A18.0†)
M01.16*	Tuberculous arthritis, lower leg (A18.0†)
M01.17*	Tuberculous arthritis, ankle and foot (A18.0†)
M01.18*	Tuberculous arthritis, other (A18.0†)
M01.19*	Tuberculous arthritis, site unspecified (A18.0†)
M01.2*	Arthritis in Lyme disease (A69.2†)
M01.20*	Arthritis in Lyme disease, multiple sites (A69.2†)
M01.21*	Arthritis in Lyme disease, shoulder region (A69.2†)
M01.22*	Arthritis in Lyme disease, upper arm (A69.2†)
M01.23*	Arthritis in Lyme disease, forearm (A69.2†)
M01.24*	Arthritis in Lyme disease, hand (A69.2†)

M01.25*	Arthritis in Lyme disease, pelvic region and thigh (A69.2†)
M01.26*	Arthritis in Lyme disease, lower leg (A69.2†)
M01.27*	Arthritis in Lyme disease, ankle and foot (A69.2†)
M01.28*	Arthritis in Lyme disease, other site (A69.2†)
M01.29*	Arthritis in Lyme disease, site unspecified (A69.2†)
M01.3*	Arthritis in other bacterial diseases classified elsewhere
M01.30*	Arthritis in other bacterial diseases classified elsewhere, multiple sites
M01.31*	Arthritis in other bacterial diseases classified elsewhere, shoulder region
M01.32*	Arthritis in other bacterial diseases classified elsewhere, upper arm
M01.33*	Arthritis in other bacterial diseases classified elsewhere, forearm
M01.34*	Arthritis in other bacterial diseases classified elsewhere, hand
M01.35*	Arthritis in other bacterial diseases classified elsewhere, pelvic region and thigh
M01.36*	Arthritis in other bacterial diseases classified elsewhere, lower leg
M01.37*	Arthritis in other bacterial diseases classified elsewhere, ankle and foot
M01.38*	Arthritis in other bacterial diseases classified elsewhere, other site
M01.39*	Arthritis in other bacterial diseases classified elsewhere, site unspecified
M01.4*	Rubella arthritis (B06.8†)
M01.40*	Rubella arthritis, multiple sites (B06.8†)
M01.41*	Rubella arthritis, shoulder region (B06.8†)
M01.42*	Rubella arthritis, upper arm (B06.8†)
M01.43*	Rubella arthritis, forearm (B06.8†)
M01.44*	Rubella arthritis, hand (B06.8†)
M01.45*	Rubella arthritis, pelvic region and thigh (B06.8†)
M01.46*	Rubella arthritis, lower leg (B06.8†)
M01.47*	Rubella arthritis, ankle and foot (B06.8†)
M01.48*	Rubella arthritis, other site (B06.8†)
M01.49*	Rubella arthritis, site unspecified (B06.8†)
M01.5*	Arthritis in other viral diseases classified elsewhere
M01.50*	Arthritis in other viral diseases classified elsewhere, multiple sites
M01.51*	Arthritis in other viral diseases classified elsewhere, shoulder region
M01.52*	Arthritis in other viral diseases classified elsewhere, upper arm
M01.53*	Arthritis in other viral diseases classified elsewhere, forearm
M01.54*	Arthritis in other viral diseases classified elsewhere, hand
M01.55*	Arthritis in other viral diseases classified elsewhere, pelvic region and thigh
M01.56*	Arthritis in other viral diseases classified elsewhere, lower leg
M01.57*	Arthritis in other viral diseases classified elsewhere, ankle and foot
M01.58*	Arthritis in other viral diseases classified elsewhere, other site
M01.59*	Arthritis in other viral diseases classified elsewhere, site unspecified
M01.6*	Arthritis in mycoses (B35-B49†)
M01.60*	Arthritis in mycoses, multiple sites (B35-B49†)
M01.61*	Arthritis in mycoses, shoulder region (B35-B49†)
M01.62*	Arthritis in mycoses, upper arm (B35-B49†)
M01.63*	Arthritis in mycoses, forearm (B35-B49†)
M01.64*	Arthritis in mycoses, hand (B35-B49†)
M01.65*	Arthritis in mycoses, pelvic region and thigh (B35-B49†)
M01.66*	Arthritis in mycoses, lower leg (B35-B49†)
M01.67*	Arthritis in mycoses, ankle and foot (B35-B49†)
M01.68*	Arthritis in mycoses, other site (B35-B49†)

M01.69*	Arthritis in mycoses, site unspecified (B35-B49†)
M01.8*	Arthritis in other infectious and parasitic diseases classified elsewhere
M01.80*	Arthritis in other infectious and parasitic diseases classified elsewhere, multiple sites
M01.81*	Arthritis in other infectious and parasitic diseases classified elsewhere, shoulder region
M01.82*	Arthritis in other infectious and parasitic diseases classified elsewhere, upper arm
M01.83*	Arthritis in other infectious and parasitic diseases classified elsewhere, forearm
M01.84*	Arthritis in other infectious and parasitic diseases classified elsewhere, hand
M01.85*	Arthritis in other infectious and parasitic diseases classified elsewhere, pelvic region and thigh
M01.86*	Arthritis in other infectious and parasitic diseases classified elsewhere, lower leg
M01.87*	Arthritis in other infectious and parasitic diseases classified elsewhere, ankle and foot
M01.88*	Arthritis in other infectious and parasitic diseases classified elsewhere, other site
M01.89*	Arthritis in other infectious and parasitic diseases classified elsewhere, site unspecified
M02	Reactive arthropathies
M02.0	Arthropathy following intestinal bypass
M02.00	Arthropathy following intestinal bypass, multiple sites
M02.01	Arthropathy following intestinal bypass, shoulder region
M02.02	Arthropathy following intestinal bypass, upper arm
M02.03	Arthropathy following intestinal bypass, forearm
M02.04	Arthropathy following intestinal bypass, hand
M02.05	Arthropathy following intestinal bypass, pelvic region and thigh
M02.06	Arthropathy following intestinal bypass, lower leg
M02.07	Arthropathy following intestinal bypass, ankle and foot
M02.08	Arthropathy following intestinal bypass, other site
M02.09	Arthropathy following intestinal bypass, site unspecified
M02.1	Arthropathy following dysentery
M02.10	Arthropathy following dysentery, multiple sites
M02.11	Arthropathy following dysentery, shoulder region
M02.12	Arthropathy following dysentery, upper arm
M02.13	Arthropathy following dysentery, forearm
M02.14	Arthropathy following dysentery, hand
M02.15	Arthropathy following dysentery, pelvic region and thigh
M02.16	Arthropathy following dysentery, lower leg
M02.17	Arthropathy following dysentery, ankle and foot
M02.18	Arthropathy following dysentery, other site
M02.19	Arthropathy following dysentery, site unspecified
M02.2	Arthropathy following vaccination
M02.20	Arthropathy following vaccination, multiple sites
M02.21	Arthropathy following vaccination, shoulder region
M02.22	Arthropathy following vaccination, upper arm
M02.23	Arthropathy following vaccination, forearm
M02.24	Arthropathy following vaccination, hand
M02.25	Arthropathy following vaccination, pelvic region and thigh
M02.26	Arthropathy following vaccination, lower leg
M02.27	Arthropathy following vaccination, ankle and foot
M02.28	Arthropathy following vaccination, other site
M02.29	Arthropathy following vaccination, site unspecified
M02.3	Arthropathy following genitourinary infection

M02.30	Arthropathy following genitourinary infection, multiple sites
M02.31	Arthropathy following genitourinary infection, shoulder region
M02.32	Arthropathy following genitourinary infection, upper arm
M02.33	Arthropathy following genitourinary infection, forearm
M02.34	Arthropathy following genitourinary infection, hand
M02.35	Arthropathy following genitourinary infection, pelvic region and thigh
M02.36	Arthropathy following genitourinary infection, lower leg
M02.37	Arthropathy following genitourinary infection, ankle and foot
M02.38	Arthropathy following genitourinary infection, other site
M02.39	Arthropathy following genitourinary infection, site unspecified
M02.8	Other reactive arthropathies
M02.80	Other reactive arthropathies, multiple sites
M02.81	Other reactive arthropathies, shoulder region
M02.82	Other reactive arthropathies, upper arm
M02.83	Other reactive arthropathies, forearm
M02.84	Other reactive arthropathies, hand
M02.85	Other reactive arthropathies, pelvic region and thigh
M02.86	Other reactive arthropathies, lower leg
M02.87	Other reactive arthropathies, ankle and foot
M02.88	Other reactive arthropathies, other site
M02.89	Other reactive arthropathies, site unspecified
M02.9	Reactive arthropathy, unspecified
M02.90	Reactive arthropathy, unspecified, multiple sites
M02.91	Reactive arthropathy, unspecified, shoulder region
M02.92	Reactive arthropathy, unspecified, upper arm
M02.93	Reactive arthropathy, unspecified, forearm
M02.94	Reactive arthropathy, unspecified, hand
M02.95	Reactive arthropathy, unspecified, pelvic region and thigh
M02.96	Reactive arthropathy, unspecified, lower leg
M02.97	Reactive arthropathy, unspecified, ankle and foot
M02.98	Reactive arthropathy, unspecified, other site
M02.99	Reactive arthropathy, unspecified, site unspecified
M03*	Postinfective and reactive arthropathies in diseases classified elsewhere
M03.0*	Postmeningococcal arthritis (A39.8†)
M03.00*	Postmeningococcal arthritis, multiple sites (A39.8†)
M03.01*	Postmeningococcal arthritis, shoulder region (A39.8†)
M03.02*	Postmeningococcal arthritis, upper arm (A39.8†)
M03.03*	Postmeningococcal arthritis, forearm (A39.8†)
M03.04*	Postmeningococcal arthritis, hand (A39.8†)
M03.05*	Postmeningococcal arthritis, pelvic region and thigh (A39.8†)
M03.06*	Postmeningococcal arthritis, lower leg (A39.8†)
M03.07*	Postmeningococcal arthritis, ankle and foot (A39.8†)
M03.08*	Postmeningococcal arthritis, other site (A39.8†)
M03.09*	Postmeningococcal arthritis, site unspecified (A39.8†)
M03.1*	Postinfective arthropathy in syphilis
M03.10*	Postinfective arthropathy in syphilis, multiple sites
M03.11*	Postinfective arthropathy in syphilis, shoulder region
M03.12*	Postinfective arthropathy in syphilis, upper arm

M03.13*	Postinfective arthropathy in syphilis, forearm
M03.14*	Postinfective arthropathy in syphilis, hand
M03.15*	Postinfective arthropathy in syphilis, pelvic region and thigh
M03.16*	Postinfective arthropathy in syphilis, lower leg
M03.17*	Postinfective arthropathy in syphilis, ankle and foot
M03.18*	Postinfective arthropathy in syphilis, other site
M03.19*	Postinfective arthropathy in syphilis, site unspecified
M03.2*	Other postinfectious arthropathies in diseases classified elsewhere
M03.20*	Other postinfectious arthropathies in diseases classified elsewhere, multiple sites
M03.21*	Other postinfectious arthropathies in diseases classified elsewhere, shoulder region
M03.22*	Other postinfectious arthropathies in diseases classified elsewhere, upper arm
M03.23*	Other postinfectious arthropathies in diseases classified elsewhere, forearm
M03.24*	Other postinfectious arthropathies in diseases classified elsewhere, hand
M03.25*	Other postinfectious arthropathies in diseases classified elsewhere, pelvic region and thigh
M03.26*	Other postinfectious arthropathies in diseases classified elsewhere, lower leg
M03.27*	Other postinfectious arthropathies in diseases classified elsewhere, ankle and foot
M03.28*	Other postinfectious arthropathies in diseases classified elsewhere, other site
M03.29*	Other postinfectious arthropathies in diseases classified elsewhere, site unspecified
M03.6*	Reactive arthropathy in other diseases classified elsewhere
M03.60*	Reactive arthropathy in other diseases classified elsewhere, multiple sites
M03.61*	Reactive arthropathy in other diseases classified elsewhere, shoulder region
M03.62*	Reactive arthropathy in other diseases classified elsewhere, upper arm
M03.63*	Reactive arthropathy in other diseases classified elsewhere, forearm
M03.64*	Reactive arthropathy in other diseases classified elsewhere, hand
M03.65*	Reactive arthropathy in other diseases classified elsewhere, pelvic region and thigh
M03.66*	Reactive arthropathy in other diseases classified elsewhere, lower leg
M03.67*	Reactive arthropathy in other diseases classified elsewhere, ankle and foot
M03.68*	Reactive arthropathy in other diseases classified elsewhere, other site
M03.69*	Reactive arthropathy in other diseases classified elsewhere, site unspecified
M05	Seropositive rheumatoid arthritis
M05.0	Felty's syndrome
M05.00	Felty's syndrome, multiple sites
M05.01	Felty's syndrome, shoulder region
M05.02	Felty's syndrome, upper arm
M05.03	Felty's syndrome, forearm
M05.04	Felty's syndrome, hand
M05.05	Felty's syndrome, pelvic region and thigh
M05.06	Felty's syndrome, lower leg
M05.07	Felty's syndrome, ankle and foot
M05.08	Felty's syndrome, other site
M05.09	Felty's syndrome, site unspecified
M05.1	Rheumatoid lung disease
M05.10	Rheumatoid lung disease, multiple sites
M05.11	Rheumatoid lung disease, shoulder region
M05.12	Rheumatoid lung disease, upper arm
M05.13	Rheumatoid lung disease, forearm
M05.14	Rheumatoid lung disease, hand
M05.15	Rheumatoid lung disease, pelvic region and thigh

M05.16	Rheumatoid lung disease, lower leg
M05.17	Rheumatoid lung disease, ankle and foot
M05.18	Rheumatoid lung disease, other site
M05.19	Rheumatoid lung disease, site unspecified
M05.2	Rheumatoid vasculitis
M05.20	Rheumatoid vasculitis, multiple sites
M05.21	Rheumatoid vasculitis, shoulder region
M05.22	Rheumatoid vasculitis, upper arm
M05.23	Rheumatoid vasculitis, forearm
M05.24	Rheumatoid vasculitis, hand
M05.25	Rheumatoid vasculitis, pelvic region and thigh
M05.26	Rheumatoid vasculitis, lower leg
M05.27	Rheumatoid vasculitis, ankle and foot
M05.28	Rheumatoid vasculitis, other site
M05.29	Rheumatoid vasculitis, site unspecified
M05.3†	Rheumatoid arthritis with involvement of other organs and systems
M05.30†	Rheumatoid arthritis with involvement of other organs and systems, multiple sites
M05.31†	Rheumatoid arthritis with involvement of other organs and systems, shoulder region
M05.32†	Rheumatoid arthritis with involvement of other organs and systems, upper arm
M05.33†	Rheumatoid arthritis with involvement of other organs and systems, forearm
M05.34†	Rheumatoid arthritis with involvement of other organs and systems, hand
M05.35†	Rheumatoid arthritis with involvement of other organs and systems, pelvic region and thigh
M05.36†	Rheumatoid arthritis with involvement of other organs and systems, lower leg
M05.37†	Rheumatoid arthritis with involvement of other organs and systems, ankle and foot
M05.38†	Rheumatoid arthritis with involvement of other organs and systems, other site
M05.39†	Rheumatoid arthritis with involvement of other organs and systems, site unspecified
M05.8	Other seropositive rheumatoid arthritis
M05.80	Other seropositive rheumatoid arthritis, multiple sites
M05.81	Other seropositive rheumatoid arthritis, shoulder region
M05.82	Other seropositive rheumatoid arthritis, upper arm
M05.83	Other seropositive rheumatoid arthritis, forearm
M05.84	Other seropositive rheumatoid arthritis, hand
M05.85	Other seropositive rheumatoid arthritis, pelvic region and thigh
M05.86	Other seropositive rheumatoid arthritis, lower leg
M05.87	Other seropositive rheumatoid arthritis, ankle and foot
M05.88	Other seropositive rheumatoid arthritis, other site
M05.89	Other seropositive rheumatoid arthritis, site unspecified
M05.9	Seropositive rheumatoid arthritis, unspecified
M05.90	Seropositive rheumatoid arthritis, unspecified, multiple sites
M05.91	Seropositive rheumatoid arthritis, unspecified, shoulder region
M05.92	Seropositive rheumatoid arthritis, unspecified, upper arm
M05.93	Seropositive rheumatoid arthritis, unspecified, forearm
M05.94	Seropositive rheumatoid arthritis, unspecified, hand
M05.95	Seropositive rheumatoid arthritis, unspecified, pelvic region and thigh
M05.96	Seropositive rheumatoid arthritis, unspecified, lower leg
M05.97	Seropositive rheumatoid arthritis, unspecified, ankle and foot
M05.98	Seropositive rheumatoid arthritis, unspecified, other site
M05.99	Seropositive rheumatoid arthritis, unspecified, site unspecified

M06	Other rheumatoid arthritis
M06.0	Seronegative rheumatoid arthritis
M06.00	Seronegative rheumatoid arthritis, multiple sites
M06.01	Seronegative rheumatoid arthritis, shoulder region
M06.02	Seronegative rheumatoid arthritis, upper arm
M06.03	Seronegative rheumatoid arthritis, forearm
M06.04	Seronegative rheumatoid arthritis, hand
M06.05	Seronegative rheumatoid arthritis, pelvic region and thigh
M06.06	Seronegative rheumatoid arthritis, lower leg
M06.07	Seronegative rheumatoid arthritis, ankle and foot
M06.08	Seronegative rheumatoid arthritis, other site
M06.09	Seronegative rheumatoid arthritis, site unspecified
M06.1	Adult-onset Still's disease
M06.10	Adult-onset Still's disease, multiple sites
M06.11	Adult-onset Still's disease, shoulder arm
M06.12	Adult-onset Still's disease, upper arm
M06.13	Adult-onset Still's disease, forearm
M06.14	Adult-onset Still's disease, hand
M06.15	Adult-onset Still's disease, pelvic region and thigh
M06.16	Adult-onset Still's disease, lower leg
M06.17	Adult-onset Still's disease, ankle and foot
M06.18	Adult-onset Still's disease, other site
M06.19	Adult-onset Still's disease, site unspecified
M06.2	Rheumatoid bursitis
M06.20	Rheumatoid bursitis, multiple sites
M06.21	Rheumatoid bursitis, shoulder region
M06.22	Rheumatoid bursitis, upper arm
M06.23	Rheumatoid bursitis, forearm
M06.24	Rheumatoid bursitis, hand
M06.25	Rheumatoid bursitis, pelvic region and thigh
M06.26	Rheumatoid bursitis, lower leg
M06.27	Rheumatoid bursitis, ankle and foot
M06.28	Rheumatoid bursitis, other site
M06.29	Rheumatoid bursitis, site unspecified
M06.3	Rheumatoid nodule
M06.30	Rheumatoid nodule, multiple sites
M06.31	Rheumatoid nodule, shoulder region
M06.32	Rheumatoid nodule, upper arm
M06.33	Rheumatoid nodule, forearm
M06.34	Rheumatoid nodule, hand
M06.35	Rheumatoid nodule, pelvic region and thigh
M06.36	Rheumatoid nodule, lower leg
M06.37	Rheumatoid nodule, ankle and foot
M06.38	Rheumatoid nodule, other site
M06.39	Rheumatoid nodule, site unspecified
M06.4	Inflammatory polyarthropathy
M06.40	Inflammatory polyarthropathy, multiple sites
M06.41	Inflammatory polyarthropathy, shoulder region

M06.42	Inflammatory polyarthropathy, upper arm
M06.43	Inflammatory polyarthropathy, forearm
M06.44	Inflammatory polyarthropathy, hand
M06.45	Inflammatory polyarthropathy, pelvic region and thigh
M06.46	Inflammatory polyarthropathy, lower leg
M06.47	Inflammatory polyarthropathy, ankle and foot
M06.48	Inflammatory polyarthropathy, other site
M06.49	Inflammatory polyarthropathy, site unspecified
M06.8	Other specified rheumatoid arthritis
M06.80	Other specified rheumatoid arthritis, multiple sites
M06.81	Other specified rheumatoid arthritis, shoulder region
M06.82	Other specified rheumatoid arthritis, upper arm
M06.83	Other specified rheumatoid arthritis, forearm
M06.84	Other specified rheumatoid arthritis, hand
M06.85	Other specified rheumatoid arthritis, pelvic region and thigh
M06.86	Other specified rheumatoid arthritis, lower leg
M06.87	Other specified rheumatoid arthritis, ankle and foot
M06.88	Other specified rheumatoid arthritis, other site
M06.89	Other specified rheumatoid arthritis, site unspecified
M06.9	Rheumatoid arthritis, unspecified
M06.90	Rheumatoid arthritis, unspecified, multiple sites
M06.91	Rheumatoid arthritis, unspecified, shoulder region
M06.92	Rheumatoid arthritis, unspecified, upper arm
M06.93	Rheumatoid arthritis, unspecified, forearm
M06.94	Rheumatoid arthritis, unspecified, hand
M06.95	Rheumatoid arthritis, unspecified, pelvic region and thigh
M06.96	Rheumatoid arthritis, unspecified, lower leg
M06.97	Rheumatoid arthritis, unspecified, ankle and foot
M06.98	Rheumatoid arthritis, unspecified, other site
M06.99	Rheumatoid arthritis, unspecified, site unspecified
M07*	Psoriatic and enteropathic arthropathies
M07.0*	Distal interphalangeal psoriatic arthropathy (L40.5†)
M07.00*	Distal interphalangeal psoriatic arthropathy (L40.5†), multiple sites
M07.04*	Distal interphalangeal psoriatic arthropathy (L40.5†), hand
M07.07*	Distal interphalangeal psoriatic arthropathy (L40.5†), ankle and foot
M07.09*	Distal interphalangeal psoriatic arthropathy (L40.5†), site unspecified
M07.1*	Arthritis mutilans (L40.5†)
M07.10*	Arthritis mutilans, multiple sites (L40.5†)
M07.11*	Arthritis mutilans, shoulder region (L40.5†)
M07.12*	Arthritis mutilans, upper arm (L40.5†)
M07.13*	Arthritis mutilans, forearm (L40.5†)
M07.14*	Arthritis mutilans, hand (L40.5†)
M07.15*	Arthritis mutilans, pelvic region and thigh (L40.5†)
M07.16*	Arthritis mutilans, lower leg (L40.5†)
M07.17*	Arthritis mutilans, ankle and foot (L40.5†)
M07.18*	Arthritis mutilans, other site (L40.5†)
M07.19*	Arthritis mutilans, site unspecified (L40.5†)
M07.2*	Psoriatic spondylitis (L40.5†)

M07.3*	Other psoriatic arthropathies (L40.5†)
M07.30*	Other psoriatic arthropathies, multiple sites (L40.5†)
M07.31*	Other psoriatic arthropathies, shoulder region (L40.5†)
M07.32*	Other psoriatic arthropathies, upper arm (L40.5†)
M07.33*	Other psoriatic arthropathies, forearm (L40.5†)
M07.34*	Other psoriatic arthropathies, hand (L40.5†)
M07.35*	Other psoriatic arthropathies, pelvic region and thigh (L40.5†)
M07.36*	Other psoriatic arthropathies, lower leg (L40.5†)
M07.37*	Other psoriatic arthropathies, ankle and foot (L40.5†)
M07.38*	Other psoriatic arthropathies, other site (L40.5†)
M07.39*	Other psoriatic arthropathies, site unspecified (L40.5†)
M07.4*	Arthropathy in Crohn's disease [regional enteritis] (K50.-†)
M07.40*	Arthropathy in Crohn's disease [regional enteritis], multiple sites (K50.-†)
M07.41*	Arthropathy in Crohn's disease [regional enteritis], shoulder region (K50.-†)
M07.42*	Arthropathy in Crohn's disease [regional enteritis], upper arm (K50.-†)
M07.43*	Arthropathy in Crohn's disease [regional enteritis], forearm (K50.-†)
M07.44*	Arthropathy in Crohn's disease [regional enteritis], hand (K50.-†)
M07.45*	Arthropathy in Crohn's disease [regional enteritis], pelvic region and thigh (K50.-†)
M07.46*	Arthropathy in Crohn's disease [regional enteritis], lower leg (K50.-†)
M07.47*	Arthropathy in Crohn's disease [regional enteritis], ankle and foot (K50.-†)
M07.48*	Arthropathy in Crohn's disease [regional enteritis], other site (K50.-†)
M07.49*	Arthropathy in Crohn's disease [regional enteritis], site unspecified (K50.-†)
M07.5*	Arthropathy in ulcerative colitis (K51.-†)
M07.50*	Arthropathy in ulcerative colitis, multiple sites (K51.-†)
M07.51*	Arthropathy in ulcerative colitis, shoulder region (K51.-†)
M07.52*	Arthropathy in ulcerative colitis, upper arm (K51.-†)
M07.53*	Arthropathy in ulcerative colitis, forearm (K51.-†)
M07.54*	Arthropathy in ulcerative colitis, hand (K51.-†)
M07.55*	Arthropathy in ulcerative colitis, pelvic region and thigh (K51.-†)
M07.56*	Arthropathy in ulcerative colitis, lower leg (K51.-†)
M07.57*	Arthropathy in ulcerative colitis, ankle and foot (K51.-†)
M07.58*	Arthropathy in ulcerative colitis, other site (K51.-†)
M07.59*	Arthropathy in ulcerative colitis, site unspecified (K51.-†)
M07.6*	Other enteropathic arthropathies
M07.60*	Other enteropathic arthropathies, multiple sites
M07.61*	Other enteropathic arthropathies, shoulder region
M07.62*	Other enteropathic arthropathies, upper arm
M07.63*	Other enteropathic arthropathies, forearm
M07.64*	Other enteropathic arthropathies, hand
M07.65*	Other enteropathic arthropathies, pelvic region and thigh
M07.66*	Other enteropathic arthropathies, lower leg
M07.67*	Other enteropathic arthropathies, ankle and foot
M07.68*	Other enteropathic arthropathies, other site
M07.69*	Other enteropathic arthropathies, site unspecified
M08	Juvenile arthritis
M08.0	Juvenile rheumatoid arthritis
M08.00	Juvenile rheumatoid arthritis, multiple sites
M08.01	Juvenile rheumatoid arthritis, shoulder region

M08.02	Juvenile rheumatoid arthritis, upper arm
M08.03	Juvenile rheumatoid arthritis, forearm
M08.04	Juvenile rheumatoid arthritis, hand
M08.05	Juvenile rheumatoid arthritis, pelvic region and thigh
M08.06	Juvenile rheumatoid arthritis, lower leg
M08.07	Juvenile rheumatoid arthritis, ankle and foot
M08.08	Juvenile rheumatoid arthritis, other site
M08.09	Juvenile rheumatoid arthritis, site unspecified
M08.1	Juvenile ankylosing spondylitis
M08.10	Juvenile ankylosing spondylitis, multiple sites
M08.11	Juvenile ankylosing spondylitis, shoulder region
M08.12	Juvenile ankylosing spondylitis, upper arm
M08.13	Juvenile ankylosing spondylitis, forearm
M08.14	Juvenile ankylosing spondylitis, hand
M08.15	Juvenile ankylosing spondylitis, pelvic region and thigh
M08.16	Juvenile ankylosing spondylitis, lower leg
M08.17	Juvenile ankylosing spondylitis, ankle and foot
M08.18	Juvenile ankylosing spondylitis, other site
M08.19	Juvenile ankylosing spondylitis, site unspecified
M08.2	Juvenile arthritis with systemic onset
M08.20	Juvenile arthritis with systemic onset, multiple sites
M08.21	Juvenile arthritis with systemic onset, shoulder region
M08.22	Juvenile arthritis with systemic onset, upper arm
M08.23	Juvenile arthritis with systemic onset, forearm
M08.24	Juvenile arthritis with systemic onset, hand
M08.25	Juvenile arthritis with systemic onset, pelvic region and thigh
M08.26	Juvenile arthritis with systemic onset, lower leg
M08.27	Juvenile arthritis with systemic onset, ankle and foot
M08.28	Juvenile arthritis with systemic onset, other site
M08.29	Juvenile arthritis with systemic onset, site unspecified
M08.3	Juvenile polyarthritis (seronegative)
M08.4	Pauciarticular juvenile arthritis
M08.40	Pauciarticular juvenile arthritis, multiple sites
M08.41	Pauciarticular juvenile arthritis, shoulder region
M08.42	Pauciarticular juvenile arthritis, upper arm
M08.43	Pauciarticular juvenile arthritis, forearm
M08.44	Pauciarticular juvenile arthritis, hand
M08.45	Pauciarticular juvenile arthritis, pelvic region and thigh
M08.46	Pauciarticular juvenile arthritis, lower leg
M08.47	Pauciarticular juvenile arthritis, ankle and foot
M08.48	Pauciarticular juvenile arthritis, other site
M08.49	Pauciarticular juvenile arthritis, site unspecified
M08.8	Other juvenile arthritis
M08.80	Other juvenile arthritis, multiple sites
M08.81	Other juvenile arthritis, shoulder region
M08.82	Other juvenile arthritis, upper arm
M08.83	Other juvenile arthritis, forearm
M08.84	Other juvenile arthritis, hand

M08.85	Other juvenile arthritis, pelvic region and thigh
M08.86	Other juvenile arthritis, lower leg
M08.87	Other juvenile arthritis, ankle and foot
M08.88	Other juvenile arthritis, other site
M08.89	Other juvenile arthritis, site unspecified
M08.9	Juvenile arthritis, unspecified
M08.90	Juvenile arthritis, unspecified, multiple sites
M08.91	Juvenile arthritis, unspecified, shoulder region
M08.92	Juvenile arthritis, unspecified, upper arm
M08.93	Juvenile arthritis, unspecified, forearm
M08.94	Juvenile arthritis, unspecified, hand
M08.95	Juvenile arthritis, unspecified, pelvic region and thigh
M08.96	Juvenile arthritis, unspecified, lower leg
M08.97	Juvenile arthritis, unspecified, ankle and foot
M08.98	Juvenile arthritis, unspecified, other site
M08.99	Juvenile arthritis, unspecified, site unspecified
M09*	Juvenile arthritis in diseases classified elsewhere
M09.0*	Juvenile arthritis in psoriasis (L40.5†)
M09.00*	Juvenile arthritis in psoriasis, multiple sites (L40.5†)
M09.01*	Juvenile arthritis in psoriasis, shoulder region (L40.5†)
M09.02*	Juvenile arthritis in psoriasis, upper arm (L40.5†)
M09.03*	Juvenile arthritis in psoriasis, forearm (L40.5†)
M09.04*	Juvenile arthritis in psoriasis, hand (L40.5†)
M09.05*	Juvenile arthritis in psoriasis, pelvic region and thigh (L40.5†)
M09.06*	Juvenile arthritis in psoriasis, lower leg (L40.5†)
M09.07*	Juvenile arthritis in psoriasis, ankle and foot (L40.5†)
M09.08*	Juvenile arthritis in psoriasis, other site (L40.5†)
M09.09*	Juvenile arthritis in psoriasis, site unspecified (L40.5†)
M09.1*	Juvenile arthritis in Crohn's disease [regional enteritis] (K50.-†)
M09.10*	Juvenile arthritis in Crohn's disease [regional enteritis], multiple sites (K50.-†)
M09.11*	Juvenile arthritis in Crohn's disease [regional enteritis], shoulder region (K50.-†)
M09.12*	Juvenile arthritis in Crohn's disease [regional enteritis], upper arm (K50.-†)
M09.13*	Juvenile arthritis in Crohn's disease [regional enteritis], forearm (K50.-†)
M09.14*	Juvenile arthritis in Crohn's disease [regional enteritis], hand (K50.-†)
M09.15*	Juvenile arthritis in Crohn's disease [regional enteritis], pelvic region and thigh (K50.-†)
M09.16*	Juvenile arthritis in Crohn's disease [regional enteritis], lower leg (K50.-†)
M09.17*	Juvenile arthritis in Crohn's disease [regional enteritis], ankle and foot (K50.-†)
M09.18*	Juvenile arthritis in Crohn's disease [regional enteritis], other site (K50.-†)
M09.19*	Juvenile arthritis in Crohn's disease [regional enteritis], site unspecified (K50.-†)
M09.2*	Juvenile arthritis in ulcerative colitis (K51.-†)
M09.20*	Juvenile arthritis in ulcerative colitis, multiple sites (K51.-†)
M09.21*	Juvenile arthritis in ulcerative colitis, shoulder region (K51.-†)
M09.22*	Juvenile arthritis in ulcerative colitis, upper arm (K51.-†)
M09.23*	Juvenile arthritis in ulcerative colitis, forearm (K51.-†)
M09.24*	Juvenile arthritis in ulcerative colitis, hand (K51.-†)
M09.25*	Juvenile arthritis in ulcerative colitis, pelvic region and thigh (K51.-†)
M09.26*	Juvenile arthritis in ulcerative colitis, lower leg (K51.-†)
M09.27*	Juvenile arthritis in ulcerative colitis, ankle and foot (K51.-†)

M09.28*	Juvenile arthritis in ulcerative colitis, other site (K51.-†)
M09.29*	Juvenile arthritis in ulcerative colitis, site unspecified (K51.-†)
M09.8*	Juvenile arthritis in other diseases classified elsewhere
M09.80*	Juvenile arthritis in other diseases classified elsewhere, multiple sites
M09.81*	Juvenile arthritis in other diseases classified elsewhere, shoulder region
M09.82*	Juvenile arthritis in other diseases classified elsewhere, upper arm
M09.83*	Juvenile arthritis in other diseases classified elsewhere, forearm
M09.84*	Juvenile arthritis in other diseases classified elsewhere, hand
M09.85*	Juvenile arthritis in other diseases classified elsewhere, pelvic region and thigh
M09.86*	Juvenile arthritis in other diseases classified elsewhere, lower leg
M09.87*	Juvenile arthritis in other diseases classified elsewhere, ankle and foot
M09.88*	Juvenile arthritis in other diseases classified elsewhere, other site
M09.89*	Juvenile arthritis in other diseases classified elsewhere, site unspecified
M10	Gout
M10.0	Idiopathic gout
M10.00	Idiopathic gout, multiple sites
M10.01	Idiopathic gout, shoulder region
M10.02	Idiopathic gout, upper arm
M10.03	Idiopathic gout, forearm
M10.04	Idiopathic gout, hand
M10.05	Idiopathic gout, pelvic region and thigh
M10.06	Idiopathic gout, lower leg
M10.07	Idiopathic gout, ankle and foot
M10.08	Idiopathic gout, other site
M10.09	Idiopathic gout, site unspecified
M10.1	Lead-induced gout
M10.10	Lead-induced gout, multiple sites
M10.11	Lead-induced gout, shoulder region
M10.12	Lead-induced gout, upper arm
M10.13	Lead-induced gout, forearm
M10.14	Lead-induced gout, hand
M10.15	Lead-induced gout, pelvic region and thigh
M10.16	Lead-induced gout, lower leg
M10.17	Lead-induced gout, ankle and foot
M10.18	Lead-induced gout, other site
M10.19	Lead-induced gout, site unspecified
M10.2	Drug-induced gout
M10.20	Drug-induced gout, multiple sites
M10.21	Drug-induced gout, shoulder region
M10.22	Drug-induced gout, upper arm
M10.23	Drug-induced gout, forearm
M10.24	Drug-induced gout, hand
M10.25	Drug-induced gout, pelvic region and thigh
M10.26	Drug-induced gout, lower leg
M10.27	Drug-induced gout, ankle and foot
M10.28	Drug-induced gout, other site
M10.29	Drug-induced gout, site unspecified
M10.3	Gout due to impairment of kidney function

M10.30	Gout due to impairment of kidney function, multiple sites
M10.31	Gout due to impairment of kidney function, shoulder region
M10.32	Gout due to impairment of kidney function, upper arm
M10.33	Gout due to impairment of kidney function, forearm
M10.34	Gout due to impairment of kidney function, hand
M10.35	Gout due to impairment of kidney function, pelvic region and thigh
M10.36	Gout due to impairment of kidney function, lower leg
M10.37	Gout due to impairment of kidney function, ankle and foot
M10.38	Gout due to impairment of kidney function, other site
M10.39	Gout due to impairment of kidney function, site unspecified
M10.4	Other secondary gout
M10.40	Other secondary gout, multiple sites
M10.41	Other secondary gout, shoulder region
M10.42	Other secondary gout, upper arm
M10.43	Other secondary gout, forearm
M10.44	Other secondary gout, hand
M10.45	Other secondary gout, pelvic region and thigh
M10.46	Other secondary gout, lower leg
M10.47	Other secondary gout, ankle and foot
M10.48	Other secondary gout, other site
M10.49	Other secondary gout, site unspecified
M10.9	Gout, unspecified
M10.90	Gout, unspecified, multiple sites
M10.91	Gout, unspecified, shoulder region
M10.92	Gout, unspecified, upper arm
M10.93	Gout, unspecified, forearm
M10.94	Gout, unspecified, hand
M10.95	Gout, unspecified, pelvic region and thigh
M10.96	Gout, unspecified, lower leg
M10.97	Gout, unspecified, ankle and foot
M10.98	Gout, unspecified, other site
M10.99	Gout, unspecified, site unspecified
M11	Other crystal arthropathies
M11.0	Hydroxyapatite deposition disease
M11.00	Hydroxyapatite deposition disease, multiple sites
M11.01	Hydroxyapatite deposition disease, shoulder region
M11.02	Hydroxyapatite deposition disease, upper arm
M11.03	Hydroxyapatite deposition disease, forearm
M11.04	Hydroxyapatite deposition disease, hand
M11.05	Hydroxyapatite deposition disease, pelvic region and thigh
M11.06	Hydroxyapatite deposition disease, lower leg
M11.07	Hydroxyapatite deposition disease, ankle and foot
M11.08	Hydroxyapatite deposition disease, other site
M11.09	Hydroxyapatite deposition disease, site unspecified
M11.1	Familial chondrocalcinosis
M11.10	Familial chondrocalcinosis, multiple sites
M11.11	Familial chondrocalcinosis, shoulder region
M11.12	Familial chondrocalcinosis, upper arm

M11.13	Familial chondrocalcinosis, forearm
M11.14	Familial chondrocalcinosis, hand
M11.15	Familial chondrocalcinosis, pelvic region and thigh
M11.16	Familial chondrocalcinosis, lower leg
M11.17	Familial chondrocalcinosis, ankle and foot
M11.18	Familial chondrocalcinosis, other site
M11.19	Familial chondrocalcinosis, site unspecified
M11.2	Other chondrocalcinosis
M11.20	Other chondrocalcinosis, multiple sites
M11.21	Other chondrocalcinosis, shoulder region
M11.22	Other chondrocalcinosis, upper arm
M11.23	Other chondrocalcinosis, forearm
M11.24	Other chondrocalcinosis, hand
M11.25	Other chondrocalcinosis, pelvic region and thigh
M11.26	Other chondrocalcinosis, lower leg
M11.27	Other chondrocalcinosis, ankle and foot
M11.28	Other chondrocalcinosis, other site
M11.29	Other chondrocalcinosis, site unspecified
M11.8	Other specified crystal arthropathies
M11.80	Other specified crystal arthropathies, multiple sites
M11.81	Other specified crystal arthropathies, shoulder region
M11.82	Other specified crystal arthropathies, upper arm
M11.83	Other specified crystal arthropathies, forearm
M11.84	Other specified crystal arthropathies, hand
M11.85	Other specified crystal arthropathies, pelvic region and thigh
M11.86	Other specified crystal arthropathies, lower leg
M11.87	Other specified crystal arthropathies, ankle and foot
M11.88	Other specified crystal arthropathies, other site
M11.89	Other specified crystal arthropathies, site unspecified
M11.9	Crystal arthropathy, unspecified
M11.90	Crystal arthropathy, unspecified, multiple sites
M11.91	Crystal arthropathy, unspecified, shoulder region
M11.92	Crystal arthropathy, unspecified, upper arm
M11.93	Crystal arthropathy, unspecified, forearm
M11.94	Crystal arthropathy, unspecified, hand
M11.95	Crystal arthropathy, unspecified, pelvic region and thigh
M11.96	Crystal arthropathy, unspecified, lower leg
M11.97	Crystal arthropathy, unspecified, ankle and foot
M11.98	Crystal arthropathy, unspecified, other site
M11.99	Crystal arthropathy, unspecified, site unspecified
M12	Other specific arthropathies
M12.0	Chronic postrheumatic arthropathy [Jaccoud]
M12.00	Chronic postrheumatic arthropathy [Jaccoud], multiple sites
M12.01	Chronic postrheumatic arthropathy [Jaccoud], shoulder region
M12.02	Chronic postrheumatic arthropathy [Jaccoud], upper arm
M12.03	Chronic postrheumatic arthropathy [Jaccoud], forearm
M12.04	Chronic postrheumatic arthropathy [Jaccoud], hand
M12.05	Chronic postrheumatic arthropathy [Jaccoud], pelvic region and thigh

M12.06	Chronic postrheumatic arthropathy [Jaccoud], lower leg
M12.07	Chronic postrheumatic arthropathy [Jaccoud], ankle and foot
M12.08	Chronic postrheumatic arthropathy [Jaccoud], other site
M12.09	Chronic postrheumatic arthropathy [Jaccoud], site unspecified
M12.1	Kaschin-Beck disease
M12.10	Kaschin-Beck disease, multiple sites
M12.11	Kaschin-Beck disease, shoulder region
M12.12	Kaschin-Beck disease, upper arm
M12.13	Kaschin-Beck disease, forearm
M12.14	Kaschin-Beck disease, hand
M12.15	Kaschin-Beck disease, pelvic region and thigh
M12.16	Kaschin-Beck disease, lower leg
M12.17	Kaschin-Beck disease, ankle and foot
M12.18	Kaschin-Beck disease, other site
M12.19	Kaschin-Beck disease, site unspecified
M12.2	Villonodular synovitis (pigmented)
M12.20	Villonodular synovitis (pigmented), multiple sites
M12.21	Villonodular synovitis (pigmented), shoulder region
M12.22	Villonodular synovitis (pigmented), upper arm
M12.23	Villonodular synovitis (pigmented), forearm
M12.24	Villonodular synovitis (pigmented), hand
M12.25	Villonodular synovitis (pigmented), pelvic region and thigh
M12.26	Villonodular synovitis (pigmented), lower leg
M12.27	Villonodular synovitis (pigmented), ankle and foot
M12.28	Villonodular synovitis (pigmented), other site
M12.29	Villonodular synovitis (pigmented), site unspecified
M12.3	Palindromic rheumatism
M12.30	Palindromic rheumatism, multiple sites
M12.31	Palindromic rheumatism, shoulder region
M12.32	Palindromic rheumatism, upper arm
M12.33	Palindromic rheumatism, forearm
M12.34	Palindromic rheumatism, hand
M12.35	Palindromic rheumatism, pelvic region and thigh
M12.36	Palindromic rheumatism, lower leg
M12.37	Palindromic rheumatism, ankle and foot
M12.38	Palindromic rheumatism, other site
M12.39	Palindromic rheumatism, site unspecified
M12.4	Intermittent hydrarthrosis
M12.40	Intermittent hydrarthrosis, multiple sites
M12.41	Intermittent hydrarthrosis, shoulder region
M12.42	Intermittent hydrarthrosis, upper arm
M12.43	Intermittent hydrarthrosis, forearm
M12.44	Intermittent hydrarthrosis, hand
M12.45	Intermittent hydrarthrosis, pelvic region and thigh
M12.46	Intermittent hydrarthrosis, lower leg
M12.47	Intermittent hydrarthrosis, ankle and foot
M12.48	Intermittent hydrarthrosis, other site
M12.49	Intermittent hydrarthrosis, site unspecified

M12.5	Traumatic arthropathy
M12.50	Traumatic arthropathy, multiple sites
M12.51	Traumatic arthropathy, shoulder region
M12.52	Traumatic arthropathy, upper arm
M12.53	Traumatic arthropathy, forearm
M12.54	Traumatic arthropathy, hand
M12.55	Traumatic arthropathy, pelvic region and thigh
M12.56	Traumatic arthropathy, lower leg
M12.57	Traumatic arthropathy, ankle and foot
M12.58	Traumatic arthropathy, other site
M12.59	Traumatic arthropathy, site unspecified
M12.8	Other specific arthropathies, not elsewhere classified
M12.80	Other specific arthropathies, not elsewhere classified, multiple sites
M12.81	Other specific arthropathies, not elsewhere classified, shoulder region
M12.82	Other specific arthropathies, not elsewhere classified, upper arm
M12.83	Other specific arthropathies, not elsewhere classified, forearm
M12.84	Other specific arthropathies, not elsewhere classified, hand
M12.85	Other specific arthropathies, not elsewhere classified, pelvic region and thigh
M12.86	Other specific arthropathies, not elsewhere classified, lower leg
M12.87	Other specific arthropathies, not elsewhere classified, ankle and foot
M12.88	Other specific arthropathies, not elsewhere classified, other site
M12.89	Other specific arthropathies, not elsewhere classified, site unspecified
M13	Other arthritis
M13.0	Polyarthritis, unspecified
M13.1	Monoarthritis, not elsewhere classified
M13.11	Monoarthritis, not elsewhere classified, shoulder region
M13.12	Monoarthritis, not elsewhere classified, upper arm
M13.13	Monoarthritis, not elsewhere classified, forearm
M13.14	Monoarthritis, not elsewhere classified, hand
M13.15	Monoarthritis, not elsewhere classified, pelvic region and thigh
M13.16	Monoarthritis, not elsewhere classified, lower leg
M13.17	Monoarthritis, not elsewhere classified, ankle and foot
M13.18	Monoarthritis, not elsewhere classified, other site
M13.19	Monoarthritis, not elsewhere classified, site unspecified
M13.8	Other specified arthritis
M13.80	Other specified arthritis, multiple sites
M13.81	Other specified arthritis, shoulder region
M13.82	Other specified arthritis, upper arm
M13.83	Other specified arthritis, forearm
M13.84	Other specified arthritis, hand
M13.85	Other specified arthritis, pelvic region and thigh
M13.86	Other specified arthritis, lower leg
M13.87	Other specified arthritis, ankle and foot
M13.88	Other specified arthritis, other site
M13.89	Other specified arthritis, site unspecified
M13.9	Arthritis, unspecified
M13.90	Arthritis, unspecified, multiple sites
M13.91	Arthritis, unspecified, shoulder region

M13.92	Arthritis, unspecified, upper arm
M13.93	Arthritis, unspecified, forearm
M13.94	Arthritis, unspecified, hand
M13.95	Arthritis, unspecified, pelvic region and thigh
M13.96	Arthritis, unspecified, lower leg
M13.97	Arthritis, unspecified, ankle and foot
M13.98	Arthritis, unspecified, other site
M13.99	Arthritis, unspecified, site unspecified
M14*	Arthropathies in other diseases classified elsewhere
M14.0*	Gouty arthropathy due to enzyme defects and other inherited disorders
M14.1*	Crystal arthropathy in other metabolic disorders
M14.2*	Diabetic arthropathy
M14.3*	Lipoid dermatoarthritis (E78.8†)
M14.4*	Arthropathy in amyloidosis (E85.-†)
M14.5*	Arthropathies in other endocrine, nutritional and metabolic disorders
M14.6*	Neuropathic arthropathy
M14.8*	Arthropathies in other specified diseases classified elsewhere
M15	Polyarthrosis
M15.0	Primary generalised (osteo)arthrosis
M15.1	Heberden's nodes [with arthropathy]
M15.2	Bouchard's nodes [with arthropathy]
M15.3	Secondary multiple arthrosis
M15.4	Erosive (osteo)arthrosis
M15.8	Other polyarthrosis
M15.9	Polyarthrosis, unspecified
M16	Coxarthrosis [arthrosis of hip]
M16.0	Primary coxarthrosis, bilateral
M16.1	Other primary coxarthrosis
M16.2	Coxarthrosis resulting from dysplasia, bilateral
M16.3	Other dysplastic coxarthrosis
M16.4	Post-traumatic coxarthrosis, bilateral
M16.5	Other post-traumatic coxarthrosis
M16.6	Other secondary coxarthrosis, bilateral
M16.7	Other secondary coxarthrosis
M16.9	Coxarthrosis, unspecified
M17	Gonarthrosis [arthrosis of knee]
M17.0	Primary gonarthrosis, bilateral
M17.1	Other primary gonarthrosis
M17.2	Post-traumatic gonarthrosis, bilateral
M17.3	Other post-traumatic gonarthrosis
M17.4	Other secondary gonarthrosis, bilateral
M17.5	Other secondary gonarthrosis
M17.9	Gonarthrosis, unspecified
M18	Arthrosis of first carpometacarpal joint
M18.0	Primary arthrosis of first carpometacarpal joints, bilateral
M18.1	Other primary arthrosis of first carpometacarpal joint
M18.2	Post-traumatic arthrosis of first carpometacarpal joints, bilateral
M18.3	Other post-traumatic arthrosis of first carpometacarpal joint

M18.4	Other secondary arthrosis of first carpometacarpal joints, bilateral
M18.5	Other secondary arthrosis of first carpometacarpal joint
M18.9	Arthrosis of first carpometacarpal joint, unspecified
M19	Other arthrosis
M19.0	Primary arthrosis of other joints
M19.01	Primary arthrosis of other joints, shoulder region
M19.02	Primary arthrosis of other joints, upper arm
M19.03	Primary arthrosis of other joints, forearm
M19.04	Primary arthrosis of other joints, hand
M19.07	Primary arthrosis of other joints, ankle and foot
M19.08	Primary arthrosis of other joints, other site
M19.09	Primary arthrosis of other joints, site unspecified
M19.1	Post-traumatic arthrosis of other joints
M19.11	Post-traumatic arthrosis of other joints, shoulder region
M19.12	Post-traumatic arthrosis of other joints, upper arm
M19.13	Post-traumatic arthrosis of other joints, forearm
M19.14	Post-traumatic arthrosis of other joints, hand
M19.17	Post-traumatic arthrosis of other joints, ankle and foot
M19.18	Post-traumatic arthrosis of other joints, other site
M19.19	Post-traumatic arthrosis of other joints, site unspecified
M19.2	Other secondary arthrosis
M19.21	Other secondary arthrosis, shoulder region
M19.22	Other secondary arthrosis, upper arm
M19.23	Other secondary arthrosis, forearm
M19.24	Other secondary arthrosis, hand
M19.27	Other secondary arthrosis, ankle and foot
M19.28	Other secondary arthrosis, other site
M19.29	Other secondary arthrosis, site unspecified
M19.8	Other specified arthrosis
M19.81	Other specified arthrosis, shoulder region
M19.82	Other specified arthrosis, upper arm
M19.83	Other specified arthrosis, forearm
M19.84	Other specified arthrosis, hand
M19.87	Other specified arthrosis, ankle and foot
M19.88	Other specified arthrosis, other site
M19.89	Other specified arthrosis, site unspecified
M19.9	Arthrosis, unspecified
M19.91	Arthrosis, unspecified, shoulder region
M19.92	Arthrosis, unspecified, upper arm
M19.93	Arthrosis, unspecified, forearm
M19.94	Arthrosis, unspecified, hand
M19.97	Arthrosis, unspecified, ankle and foot
M19.98	Arthrosis, unspecified, other site
M19.99	Arthrosis, unspecified, site unspecified
M20	Acquired deformities of fingers and toes
M20.0	Deformity of finger(s)
M20.1	Hallux valgus (acquired)
M20.2	Hallux rigidus

M20.3	Other deformity of hallux (acquired)
M20.4	Other hammer toe(s) (acquired)
M20.5	Other deformities of toe(s) (acquired)
M20.6	Acquired deformity of toe(s), unspecified
M21	Other acquired deformities of limbs
M21.0	Valgus deformity, not elsewhere classified
M21.00	Valgus deformity, not elsewhere classified, multiple sites
M21.01	Valgus deformity, not elsewhere classified, shoulder region
M21.02	Valgus deformity, not elsewhere classified, upper arm
M21.03	Valgus deformity, not elsewhere classified, forearm
M21.04	Valgus deformity, not elsewhere classified, hand
M21.05	Valgus deformity, not elsewhere classified, pelvic region and thigh
M21.06	Valgus deformity, not elsewhere classified, lower leg
M21.07	Valgus deformity, not elsewhere classified, ankle and foot
M21.08	Valgus deformity, not elsewhere classified, other site
M21.09	Valgus deformity, not elsewhere classified, site unspecified
M21.1	Varus deformity, not elsewhere classified
M21.10	Varus deformity, not elsewhere classified, multiple sites
M21.11	Varus deformity, not elsewhere classified, shoulder region
M21.12	Varus deformity, not elsewhere classified, upper arm
M21.13	Varus deformity, not elsewhere classified, forearm
M21.14	Varus deformity, not elsewhere classified, hand
M21.15	Varus deformity, not elsewhere classified, pelvic region and thigh
M21.16	Varus deformity, not elsewhere classified, lower leg
M21.17	Varus deformity, not elsewhere classified, ankle and foot
M21.18	Varus deformity, not elsewhere classified, other site
M21.19	Varus deformity, not elsewhere classified, site unspecified
M21.2	Flexion deformity
M21.20	Flexion deformity, multiple sites
M21.21	Flexion deformity, shoulder region
M21.22	Flexion deformity, upper arm
M21.23	Flexion deformity, forearm
M21.24	Flexion deformity, hand
M21.25	Flexion deformity, pelvic region and thigh
M21.26	Flexion deformity, lower leg
M21.27	Flexion deformity, ankle and foot
M21.28	Flexion deformity, other site
M21.29	Flexion deformity, site unspecified
M21.3	Wrist or foot drop (acquired)
M21.30	Wrist or foot drop (acquired), multiple sites
M21.33	Wrist or foot drop (acquired), forearm
M21.37	Wrist or foot drop (acquired), ankle and foot
M21.4	Flat foot [pes planus] (acquired)
M21.5	Acquired clawhand, clubhand, clawfoot and clubfoot
M21.50	Acquired clawhand, clubhand, clawfoot and clubfoot, multiple sites
M21.54	Acquired clawhand, clubhand, clawfoot and clubfoot, hand
M21.57	Acquired clawhand, clubhand, clawfoot and clubfoot, ankle and foot
M21.6	Other acquired deformities of ankle and foot

M21.60	Other acquired deformities of ankle and foot, multiple sites
M21.67	Other acquired deformities of ankle and foot, ankle and foot
M21.7	Unequal limb length (acquired)
M21.70	Unequal limb length (acquired), multiple sites
M21.71	Unequal limb length (acquired), shoulder region
M21.72	Unequal limb length (acquired), upper arm
M21.73	Unequal limb length (acquired), forearm
M21.74	Unequal limb length (acquired), hand
M21.75	Unequal limb length (acquired), pelvic region and thigh
M21.76	Unequal limb length (acquired), lower leg
M21.77	Unequal limb length (acquired), ankle and foot
M21.78	Unequal limb length (acquired), other site
M21.79	Unequal limb length (acquired), site unspecified
M21.8	Other specified acquired deformities of limbs
M21.80	Other specified acquired deformities of limbs, multiple sites
M21.81	Other specified acquired deformities of limbs, shoulder region
M21.82	Other specified acquired deformities of limbs, upper arm
M21.83	Other specified acquired deformities of limbs, forearm
M21.84	Other specified acquired deformities of limbs, hand
M21.85	Other specified acquired deformities of limbs, pelvic region and thigh
M21.86	Other specified acquired deformities of limbs, lower leg
M21.87	Other specified acquired deformities of limbs, ankle and foot
M21.88	Other specified acquired deformities of limbs, other site
M21.89	Other specified acquired deformities of limbs, site unspecified
M21.9	Acquired deformity of limb, unspecified
M21.90	Acquired deformity of limb, unspecified, multiple sites
M21.91	Acquired deformity of limb, unspecified, shoulder region
M21.92	Acquired deformity of limb, unspecified, upper arm
M21.93	Acquired deformity of limb, unspecified, forearm
M21.94	Acquired deformity of limb, unspecified, hand
M21.95	Acquired deformity of limb, unspecified, pelvic region and thigh
M21.96	Acquired deformity of limb, unspecified, lower leg
M21.97	Acquired deformity of limb, unspecified, ankle and foot
M21.98	Acquired deformity of limb, unspecified, other site
M21.99	Acquired deformity of limb, unspecified, site unspecified
M22	Disorders of patella
M22.0	Recurrent dislocation of patella
M22.1	Recurrent subluxation of patella
M22.2	Patellofemoral disorders
M22.3	Other derangements of patella
M22.4	Chondromalacia patellae
M22.8	Other disorders of patella
M22.9	Disorder of patella, unspecified
M23	Internal derangement of knee
M23.0	Cystic meniscus
M23.00	Cystic meniscus, multiple sites
M23.01	Cystic anterior horn of medial meniscus
M23.02	Cystic posterior horn of medial meniscus

M23.03	Cystic medial meniscus, other and unspecified sites
M23.04	Cystic anterior horn of lateral meniscus
M23.05	Cystic posterior horn of lateral meniscus
M23.06	Cystic lateral meniscus, other and unspecified sites
M23.09	Cystic meniscus, unspecified sites
M23.1	Discoid meniscus [congenital]
M23.10	Discoid meniscus [congenital], multiple sites
M23.11	Discoid meniscus [congenital] anterior cruciate ligament or anterior horn of medial meniscus
M23.12	Discoid meniscus [congenital] posterior cruciate ligament or posterior horn of medial meniscus
M23.13	Discoid meniscus [congenital] medial collateral ligament or other and unspecified medial meniscus
M23.14	Discoid meniscus [congenital] lateral collateral ligament or anterior horn of lateral meniscus
M23.15	Discoid posterior horn of lateral meniscus [congenital]
M23.16	Discoid lateral meniscus [congenital], other and unspecified sites
M23.19	Discoid meniscus [congenital], unspecified site
M23.2	Derangement of meniscus due to old tear or injury
M23.20	Derangement of meniscus due to old tear or injury, multiple sites
M23.21	Derangement of anterior horn of medial meniscus due to old tear or injury
M23.22	Derangement of posterior horn of medial meniscus due to old tear or injury
M23.23	Derangement of other and unspecified medial meniscus due to old tear or injury
M23.24	Derangement of anterior horn of lateral meniscus due to old tear or injury
M23.25	Derangement of posterior horn of lateral meniscus due to old tear or injury
M23.26	Derangement of other and unspecified lateral meniscus due to old tear or injury
M23.29	Derangement of meniscus, unspecified, due to old tear or injury
M23.3	Other meniscus derangements
M23.30	Other meniscus derangements, multiple sites
M23.31	Other derangements of anterior horn of medial meniscus
M23.32	Other derangements of posterior horn of medial meniscus
M23.33	Other derangements of other and unspecified medial meniscus
M23.34	Other derangements of anterior horn of lateral meniscus
M23.35	Other derangements of posterior horn of lateral meniscus
M23.36	Other derangements of other and unspecified lateral meniscus
M23.39	Other derangements of unspecified meniscus
M23.4	Loose body in knee
M23.40	Loose body in knee, multiple sites
M23.41	Loose body, anterior cruciate ligament or anterior horn of medial meniscus
M23.42	Loose body, posterior cruciate ligament or posterior horn of medial meniscus
M23.43	Loose body, medial collateral ligament or other and unspecified medial meniscus
M23.44	Loose body, lateral collateral ligament or anterior horn of lateral meniscus
M23.45	Loose body, posterior horn of lateral meniscus
M23.46	Loose body, other and unspecified lateral meniscus
M23.47	Loose body, capsular ligament
M23.49	Loose body, unspecified ligament or unspecified meniscus
M23.5	Chronic instability of knee
M23.50	Chronic instability of knee, multiple sites
M23.51	Chronic instability, anterior cruciate ligament or anterior horn of medial meniscus

M23.52	Chronic instability, posterior cruciate ligament or posterior horn of medial meniscus
M23.53	Chronic instability, medial collateral ligament or other and unspecified medial meniscus
M23.54	Chronic instability, lateral collateral ligament or anterior horn of lateral meniscus
M23.55	Chronic instability, posterior horn of lateral meniscus
M23.56	Chronic instability, other and unspecified lateral meniscus
M23.57	Chronic instability, capsular ligament
M23.59	Chronic instability, unspecified ligament or unspecified meniscus
M23.6	Other spontaneous disruption of ligament(s) of knee
M23.60	Other spontaneous disruption of ligament(s) of knee, multiple sites
M23.61	Other spontaneous disruption of anterior cruciate ligament
M23.62	Other spontaneous disruption of posterior cruciate ligament
M23.63	Other spontaneous disruption of medial collateral ligament
M23.64	Other spontaneous disruption of lateral collateral ligament
M23.67	Other spontaneous disruption of capsular ligament
M23.69	Other spontaneous disruption of ligament(s) of knee, unspecified ligament or unspecified meniscus
M23.8	Other internal derangements of knee
M23.80	Other internal derangements of knee, multiple sites
M23.81	Other internal derangements of anterior cruciate ligament or anterior horn of medial meniscus
M23.82	Other internal derangements of posterior cruciate ligament or posterior horn of medial meniscus
M23.83	Other internal derangements of medial collateral ligament or other and unspecified medial meniscus
M23.84	Other internal derangements of lateral collateral ligament or anterior horn of lateral meniscus
M23.85	Other internal derangements of posterior horn of lateral meniscus
M23.86	Other internal derangements of other and unspecified lateral meniscus
M23.87	Other internal derangements of capsular ligament
M23.89	Other internal derangements of knee, unspecified ligament or unspecified meniscus
M23.9	Internal derangement of knee, unspecified
M23.90	Unspecified internal derangement of knee, multiple sites
M23.91	Unspecified internal derangement of anterior cruciate ligament or anterior horn of medial meniscus
M23.92	Unspecified internal derangement of posterior cruciate ligament or posterior horn of medial meniscus
M23.93	Unspecified internal derangement of medial collateral ligament or other and unspecified medial meniscus
M23.94	Unspecified internal derangement of lateral collateral ligament or anterior horn of lateral meniscus
M23.95	Unspecified internal derangement of posterior horn of lateral meniscus
M23.96	Unspecified internal derangement of other and unspecified lateral meniscus
M23.97	Unspecified internal derangement of capsular ligament
M23.99	Unspecified internal derangement of unspecified ligament or unspecified meniscus
M24	Other specific joint derangements
M24.0	Loose body in joint
M24.00	Loose body in joint, multiple sites
M24.01	Loose body in joint, shoulder region
M24.02	Loose body in joint, upper arm
M24.03	Loose body in joint, forearm

M24.04	Loose body in joint, hand
M24.05	Loose body in joint, pelvic region and thigh
M24.07	Loose body in joint, ankle and foot
M24.08	Loose body in joint, other site
M24.09	Loose body in joint, site unspecified
M24.1	Other articular cartilage disorders
M24.10	Other articular cartilage disorders, multiple sites
M24.11	Other articular cartilage disorders, shoulder region
M24.12	Other articular cartilage disorders, upper arm
M24.13	Other articular cartilage disorders, forearm
M24.14	Other articular cartilage disorders, hand
M24.15	Other articular cartilage disorders, pelvic region and thigh
M24.17	Other articular cartilage disorders, ankle and foot
M24.18	Other articular cartilage disorders, other site
M24.19	Other articular cartilage disorders, site unspecified
M24.2	Disorder of ligament
M24.20	Disorder of ligament, multiple sites
M24.21	Disorder of ligament, shoulder region
M24.22	Disorder of ligament, upper arm
M24.23	Disorder of ligament, forearm
M24.24	Disorder of ligament, hand
M24.25	Disorder of ligament, pelvic region and thigh
M24.27	Disorder of ligament, ankle and foot
M24.28	Disorder of ligament, other site
M24.29	Disorder of ligament, site unspecified
M24.3	Pathological dislocation and subluxation of joint, not elsewhere classified
M24.30	Pathological dislocation and subluxation of joint, not elsewhere classified, multiple sites
M24.31	Pathological dislocation and subluxation of joint, not elsewhere classified, shoulder region
M24.32	Pathological dislocation and subluxation of joint, not elsewhere classified, upper arm
M24.33	Pathological dislocation and subluxation of joint, not elsewhere classified, forearm
M24.34	Pathological dislocation and subluxation of joint, not elsewhere classified, hand
M24.35	Pathological dislocation and subluxation of joint, not elsewhere classified, pelvic region and thigh
M24.36	Pathological dislocation and subluxation of joint, not elsewhere classified, lower leg
M24.37	Pathological dislocation and subluxation of joint, not elsewhere classified, ankle and foot
M24.38	Pathological dislocation and subluxation of joint, not elsewhere classified, other site
M24.39	Pathological dislocation and subluxation of joint, not elsewhere classified, site unspecified
M24.4	Recurrent dislocation and subluxation of joint
M24.40	Recurrent dislocation and subluxation of joint, multiple sites
M24.41	Recurrent dislocation and subluxation of joint, shoulder region
M24.42	Recurrent dislocation and subluxation of joint, upper arm
M24.43	Recurrent dislocation and subluxation of joint, forearm
M24.44	Recurrent dislocation and subluxation of joint, hand
M24.45	Recurrent dislocation and subluxation of joint, pelvic region and thigh
M24.46	Recurrent dislocation and subluxation of joint, lower leg
M24.47	Recurrent dislocation and subluxation of joint, ankle and foot
M24.48	Recurrent dislocation and subluxation of joint, other site
M24.49	Recurrent dislocation and subluxation of joint, site unspecified

M24.5	Contracture of joint
M24.50	Contracture of joint, multiple sites
M24.51	Contracture of joint, shoulder region
M24.52	Contracture of joint, upper arm
M24.53	Contracture of joint, forearm
M24.54	Contracture of joint, hand
M24.55	Contracture of joint, pelvic region and thigh
M24.56	Contracture of joint, lower leg
M24.57	Contracture of joint, ankle and foot
M24.58	Contracture of joint, other site
M24.59	Contracture of joint, site unspecified
M24.6	Ankylosis of joint
M24.60	Ankylosis of joint, multiple sites
M24.61	Ankylosis of joint, shoulder region
M24.62	Ankylosis of joint, upper arm
M24.63	Ankylosis of joint, forearm
M24.64	Ankylosis of joint, hand
M24.65	Ankylosis of joint, pelvic region and thigh
M24.66	Ankylosis of joint, lower leg
M24.67	Ankylosis of joint, ankle and foot
M24.68	Ankylosis of joint, other site
M24.69	Ankylosis of joint, site unspecified
M24.7	Protrusio acetabuli
M24.8	Other specific joint derangements, not elsewhere classified
M24.80	Other specific joint derangements, not elsewhere classified, multiple sites
M24.81	Other specific joint derangements, not elsewhere classified, shoulder region
M24.82	Other specific joint derangements, not elsewhere classified, upper arm
M24.83	Other specific joint derangements, not elsewhere classified, forearm
M24.84	Other specific joint derangements, not elsewhere classified, hand
M24.85	Other specific joint derangements, not elsewhere classified, pelvic region and thigh
M24.87	Other specific joint derangements, not elsewhere classified, ankle and foot
M24.88	Other specific joint derangements, not elsewhere classified, other site
M24.89	Other specific joint derangements, not elsewhere classified, site unspecified
M24.9	Unspecified joint derangement
M24.90	Unspecified joint derangement, multiple sites
M24.91	Unspecified joint derangement, shoulder region
M24.92	Unspecified joint derangement, upper arm
M24.93	Unspecified joint derangement, forearm
M24.94	Unspecified joint derangement, hand
M24.95	Unspecified joint derangement, pelvic region and thigh
M24.97	Unspecified joint derangement, ankle and foot
M24.98	Unspecified joint derangement, other site
M24.99	Unspecified joint derangement, site unspecified
M25	Other joint disorders, not elsewhere classified
M25.0	Haemarthrosis
M25.00	Haemarthrosis, multiple sites
M25.01	Haemarthrosis, shoulder region
M25.02	Haemarthrosis, upper arm

M25.03	Haemarthrosis, forearm
M25.04	Haemarthrosis, hand
M25.05	Haemarthrosis, pelvic region and thigh
M25.06	Haemarthrosis, lower leg
M25.07	Haemarthrosis, ankle and foot
M25.08	Haemarthrosis, other site
M25.09	Haemarthrosis, site unspecified
M25.1	Fistula of joint
M25.10	Fistula of joint, multiple sites
M25.11	Fistula of joint, shoulder region
M25.12	Fistula of joint, upper arm
M25.13	Fistula of joint, forearm
M25.14	Fistula of joint, hand
M25.15	Fistula of joint, pelvic region and thigh
M25.16	Fistula of joint, lower leg
M25.17	Fistula of joint, ankle and foot
M25.18	Fistula of joint, other site
M25.19	Fistula of joint, site unspecified
M25.2	Flail joint
M25.20	Flail joint, multiple sites
M25.21	Flail joint, shoulder region
M25.22	Flail joint, upper arm
M25.23	Flail joint, forearm
M25.24	Flail joint, hand
M25.25	Flail joint, pelvic region and thigh
M25.26	Flail joint, lower leg
M25.27	Flail joint, ankle and foot
M25.28	Flail joint, other site
M25.29	Flail joint, site unspecified
M25.3	Other instability of joint
M25.30	Other instability of joint, multiple sites
M25.31	Other instability of joint, shoulder region
M25.32	Other instability of joint, upper arm
M25.33	Other instability of joint, forearm
M25.34	Other instability of joint, hand
M25.35	Other instability of joint, pelvic region and thigh
M25.36	Other instability of joint, lower leg
M25.37	Other instability of joint, ankle and foot
M25.38	Other instability of joint, other site
M25.39	Other instability of joint, site unspecified
M25.4	Effusion of joint
M25.40	Effusion of joint, multiple sites
M25.41	Effusion of joint, shoulder region
M25.42	Effusion of joint, upper arm
M25.43	Effusion of joint, forearm
M25.44	Effusion of joint, hand
M25.45	Effusion of joint, pelvic region and thigh
M25.46	Effusion of joint, lower leg

M25.47	Effusion of joint, ankle and foot
M25.48	Effusion of joint, other site
M25.49	Effusion of joint, site unspecified
M25.5	Pain in joint
M25.50	Pain in a joint, multiple sites
M25.51	Pain in a joint, shoulder region
M25.52	Pain in a joint, upper arm
M25.53	Pain in a joint, forearm
M25.54	Pain in a joint, hand
M25.55	Pain in a joint, pelvic region and thigh
M25.56	Pain in a joint, lower leg
M25.57	Pain in a joint, ankle and foot
M25.58	Pain in a joint, other site
M25.59	Pain in a joint, site unspecified
M25.6	Stiffness of joint, not elsewhere classified
M25.60	Stiffness of joint, not elsewhere classified, multiple sites
M25.61	Stiffness of joint, not elsewhere classified, shoulder region
M25.62	Stiffness of joint, not elsewhere classified, upper arm
M25.63	Stiffness of joint, not elsewhere classified, forearm
M25.64	Stiffness of joint, not elsewhere classified, hand
M25.65	Stiffness of joint, not elsewhere classified, pelvic region and thigh
M25.66	Stiffness of joint, not elsewhere classified, lower leg
M25.67	Stiffness of joint, not elsewhere classified, ankle and foot
M25.68	Stiffness of joint, not elsewhere classified, other site
M25.69	Stiffness of joint, not elsewhere classified, site unspecified
M25.7	Osteophyte
M25.70	Osteophyte, multiple sites
M25.71	Osteophyte, shoulder region
M25.72	Osteophyte, upper arm
M25.73	Osteophyte, forearm
M25.74	Osteophyte, hand
M25.75	Osteophyte, pelvic region and thigh
M25.76	Osteophyte, lower leg
M25.77	Osteophyte, ankle and foot
M25.78	Osteophyte, other site
M25.79	Osteophyte, site unspecified
M25.8	Other specified joint disorders
M25.80	Other specified joint disorders, multiple sites
M25.81	Other specified joint disorders, shoulder region
M25.82	Other specified joint disorders, upper arm
M25.83	Other specified joint disorders, forearm
M25.84	Other specified joint disorders, hand
M25.85	Other specified joint disorders, pelvic region and thigh
M25.86	Other specified joint disorders, lower leg
M25.87	Other specified joint disorders, ankle and foot
M25.88	Other specified joint disorders, other site
M25.89	Other specified joint disorders, site unspecified
M25.9	Unspecified joint disorder

M25.90	Unspecified joint disorder, multiple sites
M25.91	Unspecified joint disorder, shoulder region
M25.92	Unspecified joint disorder, upper arm
M25.93	Unspecified joint disorder, forearm
M25.94	Unspecified joint disorder, hand
M25.95	Unspecified joint disorder, pelvic region and thigh
M25.96	Unspecified joint disorder, lower leg
M25.97	Unspecified joint disorder, ankle and foot
M25.98	Unspecified joint disorder, other site
M25.99	Unspecified joint disorder, site unspecified
M30–M36	Systemic connective tissue disorders
M30	Polyarteritis nodosa and related conditions
M30.0	Polyarteritis nodosa
M30.1	Polyarteritis with lung involvement [Churg-Strauss]
M30.2	Juvenile polyarteritis
M30.3	Mucocutaneous lymph node syndrome [Kawasaki]
M30.8	Other conditions related to polyarteritis nodosa
M31	Other necrotising vasculopathies
M31.0	Hypersensitivity angiitis
M31.1	Thrombotic microangiopathy
M31.2	Lethal midline granuloma
M31.3	Granulomatosis with polyangiitis
M31.4	Aortic arch syndrome [Takayasu]
M31.5	Giant cell arteritis with polymyalgia rheumatica
M31.6	Other giant cell arteritis
M31.7	Microscopic polyangiitis
M31.8	Other specified necrotising vasculopathies
M31.9	Necrotising vasculopathy, unspecified
M32	Systemic lupus erythematosus
M32.0	Drug-induced systemic lupus erythematosus
M32.1†	Systemic lupus erythematosus with organ or system involvement
M32.8	Other forms of systemic lupus erythematosus
M32.9	Systemic lupus erythematosus, unspecified
M33	Dermatopolymyositis
M33.0	Juvenile dermatomyositis
M33.1	Other dermatomyositis
M33.2	Polymyositis
M33.9	Dermatopolymyositis, unspecified
M34	Systemic sclerosis
M34.0	Progressive systemic sclerosis
M34.1	CREST syndrome
M34.2	Systemic sclerosis induced by drugs and chemicals
M34.8	Other forms of systemic sclerosis
M34.9	Systemic sclerosis, unspecified
M35	Other systemic involvement of connective tissue
M35.0	Sicca syndrome [Sjogren]
M35.1	Other overlap syndromes
M35.2	Behcet's disease

M35.3	Polymyalgia rheumatica
M35.4	Diffuse (eosinophilic) fasciitis
M35.5	Multifocal fibrosclerosis
M35.6	Relapsing panniculitis [Weber-Christian]
M35.7	Hypermobility syndrome
M35.8	Other specified systemic involvement of connective tissue
M35.9	Systemic involvement of connective tissue, unspecified
M36*	Systemic disorders of connective tissue in diseases classified elsewhere
M36.0*	Dermato(poly)myositis in neoplastic disease (C00-D48†)
M36.1*	Arthropathy in neoplastic disease (C00-D48†)
M36.2*	Haemophilic arthropathy (D66-D68†)
M36.3*	Arthropathy in other blood disorders (D50-D76†)
M36.4*	Arthropathy in hypersensitivity reactions classified elsewhere
M36.8*	Systemic disorders of connective tissue in other diseases classified elsewhere
M40	Kyphosis and lordosis
M40.0	Postural kyphosis
M40.00	Postural kyphosis, multiple sites in spine
M40.01	Postural kyphosis, occipito-atlanto-axial region
M40.02	Postural kyphosis, cervical region
M40.03	Postural kyphosis, cervicothoracic region
M40.04	Postural kyphosis, thoracic region
M40.05	Postural kyphosis, thoracolumbar region
M40.06	Postural kyphosis, lumbar region
M40.07	Postural kyphosis, lumbosacral region
M40.08	Postural kyphosis, sacral and sacrococcygeal region
M40.09	Postural kyphosis, site unspecified
M40.1	Other secondary kyphosis
M40.10	Other secondary kyphosis, multiple sites in spine
M40.11	Other secondary kyphosis, occipito-atlanto-axial region
M40.12	Other secondary kyphosis, cervical region
M40.13	Other secondary kyphosis, cervicothoracic region
M40.14	Other secondary kyphosis, thoracic region
M40.15	Other secondary kyphosis, thoracolumbar region
M40.16	Other secondary kyphosis, lumbar region
M40.17	Other secondary kyphosis, lumbosacral region
M40.18	Other secondary kyphosis, sacral and sacrococcygeal region
M40.19	Other secondary kyphosis, site unspecified
M40.2	Other and unspecified kyphosis
M40.20	Other and unspecified kyphosis, multiple sites in spine
M40.21	Other and unspecified kyphosis, occipito-atlanto-axial region
M40.22	Other and unspecified kyphosis, cervical region
M40.23	Other and unspecified kyphosis, cervicothoracic region
M40.24	Other and unspecified kyphosis, thoracic region
M40.25	Other and unspecified kyphosis, thoracolumbar region
M40.26	Other and unspecified kyphosis, lumbar region
M40.27	Other and unspecified kyphosis, lumbosacral region
M40.28	Other and unspecified kyphosis, sacral and sacrococcygeal region
M40.29	Other and unspecified kyphosis, site unspecified

M40.3	Flatback syndrome
M40.30	Flatback syndrome, multiple sites in spine
M40.31	Flatback syndrome, occipito-atlanto-axial region
M40.32	Flatback syndrome, cervical region
M40.33	Flatback syndrome, cervicothoracic region
M40.34	Flatback syndrome, thoracic region
M40.35	Flatback syndrome, thoracolumbar region
M40.36	Flatback syndrome, lumbar region
M40.37	Flatback syndrome, lumbosacral region
M40.38	Flatback syndrome, sacral and sacrococcygeal region
M40.39	Flatback syndrome, site unspecified
M40.4	Other lordosis
M40.40	Other lordosis, multiple sites in spine
M40.41	Other lordosis, occipito-atlanto-axial region
M40.42	Other lordosis, cervical region
M40.43	Other lordosis, cervicothoracic region
M40.44	Other lordosis, thoracic region
M40.45	Other lordosis, thoracolumbar region
M40.46	Other lordosis, lumbar region
M40.47	Other lordosis, lumbosacral region
M40.48	Other lordosis, sacral and sacrococcygeal region
M40.49	Other lordosis, site unspecified
M40.5	Unspecified lordosis
M40.50	Unspecified lordosis, multiple sites in spine
M40.51	Unspecified lordosis, occipito-atlanto-axial region
M40.52	Unspecified lordosis, cervical region
M40.53	Unspecified lordosis, cervicothoracic region
M40.54	Unspecified lordosis, thoracic region
M40.55	Unspecified lordosis, thoracolumbar region
M40.56	Unspecified lordosis, lumbar region
M40.57	Unspecified lordosis, lumbosacral region
M40.58	Unspecified lordosis, sacral and sacrococcygeal region
M40.59	Unspecified lordosis, site unspecified
M41	Scoliosis
M41.0	Infantile idiopathic scoliosis
M41.00	Infantile idiopathic scoliosis, multiple sites in spine
M41.01	Infantile idiopathic scoliosis, occipito-atlanto-axial region
M41.02	Infantile idiopathic scoliosis, cervical region
M41.03	Infantile idiopathic scoliosis, cervicothoracic region
M41.04	Infantile idiopathic scoliosis, thoracic region
M41.05	Infantile idiopathic scoliosis, thoracolumbar region
M41.06	Infantile idiopathic scoliosis, lumbar region
M41.07	Infantile idiopathic scoliosis, lumbosacral region
M41.08	Infantile idiopathic scoliosis, sacral and sacrococcygeal region
M41.09	Infantile idiopathic scoliosis, site unspecified
M41.1	Juvenile idiopathic scoliosis
M41.10	Juvenile idiopathic scoliosis, multiple sites in spine
M41.11	Juvenile idiopathic scoliosis, occipito-atlanto-axial region

M41.12	Juvenile idiopathic scoliosis, cervical region
M41.13	Juvenile idiopathic scoliosis, cervicothoracic region
M41.14	Juvenile idiopathic scoliosis, thoracic region
M41.15	Juvenile idiopathic scoliosis, thoracolumbar region
M41.16	Juvenile idiopathic scoliosis, lumbar region
M41.17	Juvenile idiopathic scoliosis, lumbosacral region
M41.18	Juvenile idiopathic scoliosis, sacral and sacrococcygeal region
M41.19	Juvenile idiopathic scoliosis, site unspecified
M41.2	Other idiopathic scoliosis
M41.20	Other idiopathic scoliosis, multiple sites in spine
M41.21	Other idiopathic scoliosis, occipito-atlanto-axial region
M41.22	Other idiopathic scoliosis, cervical region
M41.23	Other idiopathic scoliosis, cervicothoracic region
M41.24	Other idiopathic scoliosis, thoracic region
M41.25	Other idiopathic scoliosis, thoracolumbar region
M41.26	Other idiopathic scoliosis, lumbar region
M41.27	Other idiopathic scoliosis, lumbosacral region
M41.28	Other idiopathic scoliosis, sacral and sacrococcygeal region
M41.29	Other idiopathic scoliosis, site unspecified
M41.3	Thoracogenic scoliosis
M41.30	Thoracogenic scoliosis, multiple sites in spine
M41.31	Thoracogenic scoliosis, occipito-atlanto-axial region
M41.32	Thoracogenic scoliosis, cervical region
M41.33	Thoracogenic scoliosis, cervicothoracic region
M41.34	Thoracogenic scoliosis, thoracic region
M41.35	Thoracogenic scoliosis, thoracolumbar region
M41.36	Thoracogenic scoliosis, lumbar region
M41.37	Thoracogenic scoliosis, lumbosacral region
M41.38	Thoracogenic scoliosis, sacral and sacrococcygeal region
M41.39	Thoracogenic scoliosis, site unspecified
M41.4	Neuromuscular scoliosis
M41.40	Neuromuscular scoliosis, multiple sites in spine
M41.41	Neuromuscular scoliosis, occipito-atlanto-axial region
M41.42	Neuromuscular scoliosis, cervical region
M41.43	Neuromuscular scoliosis, cervicothoracic region
M41.44	Neuromuscular scoliosis, thoracic region
M41.45	Neuromuscular scoliosis, thoracolumbar region
M41.46	Neuromuscular scoliosis, lumbar region
M41.47	Neuromuscular scoliosis, lumbosacral region
M41.48	Neuromuscular scoliosis, sacral and sacrococcygeal region
M41.49	Neuromuscular scoliosis, site unspecified
M41.5	Other secondary scoliosis
M41.50	Other secondary scoliosis, multiple sites in spine
M41.51	Other secondary scoliosis, occipito-atlanto-axial region
M41.52	Other secondary scoliosis, cervical region
M41.53	Other secondary scoliosis, cervicothoracic region
M41.54	Other secondary scoliosis, thoracic region
M41.55	Other secondary scoliosis, thoracolumbar region

M41.56	Other secondary scoliosis, lumbar region
M41.57	Other secondary scoliosis, lumbosacral region
M41.58	Other secondary scoliosis, sacral and sacrococcygeal region
M41.59	Other secondary scoliosis, site unspecified
M41.8	Other forms of scoliosis
M41.80	Other forms of scoliosis, multiple sites in spine
M41.81	Other forms of scoliosis, occipito-atlanto-axial region
M41.82	Other forms of scoliosis, cervical region
M41.83	Other forms of scoliosis, cervicothoracic region
M41.84	Other forms of scoliosis, thoracic region
M41.85	Other forms of scoliosis, thoracolumbar region
M41.86	Other forms of scoliosis, lumbar region
M41.87	Other forms of scoliosis, lumbosacral region
M41.88	Other forms of scoliosis, sacral and sacrococcygeal region
M41.89	Other forms of scoliosis, site unspecified
M41.9	Unspecified scoliosis
M41.90	Unspecified scoliosis, multiple sites in spine
M41.91	Unspecified scoliosis, occipito-atlanto-axial region
M41.92	Unspecified scoliosis, cervical region
M41.93	Unspecified scoliosis, cervicothoracic region
M41.94	Unspecified scoliosis, thoracic region
M41.95	Unspecified scoliosis, thoracolumbar region
M41.96	Unspecified scoliosis, lumbar region
M41.97	Unspecified scoliosis, lumbosacral region
M41.98	Unspecified scoliosis, sacral and sacrococcygeal region
M41.99	Unspecified scoliosis, site unspecified
M42	Spinal osteochondrosis
M42.0	Juvenile osteochondrosis of spine
M42.00	Juvenile osteochondrosis of spine, multiple sites in spine
M42.01	Juvenile osteochondrosis of spine, occipito-atlanto-axial region
M42.02	Juvenile osteochondrosis of spine, cervical region
M42.03	Juvenile osteochondrosis of spine, cervicothoracic region
M42.04	Juvenile osteochondrosis of spine, thoracic region
M42.05	Juvenile osteochondrosis of spine, thoracolumbar region
M42.06	Juvenile osteochondrosis of spine, lumbar region
M42.07	Juvenile osteochondrosis of spine, lumbosacral region
M42.08	Juvenile osteochondrosis of spine, sacral and sacrococcygeal region
M42.09	Juvenile osteochondrosis of spine, site unspecified
M42.1	Adult osteochondrosis of spine
M42.10	Adult osteochondrosis of spine, multiple sites in spine
M42.11	Adult osteochondrosis of spine, occipito-atlanto-axial region
M42.12	Adult osteochondrosis of spine, cervical region
M42.13	Adult osteochondrosis of spine, cervicothoracic region
M42.14	Adult osteochondrosis of spine, thoracic region
M42.15	Adult osteochondrosis of spine, thoracolumbar region
M42.16	Adult osteochondrosis of spine, lumbar region
M42.17	Adult osteochondrosis of spine, lumbosacral region
M42.18	Adult osteochondrosis of spine, sacral and sacrococcygeal region

M42.19	Adult osteochondrosis of spine, site unspecified
M42.9	Unspecified spinal osteochondrosis
M42.90	Unspecified spinal osteochondrosis, multiple sites in spine
M42.91	Unspecified spinal osteochondrosis, occipito-atlanto-axial region
M42.92	Unspecified spinal osteochondrosis, cervical region
M42.93	Unspecified spinal osteochondrosis, cervicothoracic region
M42.94	Unspecified spinal osteochondrosis, thoracic region
M42.95	Unspecified spinal osteochondrosis, thoracolumbar region
M42.96	Unspecified spinal osteochondrosis, lumbar region
M42.97	Unspecified spinal osteochondrosis, lumbosacral region
M42.98	Unspecified spinal osteochondrosis, sacral and sacrococcygeal region
M42.99	Unspecified spinal osteochondrosis, site unspecified
M43	Other deforming dorsopathies
M43.0	Spondylolysis
M43.00	Spondylolysis, multiple sites in spine
M43.01	Spondylolysis, occipito-atlanto-axial region
M43.02	Spondylolysis, cervical region
M43.03	Spondylolysis, cervicothoracic region
M43.04	Spondylolysis, thoracic region
M43.05	Spondylolysis, thoracolumbar region
M43.06	Spondylolysis, lumbar region
M43.07	Spondylolysis, lumbosacral region
M43.08	Spondylolysis, sacral and sacrococcygeal region
M43.09	Spondylolysis, site unspecified
M43.1	Spondylolisthesis
M43.10	Spondylolisthesis, multiple sites in spine
M43.11	Spondylolisthesis, occipito-atlanto-axial region
M43.12	Spondylolisthesis, cervical region
M43.13	Spondylolisthesis, cervicothoracic region
M43.14	Spondylolisthesis, thoracic region
M43.15	Spondylolisthesis, thoracolumbar region
M43.16	Spondylolisthesis, lumbar region
M43.17	Spondylolisthesis, lumbosacral region
M43.18	Spondylolisthesis, sacral and sacrococcygeal region
M43.19	Spondylolisthesis, site unspecified
M43.2	Other fusion of spine
M43.20	Other fusion of spine, multiple sites in spine
M43.21	Other fusion of spine, occipito-atlanto-axial region
M43.22	Other fusion of spine, cervical region
M43.23	Other fusion of spine, cervicothoracic region
M43.24	Other fusion of spine, thoracic region
M43.25	Other fusion of spine, thoracolumbar region
M43.26	Other fusion of spine, lumbar region
M43.27	Other fusion of spine, lumbosacral region
M43.28	Other fusion of spine, sacral and sacrococcygeal region
M43.29	Other fusion of spine, site unspecified
M43.3	Recurrent atlantoaxial subluxation with myelopathy
M43.4	Other recurrent atlantoaxial subluxation

M43.5	Other recurrent vertebral subluxation
M43.50	Other recurrent vertebral subluxation, multiple sites in spine
M43.51	Other recurrent vertebral subluxation, occipito-atlanto-axial region
M43.52	Other recurrent vertebral subluxation, cervical region
M43.53	Other recurrent vertebral subluxation, cervicothoracic region
M43.54	Other recurrent vertebral subluxation, thoracic region
M43.55	Other recurrent vertebral subluxation, thoracolumbar region
M43.56	Other recurrent vertebral subluxation, lumbar region
M43.57	Other recurrent vertebral subluxation, lumbosacral region
M43.58	Other recurrent vertebral subluxation, sacral and sacrococcygeal region
M43.59	Other recurrent vertebral subluxation, site unspecified
M43.6	Torticollis
M43.8	Other specified deforming dorsopathies
M43.80	Other specified deforming dorsopathies, multiple sites in spine
M43.81	Other specified deforming dorsopathies, occipito-atlanto-axial region
M43.82	Other specified deforming dorsopathies, cervical region
M43.83	Other specified deforming dorsopathies, cervicothoracic region
M43.84	Other specified deforming dorsopathies, thoracic region
M43.85	Other specified deforming dorsopathies, thoracolumbar region
M43.86	Other specified deforming dorsopathies, lumbar region
M43.87	Other specified deforming dorsopathies, lumbosacral region
M43.88	Other specified deforming dorsopathies, sacral and sacrococcygeal region
M43.89	Other specified deforming dorsopathies, site unspecified
M43.9	Unspecified deforming dorsopathy
M43.90	Unspecified deforming dorsopathy, multiple sites in spine
M43.91	Unspecified deforming dorsopathy, occipito-atlanto-axial region
M43.92	Unspecified deforming dorsopathy, cervical region
M43.93	Unspecified deforming dorsopathy, cervicothoracic region
M43.94	Unspecified deforming dorsopathy, thoracic region
M43.95	Unspecified deforming dorsopathy, thoracolumbar region
M43.96	Unspecified deforming dorsopathy, lumbar region
M43.97	Unspecified deforming dorsopathy, lumbosacral region
M43.98	Unspecified deforming dorsopathy, sacral and sacrococcygeal region
M43.99	Unspecified deforming dorsopathy, site unspecified
M45	Ankylosing spondylitis
M45.0	Ankylosing spondylitis
M45.00	Ankylosing spondylitis, multiple sites in spine
M45.01	Ankylosing spondylitis, occipito-atlanto-axial region
M45.02	Ankylosing spondylitis, cervical region
M45.03	Ankylosing spondylitis, cervicothoracic region
M45.04	Ankylosing spondylitis, thoracic region
M45.05	Ankylosing spondylitis, thoracolumbar region
M45.06	Ankylosing spondylitis, lumbar region
M45.07	Ankylosing spondylitis, lumbosacral region
M45.08	Ankylosing spondylitis, sacral and sacrococcygeal region
M45.09	Ankylosing spondylitis, site unspecified
M46	Other inflammatory spondylopathies
M46.0	Spinal enthesopathy

M46.00	Spinal enthesopathy, multiple sites in spine
M46.01	Spinal enthesopathy, occipito-atlanto-axial region
M46.02	Spinal enthesopathy, cervical region
M46.03	Spinal enthesopathy, cervicothoracic region
M46.04	Spinal enthesopathy, thoracic region
M46.05	Spinal enthesopathy, thoracolumbar region
M46.06	Spinal enthesopathy, lumbar region
M46.07	Spinal enthesopathy, lumbosacral region
M46.08	Spinal enthesopathy, sacral and sacrococcygeal region
M46.09	Spinal enthesopathy, site unspecified
M46.1	Sacroiliitis, not elsewhere classified
M46.2	Osteomyelitis of vertebra
M46.20	Osteomyelitis of vertebra, multiple sites in spine
M46.21	Osteomyelitis of vertebra, occipito-atlanto-axial region
M46.22	Osteomyelitis of vertebra, cervical region
M46.23	Osteomyelitis of vertebra, cervicothoracic region
M46.24	Osteomyelitis of vertebra, thoracic region
M46.25	Osteomyelitis of vertebra, thoracolumbar region
M46.26	Osteomyelitis of vertebra, lumbar region
M46.27	Osteomyelitis of vertebra, lumbosacral region
M46.28	Osteomyelitis of vertebra, sacral and sacrococcygeal region
M46.29	Osteomyelitis of vertebra, site unspecified
M46.3	Infection of intervertebral disc (pyogenic)
M46.30	Infection of intervertebral disc (pyogenic), multiple sites in spine
M46.31	Infection of intervertebral disc (pyogenic), occipito-atlanto-axial region
M46.32	Infection of intervertebral disc (pyogenic), cervical region
M46.33	Infection of intervertebral disc (pyogenic), cervicothoracic region
M46.34	Infection of intervertebral disc (pyogenic), thoracic region
M46.35	Infection of intervertebral disc (pyogenic), thoracolumbar region
M46.36	Infection of intervertebral disc (pyogenic), lumbar region
M46.37	Infection of intervertebral disc (pyogenic), lumbosacral region
M46.38	Infection of intervertebral disc (pyogenic), sacral and sacrococcygeal region
M46.39	Infection of intervertebral disc (pyogenic), site unspecified
M46.4	Unspecified discitis
M46.40	Unspecified discitis, multiple sites in spine
M46.41	Unspecified discitis, occipito-atlanto-axial region
M46.42	Unspecified discitis, cervical region
M46.43	Unspecified discitis, cervicothoracic region
M46.44	Unspecified discitis, thoracic region
M46.45	Unspecified discitis, thoracolumbar region
M46.46	Unspecified discitis, lumbar region
M46.47	Unspecified discitis, lumbosacral region
M46.48	Unspecified discitis, sacral and sacrococcygeal region
M46.49	Unspecified discitis, site unspecified
M46.5	Other infective spondylopathies
M46.50	Other infective spondylopathies, multiple sites in spine
M46.51	Other infective spondylopathies, occipito-atlanto-axial region
M46.52	Other infective spondylopathies, cervical region

M46.53	Other infective spondylopathies, cervicothoracic region
M46.54	Other infective spondylopathies, thoracic region
M46.55	Other infective spondylopathies, thoracolumbar region
M46.56	Other infective spondylopathies, lumbar region
M46.57	Other infective spondylopathies, lumbosacral region
M46.58	Other infective spondylopathies, sacral and sacrococcygeal region
M46.59	Other infective spondylopathies, site unspecified
M46.8	Other specified inflammatory spondylopathies
M46.80	Other specified inflammatory spondylopathies, multiple sites in spine
M46.81	Other specified inflammatory spondylopathies, occipito-atlanto-axial region
M46.82	Other specified inflammatory spondylopathies, cervical region
M46.83	Other specified inflammatory spondylopathies, cervicothoracic region
M46.84	Other specified inflammatory spondylopathies, thoracic region
M46.85	Other specified inflammatory spondylopathies, thoracolumbar region
M46.86	Other specified inflammatory spondylopathies, lumbar region
M46.87	Other specified inflammatory spondylopathies, lumbosacral region
M46.88	Other specified inflammatory spondylopathies, sacral and sacrococcygeal region
M46.89	Other specified inflammatory spondylopathies, site unspecified
M46.9	Unspecified inflammatory spondylopathy
M46.90	Unspecified inflammatory spondylopathy, multiple sites in spine
M46.91	Unspecified inflammatory spondylopathy, occipito-atlanto-axial region
M46.92	Unspecified inflammatory spondylopathy, cervical region
M46.93	Unspecified inflammatory spondylopathy, cervicothoracic region
M46.94	Unspecified inflammatory spondylopathy, thoracic region
M46.95	Unspecified inflammatory spondylopathy, thoracolumbar region
M46.96	Unspecified inflammatory spondylopathy, lumbar region
M46.97	Unspecified inflammatory spondylopathy, lumbosacral region
M46.98	Unspecified inflammatory spondylopathy, sacral and sacrococcygeal region
M46.99	Unspecified inflammatory spondylopathy, site unspecified
M47	Spondylosis
M47.0†	Anterior spinal and vertebral artery compression syndromes (G99.2*)
M47.00†	Anterior spinal and vertebral artery compression syndromes, multiple sites in spine (G99.2*)
M47.01†	Anterior spinal and vertebral artery compression syndromes, occipito-atlanto-axial region (G99.2*)
M47.02†	Anterior spinal and vertebral artery compression syndromes, cervical region (G99.2*)
M47.03†	Anterior spinal and vertebral artery compression syndromes, cervicothoracic region (G99.2*)
M47.04†	Anterior spinal and vertebral artery compression syndromes, thoracic region (G99.2*)
M47.05†	Anterior spinal and vertebral artery compression syndromes, thoracolumbar region (G99.2*)
M47.06†	Anterior spinal and vertebral artery compression syndromes, lumbar region (G99.2*)
M47.07†	Anterior spinal and vertebral artery compression syndromes, lumbosacral region (G99.2*)
M47.08†	Anterior spinal and vertebral artery compression syndromes, sacral and sacrococcygeal region (G99.2*)
M47.09†	Anterior spinal and vertebral artery compression syndromes, site unspecified (G99.2*)
M47.1	Other spondylosis with myelopathy
M47.10	Other spondylosis with myelopathy, multiple sites in spine
M47.11	Other spondylosis with myelopathy, occipito-atlanto-axial region

M47.12	Other spondylosis with myelopathy, cervical region
M47.13	Other spondylosis with myelopathy, cervicothoracic region
M47.14	Other spondylosis with myelopathy, thoracic region
M47.15	Other spondylosis with myelopathy, thoracolumbar region
M47.16	Other spondylosis with myelopathy, lumbar region
M47.17	Other spondylosis with myelopathy, lumbosacral region
M47.18	Other spondylosis with myelopathy, sacral and sacrococcygeal region
M47.19	Other spondylosis with myelopathy, site unspecified
M47.2	Other spondylosis with radiculopathy
M47.20	Other spondylosis with radiculopathy, multiple sites in spine
M47.21	Other spondylosis with radiculopathy, occipito-atlanto-axial region
M47.22	Other spondylosis with radiculopathy, cervical region
M47.23	Other spondylosis with radiculopathy, cervicothoracic region
M47.24	Other spondylosis with radiculopathy, thoracic region
M47.25	Other spondylosis with radiculopathy, thoracolumbar region
M47.26	Other spondylosis with radiculopathy, lumbar region
M47.27	Other spondylosis with radiculopathy, lumbosacral region
M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region
M47.29	Other spondylosis with radiculopathy, site unspecified
M47.8	Other spondylosis
M47.80	Other spondylosis, multiple sites in spine
M47.81	Other spondylosis, occipito-atlanto-axial region
M47.82	Other spondylosis, cervical region
M47.83	Other spondylosis, cervicothoracic region
M47.84	Other spondylosis, thoracic region
M47.85	Other spondylosis, thoracolumbar region
M47.86	Other spondylosis, lumbar region
M47.87	Other spondylosis, lumbosacral region
M47.88	Other spondylosis, sacral and sacrococcygeal region
M47.89	Other spondylosis, site unspecified
M47.9	Unspecified spondylosis
M47.90	Unspecified spondylosis, multiple sites in spine
M47.91	Unspecified spondylosis, occipito-atlanto-axial region
M47.92	Unspecified spondylosis, cervical region
M47.93	Unspecified spondylosis, cervicothoracic region
M47.94	Unspecified spondylosis, thoracic region
M47.95	Unspecified spondylosis, thoracolumbar region
M47.96	Unspecified spondylosis, lumbar region
M47.97	Unspecified spondylosis, lumbosacral region
M47.98	Unspecified spondylosis, sacral and sacrococcygeal region
M47.99	Unspecified spondylosis, site unspecified
M48	Other spondylopathies
M48.0	Spinal stenosis
M48.00	Spinal stenosis, multiple sites in spine
M48.01	Spinal stenosis, occipito-atlanto-axial region
M48.02	Spinal stenosis, cervical region
M48.03	Spinal stenosis, cervicothoracic region
M48.04	Spinal stenosis, thoracic region

M48.05	Spinal stenosis, thoracolumbar region
M48.06	Spinal stenosis, lumbar region
M48.07	Spinal stenosis, lumbosacral region
M48.08	Spinal stenosis, sacral and sacrococcygeal region
M48.09	Spinal stenosis, site unspecified
M48.1	Ankylosing hyperostosis [Forestier]
M48.10	Ankylosing hyperostosis [Forestier], multiple sites in spine
M48.11	Ankylosing hyperostosis [Forestier], occipito-atlanto-axial region
M48.12	Ankylosing hyperostosis [Forestier], cervical region
M48.13	Ankylosing hyperostosis [Forestier], cervicothoracic region
M48.14	Ankylosing hyperostosis [Forestier], thoracic region
M48.15	Ankylosing hyperostosis [Forestier], thoracolumbar region
M48.16	Ankylosing hyperostosis [Forestier], lumbar region
M48.17	Ankylosing hyperostosis [Forestier], lumbosacral region
M48.18	Ankylosing hyperostosis [Forestier], sacral and sacrococcygeal region
M48.19	Ankylosing hyperostosis [Forestier], site unspecified
M48.2	Kissing spine
M48.20	Kissing spine, multiple sites in spine
M48.21	Kissing spine, occipito-atlanto-axial region
M48.22	Kissing spine, cervical region
M48.23	Kissing spine, cervicothoracic region
M48.24	Kissing spine, thoracic region
M48.25	Kissing spine, thoracolumbar region
M48.26	Kissing spine, lumbar region
M48.27	Kissing spine, lumbosacral region
M48.28	Kissing spine, sacral and sacrococcygeal region
M48.29	Kissing spine, site unspecified
M48.3	Traumatic spondylopathy
M48.30	Traumatic spondylopathy, multiple sites in spine
M48.31	Traumatic spondylopathy, occipito-atlanto-axial region
M48.32	Traumatic spondylopathy, cervical region
M48.33	Traumatic spondylopathy, cervicothoracic region
M48.34	Traumatic spondylopathy, thoracic region
M48.35	Traumatic spondylopathy, thoracolumbar region
M48.36	Traumatic spondylopathy, lumbar region
M48.37	Traumatic spondylopathy, lumbosacral region
M48.38	Traumatic spondylopathy, sacral and sacrococcygeal region
M48.39	Traumatic spondylopathy, site unspecified
M48.4	Fatigue fracture of vertebra
M48.40	Fatigue fracture of vertebra, multiple sites in spine
M48.41	Fatigue fracture of vertebra, occipito-atlanto-axial region
M48.42	Fatigue fracture of vertebra, cervical region
M48.43	Fatigue fracture of vertebra, cervicothoracic region
M48.44	Fatigue fracture of vertebra, thoracic region
M48.45	Fatigue fracture of vertebra, thoracolumbar region
M48.46	Fatigue fracture of vertebra, lumbar region
M48.47	Fatigue fracture of vertebra, lumbosacral region
M48.48	Fatigue fracture of vertebra, sacral and sacrococcygeal region

M48.49	Fatigue fracture of vertebra, site unspecified
M48.5	Collapsed vertebra, not elsewhere classified
M48.50	Collapsed vertebra, not elsewhere classified, multiple sites in spine
M48.51	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region
M48.52	Collapsed vertebra, not elsewhere classified, cervical region
M48.53	Collapsed vertebra, not elsewhere classified, cervicothoracic region
M48.54	Collapsed vertebra, not elsewhere classified, thoracic region
M48.55	Collapsed vertebra, not elsewhere classified, thoracolumbar region
M48.56	Collapsed vertebra, not elsewhere classified, lumbar region
M48.57	Collapsed vertebra, not elsewhere classified, lumbosacral region
M48.58	Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region
M48.59	Collapsed vertebra, not elsewhere classified, site unspecified
M48.8	Other specified spondylopathies
M48.80	Other specified spondylopathies, multiple sites in spine
M48.81	Other specified spondylopathies, occipito-atlanto-axial region
M48.82	Other specified spondylopathies, cervical region
M48.83	Other specified spondylopathies, cervicothoracic region
M48.84	Other specified spondylopathies, thoracic region
M48.85	Other specified spondylopathies, thoracolumbar region
M48.86	Other specified spondylopathies, lumbar region
M48.87	Other specified spondylopathies, lumbosacral region
M48.88	Other specified spondylopathies, sacral and sacrococcygeal region
M48.89	Other specified spondylopathies, site unspecified
M48.9	Unspecified spondylopathy
M48.90	Unspecified spondylopathy, multiple sites in spine
M48.91	Unspecified spondylopathy, occipito-atlanto-axial region
M48.92	Unspecified spondylopathy, cervical region
M48.93	Unspecified spondylopathy, cervicothoracic region
M48.94	Unspecified spondylopathy, thoracic region
M48.95	Unspecified spondylopathy, thoracolumbar region
M48.96	Unspecified spondylopathy, lumbar region
M48.97	Unspecified spondylopathy, lumbosacral region
M48.98	Unspecified spondylopathy, sacral and sacrococcygeal region
M48.99	Unspecified spondylopathy, site unspecified
M49*	Spondylopathies in diseases classified elsewhere
M49.0*	Tuberculosis of spine (A18.0†)
M49.00*	Tuberculosis of spine, multiple sites in spine (A18.0†)
M49.01*	Tuberculosis of spine, occipito-atlanto-axial region (A18.0†)
M49.02*	Tuberculosis of spine, cervical region (A18.0†)
M49.03*	Tuberculosis of spine, cervicothoracic region (A18.0†)
M49.04*	Tuberculosis of spine, thoracic region (A18.0†)
M49.05*	Tuberculosis of spine, thoracolumbar region (A18.0†)
M49.06*	Tuberculosis of spine, lumbar region (A18.0†)
M49.07*	Tuberculosis of spine, lumbosacral region (A18.0†)
M49.08*	Tuberculosis of spine, sacral and sacrococcygeal region (A18.0†)
M49.09*	Tuberculosis of spine, site unspecified (A18.0†)
M49.1*	Brucella spondylitis (A23.-†)
M49.10*	Brucella spondylitis, multiple sites in spine (A23.-†)

M49.11*	Brucella spondylitis, occipito-atlanto-axial region (A23.-†)
M49.12*	Brucella spondylitis, cervical region (A23.-†)
M49.13*	Brucella spondylitis, cervicothoracic region (A23.-†)
M49.14*	Brucella spondylitis, thoracic region (A23.-†)
M49.15*	Brucella spondylitis, thoracolumbar region (A23.-†)
M49.16*	Brucella spondylitis, lumbar region (A23.-†)
M49.17*	Brucella spondylitis, lumbosacral region (A23.-†)
M49.18*	Brucella spondylitis, sacral and sacrococcygeal region (A23.-†)
M49.19*	Brucella spondylitis, site unspecified (A23.-†)
M49.2*	Enterobacterial spondylitis (A01-A04†)
M49.20*	Enterobacterial spondylitis, multiple sites in spine (A01-A04†)
M49.21*	Enterobacterial spondylitis, occipito-atlanto-axial region (A01-A04†)
M49.22*	Enterobacterial spondylitis, cervical region (A01-A04†)
M49.23*	Enterobacterial spondylitis, cervicothoracic region (A01-A04†)
M49.24*	Enterobacterial spondylitis, thoracic region (A01-A04†)
M49.25*	Enterobacterial spondylitis, thoracolumbar region (A01-A04†)
M49.26*	Enterobacterial spondylitis, lumbar region (A01-A04†)
M49.27*	Enterobacterial spondylitis, lumbosacral region (A01-A04†)
M49.28*	Enterobacterial spondylitis, sacral and sacrococcygeal region (A01-A04†)
M49.29*	Enterobacterial spondylitis, site unspecified (A01-A04†)
M49.3*	Spondylopathy in other infectious and parasitic diseases classified elsewhere
M49.30*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, multiple sites in spine
M49.31*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, occipito-atlanto-axial region
M49.32*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, cervical region
M49.33*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, cervicothoracic region
M49.34*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, thoracic region
M49.35*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, thoracolumbar region
M49.36*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, lumbar region
M49.37*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, lumbosacral region
M49.38*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, sacral and sacrococcygeal region
M49.39*	Spondylopathy in other infectious and parasitic diseases classified elsewhere, site unspecified
M49.4*	Neuropathic spondylopathy
M49.40*	Neuropathic spondylopathy, multiple sites in spine
M49.41*	Neuropathic spondylopathy, occipito-atlanto-axial region
M49.42*	Neuropathic spondylopathy, cervical region
M49.43*	Neuropathic spondylopathy, cervicothoracic region
M49.44*	Neuropathic spondylopathy, thoracic region
M49.45*	Neuropathic spondylopathy, thoracolumbar region
M49.46*	Neuropathic spondylopathy, lumbar region
M49.47*	Neuropathic spondylopathy, lumbosacral region

M49.48*	Neuropathic spondylopathy, sacral and sacrococcygeal region
M49.49*	Neuropathic spondylopathy, site unspecified
M49.5*	Collapsed vertebra in diseases classified elsewhere
M49.50*	Collapsed vertebra in diseases classified elsewhere, multiple sites in spine
M49.51*	Collapsed vertebra in diseases classified elsewhere, occipito-atlanto-axial region
M49.52*	Collapsed vertebra in diseases classified elsewhere, cervical region
M49.53*	Collapsed vertebra in diseases classified elsewhere, cervicothoracic region
M49.54*	Collapsed vertebra in diseases classified elsewhere, thoracic region
M49.55*	Collapsed vertebra in diseases classified elsewhere, thoracolumbar region
M49.56*	Collapsed vertebra in diseases classified elsewhere, lumbar region
M49.57*	Collapsed vertebra in diseases classified elsewhere, lumbosacral region
M49.58*	Collapsed vertebra in diseases classified elsewhere, sacral and sacrococcygeal region
M49.59*	Collapsed vertebra in diseases classified elsewhere, site unspecified
M49.8*	Spondylopathy in other diseases classified elsewhere
M49.80*	Spondylopathy in other diseases classified elsewhere, multiple sites in spine
M49.81*	Spondylopathy in other diseases classified elsewhere, occipito-atlanto-axial region
M49.82*	Spondylopathy in other diseases classified elsewhere, cervical region
M49.83*	Spondylopathy in other diseases classified elsewhere, cervicothoracic region
M49.84*	Spondylopathy in other diseases classified elsewhere, thoracic region
M49.85*	Spondylopathy in other diseases classified elsewhere, thoracolumbar region
M49.86*	Spondylopathy in other diseases classified elsewhere, lumbar region
M49.87*	Spondylopathy in other diseases classified elsewhere, lumbosacral region
M49.88*	Spondylopathy in other diseases classified elsewhere, sacral and sacrococcygeal region
M49.89*	Spondylopathy in other diseases classified elsewhere, site unspecified
M50	Cervical disc disorders
M50.0	Cervical disc disorder with myelopathy
M50.1	Cervical disc disorder with radiculopathy
M50.2	Other cervical disc displacement
M50.3	Other cervical disc degeneration
M50.8	Other cervical disc disorders
M50.9	Cervical disc disorder, unspecified
M51	Other intervertebral disc disorders
M51.0	Lumbar and other intervertebral disc disorders with myelopathy
M51.1	Lumbar and other intervertebral disc disorders with radiculopathy
M51.2	Other specified intervertebral disc displacement
M51.3	Other specified intervertebral disc degeneration
M51.4	Schmorl's nodes
M51.8	Other specified intervertebral disc disorders
M51.9	Intervertebral disc disorder, unspecified
M53	Other dorsopathies, not elsewhere classified
M53.0	Cervicocranial syndrome
M53.1	Cervicobrachial syndrome
M53.2	Spinal instabilities
M53.20	Spinal instabilities, multiple sites in spine
M53.21	Spinal instabilities, occipito-atlanto-axial region
M53.22	Spinal instabilities, cervical region
M53.23	Spinal instabilities, cervicothoracic region
M53.24	Spinal instabilities, thoracic region

M53.25	Spinal instabilities, thoracolumbar region
M53.26	Spinal instabilities, lumbar region
M53.27	Spinal instabilities, lumbosacral region
M53.28	Spinal instabilities, sacral and sacrococcygeal region
M53.29	Spinal instabilities, site unspecified
M53.3	Sacrococcygeal disorders, not elsewhere classified
M53.8	Other specified dorsopathies
M53.80	Other specified dorsopathies, multiple sites in spine
M53.81	Other specified dorsopathies, occipito-atlanto-axial region
M53.82	Other specified dorsopathies, cervical region
M53.83	Other specified dorsopathies, cervicothoracic region
M53.84	Other specified dorsopathies, thoracic region
M53.85	Other specified dorsopathies, thoracolumbar region
M53.86	Other specified dorsopathies, lumbar region
M53.87	Other specified dorsopathies, lumbosacral region
M53.88	Other specified dorsopathies, sacral and sacrococcygeal region
M53.89	Other specified dorsopathies, site unspecified
M53.9	Unspecified dorsopathy
M53.90	Unspecified dorsopathy, multiple sites in spine
M53.91	Unspecified dorsopathy, occipito-atlanto-axial region
M53.92	Unspecified dorsopathy, cervical region
M53.93	Unspecified dorsopathy, cervicothoracic region
M53.94	Unspecified dorsopathy, thoracic region
M53.95	Unspecified dorsopathy, thoracolumbar region
M53.96	Unspecified dorsopathy, lumbar region
M53.97	Unspecified dorsopathy, lumbosacral region
M53.98	Unspecified dorsopathy, sacral and sacrococcygeal region
M53.99	Unspecified dorsopathy, site unspecified
M54	Dorsalgia
M54.0	Panniculitis affecting regions of neck and back
M54.00	Panniculitis affecting regions of neck and back, multiple sites in spine
M54.01	Panniculitis affecting regions of neck and back, occipito-atlanto-axial region
M54.02	Panniculitis affecting regions of neck and back, cervical region
M54.03	Panniculitis affecting regions of neck and back, cervicothoracic region
M54.04	Panniculitis affecting regions of neck and back, thoracic region
M54.05	Panniculitis affecting regions of neck and back, thoracolumbar region
M54.06	Panniculitis affecting regions of neck and back, lumbar region
M54.07	Panniculitis affecting regions of neck and back, lumbosacral region
M54.08	Panniculitis affecting regions of neck and back, sacral and sacrococcygeal region
M54.09	Panniculitis affecting regions of neck and back, site unspecified
M54.1	Radiculopathy
M54.10	Radiculopathy, multiple sites
M54.11	Radiculopathy, occipito-atlanto-axial region
M54.12	Radiculopathy, cervical region
M54.13	Radiculopathy, cervicothoracic region
M54.14	Radiculopathy, thoracic region
M54.15	Radiculopathy, thoracolumbar region
M54.16	Radiculopathy, lumbar region

M54.17	Radiculopathy, lumbosacral region
M54.18	Radiculopathy, sacral and sacrococcygeal region
M54.19	Radiculopathy, site unspecified
M54.2	Cervicalgia
M54.3	Sciatica
M54.4	Lumbago with sciatica
M54.5	Low back pain
M54.6	Pain in thoracic spine
M54.8	Other dorsalgia
M54.80	Other dorsalgia, multiple sites in spine
M54.81	Other dorsalgia, occipito-atlanto-axial region
M54.82	Other dorsalgia, cervical region
M54.83	Other dorsalgia, cervicothoracic region
M54.84	Other dorsalgia, thoracic region
M54.85	Other dorsalgia, thoracolumbar region
M54.86	Other dorsalgia, lumbar region
M54.87	Other dorsalgia, lumbosacral region
M54.88	Other dorsalgia, sacral and sacrococcygeal region
M54.89	Other dorsalgia, site unspecified
M54.9	Unspecified dorsalgia
M54.90	Unspecified dorsalgia, multiple sites in spine
M54.91	Unspecified dorsalgia, occipito-atlanto-axial region
M54.92	Unspecified dorsalgia, cervical region
M54.93	Unspecified dorsalgia, cervicothoracic region
M54.94	Unspecified dorsalgia, thoracic region
M54.95	Unspecified dorsalgia, thoracolumbar region
M54.96	Unspecified dorsalgia, lumbar region
M54.97	Unspecified dorsalgia, lumbosacral region
M54.98	Unspecified dorsalgia, sacral and sacrococcygeal region
M54.99	Unspecified dorsalgia, site unspecified
M60	Myositis
M60.0	Infective myositis
M60.00	Infective myositis, multiple sites
M60.01	Infective myositis, shoulder region
M60.02	Infective myositis, upper arm
M60.03	Infective myositis, forearm
M60.04	Infective myositis, hand
M60.05	Infective myositis, pelvic region and thigh
M60.06	Infective myositis, lower leg
M60.07	Infective myositis, ankle and foot
M60.08	Infective myositis, other site
M60.09	Infective myositis, site unspecified
M60.1	Interstitial myositis
M60.10	Interstitial myositis, multiple sites
M60.11	Interstitial myositis, shoulder region
M60.12	Interstitial myositis, upper arm
M60.13	Interstitial myositis, forearm
M60.14	Interstitial myositis, hand

M60.15	Interstitial myositis, pelvic region and thigh
M60.16	Interstitial myositis, lower leg
M60.17	Interstitial myositis, ankle and foot
M60.18	Interstitial myositis, other
M60.19	Interstitial myositis, site unspecified
M60.2	Foreign body granuloma of soft tissue, not elsewhere classified
M60.20	Foreign body granuloma of soft tissue, not elsewhere classified, multiple sites
M60.21	Foreign body granuloma of soft tissue, not elsewhere classified, shoulder region
M60.22	Foreign body granuloma of soft tissue, not elsewhere classified, upper arm
M60.23	Foreign body granuloma of soft tissue, not elsewhere classified, forearm
M60.24	Foreign body granuloma of soft tissue, not elsewhere classified, hand
M60.25	Foreign body granuloma of soft tissue, not elsewhere classified, pelvic region and thigh
M60.26	Foreign body granuloma of soft tissue, not elsewhere classified, lower leg
M60.27	Foreign body granuloma of soft tissue, not elsewhere classified, ankle and foot
M60.28	Foreign body granuloma of soft tissue, not elsewhere classified, other site
M60.29	Foreign body granuloma of soft tissue, not elsewhere classified, site unspecified
M60.8	Other myositis
M60.80	Other myositis, multiple sites
M60.81	Other myositis, shoulder region
M60.82	Other myositis, upper arm
M60.83	Other myositis, forearm
M60.84	Other myositis, hand
M60.85	Other myositis, pelvic region and thigh
M60.86	Other myositis, lower leg
M60.87	Other myositis, ankle and foot
M60.88	Other myositis, other site
M60.89	Other myositis, site unspecified
M60.9	Unspecified myositis
M60.90	Unspecified myositis, multiple sites
M60.91	Unspecified myositis, shoulder region
M60.92	Unspecified myositis, upper arm
M60.93	Unspecified myositis, forearm
M60.94	Unspecified myositis, hand
M60.95	Unspecified myositis, pelvic region and thigh
M60.96	Unspecified myositis, lower leg
M60.97	Unspecified myositis, ankle and foot
M60.98	Unspecified myositis, other site
M60.99	Unspecified myositis, site unspecified
M61	Calcification and ossification of muscle
M61.0	Myositis ossificans traumatica
M61.00	Myositis ossificans traumatica, multiple sites
M61.01	Myositis ossificans traumatica, shoulder region
M61.02	Myositis ossificans traumatica, upper arm
M61.03	Myositis ossificans traumatica, forearm
M61.04	Myositis ossificans traumatica, hand
M61.05	Myositis ossificans traumatica, pelvic region and thigh
M61.06	Myositis ossificans traumatica, lower leg
M61.07	Myositis ossificans traumatica, ankle and foot

M61.08	Myositis ossificans traumatica, other site
M61.09	Myositis ossificans traumatica, site unspecified
M61.1	Myositis ossificans 190ubule190sive
M61.10	Myositis ossificans 190ubule190sive, multiple sites
M61.11	Myositis ossificans 190ubule190sive, shoulder region
M61.12	Myositis ossificans 190ubule190sive, upper arm
M61.13	Myositis ossificans 190ubule190sive, forearm
M61.14	Myositis ossificans 190ubule190sive, hand
M61.15	Myositis ossificans 190ubule190sive, pelvic region and thigh
M61.16	Myositis ossificans 190ubule190sive, lower leg
M61.17	Myositis ossificans 190ubule190sive, ankle and foot
M61.18	Myositis ossificans 190ubule190sive, other site
M61.19	Myositis ossificans 190ubule190sive, site unspecified
M61.2	Paralytic calcification and ossification of muscle
M61.20	Paralytic calcification and ossification of muscle, multiple sites
M61.21	Paralytic calcification and ossification of muscle, shoulder region
M61.22	Paralytic calcification and ossification of muscle, upper arm
M61.23	Paralytic calcification and ossification of muscle, forearm
M61.24	Paralytic calcification and ossification of muscle, hand
M61.25	Paralytic calcification and ossification of muscle, pelvic region and thigh
M61.26	Paralytic calcification and ossification of muscle, lower leg
M61.27	Paralytic calcification and ossification of muscle, ankle and foot
M61.28	Paralytic calcification and ossification of muscle, other site
M61.29	Paralytic calcification and ossification of muscle, site unspecified
M61.3	Calcification and ossification of muscles associated with burns
M61.30	Calcification and ossification of muscles associated with burns, multiple sites
M61.31	Calcification and ossification of muscles associated with burns, shoulder region
M61.32	Calcification and ossification of muscles associated with burns, upper arm
M61.33	Calcification and ossification of muscles associated with burns, forearm
M61.34	Calcification and ossification of muscles associated with burns, hand
M61.35	Calcification and ossification of muscles associated with burns, pelvic region and thigh
M61.36	Calcification and ossification of muscles associated with burns, lower leg
M61.37	Calcification and ossification of muscles associated with burns, ankle and foot
M61.38	Calcification and ossification of muscles associated with burns, other site
M61.39	Calcification and ossification of muscles associated with burns, site unspecified
M61.4	Other calcification of muscle
M61.40	Other calcification of muscle, multiple sites
M61.41	Other calcification of muscle, shoulder region
M61.42	Other calcification of muscle, upper arm
M61.43	Other calcification of muscle, forearm
M61.44	Other calcification of muscle, hand
M61.45	Other calcification of muscle, pelvic region and thigh
M61.46	Other calcification of muscle, lower leg
M61.47	Other calcification of muscle, ankle and foot
M61.48	Other calcification of muscle, other site
M61.49	Other calcification of muscle, site unspecified
M61.5	Other ossification of muscle
M61.50	Other ossification of muscle, multiple site

M61.51	Other ossification of muscle, shoulder region
M61.52	Other ossification of muscle, upper arm
M61.53	Other ossification of muscle, forearm
M61.54	Other ossification of muscle, hand
M61.55	Other ossification of muscle, pelvic region and thigh
M61.56	Other ossification of muscle, lower leg
M61.57	Other ossification of muscle, ankle and foot
M61.58	Other ossification of muscle, other site
M61.59	Other ossification of muscle, unspecified site
M61.9	Unspecified calcification and ossification of muscle
M61.90	Unspecified calcification and ossification of muscle, multiple sites
M61.91	Unspecified calcification and ossification of muscle, shoulder region
M61.92	Unspecified calcification and ossification of muscle, upper arm
M61.93	Unspecified calcification and ossification of muscle, forearm
M61.94	Unspecified calcification and ossification of muscle, hand
M61.95	Unspecified calcification and ossification of muscle, pelvic region and thigh
M61.96	Unspecified calcification and ossification of muscle, lower leg
M61.97	Unspecified calcification and ossification of muscle, ankle and foot
M61.98	Unspecified calcification and ossification of muscle, other site
M61.99	Unspecified calcification and ossification of muscle, site unspecified
M62	Other disorders of muscle
M62.0	Diastasis of muscle
M62.00	Diastasis of muscle, multiple sites
M62.01	Diastasis of muscle, shoulder region
M62.02	Diastasis of muscle, upper arm
M62.03	Diastasis of muscle, forearm
M62.04	Diastasis of muscle, hand
M62.05	Diastasis of muscle, pelvic region and thigh
M62.06	Diastasis of muscle, lower leg
M62.07	Diastasis of muscle, ankle and foot
M62.08	Diastasis of muscle, other site
M62.09	Diastasis of muscle, site unspecified
M62.1	Other rupture of muscle [nontraumatic]
M62.10	Other rupture of muscle [nontraumatic], multiple sites
M62.11	Other rupture of muscle [nontraumatic], shoulder region
M62.12	Other rupture of muscle [nontraumatic], upper arm
M62.13	Other rupture of muscle [nontraumatic], forearm
M62.14	Other rupture of muscle [nontraumatic], hand
M62.15	Other rupture of muscle [nontraumatic], pelvic region and thigh
M62.16	Other rupture of muscle [nontraumatic], lower leg
M62.17	Other rupture of muscle [nontraumatic], ankle and foot
M62.18	Other rupture of muscle [nontraumatic], other site
M62.19	Other rupture of muscle [nontraumatic], site unspecified
M62.2	Ischaemic infarction of muscle
M62.20	Ischaemic infarction of muscle, multiple sites
M62.21	Ischaemic infarction of muscle, shoulder region
M62.22	Ischaemic infarction of muscle, upper arm
M62.23	Ischaemic infarction of muscle, forearm

M62.24	Ischaemic infarction of muscle, hand
M62.25	Ischaemic infarction of muscle, pelvic region and thigh
M62.26	Ischaemic infarction of muscle, lower leg
M62.27	Ischaemic infarction of muscle, ankle and foot
M62.28	Ischaemic infarction of muscle, other site
M62.29	Ischaemic infarction of muscle, site unspecified
M62.3	Immobility syndrome (paraplegic)
M62.30	Immobility syndrome (paraplegic), multiple sites
M62.31	Immobility syndrome (paraplegic), shoulder region
M62.32	Immobility syndrome (paraplegic), upper arm
M62.33	Immobility syndrome (paraplegic), forearm
M62.34	Immobility syndrome (paraplegic), hand
M62.35	Immobility syndrome (paraplegic), pelvic region and thigh
M62.36	Immobility syndrome (paraplegic), lower leg
M62.37	Immobility syndrome (paraplegic), ankle and foot
M62.38	Immobility syndrome (paraplegic), other site
M62.39	Immobility syndrome (paraplegic), site unspecified
M62.4	Contracture of muscle
M62.40	Contracture of muscle, multiple sites
M62.41	Contracture of muscle, shoulder region
M62.42	Contracture of muscle, upper arm
M62.43	Contracture of muscle, forearm
M62.44	Contracture of muscle, hand
M62.45	Contracture of muscle, pelvic region and thigh
M62.46	Contracture of muscle, lower leg
M62.47	Contracture of muscle, ankle and foot
M62.48	Contracture of muscle, other site
M62.49	Contracture of muscle, site unspecified
M62.5	Muscle wasting and atrophy, not elsewhere classified
M62.50	Muscle wasting and atrophy, not elsewhere classified, multiple sites
M62.51	Muscle wasting and atrophy, not elsewhere classified, shoulder region
M62.52	Muscle wasting and atrophy, not elsewhere classified, upper arm
M62.53	Muscle wasting and atrophy, not elsewhere classified, forearm
M62.54	Muscle wasting and atrophy, not elsewhere classified, hand
M62.55	Muscle wasting and atrophy, not elsewhere classified, pelvic region and thigh
M62.56	Muscle wasting and atrophy, not elsewhere classified, lower leg
M62.57	Muscle wasting and atrophy, not elsewhere classified, ankle and foot
M62.58	Muscle wasting and atrophy, not elsewhere classified, other site
M62.59	Muscle wasting and atrophy, not elsewhere classified, site unspecified
M62.6	Muscle strain
M62.60	Muscle strain, multiple sites
M62.61	Muscle strain, shoulder region
M62.62	Muscle strain, upper arm
M62.63	Muscle strain, forearm
M62.64	Muscle strain, hand
M62.65	Muscle strain, pelvic region and thigh
M62.66	Muscle strain, lower leg
M62.67	Muscle strain, ankle and foot

M62.68	Muscle strain, other site
M62.69	Muscle strain, site unspecified
M62.8	Other specified disorders of muscle
M62.80	Other specified disorders of muscle, multiple sites
M62.81	Other specified disorders of muscle, shoulder region
M62.82	Other specified disorders of muscle, upper arm
M62.83	Other specified disorders of muscle, forearm
M62.84	Other specified disorders of muscle, hand
M62.85	Other specified disorders of muscle, pelvic region and thigh
M62.86	Other specified disorders of muscle, lower leg
M62.87	Other specified disorders of muscle, ankle and foot
M62.88	Other specified disorders of muscle, other site
M62.89	Other specified disorders of muscle, site unspecified
M62.9	Unspecified disorder of muscle
M62.90	Unspecified disorder of muscle, multiple sites
M62.91	Unspecified disorder of muscle, shoulder region
M62.92	Unspecified disorder of muscle, upper arm
M62.93	Unspecified disorder of muscle, forearm
M62.94	Unspecified disorder of muscle, hand
M62.95	Unspecified disorder of muscle, pelvic region and thigh
M62.96	Unspecified disorder of muscle, lower leg
M62.97	Unspecified disorder of muscle, ankle and foot
M62.98	Unspecified disorder of muscle, other site
M62.99	Unspecified disorder of muscle, site unspecified
M63*	Disorders of muscle in diseases classified elsewhere
M63.0*	Myositis in bacterial diseases classified elsewhere
M63.00*	Myositis in bacterial diseases classified elsewhere, multiple sites
M63.01*	Myositis in bacterial diseases classified elsewhere, shoulder region
M63.02*	Myositis in bacterial diseases classified elsewhere, upper arm
M63.03*	Myositis in bacterial diseases classified elsewhere, forearm
M63.04*	Myositis in bacterial diseases classified elsewhere, hand
M63.05*	Myositis in bacterial diseases classified elsewhere, pelvic region and thigh
M63.06*	Myositis in bacterial diseases classified elsewhere, lower leg
M63.07*	Myositis in bacterial diseases classified elsewhere, ankle and foot
M63.08*	Myositis in bacterial diseases classified elsewhere, other site
M63.09*	Myositis in bacterial diseases classified elsewhere, site unspecified
M63.1*	Myositis in protozoal and parasitic infections classified elsewhere
M63.10*	Myositis in protozoal and parasitic infections elsewhere, multiple sites
M63.11*	Myositis in protozoal and parasitic infections elsewhere, shoulder region
M63.12*	Myositis in protozoal and parasitic infections elsewhere, upper arm
M63.13*	Myositis in protozoal and parasitic infections elsewhere, forearm
M63.14*	Myositis in protozoal and parasitic infections elsewhere, hand
M63.15*	Myositis in protozoal and parasitic infections elsewhere, pelvic region and thigh
M63.16*	Myositis in protozoal and parasitic infections elsewhere, lower leg
M63.17*	Myositis in protozoal and parasitic infections elsewhere, ankle and foot
M63.18*	Myositis in protozoal and parasitic infections elsewhere, other site
M63.19*	Myositis in protozoal and parasitic infections elsewhere, site unspecified
M63.2*	Myositis in other infectious diseases classified elsewhere

M63.20*	Myositis in other infectious diseases classified elsewhere, multiple sites
M63.21*	Myositis in other infectious diseases classified elsewhere, shoulder region
M63.22*	Myositis in other infectious diseases classified elsewhere, upper arm
M63.23*	Myositis in other infectious diseases classified elsewhere, forearm
M63.24*	Myositis in other infectious diseases classified elsewhere, hand
M63.25*	Myositis in other infectious diseases classified elsewhere, pelvic region and thigh
M63.26*	Myositis in other infectious diseases classified elsewhere, lower leg
M63.27*	Myositis in other infectious diseases classified elsewhere, ankle and foot
M63.28*	Myositis in other infectious diseases classified elsewhere, other site
M63.29*	Myositis in other infectious diseases classified elsewhere, site unspecified
M63.3*	Myositis in sarcoidosis (D86.8†)
M63.30*	Myositis in sarcoidosis, multiple sites (D86.8†)
M63.31*	Myositis in sarcoidosis, shoulder region (D86.8†)
M63.32*	Myositis in sarcoidosis, upper arm (D86.8†)
M63.33*	Myositis in sarcoidosis, forearm (D86.8†)
M63.34*	Myositis in sarcoidosis, hand (D86.8†)
M63.35*	Myositis in sarcoidosis, pelvic region and thigh (D86.8†)
M63.36*	Myositis in sarcoidosis, lower leg (D86.8†)
M63.37*	Myositis in sarcoidosis, ankle and foot (D86.8†)
M63.38*	Myositis in sarcoidosis, other site (D86.8†)
M63.39*	Myositis in sarcoidosis, site unspecified (D86.8†)
M63.8*	Other disorders of muscle in diseases classified elsewhere
M63.80*	Other disorders of muscle in diseases classified elsewhere, multiple sites
M63.81*	Other disorders of muscle in diseases classified elsewhere, shoulder region
M63.82*	Other disorders of muscle in diseases classified elsewhere, upper arm
M63.83*	Other disorders of muscle in diseases classified elsewhere, forearm
M63.84*	Other disorders of muscle in diseases classified elsewhere, hand
M63.85*	Other disorders of muscle in diseases classified elsewhere, pelvic region and thigh
M63.86*	Other disorders of muscle in diseases classified elsewhere, lower leg
M63.87*	Other disorders of muscle in diseases classified elsewhere, ankle and foot
M63.88*	Other disorders of muscle in diseases classified elsewhere, other site
M63.89*	Other disorders of muscle in diseases classified elsewhere, site unspecified
M65	Synovitis and tenosynovitis
M65.0	Abscess of tendon sheath
M65.00	Abscess of tendon sheath, multiple sites
M65.01	Abscess of tendon sheath, shoulder region
M65.02	Abscess of tendon sheath, upper arm
M65.03	Abscess of tendon sheath, forearm
M65.04	Abscess of tendon sheath, hand
M65.05	Abscess of tendon sheath, pelvic region and thigh
M65.06	Abscess of tendon sheath, lower leg
M65.07	Abscess of tendon sheath, ankle and foot
M65.08	Abscess of tendon sheath, other site
M65.09	Abscess of tendon sheath, site unspecified
M65.1	Other infective (teno)synovitis
M65.10	Other infective (teno)synovitis, multiple sites
M65.11	Other infective (teno)synovitis, shoulder region
M65.12	Other infective (teno)synovitis, upper arm

M65.13	Other infective (teno)synovitis, forearm
M65.14	Other infective (teno)synovitis, hand
M65.15	Other infective (teno)synovitis, pelvic region and thigh
M65.16	Other infective (teno)synovitis, lower leg
M65.17	Other infective (teno)synovitis, ankle and foot
M65.18	Other infective (teno)synovitis, other site
M65.19	Other infective (teno)synovitis, site unspecified
M65.2	Calcific tendinitis
M65.20	Calcific tendinitis, multiple sites
M65.21	Calcific tendinitis shoulder
M65.22	Calcific tendinitis, upper arm
M65.23	Calcific tendinitis, forearm
M65.24	Calcific tendinitis, hand
M65.25	Calcific tendinitis, pelvic region and thigh
M65.26	Calcific tendinitis, lower leg
M65.27	Calcific tendinitis, ankle and foot
M65.28	Calcific tendinitis, other site
M65.29	Calcific tendinitis, site unspecified
M65.3	Trigger finger
M65.4	Radial styloid tenosynovitis [de Quervain]
M65.8	Other synovitis and tenosynovitis
M65.80	Other synovitis and tenosynovitis, multiple sites
M65.81	Other synovitis and tenosynovitis, shoulder region
M65.82	Other synovitis and tenosynovitis, upper arm
M65.83	Other synovitis and tenosynovitis, forearm
M65.84	Other synovitis and tenosynovitis, hand
M65.85	Other synovitis and tenosynovitis, pelvic region and thigh
M65.86	Other synovitis and tenosynovitis, lower leg
M65.87	Other synovitis and tenosynovitis, ankle and foot
M65.88	Other synovitis and tenosynovitis, other site
M65.89	Other synovitis and tenosynovitis, site unspecified
M65.9	Unspecified synovitis and tenosynovitis
M65.90	Unspecified synovitis and tenosynovitis, multiple sites
M65.91	Unspecified synovitis and tenosynovitis, shoulder region
M65.92	Unspecified synovitis and tenosynovitis, upper arm
M65.93	Unspecified synovitis and tenosynovitis, forearm
M65.94	Unspecified synovitis and tenosynovitis, hand
M65.95	Unspecified synovitis and tenosynovitis, pelvic region and thigh
M65.96	Unspecified synovitis and tenosynovitis, lower leg
M65.97	Unspecified synovitis and tenosynovitis, ankle and foot
M65.98	Unspecified synovitis and tenosynovitis, other site
M65.99	Unspecified synovitis and tenosynovitis, site unspecified
M66	Spontaneous rupture of synovium and tendon
M66.0	Rupture of popliteal cyst
M66.1	Rupture of synovium
M66.10	Rupture of synovium, multiple sites
M66.11	Rupture of synovium, shoulder region
M66.12	Rupture of synovium, upper arm

M66.13	Rupture of synovium, forearm
M66.14	Rupture of synovium, hand
M66.15	Rupture of synovium, pelvic region and thigh
M66.16	Rupture of synovium, lower leg
M66.17	Rupture of synovium, ankle and foot
M66.18	Rupture of synovium, other site
M66.19	Rupture of synovium, site unspecified
M66.2	Spontaneous rupture of extensor tendons
M66.20	Spontaneous rupture of extensor tendons, multiple sites
M66.21	Spontaneous rupture of extensor tendons, shoulder region
M66.22	Spontaneous rupture of extensor tendons, upper arm
M66.23	Spontaneous rupture of extensor tendons, forearm
M66.24	Spontaneous rupture of extensor tendons, hand
M66.25	Spontaneous rupture of extensor tendons, pelvic region and thigh
M66.26	Spontaneous rupture of extensor tendons, lower leg
M66.27	Spontaneous rupture of extensor tendons, ankle and foot
M66.28	Spontaneous rupture of extensor tendons, other site
M66.29	Spontaneous rupture of extensor tendons, site unspecified
M66.3	Spontaneous rupture of flexor tendons
M66.30	Spontaneous rupture of flexor tendons, multiple sites
M66.31	Spontaneous rupture of flexor tendons, shoulder region
M66.32	Spontaneous rupture of flexor tendons, upper arm
M66.33	Spontaneous rupture of flexor tendons, forearm
M66.34	Spontaneous rupture of flexor tendons, hand
M66.35	Spontaneous rupture of flexor tendons, pelvic region and thigh
M66.36	Spontaneous rupture of flexor tendons, lower leg
M66.37	Spontaneous rupture of flexor tendons, ankle and foot
M66.38	Spontaneous rupture of flexor tendons, other site
M66.39	Spontaneous rupture of flexor tendons, site unspecified
M66.4	Spontaneous rupture of other tendons
M66.40	Spontaneous rupture of other tendons, multiple sites
M66.41	Spontaneous rupture of other tendons, shoulder region
M66.42	Spontaneous rupture of other tendons, upper arm
M66.43	Spontaneous rupture of other tendons, forearm
M66.44	Spontaneous rupture of other tendons, hand
M66.45	Spontaneous rupture of other tendons, pelvic region and thigh
M66.46	Spontaneous rupture of other tendons, lower leg
M66.47	Spontaneous rupture of other tendons, ankle and foot
M66.48	Spontaneous rupture of other tendons, other site
M66.49	Spontaneous rupture of other tendons, site unspecified
M66.5	Spontaneous rupture of unspecified tendon
M66.50	Spontaneous rupture of unspecified tendon, multiple sites
M66.51	Spontaneous rupture of unspecified tendon, shoulder region
M66.52	Spontaneous rupture of unspecified tendon, upper arm
M66.53	Spontaneous rupture of unspecified tendon, forearm
M66.54	Spontaneous rupture of unspecified tendon, hand
M66.55	Spontaneous rupture of unspecified tendon, pelvic region and thigh
M66.56	Spontaneous rupture of unspecified tendon, lower leg

M66.57	Spontaneous rupture of unspecified tendon, ankle and foot
M66.58	Spontaneous rupture of unspecified tendon, other site
M66.59	Spontaneous rupture of unspecified tendon, site unspecified
M67	Other disorders of synovium and tendon
M67.0	Short Achilles tendon (acquired)
M67.1	Other contracture of tendon (sheath)
M67.10	Other contracture of tendon (sheath), multiple site
M67.11	Other contracture of tendon (sheath), shoulder region
M67.12	Other contracture of tendon (sheath), upper arm
M67.13	Other contracture of tendon (sheath), forearm
M67.14	Other contracture of tendon (sheath), hand
M67.15	Other contracture of tendon (sheath), pelvic region and thigh
M67.16	Other contracture of tendon (sheath), lower leg
M67.17	Other contracture of tendon (sheath), ankle and foot
M67.18	Other contracture of tendon (sheath), other site
M67.19	Other contracture of tendon (sheath), site unspecified
M67.2	Synovial hypertrophy, not elsewhere classified
M67.20	Synovial hypertrophy, not elsewhere classified, multiple sites
M67.21	Synovial hypertrophy, not elsewhere classified, shoulder region
M67.22	Synovial hypertrophy, not elsewhere classified, upper arm
M67.23	Synovial hypertrophy, not elsewhere classified, forearm
M67.24	Synovial hypertrophy, not elsewhere classified, hand
M67.25	Synovial hypertrophy, not elsewhere classified, pelvic region and thigh
M67.26	Synovial hypertrophy, not elsewhere classified, lower leg
M67.27	Synovial hypertrophy, not elsewhere classified, ankle and foot
M67.28	Synovial hypertrophy, not elsewhere classified, other site
M67.29	Synovial hypertrophy, not elsewhere classified, site unspecified
M67.3	Transient synovitis
M67.30	Transient synovitis, multiple sites
M67.31	Transient synovitis, shoulder region
M67.32	Transient synovitis, upper arm
M67.33	Transient synovitis, forearm
M67.34	Transient synovitis, hand
M67.35	Transient synovitis, pelvic region and thigh
M67.36	Transient synovitis, lower leg
M67.37	Transient synovitis, ankle and foot
M67.38	Transient synovitis, other site
M67.39	Transient synovitis, site unspecified
M67.4	Ganglion
M67.40	Ganglion, multiple sites
M67.41	Ganglion, shoulder region
M67.42	Ganglion, upper arm
M67.43	Ganglion, forearm
M67.44	Ganglion, hand
M67.45	Ganglion, pelvic region and thigh
M67.46	Ganglion, lower leg
M67.47	Ganglion, ankle and foot
M67.48	Ganglion, other site

M67.49	Ganglion, site unspecified
M67.8	Other specified disorders of synovium and tendon
M67.80	Other specified diseases of synovium and tendon, multiple sites
M67.81	Other specified diseases of synovium and tendon, shoulder region
M67.82	Other specified diseases of synovium and tendon, upper arm
M67.83	Other specified diseases of synovium and tendon, forearm
M67.84	Other specified diseases of synovium and tendon, hand
M67.85	Other specified diseases of synovium and tendon, pelvic region and thigh
M67.86	Other specified diseases of synovium and tendon, lower leg
M67.87	Other specified diseases of synovium and tendon, ankle and foot
M67.88	Other specified diseases of synovium and tendon, other site
M67.89	Other specified diseases of synovium and tendon, site unspecified
M67.9	Unspecified disorder of synovium and tendon
M67.90	Unspecified disorder of synovium and tendon, multiple sites
M67.91	Unspecified disorder of synovium and tendon, shoulder region
M67.92	Unspecified disorder of synovium and tendon, upper arm
M67.93	Unspecified disorder of synovium and tendon, forearm
M67.94	Unspecified disorder of synovium and tendon, hand
M67.95	Unspecified disorder of synovium and tendon, pelvic region and thigh
M67.96	Unspecified disorder of synovium and tendon, lower leg
M67.97	Unspecified disorder of synovium and tendon, ankle and foot
M67.98	Unspecified disorder of synovium and tendon, other site
M67.99	Unspecified disorder of synovium and tendon, site unspecified
M68*	Disorders of synovium and tendon in diseases classified elsewhere
M68.0*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere
M68.00*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, multiple sites
M68.01*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, shoulder region
M68.02*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, upper arm
M68.03*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, forearm
M68.04*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, hand
M68.05*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, pelvic region and thigh
M68.06*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, lower leg
M68.07*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, ankle and foot
M68.08*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, other site
M68.09*	Synovitis and tenosynovitis in bacterial diseases classified elsewhere, site unspecified
M68.8*	Other disorders of synovium and tendon in diseases classified elsewhere
M68.80*	Other disorders of synovium and tendon in diseases classified elsewhere, multiple sites
M68.81*	Other disorders of synovium and tendon in diseases classified elsewhere, shoulder region
M68.82*	Other disorders of synovium and tendon in diseases classified elsewhere, upper arm
M68.83*	Other disorders of synovium and tendon in diseases classified elsewhere, forearm
M68.84*	Other disorders of synovium and tendon in diseases classified elsewhere, hand
M68.85*	Other disorders of synovium and tendon in diseases classified elsewhere, pelvic region and thigh
M68.86*	Other disorders of synovium and tendon in diseases classified elsewhere, lower leg
M68.87*	Other disorders of synovium and tendon in diseases classified elsewhere, ankle and foot
M68.88*	Other disorders of synovium and tendon in diseases classified elsewhere, other site
M68.89*	Other disorders of synovium and tendon in diseases classified elsewhere, site unspecified

M70	Soft tissue disorders related to use, overuse and pressure
M70.0	Chronic crepitant synovitis of hand and wrist
M70.1	Bursitis of hand
M70.2	Olecranon bursitis
M70.3	Other bursitis of elbow
M70.4	Prepatellar bursitis
M70.5	Other bursitis of knee
M70.6	Trochanteric bursitis
M70.7	Other bursitis of hip
M70.8	Other soft tissue disorders related to use, overuse and pressure
M70.9	Unspecified soft tissue disorder related to use, overuse and pressure
M71	Other bursopathies
M71.0	Abscess of bursa
M71.00	Abscess of bursa, multiple sites
M71.01	Abscess of bursa, shoulder region
M71.02	Abscess of bursa, upper arm
M71.03	Abscess of bursa, forearm
M71.04	Abscess of bursa, hand
M71.05	Abscess of bursa, pelvic region and thigh
M71.06	Abscess of bursa, lower leg
M71.07	Abscess of bursa, ankle and foot
M71.08	Abscess of bursa, other site
M71.09	Abscess of bursa, site unspecified
M71.1	Other infective bursitis
M71.10	Other infective bursitis, multiple sites
M71.11	Other infective bursitis, shoulder region
M71.12	Other infective bursitis, upper arm
M71.13	Other infective bursitis, forearm
M71.14	Other infective bursitis, hand
M71.15	Other infective bursitis, pelvic region and thigh
M71.16	Other infective bursitis, lower leg
M71.17	Other infective bursitis, ankle and foot
M71.18	Other infective bursitis, other site
M71.19	Other infective bursitis, site unspecified
M71.2	Synovial cyst of popliteal space [Baker]
M71.3	Other bursal cyst
M71.30	Other bursal cyst, multiple sites
M71.31	Other bursal cyst, shoulder region
M71.32	Other bursal cyst, upper arm
M71.33	Other bursal cyst, forearm
M71.34	Other bursal cyst, hand
M71.35	Other bursal cyst, pelvic region and thigh
M71.36	Other bursal cyst, lower leg
M71.37	Other bursal cyst, ankle and foot
M71.38	Other bursal cyst, other site
M71.39	Other bursal cyst, site unspecified
M71.4	Calcium deposit in bursa
M71.40	Calcium deposit in bursa, multiple sites

M71.41	Calcium deposit in bursa, shoulder region
M71.42	Calcium deposit in bursa, upper arm
M71.43	Calcium deposit in bursa, forearm
M71.44	Calcium deposit in bursa, hand
M71.45	Calcium deposit in bursa, pelvic region and thigh
M71.46	Calcium deposit in bursa, lower leg
M71.47	Calcium deposit in bursa, ankle and foot
M71.48	Calcium deposit in bursa, other site
M71.49	Calcium deposit in bursa, site unspecified
M71.5	Other bursitis, not elsewhere classified
M71.50	Other bursitis, not elsewhere classified, multiple sites
M71.51	Other bursitis, not elsewhere classified, shoulder region
M71.52	Other bursitis, not elsewhere classified, upper arm
M71.53	Other bursitis, not elsewhere classified, forearm
M71.54	Other bursitis, not elsewhere classified, hand
M71.55	Other bursitis, not elsewhere classified, pelvic region and thigh
M71.56	Other bursitis, not elsewhere classified, lower leg
M71.57	Other bursitis, not elsewhere classified, ankle and foot
M71.58	Other bursitis, not elsewhere classified, other site
M71.59	Other bursitis, not elsewhere classified, site unspecified
M71.8	Other specified bursopathies
M71.80	Other specified bursopathies, multiple sites
M71.81	Other specified bursopathies, shoulder region
M71.82	Other specified bursopathies, upper arm
M71.83	Other specified bursopathies, forearm
M71.84	Other specified bursopathies, hand
M71.85	Other specified bursopathies, pelvic region and thigh
M71.86	Other specified bursopathies, lower leg
M71.87	Other specified bursopathies, ankle and foot
M71.88	Other specified bursopathies, other site
M71.89	Other specified bursopathies, site unspecified
M71.9	Unspecified bursopathy
M71.90	Unspecified bursopathy, multiple sites
M71.91	Unspecified bursopathy, shoulder region
M71.92	Unspecified bursopathy, upper arm
M71.93	Unspecified bursopathy, forearm
M71.94	Unspecified bursopathy, hand
M71.95	Unspecified bursopathy, pelvic region and thigh
M71.96	Unspecified bursopathy, lower leg
M71.97	Unspecified bursopathy, ankle and foot
M71.98	Unspecified bursopathy, other site
M71.99	Unspecified bursopathy, site unspecified
M72	Fibroblastic disorders
M72.0	Palmar fascial fibromatosis [Dupuytren]
M72.1	Knuckle pads
M72.2	Plantar fascial fibromatosis
M72.3	Nodular fasciitis
M72.30	Nodular fasciitis, multiple sites

M72.31	Nodular fasciitis, shoulder region
M72.32	Nodular fasciitis, upper arm
M72.33	Nodular fasciitis, forearm
M72.34	Nodular fasciitis, hand
M72.35	Nodular fasciitis, pelvic region and thigh
M72.36	Nodular fasciitis, lower leg
M72.37	Nodular fasciitis, ankle and foot
M72.38	Nodular fasciitis, other site
M72.39	Nodular fasciitis, site unspecified
M72.4	Pseudosarcomatous fibromatosis
M72.40	Pseudosarcomatous fibromatosis, multiple sites
M72.41	Pseudosarcomatous fibromatosis, shoulder region
M72.42	Pseudosarcomatous fibromatosis, upper arm
M72.43	Pseudosarcomatous fibromatosis, forearm
M72.44	Pseudosarcomatous fibromatosis, hand
M72.45	Pseudosarcomatous fibromatosis, pelvic region and thigh
M72.46	Pseudosarcomatous fibromatosis, lower leg
M72.47	Pseudosarcomatous fibromatosis, ankle and foot
M72.48	Pseudosarcomatous fibromatosis, other site
M72.49	Pseudosarcomatous fibromatosis, site unspecified
M72.5	Fasciitis, not elsewhere classified
M72.50	Fasciitis, not elsewhere classified, multiple sites
M72.51	Fasciitis, not elsewhere classified, shoulder region
M72.52	Fasciitis, not elsewhere classified, upper arm
M72.53	Fasciitis, not elsewhere classified, forearm
M72.54	Fasciitis, not elsewhere classified, hand
M72.55	Fasciitis, not elsewhere classified, pelvic region and thigh
M72.56	Fasciitis, not elsewhere classified, lower leg
M72.57	Fasciitis, not elsewhere classified, ankle and foot
M72.58	Fasciitis, not elsewhere classified, other site
M72.59	Fasciitis, not elsewhere classified, site unspecified
M72.6	Necrotising fasciitis
M72.60	Necrotising fasciitis, multiple sites
M72.61	Necrotising fasciitis, shoulder region
M72.62	Necrotising fasciitis, upper arm
M72.63	Necrotising fasciitis, forearm
M72.64	Necrotising fasciitis, hand
M72.65	Necrotising fasciitis, pelvic region and thigh
M72.66	Necrotising fasciitis, lower leg
M72.67	Necrotising fasciitis, ankle and foot
M72.68	Necrotising fasciitis, other site
M72.69	Necrotising fasciitis, site unspecified
M72.8	Other fibroblastic disorders
M72.80	Other fibroblastic disorders, multiple sites
M72.81	Other fibroblastic disorders, shoulder region
M72.82	Other fibroblastic disorders, upper arm
M72.83	Other fibroblastic disorders, forearm
M72.84	Other fibroblastic disorders, hand

M72.85	Other fibroblastic disorders, pelvic region and thigh
M72.86	Other fibroblastic disorders, lower leg
M72.87	Other fibroblastic disorders, ankle and foot
M72.88	Other fibroblastic disorders, other site
M72.89	Other fibroblastic disorders, site unspecified
M72.9	Unspecified fibroblastic disorder
M72.90	Unspecified fibroblastic disorder, multiple sites
M72.91	Unspecified fibroblastic disorder, shoulder region
M72.92	Unspecified fibroblastic disorder, upper arm
M72.93	Unspecified fibroblastic disorder, forearm
M72.94	Unspecified fibroblastic disorder, hand
M72.95	Unspecified fibroblastic disorder, pelvic region and thigh
M72.96	Unspecified fibroblastic disorder, lower leg
M72.97	Unspecified fibroblastic disorder, ankle and foot
M72.98	Unspecified fibroblastic disorder, other site
M72.99	Unspecified fibroblastic disorder, site unspecified
M73*	Soft tissue disorders in diseases classified elsewhere
M73.0*	Gonococcal bursitis (A54.4†)
M73.00*	Gonococcal bursitis, multiple sites (A54.4†)
M73.01*	Gonococcal bursitis, shoulder region (A54.4†)
M73.02*	Gonococcal bursitis, upper arm (A54.4†)
M73.03*	Gonococcal bursitis, forearm (A54.4†)
M73.04*	Gonococcal bursitis, hand (A54.4†)
M73.05*	Gonococcal bursitis, pelvic region and thigh (A54.4†)
M73.06*	Gonococcal bursitis, lower leg (A54.4†)
M73.07*	Gonococcal bursitis, ankle and foot (A54.4†)
M73.08*	Gonococcal bursitis, other site (A54.4†)
M73.09*	Gonococcal bursitis, site unspecified (A54.4†)
M73.1*	Syphilitic bursitis (A52.7†)
M73.10*	Syphilitic bursitis, multiple sites (A52.7†)
M73.11*	Syphilitic bursitis, shoulder region (A52.7†)
M73.12*	Syphilitic bursitis, upper arm (A52.7†)
M73.13*	Syphilitic bursitis, forearm (A52.7†)
M73.14*	Syphilitic bursitis, hand (A52.7†)
M73.15*	Syphilitic bursitis, pelvic region and thigh (A52.7†)
M73.16*	Syphilitic bursitis, lower leg (A52.7†)
M73.17*	Syphilitic bursitis, ankle and foot (A52.7†)
M73.18*	Syphilitic bursitis, other site (A52.7†)
M73.19*	Syphilitic bursitis, site unspecified (A52.7†)
M73.8*	Other soft tissue disorders in diseases classified elsewhere
M73.80*	Other soft tissue disorders in diseases classified elsewhere, multiple sites
M73.81*	Other soft tissue disorders in diseases classified elsewhere, shoulder region
M73.82*	Other soft tissue disorders in diseases classified elsewhere, upper arm
M73.83*	Other soft tissue disorders in diseases classified elsewhere, forearm
M73.84*	Other soft tissue disorders in diseases classified elsewhere, hand
M73.85*	Other soft tissue disorders in diseases classified elsewhere, pelvic region and thigh
M73.86*	Other soft tissue disorders in diseases classified elsewhere, lower leg
M73.87*	Other soft tissue disorders in diseases classified elsewhere, ankle and foot

M73.88*	Other soft tissue disorders in diseases classified elsewhere, other site
M73.89*	Other soft tissue disorders in diseases classified elsewhere, site unspecified
M75	Shoulder lesions
M75.0	Adhesive capsulitis of shoulder
M75.1	Rotator cuff syndrome
M75.2	Bicipital tendinitis
M75.3	Calcific tendinitis of shoulder
M75.4	Impingement syndrome of shoulder
M75.5	Bursitis of shoulder
M75.6	Tear of labrum of degenerative shoulder joint
M75.8	Other shoulder lesions
M75.9	Shoulder lesion, unspecified
M76	Enthesopathies of lower limb, excluding foot
M76.0	Gluteal tendinitis
M76.1	Psoas tendinitis
M76.2	Iliac crest spur
M76.3	Iliotibial band syndrome
M76.4	Tibial collateral bursitis [Pellegrini-Stieda]
M76.5	Patellar tendinitis
M76.6	Achilles tendinitis
M76.7	Peroneal tendinitis
M76.8	Other enthesopathies of lower limb, excluding foot
M76.9	Enthesopathy of lower limb, unspecified
M77	Other enthesopathies
M77.0	Medial epicondylitis
M77.1	Lateral epicondylitis
M77.2	Periarthritis of wrist
M77.3	Calcaneal spur
M77.4	Metatarsalgia
M77.5	Other enthesopathy of foot
M77.8	Other enthesopathies, not elsewhere classified
M77.9	Enthesopathy, unspecified
M79	Other soft tissue disorders, not elsewhere classified
M79.0	Rheumatism, unspecified
M79.00	Rheumatism, unspecified, multiple sites
M79.01	Rheumatism, unspecified, shoulder region
M79.02	Rheumatism, unspecified, upper arm
M79.03	Rheumatism, unspecified, forearm
M79.04	Rheumatism, unspecified, hand
M79.05	Rheumatism, unspecified, pelvic region and thigh
M79.06	Rheumatism, unspecified, lower leg
M79.07	Rheumatism, unspecified, ankle and foot
M79.08	Rheumatism, unspecified, other site
M79.09	Rheumatism, unspecified, site unspecified
M79.1	Myalgia
M79.10	Myalgia, multiple sites
M79.11	Myalgia, shoulder region
M79.12	Myalgia, upper arm

M79.13	Myalgia, forearm
M79.14	Myalgia, hand
M79.15	Myalgia, pelvic region and thigh
M79.16	Myalgia, lower leg
M79.17	Myalgia, ankle and foot
M79.18	Myalgia, other site
M79.19	Myalgia, site unspecified
M79.2	Neuralgia and neuritis, unspecified
M79.20	Neuralgia and neuritis, unspecified, multiple sites
M79.21	Neuralgia and neuritis, unspecified, shoulder region
M79.22	Neuralgia and neuritis, unspecified, upper arm
M79.23	Neuralgia and neuritis, unspecified, forearm
M79.24	Neuralgia and neuritis, unspecified, hand
M79.25	Neuralgia and neuritis, unspecified, pelvic region and thigh
M79.26	Neuralgia and neuritis, unspecified, lower leg
M79.27	Neuralgia and neuritis, unspecified, ankle and foot
M79.28	Neuralgia and neuritis, unspecified, other site
M79.29	Neuralgia and neuritis, unspecified, site unspecified
M79.3	Panniculitis, unspecified
M79.30	Panniculitis, unspecified, multiple sites
M79.31	Panniculitis, unspecified, shoulder region
M79.32	Panniculitis, unspecified, upper arm
M79.33	Panniculitis, unspecified, forearm
M79.34	Panniculitis, unspecified, hand
M79.35	Panniculitis, unspecified, pelvic region and thigh
M79.36	Panniculitis, unspecified, lower leg
M79.37	Panniculitis, unspecified, ankle and foot
M79.38	Panniculitis, unspecified, other site
M79.39	Panniculitis, unspecified, site unspecified
M79.4	Hypertrophy of (infrapatellar) fat pad
M79.40	Hypertrophy of (infrapatellar) fat pad, multiple sites
M79.41	Hypertrophy of (infrapatellar) fat pad, shoulder region
M79.42	Hypertrophy of (infrapatellar) fat pad, upper arm
M79.43	Hypertrophy of (infrapatellar) fat pad, forearm
M79.44	Hypertrophy of (infrapatellar) fat pad, hand
M79.45	Hypertrophy of (infrapatellar) fat pad, pelvic region and thigh
M79.46	Hypertrophy of (infrapatellar) fat pad, lower leg
M79.47	Hypertrophy of (infrapatellar) fat pad, ankle and foot
M79.48	Hypertrophy of (infrapatellar) fat pad, other site
M79.49	Hypertrophy of (infrapatellar) fat pad, site unspecified
M79.5	Residual foreign body in soft tissue
M79.50	Residual foreign body in soft tissue, multiple sites
M79.51	Residual foreign body in soft tissue, shoulder region
M79.52	Residual foreign body in soft tissue, upper arm
M79.53	Residual foreign body in soft tissue, forearm
M79.54	Residual foreign body in soft tissue, hand
M79.55	Residual foreign body in soft tissue, pelvic region and thigh
M79.56	Residual foreign body in soft tissue, lower leg

M79.57	Residual foreign body in soft tissue, ankle and foot
M79.58	Residual foreign body in soft tissue, other site
M79.59	Residual foreign body in soft tissue, site unspecified
M79.6	Pain in limb
M79.60	Pain in limb, multiple sites
M79.61	Pain in limb, shoulder region
M79.62	Pain in limb, upper arm
M79.63	Pain in limb, forearm
M79.64	Pain in limb, hand
M79.65	Pain in limb, pelvic region and thigh
M79.66	Pain in limb, lower leg
M79.67	Pain in limb, ankle and foot
M79.68	Pain in limb, other site
M79.69	Pain in limb, site unspecified
M79.7	Fibromyalgia
M79.70	Fibromyalgia, multiple sites
M79.71	Fibromyalgia, shoulder region
M79.72	Fibromyalgia, upper arm
M79.73	Fibromyalgia, forearm
M79.74	Fibromyalgia, hand
M79.75	Fibromyalgia, pelvic region and thigh
M79.76	Fibromyalgia, lower leg
M79.77	Fibromyalgia, ankle and foot
M79.78	Fibromyalgia, other
M79.79	Fibromyalgia, site unspecified
M79.8	Other specified soft tissue disorders
M79.80	Other specified soft tissue disorders, multiple sites
M79.81	Other specified soft tissue disorders, shoulder region
M79.82	Other specified soft tissue disorders, upper arm
M79.83	Other specified soft tissue disorders, forearm
M79.84	Other specified soft tissue disorders, hand
M79.85	Other specified soft tissue disorders, pelvic region and thigh
M79.86	Other specified soft tissue disorders, lower leg
M79.87	Other specified soft tissue disorders, ankle and foot
M79.88	Other specified soft tissue disorders, other site
M79.89	Other specified soft tissue disorders, site unspecified
M79.9	Unspecified soft tissue disorder
M79.90	Unspecified soft tissue disorder, multiple sites
M79.91	Unspecified soft tissue disorder, shoulder region
M79.92	Unspecified soft tissue disorder, upper arm
M79.93	Unspecified soft tissue disorder, forearm
M79.94	Unspecified soft tissue disorder, hand
M79.95	Unspecified soft tissue disorder, pelvic region and thigh
M79.96	Unspecified soft tissue disorder, lower leg
M79.97	Unspecified soft tissue disorder, ankle and foot
M79.98	Unspecified soft tissue disorder, other site
M79.99	Unspecified soft tissue disorder, site unspecified
M80	Osteoporosis with pathological fracture

M80.0	Postmenopausal osteoporosis with pathological fracture
M80.00	Postmenopausal osteoporosis with pathological fracture, multiple sites
M80.01	Postmenopausal osteoporosis with pathological fracture, shoulder region
M80.02	Postmenopausal osteoporosis with pathological fracture, upper arm
M80.03	Postmenopausal osteoporosis with pathological fracture, forearm
M80.04	Postmenopausal osteoporosis with pathological fracture, hand
M80.05	Postmenopausal osteoporosis with pathological fracture, pelvic region and thigh
M80.06	Postmenopausal osteoporosis with pathological fracture, lower leg
M80.07	Postmenopausal osteoporosis with pathological fracture, ankle and foot
M80.08	Postmenopausal osteoporosis with pathological fracture, other site
M80.09	Postmenopausal osteoporosis with pathological fracture, site unspecified
M80.1	Postoophorectomy osteoporosis with pathological fracture
M80.10	Postoophorectomy osteoporosis with pathological fracture, multiple sites
M80.11	Postoophorectomy osteoporosis with pathological fracture, shoulder region
M80.12	Postoophorectomy osteoporosis with pathological fracture, upper arm
M80.13	Postoophorectomy osteoporosis with pathological fracture, forearm
M80.14	Postoophorectomy osteoporosis with pathological fracture, hand
M80.15	Postoophorectomy osteoporosis with pathological fracture, pelvic region and thigh
M80.16	Postoophorectomy osteoporosis with pathological fracture, lower leg
M80.17	Postoophorectomy osteoporosis with pathological fracture, ankle and foot
M80.18	Postoophorectomy osteoporosis with pathological fracture, other site
M80.19	Postoophorectomy osteoporosis with pathological fracture, site unspecified
M80.2	Osteoporosis of disuse with pathological fracture
M80.20	Osteoporosis of disuse with pathological fracture, multiple sites
M80.21	Osteoporosis of disuse with pathological fracture, shoulder region
M80.22	Osteoporosis of disuse with pathological fracture, upper arm
M80.23	Osteoporosis of disuse with pathological fracture, forearm
M80.24	Osteoporosis of disuse with pathological fracture, hand
M80.25	Osteoporosis of disuse with pathological fracture, pelvic region and thigh
M80.26	Osteoporosis of disuse with pathological fracture, lower leg
M80.27	Osteoporosis of disuse with pathological fracture, ankle and foot
M80.28	Osteoporosis of disuse with pathological fracture, other site
M80.29	Osteoporosis of disuse with pathological fracture, site unspecified
M80.3	Postprocedural malabsorption osteoporosis with pathological fracture
M80.30	Postprocedural malabsorption osteoporosis with pathological fracture, multiple sites
M80.31	Postprocedural malabsorption osteoporosis with pathological fracture, shoulder region
M80.32	Postprocedural malabsorption osteoporosis with pathological fracture, upper arm
M80.33	Postprocedural malabsorption osteoporosis with pathological fracture, forearm
M80.34	Postprocedural malabsorption osteoporosis with pathological fracture, hand
M80.35	Postprocedural malabsorption osteoporosis with pathological fracture, pelvic region and thigh
M80.36	Postprocedural malabsorption osteoporosis with pathological fracture, lower leg
M80.37	Postprocedural malabsorption osteoporosis with pathological fracture, ankle and foot
M80.38	Postprocedural malabsorption osteoporosis with pathological fracture, other site
M80.39	Postprocedural malabsorption osteoporosis with pathological fracture, site unspecified
M80.4	Drug-induced osteoporosis with pathological fracture
M80.40	Drug-induced osteoporosis with pathological fracture, multiple sites
M80.41	Drug-induced osteoporosis with pathological fracture, shoulder region

M80.42	Drug-induced osteoporosis with pathological fracture, upper arm
M80.43	Drug-induced osteoporosis with pathological fracture, forearm
M80.44	Drug-induced osteoporosis with pathological fracture, hand
M80.45	Drug-induced osteoporosis with pathological fracture, pelvic region and thigh
M80.46	Drug-induced osteoporosis with pathological fracture, lower leg
M80.47	Drug-induced osteoporosis with pathological fracture, ankle and foot
M80.48	Drug-induced osteoporosis with pathological fracture, other site
M80.49	Drug-induced osteoporosis with pathological fracture, site unspecified
M80.5	Idiopathic osteoporosis with pathological fracture
M80.50	Idiopathic osteoporosis with pathological fracture, multiple sites
M80.51	Idiopathic osteoporosis with pathological fracture, shoulder region
M80.52	Idiopathic osteoporosis with pathological fracture, upper arm
M80.53	Idiopathic osteoporosis with pathological fracture, forearm
M80.54	Idiopathic osteoporosis with pathological fracture, hand
M80.55	Idiopathic osteoporosis with pathological fracture, pelvic region and thigh
M80.56	Idiopathic osteoporosis with pathological fracture, lower leg
M80.57	Idiopathic osteoporosis with pathological fracture, ankle and foot
M80.58	Idiopathic osteoporosis with pathological fracture, other site
M80.59	Idiopathic osteoporosis with pathological fracture, site unspecified
M80.8	Other osteoporosis with pathological fracture
M80.80	Other osteoporosis with pathological fracture, multiple sites
M80.81	Other osteoporosis with pathological fracture, shoulder region
M80.82	Other osteoporosis with pathological fracture, upper arm
M80.83	Other osteoporosis with pathological fracture, forearm
M80.84	Other osteoporosis with pathological fracture, hand
M80.85	Other osteoporosis with pathological fracture, pelvic region and thigh
M80.86	Other osteoporosis with pathological fracture, lower leg
M80.87	Other osteoporosis with pathological fracture, ankle and foot
M80.88	Other osteoporosis with pathological fracture, other site
M80.89	Other osteoporosis with pathological fracture, site unspecified
M80.9	Unspecified osteoporosis with pathological fracture
M80.90	Unspecified osteoporosis with pathological fracture, multiple sites
M80.91	Unspecified osteoporosis with pathological fracture, shoulder region
M80.92	Unspecified osteoporosis with pathological fracture, upper arm
M80.93	Unspecified osteoporosis with pathological fracture, forearm
M80.94	Unspecified osteoporosis with pathological fracture, hand
M80.95	Unspecified osteoporosis with pathological fracture, pelvic region and thigh
M80.96	Unspecified osteoporosis with pathological fracture, lower leg
M80.97	Unspecified osteoporosis with pathological fracture, ankle and foot
M80.98	Unspecified osteoporosis with pathological fracture, other site
M80.99	Unspecified osteoporosis with pathological fracture, site unspecified
M81	Osteoporosis without pathological fracture
M81.0	Postmenopausal osteoporosis
M81.00	Postmenopausal osteoporosis, multiple sites
M81.01	Postmenopausal osteoporosis, shoulder region
M81.02	Postmenopausal osteoporosis, upper arm
M81.03	Postmenopausal osteoporosis, forearm
M81.04	Postmenopausal osteoporosis, hand

M81.05	Postmenopausal osteoporosis, pelvic region and thigh
M81.06	Postmenopausal osteoporosis, lower leg
M81.07	Postmenopausal osteoporosis, ankle and foot
M81.08	Postmenopausal osteoporosis, other site
M81.09	Postmenopausal osteoporosis, site unspecified
M81.1	Postoophorectomy osteoporosis
M81.10	Postoophorectomy osteoporosis, multiple sites
M81.11	Postoophorectomy osteoporosis, shoulder region
M81.12	Postoophorectomy osteoporosis, upper arm
M81.13	Postoophorectomy osteoporosis, forearm
M81.14	Postoophorectomy osteoporosis, hand
M81.15	Postoophorectomy osteoporosis, pelvic region and thigh
M81.16	Postoophorectomy osteoporosis, lower leg
M81.17	Postoophorectomy osteoporosis, ankle and foot
M81.18	Postoophorectomy osteoporosis, other site
M81.19	Postoophorectomy osteoporosis, site unspecified
M81.2	Osteoporosis of disuse
M81.20	Osteoporosis of disuse, multiple sites
M81.21	Osteoporosis of disuse, shoulder region
M81.22	Osteoporosis of disuse, upper arm
M81.23	Osteoporosis of disuse, forearm
M81.24	Osteoporosis of disuse, hand
M81.25	Osteoporosis of disuse, pelvic region and thigh
M81.26	Osteoporosis of disuse, lower leg
M81.27	Osteoporosis of disuse, ankle and foot
M81.28	Osteoporosis of disuse, other site
M81.29	Osteoporosis of disuse, site unspecified
M81.3	Postprocedural malabsorption osteoporosis
M81.30	Postprocedural malabsorption osteoporosis, multiple sites
M81.31	Postprocedural malabsorption osteoporosis, shoulder region
M81.32	Postprocedural malabsorption osteoporosis, upper arm
M81.33	Postprocedural malabsorption osteoporosis, forearm
M81.34	Postprocedural malabsorption osteoporosis, hand
M81.35	Postprocedural malabsorption osteoporosis, pelvic region and thigh
M81.36	Postprocedural malabsorption osteoporosis, lower leg
M81.37	Postprocedural malabsorption osteoporosis, ankle and foot
M81.38	Postprocedural malabsorption osteoporosis, other site
M81.39	Postprocedural malabsorption osteoporosis, site unspecified
M81.4	Drug-induced osteoporosis
M81.40	Drug-induced osteoporosis, multiple sites
M81.41	Drug-induced osteoporosis, shoulder region
M81.42	Drug-induced osteoporosis, upper arm
M81.43	Drug-induced osteoporosis, forearm
M81.44	Drug-induced osteoporosis, hand
M81.45	Drug-induced osteoporosis, pelvic region and thigh
M81.46	Drug-induced osteoporosis, lower leg
M81.47	Drug-induced osteoporosis, ankle and foot
M81.48	Drug-induced osteoporosis, other site

M81.49	Drug-induced osteoporosis, site unspecified
M81.5	Idiopathic osteoporosis
M81.50	Idiopathic osteoporosis, multiple sites
M81.51	Idiopathic osteoporosis, shoulder region
M81.52	Idiopathic osteoporosis, upper arm
M81.53	Idiopathic osteoporosis, forearm
M81.54	Idiopathic osteoporosis, hand
M81.55	Idiopathic osteoporosis, pelvic region and thigh
M81.56	Idiopathic osteoporosis, lower leg
M81.57	Idiopathic osteoporosis, ankle and foot
M81.58	Idiopathic osteoporosis, other site
M81.59	Idiopathic osteoporosis, site unspecified
M81.6	Localised osteoporosis [Lequesne]
M81.60	Localised osteoporosis [Lequesne], multiple sites
M81.61	Localised osteoporosis [Lequesne], shoulder region
M81.62	Localised osteoporosis [Lequesne], upper arm
M81.63	Localised osteoporosis [Lequesne], forearm
M81.64	Localised osteoporosis [Lequesne], hand
M81.65	Localised osteoporosis [Lequesne], pelvic region and thigh
M81.66	Localised osteoporosis [Lequesne], lower leg
M81.67	Localised osteoporosis [Lequesne], ankle and foot
M81.68	Localised osteoporosis [Lequesne], other site
M81.69	Localised osteoporosis [Lequesne], site unspecified
M81.8	Other osteoporosis
M81.80	Other osteoporosis, multiple sites
M81.81	Other osteoporosis, shoulder region
M81.82	Other osteoporosis, upper arm
M81.83	Other osteoporosis, forearm
M81.84	Other osteoporosis, hand
M81.85	Other osteoporosis, pelvic region and thigh
M81.86	Other osteoporosis, lower leg
M81.87	Other osteoporosis, ankle and foot
M81.88	Other osteoporosis, other site
M81.89	Other osteoporosis, site unspecified
M81.9	Unspecified osteoporosis
M81.90	Unspecified osteoporosis, multiple sites
M81.91	Unspecified osteoporosis, shoulder region
M81.92	Unspecified osteoporosis, upper arm
M81.93	Unspecified osteoporosis, forearm
M81.94	Unspecified osteoporosis, hand
M81.95	Unspecified osteoporosis, pelvic region and thigh
M81.96	Unspecified osteoporosis, lower leg
M81.97	Unspecified osteoporosis, ankle and foot
M81.98	Unspecified osteoporosis, other site
M81.99	Unspecified osteoporosis, site unspecified
M82*	Osteoporosis in diseases classified elsewhere
M82.0*	Osteoporosis in multiple myelomatosis (C90.0†)
M82.00*	Osteoporosis in multiple myelomatosis, multiple sites (C90.0†)

M82.01*	Osteoporosis in multiple myelomatosis, shoulder region (C90.0†)
M82.02*	Osteoporosis in multiple myelomatosis, upper arm (C90.0†)
M82.03*	Osteoporosis in multiple myelomatosis, forearm (C90.0†)
M82.04*	Osteoporosis in multiple myelomatosis, hand (C90.0†)
M82.05*	Osteoporosis in multiple myelomatosis, pelvic region and thigh (C90.0†)
M82.06*	Osteoporosis in multiple myelomatosis, lower leg (C90.0†)
M82.07*	Osteoporosis in multiple myelomatosis, ankle and foot (C90.0†)
M82.08*	Osteoporosis in multiple myelomatosis, other (C90.0†)
M82.09*	Osteoporosis in multiple myelomatosis, site unspecified (C90.0†)
M82.1*	Osteoporosis in endocrine disorders (E00-E34†)
M82.10*	Osteoporosis in endocrine disorders, multiple sites (E00-E34†)
M82.11*	Osteoporosis in endocrine disorders, shoulder region (E00-E34†)
M82.12*	Osteoporosis in endocrine disorders, upper arm (E00-E34†)
M82.13*	Osteoporosis in endocrine disorders, forearm (E00-E34†)
M82.14*	Osteoporosis in endocrine disorders, hand (E00-E34†)
M82.15*	Osteoporosis in endocrine disorders, pelvic region and thigh (E00-E34†)
M82.16*	Osteoporosis in endocrine disorders, lower leg (E00-E34†)
M82.17*	Osteoporosis in endocrine disorders, ankle and foot (E00-E34†)
M82.18*	Osteoporosis in endocrine disorders, other site (E00-E34†)
M82.19*	Osteoporosis in endocrine disorders, site unspecified (E00-E34†)
M82.8*	Osteoporosis in other diseases classified elsewhere
M82.80*	Osteoporosis in other diseases classified elsewhere, multiple sites
M82.81*	Osteoporosis in other diseases classified elsewhere, shoulder region
M82.82*	Osteoporosis in other diseases classified elsewhere, upper arm
M82.83*	Osteoporosis in other diseases classified elsewhere, forearm
M82.84*	Osteoporosis in other diseases classified elsewhere, hand
M82.85*	Osteoporosis in other diseases classified elsewhere, pelvic region and thigh
M82.86*	Osteoporosis in other diseases classified elsewhere, lower leg
M82.87*	Osteoporosis in other diseases classified elsewhere, ankle and foot
M82.88*	Osteoporosis in other diseases classified elsewhere, other site
M82.89*	Osteoporosis in other diseases classified elsewhere, site unspecified
M83	Adult osteomalacia
M83.0	Puerperal osteomalacia
M83.00	Puerperal osteomalacia, multiple sites
M83.01	Puerperal osteomalacia, shoulder region
M83.02	Puerperal osteomalacia, upper arm
M83.03	Puerperal osteomalacia, forearm
M83.04	Puerperal osteomalacia, hand
M83.05	Puerperal osteomalacia, pelvic region and thigh
M83.06	Puerperal osteomalacia, lower leg
M83.07	Puerperal osteomalacia, ankle and foot
M83.08	Puerperal osteomalacia, other site
M83.09	Puerperal osteomalacia, site unspecified
M83.1	Senile osteomalacia
M83.10	Senile osteomalacia, multiple sites
M83.11	Senile osteomalacia, shoulder region
M83.12	Senile osteomalacia, upper arm
M83.13	Senile osteomalacia, forearm

M83.14	Senile osteomalacia, hand
M83.15	Senile osteomalacia, pelvic region and thigh
M83.16	Senile osteomalacia, lower leg
M83.17	Senile osteomalacia, ankle and foot
M83.18	Senile osteomalacia, other site
M83.19	Senile osteomalacia, site unspecified
M83.2	Adult osteomalacia due to malabsorption
M83.20	Adult osteomalacia due to malabsorption, multiple sites
M83.21	Adult osteomalacia due to malabsorption, shoulder region
M83.22	Adult osteomalacia due to malabsorption, upper arm
M83.23	Adult osteomalacia due to malabsorption, forearm
M83.24	Adult osteomalacia due to malabsorption, hand
M83.25	Adult osteomalacia due to malabsorption, pelvic region and thigh
M83.26	Adult osteomalacia due to malabsorption, lower leg
M83.27	Adult osteomalacia due to malabsorption, ankle and foot
M83.28	Adult osteomalacia due to malabsorption, other site
M83.29	Adult osteomalacia due to malabsorption, site unspecified
M83.3	Adult osteomalacia due to malnutrition
M83.30	Adult osteomalacia due to malnutrition, multiple sites
M83.31	Adult osteomalacia due to malnutrition, shoulder region
M83.32	Adult osteomalacia due to malnutrition, upper arm
M83.33	Adult osteomalacia due to malnutrition, forearm
M83.34	Adult osteomalacia due to malnutrition, hand
M83.35	Adult osteomalacia due to malnutrition, pelvic region and thigh
M83.36	Adult osteomalacia due to malnutrition, lower leg
M83.37	Adult osteomalacia due to malnutrition, ankle and foot
M83.38	Adult osteomalacia due to malnutrition, other site
M83.39	Adult osteomalacia due to malnutrition, site unspecified
M83.4	Aluminium bone disease
M83.40	Aluminium bone disease, multiple sites
M83.41	Aluminium bone disease, shoulder region
M83.42	Aluminium bone disease, upper arm
M83.43	Aluminium bone disease, forearm
M83.44	Aluminium bone disease, hand
M83.45	Aluminium bone disease, pelvic region and thigh
M83.46	Aluminium bone disease, lower leg
M83.47	Aluminium bone disease, ankle and foot
M83.48	Aluminium bone disease, other site
M83.49	Aluminium bone disease, site unspecified
M83.5	Other drug-induced osteomalacia in adults
M83.50	Other drug-induced osteomalacia in adults, multiple sites
M83.51	Other drug-induced osteomalacia in adults, shoulder region
M83.52	Other drug-induced osteomalacia in adults, upper arm
M83.53	Other drug-induced osteomalacia in adults, forearm
M83.54	Other drug-induced osteomalacia in adults, hand
M83.55	Other drug-induced osteomalacia in adults, pelvic region and thigh
M83.56	Other drug-induced osteomalacia in adults, lower leg
M83.57	Other drug-induced osteomalacia in adults, ankle and foot

M83.58	Other drug-induced osteomalacia in adults, other site
M83.59	Other drug-induced osteomalacia in adults, site unspecified
M83.8	Other adult osteomalacia
M83.80	Other adult osteomalacia, multiple sites
M83.81	Other adult osteomalacia, shoulder region
M83.82	Other adult osteomalacia, upper arm
M83.83	Other adult osteomalacia, forearm
M83.84	Other adult osteomalacia, hand
M83.85	Other adult osteomalacia, pelvic region and thigh
M83.86	Other adult osteomalacia, lower leg
M83.87	Other adult osteomalacia, ankle and foot
M83.88	Other adult osteomalacia, other site
M83.89	Other adult osteomalacia, site unspecified
M83.9	Unspecified adult osteomalacia
M83.90	Unspecified adult osteomalacia, multiple sites
M83.91	Unspecified adult osteomalacia, shoulder region
M83.92	Unspecified adult osteomalacia, upper arm
M83.93	Unspecified adult osteomalacia, forearm
M83.94	Unspecified adult osteomalacia, hand
M83.95	Unspecified adult osteomalacia, pelvic region and thigh
M83.96	Unspecified adult osteomalacia, lower leg
M83.97	Unspecified adult osteomalacia, ankle and foot
M83.98	Unspecified adult osteomalacia, other site
M83.99	Unspecified adult osteomalacia, site unspecified
M84	Disorders of continuity of bone
M84.0	Malunion of fracture
M84.00	Malunion of fracture, multiple sites
M84.01	Malunion of fracture, shoulder region
M84.02	Malunion of fracture, upper arm
M84.03	Malunion of fracture, forearm
M84.04	Malunion of fracture, hand
M84.05	Malunion of fracture, pelvic region and thigh
M84.06	Malunion of fracture, lower leg
M84.07	Malunion of fracture, ankle and foot
M84.08	Malunion of fracture, other site
M84.09	Malunion of fracture, site unspecified
M84.1	Nonunion of fracture [pseudarthrosis]
M84.10	Nonunion of fracture [pseudarthrosis], multiple sites
M84.11	Nonunion of fracture [pseudarthrosis], shoulder region
M84.12	Nonunion of fracture [pseudarthrosis], upper arm
M84.13	Nonunion of fracture [pseudarthrosis], forearm
M84.14	Nonunion of fracture [pseudarthrosis], hand
M84.15	Nonunion of fracture [pseudarthrosis], pelvic region and thigh
M84.16	Nonunion of fracture [pseudarthrosis], lower leg
M84.17	Nonunion of fracture [pseudarthrosis], ankle and foot
M84.18	Nonunion of fracture [pseudarthrosis], other site
M84.19	Nonunion of fracture [pseudarthrosis], site unspecified
M84.2	Delayed union of fracture

M84.20	Delayed union of fracture, multiple sites
M84.21	Delayed union of fracture, shoulder region
M84.22	Delayed union of fracture, upper arm
M84.23	Delayed union of fracture, forearm
M84.24	Delayed union of fracture, hand
M84.25	Delayed union of fracture, pelvic region and thigh
M84.26	Delayed union of fracture, lower leg
M84.27	Delayed union of fracture, ankle and foot
M84.28	Delayed union of fracture, other site
M84.29	Delayed union of fracture, site unspecified
M84.3	Stress fracture, not elsewhere classified
M84.30	Stress fracture, not elsewhere classified, multiple sites
M84.31	Stress fracture, not elsewhere classified, shoulder region
M84.32	Stress fracture, not elsewhere classified, upper arm
M84.33	Stress fracture, not elsewhere classified, forearm
M84.34	Stress fracture, not elsewhere classified, hand
M84.35	Stress fracture, not elsewhere classified, pelvic region and thigh
M84.36	Stress fracture, not elsewhere classified, lower leg
M84.37	Stress fracture, not elsewhere classified, ankle and foot
M84.38	Stress fracture, not elsewhere classified, other site
M84.39	Stress fracture, not elsewhere classified, site unspecified
M84.4	Pathological fracture, not elsewhere classified
M84.40	Pathological fracture, not elsewhere classified, multiple sites
M84.41	Pathological fracture, not elsewhere classified, shoulder region
M84.42	Pathological fracture, not elsewhere classified, upper arm
M84.43	Pathological fracture, not elsewhere classified, forearm
M84.44	Pathological fracture, not elsewhere classified, hand
M84.45	Pathological fracture, not elsewhere classified, pelvic region and thigh
M84.46	Pathological fracture, not elsewhere classified, lower leg
M84.47	Pathological fracture, not elsewhere classified, ankle and foot
M84.48	Pathological fracture, not elsewhere classified, other site
M84.49	Pathological fracture, not elsewhere classified, site unspecified
M84.8	Other disorders of continuity of bone
M84.80	Other disorders of continuity of bone, multiple sites
M84.81	Other disorders of continuity of bone, shoulder region
M84.82	Other disorders of continuity of bone, upper arm
M84.83	Other disorders of continuity of bone, forearm
M84.84	Other disorders of continuity of bone, hand
M84.85	Other disorders of continuity of bone, pelvic region and thigh
M84.86	Other disorders of continuity of bone, lower leg
M84.87	Other disorders of continuity of bone, ankle and foot
M84.88	Other disorders of continuity of bone, other site
M84.89	Other disorders of continuity of bone, site unspecified
M84.9	Unspecified disorder of continuity of bone
M84.90	Unspecified disorder of continuity of bone, multiple sites
M84.91	Unspecified disorder of continuity of bone, shoulder region
M84.92	Unspecified disorder of continuity of bone, upper arm
M84.93	Unspecified disorder of continuity of bone, forearm

M84.94	Unspecified disorder of continuity of bone, hand
M84.95	Unspecified disorder of continuity of bone, pelvic region and thigh
M84.96	Unspecified disorder of continuity of bone, lower leg
M84.97	Unspecified disorder of continuity of bone, ankle and foot
M84.98	Unspecified disorder of continuity of bone, other site
M84.99	Unspecified disorder of continuity of bone, unspecified
M85	Other disorders of bone density and structure
M85.0	Fibrous dysplasia [monostotic]
M85.00	Fibrous dysplasia [monostotic], multiple sites
M85.01	Fibrous dysplasia [monostotic], shoulder region
M85.02	Fibrous dysplasia [monostotic], upper arm
M85.03	Fibrous dysplasia [monostotic], forearm
M85.04	Fibrous dysplasia [monostotic], hand
M85.05	Fibrous dysplasia [monostotic], pelvic region and thigh
M85.06	Fibrous dysplasia [monostotic], lower leg
M85.07	Fibrous dysplasia [monostotic], ankle and foot
M85.08	Fibrous dysplasia [monostotic], other site
M85.09	Fibrous dysplasia [monostotic], site unspecified
M85.1	Skeletal fluorosis
M85.10	Skeletal fluorosis, multiple sites
M85.11	Skeletal fluorosis, shoulder region
M85.12	Skeletal fluorosis, upper arm
M85.13	Skeletal fluorosis, forearm
M85.14	Skeletal fluorosis, hand
M85.15	Skeletal fluorosis, pelvic region and thigh
M85.16	Skeletal fluorosis, lower leg
M85.17	Skeletal fluorosis, ankle and foot
M85.18	Skeletal fluorosis, other site
M85.19	Skeletal fluorosis, site unspecified
M85.2	Hyperostosis of skull
M85.3	Osteitis condensans
M85.30	Osteitis condensans, multiple sites
M85.31	Osteitis condensans, shoulder region
M85.32	Osteitis condensans, upper arm
M85.33	Osteitis condensans, forearm
M85.34	Osteitis condensans, hand
M85.35	Osteitis condensans, pelvic region and thigh
M85.36	Osteitis condensans, lower leg
M85.37	Osteitis condensans, ankle and foot
M85.38	Osteitis condensans, other site
M85.39	Osteitis condensans, site unspecified
M85.4	Solitary bone cyst
M85.40	Solitary bone cyst, multiple sites
M85.41	Solitary bone cyst, shoulder region
M85.42	Solitary bone cyst, upper arm
M85.43	Solitary bone cyst, forearm
M85.44	Solitary bone cyst, hand
M85.45	Solitary bone cyst, pelvic region and thigh

M85.46	Solitary bone cyst, lower leg
M85.47	Solitary bone cyst, ankle and foot
M85.48	Solitary bone cyst, other site
M85.49	Solitary bone cyst, site unspecified
M85.5	Aneurysmal bone cyst
M85.50	Aneurysmal bone cyst, multiple sites
M85.51	Aneurysmal bone cyst, shoulder region
M85.52	Aneurysmal bone cyst, upper arm
M85.53	Aneurysmal bone cyst, forearm
M85.54	Aneurysmal bone cyst, hand
M85.55	Aneurysmal bone cyst, pelvic region and thigh
M85.56	Aneurysmal bone cyst, lower leg
M85.57	Aneurysmal bone cyst, ankle and foot
M85.58	Aneurysmal bone cyst, other site
M85.59	Aneurysmal bone cyst, site unspecified
M85.6	Other cyst of bone
M85.60	Other cyst of bone, multiple sites
M85.61	Other cyst of bone, shoulder region
M85.62	Other cyst of bone, upper arm
M85.63	Other cyst of bone, forearm
M85.64	Other cyst of bone, hand
M85.65	Other cyst of bone, pelvic region and thigh
M85.66	Other cyst of bone, lower leg
M85.67	Other cyst of bone, ankle and foot
M85.68	Other cyst of bone, other site
M85.69	Other cyst of bone, site unspecified
M85.8	Other specified disorders of bone density and structure
M85.80	Other specified disorders of bone density and structure, multiple sites
M85.81	Other specified disorders of bone density and structure, shoulder region
M85.82	Other specified disorders of bone density and structure, upper arm
M85.83	Other specified disorders of bone density and structure, forearm
M85.84	Other specified disorders of bone density and structure, hand
M85.85	Other specified disorders of bone density and structure, pelvic region and thigh
M85.86	Other specified disorders of bone density and structure, lower leg
M85.87	Other specified disorders of bone density and structure, ankle and foot
M85.88	Other specified disorders of bone density and structure, other site
M85.89	Other specified disorders of bone density and structure, site unspecified
M85.9	Unspecified disorder of bone density and structure
M85.90	Unspecified disorder of bone density and structure, multiple sites
M85.91	Unspecified disorder of bone density and structure, shoulder region
M85.92	Unspecified disorder of bone density and structure, upper arm
M85.93	Unspecified disorder of bone density and structure, forearm
M85.94	Unspecified disorder of bone density and structure, hand
M85.95	Unspecified disorder of bone density and structure, pelvic region and thigh
M85.96	Unspecified disorder of bone density and structure, lower leg
M85.97	Unspecified disorder of bone density and structure, ankle and foot
M85.98	Unspecified disorder of bone density and structure, other site
M85.99	Unspecified disorder of bone density and structure, site unspecified

M86	Osteomyelitis
M86.0	Acute haematogenous osteomyelitis
M86.00	Acute haematogenous osteomyelitis, multiple sites
M86.01	Acute haematogenous osteomyelitis, shoulder region
M86.02	Acute haematogenous osteomyelitis, upper arm
M86.03	Acute haematogenous osteomyelitis, forearm
M86.04	Acute haematogenous osteomyelitis, hand
M86.05	Acute haematogenous osteomyelitis, pelvic region and thigh
M86.06	Acute haematogenous osteomyelitis, lower leg
M86.07	Acute haematogenous osteomyelitis, ankle and foot
M86.08	Acute haematogenous osteomyelitis, other site
M86.09	Acute haematogenous osteomyelitis, site unspecified
M86.1	Other acute osteomyelitis
M86.10	Other acute osteomyelitis, multiple sites
M86.11	Other acute osteomyelitis, shoulder region
M86.12	Other acute osteomyelitis, upper arm
M86.13	Other acute osteomyelitis, forearm
M86.14	Other acute osteomyelitis, hand
M86.15	Other acute osteomyelitis, pelvic region and thigh
M86.16	Other acute osteomyelitis, lower leg
M86.17	Other acute osteomyelitis, ankle and foot
M86.18	Other acute osteomyelitis, other site
M86.19	Other acute osteomyelitis, site unspecified
M86.2	Subacute osteomyelitis
M86.20	Subacute osteomyelitis, multiple sites
M86.21	Subacute osteomyelitis, shoulder region
M86.22	Subacute osteomyelitis, upper arm
M86.23	Subacute osteomyelitis, forearm
M86.24	Subacute osteomyelitis, hand
M86.25	Subacute osteomyelitis, pelvic region and thigh
M86.26	Subacute osteomyelitis, lower leg
M86.27	Subacute osteomyelitis, ankle and foot
M86.28	Subacute osteomyelitis, other site
M86.29	Subacute osteomyelitis, site unspecified
M86.3	Chronic multifocal osteomyelitis
M86.30	Chronic multifocal osteomyelitis, multiple sites
M86.31	Chronic multifocal osteomyelitis, shoulder region
M86.32	Chronic multifocal osteomyelitis, upper arm
M86.33	Chronic multifocal osteomyelitis, forearm
M86.34	Chronic multifocal osteomyelitis, hand
M86.35	Chronic multifocal osteomyelitis, pelvic region and thigh
M86.36	Chronic multifocal osteomyelitis, lower leg
M86.37	Chronic multifocal osteomyelitis, ankle and foot
M86.38	Chronic multifocal osteomyelitis, other site
M86.39	Chronic multifocal osteomyelitis, site unspecified
M86.4	Chronic osteomyelitis with draining sinus
M86.40	Chronic osteomyelitis with draining sinus, multiple sites
M86.41	Chronic osteomyelitis with draining sinus, shoulder region

M86.42	Chronic osteomyelitis with draining sinus, upper arm
M86.43	Chronic osteomyelitis with draining sinus, forearm
M86.44	Chronic osteomyelitis with draining sinus, hand
M86.45	Chronic osteomyelitis with draining sinus, pelvic region and thigh
M86.46	Chronic osteomyelitis with draining sinus, lower leg
M86.47	Chronic osteomyelitis with draining sinus, ankle and foot
M86.48	Chronic osteomyelitis with draining sinus, other site
M86.49	Chronic osteomyelitis with draining sinus, site unspecified
M86.5	Other chronic haematogenous osteomyelitis
M86.50	Other chronic haematogenous osteomyelitis, multiple sites
M86.51	Other chronic haematogenous osteomyelitis, shoulder region
M86.52	Other chronic haematogenous osteomyelitis, upper arm
M86.53	Other chronic haematogenous osteomyelitis, forearm
M86.54	Other chronic haematogenous osteomyelitis, hand
M86.55	Other chronic haematogenous osteomyelitis, pelvic region and thigh
M86.56	Other chronic haematogenous osteomyelitis, lower leg
M86.57	Other chronic haematogenous osteomyelitis, ankle and foot
M86.58	Other chronic haematogenous osteomyelitis, other site
M86.59	Other chronic haematogenous osteomyelitis, site unspecified
M86.6	Other chronic osteomyelitis
M86.60	Other chronic osteomyelitis, multiple sites
M86.61	Other chronic osteomyelitis, shoulder region
M86.62	Other chronic osteomyelitis, upper arm
M86.63	Other chronic osteomyelitis, forearm
M86.64	Other chronic osteomyelitis, hand
M86.65	Other chronic osteomyelitis, pelvic region and thigh
M86.66	Other chronic osteomyelitis, lower leg
M86.67	Other chronic osteomyelitis, ankle and foot
M86.68	Other chronic osteomyelitis, other site
M86.69	Other chronic osteomyelitis, site unspecified
M86.8	Other osteomyelitis
M86.80	Other osteomyelitis, multiple sites
M86.81	Other osteomyelitis, shoulder region
M86.82	Other osteomyelitis, upper arm
M86.83	Other osteomyelitis, forearm
M86.84	Other osteomyelitis, hand
M86.85	Other osteomyelitis, pelvic region and thigh
M86.86	Other osteomyelitis, lower leg
M86.87	Other osteomyelitis, ankle and foot
M86.88	Other osteomyelitis, other site
M86.89	Other osteomyelitis, site unspecified
M86.9	Osteomyelitis, unspecified
M86.90	Osteomyelitis, unspecified, multiple sites
M86.91	Osteomyelitis, unspecified, shoulder region
M86.92	Osteomyelitis, unspecified, upper arm
M86.93	Osteomyelitis, unspecified, forearm
M86.94	Osteomyelitis, unspecified, hand
M86.95	Osteomyelitis, unspecified, pelvic region and thigh

M86.96	Osteomyelitis, unspecified, lower leg
M86.97	Osteomyelitis, unspecified, ankle and foot
M86.98	Osteomyelitis, unspecified, other site
M86.99	Osteomyelitis, unspecified, site unspecified
M87	Osteonecrosis
M87.0	Idiopathic aseptic necrosis of bone
M87.00	Idiopathic aseptic necrosis of bone, multiple sites
M87.01	Idiopathic aseptic necrosis of bone, shoulder region
M87.02	Idiopathic aseptic necrosis of bone, upper arm
M87.03	Idiopathic aseptic necrosis of bone, forearm
M87.04	Idiopathic aseptic necrosis of bone, hand
M87.05	Idiopathic aseptic necrosis of bone, pelvic region and thigh
M87.06	Idiopathic aseptic necrosis of bone, lower leg
M87.07	Idiopathic aseptic necrosis of bone, ankle and foot
M87.08	Idiopathic aseptic necrosis of bone, other site
M87.09	Idiopathic aseptic necrosis of bone, site unspecified
M87.1	Osteonecrosis due to drugs
M87.10	Osteonecrosis due to drugs, multiple sites
M87.11	Osteonecrosis due to drugs, shoulder region
M87.12	Osteonecrosis due to drugs, upper arm
M87.13	Osteonecrosis due to drugs, forearm
M87.14	Osteonecrosis due to drugs, hand
M87.15	Osteonecrosis due to drugs, pelvic region and thigh
M87.16	Osteonecrosis due to drugs, lower leg
M87.17	Osteonecrosis due to drugs, ankle and foot
M87.18	Osteonecrosis due to drugs, other site
M87.19	Osteonecrosis due to drugs, site unspecified
M87.2	Osteonecrosis due to previous trauma
M87.20	Osteonecrosis due to previous trauma, multiple sites
M87.21	Osteonecrosis due to previous trauma, shoulder region
M87.22	Osteonecrosis due to previous trauma, upper arm
M87.23	Osteonecrosis due to previous trauma, forearm
M87.24	Osteonecrosis due to previous trauma, hand
M87.25	Osteonecrosis due to previous trauma, pelvic region and thigh
M87.26	Osteonecrosis due to previous trauma, lower leg
M87.27	Osteonecrosis due to previous trauma, ankle and foot
M87.28	Osteonecrosis due to previous trauma, other site
M87.29	Osteonecrosis due to previous trauma, site unspecified
M87.3	Other secondary osteonecrosis
M87.30	Other secondary osteonecrosis, multiple sites
M87.31	Other secondary osteonecrosis, shoulder region
M87.32	Other secondary osteonecrosis, upper arm
M87.33	Other secondary osteonecrosis, forearm
M87.34	Other secondary osteonecrosis, hand
M87.35	Other secondary osteonecrosis, pelvic region and thigh
M87.36	Other secondary osteonecrosis, lower leg
M87.37	Other secondary osteonecrosis, ankle and foot
M87.38	Other secondary osteonecrosis, other site

M87.39	Other secondary osteonecrosis, site unspecified
M87.8	Other osteonecrosis
M87.80	Other osteonecrosis, multiple sites
M87.81	Other osteonecrosis, shoulder region
M87.82	Other osteonecrosis, upper arm
M87.83	Other osteonecrosis, forearm
M87.84	Other osteonecrosis, hand
M87.85	Other osteonecrosis, pelvic region and thigh
M87.86	Other osteonecrosis, lower leg
M87.87	Other osteonecrosis, ankle and foot
M87.88	Other osteonecrosis, other site
M87.89	Other osteonecrosis, site unspecified
M87.9	Unspecified osteonecrosis
M87.90	Unspecified osteonecrosis, multiple sites
M87.91	Unspecified osteonecrosis, shoulder region
M87.92	Unspecified osteonecrosis, upper arm
M87.93	Unspecified osteonecrosis, forearm
M87.94	Unspecified osteonecrosis, hand
M87.95	Unspecified osteonecrosis, pelvic region and thigh
M87.96	Unspecified osteonecrosis, lower leg
M87.97	Unspecified osteonecrosis, ankle and foot
M87.98	Unspecified osteonecrosis, other site
M87.99	Unspecified osteonecrosis, site unspecified
M88	Paget's disease of bone [osteitis deformans]
M88.0	Paget's disease of skull
M88.8	Paget's disease of other bones
M88.80	Paget's disease of other bones, multiple sites
M88.81	Paget's disease of other bones, shoulder region
M88.82	Paget's disease of other bones, upper arm
M88.83	Paget's disease of other bones, forearm
M88.84	Paget's disease of other bones, hand
M88.85	Paget's disease of other bones, pelvic region and thigh
M88.86	Paget's disease of other bones, lower leg
M88.87	Paget's disease of other bones, ankle and foot
M88.88	Paget's disease of other bones, other site
M88.89	Paget's disease of other bones, site unspecified
M88.9	Paget's disease of bone, unspecified
M88.90	Paget's disease of bone, unspecified, multiple sites
M88.91	Paget's disease of bone, unspecified, shoulder region
M88.92	Paget's disease of bone, unspecified, upper arm
M88.93	Paget's disease of bone, unspecified, forearm
M88.94	Paget's disease of bone, unspecified, hand
M88.95	Paget's disease of bone, unspecified, pelvic region and thigh
M88.96	Paget's disease of bone, unspecified, lower leg
M88.97	Paget's disease of bone, unspecified, ankle and foot
M88.98	Paget's disease of bone, unspecified, other
M88.99	Paget's disease of bone, unspecified, site unspecified
M89	Other disorders of bone

M89.0	Algoneurodystrophy
M89.00	Algoneurodystrophy, multiple sites
M89.01	Algoneurodystrophy, shoulder region
M89.02	Algoneurodystrophy, upper arm
M89.03	Algoneurodystrophy, forearm
M89.04	Algoneurodystrophy, hand
M89.05	Algoneurodystrophy, pelvic region and thigh
M89.06	Algoneurodystrophy, lower leg
M89.07	Algoneurodystrophy, ankle and foot
M89.08	Algoneurodystrophy, other site
M89.09	Algoneurodystrophy, site unspecified
M89.1	Epiphyseal arrest
M89.10	Epiphyseal arrest, multiple sites
M89.11	Epiphyseal arrest, shoulder region
M89.12	Epiphyseal arrest, upper arm
M89.13	Epiphyseal arrest, forearm
M89.14	Epiphyseal arrest, hand
M89.15	Epiphyseal arrest, pelvic region and thigh
M89.16	Epiphyseal arrest, lower leg
M89.17	Epiphyseal arrest, ankle and foot
M89.18	Epiphyseal arrest, other site
M89.19	Epiphyseal arrest, site unspecified
M89.2	Other disorders of bone development and growth
M89.20	Other disorders of bone development and growth, multiple sites
M89.21	Other disorders of bone development and growth, shoulder region
M89.22	Other disorders of bone development and growth, upper arm
M89.23	Other disorders of bone development and growth, forearm
M89.24	Other disorders of bone development and growth, hand
M89.25	Other disorders of bone development and growth, pelvic region and thigh
M89.26	Other disorders of bone development and growth, lower leg
M89.27	Other disorders of bone development and growth, ankle and foot
M89.28	Other disorders of bone development and growth, other site
M89.29	Other disorders of bone development and growth, site unspecified
M89.3	Hypertrophy of bone
M89.30	Hypertrophy of bone, multiple sites
M89.31	Hypertrophy of bone, shoulder region
M89.32	Hypertrophy of bone, upper arm
M89.33	Hypertrophy of bone, forearm
M89.34	Hypertrophy of bone, hand
M89.35	Hypertrophy of bone, pelvic region and thigh
M89.36	Hypertrophy of bone, lower leg
M89.37	Hypertrophy of bone, ankle and foot
M89.38	Hypertrophy of bone, other site
M89.39	Hypertrophy of bone, site unspecified
M89.4	Other hypertrophic osteoarthropathy
M89.40	Other hypertrophic osteoarthropathy, multiple sites
M89.41	Other hypertrophic osteoarthropathy, shoulder region
M89.42	Other hypertrophic osteoarthropathy, upper arm

M89.43	Other hypertrophic osteoarthropathy, forearm
M89.44	Other hypertrophic osteoarthropathy, hand
M89.45	Other hypertrophic osteoarthropathy, pelvic region and thigh
M89.46	Other hypertrophic osteoarthropathy, lower leg
M89.47	Other hypertrophic osteoarthropathy, ankle and foot
M89.48	Other hypertrophic osteoarthropathy, other site
M89.49	Other hypertrophic osteoarthropathy, site unspecified
M89.5	Osteolysis
M89.50	Osteolysis, multiple sites
M89.51	Osteolysis, shoulder region
M89.52	Osteolysis, upper arm
M89.53	Osteolysis, forearm
M89.54	Osteolysis, hand
M89.55	Osteolysis, pelvic region and thigh
M89.56	Osteolysis, lower leg
M89.57	Osteolysis, ankle and foot
M89.58	Osteolysis, other site
M89.59	Osteolysis, site unspecified
M89.6	Osteopathy after poliomyelitis
M89.60	Osteopathy after poliomyelitis, multiple sites
M89.61	Osteopathy after poliomyelitis, shoulder region
M89.62	Osteopathy after poliomyelitis, upper arm
M89.63	Osteopathy after poliomyelitis, forearm
M89.64	Osteopathy after poliomyelitis, hand
M89.65	Osteopathy after poliomyelitis, pelvic region and thigh
M89.66	Osteopathy after poliomyelitis, lower leg
M89.67	Osteopathy after poliomyelitis, ankle and foot
M89.68	Osteopathy after poliomyelitis, other site
M89.69	Osteopathy after poliomyelitis, site unspecified
M89.8	Other specified disorders of bone
M89.80	Other specified disorders of bone, multiple sites
M89.81	Other specified disorders of bone, shoulder region
M89.82	Other specified disorders of bone, upper arm
M89.83	Other specified disorders of bone, forearm
M89.84	Other specified disorders of bone, hand
M89.85	Other specified disorders of bone, pelvic region and thigh
M89.86	Other specified disorders of bone, lower leg
M89.87	Other specified disorders of bone, ankle and foot
M89.88	Other specified disorders of bone, other site
M89.89	Other specified disorders of bone, site unspecified
M89.9	Unspecified disorder of bone
M89.90	Unspecified disorder of bone, multiple sites
M89.91	Unspecified disorder of bone, shoulder region
M89.92	Unspecified disorder of bone, upper arm
M89.93	Unspecified disorder of bone, forearm
M89.94	Unspecified disorder of bone, hand
M89.95	Unspecified disorder of bone, pelvic region and thigh
M89.96	Unspecified disorder of bone, lower leg

M89.97	Unspecified disorder of bone, ankle and foot
M89.98	Unspecified disorder of bone, other site
M89.99	Unspecified disorder of bone, site unspecified
M90*	Osteopathies in diseases classified elsewhere
M90.0*	Tuberculosis of bone (A18.0†)
M90.00*	Tuberculosis of bone, multiple sites (A18.0†)
M90.01*	Tuberculosis of bone, shoulder region (A18.0†)
M90.02*	Tuberculosis of bone, upper arm (A18.0†)
M90.03*	Tuberculosis of bone, forearm (A18.0†)
M90.04*	Tuberculosis of bone, hand (A18.0†)
M90.05*	Tuberculosis of bone, pelvic region and thigh (A18.0†)
M90.06*	Tuberculosis of bone, lower leg (A18.0†)
M90.07*	Tuberculosis of bone, ankle and foot (A18.0†)
M90.08*	Tuberculosis of bone, other site (A18.0†)
M90.09*	Tuberculosis of bone, site unspecified (A18.0†)
M90.1*	Periostitis in other infectious diseases classified elsewhere
M90.10*	Periostitis in other infectious diseases classified elsewhere, multiple sites
M90.11*	Periostitis in other infectious diseases classified elsewhere, shoulder region
M90.12*	Periostitis in other infectious diseases classified elsewhere, upper arm
M90.13*	Periostitis in other infectious diseases classified elsewhere, forearm
M90.14*	Periostitis in other infectious diseases classified elsewhere, hand
M90.15*	Periostitis in other infectious diseases classified elsewhere, pelvic region and thigh
M90.16*	Periostitis in other infectious diseases classified elsewhere, lower leg
M90.17*	Periostitis in other infectious diseases classified elsewhere, ankle and foot
M90.18*	Periostitis in other infectious diseases classified elsewhere, other site
M90.19*	Periostitis in other infectious diseases classified elsewhere, site unspecified
M90.2*	Osteopathy in other infectious diseases classified elsewhere
M90.20*	Osteopathy in other infectious diseases classified elsewhere, multiple sites
M90.21*	Osteopathy in other infectious diseases classified elsewhere, shoulder region
M90.22*	Osteopathy in other infectious diseases classified elsewhere, upper arm
M90.23*	Osteopathy in other infectious diseases classified elsewhere, forearm
M90.24*	Osteopathy in other infectious diseases classified elsewhere, hand
M90.25*	Osteopathy in other infectious diseases classified elsewhere, pelvic region and thigh
M90.26*	Osteopathy in other infectious diseases classified elsewhere, lower leg
M90.27*	Osteopathy in other infectious diseases classified elsewhere, ankle and foot
M90.28*	Osteopathy in other infectious diseases classified elsewhere, other site
M90.29*	Osteopathy in other infectious diseases classified elsewhere, site unspecified
M90.3*	Osteonecrosis in decompression sickness (T70.3†)
M90.30*	Osteonecrosis in decompression sickness, multiple sites (T70.3†)
M90.31*	Osteonecrosis in decompression sickness, shoulder region (T70.3†)
M90.32*	Osteonecrosis in decompression sickness, upper arm (T70.3†)
M90.33*	Osteonecrosis in decompression sickness, forearm (T70.3†)
M90.34*	Osteonecrosis in decompression sickness, hand (T70.3†)
M90.35*	Osteonecrosis in decompression sickness, pelvic region and thigh (T70.3†)
M90.36*	Osteonecrosis in decompression sickness, lower leg (T70.3†)
M90.37*	Osteonecrosis in decompression sickness, ankle and foot (T70.3†)
M90.38*	Osteonecrosis in decompression sickness other site (T70.3†)
M90.39*	Osteonecrosis in decompression sickness, site unspecified (T70.3†)

M90.4*	Osteonecrosis due to haemoglobinopathy (D50-D64†)
M90.40*	Osteonecrosis due to haemoglobinopathy, multiple sites (D50-D64†)
M90.41*	Osteonecrosis due to haemoglobinopathy, shoulder region (D50-D64†)
M90.42*	Osteonecrosis due to haemoglobinopathy, upper arm (D50-D64†)
M90.43*	Osteonecrosis due to haemoglobinopathy, forearm (D50-D64†)
M90.44*	Osteonecrosis due to haemoglobinopathy (D50-D64†), hand
M90.45*	Osteonecrosis due to haemoglobinopathy, pelvic region and thigh (D50-D64†)
M90.46*	Osteonecrosis due to haemoglobinopathy, lower leg (D50-D64†)
M90.47*	Osteonecrosis due to haemoglobinopathy, ankle and foot (D50-D64†)
M90.48*	Osteonecrosis due to haemoglobinopathy, other site (D50-D64†)
M90.49*	Osteonecrosis due to haemoglobinopathy, site unspecified (D50-D64†)
M90.5*	Osteonecrosis in other diseases classified elsewhere
M90.50*	Osteonecrosis in other diseases classified elsewhere, multiple sites
M90.51*	Osteonecrosis in other diseases classified elsewhere, shoulder region
M90.52*	Osteonecrosis in other diseases classified elsewhere, upper arm
M90.53*	Osteonecrosis in other diseases classified elsewhere, forearm
M90.54*	Osteonecrosis in other diseases classified elsewhere, hand
M90.55*	Osteonecrosis in other diseases classified elsewhere, pelvic region and thigh
M90.56*	Osteonecrosis in other diseases classified elsewhere, lower leg
M90.57*	Osteonecrosis in other diseases classified elsewhere, ankle and foot
M90.58*	Osteonecrosis in other diseases classified elsewhere, other site
M90.59*	Osteonecrosis in other diseases classified elsewhere, site unspecified
M90.6*	Osteitis deformans in neoplastic disease (C00-D48†)
M90.60*	Osteitis deformans in neoplastic disease, multiple sites (C00-D48†)
M90.61*	Osteitis deformans in neoplastic disease, shoulder region (C00-D48†)
M90.62*	Osteitis deformans in neoplastic disease, upper arm (C00-D48†)
M90.63*	Osteitis deformans in neoplastic disease, forearm (C00-D48†)
M90.64*	Osteitis deformans in neoplastic disease, hand (C00-D48†)
M90.65*	Osteitis deformans in neoplastic disease, pelvic region and thigh (C00-D48†)
M90.66*	Osteitis deformans in neoplastic disease, lower leg (C00-D48†)
M90.67*	Osteitis deformans in neoplastic disease, ankle and foot (C00-D48†)
M90.68*	Osteitis deformans in neoplastic disease, other site (C00-D48†)
M90.69*	Osteitis deformans in neoplastic disease, site unspecified (C00-D48†)
M90.7*	Fracture of bone in neoplastic disease (C00-D48†)
M90.70*	Fracture of bone in neoplastic disease, multiple sites (C00-D48†)
M90.71*	Fracture of bone in neoplastic disease, shoulder region (C00-D48†)
M90.72*	Fracture of bone in neoplastic disease, upper arm (C00-D48†)
M90.73*	Fracture of bone in neoplastic disease, forearm (C00-D48†)
M90.74*	Fracture of bone in neoplastic disease, hand (C00-D48†)
M90.75*	Fracture of bone in neoplastic disease, pelvic region and thigh (C00-D48†)
M90.76*	Fracture of bone in neoplastic disease, lower leg (C00-D48†)
M90.77*	Fracture of bone in neoplastic disease, ankle and foot
M90.78*	Fracture of bone in neoplastic disease, other site
M90.79*	Fracture of bone in neoplastic disease, site unspecified (C00-D48†)
M90.8*	Osteopathy in other diseases classified elsewhere
M90.80*	Osteopathy in other diseases classified elsewhere, multiple sites
M90.81*	Osteopathy in other diseases classified elsewhere, shoulder region
M90.82*	Osteopathy in other diseases classified elsewhere, upper arm

M90.83*	Osteopathy in other diseases classified elsewhere, forearm
M90.84*	Osteopathy in other diseases classified elsewhere, hand
M90.85*	Osteopathy in other diseases classified elsewhere, pelvic region and thigh
M90.86*	Osteopathy in other diseases classified elsewhere, lower leg
M90.87*	Osteopathy in other diseases classified elsewhere, ankle and foot
M90.88*	Osteopathy in other diseases classified elsewhere, other site
M90.89*	Osteopathy in other diseases classified elsewhere, site unspecified
M91	Juvenile osteochondrosis of hip and pelvis
M91.0	Juvenile osteochondrosis of pelvis
M91.1	Juvenile osteochondrosis of head of femur [Legg-Calvé-Perthes]
M91.2	Coxa plana
M91.3	Pseudocoxalgia
M91.8	Other juvenile osteochondrosis of hip and pelvis
M91.9	Juvenile osteochondrosis of hip and pelvis, unspecified
M92	Other juvenile osteochondrosis
M92.0	Juvenile osteochondrosis of humerus
M92.1	Juvenile osteochondrosis of radius and ulna
M92.2	Juvenile osteochondrosis of hand
M92.3	Other juvenile osteochondrosis of upper limb
M92.4	Juvenile osteochondrosis of patella
M92.5	Juvenile osteochondrosis of tibia and fibula
M92.6	Juvenile osteochondrosis of tarsus
M92.7	Juvenile osteochondrosis of metatarsus
M92.8	Other specified juvenile osteochondrosis
M92.9	Juvenile osteochondrosis, unspecified
M93	Other osteochondropathies
M93.0	Slipped upper femoral epiphysis [nontraumatic]
M93.1	Kienbock's disease of adults
M93.2	Osteochondritis dissecans
M93.20	Osteochondritis dissecans, multiple sites
M93.21	Osteochondritis dissecans, shoulder region
M93.22	Osteochondritis dissecans, upper arm
M93.23	Osteochondritis dissecans, forearm
M93.24	Osteochondritis dissecans, hand
M93.25	Osteochondritis dissecans, pelvic region and thigh
M93.26	Osteochondritis dissecans, lower leg
M93.27	Osteochondritis dissecans, ankle and foot
M93.29	Osteochondritis dissecans, site unspecified
M93.8	Other specified osteochondropathies
M93.9	Osteochondropathy, unspecified
M94	Other disorders of cartilage
M94.0	Chondrocostal junction syndrome [Tietze]
M94.1	Relapsing polychondritis
M94.2	Chondromalacia
M94.20	Chondromalacia, multiple sites
M94.21	Chondromalacia, shoulder region
M94.22	Chondromalacia, upper arm
M94.23	Chondromalacia, forearm

M94.24	Chondromalacia, hand
M94.25	Chondromalacia pelvic region and thigh
M94.26	Chondromalacia lower leg
M94.27	Chondromalacia, ankle and foot
M94.28	Chondromalacia, other
M94.29	Chondromalacia, site unspecified
M94.3	Chondrolysis
M94.30	Chondrolysis, multiple sites
M94.31	Chondrolysis, shoulder region
M94.32	Chondrolysis, upper arm
M94.33	Chondrolysis, forearm
M94.34	Chondrolysis, hand
M94.35	Chondrolysis, pelvic region and thigh
M94.36	Chondrolysis, lower leg
M94.37	Chondrolysis, ankle and foot
M94.38	Chondrolysis, other
M94.39	Chondrolysis, site unspecified
M94.8	Other specified disorders of cartilage
M94.80	Other specified disorders of cartilage, multiple sites
M94.81	Other specified disorders of cartilage, shoulder region
M94.82	Other specified disorders of cartilage, upper arm
M94.83	Other specified disorders of cartilage, forearm
M94.84	Other specified disorders of cartilage, hand
M94.85	Other specified disorders of cartilage, pelvic region and thigh
M94.86	Other specified disorders of cartilage, lower leg
M94.87	Other specified disorders of cartilage, ankle and foot
M94.88	Other specified disorders of cartilage, other
M94.89	Other specified disorders of cartilage, site unspecified
M94.9	Unspecified disorder of cartilage
M94.90	Unspecified disorder of cartilage, multiple sites
M94.91	Unspecified disorder of cartilage, shoulder region
M94.92	Unspecified disorder of cartilage, upper arm
M94.93	Unspecified disorder of cartilage, forearm
M94.94	Unspecified disorder of cartilage, hand
M94.95	Unspecified disorder of cartilage, pelvic region and thigh
M94.96	Unspecified disorder of cartilage, lower leg
M94.97	Unspecified disorder of cartilage, ankle and foot
M94.98	Unspecified disorder of cartilage, other site
M94.99	Unspecified disorder of cartilage, site unspecified
M95	Other acquired deformities of musculoskeletal system and connective tissue
M95.0	Acquired deformity of nose
M95.1	Cauliflower ear
M95.2	Other acquired deformity of head
M95.3	Acquired deformity of neck
M95.4	Acquired deformity of chest and rib
M95.5	Acquired deformity of pelvis
M95.8	Other specified acquired deformities of musculoskeletal system
M95.9	Acquired deformity of musculoskeletal system, unspecified

M96	Intraoperative and postprocedural disorders of musculoskeletal system
M96.0	Pseudarthrosis after fusion or arthrodesis
M96.1	Postlaminectomy syndrome, not elsewhere classified
M96.2	Postradiation kyphosis
M96.3	Postlaminectomy kyphosis
M96.4	Postprocedural lordosis
M96.5	Postradiation scoliosis
M96.6	Fracture of bone following insertion of orthopaedic implant and postprocedural osteolysis
M96.61	Fracture of bone following insertion of orthopaedic implant [joint prosthesis or bone plate]
M96.62	Postprocedural osteolysis
M96.7	Accidental puncture and laceration of musculoskeletal organ or structure during a procedure
M96.71	Accidental puncture and laceration of muscle during a procedure
M96.72	Accidental puncture and laceration of tendon during a procedure
M96.73	Accidental puncture and laceration of ligament during a procedure
M96.74	Accidental puncture and laceration of cartilage during a procedure
M96.79	Accidental puncture and laceration of musculoskeletal organ or structure during a procedure, not elsewhere classified
M96.8	Other intraoperative and postprocedural disorders of musculoskeletal system
M96.9	Intraoperative and postprocedural disorders of musculoskeletal system, unspecified
M99	Biomechanical lesions, not elsewhere classified
M99.0	Segmental and somatic dysfunction
M99.1	Subluxation complex (vertebral)
M99.2	Subluxation stenosis of neural canal
M99.3	Osseous stenosis of neural canal
M99.4	Connective tissue stenosis of neural canal
M99.5	Intervertebral disc stenosis of neural canal
M99.6	Osseous and subluxation stenosis of intervertebral foramina
M99.7	Connective tissue and disc stenosis of intervertebral foramina
M99.8	Other biomechanical lesions
M99.9	Unspecified biomechanical lesion

Chapter 14 DISEASES OF THE GENITOURINARY SYSTEM (N00–N99)

N00–N99	Diseases of the Genitourinary system
N00–N08	Glomerular Diseases
N00	Acute nephritic syndrome
N00.0	Acute nephritic syndrome, minor glomerular abnormality
N00.1	Acute nephritic syndrome, focal and segmental glomerular lesions
N00.2	Acute nephritic syndrome, diffuse membranous glomerulonephritis
N00.3	Acute nephritic syndrome, diffuse mesangial proliferative glomerulonephritis
N00.4	Acute nephritic syndrome, diffuse endocapillary proliferative glomerulonephritis
N00.5	Acute nephritic syndrome, diffuse mesangiocapillary glomerulonephritis
N00.6	Acute nephritic syndrome, dense deposit disease
N00.7	Acute nephritic syndrome, diffuse crescentic glomerulonephritis
N00.8	Acute nephritic syndrome, other
N00.9	Acute nephritic syndrome, unspecified
N01	Rapidly progressive nephritic syndrome
N01.0	Rapidly progressive nephritic syndrome, minor glomerular abnormality
N01.1	Rapidly progressive nephritic syndrome, focal and segmental glomerular lesions

N01.2	Rapidly progressive nephritic syndrome, diffuse membranous glomerulonephritis
N01.3	Rapidly progressive nephritic syndrome, diffuse mesangial proliferative glomerulonephritis
N01.4	Rapidly progressive nephritic syndrome, diffuse endocapillary proliferative glomerulonephritis
N01.5	Rapidly progressive nephritic syndrome, diffuse mesangiocapillary glomerulonephritis
N01.6	Rapidly progressive nephritic syndrome, dense deposit disease
N01.7	Rapidly progressive nephritic syndrome, diffuse crescentic glomerulonephritis
N01.8	Rapidly progressive nephritic syndrome, other
N01.9	Rapidly progressive nephritic syndrome, unspecified
N02	Recurrent and persistent haematuria
N02.0	Recurrent and persistent haematuria, minor glomerular abnormality
N02.1	Recurrent and persistent haematuria, focal and segmental glomerular lesions
N02.2	Recurrent and persistent haematuria, diffuse membranous glomerulonephritis
N02.3	Recurrent and persistent haematuria, diffuse mesangial proliferative glomerulonephritis
N02.4	Recurrent and persistent haematuria, diffuse endocapillary proliferative glomerulonephritis
N02.5	Recurrent and persistent haematuria, diffuse mesangiocapillary glomerulonephritis
N02.6	Recurrent and persistent haematuria, dense deposit disease
N02.7	Recurrent and persistent haematuria, diffuse crescentic glomerulonephritis
N02.8	Recurrent and persistent haematuria, other
N02.9	Recurrent and persistent haematuria, unspecified
N03	Chronic nephritic syndrome
N03.0	Chronic nephritic syndrome, minor glomerular abnormality
N03.1	Chronic nephritic syndrome, focal and segmental glomerular lesions
N03.2	Chronic nephritic syndrome, diffuse membranous glomerulonephritis
N03.3	Chronic nephritic syndrome, diffuse mesangial proliferative glomerulonephritis
N03.4	Chronic nephritic syndrome, diffuse endocapillary proliferative glomerulonephritis
N03.5	Chronic nephritic syndrome, diffuse mesangiocapillary glomerulonephritis
N03.6	Chronic nephritic syndrome, dense deposit disease
N03.7	Chronic nephritic syndrome, diffuse crescentic glomerulonephritis
N03.8	Chronic nephritic syndrome, other
N03.9	Chronic nephritic syndrome, unspecified
N04	Nephrotic syndrome
N04.0	Nephrotic syndrome, minor glomerular abnormality
N04.1	Nephrotic syndrome, focal and segmental glomerular lesions
N04.2	Nephrotic syndrome, diffuse membranous glomerulonephritis
N04.3	Nephrotic syndrome, diffuse mesangial proliferative glomerulonephritis
N04.4	Nephrotic syndrome, diffuse endocapillary proliferative glomerulonephritis
N04.5	Nephrotic syndrome, diffuse mesangiocapillary glomerulonephritis
N04.6	Nephrotic syndrome, dense deposit disease
N04.7	Nephrotic syndrome, diffuse crescentic glomerulonephritis
N04.8	Nephrotic syndrome, other
N04.9	Nephrotic syndrome, unspecified
N05	Unspecified nephritic syndrome
N05.0	Unspecified nephritic syndrome, minor glomerular abnormality
N05.1	Unspecified nephritic syndrome, focal and segmental glomerular lesions
N05.2	Unspecified nephritic syndrome, diffuse membranous glomerulonephritis
N05.3	Unspecified nephritic syndrome, diffuse mesangial proliferative glomerulonephritis
N05.4	Unspecified nephritic syndrome, diffuse endocapillary proliferative glomerulonephritis

N05.5	Unspecified nephritic syndrome, diffuse mesangiocapillary glomerulonephritis
N05.6	Unspecified nephritic syndrome, dense deposit disease
N05.7	Unspecified nephritic syndrome, diffuse crescentic glomerulonephritis
N05.8	Unspecified nephritic syndrome, other
N05.9	Unspecified nephritic syndrome, unspecified
N06	Isolated proteinuria with specified morphological lesion
N06.0	Isolated proteinuria with minor glomerular abnormality
N06.1	Isolated proteinuria with focal and segmental glomerular lesions
N06.2	Isolated proteinuria with diffuse membranous glomerulonephritis
N06.3	Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis
N06.4	Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis
N06.5	Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis
N06.6	Isolated proteinuria with dense deposit disease
N06.7	Isolated proteinuria with diffuse crescentic glomerulonephritis
N06.8	Isolated proteinuria with specified morphological lesion, other
N06.9	Isolated proteinuria with specified morphological lesion, unspecified
N07	Hereditary nephropathy, not elsewhere classified
N07.0	Hereditary nephropathy, not elsewhere classified, minor glomerular abnormality
N07.1	Hereditary nephropathy, not elsewhere classified, focal and segmental glomerular lesions
N07.2	Hereditary nephropathy, not elsewhere classified, diffuse membranous glomerulonephritis
N07.3	Hereditary nephropathy, not elsewhere classified, diffuse mesangial proliferative glomerulonephritis
N07.4	Hereditary nephropathy, not elsewhere classified, diffuse endocapillary proliferative glomerulonephritis
N07.5	Hereditary nephropathy, not elsewhere classified, diffuse mesangiocapillary glomerulonephritis
N07.6	Hereditary nephropathy, not elsewhere classified, dense deposit disease
N07.7	Hereditary nephropathy, not elsewhere classified, diffuse crescentic glomerulonephritis
N07.8	Hereditary nephropathy, not elsewhere classified, other
N07.9	Hereditary nephropathy, not elsewhere classified, unspecified
N08*	Glomerular disorders in diseases classified elsewhere
N08.0*	Glomerular disorders in infectious and parasitic diseases classified elsewhere
N08.1*	Glomerular disorders in neoplastic diseases
N08.2*	Glomerular disorders in blood diseases and disorders involving the immune mechanism
N08.3*	Glomerular disorders in diabetes mellitus (E10-E14† with common fourth character .2)
N08.4*	Glomerular disorders in endocrine, nutritional and metabolic diseases
N08.5*	Glomerular disorders in systemic connective tissue disorders
N08.8*	Glomerular disorders in other diseases classified elsewhere
N10–N16	Renal tubulo-interstitial diseases
N10	Acute tubulo-interstitial nephritis
N11	Chronic tubulo-interstitial nephritis
N11.0	Nonobstructive reflux-associated chronic pyelonephritis
N11.1	Chronic obstructive pyelonephritis
N11.8	Other chronic tubulo-interstitial nephritis
N11.9	Chronic tubulo-interstitial nephritis, unspecified
N12	Tubulo-interstitial nephritis, not specified as acute or chronic
N13	Obstructive and reflux uropathy
N13.0	Hydronephrosis with ureteropelvic junction obstruction

N13.1	Hydronephrosis with ureteral stricture, not elsewhere classified
N13.2	Hydronephrosis with renal and ureteral calculus obstruction
N13.3	Other and unspecified hydronephrosis
N13.4	Hydroureter
N13.5	Kinking and stricture of ureter without hydronephrosis
N13.6	Pyonephrosis
N13.7	Vesicoureteral-reflux-associated uropathy
N13.8	Other obstructive and reflux uropathy
N13.9	Obstructive and reflux uropathy, unspecified
N14	Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions
N14.0	Analgesic nephropathy
N14.1	Nephropathy induced by other drugs, medicaments and biological substances
N14.2	Nephropathy induced by unspecified drug, medicament or biological substance
N14.3	Nephropathy induced by heavy metals
N14.4	Toxic nephropathy, not elsewhere classified
N15	Other renal tubulo-interstitial diseases
N15.0	Balkan nephropathy
N15.1	Renal and perinephric abscess
N15.8	Other specified renal tubulo-interstitial diseases
N15.9	Renal tubulo-interstitial disease, unspecified
N16*	Renal tubulo-interstitial disorders in diseases classified elsewhere
N16.0*	Renal tubulo-interstitial disorders in infectious and parasitic diseases classified elsewhere
N16.1*	Renal tubulo-interstitial disorders in neoplastic diseases
N16.2*	Renal tubulo-interstitial disorders in blood diseases and disorders involving the immune mechanism
N16.3*	Renal tubulo-interstitial disorders in metabolic diseases
N16.4*	Renal tubulo-interstitial disorders in systemic connective tissue disorders
N16.5*	Renal tubulo-interstitial disorders in transplant rejection (T86.-†)
N16.8*	Renal tubulo-interstitial disorders in other diseases classified elsewhere
N17–N19	Kidney Failure
N17	Acute kidney failure
N17.0	Acute kidney failure with tubular necrosis
N17.1	Acute kidney failure with acute cortical necrosis
N17.2	Acute kidney failure with medullary necrosis
N17.8	Other acute kidney failure
N17.9	Acute kidney failure, unspecified
N18	Chronic kidney disease
N18.0	End-stage renal disease
N18.1	Chronic kidney disease, stage 1
N18.2	Chronic kidney disease, stage 2
N18.3	Chronic kidney disease, stage 3
N18.4	Chronic kidney disease, stage 4
N18.5	Chronic kidney disease, stage 5
N18.8	Other chronic renal failure
N18.9	Chronic kidney disease, unspecified
N18.90	Unspecified chronic renal failure
N18.91	Chronic renal impairment
N19	Unspecified kidney failure

N20	Calculus of kidney and ureter
N20.0	Calculus of kidney
N20.1	Calculus of ureter
N20.2	Calculus of kidney with calculus of ureter
N20.9	Urinary calculus, unspecified
N21	Calculus of lower urinary tract
N21.0	Calculus in bladder
N21.1	Calculus in urethra
N21.8	Other lower urinary tract calculus
N21.9	Calculus of lower urinary tract, unspecified
N22*	Calculus of urinary tract in diseases classified elsewhere
N22.0*	Urinary calculus in schistosomiasis [bilharziasis] (B65.0†)
N22.8*	Calculus of urinary tract in other diseases classified elsewhere
N23	Unspecified renal colic
N25	Disorders resulting from impaired renal tubular function
N25.0	Renal osteodystrophy
N25.1	Nephrogenic diabetes insipidus
N25.8	Other disorders resulting from impaired renal tubular function
N25.9	Disorder resulting from impaired renal tubular function, unspecified
N26	Unspecified contracted kidney
N27	Small kidney of unknown cause
N27.0	Small kidney, unilateral
N27.1	Small kidney, bilateral
N27.9	Small kidney, unspecified
N28	Other disorders of kidney and ureter, not elsewhere classified
N28.0	Ischaemia and infarction of kidney
N28.1	Cyst of kidney
N28.8	Other specified disorders of kidney and ureter
N28.9	Disorder of kidney and ureter, unspecified
N29*	Other disorders of kidney and ureter in diseases classified elsewhere
N29.0*	Late syphilis of kidney (A52.7†)
N29.1*	Other disorders of kidney and ureter in infectious and parasitic diseases classified elsewhere
N29.8*	Other disorders of kidney and ureter in other diseases classified elsewhere
N30–N39	Other diseases of urinary system
N30	Cystitis
N30.0	Acute cystitis
N30.1	Interstitial cystitis (chronic)
N30.2	Other chronic cystitis
N30.3	Trigonitis
N30.4	Irradiation cystitis
N30.8	Other cystitis
N30.9	Cystitis, unspecified
N31	Neuromuscular dysfunction of bladder, not elsewhere classified
N31.0	Uninhibited neuropathic bladder, not elsewhere classified
N31.1	Reflex neuropathic bladder, not elsewhere classified
N31.2	Flaccid neuropathic bladder, not elsewhere classified
N31.8	Other neuromuscular dysfunction of bladder

N31.9	Neuromuscular dysfunction of bladder, unspecified
N32	Other disorders of bladder
N32.0	Bladder-neck obstruction
N32.1	Vesicointestinal fistula
N32.2	Vesical fistula, not elsewhere classified
N32.3	Diverticulum of bladder
N32.4	Rupture of bladder, nontraumatic
N32.8	Other specified disorders of bladder
N32.9	Bladder disorder, unspecified
N33*	Bladder disorders in diseases classified elsewhere
N33.0*	Tuberculous cystitis (A18.1†)
N33.8*	Bladder disorders in other diseases classified elsewhere
N34	Urethritis and urethral syndrome
N34.0	Urethral abscess
N34.1	Nonspecific urethritis
N34.2	Other urethritis
N34.3	Urethral syndrome, unspecified
N35	Urethral stricture
N35.0	Post-traumatic urethral stricture
N35.1	Postinfective urethral stricture, not elsewhere classified
N35.8	Other urethral stricture
N35.9	Urethral stricture, unspecified
N36	Other disorders of urethra
N36.0	Urethral fistula
N36.1	Urethral diverticulum
N36.2	Urethral caruncle
N36.3	Prolapsed urethral mucosa
N36.8	Other specified disorders of urethra
N36.9	Urethral disorder, unspecified
N37*	Urethral disorders in diseases classified elsewhere
N37.0*	Urethritis in diseases classified elsewhere
N37.8*	Other urethral disorders in diseases classified elsewhere
N39	Other disorders of urinary system
N39.0	Urinary tract infection, site not specified
N39.1	Persistent proteinuria, unspecified
N39.2	Orthostatic proteinuria, unspecified
N39.3	Stress incontinence
N39.30	Stress incontinence, unspecified
N39.31	Stress incontinence associated with female pelvic organ prolapse
N39.4	Other specified urinary incontinence
N39.8	Other specified disorders of urinary system
N39.81	Loin pain/haematuria syndrome
N39.88	Other specified disorders of urinary system
N39.9	Disorder of urinary system, unspecified
N40	Hyperplasia of prostate
N41	Inflammatory diseases of prostate
N41.0	Acute prostatitis
N41.1	Chronic prostatitis

N41.2	Abscess of prostate
N41.3	Prostatocystitis
N41.8	Other inflammatory diseases of prostate
N41.9	Inflammatory disease of prostate, unspecified
N42	Other disorders of prostate
N42.0	Calculus of prostate
N42.1	Congestion and haemorrhage of prostate
N42.2	Atrophy of prostate
N42.3	Dysplasia of prostate
N42.8	Other specified disorders of prostate
N42.9	Disorder of prostate, unspecified
N43	Hydrocele and spermatocele
N43.0	Encysted hydrocele
N43.1	Infected hydrocele
N43.2	Other hydrocele
N43.3	Hydrocele, unspecified
N43.4	Spermatocele
N44	Torsion of testis
N45	Orchitis and epididymitis
N45.0	Orchitis, epididymitis and epididymo-orchitis with abscess
N45.9	Orchitis, epididymitis and epididymo-orchitis without abscess
N46	Male infertility
N47	Redundant prepuce, phimosis and paraphimosis
N48	Other disorders of penis
N48.0	Leukoplakia of penis
N48.1	Balanoposthitis
N48.2	Other inflammatory disorders of penis
N48.3	Priapism
N48.4	Impotence of organic origin
N48.5	Ulcer of penis
N48.6	Induratio penis plastica
N48.8	Other specified disorders of penis
N48.9	Disorder of penis, unspecified
N49	Inflammatory disorders of male genital organs, not elsewhere classified
N49.0	Inflammatory disorders of seminal vesicle
N49.1	Inflammatory disorders of spermatic cord, tunica vaginalis and vas deferens
N49.2	Inflammatory disorders of scrotum
N49.8	Inflammatory disorders of other specified male genital organs
N49.9	Inflammatory disorder of unspecified male genital organ
N50	Other disorders of male genital organs
N50.0	Atrophy of testis
N50.1	Vascular disorders of male genital organs
N50.8	Other specified disorders of male genital organs
N50.9	Disorder of male genital organs, unspecified
N51*	Disorders of male genital organs in diseases classified elsewhere
N51.0*	Disorders of prostate in diseases classified elsewhere
N51.1*	Disorders of testis and epididymis in diseases classified elsewhere
N51.2*	Balanitis in diseases classified elsewhere

N51.8*	Other disorders of male genital organs in diseases classified elsewhere
N60–N64	Disorders of breast
N60	Benign mammary dysplasia
N60.0	Solitary cyst of breast
N60.1	Diffuse cystic mastopathy
N60.2	Fibroadenosis of breast
N60.3	Fibrosclerosis of breast
N60.4	Mammary duct ectasia
N60.8	Other benign mammary dysplasias
N60.9	Benign mammary dysplasia, unspecified
N61	Inflammatory disorders of breast
N62	Hypertrophy of breast
N63	Unspecified lump in breast
N64	Other disorders of breast
N64.0	Fissure and fistula of nipple
N64.1	Fat necrosis of breast
N64.2	Atrophy of breast
N64.3	Galactorrhoea not associated with childbirth
N64.4	Mastodynia
N64.5	Other signs and symptoms in breast
N64.8	Other specified disorders of breast
N64.9	Disorder of breast, unspecified
N70–N77	Inflammatory diseases of female pelvic organs
N70	Salpingitis and oophoritis
N70.0	Acute salpingitis and oophoritis
N70.1	Chronic salpingitis and oophoritis
N70.9	Salpingitis and oophoritis, unspecified
N71	Inflammatory disease of uterus, except cervix
N71.0	Acute inflammatory disease of uterus
N71.1	Chronic inflammatory disease of uterus
N71.9	Inflammatory disease of uterus, unspecified
N72	Inflammatory disease of cervix uteri
N73	Other female pelvic inflammatory diseases
N73.0	Acute parametritis and pelvic cellulitis
N73.1	Chronic parametritis and pelvic cellulitis
N73.2	Unspecified parametritis and pelvic cellulitis
N73.3	Female acute pelvic peritonitis
N73.4	Female chronic pelvic peritonitis
N73.5	Female pelvic peritonitis, unspecified
N73.6	Female pelvic peritoneal adhesions
N73.8	Other specified female pelvic inflammatory diseases
N73.9	Female pelvic inflammatory disease, unspecified
N74*	Female pelvic inflammatory disorders in diseases classified elsewhere
N74.0*	Tuberculous infection of cervix uteri (A18.1†)
N74.1*	Female tuberculous pelvic inflammatory disease (A18.1†)
N74.2*	Female syphilitic pelvic inflammatory disease (A51.4†, A52.7†)
N74.3*	Female gonococcal pelvic inflammatory disease (A54.2†)
N74.4*	Female chlamydial pelvic inflammatory disease (A56.1†)

N74.8*	Female pelvic inflammatory disorders in other diseases classified elsewhere
N75	Diseases of Bartholin's gland
N75.0	Cyst of Bartholin's gland
N75.1	Abscess of Bartholin's gland
N75.8	Other diseases of Bartholin's gland
N75.9	Disease of Bartholin's gland, unspecified
N76	Other inflammation of vagina and vulva
N76.0	Acute vaginitis
N76.1	Subacute and chronic vaginitis
N76.2	Acute vulvitis
N76.3	Subacute and chronic vulvitis
N76.4	Abscess of vulva
N76.5	Ulceration of vagina
N76.6	Ulceration of vulva
N76.8	Other specified inflammation of vagina and vulva
N77*	Vulvovaginal ulceration and inflammation in diseases classified elsewhere
N77.0*	Ulceration of vulva in infectious and parasitic diseases classified elsewhere
N77.1*	Vaginitis, vulvitis and vulvovaginitis in infectious and parasitic diseases classified elsewhere
N77.8*	Vulvovaginal ulceration and inflammation in other diseases classified elsewhere
N80	Endometriosis
N80.0	Endometriosis of uterus
N80.1	Endometriosis of ovary
N80.2	Endometriosis of fallopian tube
N80.3	Endometriosis of pelvic peritoneum
N80.4	Endometriosis of rectovaginal septum and vagina
N80.5	Endometriosis of intestine
N80.6	Endometriosis in cutaneous scar
N80.8	Other endometriosis
N80.9	Endometriosis, unspecified
N81	Female genital prolapse
N81.0	Female urethrocele
N81.1	Cystocele
N81.2	Incomplete uterovaginal prolapse
N81.3	Complete uterovaginal prolapse
N81.4	Uterovaginal prolapse, unspecified
N81.5	Vaginal enterocele
N81.6	Rectocele
N81.8	Other female genital prolapse
N81.9	Female genital prolapse, unspecified
N82	Fistulae involving female genital tract
N82.0	Vesicovaginal fistula
N82.1	Other female urinary-genital tract fistulae
N82.2	Fistula of vagina to small intestine
N82.3	Fistula of vagina to large intestine
N82.4	Other female intestinal-genital tract fistulae
N82.5	Female genital tract-skin fistulae
N82.8	Other female genital tract fistulae

N82.9	Female genital tract fistula, unspecified
N83	Noninflammatory disorders of ovary, fallopian tube and broad ligament
N83.0	Follicular cyst of ovary
N83.1	Corpus luteum cyst
N83.2	Other and unspecified ovarian cysts
N83.3	Acquired atrophy of ovary and fallopian tube
N83.4	Prolapse and hernia of ovary and fallopian tube
N83.5	Torsion of ovary, ovarian pedicle and fallopian tube
N83.6	Haematosalpinx
N83.7	Haematoma of broad ligament
N83.8	Other noninflammatory disorders of ovary, fallopian tube and broad ligament
N83.9	Noninflammatory disorder of ovary, fallopian tube and broad ligament, unspecified
N84	Polyp of female genital tract
N84.0	Polyp of corpus uteri
N84.1	Polyp of cervix uteri
N84.2	Polyp of vagina
N84.3	Polyp of vulva
N84.8	Polyp of other parts of female genital tract
N84.9	Polyp of female genital tract, unspecified
N85	Other noninflammatory disorders of uterus, except cervix
N85.0	Endometrial glandular hyperplasia
N85.1	Endometrial adenomatous hyperplasia
N85.2	Hypertrophy of uterus
N85.3	Subinvolution of uterus
N85.4	Malposition of uterus
N85.5	Inversion of uterus
N85.6	Intrauterine synechiae
N85.7	Haematometra
N85.8	Other specified noninflammatory disorders of uterus
N85.9	Noninflammatory disorder of uterus, unspecified
N86	Erosion and ectropion of cervix uteri
N87	Dysplasia of cervix uteri
N87.0	Mild cervical dysplasia
N87.1	Moderate cervical dysplasia
N87.2	Severe cervical dysplasia, not elsewhere classified
N87.9	Dysplasia of cervix uteri, unspecified
N88	Other noninflammatory disorders of cervix uteri
N88.0	Leukoplakia of cervix uteri
N88.1	Old laceration of cervix uteri
N88.2	Stricture and stenosis of cervix uteri
N88.3	Incompetence of cervix uteri
N88.4	Hypertrophic elongation of cervix uteri
N88.8	Other specified noninflammatory disorders of cervix uteri
N88.9	Noninflammatory disorder of cervix uteri, unspecified
N89	Other noninflammatory disorders of vagina
N89.0	Mild vaginal dysplasia
N89.1	Moderate vaginal dysplasia
N89.2	Severe vaginal dysplasia, not elsewhere classified

N89.3	Dysplasia of vagina, unspecified
N89.4	Leukoplakia of vagina
N89.5	Stricture and atresia of vagina
N89.6	Tight hymenal ring
N89.7	Haematocolpos
N89.8	Other specified noninflammatory disorders of vagina
N89.9	Noninflammatory disorder of vagina, unspecified
N90	Other noninflammatory disorders of vulva and perineum
N90.0	Mild vulvar dysplasia
N90.1	Moderate vulvar dysplasia
N90.2	Severe vulvar dysplasia, not elsewhere classified
N90.3	Dysplasia of vulva, unspecified
N90.4	Leukoplakia of vulva
N90.5	Atrophy of vulva
N90.6	Hypertrophy of vulva
N90.7	Vulvar cyst
N90.8	Other specified noninflammatory disorders of vulva and perineum
N90.9	Noninflammatory disorder of vulva and perineum, unspecified
N91	Absent, scanty and rare menstruation
N91.0	Primary amenorrhoea
N91.1	Secondary amenorrhoea
N91.2	Amenorrhoea, unspecified
N91.3	Primary oligomenorrhoea
N91.4	Secondary oligomenorrhoea
N91.5	Oligomenorrhoea, unspecified
N92	Excessive, frequent and irregular menstruation
N92.0	Excessive and frequent menstruation with regular cycle
N92.1	Excessive and frequent menstruation with irregular cycle
N92.2	Excessive menstruation at puberty
N92.3	Ovulation bleeding
N92.4	Excessive bleeding in the premenopausal period
N92.5	Other specified irregular menstruation
N92.6	Irregular menstruation, unspecified
N93	Other abnormal uterine and vaginal bleeding
N93.0	Postcoital and contact bleeding
N93.8	Other specified abnormal uterine and vaginal bleeding
N93.9	Abnormal uterine and vaginal bleeding, unspecified
N94	Pain and other conditions associated with female genital organs and menstrual cycle
N94.0	Mittelschmerz
N94.1	Dyspareunia
N94.2	Vaginismus
N94.3	Premenstrual tension syndrome
N94.4	Primary dysmenorrhoea
N94.5	Secondary dysmenorrhoea
N94.6	Dysmenorrhoea, unspecified
N94.8	Other specified conditions associated with female genital organs and menstrual cycle
N94.9	Unspecified condition associated with female genital organs and menstrual cycle
N95	Menopausal and other perimenopausal disorders

N95.0	Postmenopausal bleeding
N95.1	Menopausal and female climacteric states
N95.2	Postmenopausal atrophic vaginitis
N95.3	States associated with artificial menopause
N95.8	Other specified menopausal and perimenopausal disorders
N95.9	Menopausal and perimenopausal disorder, unspecified
N96	Habitual aborter
N97	Female infertility
N97.0	Female infertility associated with anovulation
N97.1	Female infertility of tubal origin
N97.2	Female infertility of uterine origin
N97.3	Female infertility of cervical origin
N97.4	Female infertility associated with male factors
N97.8	Female infertility of other origin
N97.9	Female infertility, unspecified
N98	Complications associated with artificial fertilisation
N98.0	Infection associated with artificial insemination
N98.1	Hyperstimulation of ovaries
N98.2	Complications of attempted introduction of fertilised ovum following in vitro fertilisation
N98.3	Complications of attempted introduction of embryo in embryo transfer
N98.8	Other complications associated with artificial fertilisation
N98.9	Complication associated with artificial fertilisation, unspecified
N99	Intraoperative and postprocedural disorders of genitourinary system
N99.0	Postprocedural renal failure
N99.1	Postprocedural urethral stricture
N99.2	Postprocedural adhesions of vagina
N99.3	Prolapse of vaginal vault after hysterectomy
N99.4	Postprocedural pelvic peritoneal adhesions
N99.5	Malfunction of stoma of urinary tract
N99.51	Haemorrhage from stoma of urinary tract
N99.52	Infection of stoma of urinary tract
N99.53	Leak from stoma of urinary tract
N99.59	Malfunction of stoma of urinary tract, not elsewhere classified
N99.6	Accidental puncture and laceration of genitourinary system organ or structure during a procedure
N99.61	Accidental puncture and laceration of kidney during a procedure
N99.62	Accidental puncture and laceration of ureter during a procedure
N99.63	Accidental puncture and laceration of bladder during a procedure
N99.64	Accidental puncture and laceration of urethra during a procedure
N99.65	Accidental puncture and laceration of prostate during a procedure
N99.66	Accidental puncture and laceration of uterus during a procedure
N99.67	Accidental puncture and laceration of ovary and fallopian tube during a procedure
N99.68	Accidental puncture and laceration of testis during a procedure
N99.69	Accidental puncture and laceration of genitourinary organ or structure during a procedure, not elsewhere classified
N99.8	Other intraoperative and postprocedural disorders of genitourinary system
N99.81	Haemorrhage from surgical anastomosis of genitourinary tract
N99.82	Stenosis of surgical anastomosis of genitourinary tract

- N99.83 Leak from surgical anastomosis of genitourinary tract
- N99.84 Residual ovary syndrome
- N99.89 Other intraoperative and postprocedural disorder of genitourinary system
- N99.9 Intraoperative and postprocedural disorder of genitourinary system, unspecified

Chapter 15 PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (O00–O99)

- O00–O99 Pregnancy, childbirth and the puerperium
- O00–O08 Pregnancy with abortive outcome
- O00–O02 Ectopic pregnancy, hydatidiform mole and other abnormal products of conception
- O00 Ectopic pregnancy
- O00.0 Abdominal pregnancy
- O00.1 Tubal pregnancy
- O00.2 Ovarian pregnancy
- O00.8 Other ectopic pregnancy
- O00.9 Ectopic pregnancy, unspecified
- O01 Hydatidiform mole
- O01.0 Classical hydatidiform mole
- O01.1 Incomplete and partial hydatidiform mole
- O01.9 Hydatidiform mole, unspecified
- O02 Other abnormal products of conception
- O02.0 Blighted ovum and nonhydatidiform mole
- O02.1 Missed abortion
- O02.8 Other specified abnormal products of conception
- O02.9 Abnormal product of conception, unspecified
- O03–O06 Spontaneous abortion, medical abortion and abortion not elsewhere classified
- O03 Spontaneous abortion
- O03.0 Spontaneous abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
- O03.1 Spontaneous abortion, incomplete, complicated by delayed or excessive haemorrhage
- O03.2 Spontaneous abortion, incomplete, complicated by embolism
- O03.3 Spontaneous abortion, incomplete, with other and unspecified complications
- O03.4 Spontaneous abortion, incomplete, without complication
- O03.5 Spontaneous abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis
- O03.6 Spontaneous abortion, complete or unspecified, complicated by delayed or excessive haemorrhage
- O03.7 Spontaneous abortion, complete or unspecified, complicated by embolism
- O03.8 Spontaneous abortion, complete or unspecified, with other and unspecified complications
- O03.9 Spontaneous abortion, complete or unspecified, without complication
- O04 Medical abortion
- O04.0 Medical abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
- O04.1 Medical abortion, incomplete, complicated by delayed or excessive haemorrhage
- O04.2 Medical abortion, incomplete, complicated by embolism
- O04.3 Medical abortion, incomplete, with other and unspecified complications
- O04.4 Medical abortion, incomplete, without complication
- O04.5 Medical abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis
- O04.6 Medical abortion, complete or unspecified, complicated by delayed or excessive haemorrhage

O04.7	Medical abortion, complete or unspecified, complicated by embolism
O04.8	Medical abortion, complete or unspecified, with other and unspecified complications
O04.9	Medical abortion, complete or unspecified, without complication
O05	Other abortion
O05.0	Other abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
O05.1	Other abortion, incomplete, complicated by delayed or excessive haemorrhage
O05.2	Other abortion, incomplete, complicated by embolism
O05.3	Other abortion, incomplete, with other and unspecified complications
O05.4	Other abortion, incomplete, without complication
O05.5	Other abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis
O05.6	Other abortion, complete or unspecified, complicated by delayed or excessive haemorrhage
O05.7	Other abortion, complete or unspecified, complicated by embolism
O05.8	Other abortion, complete or unspecified, with other and unspecified complications
O05.9	Other abortion, complete or unspecified, without complication
O06	Unspecified abortion
O06.0	Unspecified abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
O06.1	Unspecified abortion, incomplete, complicated by delayed or excessive haemorrhage
O06.2	Unspecified abortion, incomplete, complicated by embolism
O06.3	Unspecified abortion, incomplete, with other and unspecified complications
O06.4	Unspecified abortion, incomplete, without complication
O06.5	Unspecified abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis
O06.6	Unspecified abortion, complete or unspecified, complicated by delayed or excessive haemorrhage
O06.7	Unspecified abortion, complete or unspecified, complicated by embolism
O06.8	Unspecified abortion, complete or unspecified, with other and unspecified complications
O06.9	Unspecified abortion, complete or unspecified, without complication
O07–O08	Failed attempted abortion, and complications following abortion and ectopic and molar pregnancy
O07	Failed attempted abortion
O07.0	Failed medical abortion, complicated by genital tract and pelvic infection and sepsis
O07.1	Failed medical abortion, complicated by delayed or excessive haemorrhage
O07.2	Failed medical abortion, complicated by embolism
O07.3	Failed medical abortion, with other and unspecified complications
O07.4	Failed medical abortion, without complication
O07.5	Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection and sepsis
O07.6	Other and unspecified failed attempted abortion, complicated by delayed or excessive haemorrhage
O07.7	Other and unspecified failed attempted abortion, complicated by embolism
O07.8	Other and unspecified failed attempted abortion, with other and unspecified complications
O07.9	Other and unspecified failed attempted abortion, without complication
O08	Complications following abortion and ectopic and molar pregnancy
O08.0	Genital tract and pelvic infection and sepsis following abortion and ectopic and molar pregnancy
O08.1	Delayed or excessive haemorrhage following abortion and ectopic and molar pregnancy
O08.2	Embolism following abortion and ectopic and molar pregnancy

O08.3	Shock following abortion and ectopic and molar pregnancy
O08.4	Kidney failure following abortion and ectopic and molar pregnancy
O08.5	Metabolic disorders following abortion and ectopic and molar pregnancy
O08.6	Damage to pelvic organs and tissues following abortion and ectopic and molar pregnancy
O08.7	Other venous complications following abortion and ectopic and molar pregnancy
O08.8	Other complications following abortion and ectopic and molar pregnancy
O08.9	Complication following abortion and ectopic and molar pregnancy, unspecified
O09	Duration of pregnancy
O09.0	Duration of pregnancy less than 5 completed weeks
O09.1	Duration of pregnancy 5–13 completed weeks
O09.2	Duration of pregnancy 14–19 completed weeks
O09.3	Duration of pregnancy 20–25 completed weeks
O09.4	Duration of pregnancy 26–33 completed weeks
O09.5	Duration of pregnancy 34–36 completed weeks
O09.9	Unspecified duration of pregnancy
O10	Pre-existing hypertension in pregnancy, childbirth and the puerperium
O10.0	Pre-existing essential hypertension complicating pregnancy, childbirth and the puerperium
O10.1	Pre-existing hypertensive heart disease complicating pregnancy, childbirth and the puerperium
O10.2	Pre-existing hypertensive kidney disease complicating pregnancy, childbirth and the puerperium
O10.3	Pre-existing hypertensive heart and kidney disease complicating pregnancy, childbirth and the puerperium
O10.4	Pre-existing secondary hypertension complicating pregnancy, childbirth and the puerperium
O10.9	Unspecified pre-existing hypertension complicating pregnancy, childbirth and the puerperium
O11	Pre-eclampsia superimposed on chronic hypertension
O12	Gestational [pregnancy-induced] oedema and proteinuria without hypertension
O12.0	Gestational oedema
O12.1	Gestational proteinuria
O12.2	Gestational oedema with proteinuria
O13	Gestational [pregnancy-induced] hypertension
O14	Pre-eclampsia
O14.0	Mild to moderate pre-eclampsia
O14.1	Severe pre-eclampsia
O14.2	HELLP syndrome
O14.9	Pre-eclampsia, unspecified
O15	Eclampsia
O15.0	Eclampsia in pregnancy
O15.1	Eclampsia in labour
O15.2	Eclampsia in the puerperium
O15.9	Eclampsia, unspecified as to time period
O16	Unspecified maternal hypertension
O20–O28	Other maternal disorders predominantly related to pregnancy
O20	Haemorrhage in early pregnancy
O20.0	Threatened abortion
O20.8	Other haemorrhage in early pregnancy
O20.9	Haemorrhage in early pregnancy, unspecified

O21	Excessive vomiting in pregnancy
O21.0	Hyperemesis gravidarum
O21.1	Hyperemesis gravidarum with metabolic disturbance
O21.2	Vomiting in late pregnancy
O21.8	Other vomiting complicating pregnancy
O21.9	Vomiting in pregnancy, not elsewhere classified
O22	Venous conditions and haemorrhoids in pregnancy
O22.0	Varicose veins of lower extremity in pregnancy
O22.1	Genital varices in pregnancy
O22.2	Superficial thrombophlebitis in pregnancy
O22.3	Deep phlebothrombosis in pregnancy
O22.4	Haemorrhoids in pregnancy
O22.5	Cerebral venous thrombosis in pregnancy
O22.8	Other venous complications in pregnancy
O22.9	Venous condition in pregnancy
O23	Infections of genitourinary tract in pregnancy
O23.0	Infections of kidney in pregnancy
O23.1	Infections of bladder in pregnancy
O23.2	Infections of urethra in pregnancy
O23.3	Infections of other parts of urinary tract in pregnancy
O23.4	Unspecified infection of urinary tract in pregnancy
O23.5	Infections of the genital tract in pregnancy
O23.9	Other and unspecified genitourinary tract infection in pregnancy
O24	Diabetes mellitus and intermediate hyperglycaemia in pregnancy, childbirth and the puerperium
O24.0	Pre-existing type 1 diabetes mellitus in pregnancy, childbirth and the puerperium
O24.1	Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium
O24.11	Pre-existing diabetes mellitus, Type 2, in pregnancy, non-insulin treated
O24.12	Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, insulin treated
O24.13	Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy
O24.14	Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, other
O24.19	Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified
O24.2	Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium
O24.21	Pre-existing diabetes mellitus, other specified type, in pregnancy, non-insulin treated
O24.22	Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, insulin treated
O24.23	Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy
O24.24	Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, other
O24.29	Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified
O24.3	Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium
O24.31	Pre-existing diabetes mellitus, unspecified, in pregnancy, non-insulin treated
O24.32	Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium, insulin treated

O24.33	Pre-existing unspecified diabetes mellitus, in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy
O24.34	Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium, other
O24.39	Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified
O24.4	Diabetes mellitus arising during pregnancy
O24.41	Diabetes mellitus arising during pregnancy, non-insulin treated
O24.42	Diabetes mellitus arising during pregnancy, insulin treated
O24.43	Diabetes mellitus arising during pregnancy, oral hypoglycaemic therapy
O24.44	Diabetes mellitus arising during pregnancy, other
O24.49	Diabetes mellitus arising during pregnancy, unspecified
O24.5	Pre-existing intermediate hyperglycaemia in pregnancy, childbirth and the puerperium
O24.51	Pre-existing impaired glucose regulation, in pregnancy, non-insulin treated
O24.52	Pre-existing intermediate hyperglycaemia, in pregnancy, childbirth and the puerperium, insulin treated
O24.53	Pre-existing intermediate hyperglycaemia, in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy
O24.54	Pre-existing intermediate hyperglycaemia, in pregnancy, childbirth and the puerperium, other
O24.59	Pre-existing intermediate hyperglycaemia, in pregnancy, childbirth and the puerperium, unspecified
O24.9	Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset
O24.91	Diabetes mellitus in pregnancy, unspecified onset, non-insulin treated
O24.92	Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset, insulin treated
O24.93	Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset, oral hypoglycaemic therapy
O24.94	Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset, other
O24.99	Diabetes mellitus in pregnancy, unspecified onset, unspecified
O25	Malnutrition in pregnancy, childbirth and the puerperium
O26	Maternal care for other conditions predominantly related to pregnancy
O26.0	Excessive weight gain in pregnancy
O26.1	Low weight gain in pregnancy
O26.2	Pregnancy care of habitual aborter
O26.3	Retained intrauterine contraceptive device in pregnancy
O26.4	Pemphigoid gestationis [herpes gestationis]
O26.5	Maternal hypotension syndrome
O26.6	Liver disorders in pregnancy, childbirth and the puerperium
O26.7	Subluxation of symphysis (pubis) in pregnancy, childbirth and the puerperium
O26.8	Other specified pregnancy-related conditions
O26.81	Kidney disorders in pregnancy, childbirth and the puerperium
O26.82	Carpal tunnel syndrome in pregnancy
O26.83	Neuralgia in pregnancy
O26.88	Other specified pregnancy-related conditions
O26.9	Pregnancy-related condition, unspecified
O28	Abnormal findings on antenatal screening of mother
O28.0	Abnormal haematological finding on antenatal screening of mother
O28.1	Abnormal biochemical finding on antenatal screening of mother
O28.2	Abnormal cytological finding on antenatal screening of mother

O28.3	Abnormal ultrasonic finding on antenatal screening of mother
O28.4	Abnormal radiological finding on antenatal screening of mother
O28.5	Abnormal chromosomal and genetic finding on antenatal screening of mother
O28.8	Other abnormal findings on antenatal screening of mother
O28.9	Abnormal finding on antenatal screening of mother, unspecified
O29	Complications of anaesthesia during pregnancy
O29.0	Pulmonary complications of anaesthesia during pregnancy
O29.1	Cardiac complications of anaesthesia during pregnancy
O29.2	Central nervous system complications of anaesthesia during pregnancy
O29.3	Toxic reaction to local anaesthesia during pregnancy
O29.4	Spinal and epidural anaesthesia-induced headache during pregnancy
O29.5	Other complications of spinal and epidural anaesthesia during pregnancy
O29.6	Failed or difficult intubation during pregnancy
O29.61	Failed intubation during pregnancy
O29.62	Difficult intubation during pregnancy
O29.8	Other complications of anaesthesia during pregnancy
O29.9	Complication of anaesthesia during pregnancy, unspecified
O30	Multiple gestation
O30.0	Twin pregnancy
O30.1	Triplet pregnancy
O30.2	Quadruplet pregnancy
O30.8	Other multiple gestation
O30.9	Multiple gestation, unspecified
O31	Complications specific to multiple gestation
O31.0	Papyraceous fetus
O31.1	Continuing pregnancy after abortion of one fetus or more
O31.2	Continuing pregnancy after intrauterine death of one fetus or more
O31.8	Other complications specific to multiple gestation
O32	Maternal care for known or suspected malpresentation of fetus
O32.0	Maternal care for unstable lie
O32.1	Maternal care for breech presentation
O32.2	Maternal care for transverse and oblique lie
O32.3	Maternal care for face, brow and chin presentation
O32.4	Maternal care for high head at term
O32.5	Maternal care for multiple gestation with malpresentation of one fetus or more
O32.6	Maternal care for compound presentation
O32.8	Maternal care for other malpresentation of fetus
O32.9	Maternal care for malpresentation of fetus, unspecified
O33	Maternal care for known or suspected disproportion
O33.0	Maternal care for disproportion due to deformity of maternal pelvic bones
O33.1	Maternal care for disproportion due to generally contracted pelvis
O33.2	Maternal care for disproportion due to inlet contraction of pelvis
O33.3	Maternal care for disproportion due to outlet contraction of pelvis
O33.4	Maternal care for disproportion of mixed maternal and fetal origin
O33.5	Maternal care for disproportion due to unusually large fetus
O33.6	Maternal care for disproportion due to hydrocephalic fetus
O33.7	Maternal care for disproportion due to other fetal deformities
O33.8	Maternal care for disproportion of other origin

O33.9	Maternal care for disproportion, unspecified
O34	Maternal care for known or suspected abnormality of pelvic organs
O34.0	Maternal care for congenital malformation of uterus
O34.1	Maternal care for tumour of corpus uteri
O34.2	Maternal care due to uterine scar from previous surgery
O34.3	Maternal care for cervical incompetence
O34.4	Maternal care for other abnormalities of cervix
O34.5	Maternal care for other abnormalities of gravid uterus
O34.6	Maternal care for abnormality of vagina
O34.7	Maternal care for abnormality of vulva and perineum
O34.8	Maternal care for other abnormalities of pelvic organs
O34.9	Maternal care for abnormality of pelvic organ, unspecified
O35	Maternal care for known or suspected fetal abnormality and damage
O35.0	Maternal care for (suspected) central nervous system malformation in fetus
O35.1	Maternal care for (suspected) chromosomal abnormality in fetus
O35.2	Maternal care for (suspected) hereditary disease in fetus
O35.3	Maternal care for (suspected) damage to fetus from viral disease in mother
O35.4	Maternal care for (suspected) damage to fetus from alcohol
O35.5	Maternal care for (suspected) damage to fetus by drugs
O35.6	Maternal care for (suspected) damage to fetus by radiation
O35.7	Maternal care for (suspected) damage to fetus by other medical procedures
O35.8	Maternal care for other (suspected) fetal abnormality and damage
O35.9	Maternal care for (suspected) fetal abnormality and damage, unspecified
O36	Maternal care for other known or suspected fetal problems
O36.0	Maternal care for rhesus isoimmunisation
O36.1	Maternal care for other isoimmunisation
O36.2	Maternal care for hydrops fetalis
O36.3	Maternal care for signs of fetal hypoxia
O36.4	Maternal care for intrauterine death
O36.5	Maternal care for poor fetal growth
O36.6	Maternal care for excessive fetal growth
O36.7	Maternal care for viable fetus in abdominal pregnancy
O36.8	Maternal care for other specified fetal problems
O36.9	Maternal care for fetal problem, unspecified
O40	Polyhydramnios
O41	Other disorders of amniotic fluid and membranes
O41.0	Oligohydramnios
O41.1	Infection of amniotic sac and membranes
O41.8	Other specified disorders of amniotic fluid and membranes
O41.9	Disorder of amniotic fluid and membranes, unspecified
O42	Premature rupture of membranes
O42.0	Premature rupture of membranes, onset of labour within 24 hours
O42.1	Premature rupture of membranes, onset of labour after 24 hours
O42.11	Premature rupture of membranes, onset of labour between 1-7 days later
O42.12	Premature rupture of membranes, onset of labour more than 7 days later
O42.2	Premature rupture of membranes, labour delayed by therapy
O42.9	Premature rupture of membranes, unspecified
O43	Placental disorders

O43.0	Placental transfusion syndromes
O43.1	Malformation of placenta
O43.2	Morbidly adherent placenta
O43.8	Other placental disorders
O43.9	Placental disorder, unspecified
O44	Placenta praevia
O44.0	Placenta praevia specified as without haemorrhage
O44.1	Placenta praevia with haemorrhage
O45	Premature separation of placenta [abruptio placentae]
O45.0	Premature separation of placenta with coagulation defect
O45.8	Other premature separation of placenta
O45.9	Premature separation of placenta, unspecified
O46	Antepartum haemorrhage, not elsewhere classified
O46.0	Antepartum haemorrhage with coagulation defect
O46.8	Other antepartum haemorrhage
O46.9	Antepartum haemorrhage, unspecified
O47	False labour or labour without delivery
O47.0	False labour before 37 completed weeks of gestation
O47.1	False labour at or after 37 completed weeks of gestation
O47.2	Labour without delivery
O47.9	False labour, unspecified
O48	Prolonged pregnancy
O60	Preterm labour and delivery
O60.0	Preterm labour without delivery
O60.1	Preterm spontaneous labour with preterm delivery
O60.2	Preterm spontaneous labour with term delivery
O60.3	Preterm delivery without spontaneous labour
O61	Failed induction of labour
O61.0	Failed medical induction of labour
O61.1	Failed surgical induction of labour
O61.2	Failed medical with surgical induction of labour
O61.8	Other failed induction of labour
O61.9	Failed induction of labour, unspecified
O62	Abnormalities of forces of labour
O62.0	Primary inadequate contractions
O62.1	Secondary uterine inertia
O62.2	Other uterine inertia
O62.3	Precipitate labour
O62.4	Hypertonic, incoordinate, and prolonged uterine contractions
O62.8	Other abnormalities of forces of labour
O62.9	Abnormality of forces of labour, unspecified
O63	Long labour
O63.0	Prolonged first stage (of labour)
O63.1	Prolonged second stage (of labour)
O63.2	Delayed delivery of second or subsequent fetus in multiple delivery
O63.3	Prolonged third stage (of labour)
O63.9	Long labour, unspecified
O64	Labour and delivery affected by malposition and malpresentation of fetus

O64.0	Labour and delivery affected by incomplete rotation of fetal head
O64.1	Labour and delivery affected by breech presentation
O64.2	Labour and delivery affected by face presentation
O64.3	Labour and delivery affected by brow presentation
O64.4	Labour and delivery affected by shoulder presentation
O64.5	Labour and delivery affected by compound presentation
O64.8	Labour and delivery affected by other malposition and malpresentation
O64.9	Labour and delivery affected by malposition and malpresentation, unspecified
O65	Labour and delivery affected by maternal pelvic abnormality
O65.0	Labour and delivery affected by deformed pelvis
O65.1	Labour and delivery affected by generally contracted pelvis
O65.2	Labour and delivery affected by pelvic inlet contraction
O65.3	Labour and delivery affected by pelvic outlet and mid-cavity contraction
O65.4	Labour and delivery affected by fetopelvic disproportion, unspecified
O65.5	Labour and delivery affected by abnormality of maternal pelvic organs
O65.8	Labour and delivery affected by other maternal pelvic abnormalities
O65.9	Labour and delivery affected by maternal pelvic abnormality, unspecified
O66	Other factors affecting labour and delivery
O66.0	Labour and delivery affected by shoulder dystocia
O66.1	Labour and delivery affected by locked twins
O66.2	Labour and delivery affected by unusually large fetus
O66.3	Labour and delivery affected by other abnormalities of fetus
O66.4	Failed trial of labour, unspecified
O66.5	Failed application of vacuum extractor and forceps, unspecified
O66.8	Labour and delivery affected by other dystocia
O66.9	Labour and delivery affected by dystocia, unspecified
O67	Labour and delivery complicated by intrapartum haemorrhage, not elsewhere classified
O67.0	Intrapartum haemorrhage with coagulation defect
O67.8	Other intrapartum haemorrhage
O67.9	Intrapartum haemorrhage, unspecified
O68	Labour and delivery complicated by fetal stress [distress]
O68.0	Labour and delivery complicated by fetal heart rate anomaly
O68.1	Labour and delivery complicated by meconium in amniotic fluid
O68.2	Labour and delivery complicated by fetal heart rate anomaly with meconium in amniotic fluid
O68.3	Labour and delivery complicated by biochemical evidence of fetal stress
O68.8	Labour and delivery complicated by other evidence of fetal stress
O68.9	Labour and delivery complicated by fetal stress, unspecified
O69	Labour and delivery complicated by umbilical cord complications
O69.0	Labour and delivery complicated by prolapse of cord
O69.1	Labour and delivery complicated by cord around neck, with compression
O69.2	Labour and delivery complicated by other cord entanglement, with compression
O69.3	Labour and delivery complicated by short cord
O69.4	Labour and delivery complicated by vasa praevia
O69.5	Labour and delivery complicated by vascular lesion of cord
O69.8	Labour and delivery complicated by other cord complications
O69.9	Labour and delivery complicated by cord complication, unspecified
O70	Perineal laceration during delivery

O70.0	First degree perineal laceration during delivery
O70.1	Second degree perineal laceration during delivery
O70.2	Third degree perineal laceration during delivery
O70.3	Fourth degree perineal laceration during delivery
O70.9	Perineal laceration during delivery, unspecified
O71	Other obstetric trauma
O71.0	Rupture of uterus before onset of labour
O71.00	Rupture of uterus before onset of labour, unspecified
O71.01	Spontaneous rupture of uterus before onset of labour
O71.02	Traumatic rupture of uterus before onset of labour
O71.1	Rupture of uterus during labour
O71.10	Rupture of uterus during labour, unspecified
O71.11	Spontaneous rupture of uterus during labour
O71.12	Traumatic rupture of uterus during labour
O71.2	Postpartum inversion of uterus
O71.3	Obstetric laceration of cervix
O71.4	Obstetric high vaginal laceration (alone)
O71.5	Other obstetric injury to pelvic organs
O71.6	Obstetric damage to pelvic joints and ligaments
O71.7	Obstetric haematoma of pelvis
O71.8	Other specified obstetric trauma
O71.81	Obstetric uterine laceration or tear
O71.82	Diastasis of recti abdominal muscle in pregnancy or delivery
O71.88	Other specified obstetric trauma
O71.9	Obstetric trauma, unspecified
O72	Third-stage and postpartum haemorrhage
O72.0	Third-stage haemorrhage
O72.1	Other immediate postpartum haemorrhage
O72.2	Delayed and secondary postpartum haemorrhage
O72.3	Postpartum coagulation defects
O73	Retained placenta and membranes
O73.0	Retained placenta
O73.1	Retained portions of placenta and membranes
O74	Complications of anaesthesia during labour and delivery
O74.0	Aspiration pneumonitis due to anaesthesia during labour and delivery
O74.1	Other pulmonary complications of anaesthesia during labour and delivery
O74.2	Cardiac complications of anaesthesia during labour and delivery
O74.3	Central nervous system complications of anaesthesia during labour and delivery
O74.4	Toxic reaction to local anaesthesia during labour and delivery
O74.5	Spinal and epidural anaesthesia-induced headache during labour and delivery
O74.6	Other complications of spinal and epidural anaesthesia during labour and delivery
O74.7	Failed or difficult intubation during labour and delivery
O74.71	Failed intubation during labour and delivery
O74.72	Difficult intubation during labour and delivery
O74.8	Other complications of anaesthesia during labour and delivery
O74.9	Complication of anaesthesia during labour and delivery, unspecified
O75	Other complications of labour and delivery, not elsewhere classified
O75.0	Maternal distress during labour and delivery

O75.1	Shock during or following labour and delivery
O75.2	Pyrexia during labour, not elsewhere classified
O75.3	Other infection during labour
O75.4	Other complications of obstetric surgery and procedures
O75.5	Delayed delivery after artificial rupture of membranes
O75.6	Delayed delivery after spontaneous or unspecified rupture of membranes
O75.7	Vaginal delivery following previous caesarean section
O75.8	Other specified complications of labour and delivery
O75.9	Complication of labour and delivery, unspecified
O80–O84	Delivery
O80	Single spontaneous delivery
O81	Single delivery by forceps and vacuum extractor
O82	Single delivery by caesarean section
O83	Other assisted single delivery
O84	Multiple delivery
O84.0	Multiple delivery, all spontaneous
O84.1	Multiple delivery, all by forceps and vacuum extractor
O84.2	Multiple delivery, all by caesarean section
O84.8	Other multiple delivery
O84.81	Multiple delivery, all assisted, not elsewhere classified
O84.82	Multiple delivery by combination of methods
O84.9	Multiple delivery, unspecified
O85–O92	Complications predominantly related to the puerperium
O85	Puerperal sepsis
O86	Other and unspecified puerperal infections
O86.0	Infection of obstetric surgical wound
O86.1	Other infection of genital tract following delivery
O86.2	Urinary tract infection following delivery
O86.3	Other genitourinary tract infections following delivery
O86.4	Pyrexia of unknown origin following delivery
O86.8	Other and unspecified puerperal infections
O87	Venous conditions and haemorrhoids in the puerperium
O87.0	Superficial thrombophlebitis in the puerperium
O87.1	Deep phlebothrombosis in the puerperium
O87.2	Haemorrhoids in the puerperium
O87.3	Cerebral venous thrombosis in the puerperium
O87.8	Other venous complications in the puerperium
O87.9	Venous condition in the puerperium
O88	Obstetric embolism
O88.0	Obstetric air embolism
O88.1	Amniotic fluid embolism
O88.2	Obstetric blood-clot embolism
O88.3	Obstetric pyaemic and septic embolism
O88.8	Other obstetric embolism
O89	Complications of anaesthesia during the puerperium
O89.0	Pulmonary complications of anaesthesia during the puerperium
O89.1	Cardiac complications of anaesthesia during the puerperium
O89.2	Central nervous system complications of anaesthesia during the puerperium

O89.3	Toxic reaction to local anaesthesia during the puerperium
O89.4	Spinal and epidural anaesthesia-induced headache during the puerperium
O89.5	Other complications of spinal and epidural anaesthesia during the puerperium
O89.6	Failed or difficult intubation during the puerperium
O89.61	Failed intubation during the puerperium
O89.62	Difficult intubation during the puerperium
O89.8	Other complications of anaesthesia during the puerperium
O89.9	Complication of anaesthesia during the puerperium, unspecified
O90	Complications of the puerperium, not elsewhere classified
O90.0	Disruption of caesarean section wound
O90.1	Disruption of perineal obstetric wound
O90.2	Haematoma of obstetric wound
O90.3	Cardiomyopathy in the puerperium
O90.4	Postpartum acute kidney failure
O90.5	Postpartum thyroiditis
O90.8	Other complications of the puerperium, not elsewhere classified
O90.9	Complication of the puerperium, unspecified
O91	Infections of breast associated with childbirth
O91.0	Infection of nipple associated with childbirth
O91.00	Infection of nipple associated with childbirth, without mention of attachment difficulty
O91.01	Infection of nipple associated with childbirth, with mention of attachment difficulty
O91.1	Abscess of breast associated with childbirth
O91.10	Abscess of breast associated with childbirth, without mention of attachment difficulty
O91.11	Abscess of breast associated with childbirth, with mention of attachment difficulty
O91.2	Nonpurulent mastitis associated with childbirth
O91.20	Nonpurulent mastitis associated with childbirth, without mention of attachment difficulty
O91.21	Nonpurulent mastitis associated with childbirth, with mention of attachment difficulty
O92	Other disorders of breast and lactation associated with childbirth
O92.0	Retracted nipple associated with childbirth
O92.00	Retracted nipple associated with childbirth, without mention of attachment difficulty
O92.01	Retracted nipple associated with childbirth, with mention of attachment difficulty
O92.1	Cracked nipple associated with childbirth
O92.10	Cracked nipple associated with childbirth, without mention of attachment difficulty
O92.11	Cracked nipple associated with childbirth, with mention of attachment difficulty
O92.2	Other and unspecified disorders of breast associated with childbirth
O92.20	Other and unspecified disorders of breast associated with childbirth, without mention of attachment difficulty
O92.21	Other and unspecified disorders of breast associated with childbirth, with mention of attachment difficulty
O92.3	Agalactia
O92.30	Agalactia, without mention of attachment difficulty
O92.31	Agalactia, with mention of attachment difficulty
O92.4	Hypogalactia
O92.40	Hypogalactia, without mention of attachment difficulty
O92.41	Hypogalactia, with mention of attachment difficulty
O92.5	Suppressed lactation
O92.50	Suppressed lactation, without mention of attachment difficulty
O92.51	Suppressed lactation, with mention of attachment difficulty

O92.6	Galactorrhoea
O92.60	Galactorrhoea, without mention of attachment difficulty
O92.61	Galactorrhoea, with mention of attachment difficulty
O92.7	Other and unspecified disorders of lactation
O92.70	Other and unspecified disorders of lactation, without mention of attachment difficulty
O92.71	Other and unspecified disorders of lactation, with mention of attachment difficulty
O94	Sequelae of complication of pregnancy, childbirth and the puerperium
O95	Obstetric death of unspecified cause
O96	Death from any obstetric cause occurring more than 42 days but less than one year after delivery
O96.0	Death from direct obstetric cause occurring more than 42 days but less than one year after delivery
O96.1	Death from indirect obstetric cause occurring more than 42 days but less than one year after delivery
O96.9	Death from unspecified obstetric cause occurring more than 42 days but less than one year after delivery
O97	Death from obstetric causes, one year or more after delivery
O97.0	Death from direct obstetric cause, one year or more after delivery
O97.1	Death from indirect obstetric cause, one year or more after delivery
O97.9	Death from unspecified obstetric cause, one year or more after delivery
O98	Maternal infectious and parasitic diseases classifiable elsewhere in pregnancy, childbirth and the puerperium
O98.0	Tuberculosis in pregnancy, childbirth and the puerperium
O98.1	Syphilis in pregnancy, childbirth and the puerperium
O98.2	Gonorrhoea in pregnancy, childbirth and the puerperium
O98.3	Other infections with a predominantly sexual mode of transmission in pregnancy, childbirth and the puerperium
O98.4	Viral hepatitis in pregnancy, childbirth and the puerperium
O98.5	Other viral diseases in pregnancy, childbirth and the puerperium
O98.6	Protozoal diseases in pregnancy, childbirth and the puerperium
O98.7	Human immunodeficiency virus [HIV] disease in pregnancy, childbirth and the puerperium
O98.8	Other maternal infectious and parasitic diseases in pregnancy, childbirth and the puerperium
O98.9	Unspecified maternal infectious or parasitic disease in pregnancy, childbirth and the puerperium
O99	Other maternal diseases classifiable elsewhere in pregnancy, childbirth and the puerperium
O99.0	Anaemia in pregnancy, childbirth and the puerperium
O99.00	Anaemia in pregnancy, childbirth and the puerperium, unspecified
O99.01	Anaemia in pregnancy
O99.02	Anaemia in pregnancy, with mention of pre-existing anaemia
O99.03	Anaemia in childbirth and the puerperium
O99.04	Anaemia in childbirth and the puerperium, with mention of pre-existing anaemia
O99.1	Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism in pregnancy, childbirth and the puerperium
O99.2	Endocrine, nutritional and metabolic diseases in pregnancy, childbirth and the puerperium
O99.3	Mental disorders and diseases of the nervous system in pregnancy, childbirth and the puerperium
O99.31	Mental disorders in pregnancy, childbirth and the puerperium
O99.32	Diseases of the nervous system in pregnancy, childbirth and the puerperium
O99.4	Diseases of the circulatory system in pregnancy, childbirth and the puerperium

- O99.5 Diseases of the respiratory system in pregnancy, childbirth and the puerperium
- O99.6 Diseases of the digestive system in pregnancy, childbirth and the puerperium
- O99.7 Diseases of the skin and subcutaneous tissue in pregnancy, childbirth and the puerperium
- O99.8 Other specified diseases and conditions in pregnancy, childbirth and the puerperium

**Chapter 16 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD
(P00–P96)**

- P00–P96 Certain conditions originating in the perinatal period
- P00–P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery
- P00 Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy
- P00.0 Fetus and newborn affected by maternal hypertensive disorders
- P00.1 Fetus and newborn affected by maternal renal and urinary tract diseases
- P00.2 Fetus and newborn affected by maternal infectious and parasitic diseases
- P00.3 Fetus and newborn affected by other maternal circulatory and respiratory diseases
- P00.4 Fetus and newborn affected by maternal nutritional disorders
- P00.5 Fetus and newborn affected by maternal injury
- P00.6 Fetus and newborn affected by surgical procedure on mother
- P00.7 Fetus and newborn affected by other medical procedures on mother, not elsewhere classified
- P00.8 Fetus and newborn affected by other maternal conditions
- P00.9 Fetus and newborn affected by unspecified maternal condition
- P01 Fetus and newborn affected by maternal complications of pregnancy
- P01.0 Fetus and newborn affected by incompetent cervix
- P01.1 Fetus and newborn affected by premature rupture of membranes
- P01.2 Fetus and newborn affected by oligohydramnios
- P01.3 Fetus and newborn affected by polyhydramnios
- P01.4 Fetus and newborn affected by ectopic pregnancy
- P01.5 Fetus and newborn affected by multiple pregnancy
- P01.6 Fetus and newborn affected by maternal death
- P01.7 Fetus and newborn affected by malpresentation before labour
- P01.8 Fetus and newborn affected by other maternal complications of pregnancy
- P01.9 Fetus and newborn affected by maternal complication of pregnancy, unspecified
- P02 Fetus and newborn affected by complications of placenta, cord and membranes
- P02.0 Fetus and newborn affected by placenta praevia
- P02.1 Fetus and newborn affected by other forms of placental separation and haemorrhage
- P02.2 Fetus and newborn affected by other and unspecified morphological and functional abnormalities of placenta
- P02.3 Fetus and newborn affected by placental transfusion syndromes
- P02.4 Fetus and newborn affected by prolapsed cord
- P02.5 Fetus and newborn affected by other compression of umbilical cord
- P02.6 Fetus and newborn affected by other and unspecified conditions of umbilical cord
- P02.7 Fetus and newborn affected by chorioamnionitis
- P02.8 Fetus and newborn affected by other abnormalities of membranes
- P02.9 Fetus and newborn affected by abnormality of membranes, unspecified
- P03 Fetus and newborn affected by other complications of labour and delivery
- P03.0 Fetus and newborn affected by breech delivery and extraction

P03.1	Fetus and newborn affected by other malpresentation, malposition and disproportion during labour and delivery
P03.2	Fetus and newborn affected by forceps delivery
P03.3	Fetus and newborn affected by delivery by vacuum extractor [ventouse]
P03.4	Fetus and newborn affected by caesarean delivery
P03.5	Fetus and newborn affected by precipitate delivery
P03.6	Fetus and newborn affected by abnormal uterine contractions
P03.8	Fetus and newborn affected by other specified complications of labour and delivery
P03.9	Fetus and newborn affected by complication of labour and delivery, unspecified
P04	Fetus and newborn affected by noxious influences transmitted via placenta or breast milk
P04.0	Fetus and newborn affected by maternal anaesthesia and analgesia in pregnancy, labour and delivery
P04.1	Fetus and newborn affected by other maternal medication
P04.2	Fetus and newborn affected by maternal use of tobacco
P04.3	Fetus and newborn affected by maternal use of alcohol
P04.4	Fetus and newborn affected by maternal use of drugs of addiction
P04.5	Fetus and newborn affected by maternal use of nutritional chemical substances
P04.6	Fetus and newborn affected by maternal exposure to environmental chemical substances
P04.8	Fetus and newborn affected by other maternal noxious influences
P04.9	Fetus and newborn affected by maternal noxious influence, unspecified
P05	Slow fetal growth and fetal malnutrition
P05.0	Light for gestational age
P05.1	Small for gestational age
P05.2	Fetal malnutrition without mention of light or small for gestational age
P05.9	Slow fetal growth, unspecified
P07	Disorders related to short gestation and low birth weight, not elsewhere classified
P07.0	Extremely low birth weight
P07.01	Extremely low birth weight 499g or less
P07.02	Extremely low birth weight 500–749g
P07.03	Extremely low birth weight 750–999g
P07.1	Other low birth weight
P07.11	Other low birth weight 1000–1249g
P07.12	Other low birth weight 1250–1499g
P07.13	Other low birth weight 1500–2499g
P07.2	Extreme immaturity
P07.21	Extreme immaturity, less than 24 completed weeks
P07.22	Extreme immaturity, 24 or more completed weeks but less than 28 completed weeks
P07.3	Other and unspecified preterm infants
P07.30	Preterm infant, unspecified
P07.31	Preterm infant, 28 or more completed weeks but less than 32 completed weeks
P07.32	Preterm infant, 32 or more completed weeks but less than 37 completed weeks
P07.4	Extreme prematurity
P07.40	Extreme prematurity, unspecified gestational age
P07.41	Extreme prematurity, gestational age less than 22 completed weeks
P07.42	Extreme prematurity, gestational age 22 completed weeks
P07.43	Extreme prematurity, gestational age 23 completed weeks
P07.44	Extreme prematurity, gestational age 24 completed weeks
P07.45	Extreme prematurity, gestational age 25 completed weeks

P07.46	Extreme prematurity, gestational age 26 completed weeks
P07.47	Extreme prematurity, gestational age 27 completed weeks
P07.5	Other and unspecified preterm infants
P07.50	Preterm infant, unspecified
P07.51	Preterm infant, gestational age 28 completed weeks
P07.52	Preterm infant, gestational age 29 completed weeks
P07.53	Preterm infant, gestational age 30 completed weeks
P07.54	Preterm infant, gestational age 31 completed weeks
P07.55	Preterm infant, gestational age 32 completed weeks
P07.56	Preterm infant, gestational age 33 completed weeks
P07.57	Preterm infant, gestational age 34 completed weeks
P07.58	Preterm infant, gestational age 35 completed weeks
P07.59	Preterm infant, gestational age 36 completed weeks
P08	Disorders related to long gestation and high birth weight
P08.0	Exceptionally large baby
P08.1	Other heavy for gestational age infants
P08.2	Post-term infant, not heavy for gestational age
P10–P15	Birth trauma
P10	Intracranial laceration and haemorrhage due to birth trauma
P10.0	Subdural haemorrhage due to birth trauma
P10.1	Cerebral haemorrhage due to birth trauma
P10.2	Intraventricular haemorrhage due to birth trauma
P10.3	Subarachnoid haemorrhage due to birth trauma
P10.4	Tentorial tear due to birth trauma
P10.8	Other intracranial lacerations and haemorrhages due to birth trauma
P10.9	Unspecified intracranial laceration and haemorrhage due to birth trauma
P11	Other birth trauma to central nervous system
P11.0	Cerebral oedema due to birth trauma
P11.1	Other specified brain damage due to birth trauma
P11.2	Unspecified brain damage due to birth trauma
P11.3	Birth trauma to facial nerve
P11.4	Birth trauma to other cranial nerves
P11.5	Birth trauma to spine and spinal cord
P11.9	Birth trauma to central nervous system, unspecified
P12	Birth trauma to scalp
P12.0	Cephalhaematoma due to birth trauma
P12.1	Chignon due to birth trauma
P12.2	Epicranial subaponeurotic haemorrhage due to birth trauma
P12.3	Bruising of scalp due to birth trauma
P12.4	Monitoring trauma of scalp of newborn
P12.8	Other birth trauma to scalp
P12.9	Birth trauma to scalp, unspecified
P13	Birth trauma to skeleton
P13.0	Fracture of skull due to birth trauma
P13.1	Other birth trauma to skull
P13.2	Birth trauma to femur
P13.3	Birth trauma to other long bones
P13.4	Fracture of clavicle due to birth trauma

P13.8	Birth trauma to other parts of skeleton
P13.9	Birth trauma to skeleton, unspecified
P14	Birth trauma to peripheral nervous system
P14.0	Erb's paralysis due to birth trauma
P14.1	Klumpke's paralysis due to birth trauma
P14.2	Phrenic nerve paralysis due to birth trauma
P14.3	Other brachial plexus birth trauma
P14.8	Birth trauma to other parts of peripheral nervous system
P14.9	Birth trauma to peripheral nervous system, unspecified
P15	Other birth trauma
P15.0	Birth trauma to liver
P15.1	Birth trauma to spleen
P15.2	Sternomastoid trauma due to birth trauma
P15.3	Birth trauma to eye
P15.4	Birth trauma to face
P15.5	Birth trauma to external genitalia
P15.6	Subcutaneous fat necrosis due to birth trauma
P15.8	Other specified birth trauma
P15.9	Birth trauma, unspecified
P20	Intrauterine hypoxia
P20.0	Intrauterine hypoxia first noted before onset of labour
P20.1	Intrauterine hypoxia first noted during labour and delivery
P20.9	Intrauterine hypoxia, unspecified
P21	Birth asphyxia
P21.0	Severe birth asphyxia
P21.1	Mild and moderate birth asphyxia
P21.9	Birth asphyxia, unspecified
P22	Respiratory distress of newborn
P22.0	Respiratory distress syndrome of newborn
P22.1	Transient tachypnoea of newborn
P22.8	Other respiratory distress of newborn
P22.9	Respiratory distress of newborn, unspecified
P23	Congenital pneumonia
P23.0	Congenital pneumonia due to viral agent
P23.1	Congenital pneumonia due to Chlamydia
P23.2	Congenital pneumonia due to <i>Staphylococcus</i>
P23.3	Congenital pneumonia due to <i>Streptococcus</i> , group B
P23.4	Congenital pneumonia due to <i>Escherichia coli</i>
P23.5	Congenital pneumonia due to <i>Pseudomonas</i>
P23.6	Congenital pneumonia due to other bacterial agents
P23.8	Congenital pneumonia due to other organisms
P23.9	Congenital pneumonia, unspecified
P24	Neonatal aspiration syndromes
P24.0	Neonatal aspiration of meconium
P24.1	Neonatal aspiration of amniotic fluid and mucus
P24.2	Neonatal aspiration of blood
P24.3	Neonatal aspiration of milk and regurgitated food
P24.8	Other neonatal aspiration syndromes

P24.9	Neonatal aspiration syndrome, unspecified
P25	Air leak syndrome originating in the perinatal period
P25.0	Interstitial emphysema originating in the perinatal period
P25.1	Pneumothorax originating in the perinatal period
P25.2	Pneumomediastinum originating in the perinatal period
P25.3	Pneumopericardium originating in the perinatal period
P25.8	Other conditions related to air leak syndrome originating in the perinatal period
P26	Pulmonary haemorrhage originating in the perinatal period
P26.0	Tracheobronchial haemorrhage originating in the perinatal period
P26.1	Massive pulmonary haemorrhage originating in the perinatal period
P26.8	Other pulmonary haemorrhages originating in the perinatal period
P26.9	Unspecified pulmonary haemorrhage originating in the perinatal period
P27	Chronic respiratory disease originating in the perinatal period
P27.0	Wilson-Mikity syndrome
P27.1	Chronic neonatal lung disease
P27.8	Other chronic respiratory diseases originating in the perinatal period
P27.9	Unspecified chronic respiratory disease originating in the perinatal period
P28	Other respiratory conditions originating in the perinatal period
P28.0	Primary atelectasis of newborn
P28.1	Other and unspecified atelectasis of newborn
P28.2	Cyanotic attacks of newborn
P28.3	Primary sleep apnoea of newborn
P28.4	Other apnoea of newborn
P28.40	Apnoea of newborn, unspecified
P28.41	Apnoea of prematurity
P28.42	Obstructive apnoea of newborn
P28.49	Other apnoea of newborn
P28.5	Respiratory failure of newborn
P28.8	Other specified respiratory conditions of newborn
P28.81	Snuffles in newborn
P28.82	Acquired subglottic stenosis in newborn
P28.83	Grunting in newborn
P28.89	Other specified respiratory conditions of newborn
P28.9	Respiratory condition of newborn, unspecified
P29	Cardiovascular disorders originating in the perinatal period
P29.0	Neonatal cardiac failure
P29.1	Neonatal cardiac dysrhythmia
P29.2	Neonatal hypertension
P29.3	Persistent fetal circulation
P29.4	Transient myocardial ischaemia of newborn
P29.8	Other cardiovascular disorders originating in the perinatal period
P29.81	Neonatal hypotension
P29.82	Benign and innocent cardiac murmurs in newborn
P29.83	Embolism and thrombosis of renal vein in newborn
P29.89	Other cardiovascular disorders originating in the perinatal period
P29.9	Cardiovascular disorder originating in the perinatal period, unspecified
P35–P39	Infections specific to the perinatal period
P35	Congenital viral diseases

P35.0	Congenital rubella syndrome
P35.1	Congenital cytomegalovirus infection
P35.2	Congenital herpesviral [herpes simplex] infection
P35.3	Congenital viral hepatitis
P35.4	Congenital Zika virus disease
P35.8	Other congenital viral diseases
P35.9	Congenital viral disease, unspecified
P36	Sepsis of newborn
P36.0	Sepsis of newborn due to streptococcus, group B
P36.1	Sepsis of newborn due to other and unspecified streptococci
P36.2	Sepsis of newborn due to Staphylococcus aureus
P36.3	Sepsis of newborn due to other and unspecified staphylococci
P36.4	Sepsis of newborn due to Escherichia coli
P36.5	Sepsis of newborn due to anaerobes
P36.8	Other bacterial sepsis of newborn
P36.9	Bacterial sepsis of newborn, unspecified
P37	Other congenital infectious and parasitic diseases
P37.0	Congenital tuberculosis
P37.1	Congenital toxoplasmosis
P37.2	Neonatal (disseminated) listeriosis
P37.3	Congenital falciparum malaria
P37.4	Other congenital malaria
P37.5	Neonatal candidiasis
P37.50	Neonatal candidiasis, unspecified
P37.51	Topical or gastrointestinal neonatal candidiasis
P37.52	Invasive neonatal candidiasis
P37.59	Other neonatal candidiasis
P37.8	Other specified congenital infectious and parasitic diseases
P37.9	Congenital infectious and parasitic disease, unspecified
P38	Omphalitis of newborn with or without mild haemorrhage
P39	Other infections specific to the perinatal period
P39.0	Neonatal infective mastitis
P39.1	Neonatal conjunctivitis and dacryocystitis
P39.2	Intra-amniotic infection of fetus, not elsewhere classified
P39.3	Neonatal urinary tract infection
P39.4	Neonatal skin infection
P39.8	Other specified infections specific to the perinatal period
P39.9	Infection specific to the perinatal period, unspecified
P50	Fetal blood loss
P50.0	Fetal blood loss from vasa praevia
P50.1	Fetal blood loss from ruptured cord
P50.2	Fetal blood loss from placenta
P50.3	Haemorrhage into co-twin
P50.4	Haemorrhage into maternal circulation
P50.5	Fetal blood loss from cut end of co-twin's cord
P50.8	Other fetal blood loss
P50.9	Fetal blood loss, unspecified
P51	Umbilical haemorrhage of newborn

P51.0	Massive umbilical haemorrhage of newborn
P51.8	Other umbilical haemorrhages of newborn
P51.9	Umbilical haemorrhage of newborn, unspecified
P52	Intracranial nontraumatic haemorrhage of fetus and newborn
P52.0	Intraventricular (nontraumatic) haemorrhage, grade 1, of fetus and newborn
P52.1	Intraventricular (nontraumatic) haemorrhage, grade 2, of fetus and newborn
P52.2	Intraventricular (nontraumatic) haemorrhage, grade 3 and grade 4, of fetus and newborn
P52.21	Intraventricular (nontraumatic) haemorrhage, grade 3, of fetus and newborn
P52.22	Intraventricular (nontraumatic) haemorrhage, grade 4, of fetus and newborn
P52.3	Unspecified intraventricular (nontraumatic) haemorrhage of fetus and newborn
P52.4	Intracerebral (nontraumatic) haemorrhage of fetus and newborn
P52.5	Subarachnoid (nontraumatic) haemorrhage of fetus and newborn
P52.6	Cerebellar (nontraumatic) and posterior fossa haemorrhage of fetus and newborn
P52.8	Other intracranial (nontraumatic) haemorrhages of fetus and newborn
P52.9	Intracranial (nontraumatic) haemorrhage of fetus and newborn, unspecified
P53	Haemorrhagic disease of fetus and newborn
P54	Other neonatal haemorrhages
P54.0	Neonatal haematemesis
P54.1	Neonatal melaena
P54.2	Neonatal rectal haemorrhage
P54.3	Other neonatal gastrointestinal haemorrhage
P54.4	Neonatal adrenal haemorrhage
P54.5	Neonatal cutaneous haemorrhage
P54.6	Neonatal vaginal haemorrhage
P54.8	Other specified neonatal haemorrhages
P54.9	Neonatal haemorrhage, unspecified
P55	Immune haemolytic disease of fetus and newborn
P55.0	Rh isoimmunisation of fetus and newborn
P55.1	ABO isoimmunisation of fetus and newborn
P55.8	Other immune haemolytic diseases of fetus and newborn
P55.9	Immune haemolytic disease of fetus and newborn, unspecified
P56	Hydrops fetalis due to haemolytic disease
P56.0	Hydrops fetalis due to isoimmunisation
P56.9	Hydrops fetalis due to other and unspecified haemolytic disease
P57	Kernicterus
P57.0	Kernicterus due to isoimmunisation
P57.8	Other specified kernicterus
P57.9	Kernicterus, unspecified
P58	Neonatal jaundice due to other excessive haemolysis
P58.0	Neonatal jaundice due to bruising
P58.1	Neonatal jaundice due to bleeding
P58.2	Neonatal jaundice due to infection
P58.3	Neonatal jaundice due to polycythaemia
P58.4	Neonatal jaundice due to drugs or toxins transmitted from mother or given to newborn
P58.5	Neonatal jaundice due to swallowed maternal blood
P58.8	Neonatal jaundice due to other specified excessive haemolysis
P58.9	Neonatal jaundice due to excessive haemolysis, unspecified
P59	Neonatal jaundice from other and unspecified causes

P59.0	Neonatal jaundice associated with preterm delivery
P59.1	Inspissated bile syndrome
P59.2	Neonatal jaundice from other and unspecified hepatocellular damage
P59.3	Neonatal jaundice from breast milk inhibitor
P59.8	Neonatal jaundice from other specified causes
P59.9	Neonatal jaundice, unspecified
P60	Disseminated intravascular coagulation of fetus and newborn
P61	Other perinatal haematological disorders
P61.0	Transient neonatal thrombocytopenia
P61.1	Polycythaemia neonatorum
P61.2	Anaemia of prematurity
P61.3	Congenital anaemia from fetal blood loss
P61.4	Other congenital anaemias, not elsewhere classified
P61.5	Transient neonatal neutropenia
P61.6	Other transient neonatal disorders of coagulation
P61.8	Other specified perinatal haematological disorders
P61.9	Perinatal haematological disorder, unspecified
P70	Transitory disorders of carbohydrate metabolism specific to fetus and newborn
P70.0	Syndrome of infant of mother with gestational diabetes
P70.1	Syndrome of infant of a diabetic mother
P70.2	Neonatal diabetes mellitus
P70.3	Iatrogenic neonatal hypoglycaemia
P70.4	Other neonatal hypoglycaemia
P70.8	Other transitory disorders of carbohydrate metabolism of fetus and newborn
P70.9	Transitory disorder of carbohydrate metabolism of fetus and newborn, unspecified
P71	Transitory neonatal disorders of calcium and magnesium metabolism
P71.0	Cow's milk hypocalcaemia in newborn
P71.1	Other neonatal hypocalcaemia
P71.2	Neonatal hypomagnesaemia
P71.3	Neonatal tetany without calcium or magnesium deficiency
P71.4	Transitory neonatal hypoparathyroidism
P71.8	Other transitory neonatal disorders of calcium and magnesium metabolism
P71.9	Transitory neonatal disorder of calcium and magnesium metabolism, unspecified
P72	Other transitory neonatal endocrine disorders
P72.0	Neonatal goitre, not elsewhere classified
P72.1	Transitory neonatal hyperthyroidism
P72.2	Other transitory neonatal disorders of thyroid function, not elsewhere classified
P72.8	Other specified transitory neonatal endocrine disorders
P72.9	Transitory neonatal endocrine disorder, unspecified
P74	Other transitory neonatal electrolyte and metabolic disturbances
P74.0	Metabolic acidosis of newborn
P74.1	Dehydration of newborn
P74.2	Disturbances of sodium balance of newborn
P74.20	Disturbances of sodium balance of newborn, unspecified
P74.21	Hypernatraemia of newborn
P74.22	Hyponatraemia of newborn
P74.29	Other disturbances of sodium balance in newborn
P74.3	Disturbances of potassium balance of newborn

P74.30	Disturbances of potassium balance of newborn, unspecified
P74.31	Hyperkalaemia of newborn
P74.32	Hypokalaemia of newborn
P74.39	Other disturbances of potassium balance of newborn
P74.4	Other transitory electrolyte disturbances of newborn
P74.5	Transitory tyrosinaemia of newborn
P74.8	Other transitory metabolic disturbances of newborn
P74.9	Transitory metabolic disturbance of newborn, unspecified
P75*	Meconium ileus in cystic fibrosis (E84†)
P76	Other intestinal obstruction of newborn
P76.0	Meconium plug syndrome
P76.1	Transitory ileus of newborn
P76.2	Intestinal obstruction due to inspissated milk
P76.3	Volvulus of newborn
P76.8	Other specified intestinal obstruction of newborn
P76.9	Intestinal obstruction of newborn, unspecified
P77	Necrotising enterocolitis of fetus and newborn
P78	Other perinatal digestive system disorders
P78.0	Perinatal intestinal perforation
P78.1	Other neonatal peritonitis
P78.2	Neonatal haematemesis and melaena due to swallowed maternal blood
P78.3	Noninfective neonatal diarrhoea
P78.8	Other specified perinatal digestive system disorders
P78.9	Perinatal digestive system disorder, unspecified
P80	Hypothermia of newborn
P80.0	Cold injury syndrome
P80.8	Other hypothermia of newborn
P80.9	Hypothermia of newborn, unspecified
P81	Other disturbances of temperature regulation of newborn
P81.0	Environmental hyperthermia of newborn
P81.8	Other specified disturbances of temperature regulation of newborn
P81.9	Disturbance of temperature regulation of newborn, unspecified
P83	Other conditions of integument specific to fetus and newborn
P83.0	Sclerema neonatorum
P83.1	Neonatal erythema toxicum
P83.2	Hydrops fetalis not due to haemolytic disease
P83.3	Other and unspecified oedema specific to fetus and newborn
P83.4	Breast engorgement of newborn
P83.5	Congenital hydrocele
P83.6	Umbilical polyp of newborn
P83.8	Other specified conditions of integument specific to fetus and newborn
P83.9	Condition of integument specific to fetus and newborn, unspecified
P90	Convulsions of newborn
P91	Other disturbances of cerebral status of newborn
P91.0	Neonatal cerebral ischaemia
P91.1	Acquired periventricular cysts of newborn
P91.2	Neonatal cerebral leukomalacia
P91.20	Neonatal cerebral leukomalacia, unspecified

P91.21	Neonatal cerebral leukomalacia, cystic
P91.3	Neonatal cerebral irritability
P91.4	Neonatal cerebral depression
P91.5	Neonatal coma
P91.6	Hypoxic ischaemic encephalopathy [HIE] of newborn
P91.60	Hypoxic ischaemic encephalopathy [HIE] of newborn, unspecified
P91.61	Stage 1 hypoxic ischaemic encephalopathy [HIE] of newborn
P91.62	Stage 2 hypoxic ischaemic encephalopathy [HIE] of newborn
P91.63	Stage 3 hypoxic ischaemic encephalopathy [HIE] of newborn
P91.7	Acquired hydrocephalus of newborn
P91.8	Other specified disturbances of cerebral status of newborn
P91.81	Neonatal encephalopathy
P91.89	Other specified disturbances of cerebral status of newborn
P91.9	Disturbance of cerebral status of newborn, unspecified
P92	Feeding problems of newborn
P92.0	Vomiting in newborn
P92.1	Regurgitation and rumination in newborn
P92.2	Slow feeding of newborn
P92.3	Underfeeding of newborn
P92.4	Overfeeding of newborn
P92.5	Neonatal difficulty in feeding at breast
P92.8	Other feeding problems of newborn
P92.9	Feeding problem of newborn, unspecified
P93	Reactions and intoxications due to drugs administered to fetus and newborn
P94	Disorders of muscle tone of newborn
P94.0	Transient neonatal myasthenia gravis
P94.1	Congenital hypertonia
P94.2	Congenital hypotonia
P94.8	Other disorders of muscle tone of newborn
P94.9	Disorder of muscle tone of newborn, unspecified
P95	Fetal death of unspecified cause
P96	Other conditions originating in the perinatal period
P96.0	Congenital kidney failure
P96.1	Neonatal withdrawal symptoms from maternal use of drugs of addiction
P96.2	Withdrawal symptoms from therapeutic use of drugs in newborn
P96.3	Wide cranial sutures of newborn
P96.4	Termination of pregnancy, affecting fetus and newborn
P96.5	Complications of intrauterine procedures, not elsewhere classified
P96.50	Fetus and newborn affected by unspecified intrauterine procedure
P96.51	Fetus and newborn affected by amniocentesis
P96.52	Fetus and newborn affected by chorionic villous sampling
P96.53	Fetus and newborn affected by fetal blood sampling
P96.54	Fetus and newborn affected by complications of intrauterine fetal surgery
P96.59	Fetus and newborn affected by other intrauterine procedures
P96.8	Other specified conditions originating in the perinatal period
P96.81	Jittery baby
P96.89	Other specified conditions originating in the perinatal period
P96.9	Condition originating in the perinatal period, unspecified

Chapter 17 CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (Q00–Q99)

Q00	Anencephaly and similar malformations
Q00.0	Anencephaly
Q00.00	Anencephaly, unspecified
Q00.01	Incomplete anencephaly
Q00.02	Complete anencephaly
Q00.03	Acrania
Q00.04	Acephaly
Q00.09	Other anencephaly
Q00.1	Craniorachischisis
Q00.2	Iniencephaly
Q00.20	Iniencephaly, unspecified
Q00.21	Iniencephaly, open
Q00.22	Iniencephaly, closed
Q01	Encephalocele
Q01.0	Frontal encephalocele
Q01.1	Nasofrontal encephalocele
Q01.2	Occipital encephalocele
Q01.8	Encephalocele of other sites
Q01.81	Parietal encephalocele
Q01.82	Orbital encephalocele
Q01.83	Nasal encephalocele
Q01.84	Nasopharyngeal encephalocele
Q01.89	Encephalocele of other specified sites
Q01.9	Encephalocele, unspecified
Q02	Microcephaly
Q03	Congenital hydrocephalus
Q03.0	Malformations of aqueduct of Sylvius
Q03.01	Congenital stenosis and obstruction of aqueduct of Sylvius
Q03.09	Other congenital malformations of aqueduct of Sylvius
Q03.1	Atresia of foramina of Magendie and Luschka
Q03.8	Other congenital hydrocephalus
Q03.81	Congenital communicating hydrocephalus
Q03.89	Other congenital hydrocephalus
Q03.9	Congenital hydrocephalus, unspecified
Q04	Other congenital malformations of brain
Q04.0	Congenital malformations of corpus callosum
Q04.00	Congenital malformations of corpus callosum, unspecified
Q04.01	Agenesis of corpus callosum
Q04.09	Other congenital malformations of corpus callosum
Q04.1	Arhinencephaly
Q04.2	Holoprosencephaly
Q04.3	Other and unspecified reduction deformities of brain
Q04.30	Reduction anomalies of brain, unspecified
Q04.31	Reduction anomalies of cerebrum
Q04.32	Reduction anomalies of hypothalamus
Q04.33	Reduction anomalies of cerebellum

Q04.34	Agyria and lissencephaly
Q04.35	Microgyria and pachygyria
Q04.36	Hydranencephaly
Q04.39	Other reduction anomalies of brain
Q04.4	Septo-optic dysplasia
Q04.5	Megalencephaly
Q04.6	Congenital cerebral cysts
Q04.60	Congenital cerebral cysts, unspecified
Q04.61	Single congenital cerebral cyst
Q04.62	Multiple congenital cerebral cysts
Q04.8	Other specified congenital malformations of brain
Q04.9	Congenital malformation of brain, unspecified
Q05	Spina bifida
Q05.0	Cervical spina bifida with hydrocephalus
Q05.00	Cervical spina bifida with hydrocephalus, unspecified whether lesion is open or closed
Q05.01	Cervical spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane
Q05.02	Cervical spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane
Q05.1	Thoracic spina bifida with hydrocephalus
Q05.10	Thoracic spina bifida with hydrocephalus, unspecified whether lesion is open or closed
Q05.11	Thoracic spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane
Q05.12	Thoracic spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane
Q05.2	Lumbar spina bifida with hydrocephalus
Q05.20	Lumbar spina bifida with hydrocephalus, unspecified whether lesion is open or closed
Q05.21	Lumbar spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane
Q05.22	Lumbar spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane
Q05.3	Sacral spina bifida with hydrocephalus
Q05.30	Sacral spina bifida with hydrocephalus, unspecified whether lesion is open or closed
Q05.31	Sacral spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane
Q05.32	Sacral spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane
Q05.4	Unspecified spina bifida with hydrocephalus
Q05.40	Unspecified spina bifida with hydrocephalus, unspecified whether lesion is open or closed
Q05.41	Unspecified spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane
Q05.42	Unspecified spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane
Q05.5	Cervical spina bifida without hydrocephalus
Q05.50	Cervical spina bifida without hydrocephalus, unspecified whether lesion is open or closed
Q05.51	Cervical spina bifida without hydrocephalus, open, aperta, not covered with skin or membrane
Q05.52	Cervical spina bifida without hydrocephalus, closed, cystica, covered with skin or membrane
Q05.6	Thoracic spina bifida without hydrocephalus
Q05.60	Thoracic spina bifida without hydrocephalus, unspecified whether lesion is open or closed
Q05.61	Thoracic spina bifida without hydrocephalus, open, aperta, not covered with skin or membrane
Q05.62	Thoracic spina bifida without hydrocephalus, closed, cystica, covered with skin or membrane
Q05.7	Lumbar spina bifida without hydrocephalus

Q05.70	Lumbar spina bifida without hydrocephalus, unspecified whether lesion is open or closed
Q05.71	Lumbar spina bifida without hydrocephalus, open, aperta, not covered with skin or membrane
Q05.72	Lumbar spina bifida without hydrocephalus, closed, cystica, covered with skin or membrane
Q05.8	Sacral spina bifida without hydrocephalus
Q05.80	Sacral spina bifida without hydrocephalus, unspecified whether lesion is open or closed
Q05.81	Sacral spina bifida, open, aperta, not covered with skin or membrane
Q05.82	Sacral spina bifida, closed, cystica, covered with skin or membrane
Q05.9	Spina bifida, unspecified
Q05.90	Spina bifida, unspecified, unspecified whether lesion is open or closed
Q05.91	Spina bifida, unspecified, open, aperta, not covered with skin or membrane
Q05.92	Spina bifida, unspecified, closed, cystica, covered with skin or membrane
Q06	Other congenital malformations of spinal cord
Q06.0	Amyelia
Q06.1	Hypoplasia and dysplasia of spinal cord
Q06.2	Diastatomyelia
Q06.3	Other congenital cauda equina malformations
Q06.4	Hydromyelia
Q06.8	Other specified congenital malformations of spinal cord
Q06.9	Congenital malformation of spinal cord, unspecified
Q07	Other congenital malformations of nervous system
Q07.0	Arnold-Chiari syndrome
Q07.8	Other specified congenital malformations of nervous system
Q07.81	Jaw-winking syndrome
Q07.82	Optic nerve hypoplasia
Q07.89	Other specified congenital malformations of the nervous system
Q07.9	Congenital malformation of nervous system, unspecified
Q10	Congenital malformations of eyelid, lacrimal apparatus and orbit
Q10.0	Congenital ptosis
Q10.1	Congenital ectropion
Q10.2	Congenital entropion
Q10.3	Other congenital malformations of eyelid
Q10.4	Absence and agenesis of lacrimal apparatus
Q10.5	Congenital stenosis and stricture of lacrimal duct
Q10.6	Other congenital malformations of lacrimal apparatus
Q10.7	Congenital malformation of orbit
Q11	Anophthalmos, microphthalmos and macrophthalmos
Q11.0	Cystic eyeball
Q11.1	Other anophthalmos
Q11.2	Microphthalmos
Q11.3	Macrophthalmos
Q12	Congenital lens malformations
Q12.0	Congenital cataract
Q12.1	Congenital displaced lens
Q12.2	Coloboma of lens
Q12.3	Congenital aphakia
Q12.4	Spherophakia

Q12.8	Other congenital lens malformations
Q12.9	Congenital lens malformation, unspecified
Q13	Congenital malformations of anterior segment of eye
Q13.0	Coloboma of iris
Q13.1	Absence of iris
Q13.2	Other congenital malformations of iris
Q13.3	Congenital corneal opacity
Q13.4	Other and unspecified congenital corneal malformations
Q13.40	Congenital corneal malformation, unspecified
Q13.41	Microcornea
Q13.49	Other congenital corneal malformations
Q13.5	Blue sclera
Q13.8	Other congenital malformations of anterior segment of eye
Q13.9	Congenital malformation of anterior segment of eye, unspecified
Q14	Congenital malformations of posterior segment of eye
Q14.0	Congenital malformation of vitreous humour
Q14.1	Congenital malformation of retina
Q14.2	Congenital malformation of optic disc
Q14.3	Congenital malformation of choroid
Q14.8	Other congenital malformations of posterior segment of eye
Q14.9	Congenital malformation of posterior segment of eye, unspecified
Q15	Other congenital malformations of eye
Q15.0	Congenital glaucoma
Q15.8	Other specified congenital malformations of eye
Q15.9	Congenital malformation of eye, unspecified
Q16	Congenital malformations of ear causing impairment of hearing
Q16.0	Congenital absence of (ear) auricle
Q16.1	Congenital absence, atresia and stricture of auditory canal (external)
Q16.2	Absence of eustachian tube
Q16.3	Congenital malformation of ear ossicles
Q16.4	Other congenital malformations of middle ear
Q16.5	Congenital malformation of inner ear
Q16.9	Congenital malformation of ear causing impairment of hearing, unspecified
Q17	Other congenital malformations of ear
Q17.0	Accessory auricle and ear tag
Q17.01	Accessory auricle
Q17.02	Ear tag
Q17.1	Macrotia
Q17.2	Microtia
Q17.3	Other misshapen ear
Q17.4	Misplaced ear
Q17.5	Prominent ear
Q17.8	Other specified congenital malformations of ear
Q17.9	Congenital malformation of ear, unspecified
Q18	Other congenital malformations of face and neck
Q18.0	Sinus, fistula and cyst of branchial cleft
Q18.1	Preauricular sinus and cyst
Q18.2	Other brachial cleft malformations

Q18.3	Webbing of neck
Q18.4	Macrostomia
Q18.5	Microstomia
Q18.6	Macrocheilia
Q18.7	Microcheilia
Q18.8	Other specified congenital malformations of face and neck
Q18.9	Congenital malformation of face and neck, unspecified
Q20	Congenital malformations of cardiac chambers and connections
Q20.0	Common arterial trunk
Q20.1	Double outlet right ventricle
Q20.2	Double outlet left ventricle
Q20.3	Discordant ventriculoarterial connection
Q20.30	Discordant ventriculoarterial connection, unspecified
Q20.31	Transposition of great vessels, complete
Q20.39	Other specified discordant ventriculoarterial connection
Q20.4	Double inlet ventricle
Q20.40	Double inlet ventricle, unspecified
Q20.41	Double inlet left ventricle
Q20.42	Double inlet right ventricle
Q20.49	Other specified double inlet ventricle
Q20.5	Discordant atrioventricular connection
Q20.50	Discordant atrioventricular connection, unspecified
Q20.51	Corrected transposition
Q20.52	Ventricular inversion
Q20.59	Other specified discordant atrioventricular connection
Q20.6	Isomerism of atrial appendages
Q20.8	Other congenital malformations of cardiac chambers and connections
Q20.81	Hypoplastic right ventricle
Q20.82	Hypoplastic left ventricle
Q20.89	Other specified congenital malformations of cardiac chambers and connections
Q20.9	Congenital malformation of cardiac chambers and connections, unspecified
Q21	Congenital malformations of cardiac septa
Q21.0	Ventricular septal defect
Q21.00	Ventricular septal defect, unspecified
Q21.01	Muscular ventricular septal defect
Q21.02	Perimembranous ventricular septal defect
Q21.03	Subarterial ventricular septal defect
Q21.04	Gerbode defect
Q21.09	Other ventricular septal defect
Q21.1	Atrial septal defect
Q21.10	Atrial septal defect, unspecified
Q21.11	Patent or persistent foramen ovale
Q21.12	Sinus venosus defect
Q21.13	Ostium secundum defect
Q21.14	Coronary sinus septal defect
Q21.15	Lutembacher's syndrome
Q21.19	Other specified atrial septal defect
Q21.2	Atrioventricular septal defect

Q21.20	Atrioventricular septal defect, unspecified
Q21.21	Ostium primum defect
Q21.22	Incomplete common atrioventricular septal defect
Q21.23	Intermediate common atrioventricular septal defect
Q21.24	Complete common atrioventricular septal defect
Q21.29	Other specified atrioventricular septal defect
Q21.3	Tetralogy of Fallot
Q21.4	Aortopulmonary septal defect
Q21.8	Other congenital malformations of cardiac septa
Q21.81	Eisenmenger's defect
Q21.82	Trilogy of Fallot
Q21.83	Pentalogy of Fallot
Q21.89	Other specified congenital malformations of cardiac septum
Q21.9	Congenital malformation of cardiac septum, unspecified
Q22	Congenital malformations of pulmonary and tricuspid valves
Q22.0	Pulmonary valve atresia
Q22.1	Congenital pulmonary valve stenosis
Q22.2	Congenital pulmonary valve insufficiency
Q22.3	Other and unspecified congenital malformations of pulmonary valve
Q22.30	Congenital malformation of pulmonary valve, unspecified
Q22.31	Congenital pulmonary valve stenosis
Q22.39	Other specified congenital malformations of pulmonary valve
Q22.4	Congenital tricuspid stenosis and atresia
Q22.41	Congenital tricuspid stenosis
Q22.42	Congenital tricuspid atresia
Q22.5	Ebstein's anomaly
Q22.6	Hypoplastic right heart syndrome
Q22.8	Other congenital malformations of tricuspid valve
Q22.81	Congenital tricuspid insufficiency
Q22.82	Congenital tricuspid dysplasia
Q22.89	Other specified congenital malformations of tricuspid valve
Q22.9	Congenital malformation of tricuspid valve, unspecified
Q23	Congenital malformations of aortic and mitral valves
Q23.0	Congenital stenosis and atresia of aortic valve
Q23.01	Congenital stenosis of aortic valve
Q23.02	Congenital atresia of aortic valve
Q23.1	Congenital insufficiency of aortic valve
Q23.2	Congenital mitral stenosis and atresia
Q23.21	Congenital mitral stenosis
Q23.22	Congenital mitral atresia
Q23.3	Congenital mitral insufficiency
Q23.4	Hypoplastic left heart syndrome
Q23.8	Other congenital malformations of aortic and mitral valves
Q23.81	Congenital aortic valve dysplasia
Q23.82	Congenital mitral valve dysplasia
Q23.83	Congenital bicuspid aortic valve
Q23.89	Other specified congenital malformations of aortic and mitral valves
Q23.9	Congenital malformation of aortic and mitral valves, unspecified

Q24	Other congenital malformations of heart
Q24.0	Dextrocardia
Q24.1	Laevocardia
Q24.2	Cor triatriatum
Q24.3	Pulmonary infundibular stenosis
Q24.4	Congenital subaortic stenosis
Q24.5	Malformation of coronary vessels
Q24.6	Congenital heart block
Q24.8	Other specified congenital malformations of heart
Q24.81	Anomalous bands of the heart
Q24.82	Congenital cardiomegaly
Q24.83	Congenital cyanotic heart disease
Q24.84	Congenital diverticulum of heart
Q24.85	Congenital malformation of pericardium, not elsewhere classified
Q24.86	Congenital malformation of myocardium, not elsewhere classified
Q24.87	Congenital malformation of cardiac valve, not elsewhere classified
Q24.89	Other specified congenital malformations of heart
Q24.9	Congenital malformation of heart, unspecified
Q25	Congenital malformations of great arteries
Q25.0	Patent ductus arteriosus
Q25.1	Coarctation of aorta
Q25.10	Coarctation of aorta, unspecified
Q25.11	Coarctation of aorta, preductal
Q25.12	Coarctation of aorta, postductal
Q25.13	Interrupted aortic arch
Q25.19	Other specified coarctation of aorta
Q25.2	Atresia of aorta
Q25.3	Stenosis of aorta
Q25.30	Stenosis of aorta, unspecified
Q25.31	Supravalvular aortic stenosis
Q25.32	Subvalvular aortic stenosis
Q25.39	Other specified stenosis of aorta
Q25.4	Other and unspecified congenital malformations of aorta
Q25.40	Congenital malformation of aorta, unspecified
Q25.41	Absence of aorta
Q25.42	Congenital aneurysm of aorta
Q25.43	Double aortic arch [vascular ring of aorta]
Q25.44	Hypoplasia of aorta
Q25.45	Persistent aortic arch
Q25.46	Pseudotruncus arteriosus
Q25.47	Overriding aorta
Q25.49	Other specified congenital malformations of aorta
Q25.5	Atresia of pulmonary artery
Q25.6	Stenosis of pulmonary artery
Q25.7	Other and unspecified congenital malformations of pulmonary artery
Q25.70	Congenital malformation of pulmonary artery, unspecified
Q25.71	Congenital aneurysm of pulmonary artery
Q25.79	Other specified congenital malformations of pulmonary artery

Q25.8	Other congenital malformations of great arteries
Q25.9	Congenital malformation of great arteries, unspecified
Q26	Congenital malformations of great veins
Q26.0	Congenital stenosis of vena cava
Q26.00	Congenital stenosis of vena cava, unspecified
Q26.01	Congenital stenosis of superior vena cava
Q26.02	Congenital stenosis of inferior vena cava
Q26.09	Other specified congenital stenosis of vena cava
Q26.1	Persistent left superior vena cava
Q26.2	Total anomalous pulmonary venous connection
Q26.3	Partial anomalous pulmonary venous connection
Q26.4	Anomalous pulmonary venous connection, unspecified
Q26.5	Anomalous portal venous connection
Q26.6	Portal vein-hepatic artery fistula
Q26.8	Other congenital malformations of great veins
Q26.81	Scimitar syndrome
Q26.89	Other specified congenital malformations of great veins
Q26.9	Congenital malformation of great vein, unspecified
Q27	Other congenital malformations of peripheral vascular system
Q27.0	Congenital absence and hypoplasia of umbilical artery
Q27.01	Congenital absence of umbilical artery
Q27.02	Congenital hypoplasia of umbilical artery
Q27.1	Congenital renal artery stenosis
Q27.2	Other and unspecified congenital malformations of renal artery
Q27.20	Congenital malformation of renal artery, unspecified
Q27.21	Congenital atresia of renal artery
Q27.22	Congenital hypoplasia of renal artery
Q27.29	Other specified congenital malformations of renal artery
Q27.3	Peripheral arteriovenous malformation
Q27.4	Congenital phlebectasia
Q27.5	Lymphatic malformation
Q27.8	Other specified congenital malformations of peripheral vascular system
Q27.9	Congenital malformation of peripheral vascular system, unspecified
Q28	Other congenital malformations of circulatory system
Q28.0	Arteriovenous malformation of precerebral vessels
Q28.1	Other malformations of precerebral vessels
Q28.2	Arteriovenous malformation of cerebral vessels
Q28.3	Other and unspecified congenital malformations of cerebral vessels
Q28.30	Congenital malformation of cerebral vessels, unspecified
Q28.31	Aneurysm of great vein of Galen
Q28.39	Other specified malformations of cerebral vessels
Q28.8	Other specified congenital malformations of circulatory system
Q28.9	Congenital malformation of circulatory system, unspecified
Q30	Congenital malformations of nose
Q30.0	Choanal atresia and stenosis
Q30.01	Choanal atresia
Q30.02	Choanal stenosis
Q30.1	Agenesis and underdevelopment of nose

Q30.2	Fissured, notched and cleft nose
Q30.3	Congenital perforated nasal septum
Q30.8	Other congenital malformations of nose
Q30.81	Congenital accessory nose
Q30.82	Congenital anomaly of nasal sinus
Q30.89	Other congenital malformations of nose
Q30.9	Congenital malformation of nose, unspecified
Q31	Congenital malformations of larynx
Q31.0	Web of larynx
Q31.1	Congenital subglottic stenosis
Q31.2	Laryngeal hypoplasia
Q31.3	Laryngocele
Q31.4	Congenital laryngeal stridor
Q31.5	Congenital laryngomalacia
Q31.8	Other congenital malformations of larynx
Q31.9	Congenital malformation of larynx, unspecified
Q32	Congenital malformations of trachea and bronchus
Q32.0	Congenital tracheomalacia
Q32.1	Other congenital malformations of trachea
Q32.2	Congenital bronchomalacia
Q32.3	Congenital stenosis of bronchus
Q32.4	Other congenital malformations of bronchus
Q33	Congenital malformations of lung
Q33.0	Congenital cystic lung
Q33.00	Congenital cystic lung unspecified
Q33.01	Congenital cystic adenomatoid lung
Q33.02	Congenital honeycomb lung
Q33.03	Congenital single cyst of lung
Q33.04	Congenital polycystic lung
Q33.05	Congenital pulmonary lymphangiectasis
Q33.09	Other congenital cystic lung
Q33.1	Accessory lobe of lung
Q33.2	Sequestration of lung
Q33.3	Agenesis of lung
Q33.4	Congenital bronchiectasis
Q33.5	Ectopic tissue in lung
Q33.6	Hypoplasia and dysplasia of lung
Q33.8	Other congenital malformations of lung
Q33.9	Congenital malformation of lung, unspecified
Q34	Other congenital malformations of respiratory system
Q34.0	Anomaly of pleura
Q34.1	Congenital cyst of mediastinum
Q34.8	Other specified congenital malformations of respiratory system
Q34.9	Congenital malformation of respiratory system, unspecified
Q35–Q36	Cleft lip and cleft palate
Q35	Cleft palate
Q35.0	Cleft hard palate, bilateral
Q35.1	Cleft hard palate

Q35.10	Cleft hard palate, unspecified
Q35.11	Cleft hard palate, bilateral
Q35.12	Cleft hard palate, median
Q35.13	Cleft hard palate, unilateral
Q35.2	Cleft soft palate, bilateral
Q35.3	Cleft soft palate
Q35.30	Cleft soft palate, unspecified
Q35.31	Cleft soft palate, bilateral
Q35.32	Cleft soft palate, median
Q35.33	Cleft soft palate, unilateral
Q35.4	Cleft hard palate with cleft soft palate, bilateral
Q35.5	Cleft hard palate with cleft soft palate
Q35.6	Cleft palate, medial
Q35.7	Cleft uvula
Q35.8	Cleft palate, unspecified, bilateral
Q35.9	Cleft palate, unspecified
Q36	Cleft lip
Q36.0	Cleft lip, bilateral
Q36.1	Cleft lip, median
Q36.9	Cleft lip, unilateral
Q37	Cleft palate with cleft lip
Q37.0	Cleft hard palate with bilateral cleft lip
Q37.1	Cleft hard palate with unilateral cleft lip
Q37.2	Cleft soft palate with bilateral cleft lip
Q37.3	Cleft soft palate with unilateral cleft lip
Q37.4	Cleft hard and soft palate with bilateral cleft lip
Q37.5	Cleft hard and soft palate with unilateral cleft lip
Q37.8	Unspecified cleft palate with bilateral cleft lip
Q37.9	Unspecified cleft palate with unilateral cleft lip
Q38	Other congenital malformations of tongue, mouth and pharynx
Q38.0	Congenital malformations of lips, not elsewhere classified
Q38.00	Congenital malformations of lips, unspecified
Q38.01	Congenital fistula or pit of lips
Q38.02	Van der Woude's syndrome
Q38.09	Other congenital malformations of lips
Q38.1	Ankyloglossia
Q38.2	Macroglossia
Q38.3	Other and unspecified congenital malformations of tongue
Q38.30	Congenital malformation of tongue, unspecified
Q38.31	Congenital absence of tongue
Q38.32	Congenital cleft of tongue
Q38.33	Congenital displacement of tongue
Q38.34	Congenital hypoplasia of tongue
Q38.39	Other congenital malformations of tongue
Q38.4	Congenital malformations of salivary glands and ducts
Q38.40	Congenital malformation of salivary gland(s) and duct(s), unspecified
Q38.41	Congenital absence of salivary gland(s) and duct(s)
Q38.42	Congenital accessory salivary gland(s) and duct(s)

Q38.43	Congenital atresia of salivary gland(s) and duct(s)
Q38.44	Congenital fistula of salivary gland(s) and duct(s)
Q38.45	Congenital ranula
Q38.49	Other congenital malformations of salivary gland(s) and duct(s)
Q38.5	Congenital malformations of palate, not elsewhere classified
Q38.50	Congenital malformation of palate, unspecified
Q38.51	Congenital absence of uvula
Q38.52	Congenital high arched palate
Q38.59	Other congenital malformations of palate
Q38.6	Other and unspecified congenital malformations of mouth
Q38.60	Congenital malformation of mouth, unspecified
Q38.61	Congenital cleft of gum
Q38.69	Other congenital malformations of mouth
Q38.7	Pharyngeal pouch
Q38.8	Other and unspecified congenital malformations of pharynx
Q39	Congenital malformations of oesophagus
Q39.0	Atresia of oesophagus without fistula
Q39.1	Atresia of oesophagus with oesophageal fistula
Q39.10	Atresia of oesophagus with oesophageal fistula, unspecified
Q39.11	Atresia of oesophagus with fistula between trachea and upper oesophageal pouch
Q39.12	Atresia of oesophagus with fistula between trachea and lower oesophageal pouch
Q39.13	Atresia of oesophagus with fistula between trachea and oesophageal pouch
Q39.14	Atresia of oesophagus with broncho-oesophageal fistula
Q39.15	Atresia of oesophagus with tracheo-oesophageal fistula
Q39.19	Atresia of oesophagus with tracheo-oesophageal fistula
Q39.2	Congenital oesophageal fistula without atresia
Q39.21	Congenital tracheo-oesophageal fistula without atresia
Q39.22	Congenital broncho-oesophageal fistula without atresia
Q39.3	Congenital stenosis and stricture of oesophagus
Q39.4	Congenital oesophageal web
Q39.5	Congenital dilatation of oesophagus
Q39.6	Diverticulum of oesophagus
Q39.8	Other congenital malformations of oesophagus
Q39.81	Congenital duplication of oesophagus
Q39.82	Oesophageal dysmotility
Q39.83	Congenital absence of oesophagus
Q39.84	Congenital displacement of oesophagus
Q39.85	Congenital duplication cyst of oesophagus
Q39.89	Other congenital malformations of oesophagus
Q39.9	Congenital malformation of oesophagus, unspecified
Q40	Other congenital malformations of upper alimentary tract
Q40.0	Congenital hypertrophic pyloric stenosis
Q40.1	Congenital hiatus hernia
Q40.2	Other specified congenital malformations of stomach
Q40.21	Congenital absence of stomach
Q40.22	Congenital diverticulum of stomach
Q40.23	Congenital duplication of stomach
Q40.24	Congenital megalogastria

Q40.25	Congenital microgastria
Q40.29	Other specified congenital malformations of stomach
Q40.3	Congenital malformation of stomach, unspecified
Q40.8	Other specified congenital malformations of upper alimentary tract
Q40.9	Congenital malformation of upper alimentary tract, unspecified
Q41	Congenital absence, atresia and stenosis of small intestine
Q41.0	Congenital absence, atresia and stenosis of duodenum
Q41.01	Congenital absence and atresia of duodenum
Q41.02	Congenital stenosis of duodenum
Q41.1	Congenital absence, atresia and stenosis of jejunum
Q41.11	Congenital absence and atresia of jejunum
Q41.12	Congenital stenosis of jejunum
Q41.13	Apple peel syndrome
Q41.2	Congenital absence, atresia and stenosis of ileum
Q41.21	Congenital absence and atresia of ileum
Q41.22	Congenital stenosis of ileum
Q41.8	Congenital absence, atresia and stenosis of other specified parts of small intestine
Q41.81	Congenital absence and atresia of other specified parts of small intestine
Q41.82	Congenital stenosis of other specified parts of small intestine
Q41.9	Congenital absence, atresia and stenosis of small intestine, part unspecified
Q42	Congenital absence, atresia and stenosis of large intestine
Q42.0	Congenital absence, atresia and stenosis of rectum with fistula
Q42.00	Congenital absence, atresia and stenosis of rectum with unspecified fistula
Q42.01	Congenital absence, atresia and stenosis of rectum with rectourethral fistula
Q42.02	Congenital absence, atresia and stenosis of rectum with rectovesical fistula
Q42.03	Congenital absence, atresia and stenosis of rectum with rectovulval fistula
Q42.04	Congenital absence, atresia and stenosis of rectum with rectocutaneous fistula
Q42.05	Congenital absence, atresia and stenosis of rectum with rectocloacal fistula
Q42.09	Congenital absence, atresia and stenosis of rectum with other fistula
Q42.1	Congenital absence, atresia and stenosis of rectum without fistula
Q42.2	Congenital absence, atresia and stenosis of anus with fistula
Q42.20	Congenital absence, atresia and stenosis of anus with unspecified fistula
Q42.21	Congenital absence, atresia and stenosis of anus with anocutaneous fistula
Q42.22	Congenital absence, atresia and stenosis of anus with anovestibular fistula
Q42.29	Congenital absence, atresia and stenosis of anus with other fistula
Q42.3	Congenital absence, atresia and stenosis of anus without fistula
Q42.8	Congenital absence, atresia and stenosis of other parts of large intestine
Q42.9	Congenital absence, atresia and stenosis of large intestine, part unspecified
Q43	Other congenital malformations of intestine
Q43.0	Meckel's diverticulum
Q43.1	Hirschsprung's disease
Q43.10	Hirschsprung's disease, unspecified
Q43.11	Short segment Hirschsprung's disease
Q43.12	Long segment Hirschsprung's disease
Q43.13	Total aganglionosis of colon and intestine
Q43.19	Other Hirschsprung's disease
Q43.2	Other congenital functional disorders of colon
Q43.3	Congenital malformations of intestinal fixation

Q43.31	Malrotation of colon
Q43.32	Congenital intra-abdominal adhesions (bands)
Q43.39	Other congenital malformations of intestinal fixation
Q43.4	Duplication of intestine
Q43.5	Ectopic anus
Q43.6	Congenital fistula of rectum and anus
Q43.7	Persistent cloaca
Q43.8	Other specified congenital malformations of intestine
Q43.81	Congenital microcolon
Q43.82	Congenital transposition of intestine
Q43.89	Other specified congenital malformations of intestine
Q43.9	Congenital malformation of intestine, unspecified
Q44	Congenital malformations of gallbladder, bile ducts and liver
Q44.0	Agenesis, aplasia and hypoplasia of gallbladder
Q44.1	Other congenital malformations of gallbladder
Q44.2	Atresia of bile ducts
Q44.3	Congenital stenosis and stricture of bile ducts
Q44.4	Choledochal cyst
Q44.5	Other congenital malformations of bile ducts
Q44.6	Cystic disease of liver
Q44.7	Other congenital malformations of liver
Q44.71	Alagille syndrome
Q44.72	Congenital absence of liver
Q44.79	Other congenital malformations of liver
Q45	Other congenital malformations of digestive system
Q45.0	Agenesis, aplasia and hypoplasia of pancreas
Q45.1	Annular pancreas
Q45.2	Congenital pancreatic cyst
Q45.3	Other and unspecified congenital malformations of pancreas and pancreatic duct
Q45.30	Congenital malformation of pancreas and pancreatic duct, unspecified
Q45.31	Ectopic pancreas
Q45.32	Congenital accessory pancreas
Q45.39	Other congenital malformations of pancreas and pancreatic duct
Q45.8	Other specified congenital malformations of digestive system
Q45.81	Absence (complete) (partial) of alimentary tract, not elsewhere classified
Q45.82	Duplication of digestive organs, not elsewhere classified
Q45.83	Congenital malposition of digestive organs, not elsewhere classified
Q45.84	Congenital mesenteric cyst, not elsewhere classified
Q45.85	Congenital ectopic digestive organs, not elsewhere classified
Q45.86	Congenital malformations of mesentery, not elsewhere classified
Q45.89	Other specified congenital malformations of digestive system
Q45.9	Congenital malformation of digestive system, unspecified
Q50	Congenital malformations of ovaries, fallopian tubes and broad ligaments
Q50.0	Congenital absence of ovary
Q50.00	Congenital absence of ovary, unspecified
Q50.01	Congenital absence of ovary, unilateral
Q50.02	Congenital absence of ovary, bilateral
Q50.1	Developmental ovarian cyst

Q50.10	Developmental ovarian cyst, unspecified
Q50.11	Developmental ovarian cyst, single
Q50.12	Developmental ovarian cyst, multiple
Q50.2	Congenital torsion of ovary
Q50.3	Other and unspecified congenital malformations of ovary
Q50.30	Congenital malformation of ovary, unspecified
Q50.31	Ovarian streak
Q50.32	Accessory ovary
Q50.39	Other congenital malformations of ovary
Q50.4	Embryonic cyst of fallopian tube
Q50.5	Embryonic cyst of broad ligament
Q50.6	Other and unspecified congenital malformations of fallopian tube and broad ligament
Q50.60	Congenital malformation of fallopian tube and broad ligament, unspecified
Q50.61	Absence of fallopian tube and broad ligament
Q50.69	Other congenital malformations of fallopian tube and broad ligament
Q51	Congenital malformations of uterus and cervix
Q51.0	Agenesis and aplasia of uterus
Q51.1	Doubling of uterus with doubling of cervix and vagina
Q51.2	Other doubling of uterus
Q51.3	Bicornuate uterus
Q51.4	Unicornuate uterus
Q51.5	Agenesis and aplasia of cervix
Q51.6	Embryonic cyst of cervix
Q51.7	Congenital fistulae between uterus and digestive and urinary tracts
Q51.8	Other congenital malformations of uterus and cervix
Q51.81	Congenital hypoplasia of uterus
Q51.82	Congenital hypoplasia of cervix
Q51.83	Congenital displacement of uterus
Q51.84	Congenital displacement of cervix
Q51.89	Other congenital malformations of uterus and cervix
Q51.9	Congenital malformation of uterus and cervix, unspecified
Q52	Other congenital malformations of female genitalia
Q52.0	Congenital absence of vagina
Q52.1	Doubling of vagina
Q52.2	Congenital rectovaginal fistula
Q52.3	Imperforate hymen
Q52.4	Other and unspecified congenital malformations of vagina
Q52.40	Congenital malformation of vagina, unspecified
Q52.41	Congenital atresia of vagina
Q52.42	Embryonic cyst of vagina
Q52.43	Congenital cyst of canal of Nuck
Q52.49	Other congenital malformations of vagina
Q52.5	Fusion of labia
Q52.6	Other and unspecified congenital malformation of clitoris
Q52.60	Congenital malformation of clitoris, unspecified
Q52.61	Congenital absence of clitoris
Q52.62	Congenital hypertrophy of clitoris
Q52.69	Other congenital malformations of clitoris

Q52.7	Other and unspecified congenital malformations of vulva
Q52.70	Congenital malformation of vulva, unspecified
Q52.71	Congenital absence of vulva
Q52.79	Other congenital malformations of vulva
Q52.8	Other specified congenital malformations of female genitalia
Q52.9	Congenital malformation of female genitalia, unspecified
Q53	Undescended testicle
Q53.0	Ectopic testis
Q53.00	Ectopic testis, unspecified site
Q53.01	Ectopic testis, canalicular
Q53.02	Ectopic testis, inguinal
Q53.03	Ectopic testis, intra-abdominal
Q53.09	Ectopic testis, other specified site
Q53.1	Undescended testicle, unilateral
Q53.10	Undescended testicle, unilateral, unspecified site
Q53.11	Undescended testicle, unilateral, canalicular
Q53.12	Undescended testicle, unilateral, inguinal
Q53.13	Undescended testicle, unilateral, intra-abdominal
Q53.19	Undescended testicle, unilateral, other specified site
Q53.2	Undescended testicle, bilateral
Q53.20	Undescended testicle, bilateral, unspecified site
Q53.21	Undescended testicle, bilateral, canalicular
Q53.22	Undescended testicle, bilateral, inguinal
Q53.23	Undescended testicle, bilateral, intra-abdominal
Q53.29	Undescended testicle, bilateral, other specified site
Q53.9	Undescended testicle, unspecified laterality
Q53.90	Undescended testicle, unspecified laterality, unspecified site
Q53.91	Undescended testicle, unspecified laterality, canalicular
Q53.92	Undescended testicle, unspecified laterality, inguinal
Q53.93	Undescended testicle, unspecified laterality, intra-abdominal
Q53.99	Undescended testicle, unspecified laterality, other specified site
Q54	Hypospadias
Q54.0	Hypospadias, balanic
Q54.1	Hypospadias, penile
Q54.2	Hypospadias, penoscrotal
Q54.3	Hypospadias, perineal
Q54.4	Congenital chordee
Q54.8	Other hypospadias
Q54.9	Hypospadias, unspecified
Q55	Other congenital malformations of male genital organs
Q55.0	Absence and aplasia of testis
Q55.00	Absence and aplasia of testis, unspecified
Q55.01	Absence and aplasia of testis, unilateral
Q55.02	Absence and aplasia of testis, bilateral
Q55.1	Hypoplasia of testis and scrotum
Q55.11	Hypoplasia of testis
Q55.12	Hypoplasia of scrotum
Q55.2	Other and unspecified congenital malformations of testis and scrotum

Q55.20	Congenital malformation of testis and scrotum, unspecified
Q55.21	Retractile testis
Q55.22	Bifid scrotum
Q55.23	Absence of scrotum
Q55.24	Polyorchism
Q55.29	Other congenital malformations of testis or scrotum
Q55.3	Atresia of vas deferens
Q55.4	Other and unspecified congenital malformations of vas deferens, epididymis, seminal vesicles and prostate
Q55.40	Congenital malformation of vas deferens, epididymis, seminal vesicles and prostate, unspecified
Q55.41	Other congenital malformations of vas deferens
Q55.42	Other congenital malformations of epididymis
Q55.43	Other congenital malformations of seminal vesicles
Q55.44	Other congenital malformations of prostate
Q55.5	Congenital absence and aplasia of penis
Q55.6	Other and unspecified congenital malformations of penis
Q55.60	Congenital malformation of penis, unspecified
Q55.61	Congenital circumcision
Q55.62	Congenital dysplasia of penis
Q55.63	Congenital curvature of penis
Q55.64	Congenital hooded prepuce
Q55.65	Congenital hypoplasia of penis
Q55.69	Other congenital malformations of penis
Q55.8	Other specified congenital malformations of male genital organs
Q55.9	Congenital malformation of male genital organ, unspecified
Q56	Indeterminate sex and pseudohermaphroditism
Q56.0	Hermaphroditism, not elsewhere classified
Q56.1	Male pseudohermaphroditism, not elsewhere classified
Q56.2	Female pseudohermaphroditism, not elsewhere classified
Q56.3	Pseudohermaphroditism, unspecified
Q56.4	Indeterminate sex and ambiguous genitalia
Q56.41	Ambiguous genitalia
Q56.42	Indeterminate sex
Q60	Renal agenesis and other reduction defects of kidney
Q60.0	Renal agenesis, unilateral
Q60.1	Renal agenesis, bilateral
Q60.2	Renal agenesis, unspecified
Q60.3	Renal hypoplasia, unilateral
Q60.4	Renal hypoplasia, bilateral
Q60.5	Renal hypoplasia, unspecified
Q60.6	Potter's syndrome
Q61	Cystic kidney disease
Q61.0	Congenital single renal cyst
Q61.1	Polycystic kidney, autosomal recessive
Q61.2	Polycystic kidney, autosomal dominant
Q61.3	Polycystic kidney, unspecified
Q61.4	Renal dysplasia

Q61.40	Renal dysplasia, unspecified
Q61.41	Cystic renal dysplasia, unilateral
Q61.42	Cystic renal dysplasia, bilateral
Q61.43	Cystic renal dysplasia, unspecified
Q61.44	Renal dysplasia, unilateral
Q61.45	Renal dysplasia, bilateral
Q61.5	Medullary cystic kidney
Q61.50	Medullary cystic kidney, unspecified
Q61.51	Juvenile medullary cystic kidney
Q61.52	Adult type medullary cystic kidney
Q61.8	Other cystic kidney diseases
Q61.9	Cystic kidney disease, unspecified
Q62	Congenital obstructive defects of renal pelvis and congenital malformations of ureter
Q62.0	Congenital hydronephrosis
Q62.1	Atresia and stenosis of ureter
Q62.11	Atresia and stenosis of ureteropelvic junction, unilateral
Q62.12	Atresia and stenosis of ureteropelvic junction, bilateral
Q62.13	Atresia and stenosis of ureterovesical junction, unilateral
Q62.14	Atresia and stenosis of ureterovesical junction, bilateral
Q62.15	Atresia of ureter, unilateral
Q62.16	Atresia of ureter, bilateral
Q62.17	Stenosis of ureter, unilateral
Q62.18	Atresia and stenosis of other and unspecified site of ureter, unilateral
Q62.19	Stenosis of ureter bilateral
Q62.2	Congenital megaloureter
Q62.3	Other and unspecified congenital obstructive defects of renal pelvis and ureter
Q62.30	Congenital obstructive defect of renal pelvis and ureter, unspecified
Q62.31	Ectopic ureterocele
Q62.32	Orthotopic ureterocele
Q62.33	Congenital polyp of ureter
Q62.34	Congenital hydroureter
Q62.35	Congenital ureterocele not elsewhere classified
Q62.39	Other congenital obstructive defects of renal pelvis and ureter
Q62.4	Agensis of ureter
Q62.5	Duplication of ureter
Q62.51	Double ureter
Q62.52	Triple ureter
Q62.59	Other duplication of ureter
Q62.6	Malposition of ureter
Q62.60	Malposition of ureter, unspecified ureteric drainage site
Q62.61	Malposition of ureter, ureteric drainage via bladder neck
Q62.62	Malposition of ureter, ureteric drainage via urethra
Q62.63	Malposition of ureter, ureteric drainage via vagina
Q62.64	Malposition of ureter, ureteric drainage via vulva
Q62.65	Malposition of ureter, ureteric drainage via vas deferens
Q62.66	Malposition of ureter, ureteric drainage via seminal vesicles
Q62.69	Malposition of ureter, ureteric drainage via other site
Q62.7	Congenital vesico-uretero-renal reflux

Q62.70	Congenital vesico-uretero-renal reflux, unspecified
Q62.71	Congenital vesico-uretero-renal reflux, unilateral
Q62.72	Congenital vesico-uretero-renal reflux, bilateral
Q62.8	Other congenital malformations of ureter
Q63	Other congenital malformations of kidney
Q63.0	Accessory kidney
Q63.01	Double kidney
Q63.02	Triple kidney
Q63.09	Other accessory kidney
Q63.1	Lobulated, fused and horseshoe kidney
Q63.10	Renal fusion anomaly, unspecified
Q63.11	Horseshoe kidney
Q63.12	Congenital lobulated kidney without ectopia
Q63.19	Other specified renal fusion anomaly
Q63.2	Ectopic kidney
Q63.20	Renal ectopia, unspecified
Q63.21	Pelvic kidney
Q63.22	Crossed ectopia of kidney without fusion anomaly
Q63.23	Crossed ectopia of kidney with fusion anomaly
Q63.29	Other specified renal ectopia
Q63.3	Hyperplastic and giant kidney
Q63.8	Other specified congenital malformations of kidney
Q63.81	Congenital calyceal diverticulum
Q63.82	Congenital renal calculi
Q63.89	Other specified congenital malformations of kidney
Q63.9	Congenital malformation of kidney, unspecified
Q64	Other congenital malformations of urinary system
Q64.0	Epispadias
Q64.1	Exstrophy of urinary bladder
Q64.11	Cloacal exstrophy
Q64.19	Exstrophy of urinary bladder
Q64.2	Congenital urethral valves
Q64.20	Congenital urethral valves, unspecified
Q64.21	Congenital posterior urethral valves
Q64.22	Congenital anterior urethral valves
Q64.3	Other atresia and stenosis of urethra and bladder neck
Q64.31	Congenital bladder neck obstruction
Q64.32	Congenital stricture of urethra
Q64.33	Congenital stricture of urethral meatus
Q64.34	Hypoplasia of urethra
Q64.39	Other atresia and stenosis of urethra and bladder neck
Q64.4	Malformation of urachus
Q64.41	Cyst of urachus
Q64.42	Patent urachus
Q64.43	Urachal diverticulum
Q64.49	Other specified malformation of urachus
Q64.5	Congenital absence of bladder and urethra
Q64.51	Congenital absence of bladder

Q64.52	Congenital absence of urethra
Q64.6	Congenital diverticulum of bladder
Q64.7	Other congenital malformations of bladder and urethra
Q64.71	Congenital anterior urethral diverticulum
Q64.72	Congenital prolapse of bladder (mucosa)
Q64.73	Double urethra
Q64.74	Ectopic urethra or urethral orifice
Q64.75	Congenital gastrointestinal-urinary tract fistula
Q64.76	Congenital megaurethra
Q64.77	Megacystitis-megaureter syndrome
Q64.78	Congenital urethral syringocele
Q64.79	Other congenital malformations of bladder and urethra
Q64.8	Other specified congenital malformations of urinary system
Q64.9	Congenital malformation of urinary system, unspecified
Q65	Congenital deformities of hip
Q65.0	Congenital dislocation of hip, unilateral
Q65.1	Congenital dislocation of hip, bilateral
Q65.2	Congenital dislocation of hip, unspecified
Q65.3	Congenital subluxation of hip, unilateral
Q65.4	Congenital subluxation of hip, bilateral
Q65.5	Congenital subluxation of hip, unspecified
Q65.6	Unstable hip
Q65.60	Unstable hip, unspecified
Q65.61	Unstable hip, unilateral
Q65.62	Unstable hip, bilateral
Q65.8	Other congenital deformities of hip
Q65.81	Congenital coxa valga
Q65.82	Congenital coxa vara
Q65.89	Other congenital deformities of hip
Q65.9	Congenital deformity of hip, unspecified
Q66	Congenital deformities of feet
Q66.0	Talipes equinovarus
Q66.00	Talipes equinovarus, unspecified
Q66.01	Structural talipes equinovarus
Q66.02	Positional talipes equinovarus
Q66.1	Talipes calcaneovarus
Q66.2	Metatarsus varus
Q66.3	Other congenital varus deformities of feet
Q66.4	Talipes calcaneovalgus
Q66.5	Congenital pes planus
Q66.6	Other congenital valgus deformities of feet
Q66.7	Pes cavus
Q66.8	Other congenital deformities of feet
Q66.81	Other congenital deformities of feet, clawfoot
Q66.82	Congenital hammer toe
Q66.83	Congenital shortening of Achilles tendon
Q66.84	Congenital spade-like foot
Q66.89	Other congenital deformities of feet

Q66.9	Congenital deformity of feet, unspecified
Q67	Congenital musculoskeletal deformities of head, face, spine and chest
Q67.0	Facial asymmetry
Q67.1	Compression facies
Q67.2	Dolichocephaly
Q67.3	Plagiocephaly
Q67.4	Other congenital deformities of skull, face and jaw
Q67.41	Depressions in skull
Q67.42	Deviation of nasal septum, congenital
Q67.43	Congenital hemifacial atrophy
Q67.44	Congenital hemifacial hypertrophy
Q67.49	Other congenital deformities of skull, face and jaw
Q67.5	Congenital deformity of spine
Q67.51	Congenital scoliosis, postural
Q67.52	Congenital postural curvature of spine
Q67.59	Other specified congenital deformity of spine
Q67.6	Pectus excavatum
Q67.7	Pectus carinatum
Q67.8	Other congenital deformities of chest
Q68	Other congenital musculoskeletal deformities
Q68.0	Congenital deformities of sternocleidomastoid muscle
Q68.00	Congenital deformity of sternocleidomastoid muscle, unspecified
Q68.01	Congenital torticollis
Q68.02	Congenital contracture of sternocleidomastoid muscle
Q68.03	Congenital sternomastoid lesion
Q68.1	Congenital deformities of hand
Q68.10	Congenital deformity of hand, unspecified
Q68.11	Congenital clubhand
Q68.12	Congenital spade-like hand
Q68.13	Congenital accessory carpal bones
Q68.14	Congenital macrodactylia
Q68.15	Congenital triphalangeal thumb
Q68.19	Other congenital deformities of hand
Q68.2	Congenital deformity of knee
Q68.3	Congenital bowing of femur
Q68.4	Congenital bowing of tibia and fibula
Q68.5	Congenital bowing of long bones of leg, unspecified
Q68.8	Other specified congenital musculoskeletal deformities
Q69	Polydactyly
Q69.0	Accessory finger(s)
Q69.1	Accessory thumb(s)
Q69.2	Accessory toe(s)
Q69.21	Accessory hallux [halluces]
Q69.29	Other accessory toe(s)
Q69.9	Polydactyly, unspecified
Q70	Syndactyly
Q70.0	Fused fingers
Q70.1	Webbed fingers

Q70.2	Fused toes
Q70.3	Webbed toes
Q70.4	Polysyndactyly
Q70.9	Syndactyly, unspecified
Q71	Reduction defects of upper limb
Q71.0	Congenital complete absence of upper limb(s)
Q71.1	Congenital absence of upper arm and forearm with hand present
Q71.11	Congenital absence of upper arm with hand present
Q71.12	Congenital absence of forearm with hand present
Q71.13	Congenital absence of both upper arm and forearm with hand present
Q71.2	Congenital absence of both forearm and hand
Q71.3	Congenital absence of hand and finger(s)
Q71.31	Congenital absence of finger(s) with remainder of hand intact
Q71.32	Congenital absence of thumb with all other digits intact
Q71.33	Congenital absence of hand and finger(s)
Q71.4	Longitudinal reduction defects of radius
Q71.40	Congenital longitudinal reduction defect of radius, unspecified
Q71.41	Congenital absence of radius
Q71.49	Other longitudinal reduction defects of radius
Q71.5	Longitudinal reduction defects of ulna
Q71.50	Congenital longitudinal reduction defect of ulna, unspecified
Q71.51	Congenital absence of ulna
Q71.59	Other longitudinal reduction defects of ulna
Q71.6	Lobster-claw hand
Q71.8	Other reduction defects of upper limb(s)
Q71.81	Other reduction defects of upper arm(s)
Q71.82	Other reduction defects of forearm(s)
Q71.83	Other reduction defects of hand(s)
Q71.84	Other reduction defects of finger(s) and thumb(s)
Q71.89	Other reduction defects of upper limb(s)
Q71.9	Reduction defect of upper limb, unspecified
Q72	Reduction defects of lower limb
Q72.0	Congenital complete absence of lower limb(s)
Q72.1	Congenital absence of thigh and lower leg with foot present
Q72.11	Congenital absence of thigh with foot present
Q72.12	Congenital absence of lower leg with foot present
Q72.13	Congenital absence of both thigh and lower leg with foot present
Q72.2	Congenital absence of both lower leg and foot
Q72.3	Congenital absence of foot and toe(s)
Q72.31	Congenital absence of toe(s) with remainder of foot intact
Q72.32	Congenital absence of first toe with all other digits intact
Q72.33	Congenital absence of foot and toe(s)
Q72.4	Longitudinal reduction defect of femur
Q72.5	Longitudinal reduction defect of tibia
Q72.6	Longitudinal reduction defect of fibula
Q72.7	Split foot
Q72.8	Other reduction defects of lower limb(s)
Q72.81	Other reduction defects of lower leg(s)

Q72.82	Other reduction defects of foot/feet
Q72.83	Other reduction defects of toe(s)
Q72.89	Other reduction defects of lower limb(s)
Q72.9	Reduction defect of lower limb, unspecified
Q73	Reduction defects of unspecified limb
Q73.0	Congenital absence of unspecified limb(s)
Q73.1	Phocomelia, unspecified limb(s)
Q73.8	Other reduction defects of unspecified limb(s)
Q73.80	Reduction defects of unspecified limb(s), unspecified
Q73.89	Other reduction defects of unspecified limb(s)
Q74	Other congenital malformations of limb(s)
Q74.0	Other and unspecified congenital malformations of upper limb(s), including shoulder girdle
Q74.00	Congenital malformation of upper limb(s), including shoulder girdle, unspecified
Q74.01	Accessory carpal bones
Q74.02	Macrodactylia (fingers)
Q74.03	Triphalangeal thumb
Q74.04	Radioulnar synostosis
Q74.05	Humeroulnar synostosis
Q74.06	Humeroradial synostosis
Q74.07	Bifid digit(s) of upper limb
Q74.08	Sprengel's deformity
Q74.09	Other congenital malformations of upper limb(s), including shoulder girdle
Q74.1	Congenital malformations of knee
Q74.10	Congenital malformation of knee, unspecified
Q74.11	Congenital absence of patella
Q74.12	Congenital dislocation of patella
Q74.13	Rudimentary patella
Q74.14	Genu valgum
Q74.15	Genu varum
Q74.19	Other congenital malformations of knee
Q74.2	Other and unspecified congenital malformations of lower limb(s), including pelvic girdle
Q74.20	Congenital malformation of lower limb(s), including pelvic girdle, unspecified
Q74.21	Other congenital malformations of pelvis, not elsewhere classified
Q74.22	Other congenital malformations of thigh, not elsewhere classified
Q74.23	Other congenital malformations of lower leg(s), not elsewhere classified
Q74.24	Other congenital malformations of ankle, not elsewhere classified
Q74.25	Other congenital malformations of foot, not elsewhere classified
Q74.26	Other congenital malformations of toe(s), not elsewhere classified
Q74.3	Arthrogryposis multiplex congenital
Q74.4	Distal arthrogryposis syndromes
Q74.5	Pterygium syndromes
Q74.8	Other specified congenital malformations of limb(s)
Q74.81	Brachydactyly
Q74.82	Congenital overgrowth of limb(s)
Q74.83	Congenital undergrowth of limb(s)
Q74.84	Congenital limb asymmetry
Q74.85	Larsen's syndrome
Q74.89	Other specified congenital malformations of limb(s)

Q74.9	Unspecified congenital malformation of limb(s)
Q75	Other congenital malformations of skull and face bones
Q75.0	Craniosynostosis
Q75.01	Coronal craniosynostosis
Q75.02	Sagittal craniosynostosis
Q75.03	Trigonocephaly
Q75.04	Craniosynostosis of other multiple sutures
Q75.05	Pfeiffer syndrome
Q75.06	Clover leaf skull
Q75.09	Other craniosynostosis
Q75.1	Craniofacial dysostosis
Q75.2	Hypertelorism
Q75.3	Macrocephaly
Q75.31	Familial (benign) macrocephaly
Q75.39	Other macrocephaly
Q75.4	Mandibulofacial dysostosis
Q75.5	Oculomandibular dysostosis
Q75.8	Other specified congenital malformations of skull and face bones
Q75.81	Frontonasal dysplasia
Q75.89	Other specified congenital malformations of skull and face bones
Q75.9	Congenital malformation of skull and face bones, unspecified
Q76	Congenital malformations of spine and bony thorax
Q76.0	Spina bifida occulta
Q76.1	Klippel-Feil syndrome
Q76.2	Congenital spondylolisthesis and spondylolysis
Q76.21	Congenital spondylolisthesis
Q76.22	Congenital spondylolysis
Q76.3	Congenital scoliosis due to congenital bony malformation
Q76.31	Single hemivertebra with congenital scoliosis
Q76.32	Congenital scoliosis due to absence of vertebra
Q76.33	Congenital scoliosis due to anomalies of vertebra
Q76.34	Congenital kyphoscoliosis
Q76.39	Congenital scoliosis due to other specified congenital bony malformation
Q76.4	Other and unspecified congenital malformations of spine, not associated with scoliosis
Q76.40	Congenital malformation of spine, not associated with scoliosis, unspecified
Q76.41	Congenital absence of vertebra(e)
Q76.42	Congenital anomalies of sacral vertebra(e)
Q76.43	Other congenital anomalies of vertebra(e)
Q76.44	Congenital lordosis, postural
Q76.45	Hemivertebra
Q76.46	Sacral agenesis
Q76.49	Other congenital malformations of spine, not associated with scoliosis
Q76.5	Cervical rib
Q76.6	Other congenital malformations of ribs
Q76.61	Congenital absence of rib
Q76.62	Congenital fusion of ribs
Q76.63	Accessory rib
Q76.64	Congenital misshapen ribs

Q76.69	Other congenital malformation of ribs
Q76.7	Congenital malformation of sternum
Q76.71	Congenital absence of sternum
Q76.72	Sternum bifidum
Q76.73	Congenital misshapen sternum
Q76.79	Other specified congenital malformation of sternum
Q76.8	Other congenital malformations of bony thorax
Q76.9	Congenital malformation of bony thorax, unspecified
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine
Q77.0	Achondrogenesis
Q77.00	Achondrogenesis, unspecified
Q77.01	Achondrogenesis, type 1
Q77.02	Achondrogenesis, type II
Q77.03	Hypochondrogenesis
Q77.09	Other achondrogenesis
Q77.1	Thanatophoric short stature
Q77.2	Short rib syndrome
Q77.3	Chondrodysplasia punctata
Q77.4	Achondroplasia
Q77.5	Dystrophic dysplasia
Q77.6	Chondroectodermal dysplasia
Q77.7	Spondyloepiphyseal dysplasia
Q77.8	Other osteochondrodysplasia with defects of growth of tubular bones and spine
Q77.81	Metatropic dwarfism
Q77.82	Metaphyseal chondroplasia
Q77.89	Other osteochondrodysplasia with defects of growth of tubular bones and spine
Q77.9	Osteochondrodysplasia with defects of growth of tubular bones and spine, unspecified
Q78	Other osteochondrodysplasias
Q78.0	Osteogenesis imperfecta
Q78.1	Polyostotic fibrous dysplasia
Q78.2	Osteopetrosis
Q78.3	Progressive diaphyseal dysplasia
Q78.4	Enchondromatosis
Q78.5	Metaphyseal dysplasia
Q78.6	Multiple congenital exostoses
Q78.8	Other specified osteochondrodysplasias
Q78.81	Osteopoikilosis
Q78.82	Albright's osteodystrophy
Q78.89	Other specified osteochondrodysplasias
Q78.9	Osteochondrodysplasia, unspecified
Q79	Congenital malformations of the musculoskeletal system, not elsewhere classified
Q79.0	Congenital diaphragmatic hernia
Q79.1	Other and unspecified congenital malformations of diaphragm
Q79.10	Congenital malformation of diaphragm, unspecified
Q79.11	Absence of diaphragm
Q79.12	Congenital eventration of diaphragm
Q79.19	Other congenital malformations of diaphragm
Q79.2	Exomphalos

Q79.3	Gastroschisis
Q79.4	Prune belly syndrome
Q79.5	Other congenital malformations of abdominal wall
Q79.50	Congenital malformation of abdominal wall, unspecified
Q79.51	Limb body wall complex
Q79.52	Diastasis recti
Q79.59	Other congenital malformations of abdominal wall
Q79.6	Ehlers-Danlos syndrome
Q79.8	Other congenital malformations of musculoskeletal system
Q79.81	Other congenital malformations of muscle, not elsewhere classified
Q79.82	Other congenital malformations of tendon, not elsewhere classified
Q79.83	Amyotrophia congenita
Q79.84	Poland's syndrome
Q79.89	Other congenital malformations of musculoskeletal system
Q79.9	Congenital malformation of musculoskeletal system, unspecified
Q79.90	Congenital malformation of musculoskeletal system, unspecified
Q79.91	Congenital malformation of muscle, unspecified
Q79.92	Congenital malformation of tendon, unspecified
Q79.93	Congenital malformation of bone, unspecified
Q79.94	Congenital malformation of connective tissue, unspecified
Q80	Congenital ichthyosis
Q80.0	Ichthyosis vulgaris
Q80.1	X-linked ichthyosis
Q80.2	Lamellar ichthyosis
Q80.3	Congenital bullous ichthyosiform erythroderma
Q80.4	Harlequin fetus
Q80.8	Other congenital ichthyosis
Q80.9	Congenital ichthyosis, unspecified
Q81	Epidermolysis bullosa
Q81.0	Epidermolysis bullosa simplex
Q81.1	Epidermolysis bullosa letalis
Q81.2	Epidermolysis bullosa dystrophica
Q81.8	Other epidermolysis bullosa
Q81.9	Epidermolysis bullosa, unspecified
Q82	Other congenital malformations of skin
Q82.0	Hereditary lymphoedema
Q82.1	Xeroderma pigmentosum
Q82.2	Mastocytosis
Q82.3	Incontinentia pigmenti
Q82.4	Ectodermal dysplasia (anhidrotic)
Q82.5	Congenital non-neoplastic naevus
Q82.8	Other specified congenital malformations of skin
Q82.81	Hidrotic ectodermal dysplasia
Q82.82	Cutis laxa
Q82.89	Other specified congenital malformations of skin
Q82.9	Congenital malformation of skin, unspecified
Q83	Congenital malformations of breast
Q83.0	Congenital absence of breast with absent nipple

Q83.1	Accessory breast
Q83.2	Absent nipple
Q83.3	Accessory nipple
Q83.8	Other congenital malformations of breast
Q83.9	Congenital malformation of breast, unspecified
Q84	Other congenital malformations of integument
Q84.0	Congenital alopecia
Q84.1	Congenital morphological disturbances of hair, not elsewhere classified
Q84.2	Other congenital malformations of hair
Q84.3	Anonychia
Q84.4	Congenital leukonychia
Q84.5	Enlarged and hypertrophic nails
Q84.6	Other congenital malformations of nails
Q84.60	Congenital malformation of nails, unspecified
Q84.61	Congenital clubnail
Q84.62	Congenital koilonychias
Q84.69	Other congenital malformations of nails
Q84.8	Other specified congenital malformations of integument
Q84.81	Aplasia cutis congenita
Q84.89	Other specified congenital malformations of integument
Q84.9	Congenital malformation of integument, unspecified
Q85	Phakomatoses, not elsewhere classified
Q85.0	Neurofibromatosis (nonmalignant)
Q85.1	Tuberous sclerosis
Q85.8	Other phakomatoses
Q85.81	Peutz-Jeghers syndrome
Q85.82	Sturge-Weber(-Dimitri) syndrome
Q85.83	Von Hippel-Lindau syndrome
Q85.84	Gardner's syndrome
Q85.89	Other specified phakomatoses
Q85.9	Phakomatosis, unspecified
Q86	Congenital malformation syndromes due to known exogenous causes, not elsewhere classified
Q86.0	Fetal alcohol syndrome (dysmorphic)
Q86.1	Fetal hydantoin syndrome
Q86.2	Dysmorphism due to warfarin
Q86.8	Other congenital malformation syndromes due to known exogenous causes
Q86.81	Congenital malformations due to valproate
Q86.82	Congenital malformations due to Vitamin A
Q86.83	Congenital malformations due to thalidomide
Q86.84	Congenital malformations due to cytotoxic agents
Q86.85	Congenital malformations due to other drugs
Q86.86	Congenital malformations due to ionising radiation
Q86.87	Congenital malformations due to methylmercury
Q86.89	Congenital malformations due to other specified exogenous causes
Q87	Other specified congenital malformation syndromes affecting multiple systems
Q87.0	Congenital malformation syndromes predominantly affecting facial appearance
Q87.00	Cyclopia

Q87.01	Acrocephalopolysyndactyly
Q87.02	Acrocephalosyndactyly
Q87.03	Cryptophthalmos syndrome
Q87.04	Treacher Collins [-Franceschetti] [-Klein] syndrome
Q87.05	Hallerman-Streiff syndrome
Q87.06	Pierre Robin sequence
Q87.07	Pena-Shokeir syndrome
Q87.08	Goldenhar syndrome
Q87.09	Other specified congenital malformation syndromes predominantly affecting facial appearance
Q87.1	Congenital malformation syndromes predominantly associated with short stature
Q87.11	Cockayne syndrome
Q87.12	Cornelia de Lange syndrome
Q87.13	Noonan syndrome
Q87.14	Prader-Willi syndrome
Q87.15	Russell-Silver syndrome
Q87.16	Seckel syndrome
Q87.17	Smith-Lemli-Opitz syndrome
Q87.18	Sjogren-Larsson syndrome
Q87.19	Other specified congenital malformation syndromes predominantly associated with short stature
Q87.2	Congenital malformation syndromes predominantly involving limbs
Q87.21	Holt-Oram syndrome
Q87.22	Klippel-Trenaunay-Weber syndrome
Q87.23	Nail patella syndrome
Q87.24	Rubinstein-Taybi syndrome
Q87.25	Sirenomelia syndrome
Q87.26	Thrombocytopenia with absent radius syndrome
Q87.27	VATER association
Q87.28	Congenital malformation syndrome with ectrodactyly, not elsewhere classified
Q87.29	Other specified congenital malformation syndromes predominantly involving limbs
Q87.3	Congenital malformation syndromes involving early overgrowth
Q87.31	Beckwith-Wiedemann syndrome
Q87.32	Sotos syndrome
Q87.33	Weaver syndrome
Q87.39	Other specified congenital malformation syndromes involving early overgrowth
Q87.4	Marfan's syndrome
Q87.5	Other congenital malformation syndromes with other skeletal changes
Q87.8	Other specified congenital malformation syndromes, not elsewhere classified
Q87.81	Alport's syndrome
Q87.82	Laurence-Moon-Biedl syndrome
Q87.83	Zellweger syndrome
Q87.84	William's syndrome
Q87.85	Angelman syndrome
Q87.86	CHARGE syndrome
Q87.87	Velocardiofacial syndrome [VCFS]
Q87.88	Opitz BBB/G syndrome
Q87.89	Other specified malformation syndromes, not elsewhere classified

Q89	Other congenital malformations, not elsewhere classified
Q89.0	Congenital malformations of spleen
Q89.00	Congenital malformation of spleen, unspecified
Q89.01	Congenital asplenia
Q89.02	Accessory spleen
Q89.03	Ectopic spleen
Q89.04	Congenital hypoplasia of spleen
Q89.05	Congenital hyperplasia of spleen
Q89.09	Other specified congenital malformations of spleen
Q89.1	Congenital malformations of adrenal gland
Q89.10	Congenital malformation of adrenal gland, unspecified
Q89.11	Congenital absence of adrenal gland
Q89.12	Congenital adrenal hypoplasia
Q89.13	Accessory adrenal gland
Q89.14	Ectopic adrenal gland
Q89.19	Other specified congenital malformations of adrenal gland
Q89.2	Congenital malformations of other endocrine glands
Q89.20	Congenital malformation of endocrine glands, unspecified
Q89.21	Congenital malformations of pituitary gland
Q89.22	Congenital malformations of thyroid gland
Q89.23	Persistent thyroglossal cyst
Q89.24	Thyroglossal cyst
Q89.25	Congenital malformations of parathyroid gland
Q89.26	Congenital malformations of thymus
Q89.29	Congenital malformations of other specified endocrine glands
Q89.3	Situs inversus
Q89.30	Situs inversus, unspecified
Q89.31	Dextrocardia with situs inversus
Q89.32	Mirror-image atrial arrangement with situs inversus
Q89.33	Situs inversus abdominalis
Q89.34	Situs inversus thoracis
Q89.35	Kartagener's syndrome
Q89.39	Other specified situs inversus
Q89.4	Conjoined twins
Q89.40	Conjoined twins, unspecified
Q89.41	Dicephaly
Q89.42	Craniopagus
Q89.43	Thoracopagus
Q89.44	Xiphopagus
Q89.45	Pygopagus
Q89.46	Acardiac twin
Q89.49	Other specified conjoined twins
Q89.7	Multiple congenital malformations, not elsewhere classified
Q89.71	Dysmorphic features
Q89.79	Multiple congenital malformations, not elsewhere classified
Q89.8	Other specified congenital malformations
Q89.81	Caudal dysplasia sequence
Q89.82	Pentalogy of Cantrell

Q89.83	Meckel-Gruber syndrome
Q89.89	Other specified congenital malformations
Q89.9	Congenital malformation, unspecified
Q90	Down's syndrome
Q90.0	Trisomy 21, meiotic nondisjunction
Q90.1	Trisomy 21, mosaicism
Q90.2	Trisomy 21, translocation
Q90.9	Down's syndrome, unspecified
Q91	Edwards' syndrome and Patau's syndrome
Q91.0	Trisomy 18, meiotic nondisjunction
Q91.1	Trisomy 18, mosaicism
Q91.2	Trisomy 18, translocation
Q91.3	Edwards' syndrome, unspecified
Q91.4	Trisomy 13, meiotic nondisjunction
Q91.5	Trisomy 13, mosaicism
Q91.6	Trisomy 13, translocation
Q91.7	Patau's syndrome, unspecified
Q92	Other trisomies and partial trisomies of the autosomes, not elsewhere classified
Q92.0	Whole chromosome trisomy, meiotic nondisjunction
Q92.1	Whole chromosome trisomy, mosaicism
Q92.2	Major partial trisomy
Q92.3	Minor partial trisomy
Q92.4	Duplications seen only at prometaphase
Q92.5	Duplications with other complex rearrangements
Q92.6	Extra marker chromosomes
Q92.7	Triploidy and polyploidy
Q92.71	Triploidy
Q92.72	Tetraploidy
Q92.73	Polyploidy
Q92.8	Other specified trisomies and partial trisomies of autosomes
Q92.9	Trisomy and partial trisomy of autosomes, unspecified
Q93	Monosomies and deletions from the autosomes, not elsewhere classified
Q93.0	Whole chromosome monosomy, meiotic nondisjunction
Q93.1	Whole chromosome monosomy, mosaicism
Q93.2	Chromosome replaced with ring or dicentric
Q93.3	Deletion of short arm of chromosome 4
Q93.4	Deletion of short arm of chromosome 5
Q93.5	Other deletions of part of a chromosome
Q93.6	Deletions seen only at prometaphase
Q93.7	Deletions with other complex rearrangements
Q93.8	Other deletions from the autosomes
Q93.9	Deletion from autosomes, unspecified
Q95	Balanced rearrangements and structural markers, not elsewhere classified
Q95.0	Balanced translocation and insertion in normal individual
Q95.1	Chromosome inversion in normal individual
Q95.2	Balanced autosomal rearrangement in abnormal individual
Q95.3	Balanced sex/autosomal rearrangement in abnormal individual
Q95.4	Individuals with marker heterochromatin

Q95.5	Individuals with autosomal fragile site
Q95.8	Other balanced rearrangements and structural markers
Q95.9	Balanced rearrangement and structural marker, unspecified
Q96	Turner's syndrome
Q96.0	Karyotype 45,X
Q96.1	Karyotype 46,X iso (Xq)
Q96.2	Karyotype 46,X with abnormal sex chromosome, except iso (Xq)
Q96.3	Mosaicism, 45,X/46,XX or XY
Q96.4	Mosaicism, 45,X/other cell line(s) with abnormal sex chromosome
Q96.8	Other variants of Turner's syndrome
Q96.9	Turner's syndrome, unspecified
Q97	Other female sex chromosome abnormalities, not elsewhere classified
Q97.0	Karyotype 47,XXX
Q97.1	Female with more than three X chromosomes
Q97.2	Mosaicism, lines with various numbers of X chromosomes
Q97.3	Female with 46,XY karyotype
Q97.8	Other specified female sex chromosome abnormalities
Q97.9	Female sex chromosome abnormality, unspecified
Q98	Other male sex chromosome abnormalities, not elsewhere classified
Q98.0	Klinefelter's syndrome karyotype 47,XXY
Q98.1	Klinefelter's syndrome, male with more than two X chromosomes
Q98.2	Klinefelter's syndrome, male with 46,XX karyotype
Q98.3	Other male with 46,XX karyotype
Q98.4	Klinefelter's syndrome, unspecified
Q98.5	Karyotype 47,XYY
Q98.6	Male with structurally abnormal sex chromosome
Q98.7	Male with sex chromosome mosaicism
Q98.8	Other specified male sex chromosome abnormalities
Q98.9	Male sex chromosome abnormality, unspecified
Q99	Other chromosome abnormalities, not elsewhere classified
Q99.0	Chimera 46,XX/46,XY
Q99.1	46,XX true hermaphrodite
Q99.2	Fragile X chromosome
Q99.8	Other specified chromosome abnormalities
Q99.9	Chromosomal abnormality, unspecified

Chapter 18 SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED (R00–R99)

R00–R99	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified
R00	Abnormalities of heart beat
R00.0	Tachycardia, unspecified
R00.1	Bradycardia, unspecified
R00.2	Palpitations
R00.3	Pulseless electrical activity, not elsewhere classified
R00.8	Other and unspecified abnormalities of heart beat
R01	Cardiac murmurs and other cardiac sounds
R01.0	Benign and innocent cardiac murmurs
R01.1	Cardiac murmur, unspecified

R01.2	Other cardiac sounds
R02	Gangrene, not elsewhere classified
R03	Abnormal blood-pressure reading, without diagnosis
R03.0	Elevated blood-pressure reading, without diagnosis of hypertension
R03.1	Nonspecific low blood-pressure reading
R04	Haemorrhage from respiratory passages
R04.0	Epistaxis
R04.1	Haemorrhage from throat
R04.2	Haemoptysis
R04.8	Haemorrhage from other sites in respiratory passages
R04.9	Haemorrhage from respiratory passages, unspecified
R05	Cough
R06	Abnormalities of breathing
R06.0	Dyspnoea
R06.1	Stridor
R06.2	Wheezing
R06.3	Periodic breathing
R06.4	Hyperventilation
R06.5	Mouth breathing
R06.6	Hiccough
R06.7	Sneezing
R06.8	Other and unspecified abnormalities of breathing
R07	Pain in throat and chest
R07.0	Pain in throat
R07.1	Chest pain on breathing
R07.2	Precordial pain
R07.3	Other chest pain
R07.4	Chest pain, unspecified
R09	Other symptoms and signs involving the circulatory and respiratory systems
R09.0	Asphyxia
R09.1	Pleurisy
R09.2	Respiratory arrest
R09.3	Abnormal sputum
R09.8	Other specified symptoms and signs involving the circulatory and respiratory systems
R09.88	Other specified symptoms and signs involving the circulatory system
R09.89	Other specified symptoms and signs involving the respiratory system
R10–R19	Symptoms and signs involving the digestive system and abdomen
R10	Abdominal and pelvic pain
R10.0	Acute abdomen
R10.1	Pain localised to upper abdomen
R10.2	Pelvic and perineal pain
R10.21	Pelvic and perineal pain associated with male pelvis
R10.22	Pelvic and perineal pain associated with female pelvis
R10.3	Pain localised to other parts of lower abdomen
R10.4	Other and unspecified abdominal pain
R11	Nausea and vomiting
R12	Heartburn
R13	Dysphagia

R14	Flatulence and related conditions
R15	Faecal incontinence
R16	Hepatomegaly and splenomegaly, not elsewhere classified
R16.0	Hepatomegaly, not elsewhere classified
R16.1	Splenomegaly, not elsewhere classified
R16.2	Hepatomegaly with splenomegaly, not elsewhere classified
R17	Hyperbilirubinaemia, with or without jaundice, not elsewhere classified
R17.0	Hyperbilirubinaemia with mention of jaundice, not elsewhere classified
R17.9	Hyperbilirubinaemia without mention of jaundice, not elsewhere classified
R18	Ascites
R19	Other symptoms and signs involving the digestive system and abdomen
R19.0	Intra-abdominal and pelvic swelling, mass and lump
R19.1	Abnormal bowel sounds
R19.2	Visible peristalsis
R19.3	Abdominal rigidity
R19.4	Change in bowel habit
R19.5	Other faecal abnormalities
R19.6	Halitosis
R19.8	Other specified symptoms and signs involving the digestive system and abdomen
R19.81	Abdominal compartment syndrome
R19.89	Other specified symptoms and signs involving the digestive system and abdomen
R20	Disturbances of skin sensation
R20.0	Anaesthesia of skin
R20.1	Hypoaesthesia of skin
R20.2	Paraesthesia of skin
R20.3	Hyperaesthesia
R20.8	Other and unspecified disturbances of skin sensation
R21	Rash and other nonspecific skin eruption
R22	Localised swelling, mass and lump of skin and subcutaneous tissue
R22.0	Localised swelling, mass and lump, head
R22.1	Localised swelling, mass and lump, neck
R22.2	Localised swelling, mass and lump, trunk
R22.3	Localised swelling, mass and lump, upper limb
R22.4	Localised swelling, mass and lump, lower limb
R22.7	Localised swelling, mass and lump, multiple sites
R22.9	Localised swelling, mass and lump, unspecified
R23	Other skin changes
R23.0	Cyanosis
R23.1	Pallor
R23.2	Flushing
R23.3	Spontaneous ecchymoses
R23.4	Changes in skin texture
R23.8	Other and unspecified skin changes
R25	Abnormal involuntary movements
R25.0	Abnormal head movements
R25.1	Tremor, unspecified
R25.2	Cramp and spasm
R25.3	Fasciculation

R25.8	Other and unspecified abnormal involuntary movements
R26	Abnormalities of gait and mobility
R26.0	Ataxic gait
R26.1	Paralytic gait
R26.2	Difficulty in walking, not elsewhere classified
R26.3	Immobility
R26.8	Other and unspecified abnormalities of gait and mobility
R27	Other lack of coordination
R27.0	Ataxia, unspecified
R27.8	Other and unspecified lack of coordination
R29	Other symptoms and signs involving the nervous and musculoskeletal systems
R29.0	Tetany
R29.1	Meningismus
R29.2	Abnormal reflex
R29.3	Abnormal posture
R29.4	Clicking hip
R29.5	Neurologic neglect
R29.6	Tendency to fall, not elsewhere classified
R29.8	Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems
R29.81	Falls
R29.88	Other and unspecified symptoms and signs involving the nervous system
R29.89	Other and unspecified symptoms and signs involving the musculoskeletal systems
R30	Pain associated with micturition
R30.0	Dysuria
R30.1	Vesical tenesmus
R30.9	Painful micturition, unspecified
R31	Unspecified haematuria
R32	Unspecified urinary incontinence
R33	Retention of urine
R34	Anuria and oliguria
R35	Polyuria
R36	Urethral discharge
R39	Other symptoms and signs involving the urinary system
R39.0	Extravasation of urine
R39.1	Other difficulties with micturition
R39.2	Extrarenal uraemia
R39.8	Other and unspecified symptoms and signs involving the urinary system
R40–R46	Symptoms and signs involving cognition, perception, emotional state and behaviour
R40	Somnolence, stupor and coma
R40.0	Somnolence
R40.1	Stupor
R40.2	Coma
R41	Other symptoms and signs involving cognitive functions and awareness
R41.0	Disorientation, unspecified
R41.1	Anterograde amnesia
R41.2	Retrograde amnesia
R41.3	Other amnesia

R41.8	Other and unspecified symptoms and signs involving cognitive functions and awareness
R41.81	Age associated cognitive decline
R41.89	Symptoms and signs involving cognitive functions and awareness, not elsewhere classified
R42	Dizziness and giddiness
R43	Disturbances of smell and taste
R43.0	Anosmia
R43.1	Parosmia
R43.2	Parageusia
R43.8	Other and unspecified disturbances of smell and taste
R44	Other symptoms and signs involving general sensations and perceptions
R44.0	Auditory hallucinations
R44.1	Visual hallucinations
R44.2	Other hallucinations
R44.3	Hallucinations, unspecified
R44.8	Other and unspecified symptoms and signs involving general sensations and perceptions
R45	Symptoms and signs involving emotional state
R45.0	Nervousness
R45.1	Restlessness and agitation
R45.2	Unhappiness
R45.3	Demoralisation and apathy
R45.4	Irritability and anger
R45.5	Hostility
R45.6	Physical violence
R45.7	State of emotional shock and stress, unspecified
R45.8	Other symptoms and signs involving emotional state
R45.81	Suicidal ideation
R45.82	Homicidal ideation
R45.89	Other symptoms and signs involving emotional state
R46	Symptoms and signs involving appearance and behaviour
R46.0	Very low level of personal hygiene
R46.1	Bizarre personal appearance
R46.2	Strange and inexplicable behaviour
R46.3	Overactivity
R46.4	Slowness and poor responsiveness
R46.5	Suspiciousness and marked evasiveness
R46.6	Undue concern and preoccupation with stressful events
R46.7	Verbosity and circumstantial detail obscuring reason for contact
R46.8	Other symptoms and signs involving appearance and behaviour
R47	Speech disturbances, not elsewhere classified
R47.0	Dysphasia and aphasia
R47.1	Dysarthria and anarthria
R47.8	Other and unspecified speech disturbances
R48	Dyslexia and other symbolic dysfunctions, not elsewhere classified
R48.0	Dyslexia and alexia
R48.1	Agnosia
R48.2	Apraxia
R48.8	Other and unspecified symbolic dysfunctions
R49	Voice disturbances

R49.0	Dysphonia
R49.1	Aphonia
R49.2	Hypernasality and hyponasality
R49.8	Other and unspecified voice disturbances
R50	Fever of other and unknown origin
R50.0	Fever with chills
R50.1	Persistent fever
R50.2	Drug-induced fever
R50.8	Other specified fever
R50.9	Fever, unspecified
R51	Headache
R52	Pain, not elsewhere classified
R52.0	Acute pain, not elsewhere classified
R52.1	Chronic intractable pain
R52.2	Chronic pain
R52.9	Pain, unspecified
R53	Malaise and fatigue
R54	Ageing associated decline
R55	Syncope and collapse
R56	Convulsions, not elsewhere classified
R56.0	Febrile convulsions
R56.8	Other and unspecified convulsions
R57	Shock, not elsewhere classified
R57.0	Cardiogenic shock
R57.1	Hypovolaemic shock
R57.2	Septic shock
R57.8	Other shock
R57.9	Shock, unspecified
R58	Haemorrhage, not elsewhere classified
R59	Enlarged lymph nodes
R59.0	Localised enlarged lymph nodes
R59.1	Generalised enlarged lymph nodes
R59.9	Enlarged lymph nodes, unspecified
R60	Oedema, not elsewhere classified
R60.0	Localised oedema
R60.1	Generalised oedema
R60.9	Oedema, unspecified
R61	Hyperhidrosis
R61.0	Localised hyperhidrosis
R61.1	Generalised hyperhidrosis
R61.9	Hyperhidrosis, unspecified
R62	Lack of expected normal physiological development
R62.0	Delayed milestone
R62.8	Other lack of expected normal physiological development
R62.9	Lack of expected normal physiological development, unspecified
R63	Symptoms and signs concerning food and fluid intake
R63.0	Anorexia
R63.1	Polydipsia

R63.2	Polyphagia
R63.3	Feeding difficulties and mismanagement
R63.4	Abnormal weight loss
R63.5	Abnormal weight gain
R63.6	Insufficient intake of food and water
R63.8	Other symptoms and signs concerning food and fluid intake
R64	Cachexia
R65	Systemic inflammatory response syndrome [SIRS]
R65.0	Systemic inflammatory response syndrome [SIRS] of infectious origin without acute organ failure
R65.1	Severe sepsis
R65.2	Systemic inflammatory response syndrome [SIRS] of noninfectious origin without acute organ failure
R65.3	Systemic inflammatory response syndrome [SIRS] of noninfectious origin with acute organ failure
R68	Other general symptoms and signs
R68.0	Hypothermia, not associated with low environmental temperature
R68.1	Nonspecific symptoms peculiar to infancy
R68.2	Dry mouth, unspecified
R68.3	Clubbing of fingers
R68.8	Other specified general symptoms and signs
R69	Unknown and unspecified causes of morbidity
R70	Elevated erythrocyte sedimentation rate and abnormality of plasma viscosity
R70.0	Elevated erythrocyte sedimentation rate
R70.1	Abnormal plasma viscosity
R71	Abnormality of red blood cells
R72	Abnormality of white blood cells, not elsewhere classified
R73	Elevated blood glucose level
R73.0	Abnormal carbohydrate tolerance
R73.9	Hyperglycaemia, unspecified
R74	Abnormal serum enzyme levels
R74.0	Elevation of levels of transaminase and lactic acid dehydrogenase [LDH]
R74.8	Abnormal levels of other serum enzymes
R74.9	Abnormal level of unspecified serum enzyme
R75	Laboratory evidence of human immunodeficiency virus [HIV]
R76	Other abnormal immunological findings in serum
R76.0	Raised antibody titre
R76.1	Abnormal reaction to tuberculin test
R76.2	False-positive serological test for syphilis
R76.8	Other specified abnormal immunological findings in serum
R76.9	Abnormal immunological finding in serum, unspecified
R77	Other abnormalities of plasma proteins
R77.0	Abnormality of albumin
R77.1	Abnormality of globulin
R77.2	Abnormality of alpha-fetoprotein
R77.8	Other specified abnormalities of plasma proteins
R77.9	Abnormality of plasma protein, unspecified
R78	Findings of drugs and other substances, not normally found in blood

R78.0	Finding of alcohol in blood
R78.1	Finding of opiate drug in blood
R78.2	Finding of cocaine in blood
R78.3	Finding of hallucinogen in blood
R78.4	Finding of other drugs of addictive potential in blood
R78.5	Finding of psychotropic drug in blood
R78.6	Finding of steroid agent in blood
R78.7	Finding of abnormal level of heavy metals in blood
R78.8	Finding of other specified substances, not normally found in blood
R78.9	Finding of unspecified substance, not normally found in blood
R79	Other abnormal findings of blood chemistry
R79.0	Abnormal level of blood mineral
R79.8	Other specified abnormal findings of blood chemistry
R79.81	Abnormal blood gas level
R79.82	Elevated prostate specific antigen
R79.83	Abnormal coagulation profile
R79.89	Other specified abnormal findings of blood chemistry
R79.9	Abnormal finding of blood chemistry, unspecified
R80	Isolated proteinuria
R81	Glycosuria
R82	Other abnormal findings in urine
R82.0	Chyluria
R82.1	Myoglobinuria
R82.2	Biliuria
R82.3	Haemoglobinuria
R82.4	Acetonuria
R82.5	Elevated urine levels of drugs, medicaments and biological substances
R82.6	Abnormal urine levels of substances chiefly nonmedicinal as to source
R82.7	Abnormal findings on microbiological examination of urine
R82.8	Abnormal findings on cytological and histological examination of urine
R82.9	Other and unspecified abnormal findings in urine
R83	Abnormal findings in cerebrospinal fluid
R83.0	Abnormal findings in cerebrospinal fluid, abnormal level of enzymes
R83.1	Abnormal findings in cerebrospinal fluid, abnormal level of hormones
R83.2	Abnormal findings in cerebrospinal fluid, abnormal level of other drugs, medicaments and biological substances
R83.3	Abnormal findings in cerebrospinal fluid, abnormal level of substances chiefly nonmedicinal as to source
R83.4	Abnormal findings in cerebrospinal fluid, abnormal immunological findings
R83.5	Abnormal findings in cerebrospinal fluid, abnormal microbiological findings
R83.6	Abnormal findings in cerebrospinal fluid, abnormal cytological findings
R83.7	Abnormal findings in cerebrospinal fluid, abnormal histological findings
R83.8	Abnormal findings in cerebrospinal fluid, other abnormal findings
R83.9	Abnormal findings in cerebrospinal fluid, unspecified abnormal finding
R84	Abnormal findings in specimens from respiratory organs and thorax
R84.0	Abnormal findings in specimens from respiratory organs and thorax, abnormal level of enzymes
R84.1	Abnormal findings in specimens from respiratory organs and thorax, abnormal level of hormones

R84.2	Abnormal findings in specimens from respiratory organs and thorax, abnormal level of other drugs, medicaments and biological substances
R84.3	Abnormal findings in specimens from respiratory organs and thorax, abnormal level of substances chiefly nonmedicinal as to source
R84.4	Abnormal findings in specimens from respiratory organs and thorax, abnormal immunological findings
R84.5	Abnormal findings in specimens from respiratory organs and thorax, abnormal microbiological findings
R84.6	Abnormal findings in specimens from respiratory organs and thorax, abnormal cytological findings
R84.7	Abnormal findings in specimens from respiratory organs and thorax, abnormal histological findings
R84.8	Abnormal findings in specimens from respiratory organs and thorax, other abnormal findings
R84.9	Abnormal findings in specimens from respiratory organs and thorax, unspecified abnormal finding
R85	Abnormal findings in specimens from digestive organs and abdominal cavity
R85.0	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal level of enzymes
R85.1	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal level of hormones
R85.2	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal level of other drugs, medicaments and biological substances
R85.3	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal level of substances chiefly nonmedicinal as to source
R85.4	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal immunological findings
R85.5	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal microbiological findings
R85.6	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal cytological findings
R85.7	Abnormal findings in specimens from digestive organs and abdominal cavity, abnormal histological findings
R85.8	Abnormal findings in specimens from digestive organs and abdominal cavity, other abnormal findings
R85.9	Abnormal findings in specimens from digestive organs and abdominal cavity, unspecified abnormal finding
R86	Abnormal findings in specimens from male genital organs
R86.0	Abnormal findings in specimens from male genital organs, abnormal level of enzymes
R86.1	Abnormal findings in specimens from male genital organs, abnormal level of hormones
R86.2	Abnormal findings in specimens from male genital organs, abnormal level of other drugs, medicaments and biological substances
R86.3	Abnormal findings in specimens from male genital organs, abnormal level of substances chiefly nonmedicinal as to source
R86.4	Abnormal findings in specimens from male genital organs, abnormal immunological findings
R86.5	Abnormal findings in specimens from male genital organs, abnormal microbiological findings
R86.6	Abnormal findings in specimens from male genital organs, abnormal cytological findings
R86.7	Abnormal findings in specimens from male genital organs, abnormal histological findings
R86.8	Abnormal findings in specimens from male genital organs, other abnormal findings
R86.9	Abnormal findings in specimens from male genital organs, unspecified abnormal finding

R87	Abnormal findings in specimens from female genital organs
R87.0	Abnormal findings in specimens from female genital organs, abnormal level of enzymes
R87.1	Abnormal findings in specimens from female genital organs, abnormal level of hormones
R87.2	Abnormal findings in specimens from female genital organs, abnormal level of other drugs, medicaments and biological substances
R87.3	Abnormal findings in specimens from female genital organs, abnormal level of substances chiefly nonmedicinal as to source
R87.4	Abnormal findings in specimens from female genital organs, abnormal immunological findings
R87.5	Abnormal findings in specimens from female genital organs, abnormal microbiological findings
R87.6	Abnormal findings in specimens from female genital organs, abnormal cytological findings
R87.7	Abnormal findings in specimens from female genital organs, abnormal histological findings
R87.8	Abnormal findings in specimens from female genital organs, other abnormal findings
R87.9	Abnormal findings in specimens from female genital organs, unspecified abnormal finding
R89	Abnormal findings in specimens from other organs, systems and tissues
R89.0	Abnormal findings in specimens from other organs, abnormal level of enzymes
R89.1	Abnormal findings in specimens from other organs, abnormal level of hormones
R89.2	Abnormal findings in specimens from other organs, abnormal level of other drugs, medicaments and biological substances
R89.3	Abnormal findings in specimens from other organs, abnormal level of substances chiefly nonmedicinal as to source
R89.4	Abnormal findings in specimens from other organs, abnormal immunological findings
R89.5	Abnormal findings in specimens from other organs, abnormal microbiological findings
R89.6	Abnormal findings in specimens from other organs, abnormal cytological findings
R89.7	Abnormal findings in specimens from other organs, abnormal histological findings
R89.8	Abnormal findings in specimens from other organs, other abnormal findings
R89.9	Abnormal findings in specimens from other organs, unspecified abnormal finding
R90	Abnormal findings on diagnostic imaging of central nervous system
R90.0	Intracranial space-occupying lesion
R90.8	Other abnormal findings on diagnostic imaging of central nervous system
R91	Abnormal findings on diagnostic imaging of lung
R92	Abnormal findings on diagnostic imaging of breast
R93	Abnormal findings on diagnostic imaging of other body structures
R93.0	Abnormal findings on diagnostic imaging of skull and head, not elsewhere classified
R93.1	Abnormal findings on diagnostic imaging of heart and coronary circulation
R93.2	Abnormal findings on diagnostic imaging of liver and biliary tract
R93.3	Abnormal findings on diagnostic imaging of other parts of digestive tract
R93.4	Abnormal findings on diagnostic imaging of urinary organs
R93.5	Abnormal findings on diagnostic imaging of abdominal and pelvic region, not elsewhere classified
R93.51	Abnormal findings on diagnostic imaging of uterus
R93.59	Abnormal findings on diagnostic imaging of abdominal and pelvic region, not elsewhere classified
R93.6	Abnormal findings on diagnostic imaging of limbs
R93.7	Abnormal findings on diagnostic imaging of other parts of musculoskeletal system
R93.8	Abnormal findings on diagnostic imaging of other specified body structures
R94	Abnormal results of function studies
R94.0	Abnormal results of function studies of central nervous system

R94.1	Abnormal results of function studies of peripheral nervous system and special senses
R94.2	Abnormal results of pulmonary function studies
R94.3	Abnormal results of cardiovascular function studies
R94.4	Abnormal results of kidney function studies
R94.5	Abnormal results of liver function studies
R94.6	Abnormal results of thyroid function studies
R94.7	Abnormal results of other endocrine function studies
R94.8	Abnormal results of function studies of other organs and systems
R95	Sudden infant death syndrome
R95.0	Sudden infant death syndrome with mention of autopsy
R95.9	Sudden infant death syndrome without mention of autopsy
R96	Other sudden death, cause unknown
R96.0	Instantaneous death
R96.1	Death occurring less than 24 hours from onset of symptoms, not otherwise explained
R98	Unattended death
R99	Other ill-defined and unspecified causes of mortality

Chapter 19 INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES (S00–T98)

S00	Superficial injury of head
S00.0	Superficial injury of scalp
S00.00	Superficial injury of scalp, unspecified
S00.01	Superficial injury of scalp, abrasion
S00.02	Superficial injury of scalp, blister
S00.03	Superficial injury of scalp, insect bite
S00.04	Superficial injury of scalp, superficial foreign body (splinter)
S00.05	Superficial injury of scalp, contusion
S00.08	Superficial injury of scalp, other
S00.1	Contusion of eyelid and periocular area
S00.2	Other superficial injuries of eyelid and periocular area
S00.20	Other superficial injuries of eyelid and periocular area, unspecified
S00.21	Other superficial injuries of eyelid and periocular area, abrasion
S00.22	Other superficial injuries of eyelid and periocular area, blister
S00.23	Other superficial injuries of eyelid and periocular area, insect bite
S00.24	Other superficial injuries of eyelid and periocular area, superficial foreign body (splinter)
S00.28	Other superficial injuries of eyelid and periocular area, other
S00.3	Superficial injury of nose
S00.30	Superficial injury of nose, unspecified
S00.31	Superficial injury of nose, abrasion
S00.32	Superficial injury of nose, blister
S00.33	Superficial injury of nose, insect bite
S00.34	Superficial injury of nose, superficial foreign body (splinter)
S00.35	Superficial injury of nose, contusion
S00.38	Superficial injury of nose, other
S00.4	Superficial injury of ear
S00.40	Superficial injury of ear, unspecified
S00.41	Superficial injury of ear, abrasion
S00.42	Superficial injury of ear, blister

S00.43	Superficial injury of ear, insect bite
S00.44	Superficial injury of ear, superficial foreign body (splinter)
S00.45	Superficial injury of ear, contusion
S00.48	Superficial injury of ear, other
S00.5	Superficial injury of lip and oral cavity
S00.50	Superficial injury of lip and oral cavity, unspecified
S00.51	Superficial injury of lip and oral cavity, abrasion
S00.52	Superficial injury of lip and oral cavity, blister
S00.53	Superficial injury of lip and oral cavity, insect bite
S00.54	Superficial injury of lip and oral cavity, superficial foreign body (splinter)
S00.55	Superficial injury of lip and oral cavity, contusion
S00.58	Superficial injury of lip and oral cavity, other
S00.7	Multiple superficial injuries of head
S00.8	Superficial injury of other parts of head
S00.80	Superficial injury of other parts of head, unspecified
S00.81	Superficial injury of other parts of head, abrasion
S00.82	Superficial injury of other parts of head, blister
S00.83	Superficial injury of other parts of head, insect bite
S00.84	Superficial injury of other parts of head, superficial foreign body (splinter)
S00.85	Superficial injury of other parts of head, contusion
S00.88	Superficial injury of other parts of head, other
S00.9	Superficial injury of head, part unspecified
S00.90	Superficial injury of head, part unspecified, unspecified
S00.91	Superficial injury of head, part unspecified, abrasion
S00.92	Superficial injury of head, part unspecified, blister
S00.93	Superficial injury of head, part unspecified, insect bite
S00.94	Superficial injury of head, part unspecified, superficial foreign body (splinter)
S00.95	Superficial injury of head, part unspecified, contusion
S00.98	Superficial injury of head, part unspecified, other
S01	Open wound of head
S01.0	Open wound of scalp
S01.1	Open wound of eyelid and periocular area
S01.2	Open wound of nose
S01.20	Open wound of nose, part unspecified
S01.21	Open wound of nose, external skin
S01.22	Open wound of nares (nostril)
S01.23	Open wound of nasal septum
S01.29	Open wound of other and multiple parts of nose
S01.3	Open wound of ear and auditory structures
S01.30	Open wound of external ear, part unspecified
S01.31	Open wound of auricle
S01.33	Open wound of tragus
S01.34	Open wound of external auditory meatus
S01.35	Open wound of eustachian tube
S01.36	Open wound of ossicles
S01.37	Open wound of ear drum
S01.38	Open wound of inner ear
S01.39	Open wound of other and multiple parts of ear and auditory structures

S01.4	Open wound of cheek and temporomandibular area
S01.41	Open wound of cheek
S01.42	Open wound of maxillary region
S01.43	Open wound of mandibular region
S01.49	Open wound of other and multiple sites of cheek and temporomandibular area
S01.5	Open wound of lip and oral cavity
S01.50	Open wound of mouth, part unspecified
S01.51	Open wound of lip
S01.52	Open wound of buccal mucosa
S01.53	Open wound of gum (alveolar process)
S01.54	Open wound of tongue and floor of mouth
S01.55	Open wound of palate
S01.59	Open wound of other and multiple parts of lip and oral cavity
S01.7	Multiple open wounds of head
S01.8	Open wound of other parts of head
S01.80	Unspecified open wound of other parts of head
S01.81	Open wound (of any part of head) communicating with a fracture
S01.82	Open wound (of any part of head) communicating with a dislocation
S01.83	Open wound (of any part of head) communicating with an intracranial injury
S01.88	Open wound of other parts of head
S01.9	Open wound of head, part unspecified
S02	Fracture of skull and facial bones
S02.0	Fracture of vault of skull
S02.1	Fracture of base of skull
S02.2	Fracture of nasal bones
S02.3	Fracture of orbital floor
S02.4	Fracture of malar and maxillary bones
S02.5	Fracture of tooth
S02.6	Fracture of mandible
S02.60	Fracture of mandible, part unspecified
S02.61	Fracture of condylar process
S02.62	Subcondylar fracture
S02.63	Fracture of coronoid process
S02.64	Fracture of ramus, unspecified
S02.65	Fracture of angle of jaw
S02.66	Fracture of symphysis of body
S02.67	Fracture of alveolar border of body
S02.68	Fracture of mandible body, other and unspecified parts
S02.69	Fracture of mandible, multiple sites
S02.7	Multiple fractures involving skull and facial bones
S02.8	Fractures of other skull and facial bones
S02.9	Fracture of skull and facial bones, part unspecified
S03	Dislocation, sprain and strain of joints and ligaments of head
S03.0	Dislocation of jaw
S03.1	Dislocation of septal cartilage of nose
S03.2	Dislocation of tooth
S03.3	Dislocation of other and unspecified parts of head
S03.4	Sprain and strain of jaw

S03.5	Sprain and strain of joints and ligaments of other and unspecified parts of head
S04	Injury of cranial nerves
S04.0	Injury of optic nerve and pathways
S04.1	Injury of oculomotor nerve
S04.2	Injury of trochlear nerve
S04.3	Injury of trigeminal nerve
S04.4	Injury of abducent nerve
S04.5	Injury of facial nerve
S04.6	Injury of acoustic nerve
S04.7	Injury of accessory nerve
S04.8	Injury of other cranial nerves
S04.9	Injury of unspecified cranial nerve
S05	Injury of eye and orbit
S05.0	Injury of conjunctiva and corneal abrasion without mention of foreign body
S05.1	Contusion of eyeball and orbital tissues
S05.2	Ocular laceration and rupture with prolapse or loss of intraocular tissue
S05.3	Ocular laceration without prolapse or loss of intraocular tissue
S05.4	Penetrating wound of orbit with or without foreign body
S05.5	Penetrating wound of eyeball with foreign body
S05.6	Penetrating wound of eyeball without foreign body
S05.7	Avulsion of eye
S05.8	Other injuries of eye and orbit
S05.9	Injury of eye and orbit, part unspecified
S06	Intracranial injury
S06.0	Concussive injury
S06.00	Concussion
S06.01	Loss of consciousness of unspecified duration
S06.02	Loss of consciousness of brief duration [less than 30 minutes]
S06.03	Loss of consciousness of moderate duration [30 minutes to 24 hours]
S06.04	Loss of consciousness of prolonged duration [more than 24 hours] with return to pre-existing conscious level
S06.05	Loss of consciousness of prolonged duration [more than 24 hours] without return to pre-existing conscious level
S06.1	Traumatic cerebral oedema
S06.2	Diffuse brain injury
S06.20	Diffuse cerebral and cerebellar brain injury, unspecified
S06.21	Diffuse cerebral contusions
S06.22	Diffuse cerebellar contusions
S06.23	Multiple intracerebral and cerebellar haematomas
S06.28	Other diffuse cerebral and cerebellar injury
S06.3	Focal brain injury
S06.30	Focal cerebral and cerebellar injury, unspecified
S06.31	Focal cerebral contusion
S06.32	Focal cerebellar contusion
S06.33	Focal cerebral haematoma
S06.34	Focal cerebellar haematoma
S06.38	Other focal cerebral and cerebellar injury
S06.4	Epidural haemorrhage

S06.5	Traumatic subdural haemorrhage
S06.6	Traumatic subarachnoid haemorrhage
S06.8	Other intracranial injuries
S06.9	Intracranial injury, unspecified
S07	Crushing injury of head
S07.0	Crushing injury of face
S07.1	Crushing injury of skull
S07.8	Crushing injury of other parts of head
S07.9	Crushing injury of head, part unspecified
S08	Traumatic amputation of part of head
S08.0	Avulsion of scalp
S08.1	Traumatic amputation of ear
S08.8	Traumatic amputation of other parts of head
S08.9	Traumatic amputation of unspecified part of head
S09	Other and unspecified injuries of head
S09.0	Injury of blood vessels of head, not elsewhere classified
S09.1	Injury of muscle and tendon of head
S09.2	Traumatic rupture of ear drum
S09.7	Multiple injuries of head
S09.8	Other specified injuries of head
S09.9	Unspecified injury of head
S10	Superficial injury of neck
S10.0	Contusion of throat
S10.1	Other and unspecified superficial injuries of throat
S10.10	Other and unspecified superficial injuries of throat, unspecified superficial injury
S10.11	Other and unspecified superficial injuries of throat, abrasion
S10.12	Other and unspecified superficial injuries of throat, blister
S10.13	Other and unspecified superficial injuries of throat, insect bite
S10.14	Other and unspecified superficial injuries of throat, superficial foreign body (splinter)
S10.18	Other and unspecified superficial injuries of throat, other
S10.7	Multiple superficial injuries of neck
S10.8	Superficial injury of other parts of neck
S10.80	Superficial injury of other parts of neck, unspecified
S10.81	Superficial injury of other parts of neck, abrasion
S10.82	Superficial injury of other parts of neck, blister
S10.83	Superficial injury of other parts of neck, insect bite
S10.84	Superficial injury of other parts of neck, superficial foreign body (splinter)
S10.85	Superficial injury of other parts of neck, contusion
S10.88	Superficial injury of other parts of neck, other
S10.9	Superficial injury of neck, part unspecified
S10.90	Superficial injury of neck, part unspecified, unspecified
S10.91	Superficial injury of neck, part unspecified, abrasion
S10.92	Superficial injury of neck, part unspecified, blister
S10.93	Superficial injury of neck, part unspecified, insect bite
S10.94	Superficial injury of neck, part unspecified, superficial foreign body (splinter)
S10.95	Superficial injury of neck, part unspecified, contusion
S10.98	Superficial injury of neck, part unspecified, other
S11	Open wound of neck

S11.0	Open wound involving larynx and trachea
S11.01	Open wound of larynx
S11.02	Open wound of trachea
S11.1	Open wound involving thyroid gland
S11.2	Open wound involving pharynx and cervical oesophagus
S11.21	Open wound of pharynx
S11.22	Open wound of cervical oesophagus
S11.7	Multiple open wounds of neck
S11.8	Open wound of other parts of neck
S11.80	Unspecified open wound of other parts of neck
S11.81	Open wound (of any part of neck) communicating with a fracture
S11.82	Open wound (of any part of neck) communicating with a dislocation
S11.88	Open wound of other parts of neck
S11.9	Open wound of neck, part unspecified
S12	Fracture of neck
S12.0	Fracture of first cervical vertebra
S12.1	Fracture of second cervical vertebra
S12.2	Fracture of other specified cervical vertebra
S12.21	Fracture of third cervical vertebra
S12.22	Fracture of fourth cervical vertebra
S12.23	Fracture of fifth cervical vertebra
S12.24	Fracture of sixth cervical vertebra
S12.25	Fracture of seventh cervical vertebra
S12.7	Multiple fractures of cervical spine
S12.8	Fracture of other parts of neck
S12.9	Fracture of neck, part unspecified
S13	Dislocation, sprain and strain of joints and ligaments at neck level
S13.0	Traumatic rupture of cervical intervertebral disc
S13.1	Dislocation of cervical vertebra
S13.10	Dislocation of cervical vertebra, level unspecified
S13.11	Dislocation of C1/C2 cervical vertebrae
S13.12	Dislocation of C2/C3 cervical vertebrae
S13.13	Dislocation of C3/C4 cervical vertebrae
S13.14	Dislocation of C4/C5 cervical vertebrae
S13.15	Dislocation of C5/C6 cervical vertebrae
S13.16	Dislocation of C6/C7 cervical vertebrae
S13.17	Dislocation of C7/T1 cervicothoracic vertebrae
S13.18	Other dislocation of cervical vertebrae
S13.2	Dislocation of other and unspecified parts of neck
S13.3	Multiple dislocations of neck
S13.4	Sprain and strain of cervical spine
S13.5	Sprain and strain of thyroid region
S13.6	Sprain and strain of joints and ligaments of other and unspecified parts of neck
S14	Injury of nerves and spinal cord at neck level
S14.0	Concussion and oedema of cervical spinal cord
S14.1	Other and unspecified injuries of cervical spinal cord
S14.10	Injury of cervical spinal cord, unspecified
S14.11	Complete lesion of cervical spinal cord

S14.12	Central cord syndrome (incomplete cord injury) of cervical spinal cord
S14.13	Other incomplete cord syndrome of cervical spinal cord
S14.2	Injury of nerve root of cervical spine
S14.3	Injury of brachial plexus
S14.4	Injury of peripheral nerves of neck
S14.5	Injury of cervical sympathetic nerves
S14.6	Injury of other and unspecified nerves of neck
S14.7	Functional level of cervical spinal cord injury
S14.70	Functional spinal cord injury, cervical level unspecified
S14.71	Functional spinal cord injury, C1
S14.72	Functional spinal cord injury, C2
S14.73	Functional spinal cord injury, C3
S14.74	Functional spinal cord injury, C4
S14.75	Functional spinal cord injury, C5
S14.76	Functional spinal cord injury, C6
S14.77	Functional spinal cord injury, C7
S14.78	Functional spinal cord injury, C8
S15	Injury of blood vessels at neck level
S15.0	Injury of carotid artery
S15.00	Injury of carotid artery, unspecified
S15.01	Injury of common carotid artery
S15.02	Injury of external carotid artery
S15.03	Injury of internal carotid artery
S15.1	Injury of vertebral artery
S15.2	Injury of external jugular vein
S15.3	Injury of internal jugular vein
S15.7	Injury of multiple blood vessels at neck level
S15.8	Injury of other blood vessels at neck level
S15.9	Injury of unspecified blood vessel at neck level
S16	Injury of muscle and tendon at neck level
S17	Crushing injury of neck
S17.0	Crushing injury of larynx and trachea
S17.8	Crushing injury of other parts of neck
S17.9	Crushing injury of neck, part unspecified
S18	Traumatic amputation at neck level
S19	Other and unspecified injuries of neck
S19.7	Multiple injuries of neck
S19.8	Other specified injuries of neck
S19.9	Unspecified injury of neck
S20	Superficial injury of thorax
S20.0	Contusion of breast
S20.1	Other and unspecified superficial injuries of breast
S20.10	Other and unspecified superficial injuries of breast, unspecified
S20.11	Other and unspecified superficial injuries of breast, abrasion
S20.12	Other and unspecified superficial injuries of breast, blister
S20.13	Other and unspecified superficial injuries of breast, insect bite
S20.14	Other and unspecified superficial injuries of breast, superficial foreign body (splinter)
S20.18	Other and unspecified superficial injuries of breast, other

S20.2	Contusion of thorax
S20.3	Other superficial injuries of front wall of thorax
S20.30	Other superficial injuries of front wall of thorax, unspecified
S20.31	Other superficial injuries of front wall of thorax, abrasion
S20.32	Other superficial injuries of front wall of thorax, blister
S20.33	Other superficial injuries of front wall of thorax, insect bite
S20.34	Other superficial injuries of front wall of thorax, superficial foreign body (splinter)
S20.38	Other superficial injuries of front wall of thorax, other
S20.4	Other superficial injuries of back wall of thorax
S20.40	Other superficial injuries of back wall of thorax, unspecified
S20.41	Other superficial injuries of back wall of thorax, abrasion
S20.42	Other superficial injuries of back wall of thorax, blister
S20.43	Other superficial injuries of back wall of thorax, insect bite
S20.44	Other superficial injuries of back wall of thorax, superficial foreign body (splinter)
S20.48	Other superficial injuries of back wall of thorax, other
S20.7	Multiple superficial injuries of thorax
S20.8	Superficial injury of other and unspecified parts of thorax
S20.80	Superficial injury of other and unspecified parts of thorax, unspecified
S20.81	Superficial injury of other and unspecified parts of thorax, abrasion
S20.82	Superficial injury of other and unspecified parts of thorax, blister
S20.83	Superficial injury of other and unspecified parts of thorax, insect bite
S20.84	Superficial injury of other and unspecified parts of thorax, superficial foreign body (splinter)
S20.85	Superficial injury of other and unspecified parts of thorax, contusion
S20.88	Superficial injury of other and unspecified parts of thorax, other
S21	Open wound of thorax
S21.0	Open wound of breast
S21.1	Open wound of front wall of thorax
S21.2	Open wound of back wall of thorax
S21.7	Multiple open wounds of thoracic wall
S21.8	Open wound of other parts of thorax
S21.80	Unspecified open wound of other parts of thorax
S21.81	Open wound (of any part of thorax) communicating with a fracture
S21.82	Open wound (of any part of thorax) communicating with a dislocation
S21.83	Open wound (of any part of thorax) communicating with an intrathoracic injury
S21.88	Open wound of other parts of thorax
S21.9	Open wound of thorax, part unspecified
S22	Fracture of rib(s), sternum and thoracic spine
S22.0	Fracture of thoracic vertebra
S22.00	Fracture of thoracic vertebra, level unspecified
S22.01	Fracture of thoracic vertebra, T1 and T2 level
S22.02	Fracture of thoracic vertebra, T3 and T4 level
S22.03	Fracture of thoracic vertebra, T5 and T6 level
S22.04	Fracture of thoracic vertebra, T7 and T8 level
S22.05	Fracture of thoracic vertebra, T9 and T10 level
S22.06	Fracture of thoracic vertebra, T11 and T12 level
S22.1	Multiple fractures of thoracic spine
S22.2	Fracture of sternum
S22.3	Fracture of rib

S22.31	Fracture of first rib
S22.32	Fracture of one rib, other than first rib
S22.4	Multiple rib fractures
S22.40	Multiple rib fractures, unspecified
S22.41	Multiple rib fractures, involving first rib
S22.42	Multiple rib fractures, involving two ribs
S22.43	Multiple rib fractures, involving three ribs
S22.44	Multiple rib fractures involving four or more ribs
S22.5	Flail chest
S22.8	Fracture of other parts of bony thorax
S22.9	Fracture of bony thorax, part unspecified
S23	Dislocation, sprain and strain of joints and ligaments of thorax
S23.0	Traumatic rupture of thoracic intervertebral disc
S23.1	Dislocation of thoracic vertebra
S23.10	Dislocation of thoracic vertebra, level unspecified
S23.11	Dislocation of T1/T2 and T2/T3 thoracic vertebrae
S23.12	Dislocation of T3/T4 and T4/T5 thoracic vertebrae
S23.13	Dislocation of T5/T6 and T6/T7 thoracic vertebrae
S23.14	Dislocation of T7/T8 and T8/T9 thoracic vertebrae
S23.15	Dislocation of T9/T10 and T10/T11 thoracic vertebrae
S23.16	Dislocation of T11/T12 thoracic vertebrae
S23.17	Dislocation of T12/L1 thoracolumbar vertebrae
S23.2	Dislocation of other and unspecified parts of thorax
S23.3	Sprain and strain of thoracic spine
S23.4	Sprain and strain of ribs and sternum
S23.5	Sprain and strain of other and unspecified parts of thorax
S24	Injury of nerves and spinal cord at thorax level
S24.0	Concussion and oedema of thoracic spinal cord
S24.1	Other and unspecified injuries of thoracic spinal cord
S24.10	Injury of thoracic spinal cord unspecified
S24.11	Complete lesion of thoracic spinal cord
S24.12	Incomplete cord syndrome of thoracic spinal cord
S24.2	Injury of nerve root of thoracic spine
S24.3	Injury of peripheral nerves of thorax
S24.4	Injury of thoracic sympathetic nerves
S24.5	Injury of other nerves of thorax
S24.6	Injury of unspecified nerve of thorax
S24.7	Functional level of thoracic spinal cord injury
S24.70	Functional spinal cord injury, thoracic level unspecified
S24.71	Functional spinal cord injury, T1
S24.72	Functional spinal cord injury, T2/T3
S24.73	Functional spinal cord injury, T4/T5
S24.74	Functional spinal cord injury, T6/T7
S24.75	Functional spinal cord injury, T8/T9
S24.76	Functional spinal cord injury, T10/T11
S24.77	Functional spinal cord injury, T12
S25	Injury of blood vessels of thorax
S25.0	Injury of thoracic aorta

S25.1	Injury of innominate or subclavian artery
S25.2	Injury of superior vena cava
S25.3	Injury of innominate or subclavian vein
S25.4	Injury of pulmonary blood vessels
S25.5	Injury of intercostal blood vessels
S25.7	Injury of multiple blood vessels of thorax
S25.8	Injury of other blood vessels of thorax
S25.9	Injury of unspecified blood vessel of thorax
S26	Injury of heart
S26.0	Traumatic haemopericardium
S26.8	Other injuries of heart
S26.81	Contusion of heart
S26.82	Laceration of heart without penetration into heart chamber
S26.83	Laceration of heart with penetration into heart chamber
S26.88	Other injuries of heart
S26.9	Injury of heart, unspecified
S27	Injury of other and unspecified intrathoracic organs
S27.0	Traumatic pneumothorax
S27.1	Traumatic haemothorax
S27.2	Traumatic haemopneumothorax
S27.3	Other injuries of lung
S27.31	Contusion and haematoma of lung
S27.32	Laceration of lung
S27.38	Other and unspecified injuries of lung
S27.4	Injury of bronchus
S27.5	Injury of thoracic trachea
S27.6	Injury of pleura
S27.7	Multiple injuries of intrathoracic organs
S27.8	Injury of other specified intrathoracic organs and structures
S27.81	Injury of diaphragm
S27.82	Injury of lymphatic thoracic duct
S27.83	Injury of oesophagus (thoracic part)
S27.84	Injury of thymus gland
S27.88	Injury of other specified intrathoracic organs and structures
S27.9	Injury of unspecified intrathoracic organ
S28	Crushing injury of thorax and traumatic amputation of part of thorax
S28.0	Crushed chest
S28.1	Traumatic amputation of part of thorax
S29	Other and unspecified injuries of thorax
S29.0	Injury of muscle and tendon at thorax level
S29.7	Multiple injuries of thorax
S29.8	Other specified injuries of thorax
S29.9	Unspecified injury of thorax
S30	Superficial injury of abdomen, lower back and pelvis
S30.0	Contusion of lower back and pelvis
S30.1	Contusion of abdominal wall
S30.2	Contusion of external genital organs
S30.21	Contusion of external male genital organs

S30.22	Contusion of external female genital organs
S30.7	Multiple superficial injuries of abdomen, lower back and pelvis
S30.8	Other superficial injuries of abdomen, lower back and pelvis
S30.80	Other superficial injuries of abdomen, lower back and pelvis, unspecified
S30.81	Other superficial injuries of abdomen, lower back and pelvis, abrasion
S30.82	Other superficial injuries of abdomen, lower back and pelvis, blister
S30.83	Other superficial injuries of abdomen, lower back and pelvis, insect bite
S30.84	Other superficial injuries of abdomen, lower back and pelvis, superficial foreign body
S30.85	Other superficial injuries of abdomen, lower back and pelvis, contusion
S30.88	Other superficial injuries of abdomen, lower back and pelvis, other
S30.9	Superficial injury of abdomen, lower back and pelvis, part unspecified
S30.90	Superficial injury of abdomen, lower back and pelvis, part unspecified, unspecified
S30.91	Superficial injury of abdomen, lower back and pelvis, part unspecified, abrasion
S30.92	Superficial injury of abdomen, lower back and pelvis, part unspecified, blister
S30.93	Superficial injury of abdomen, lower back and pelvis, part unspecified, insect bite
S30.94	Superficial injury of abdomen, lower back and pelvis, part unspecified, superficial foreign body
S30.95	Superficial injury of abdomen, lower back and pelvis, part unspecified, contusion
S30.98	Superficial injury of abdomen, lower back and pelvis, part unspecified, other
S31	Open wound of abdomen, lower back and pelvis
S31.0	Open wound of lower back and pelvis
S31.1	Open wound of abdominal wall
S31.2	Open wound of penis
S31.3	Open wound of scrotum and testes
S31.4	Open wound of vagina and vulva
S31.5	Open wound of other and unspecified external genital organs
S31.51	Open wound of other and unspecified external male genital organs
S31.52	Open wound of other and unspecified external female genital organs
S31.7	Multiple open wounds of abdomen, lower back and pelvis
S31.8	Open wound of other and unspecified parts of abdomen
S31.80	Open wound of other and unspecified parts of abdomen
S31.81	Open wound (of any part of abdomen, lower back and pelvis) communicating with a fracture
S31.82	Open wound (of any part of abdomen, lower back and pelvis) communicating with a dislocation
S31.83	Open wound (of any part of abdomen, lower back and pelvis) communicating with an intra-abdominal injury
S32	Fracture of lumbar spine and pelvis
S32.0	Fracture of lumbar vertebra
S32.00	Fracture of lumbar vertebra, level unspecified
S32.01	Fracture of lumbar vertebra, L1 level
S32.02	Fracture of lumbar vertebra, L2 level
S32.03	Fracture of lumbar vertebra, L3 level
S32.04	Fracture of lumbar vertebra, L4 level
S32.05	Fracture of lumbar vertebra, L5 level
S32.1	Fracture of sacrum
S32.2	Fracture of coccyx
S32.3	Fracture of ilium
S32.4	Fracture of acetabulum

S32.5	Fracture of pubis
S32.7	Multiple fractures of lumbar spine with pelvis
S32.8	Fracture of other and unspecified parts of lumbar spine and pelvis
S32.81	Fracture of ischium
S32.82	Fracture of lumbosacral spine, part unspecified
S32.83	Fracture of pelvis, part unspecified
S32.89	Other and multiple pelvic fractures
S33	Dislocation, sprain and strain of joints and ligaments of lumbar spine and pelvis
S33.0	Traumatic rupture of lumbar intervertebral disc
S33.1	Dislocation of lumbar vertebra
S33.10	Dislocation of lumbar vertebra, level unspecified
S33.11	Dislocation of L1/L2 lumbar vertebrae
S33.12	Dislocation of L2/L3 lumbar vertebrae
S33.13	Dislocation of L3/L4 lumbar vertebrae
S33.14	Dislocation of L4/L5 lumbar vertebrae
S33.15	Dislocation of L5/S1 lumbar vertebrae
S33.2	Dislocation of sacroiliac and sacrococcygeal joint
S33.3	Dislocation of other and unspecified parts of lumbar spine and pelvis
S33.4	Traumatic rupture of symphysis pubis
S33.5	Sprain and strain of lumbar spine
S33.50	Sprain and strain of lumbar spine, unspecified
S33.51	Sprain and strain of lumbosacral [joint] [ligament]
S33.6	Sprain and strain of sacroiliac joint
S33.7	Sprain and strain of other and unspecified parts of lumbar spine and pelvis
S34	Injury of nerves and lumbar spinal cord at abdomen, lower back and pelvis level
S34.0	Concussion and oedema of lumbar spinal cord [conus medullaris]
S34.1	Other injury of lumbar spinal cord [conus medullaris]
S34.2	Injury of nerve root of lumbar and sacral spine
S34.3	Injury of cauda equina
S34.4	Injury of lumbosacral plexus
S34.5	Injury of lumbar, sacral and pelvic sympathetic nerves
S34.6	Injury of peripheral nerve(s) of abdomen, lower back and pelvis
S34.7	Functional level of lumbar spinal cord injury
S34.71	Functional spinal cord injury, lumbar level unspecified
S34.71	Functional spinal cord injury, L1
S34.72	Functional spinal cord injury, L2
S34.73	Functional spinal cord injury, L3
S34.74	Functional spinal cord injury, L4
S34.75	Functional spinal cord injury, L5
S34.76	Functional spinal cord injury, sacrum
S34.8	Injury of other and unspecified nerves at abdomen, lower back and pelvis level
S35	Injury of blood vessels at abdomen, lower back and pelvis level
S35.0	Injury of abdominal aorta
S35.1	Injury of inferior vena cava
S35.2	Injury of coeliac or mesenteric artery
S35.3	Injury of portal or splenic vein
S35.4	Injury of renal blood vessels
S35.5	Injury of iliac blood vessels

S35.7	Injury of multiple blood vessels at abdomen, lower back and pelvis level
S35.8	Injury of other blood vessels at abdomen, lower back and pelvis level
S35.9	Injury of unspecified blood vessel at abdomen, lower back and pelvis level
S36	Injury of intra-abdominal organs
S36.0	Injury of spleen
S36.00	Injury of spleen, unspecified
S36.01	Haematoma of spleen
S36.02	Capsule tears of spleen, without major disruption of parenchyma
S36.03	Laceration of spleen extending into parenchyma
S36.04	Massive parenchymal disruption of spleen
S36.08	Other injury of spleen
S36.1	Injury of liver or gallbladder
S36.10	Injury of liver, unspecified
S36.11	Contusion and haematoma of liver
S36.12	Laceration of liver, unspecified
S36.13	Minor laceration of liver
S36.14	Moderate laceration of liver
S36.15	Major laceration of liver
S36.16	Other injury of liver
S36.17	Injury of gallbladder
S36.18	Injury of bile duct
S36.2	Injury of pancreas
S36.20	Injury of pancreas, part unspecified
S36.21	Injury of head of pancreas
S36.22	Injury of body of pancreas
S36.23	Injury of tail of pancreas
S36.29	Injury of other and multiple parts of pancreas
S36.3	Injury of stomach
S36.4	Injury of small intestine
S36.40	Injury of small intestine, part unspecified
S36.41	Injury of duodenum
S36.49	Injury of other and multiple parts of small intestine
S36.5	Injury of colon
S36.50	Injury of colon, part unspecified
S36.51	Injury of ascending [right] colon
S36.52	Injury of transverse colon
S36.53	Injury of descending [left] colon
S36.54	Injury of sigmoid colon
S36.59	Injury of other and multiple parts of colon
S36.6	Injury of rectum
S36.7	Injury of multiple intra-abdominal organs
S36.8	Injury of other intra-abdominal organs
S36.81	Injury of peritoneum
S36.82	Injury of mesentery
S36.83	Injury of retroperitoneum
S36.88	Injury of other intra-abdominal organs
S36.9	Injury of unspecified intra-abdominal organ
S37	Injury of urinary and pelvic organs

S37.0	Injury of kidney
S37.00	Injury of kidney, unspecified
S37.01	Contusion and haematoma of kidney
S37.02	Laceration of kidney
S37.03	Complete disruption of kidney parenchyma
S37.1	Injury of ureter
S37.2	Injury of bladder
S37.20	Injury of bladder, unspecified
S37.21	Contusion of bladder
S37.22	Rupture of bladder
S37.28	Other injury of bladder
S37.3	Injury of urethra
S37.30	Injury of urethra, part unspecified
S37.31	Injury of membranous urethra
S37.32	Injury of penile urethra
S37.33	Injury of prostatic urethra
S37.38	Injury of other part of urethra
S37.4	Injury of ovary
S37.5	Injury of fallopian tube
S37.6	Injury of uterus
S37.7	Injury of multiple pelvic organs
S37.71	Injury of multiple male pelvic organs
S37.72	Injury of multiple female pelvic organs
S37.8	Injury of other pelvic organs
S37.81	Injury of adrenal gland
S37.82	Injury of prostate
S37.83	Injury of seminal vesicle
S37.84	Injury of vas deferens
S37.85	Injury of other male pelvic organ
S37.86	Injury of other female pelvic organ
S37.88	Injury of other pelvic organ
S37.9	Injury of unspecified pelvic organ
S38	Crushing injury and traumatic amputation of part of abdomen, lower back and pelvis
S38.0	Crushing injury of external genital organs
S38.01	Crushing injury of external male genital organs
S38.02	Crushing injury of external female genital organs
S38.1	Crushing injury of other and unspecified parts of abdomen, lower back and pelvis
S38.2	Traumatic amputation of external genital organs
S38.21	Traumatic amputation of external male genital organs
S38.22	Traumatic amputation of external female genital organs
S38.3	Traumatic amputation of other and unspecified parts of abdomen, lower back and pelvis
S39	Other and unspecified injuries of abdomen, lower back and pelvis
S39.0	Injury of muscle and tendon of abdomen, lower back and pelvis
S39.6	Injury of intra-abdominal organ(s) with pelvic organ(s)
S39.7	Other multiple injuries of abdomen, lower back and pelvis
S39.8	Other specified injuries of abdomen, lower back and pelvis
S39.9	Unspecified injury of abdomen, lower back and pelvis
S40	Superficial injury of shoulder and upper arm

S40.0	Contusion of shoulder and upper arm
S40.7	Multiple superficial injuries of shoulder and upper arm
S40.8	Other superficial injuries of shoulder and upper arm
S40.81	Abrasion of shoulder and upper arm
S40.82	Blister of shoulder and upper arm
S40.83	Insect bite of shoulder and upper arm
S40.84	Superficial foreign body (splinter) of shoulder and upper arm
S40.88	Other superficial injuries of shoulder and upper arm
S40.9	Superficial injury of shoulder and upper arm, unspecified
S41	Open wound of shoulder and upper arm
S41.0	Open wound of shoulder
S41.1	Open wound of upper arm
S41.7	Multiple open wounds of shoulder and upper arm
S41.8	Open wound of other and unspecified parts of shoulder region
S41.80	Unspecified open wound of other and unspecified parts of shoulder region
S41.81	Open wound (of any part of shoulder and upper arm) communicating with a fracture
S41.82	Open wound (of any part of shoulder and upper arm) communicating with a dislocation
S42	Fracture of shoulder and upper arm
S42.0	Fracture of clavicle
S42.00	Fracture of clavicle, part unspecified
S42.01	Fracture of sternal end of clavicle
S42.02	Fracture of shaft of clavicle
S42.03	Fracture of acromial end of clavicle
S42.09	Multiple fractures of clavicle
S42.1	Fracture of scapula
S42.10	Fracture of scapula, part unspecified
S42.11	Fracture of body of scapula
S42.12	Fracture of acromial process
S42.13	Fracture of coracoid process
S42.14	Fracture of glenoid cavity and neck of scapula
S42.19	Multiple fractures of scapula
S42.2	Fracture of upper end of humerus
S42.20	Fracture of upper end of humerus, part unspecified
S42.21	Fracture of head of humerus
S42.22	Fracture of surgical neck of humerus
S42.23	Fracture of anatomical neck of humerus
S42.24	Fracture of greater tuberosity of humerus
S42.29	Fracture of other and multiple parts of upper end of humerus
S42.3	Fracture of shaft of humerus
S42.4	Fracture of lower end of humerus
S42.40	Fracture of lower end of humerus, part unspecified
S42.41	Supracondylar fracture of humerus
S42.42	Fracture of lateral condyle of humerus
S42.43	Fracture of medial condyle of humerus
S42.44	Fracture of condyle(s) of humerus, unspecified
S42.45	T-shaped fracture of distal humerus
S42.49	Other and multiple fractures of lower end of humerus
S42.7	Multiple fractures of clavicle, scapula and humerus

S42.8	Fracture of other parts of shoulder and upper arm
S42.9	Fracture of shoulder girdle, part unspecified
S43	Dislocation, sprain and strain of joints and ligaments of shoulder girdle
S43.0	Dislocation of shoulder joint [glenohumeral joint]
S43.00	Dislocation of shoulder, unspecified
S43.01	Anterior dislocation of humerus
S43.02	Posterior dislocation of humerus
S43.03	Inferior dislocation of humerus
S43.08	Dislocation of other part of shoulder
S43.1	Dislocation of acromioclavicular joint
S43.2	Dislocation of sternoclavicular joint
S43.3	Dislocation of other and unspecified parts of shoulder girdle
S43.4	Sprain and strain of shoulder joint
S43.5	Sprain and strain of acromioclavicular joint
S43.6	Sprain and strain of sternoclavicular joint
S43.7	Sprain and strain of other and unspecified parts of shoulder girdle
S44	Injury of nerves at shoulder and upper arm level
S44.0	Injury of ulnar nerve at upper arm level
S44.1	Injury of median nerve at upper arm level
S44.2	Injury of radial nerve at upper arm level
S44.3	Injury of axillary nerve
S44.4	Injury of musculocutaneous nerve
S44.5	Injury of cutaneous sensory nerve at shoulder and upper arm level
S44.7	Injury of multiple nerves at shoulder and upper arm level
S44.8	Injury of other nerves at shoulder and upper arm level
S44.9	Injury of unspecified nerve at shoulder and upper arm level
S45	Injury of blood vessels at shoulder and upper arm level
S45.0	Injury of axillary artery
S45.1	Injury of brachial artery
S45.2	Injury of axillary or brachial vein
S45.3	Injury of superficial vein at shoulder and upper arm level
S45.7	Injury of multiple blood vessels at shoulder and upper arm level
S45.8	Injury of other blood vessels at shoulder and upper arm level
S45.9	Injury of unspecified blood vessel at shoulder and upper arm level
S46	Injury of muscle and tendon at shoulder and upper arm level
S46.0	Injury of muscle(s) and tendon(s) of the rotator cuff of shoulder
S46.1	Injury of muscle and tendon of long head of biceps
S46.2	Injury of muscle and tendon of other parts of biceps
S46.3	Injury of muscle and tendon of triceps
S46.7	Injury of multiple muscles and tendons at shoulder and upper arm level
S46.8	Injury of other muscles and tendons at shoulder and upper arm level
S46.9	Injury of unspecified muscle and tendon at shoulder and upper arm level
S47	Crushing injury of shoulder and upper arm
S48	Traumatic amputation of shoulder and upper arm
S48.0	Traumatic amputation at shoulder joint
S48.1	Traumatic amputation at level between shoulder and elbow
S48.9	Traumatic amputation of shoulder and upper arm, level unspecified
S49	Other and unspecified injuries of shoulder and upper arm

S49.7	Multiple injuries of shoulder and upper arm
S49.8	Other specified injuries of shoulder and upper arm
S49.9	Unspecified injury of shoulder and upper arm
S50	Superficial injury of forearm
S50.0	Contusion of elbow
S50.1	Contusion of other and unspecified parts of forearm
S50.7	Multiple superficial injuries of forearm
S50.8	Other superficial injuries of forearm
S50.81	Abrasion of forearm
S50.82	Blister of forearm
S50.83	Insect bite of forearm
S50.84	Superficial foreign body (splinter) of forearm
S50.88	Other superficial injuries of forearm
S50.9	Superficial injury of forearm, unspecified
S51	Open wound of forearm
S51.0	Open wound of elbow
S51.7	Multiple open wounds of forearm
S51.8	Open wound of other parts of forearm
S51.80	Unspecified open wound of other and unspecified parts of forearm
S51.81	Open wound (of any part of forearm) communicating with a fracture
S51.82	Open wound (of any part of forearm) communicating with a dislocation
S51.88	Open wound of other parts of forearm
S51.9	Open wound of forearm, part unspecified
S52	Fracture of forearm
S52.0	Fracture of upper end of ulna
S52.00	Fracture of upper end of ulna, part unspecified
S52.01	Fracture of olecranon process of ulna
S52.02	Fracture of coronoid process of ulna
S52.09	Other and multiple fractures of upper end of ulna
S52.1	Fracture of upper end of radius
S52.10	Fracture of upper end of radius, part unspecified
S52.11	Fracture of head of radius
S52.12	Fracture of neck of radius
S52.19	Other and multiple fractures of upper end of radius
S52.2	Fracture of shaft of ulna
S52.20	Fracture of shaft of ulna, part unspecified
S52.21	Fracture of proximal shaft of ulna with dislocation of head of radius
S52.3	Fracture of shaft of radius
S52.30	Fracture of shaft of radius, part unspecified
S52.31	Fracture of distal shaft of radius with dislocation of head of ulna
S52.4	Fracture of shafts of both ulna and radius
S52.5	Fracture of lower end of radius
S52.50	Fracture of lower end of radius, unspecified
S52.51	Fracture of lower end of radius with dorsal angulation
S52.52	Fracture of lower end of radius with volar angulation
S52.53	Fracture of lower end of radius with volar angulation and intra-articular fracture
S52.59	Other and multiple fractures of lower end of radius
S52.6	Fracture of lower end of both ulna and radius

S52.7	Multiple fractures of forearm
S52.8	Fracture of other parts of forearm
S52.9	Fracture of forearm, part unspecified
S53	Dislocation, sprain and strain of joints and ligaments of elbow
S53.0	Dislocation of radial head
S53.1	Dislocation of other and unspecified parts of elbow
S53.10	Dislocation of elbow, unspecified
S53.11	Anterior dislocation of elbow
S53.12	Posterior dislocation of elbow
S53.13	Medial dislocation of elbow
S53.14	Lateral dislocation of elbow
S53.18	Other dislocation of elbow
S53.2	Traumatic rupture of radial collateral ligament
S53.3	Traumatic rupture of ulnar collateral ligament
S53.4	Sprain and strain of elbow
S53.40	Sprain and strain of elbow, part unspecified
S53.41	Sprain and strain of radial collateral ligament
S53.42	Sprain and strain of ulna collateral ligament
S53.43	Sprain and strain radiohumeral (joint)
S53.44	Sprain and strain ulnohumeral (joint)
S53.48	Sprain and strain of other part of elbow
S54	Injury of nerves at forearm level
S54.0	Injury of ulnar nerve at forearm level
S54.1	Injury of median nerve at forearm level
S54.2	Injury of radial nerve at forearm level
S54.3	Injury of cutaneous sensory nerve at forearm level
S54.7	Injury of multiple nerves at forearm level
S54.8	Injury of other nerves at forearm level
S54.9	Injury of unspecified nerve at forearm level
S55	Injury of blood vessels at forearm level
S55.0	Injury of ulnar artery at forearm level
S55.1	Injury of radial artery at forearm level
S55.2	Injury of vein at forearm level
S55.7	Injury of multiple blood vessels at forearm level
S55.8	Injury of other blood vessels at forearm level
S55.9	Injury of unspecified blood vessel at forearm level
S56	Injury of muscle and tendon at forearm level
S56.0	Injury of flexor muscle and tendon of thumb at forearm level
S56.1	Injury of long flexor muscle and tendon of other finger(s) at forearm level
S56.2	Injury of other flexor muscle and tendon at forearm level
S56.3	Injury of extensor or abductor muscles and tendons of thumb at forearm level
S56.4	Injury of extensor muscle and tendon of other finger(s) at forearm level
S56.5	Injury of other extensor muscle and tendon at forearm level
S56.7	Injury of multiple muscles and tendons at forearm level
S56.8	Injury of other and unspecified muscles and tendons at forearm level
S57	Crushing injury of forearm
S57.0	Crushing injury of elbow
S57.8	Crushing injury of other parts of forearm

S57.9	Crushing injury of forearm, part unspecified
S58	Traumatic amputation of forearm
S58.0	Traumatic amputation at elbow joint
S58.1	Traumatic amputation at level between elbow and wrist
S58.9	Traumatic amputation of forearm, level unspecified
S59	Other and unspecified injuries of forearm
S59.7	Multiple injuries of forearm
S59.8	Other specified injuries of forearm
S59.9	Unspecified injury of forearm
S60	Superficial injury of wrist and hand
S60.0	Contusion of finger(s) without damage to nail
S60.1	Contusion of finger(s) with damage to nail
S60.2	Contusion of other parts of wrist and hand
S60.7	Multiple superficial injuries of wrist and hand
S60.8	Other superficial injuries of wrist and hand
S60.81	Abrasion of wrist and hand
S60.82	Blister of wrist and hand
S60.83	Insect bite of wrist and hand
S60.84	Superficial foreign body (splinter) of wrist and hand
S60.88	Other superficial injuries of wrist and hand
S60.9	Superficial injury of wrist and hand, unspecified
S61	Open wound of wrist and hand
S61.0	Open wound of finger(s) without damage to nail
S61.1	Open wound of finger(s) with damage to nail
S61.7	Multiple open wounds of wrist and hand
S61.8	Open wound of other parts of wrist and hand
S61.80	Unspecified open wound of other parts of wrist and hand
S61.81	Open wound (of any part of wrist and hand) communicating with a fracture
S61.82	Open wound (of any part of wrist and hand) communicating with a dislocation
S61.88	Open wound of other parts of wrist and hand
S61.9	Open wound of wrist and hand, part unspecified
S62	Fracture at wrist and hand level
S62.0	Fracture of navicular [scaphoid] bone of hand
S62.1	Fracture of other carpal bone(s)
S62.10	Fracture of carpal bone, unspecified
S62.11	Fracture of lunate bone of wrist
S62.12	Fracture of triquetral bone of wrist
S62.13	Fracture of pisiform
S62.14	Fracture of trapezium bone
S62.15	Fracture of trapezoid bone
S62.16	Fracture of capitate bone
S62.17	Fracture of hamate bone
S62.19	Fracture of other and multiple carpal bones
S62.2	Fracture of first metacarpal bone
S62.20	Fracture of first metacarpal bone, part unspecified
S62.21	Fracture of base of first metacarpal bone
S62.22	Fracture of shaft of first metacarpal bone
S62.23	Fracture of neck of first metacarpal bone

S62.24	Fracture of head of first metacarpal bone
S62.3	Fracture of other metacarpal bone
S62.30	Fracture of other metacarpal bone(s), part unspecified
S62.31	Fracture of base of other metacarpal bone(s)
S62.32	Fracture of shaft of other metacarpal bone(s)
S62.33	Fracture of neck of other metacarpal bone(s)
S62.34	Fracture of head of other metacarpal bone(s)
S62.4	Multiple fractures of metacarpal bones
S62.5	Fracture of thumb
S62.50	Fracture of thumb, part unspecified
S62.51	Fracture of proximal phalanx of thumb
S62.52	Fracture of distal phalanx of thumb
S62.6	Fracture of other finger
S62.60	Fracture of phalanx, part unspecified
S62.61	Fracture of proximal phalanx
S62.62	Fracture of middle phalanx
S62.63	Fracture of distal phalanx
S62.7	Multiple fractures of fingers
S62.8	Fracture of other and unspecified parts of wrist and hand
S63	Dislocation, sprain and strain of joints and ligaments at wrist and hand level
S63.0	Dislocation of wrist
S63.00	Dislocation of wrist, part unspecified
S63.01	Dislocation of radioulnar (joint), distal
S63.02	Dislocation of radiocarpal (joint)
S63.03	Dislocation of midcarpal (joint)
S63.04	Dislocation of carpometacarpal (joint)
S63.08	Dislocation of other part of wrist
S63.1	Dislocation of finger
S63.10	Dislocation of finger, part unspecified
S63.11	Dislocation of metacarpophalangeal (joint)
S63.12	Dislocation of interphalangeal (joint), hand
S63.2	Multiple dislocations of fingers
S63.3	Traumatic rupture of ligament of wrist and carpus
S63.4	Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s)
S63.5	Sprain and strain of wrist
S63.50	Sprain and strain of wrist, part unspecified
S63.51	Sprain and strain of carpal (joint)
S63.52	Sprain and strain of radiocarpal (joint) (ligament)
S63.53	Sprain and strain of carpometacarpal (joint)
S63.58	Sprain and strain of other parts of wrist
S63.6	Sprain and strain of finger(s)
S63.60	Sprain and strain of finger(s), part unspecified
S63.61	Sprain and strain of metacarpophalangeal (joint)
S63.62	Sprain and strain of interphalangeal (joint), hand
S63.68	Sprain and strain of other parts of finger
S63.7	Sprain and strain of other and unspecified parts of hand
S64	Injury of nerves at wrist and hand level

S64.0	Injury of ulnar nerve at wrist and hand level
S64.1	Injury of median nerve at wrist and hand level
S64.2	Injury of radial nerve at wrist and hand level
S64.3	Injury of digital nerve of thumb
S64.4	Injury of digital nerve of other finger
S64.7	Injury of multiple nerves at wrist and hand level
S64.8	Injury of other nerves at wrist and hand level
S64.9	Injury of unspecified nerve at wrist and hand level
S65	Injury of blood vessels at wrist and hand level
S65.0	Injury of ulnar artery at wrist and hand level
S65.1	Injury of radial artery at wrist and hand level
S65.2	Injury of superficial palmar arch
S65.3	Injury of deep palmar arch
S65.4	Injury of blood vessel(s) of thumb
S65.5	Injury of blood vessel(s) of other finger
S65.7	Injury of multiple blood vessels at wrist and hand level
S65.8	Injury of other blood vessels at wrist and hand level
S65.9	Injury of unspecified blood vessel at wrist and hand level
S66	Injury of muscle and tendon at wrist and hand level
S66.0	Injury of long flexor muscle and tendon of thumb at wrist and hand level
S66.1	Injury of flexor muscle and tendon of other finger at wrist and hand level
S66.2	Injury of extensor muscle and tendon of thumb at wrist and hand level
S66.3	Injury of extensor muscle and tendon of other finger at wrist and hand level
S66.4	Injury of intrinsic muscle and tendon of thumb at wrist and hand level
S66.5	Injury of intrinsic muscle and tendon of other finger at wrist and hand level
S66.6	Injury of multiple flexor muscles and tendons at wrist and hand level
S66.7	Injury of multiple extensor muscles and tendons at wrist and hand level
S66.8	Injury of other muscles and tendons at wrist and hand level
S66.9	Injury of unspecified muscle and tendon at wrist and hand level
S67	Crushing injury of wrist and hand
S67.0	Crushing injury of thumb and other finger(s)
S67.8	Crushing injury of other and unspecified parts of wrist and hand
S68	Traumatic amputation of wrist and hand
S68.0	Traumatic amputation of thumb (complete)(partial)
S68.1	Traumatic amputation of other single finger (complete)(partial)
S68.2	Traumatic amputation of two or more fingers alone (complete)(partial)
S68.3	Combined traumatic amputation of (part of) finger(s) with other parts of wrist and hand
S68.4	Traumatic amputation of hand at wrist level
S68.8	Traumatic amputation of other parts of wrist and hand
S68.9	Traumatic amputation of wrist and hand, level unspecified
S69	Other and unspecified injuries of wrist and hand
S69.7	Multiple injuries of wrist and hand
S69.8	Other specified injuries of wrist and hand
S69.9	Unspecified injury of wrist and hand
S70	Superficial injury of hip and thigh
S70.0	Contusion of hip
S70.1	Contusion of thigh
S70.7	Multiple superficial injuries of hip and thigh

S70.8	Other superficial injuries of hip and thigh
S70.81	Abrasion of hip and thigh
S70.82	Blister of hip and thigh
S70.83	Insect bite of hip and thigh
S70.84	Superficial foreign body (splinter) of hip and thigh
S70.88	Other superficial injuries of hip and thigh
S70.9	Superficial injury of hip and thigh, unspecified
S71	Open wound of hip and thigh
S71.0	Open wound of hip
S71.1	Open wound of thigh
S71.7	Multiple open wounds of hip and thigh
S71.8	Open wound of other and unspecified parts of pelvic girdle
S71.80	Open wound of other and unspecified parts of pelvic girdle
S71.81	Open wound (of any part of hip and thigh) communicating with a fracture
S71.82	Open wound (of any part of hip and thigh) communicating with a dislocation
S72	Fracture of femur
S72.0	Fracture of neck of femur
S72.00	Fracture of neck of femur, part unspecified
S72.01	Fracture of intracapsular section of femur
S72.02	Fracture of upper epiphysis (separation) of femur
S72.03	Fracture of subcapital section of femur
S72.04	Fracture of midcervical section of femur
S72.05	Fracture of base of neck of femur
S72.08	Fracture of other parts of neck of femur
S72.1	Pertrochanteric fracture
S72.10	Fracture of trochanteric section of femur, unspecified
S72.11	Fracture of intertrochanteric section of femur
S72.2	Subtrochanteric fracture
S72.3	Fracture of shaft of femur
S72.4	Fracture of lower end of femur
S72.40	Fracture of lower end of femur, part unspecified
S72.41	Fracture of femoral condyle
S72.42	Fracture of lower epiphysis (separation) of femur
S72.43	Supracondylar fracture of femur
S72.44	Intercondylar fracture of femur
S72.7	Multiple fractures of femur
S72.8	Fractures of other parts of femur
S72.9	Fracture of femur, part unspecified
S73	Dislocation, sprain and strain of joint and ligaments of hip
S73.0	Dislocation of hip
S73.00	Dislocation of hip, unspecified
S73.01	Posterior dislocation of hip
S73.02	Anterior dislocation of hip
S73.08	Other dislocation of hip
S73.1	Sprain and strain of hip
S73.10	Sprain and strain of hip, part unspecified
S73.11	Sprain and strain of iliofemoral (ligament)
S73.12	Sprain and strain of ischiocapsular (ligament)

S73.18	Sprain and strain of other specified sites of hip
S74	Injury of nerves at hip and thigh level
S74.0	Injury of sciatic nerve at hip and thigh level
S74.1	Injury of femoral nerve at hip and thigh level
S74.2	Injury of cutaneous sensory nerve at hip and thigh level
S74.7	Injury of multiple nerves at hip and thigh level
S74.8	Injury of other nerves at hip and thigh level
S74.9	Injury of unspecified nerve at hip and thigh level
S75	Injury of blood vessels at hip and thigh level
S75.0	Injury of femoral artery
S75.1	Injury of femoral vein at hip and thigh level
S75.2	Injury of greater saphenous vein at hip and thigh level
S75.7	Injury of multiple blood vessels at hip and thigh level
S75.8	Injury of other blood vessels at hip and thigh level
S75.9	Injury of unspecified blood vessel at hip and thigh level
S76	Injury of muscle and tendon at hip and thigh level
S76.0	Injury of muscle and tendon of hip
S76.1	Injury of quadriceps muscle and tendon
S76.2	Injury of adductor muscle and tendon of thigh
S76.3	Injury of muscle and tendon of the posterior muscle group at thigh level
S76.4	Injury of other and unspecified muscles and tendons at thigh level
S76.7	Injury of multiple muscles and tendons at hip and thigh level
S77	Crushing injury of hip and thigh
S77.0	Crushing injury of hip
S77.1	Crushing injury of thigh
S77.2	Crushing injury of hip with thigh
S78	Traumatic amputation of hip and thigh
S78.0	Traumatic amputation at hip joint
S78.1	Traumatic amputation at level between hip and knee
S78.9	Traumatic amputation of hip and thigh, level unspecified
S79	Other and unspecified injuries of hip and thigh
S79.7	Multiple injuries of hip and thigh
S79.8	Other specified injuries of hip and thigh
S79.9	Unspecified injury of hip and thigh
S80	Superficial injury of lower leg
S80.0	Contusion of knee
S80.1	Contusion of other and unspecified parts of lower leg
S80.7	Multiple superficial injuries of lower leg
S80.8	Other superficial injuries of lower leg
S80.81	Abrasion of lower leg
S80.82	Blister of lower leg
S80.83	Insect bite of lower leg
S80.84	Superficial foreign body (splinter) of lower leg
S80.88	Other superficial injuries of lower leg
S80.9	Superficial injury of lower leg, unspecified
S81	Open wound of lower leg
S81.0	Open wound of knee
S81.7	Multiple open wounds of lower leg

S81.8	Open wound of other parts of lower leg
S81.80	Unspecified open wound of other parts of lower leg
S81.81	Open wound (of any part of lower leg) communicating with a fracture
S81.82	Open wound (of any part of lower leg) communicating with a dislocation
S81.88	Open wound of other parts of lower leg
S81.9	Open wound of lower leg, part unspecified
S82	Fracture of lower leg, including ankle
S82.0	Fracture of patella
S82.1	Fracture of upper end of tibia
S82.11	Fracture of upper end of tibia with fracture of fibula [any part]
S82.18	Other fracture of upper end of tibia
S82.2	Fracture of shaft of tibia
S82.21	Fracture of shaft of tibia with fracture of fibula [any part]
S82.28	Other fracture of shaft of tibia
S82.3	Fracture of lower end of tibia
S82.31	Other fracture of lower end of tibia with fracture of fibula (any part)
S82.38	Other fracture of lower end of tibia
S82.4	Fracture of fibula alone
S82.40	Fracture of fibula, part unspecified
S82.41	Fracture of upper end of fibula
S82.42	Fracture of shaft of fibula
S82.49	Multiple fractures of fibula
S82.5	Fracture of medial malleolus
S82.6	Fracture of lateral malleolus
S82.7	Multiple fractures of lower leg
S82.8	Fractures of other parts of lower leg
S82.81	Bimalleolar fracture, ankle
S82.82	Trimalleolar fracture, ankle
S82.88	Fracture of other parts of lower leg
S82.9	Fracture of lower leg, part unspecified
S83	Dislocation, sprain and strain of joints and ligaments of knee
S83.0	Dislocation of patella
S83.1	Dislocation of knee
S83.10	Dislocation of knee, unspecified
S83.11	Anterior dislocation of tibia, proximal end
S83.12	Posterior dislocation of tibia, proximal end
S83.13	Medial dislocation of tibia, proximal end
S83.14	Lateral dislocation of tibia, proximal end
S83.18	Other dislocation of knee
S83.2	Tear of meniscus, current
S83.3	Tear of articular cartilage of knee, current
S83.4	Sprain and strain involving (fibular)(tibial) collateral ligament of knee
S83.40	Sprain and strain of unspecified collateral ligament
S83.41	Sprain and strain of lateral collateral ligament
S83.42	Sprain and strain of medial collateral ligament
S83.43	Rupture of lateral collateral ligament
S83.44	Rupture of medial collateral ligament
S83.5	Sprain and strain involving (anterior)(posterior) cruciate ligament of knee

S83.50	Sprain and strain of unspecified cruciate ligament
S83.51	Sprain and strain of anterior cruciate ligament
S83.52	Sprain and strain of posterior cruciate ligament
S83.53	Rupture of anterior cruciate ligament
S83.54	Rupture of posterior cruciate ligament
S83.6	Sprain and strain of other and unspecified parts of knee
S83.7	Injury to multiple structures of knee
S84	Injury of nerves at lower leg level
S84.0	Injury of tibial nerve at lower leg level
S84.1	Injury of peroneal nerve at lower leg level
S84.2	Injury of cutaneous sensory nerve at lower leg level
S84.7	Injury of multiple nerves at lower leg level
S84.8	Injury of other nerves at lower leg level
S84.9	Injury of unspecified nerve at lower leg level
S85	Injury of blood vessels at lower leg level
S85.0	Injury of popliteal artery
S85.1	Injury of (anterior)(posterior) tibial artery
S85.2	Injury of peroneal artery
S85.3	Injury of greater saphenous vein at lower leg level
S85.4	Injury of lesser saphenous vein at lower leg level
S85.5	Injury of popliteal vein
S85.7	Injury of multiple blood vessels at lower leg level
S85.8	Injury of other blood vessels at lower leg level
S85.9	Injury of unspecified blood vessel at lower leg level
S86	Injury of muscle and tendon at lower leg level
S86.0	Injury of Achilles tendon
S86.1	Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level
S86.2	Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level
S86.3	Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level
S86.7	Injury of multiple muscles and tendons at lower leg level
S86.8	Injury of other muscles and tendons at lower leg level
S86.9	Injury of unspecified muscle and tendon at lower leg level
S87	Crushing injury of lower leg
S87.0	Crushing injury of knee
S87.8	Crushing injury of other and unspecified parts of lower leg
S88	Traumatic amputation of lower leg
S88.0	Traumatic amputation at knee joint
S88.1	Traumatic amputation at level between knee and ankle
S88.9	Traumatic amputation of lower leg, level unspecified
S89	Other and unspecified injuries of lower leg
S89.7	Multiple injuries of lower leg
S89.8	Other specified injuries of lower leg
S89.9	Unspecified injury of lower leg
S90	Superficial injury of ankle and foot
S90.0	Contusion of ankle
S90.1	Contusion of toe(s) without damage to nail
S90.2	Contusion of toe(s) with damage to nail
S90.3	Contusion of other and unspecified parts of foot

S90.7	Multiple superficial injuries of ankle and foot
S90.8	Other superficial injuries of ankle and foot
S90.81	Abrasion of ankle and foot
S90.82	Blister of ankle and foot
S90.83	Insect bite of ankle and foot
S90.84	Superficial foreign body (splinter) of ankle and foot
S90.88	Other superficial injuries of ankle and foot
S90.9	Superficial injury of ankle and foot, unspecified
S91	Open wound of ankle and foot
S91.0	Open wound of ankle
S91.1	Open wound of toe(s) without damage to nail
S91.2	Open wound of toe(s) with damage to nail
S91.3	Open wound of other parts of foot
S91.7	Multiple open wounds of ankle and foot
S91.8	Other open wounds of ankle and foot
S91.81	Open wound (of any part of ankle and foot) communicating with a fracture
S91.82	Open wound (of any part of ankle and foot) communicating with a dislocation
S92	Fracture of foot, except ankle
S92.0	Fracture of calcaneus
S92.1	Fracture of talus
S92.2	Fracture of other tarsal bone(s)
S92.20	Fracture of tarsal bone(s), unspecified
S92.21	Fracture of navicular [scaphoid], foot
S92.22	Fracture of cuboid, foot
S92.23	Fracture of cuneiform, foot
S92.28	Fracture of other part of tarsal bone
S92.3	Fracture of metatarsal bone
S92.4	Fracture of great toe
S92.5	Fracture of other toe
S92.7	Multiple fractures of foot
S92.9	Fracture of foot, unspecified
S93	Dislocation, sprain and strain of joints and ligaments at ankle and foot level
S93.0	Dislocation of ankle joint
S93.1	Dislocation of toe(s)
S93.10	Dislocation of toe(s), unspecified
S93.11	Dislocation of metatarsophalangeal (joint)
S93.12	Dislocation of interphalangeal (joint), foot
S93.2	Rupture of ligaments at ankle and foot level
S93.3	Dislocation of other and unspecified parts of foot
S93.30	Dislocation of foot, part unspecified
S93.31	Dislocation of tarsal (bone), joint unspecified
S93.32	Dislocation of midtarsal (joint)
S93.33	Dislocation of tarsometatarsal (joint)
S93.34	Dislocation of metatarsal (bone), joint unspecified
S93.38	Dislocation of other part of foot
S93.4	Sprain and strain of ankle
S93.40	Sprain and strain of ankle, part unspecified
S93.41	Sprain and strain of deltoid (ligament), ankle

S93.42	Sprain and strain of calcaneofibular (ligament)
S93.43	Sprain and strain of tibiofibular (ligament)
S93.48	Sprain and strain of other parts of ankle
S93.5	Sprain and strain of toe(s)
S93.6	Sprain and strain of other and unspecified parts of foot
S94	Injury of nerves at ankle and foot level
S94.0	Injury of lateral plantar nerve
S94.1	Injury of medial plantar nerve
S94.2	Injury of deep peroneal nerve at ankle and foot level
S94.3	Injury of cutaneous sensory nerve at ankle and foot level
S94.7	Injury of multiple nerves at ankle and foot level
S94.8	Injury of other nerves at ankle and foot level
S94.9	Injury of unspecified nerve at ankle and foot level
S95	Injury of blood vessels at ankle and foot level
S95.0	Injury of dorsal artery of foot
S95.1	Injury of plantar artery of foot
S95.2	Injury of dorsal vein of foot
S95.7	Injury of multiple blood vessels at ankle and foot level
S95.8	Injury of other blood vessels at ankle and foot level
S95.9	Injury of unspecified blood vessel at ankle and foot level
S96	Injury of muscle and tendon at ankle and foot level
S96.0	Injury of muscle and tendon of long flexor muscle of toe at ankle and foot level
S96.1	Injury of muscle and tendon of long extensor muscle of toe at ankle and foot level
S96.2	Injury of intrinsic muscle and tendon at ankle and foot level
S96.7	Injury of multiple muscles and tendons at ankle and foot level
S96.8	Injury of other muscles and tendons at ankle and foot level
S96.9	Injury of unspecified muscle and tendon at ankle and foot level
S97	Crushing injury of ankle and foot
S97.0	Crushing injury of ankle
S97.1	Crushing injury of toe(s)
S97.8	Crushing injury of other parts of ankle and foot
S98	Traumatic amputation of ankle and foot
S98.0	Traumatic amputation of foot at ankle level
S98.1	Traumatic amputation of one toe
S98.2	Traumatic amputation of two or more toes
S98.3	Traumatic amputation of other parts of foot
S98.4	Traumatic amputation of foot, level unspecified
S99	Other and unspecified injuries of ankle and foot
S99.7	Multiple injuries of ankle and foot
S99.8	Other specified injuries of ankle and foot
S99.9	Unspecified injury of ankle and foot
T00	Superficial injuries involving multiple body regions
T00.0	Superficial injuries involving head with neck
T00.1	Superficial injuries involving thorax with abdomen, lower back and pelvis
T00.2	Superficial injuries involving multiple regions of upper limb(s)
T00.3	Superficial injuries involving multiple regions of lower limb(s)
T00.6	Superficial injuries involving multiple regions of upper limb(s) with lower limb(s)
T00.8	Superficial injuries involving other combinations of body regions

T00.9	Multiple superficial injuries, unspecified
T01	Open wounds involving multiple body regions
T01.0	Open wounds involving head with neck
T01.1	Open wounds involving thorax with abdomen, lower back and pelvis
T01.2	Open wounds involving multiple regions of upper limb(s)
T01.3	Open wounds involving multiple regions of lower limb(s)
T01.6	Open wounds involving multiple regions of upper limb(s) with lower limb(s)
T01.8	Open wounds involving other combinations of body regions
T01.9	Multiple open wounds, unspecified
T02	Fractures involving multiple body regions
T02.0	Fractures involving head with neck
T02.00	Fractures involving head with neck, closed
T02.01	Fractures involving head with neck, open
T02.1	Fractures involving thorax with lower back and pelvis
T02.10	Fractures involving thorax with lower back and pelvis, closed
T02.11	Fractures involving thorax with lower back and pelvis, open
T02.2	Fractures involving multiple regions of one upper limb
T02.20	Fractures involving multiple regions of one upper limb, closed
T02.21	Fractures involving multiple regions of one upper limb, open
T02.3	Fractures involving multiple regions of one lower limb
T02.30	Fractures involving multiple regions of one lower limb, closed
T02.31	Fractures involving multiple regions of one lower limb, open
T02.4	Fractures involving multiple regions of both upper limbs
T02.40	Fractures involving multiple regions of both upper limbs, closed
T02.41	Fractures involving multiple regions of both upper limbs, open
T02.5	Fractures involving multiple regions of both lower limbs
T02.50	Fractures involving multiple regions of both lower limbs, closed
T02.51	Fractures involving multiple regions of both lower limbs, open
T02.6	Fractures involving multiple regions of upper limb(s) with lower limb(s)
T02.60	Fractures involving multiple regions of upper limb(s) with lower limb(s), closed
T02.61	Fractures involving multiple regions of upper limb(s) with lower limb(s), open
T02.7	Fractures involving thorax with lower back and pelvis with limb(s)
T02.70	Fractures involving thorax with lower back and pelvis with limb(s), closed
T02.71	Fractures involving thorax with lower back and pelvis with limb(s), open
T02.8	Fractures involving other combinations of body regions
T02.80	Fractures involving other combinations of body regions, closed
T02.81	Fractures involving other combinations of body regions, open
T02.9	Multiple fractures, unspecified
T02.90	Multiple fractures, unspecified, closed
T02.91	Multiple fractures, unspecified, open
T03	Dislocations, sprains and strains involving multiple body regions
T03.0	Dislocations, sprains and strains involving head with neck
T03.1	Dislocations, sprains and strains involving thorax with lower back and pelvis
T03.2	Dislocations, sprains and strains involving multiple regions of upper limb(s)
T03.3	Dislocations, sprains and strains involving multiple regions of lower limb(s)
T03.4	Dislocations, sprains and strains involving multiple regions of upper limb(s) with lower limb(s)
T03.8	Dislocations, sprains and strains involving other combinations of body regions

T03.9	Multiple dislocations, sprains and strains, unspecified
T04	Crushing injuries involving multiple body regions
T04.0	Crushing injuries involving head with neck
T04.1	Crushing injuries involving thorax with abdomen, lower back and pelvis
T04.2	Crushing injuries involving multiple regions of upper limb(s)
T04.3	Crushing injuries involving multiple regions of lower limb(s)
T04.4	Crushing injuries involving multiple regions of upper limb(s) with lower limb(s)
T04.7	Crushing injuries of thorax with abdomen, lower back and pelvis with limb(s)
T04.8	Crushing injuries involving other combinations of body regions
T04.9	Multiple crushing injuries, unspecified
T05	Traumatic amputations involving multiple body regions
T05.0	Traumatic amputation of both hands
T05.1	Traumatic amputation of one hand and other arm [any level, except hand]
T05.2	Traumatic amputation of both arms [any level]
T05.3	Traumatic amputation of both feet
T05.4	Traumatic amputation of one foot and other leg [any level, except foot]
T05.5	Traumatic amputation of both legs [any level]
T05.6	Traumatic amputation of upper and lower limbs, any combination [any level]
T05.8	Traumatic amputations involving other combinations of body regions
T05.9	Multiple traumatic amputations, unspecified
T06	Other injuries involving multiple body regions, not elsewhere classified
T06.0	Injuries of brain and cranial nerves with injuries of nerves and spinal cord at neck level
T06.1	Injuries of nerves and spinal cord involving other multiple body regions
T06.2	Injuries of nerves involving multiple body regions
T06.3	Injuries of blood vessels involving multiple body regions
T06.4	Injuries of muscles and tendons involving multiple body regions
T06.5	Injuries of intrathoracic organs with intra-abdominal and pelvic organs
T06.8	Other specified injuries involving multiple body regions
T07	Unspecified multiple injuries
T08	Fracture of spine, level unspecified
T08.0	Fracture of spine, level unspecified, closed
T08.1	Fracture of spine, level unspecified, open
T09	Other injuries of spine and trunk, level unspecified
T09.0	Superficial injury of trunk, level unspecified
T09.00	Unspecified superficial injury of trunk, level unspecified
T09.01	Abrasion of trunk, level unspecified
T09.02	Blister of trunk, level unspecified
T09.03	Insect bite of trunk, level unspecified
T09.04	Superficial foreign body (splinter) of trunk, level unspecified
T09.05	Contusion of trunk, level unspecified
T09.08	Other superficial injury of trunk, level unspecified
T09.1	Open wound of trunk, level unspecified
T09.2	Dislocation, sprain and strain of unspecified joint and ligament of trunk
T09.3	Injury of spinal cord, level unspecified
T09.4	Injury of unspecified nerve, spinal nerve root and plexus of trunk
T09.5	Injury of unspecified muscle and tendon of trunk
T09.6	Traumatic amputation of trunk, level unspecified
T09.8	Other specified injuries of trunk, level unspecified

T09.9	Unspecified injury of trunk, level unspecified
T10	Fracture of upper limb, level unspecified
T10.0	Fracture of upper limb, level unspecified, closed
T10.1	Fracture of upper limb, level unspecified, open
T11	Other injuries of upper limb, level unspecified
T11.0	Superficial injury of upper limb, level unspecified
T11.00	Unspecified superficial injury of upper limb, level unspecified
T11.01	Abrasion of upper limb, level unspecified
T11.02	Blister of upper limb, level unspecified
T11.03	Insect bite of upper limb, level unspecified
T11.04	Superficial foreign body (splinter) of upper limb, level unspecified
T11.05	Contusion of upper limb, level unspecified
T11.08	Other superficial injury of upper limb, level unspecified
T11.1	Open wound of upper limb, level unspecified
T11.2	Dislocation, sprain and strain of unspecified joint and ligament of upper limb, level unspecified
T11.3	Injury of unspecified nerve of upper limb, level unspecified
T11.4	Injury of unspecified blood vessel of upper limb, level unspecified
T11.5	Injury of unspecified muscle and tendon of upper limb, level unspecified
T11.6	Traumatic amputation of upper limb, level unspecified
T11.8	Other specified injuries of upper limb, level unspecified
T11.9	Unspecified injury of upper limb, level unspecified
T12	Fracture of lower limb, level unspecified
T12.0	Fracture of lower limb, level unspecified, closed
T12.1	Fracture of lower limb, level unspecified, open
T13	Other injuries of lower limb, level unspecified
T13.0	Superficial injury of lower limb, level unspecified
T13.00	Unspecified superficial injury of lower limb, level unspecified
T13.01	Abrasion of lower limb, level unspecified
T13.02	Blister of lower limb, level unspecified
T13.03	Insect bite of lower limb, level unspecified
T13.04	Superficial foreign body (splinter) of lower limb, level unspecified
T13.05	Contusion of lower limb, level unspecified
T13.08	Other superficial injury of lower limb, level unspecified
T13.1	Open wound of lower limb, level unspecified
T13.2	Dislocation, sprain and strain of unspecified joint and ligament of lower limb, level unspecified
T13.3	Injury of unspecified nerve of lower limb, level unspecified
T13.4	Injury of unspecified blood vessel of lower limb, level unspecified
T13.5	Injury of unspecified muscle and tendon of lower limb, level unspecified
T13.6	Traumatic amputation of lower limb, level unspecified
T13.8	Other specified injuries of lower limb, level unspecified
T13.9	Unspecified injury of lower limb, level unspecified
T14	Injury of unspecified body region
T14.0	Superficial injury of unspecified body region
T14.00	Unspecified superficial injury of unspecified body region
T14.01	Abrasion of unspecified body region
T14.02	Blister of unspecified body region

T14.03	Insect bite of unspecified body region
T14.04	Superficial foreign body (splinter) of unspecified body region
T14.05	Contusion of unspecified body region
T14.08	Other superficial injury of unspecified body region
T14.1	Open wound of unspecified body region
T14.2	Fracture of unspecified body region
T14.20	Fracture of unspecified body region, closed
T14.21	Fracture of unspecified body region, open
T14.3	Dislocation, sprain and strain of unspecified body region
T14.4	Injury of nerve(s) of unspecified body region
T14.5	Injury of blood vessel(s) of unspecified body region
T14.6	Injury of muscles and tendons of unspecified body region
T14.7	Crushing injury and traumatic amputation of unspecified body region
T14.8	Other injuries of unspecified body region
T14.9	Injury, unspecified
T15–T19	Effects of foreign body entering through natural orifice
T15	Foreign body on external eye
T15.0	Foreign body in cornea
T15.1	Foreign body in conjunctival sac
T15.8	Foreign body in other and multiple parts of external eye
T15.9	Foreign body on external eye, part unspecified
T16	Foreign body in ear
T17	Foreign body in respiratory tract
T17.0	Foreign body in nasal sinus
T17.1	Foreign body in nostril
T17.2	Foreign body in pharynx
T17.3	Foreign body in larynx
T17.4	Foreign body in trachea
T17.5	Foreign body in bronchus
T17.8	Foreign body in other and multiple parts of respiratory tract
T17.9	Foreign body in respiratory tract, part unspecified
T18	Foreign body in alimentary tract
T18.0	Foreign body in mouth
T18.1	Foreign body in oesophagus
T18.2	Foreign body in stomach
T18.3	Foreign body in small intestine
T18.4	Foreign body in colon
T18.5	Foreign body in anus and rectum
T18.8	Foreign body in other and multiple parts of alimentary tract
T18.9	Foreign body in alimentary tract, part unspecified
T19	Foreign body in genitourinary tract
T19.0	Foreign body in urethra
T19.1	Foreign body in bladder
T19.2	Foreign body in vulva and vagina
T19.3	Foreign body in uterus [any part]
T19.4	Foreign body in ureter
T19.8	Foreign body in other and multiple parts of genitourinary tract
T19.81	Foreign body in other and multiple parts of male genitourinary tract

T19.82	Foreign body in other and multiple parts of female genitourinary tract
T19.9	Foreign body in genitourinary tract, part unspecified
T20–T31	Burns
T20	Burn of head and neck
T20.0	Burn of unspecified thickness of head and neck
T20.1	Erythema of head and neck
T20.2	Partial thickness [blisters, epidermal loss] burn of head and neck
T20.3	Full thickness burn of head and neck
T21	Burn of trunk
T21.0	Burn of unspecified thickness of trunk
T21.00	Burn of unspecified thickness of trunk, unspecified site
T21.01	Burn of unspecified thickness of breast
T21.02	Burn of unspecified thickness of chest wall
T21.03	Burn of unspecified thickness of abdominal wall
T21.04	Burn of unspecified thickness of back [any part]
T21.05	Burn of unspecified thickness of genitalia [external]
T21.09	Burn of unspecified thickness of other sites of trunk
T21.1	Erythema of trunk
T21.10	Erythema of trunk, unspecified site
T21.11	Erythema of breast
T21.12	Erythema of chest wall
T21.13	Erythema of abdominal wall
T21.14	Erythema of back [any part]
T21.15	Erythema of genitalia [external]
T21.19	Erythema of other sites of trunk
T21.2	Partial thickness [blisters, epidermal loss] burn of trunk
T21.20	Partial thickness [blisters, epidermal loss] burn of trunk, unspecified site
T21.21	Partial thickness [blisters, epidermal loss] burn of breast
T21.22	Partial thickness [blisters, epidermal loss] burn of chest wall
T21.23	Partial thickness [blisters, epidermal loss] burn of abdominal wall
T21.24	Partial thickness [blisters, epidermal loss] burn of back [any part]
T21.25	Partial thickness [blisters, epidermal loss] burn of genitalia [external]
T21.29	Partial thickness [blisters, epidermal loss] burn of other sites of trunk
T21.3	Full thickness burn of trunk
T21.30	Full thickness burn of trunk, unspecified site
T21.31	Full thickness burn of breast
T21.32	Full thickness burn of chest wall
T21.33	Full thickness burn of abdominal wall
T21.34	Full thickness burn of back [any part]
T21.35	Full thickness burn of genitalia [external]
T21.39	Full thickness burn of other sites of trunk
T22	Burn of shoulder and upper limb, except wrist and hand
T22.0	Burn of unspecified thickness of shoulder and upper limb, except wrist and hand
T22.00	Burn of unspecified thickness of shoulder and upper limb, except wrist and hand, unspecified site
T22.01	Burn of unspecified thickness forearm and elbow
T22.02	Burn of unspecified thickness arm (upper) and shoulder region
T22.1	Erythema of shoulder and upper limb, except wrist and hand

T22.10	Erythema of shoulder and upper limb, except wrist and hand, unspecified site
T22.11	Erythema of forearm and elbow
T22.12	Erythema of arm (upper) and shoulder region
T22.2	Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand
T22.20	Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand, unspecified site
T22.21	Partial thickness [blisters, epidermal loss] burn of forearm and elbow
T22.22	Partial thickness [blisters, epidermal loss] burn of arm (upper) and shoulder region
T22.3	Full thickness burn of shoulder and upper limb, except wrist and hand
T22.30	Full thickness burn of shoulder and upper limb, except wrist and hand, upper limb, unspecified site
T22.31	Full thickness burn of forearm and elbow
T22.32	Full thickness burn of arm (upper) and shoulder region
T23	Burn of wrist and hand
T23.0	Burn of unspecified thickness of wrist and hand
T23.1	Erythema of wrist and hand
T23.2	Partial thickness [blisters, epidermal loss] burn of wrist and hand
T23.3	Full thickness burn of wrist and hand
T24	Burn of hip and lower limb, except ankle and foot
T24.0	Burn of unspecified thickness of hip and lower limb, except ankle and foot
T24.1	Erythema of hip and lower limb, except ankle and foot
T24.2	Partial thickness [blisters, epidermal loss] burn of hip and lower limb, except ankle and foot
T24.3	Full thickness burn of hip and lower limb, except ankle and foot
T25	Burn of ankle and foot
T25.0	Burn of unspecified thickness of ankle and foot
T25.1	Erythema of ankle and foot
T25.2	Partial thickness [blisters, epidermal loss] burn of ankle and foot
T25.3	Full thickness burn of ankle and foot
T26	Burn of eye and adnexa
T26.0	Burn of eyelid and periocular area
T26.1	Burn of cornea and conjunctival sac
T26.2	Burn with resulting rupture and destruction of eyeball
T26.3	Burn of other parts of eye and adnexa
T26.4	Burn of eye and adnexa, part unspecified
T27	Burn of respiratory tract
T27.0	Burn of larynx and trachea
T27.1	Burn involving larynx and trachea with lung
T27.2	Burn of other parts of respiratory tract
T27.3	Burn of respiratory tract, part unspecified
T28	Burn of other internal organs
T28.0	Burn of mouth and pharynx
T28.1	Burn of oesophagus
T28.2	Burn of other parts of alimentary tract
T28.3	Burn of internal genitourinary organs
T28.4	Burn of other and unspecified internal organs
T29	Burns of multiple body regions
T29.0	Burns of multiple regions, unspecified thickness

T29.1	Burns of multiple regions, no more than erythema burns mentioned
T29.2	Burns of multiple regions, no more than partial thickness burns mentioned
T29.3	Burns of multiple regions, at least one burn of full thickness mentioned
T30	Burn, body region unspecified
T30.0	Burn of unspecified body region, unspecified thickness
T30.1	Erythema, body region unspecified
T30.2	Burn of partial thickness, body region unspecified
T30.3	Burn of full thickness, body region unspecified
T31	Burns classified according to extent of body surface involved
T31.0	Burns involving less than 10 per cent of body surface
T31.00	Burns involving less than 10 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.1	Burns involving 10-19 per cent of body surface
T31.10	Burns involving 10-19 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.11	Burns involving 10-19 per cent of body surface, with 10-19 per cent full thickness burns
T31.2	Burns involving 20-29 per cent of body surface
T31.20	Burns involving 20-29 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.21	Burns involving 20-29 per cent of body surface, with 10-19 per cent full thickness burns
T31.22	Burns involving 20-29 per cent of body surface, with 20-29 per cent full thickness burns
T31.3	Burns involving 30-39 per cent of body surface
T31.30	Burns involving 30-39 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.31	Burns involving 30-39 per cent of body surface, with 10-19 per cent full thickness burns
T31.32	Burns involving 30-39 per cent of body surface, with 20-29 per cent full thickness burns
T31.33	Burns involving 30-39 per cent of body surface, with 30-39 per cent full thickness burns
T31.4	Burns involving 40-49 per cent of body surface
T31.40	Burns involving 40-49 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.41	Burns involving 40-49 per cent of body surface, with 10-19 per cent full thickness burns
T31.42	Burns involving 40-49 per cent of body surface, with 20-29 per cent full thickness burns
T31.43	Burns involving 40-49 per cent of body surface, with 30-39 per cent full thickness burns
T31.44	Burns involving 40-49 per cent of body surface, with 40-49 per cent full thickness burns
T31.5	Burns involving 50-59 per cent of body surface
T31.50	Burns involving 50-59 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.51	Burns involving 50-59 per cent of body surface, with 10-19 per cent full thickness burns
T31.52	Burns involving 50-59 per cent of body surface, with 20-29 per cent full thickness burns
T31.53	Burns involving 50-59 per cent of body surface, with 30-39 per cent full thickness burns
T31.54	Burns involving 50-59 per cent of body surface, with 40-49 per cent full thickness burns
T31.55	Burns involving 50-59 per cent of body surface, with 50-59 per cent full thickness burns
T31.6	Burns involving 60-69 per cent of body surface
T31.60	Burns involving 60-69 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.61	Burns involving 60-69 per cent of body surface, with 10-19 per cent full thickness burns
T31.62	Burns involving 60-69 per cent of body surface, with 20-29 per cent full thickness burns
T31.63	Burns involving 60-69 per cent of body surface, with 30-39 per cent full thickness burns
T31.64	Burns involving 60-69 per cent of body surface, with 40-49 per cent full thickness burns

T31.65	Burns involving 60-69 per cent of body surface, with 50-59 per cent full thickness burns
T31.66	Burns involving 60-69 per cent of body surface, with 60-69 per cent full thickness burns
T31.7	Burns involving 70-79 per cent of body surface
T31.70	Burns involving 70-79 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.71	Burns involving 70-79 per cent of body surface, with 10-19 per cent full thickness burns
T31.72	Burns involving 70-79 per cent of body surface, with 20-29 per cent full thickness burns
T31.73	Burns involving 70-79 per cent of body surface, with 30-39 per cent full thickness burns
T31.74	Burns involving 70-79 per cent of body surface, with 40-49 per cent full thickness burns
T31.75	Burns involving 70-79 per cent of body surface, with 50-59 per cent full thickness burns
T31.76	Burns involving 70-79 per cent of body surface, with 60-69 per cent full thickness burns
T31.77	Burns involving 70-79 per cent of body surface, with 70-79 per cent full thickness burns
T31.8	Burns involving 80-89 per cent of body surface
T31.80	Burns involving 80-89 per cent of body surface, with less than 10 per cent or unspecified full thickness burns
T31.81	Burns involving 80-89 per cent of body surface, with 10-19 per cent full thickness burns
T31.82	Burns involving 80-89 per cent of body surface, with 20-29 per cent full thickness burns
T31.83	Burns involving 80-89 per cent of body surface, with 30-39 per cent full thickness burns
T31.84	Burns involving 80-89 per cent of body surface, with 40-49 per cent full thickness burns
T31.85	Burns involving 80-89 per cent of body surface, with 50-59 per cent full thickness burns
T31.86	Burns involving 80-89 per cent of body surface, with 60-69 per cent full thickness burns
T31.87	Burns involving 80-89 per cent of body surface, with 70-79 per cent full thickness burns
T31.88	Burns involving 80-89 per cent of body surface, with 80-89 per cent full thickness burns
T31.9	Burns involving 90 per cent or more of body surface
T31.90	Burns involving 90 per cent or more of body surface, with less than 10 per cent or unspecified full thickness burns
T31.91	Burns involving 90 per cent or more of body surface, with 10-19 per cent full thickness burns
T31.92	Burns involving 90 per cent or more of body surface, with 20-29 per cent full thickness burns
T31.93	Burns involving 90 per cent or more of body surface, with 30-39 per cent full thickness burns
T31.94	Burns involving 90 per cent or more of body surface, with 40-49 per cent full thickness burns
T31.95	Burns involving 90 per cent or more of body surface, with 50-59 per cent full thickness burns
T31.96	Burns involving 90 per cent or more of body surface, with 60-69 per cent full thickness burns
T31.97	Burns involving 90 per cent or more of body surface, with 70-79 per cent full thickness burns
T31.98	Burns involving 90 per cent or more of body surface, with 80-89 per cent full thickness burns
T31.99	Burns involving 90 per cent or more of body surface, with 90 per cent or more of body surface full thickness burns
T33	Superficial frostbite
T33.0	Superficial frostbite of head
T33.1	Superficial frostbite of neck
T33.2	Superficial frostbite of thorax
T33.3	Superficial frostbite of abdominal wall, lower back and pelvis
T33.4	Superficial frostbite of arm

T33.5	Superficial frostbite of wrist and hand
T33.6	Superficial frostbite of hip and thigh
T33.7	Superficial frostbite of knee and lower leg
T33.8	Superficial frostbite of ankle and foot
T33.9	Superficial frostbite of other and unspecified sites
T34	Frostbite with tissue necrosis
T34.0	Frostbite with tissue necrosis of head
T34.1	Frostbite with tissue necrosis of neck
T34.2	Frostbite with tissue necrosis of thorax
T34.3	Frostbite with tissue necrosis of abdominal wall, lower back and pelvis
T34.4	Frostbite with tissue necrosis of arm
T34.5	Frostbite with tissue necrosis of wrist and hand
T34.6	Frostbite with tissue necrosis of hip and thigh
T34.7	Frostbite with tissue necrosis of knee and lower leg
T34.8	Frostbite with tissue necrosis of ankle and foot
T34.9	Frostbite with tissue necrosis of other and unspecified sites
T35	Frostbite involving multiple body regions and unspecified frostbite
T35.0	Superficial frostbite involving multiple body regions
T35.1	Frostbite with tissue necrosis involving multiple body regions
T35.2	Unspecified frostbite of head and neck
T35.3	Unspecified frostbite of thorax, abdomen, lower back and pelvis
T35.4	Unspecified frostbite of upper limb
T35.5	Unspecified frostbite of lower limb
T35.6	Unspecified frostbite involving multiple body regions
T35.7	Unspecified frostbite of unspecified site
T36–T50	Poisoning by drugs, medicaments and biological substances
T36	Poisoning by systemic antibiotics
T36.0	Penicillins
T36.1	Cephalosporins and other beta-lactam antibiotics
T36.2	Chloramphenicol group
T36.3	Macrolides
T36.4	Tetracyclines
T36.5	Aminoglycosides
T36.6	Rifamycins
T36.7	Antifungal antibiotics, systemically used
T36.8	Other systemic antibiotics
T36.9	Systemic antibiotic, unspecified
T37	Poisoning by other systemic anti-infectives and antiparasitics
T37.0	Sulfonamides
T37.1	Antimycobacterial drugs
T37.2	Antimalarials and drugs acting on other blood protozoa
T37.3	Other antiprotozoal drugs
T37.4	Anthelmintics
T37.5	Antiviral drugs
T37.8	Other specified systemic anti-infectives and antiparasitics
T37.9	Systemic anti-infective and antiparasitic, unspecified
T38	Poisoning by hormones and their synthetic substitutes and antagonists, not elsewhere classified

T38.0	Glucocorticoids and synthetic analogues
T38.1	Thyroid hormones and substitutes
T38.2	Antithyroid drugs
T38.3	Insulin and oral hypoglycaemic [antidiabetic] drugs
T38.4	Oral contraceptives
T38.5	Other oestrogens and progestogens
T38.6	Antigonadotrophins, anti-oestrogens, antiandrogens, not elsewhere classified
T38.7	Androgens and anabolic congeners
T38.8	Other and unspecified hormones and their synthetic substitutes
T38.9	Other and unspecified hormone antagonists
T39	Poisoning by nonopioid analgesics, antipyretics and antirheumatics
T39.0	Salicylates
T39.1	4-Aminophenol derivatives
T39.2	Pyrazolone derivatives
T39.3	Other nonsteroidal anti-inflammatory drugs [NSAID]
T39.4	Antirheumatics, not elsewhere classified
T39.8	Other nonopioid analgesics and antipyretics, not elsewhere classified
T39.9	Nonopioid analgesic, antipyretic and antirheumatic, unspecified
T40	Poisoning by narcotics and psychodysleptics [hallucinogens]
T40.0	Opium
T40.1	Heroin
T40.2	Other opioids
T40.3	Methadone
T40.4	Other synthetic narcotics
T40.5	Cocaine
T40.6	Other and unspecified narcotics
T40.7	Cannabis (derivatives)
T40.8	Lysergide [LSD]
T40.9	Other and unspecified psychodysleptics [hallucinogens]
T41	Poisoning by anaesthetics and therapeutic gases
T41.0	Inhaled anaesthetics
T41.00	Poisoning by unspecified inhaled anaesthetic
T41.01	Poisoning by nitrous oxide
T41.09	Poisoning by other specified inhaled anaesthesia
T41.1	Intravenous anaesthetics
T41.2	Other and unspecified general anaesthetics
T41.20	Unspecified general anaesthetic
T41.21	Gamma hydroxybutyrate
T41.22	Ketamine
T41.29	Other specified general anaesthetic
T41.3	Local anaesthetics
T41.4	Anaesthetic, unspecified
T41.5	Therapeutic gases
T42	Poisoning by antiepileptic, sedative-hypnotic and antiparkinsonism drugs
T42.0	Hydantoin derivatives
T42.1	Iminostilbenes
T42.2	Succinimides and oxazolidinediones
T42.3	Barbiturates

T42.4	Benzodiazepines
T42.5	Mixed antiepileptics, not elsewhere classified
T42.6	Other antiepileptic and sedative-hypnotic drugs
T42.7	Antiepileptic and sedative-hypnotic drugs, unspecified
T42.8	Antiparkinsonism drugs and other central muscle-tone depressants
T43	Poisoning by psychotropic drugs, not elsewhere classified
T43.0	Tricyclic and tetracyclic antidepressants
T43.1	Monoamine-oxidase-inhibitor antidepressants
T43.2	Other and unspecified antidepressants
T43.3	Phenothiazine antipsychotics and neuroleptics
T43.4	Butyrophenone and thioxanthene neuroleptics
T43.5	Other and unspecified antipsychotics and neuroleptics
T43.6	Psychostimulants with potential for use disorder
T43.60	Unspecified psychostimulants with potential for use disorder
T43.61	Methylamphetamine
T43.62	Methylenedioxy methamphetamine
T43.69	Other psychostimulants with potential for use disorder
T43.8	Other psychotropic drugs, not elsewhere classified
T43.9	Psychotropic drug, unspecified
T44	Poisoning by drugs primarily affecting the autonomic nervous system
T44.0	Anticholinesterase agents
T44.1	Other parasympathomimetics [cholinergics]
T44.2	Ganglionic blocking drugs, not elsewhere classified
T44.3	Other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, not elsewhere classified
T44.4	Predominantly alpha-adrenoreceptor agonists, not elsewhere classified
T44.5	Predominantly beta-adrenoreceptor agonists, not elsewhere classified
T44.6	Alpha-Adrenoreceptor antagonists, not elsewhere classified
T44.7	Beta-Adrenoreceptor antagonists, not elsewhere classified
T44.8	Centrally acting and adrenergic-neuron-blocking agents, not elsewhere classified
T44.9	Other and unspecified drugs primarily affecting the autonomic nervous system
T45	Poisoning by primarily systemic and haematological agents, not elsewhere classified
T45.0	Antiallergic and antiemetic drugs
T45.1	Antineoplastic and immunosuppressive drugs
T45.2	Vitamins, not elsewhere classified
T45.3	Enzymes, not elsewhere classified
T45.4	Iron and its compounds
T45.5	Anticoagulants
T45.6	Fibrinolysis-affecting drugs
T45.7	Anticoagulant antagonists, vitamin K and other coagulants
T45.8	Other primarily systemic and haematological agents
T45.9	Primarily systemic and haematological agent, unspecified
T46	Poisoning by agents primarily affecting the cardiovascular system
T46.0	Cardiac-stimulant glycosides and drugs of similar action
T46.1	Calcium-channel blockers
T46.2	Other antidysrhythmic drugs, not elsewhere classified
T46.3	Coronary vasodilators, not elsewhere classified
T46.4	Angiotensin-converting-enzyme inhibitors

T46.5	Other antihypertensive drugs, not elsewhere classified
T46.6	Antihyperlipidaemic and antiarteriosclerotic drugs
T46.7	Peripheral vasodilators
T46.8	Antivaricose drugs, including sclerosing agents
T46.9	Other and unspecified agents primarily affecting the cardiovascular system
T47	Poisoning by agents primarily affecting the gastrointestinal system
T47.0	Histamine H ₂ -receptor antagonists
T47.1	Other antacids and anti-gastric-secretion drugs
T47.2	Stimulant laxatives
T47.3	Saline and osmotic laxatives
T47.4	Other laxatives
T47.5	Digestants
T47.6	Antidiarrhoeal drugs
T47.7	Emetics
T47.8	Other agents primarily affecting the gastrointestinal system
T47.9	Agent primarily affecting the gastrointestinal system, unspecified
T48	Poisoning by agents primarily acting on smooth and skeletal muscles and the respiratory system
T48.0	Oxytocic drugs
T48.1	Skeletal muscle relaxants [neuromuscular blocking agents]
T48.2	Other and unspecified agents primarily acting on muscles
T48.3	Antitussives
T48.4	Expectorants
T48.5	Anti-common-cold drugs
T48.6	Antiasthmatics, not elsewhere classified
T48.7	Other and unspecified agents primarily acting on the respiratory system
T49	Poisoning by topical agents primarily affecting skin and mucous membrane and by ophthalmological, otorhinolaryngological and dental drugs
T49.0	Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified
T49.1	Antipruritics
T49.2	Local astringents and local detergents
T49.3	Emollients, demulcents and protectants
T49.4	Keratolytics, keratoplastics and other hair treatment drugs and preparations
T49.5	Ophthalmological drugs and preparations
T49.6	Otorhinolaryngological drugs and preparations
T49.7	Dental drugs, topically applied
T49.8	Other topical agents
T49.9	Topical agent, unspecified
T50	Poisoning by diuretics and other and unspecified drugs, medicaments and biological substances
T50.0	Mineralocorticoids and their antagonists
T50.1	Loop [high-ceiling] diuretics
T50.2	Carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics
T50.3	Electrolytic, caloric and water-balance agents
T50.4	Drugs affecting uric acid metabolism
T50.5	Appetite depressants
T50.6	Antidotes and chelating agents, not elsewhere classified
T50.7	Analeptics and opioid receptor antagonists

T50.8	Diagnostic agents
T50.9	Other and unspecified drugs, medicaments and biological substances
T51	Toxic effect of alcohol
T51.0	Ethanol
T51.1	Methanol
T51.2	2-Propanol
T51.3	Fusel oil
T51.8	Other alcohols
T51.9	Alcohol, unspecified
T52	Toxic effect of organic solvents
T52.0	Petroleum products
T52.1	Benzene
T52.2	Homologues of benzene
T52.3	Glycols
T52.4	Ketones
T52.8	Other organic solvents
T52.9	Organic solvent, unspecified
T53	Toxic effect of halogen derivatives of aliphatic and aromatic hydrocarbons
T53.0	Carbon tetrachloride
T53.1	Chloroform
T53.2	Trichloroethylene
T53.3	Tetrachloroethylene
T53.4	Dichloromethane
T53.5	Chlorofluorocarbons
T53.6	Other halogen derivatives of aliphatic hydrocarbons
T53.7	Other halogen derivatives of aromatic hydrocarbons
T53.9	Halogen derivative of aliphatic and aromatic hydrocarbons, unspecified
T54	Toxic effect of corrosive substances
T54.0	Phenol and phenol homologues
T54.1	Other corrosive organic compounds
T54.2	Corrosive acids and acid-like substances
T54.3	Corrosive alkalis and alkali-like substances
T54.9	Corrosive substance, unspecified
T55	Toxic effect of soaps and detergents
T56	Toxic effect of metals
T56.0	Lead and its compounds
T56.1	Mercury and its compounds
T56.2	Chromium and its compounds
T56.3	Cadmium and its compounds
T56.4	Copper and its compounds
T56.5	Zinc and its compounds
T56.6	Tin and its compounds
T56.7	Beryllium and its compounds
T56.8	Other metals
T56.9	Metal, unspecified
T57	Toxic effect of other inorganic substances
T57.0	Arsenic and its compounds
T57.1	Phosphorus and its compounds

T57.2	Manganese and its compounds
T57.3	Hydrogen cyanide
T57.8	Other specified inorganic substances
T57.9	Inorganic substance, unspecified
T58	Toxic effect of carbon monoxide
T59	Toxic effect of other gases, fumes and vapours
T59.0	Nitrogen oxides
T59.1	Sulfur dioxide
T59.2	Formaldehyde
T59.3	Lacrimogenic gas
T59.4	Chlorine gas
T59.5	Fluorine gas and hydrogen fluoride
T59.6	Hydrogen sulfide
T59.7	Carbon dioxide
T59.8	Other specified gases, fumes and vapours
T59.9	Gases, fumes and vapours, unspecified
T60	Toxic effect of pesticides
T60.0	Organophosphate and carbamate insecticides
T60.1	Halogenated insecticides
T60.2	Other and unspecified insecticides
T60.3	Herbicides and fungicides
T60.4	Rodenticides
T60.8	Other pesticides
T60.9	Pesticide, unspecified
T61	Toxic effect of noxious substances eaten as seafood
T61.0	Ciguatera fish poisoning
T61.1	Scombroid fish poisoning
T61.2	Other fish and shellfish poisoning
T61.8	Toxic effect of other seafoods
T61.9	Toxic effect of unspecified seafood
T62	Toxic effect of other noxious substances eaten as food
T62.0	Ingested mushrooms
T62.1	Ingested berries
T62.2	Other ingested (parts of) plant(s)
T62.8	Other specified noxious substances eaten as food
T62.9	Noxious substance eaten as food, unspecified
T63	Toxic effect of contact with venomous animals
T63.0	Snake venom
T63.1	Venom of other reptiles
T63.2	Venom of scorpion
T63.3	Venom of spider
T63.4	Venom of other arthropods
T63.5	Toxic effect of contact with fish
T63.6	Toxic effect of contact with other marine animals
T63.8	Toxic effect of contact with other venomous animals
T63.9	Toxic effect of contact with unspecified venomous animal
T64	Toxic effect of aflatoxin and other mycotoxin food contaminants
T65	Toxic effect of other and unspecified substances

T65.0	Cyanides
T65.1	Strychnine and its salts
T65.2	Tobacco and nicotine
T65.3	Nitroderivatives and aminoderivatives of benzene and its homologues
T65.4	Carbon disulfide
T65.5	Nitroglycerin and other nitric acids and esters
T65.6	Paints and dyes, not elsewhere classified
T65.8	Toxic effect of other specified substances
T65.9	Toxic effect of unspecified substance
T66	Unspecified effects of radiation
T67	Effects of heat and light
T67.0	Heatstroke and sunstroke
T67.1	Heat syncope
T67.2	Heat cramp
T67.3	Heat exhaustion, anhydrotic
T67.4	Heat exhaustion due to salt depletion
T67.5	Heat exhaustion, unspecified
T67.6	Heat fatigue, transient
T67.7	Heat oedema
T67.8	Other effects of heat and light
T67.9	Effect of heat and light, unspecified
T68	Hypothermia
T69	Other effects of reduced temperature
T69.0	Immersion hand and foot
T69.1	Chilblains
T69.8	Other specified effects of reduced temperature
T69.9	Effect of reduced temperature, unspecified
T70	Effects of air pressure and water pressure
T70.0	Otitic barotrauma
T70.1	Sinus barotrauma
T70.2	Other and unspecified effects of high altitude
T70.3	Other effects of decompression and barotrauma
T70.4	Effects of high-pressure fluids
T70.8	Other effects of air pressure and water pressure
T70.9	Effect of air pressure and water pressure, unspecified
T71	Asphyxiation
T73	Effects of other deprivation
T73.0	Effects of hunger
T73.1	Effects of thirst
T73.2	Exhaustion due to exposure
T73.3	Exhaustion due to excessive exertion
T73.8	Other effects of deprivation
T73.9	Effect of deprivation, unspecified
T74	Abuse, neglect and other maltreatment
T74.0	Neglect or abandonment
T74.1	Physical abuse
T74.2	Sexual abuse
T74.3	Psychological abuse

T74.8	Other forms of abuse, neglect and maltreatment
T74.9	Abuse, neglect and maltreatment, unspecified
T75	Effects of other external causes
T75.0	Effects of lightning
T75.1	Drowning and nonfatal submersion
T75.2	Effects of vibration
T75.3	Motion sickness
T75.4	Effects of electric current
T75.8	Other specified effects of other external causes
T76	Unspecified effects of external causes
T78	Adverse effects, not elsewhere classified
T78.0	Anaphylaxis and anaphylactic shock due to adverse food reaction
T78.1	Other adverse food reactions, not elsewhere classified
T78.2	Anaphylaxis and anaphylactic shock, unspecified
T78.3	Angioneurotic oedema
T78.4	Allergy, unspecified
T78.8	Other adverse effects, not elsewhere classified
T78.9	Adverse effect, unspecified
T79	Certain early complications of trauma, not elsewhere classified
T79.0	Air embolism (traumatic)
T79.1	Fat embolism (traumatic)
T79.2	Traumatic secondary and recurrent haemorrhage
T79.3	Post traumatic wound infection, not elsewhere classified
T79.4	Traumatic shock
T79.5	Traumatic anuria
T79.6	Traumatic ischaemia of muscle
T79.7	Traumatic subcutaneous emphysema
T79.8	Other early complications of trauma
T79.9	Unspecified early complication of trauma
T80–T88	Complications of surgical and medical care
T80–T81	Complications due to interventions
T80	Complications due to infusion, transfusion and therapeutic injection
T80.0	Air embolism due to infusion, transfusion and therapeutic injection
T80.1	Vascular complications due to infusion, transfusion and therapeutic injection
T80.2	Infections due to infusion, transfusion and therapeutic injection
T80.3	ABO incompatibility reaction
T80.4	Rh incompatibility reaction
T80.5	Anaphylaxis and anaphylactic shock due to serum
T80.6	Other serum reactions
T80.8	Other complications due to infusion, transfusion and therapeutic injection
T80.9	Unspecified complication due to infusion, transfusion and therapeutic injection
T81	Complications of procedures, not elsewhere classified
T81.0	Haemorrhage and haematoma complicating a procedure, not elsewhere classified
T81.1	Shock during or resulting from a procedure, not elsewhere classified
T81.2	Accidental puncture and laceration during a procedure, not elsewhere classified
T81.3	Disruption of operation wound, not elsewhere classified
T81.4	Postprocedural wound infection, not elsewhere classified
T81.41	Wound infection following a procedure

T81.42	Sepsis following a procedure
T81.5	Foreign body accidentally left in body cavity or operation wound following a procedure
T81.6	Acute reaction to foreign substance accidentally left during a procedure
T81.7	Circulatory system complications due to a procedure, not elsewhere classified
T81.8	Other complications of procedures
T81.81	Complication of inhalation therapy
T81.82	Persistent postprocedural fistula, not elsewhere classified
T81.83	Pain due to a procedure, not elsewhere classified
T81.84	Postprocedural emphysema
T81.85	Nervous system complications due to a procedure, not elsewhere classified
T81.86	Respiratory system complications due to a procedure, not elsewhere classified
T81.87	Digestive system complications due to a procedure, not elsewhere classified
T81.88	Genitourinary system complications due to a procedure, not elsewhere classified
T81.89	Other complications of a procedure, not elsewhere classified
T81.9	Unspecified complication of procedure
T82–T86	Complications of devices, implants and grafts
T82	Complications of internal cardiac and vascular devices, implants and grafts
T82.0	Mechanical complication of prosthetic heart valve
T82.1	Mechanical complication of electronic cardiac device
T82.2	Mechanical complication of coronary artery bypass and valve grafts
T82.3	Mechanical complication of other vascular grafts
T82.4	Mechanical complication of vascular dialysis catheter
T82.5	Mechanical complication of other internal cardiac and vascular devices and implants
T82.51	Mechanical complication of central vascular catheter
T82.52	Mechanical complication of peripheral vascular catheter
T82.53	Mechanical complication of surgically created arteriovenous fistula and shunt
T82.54	Mechanical complication of vascular balloon [counterpulsation] device
T82.55	Mechanical complication of artificial heart
T82.56	Mechanical complication of vena cava device
T82.59	Mechanical complication of other specified cardiac and vascular devices and implants
T82.6	Infection and inflammatory reaction due to cardiac valve prosthesis
T82.7	Infection and inflammatory reaction due to internal cardiac and vascular devices, implants and grafts, not elsewhere classified
T82.71	Infection and inflammatory reaction due to electronic cardiac device
T82.72	Infection and inflammatory reaction due to coronary artery bypass and valve grafts
T82.73	Infection and inflammatory reaction due to other vascular grafts
T82.74	Infection and inflammatory reaction due to central vascular catheter
T82.75	Infection and inflammatory reaction due to peripheral vascular catheter
T82.76	Infection and inflammatory reaction due to surgically created arteriovenous fistula and shunt
T82.77	Infection and inflammatory reaction due to vascular dialysis catheter
T82.79	Infection and inflammatory reaction due to cardiac and vascular devices, implants and grafts, not elsewhere classified
T82.8	Other specified complications of internal cardiac and vascular devices, implants and grafts
T82.81	Haemorrhage and haematoma due to insertion of internal cardiac and vascular devices, implants and grafts
T82.82	Embolism and thrombosis due to insertion of internal cardiac and vascular devices, implants and grafts
T82.83	Pain due to insertion of internal cardiac and vascular devices, implants and grafts

T82.84	Stenosis due to insertion of internal cardiac and vascular devices, implants and grafts
T82.85	Vascular dissection due to insertion of internal cardiac and vascular devices, implants and grafts
T82.86	Aneurysm due to insertion of internal cardiac and vascular devices, implants and grafts
T82.89	Other complications of internal cardiac and vascular devices, implants and grafts
T82.9	Unspecified complication of internal cardiac and vascular device, implant and graft
T83	Complications of internal genitourinary devices, implants and grafts
T83.0	Mechanical complication of urinary (indwelling) catheter
T83.1	Mechanical complication of other urinary devices and implants
T83.2	Mechanical complication of graft of urinary organ
T83.3	Mechanical complication of intrauterine device
T83.4	Mechanical complication of other internal devices, implants and grafts in genital tract
T83.41	Mechanical complication of other internal devices, implants and grafts in male genital tract
T83.42	Mechanical complication of other internal devices, implants and grafts in female genital tract
T83.5	Infection and inflammatory reaction due to internal device, implant and graft in urinary system
T83.6	Infection and inflammatory reaction due to internal device, implant and graft in genital tract
T83.61	Infection and inflammatory reaction due to internal device, implant and graft in male genital tract
T83.62	Infection and inflammatory reaction due to internal device, implant and graft in female genital tract
T83.8	Other complications of genitourinary internal devices, implants and grafts
T83.81	Haemorrhage and haematoma due to internal genitourinary devices, implants and grafts
T83.82	Embolism and thrombosis due to internal genitourinary devices, implants and grafts
T83.83	Pain due to insertion of internal genitourinary devices, implants and grafts
T83.84	Stenosis due to insertion of internal genitourinary devices, implants and grafts
T83.85	Erosion of genitourinary mesh and other implant materials
T83.89	Other complications of internal genitourinary devices, implants and grafts
T83.9	Unspecified complication of internal genitourinary device, implant and graft
T84	Complications of internal orthopaedic devices, implants and grafts
T84.0	Mechanical complication of internal prosthetic joint
T84.1	Mechanical complication of internal fixation device of bones of limb
T84.2	Mechanical complication of internal fixation device of other bones
T84.3	Mechanical complication of other internal bone devices, implants and grafts
T84.4	Mechanical complication of other internal orthopaedic devices, implants and grafts
T84.5	Infection and inflammatory reaction due to internal joint prosthesis
T84.6	Infection and inflammatory reaction due to internal fixation device [any site]
T84.7	Infection and inflammatory reaction due to other internal orthopaedic devices, implants and grafts
T84.8	Other complications of internal orthopaedic devices, implants and grafts
T84.81	Haemorrhage and haematoma due to insertion of internal orthopaedic devices, implants and grafts
T84.82	Embolism and thrombosis due to insertion of internal orthopaedic devices, implants and grafts
T84.83	Pain due to insertion of internal orthopaedic devices, implants and grafts
T84.84	Stenosis due to insertion of internal orthopaedic devices, implants and grafts
T84.85	Metallosis due to insertion of internal orthopaedic devices, implants and grafts
T84.89	Other complications of internal orthopaedic devices, implants and grafts

T84.9	Unspecified complication of internal orthopaedic device, implant and graft
T85	Complications of other internal devices, implants and grafts
T85.0	Mechanical complication of ventricular intracranial (communicating) shunt
T85.1	Mechanical complication of implanted electronic stimulator of nervous system
T85.2	Mechanical complication of intraocular lens
T85.3	Mechanical complication of other internal ocular devices, implants and grafts
T85.4	Mechanical complication of breast implants
T85.5	Mechanical complication of internal gastrointestinal devices, implants and grafts
T85.6	Mechanical complication of internal devices, implants and grafts, not elsewhere classified
T85.61	Mechanical complication of internal respiratory devices, implants and grafts
T85.62	Mechanical complication of internal auditory devices, implants and grafts
T85.63	Mechanical complication of intraperitoneal dialysis catheter
T85.64	Mechanical complication of epidural and subdural infusion catheter
T85.65	Mechanical complication of surgical material and sutures
T85.69	Mechanical complication of internal devices, implants and grafts, not elsewhere classified
T85.7	Infection and inflammatory reaction due to other internal devices, implants and grafts
T85.71	Infection and inflammatory reaction due to peritoneal dialysis catheter
T85.72	Infection and inflammatory reaction due to internal nervous system devices, implants and grafts
T85.73	Infection and inflammatory reaction due to internal gastrointestinal devices, implants and grafts
T85.74	Infection and inflammatory reaction due to internal respiratory devices, implants and grafts
T85.75	Infection and inflammatory reaction due to internal breast devices, implants and grafts
T85.76	Infection and inflammatory reaction due to internal ocular devices, implants and grafts
T85.77	Infection and inflammatory reaction due to internal hearing devices, implants and grafts
T85.78	Infection and inflammatory reaction due to other internal devices, implants and grafts
T85.8	Other complications of internal devices, implants and grafts, not elsewhere classified
T85.81	Other complications of internal nervous system devices, implants and grafts
T85.82	Other complications of internal gastrointestinal devices, implants and grafts
T85.83	Haemorrhage and haematoma due to insertion of other internal devices, implants and grafts
T85.84	Embolism and thrombosis due to insertion of other internal devices, implants and grafts
T85.85	Pain due to insertion of other internal devices, implants and grafts
T85.86	Stenosis due to insertion of other internal devices, implants and grafts
T85.88	Other complications of internal device, implant and graft, not elsewhere classified
T85.9	Unspecified complication of other internal device, implant and graft
T86	Failure and rejection of transplanted [grafted] organs and tissues
T86.0	Bone marrow transplant rejection
T86.1	Kidney transplant failure and rejection
T86.2	Heart transplant failure and rejection
T86.3	Heart-lung transplant failure and rejection
T86.4	Liver transplant failure and rejection
T86.5	Stem cell transplant failure and rejection, not elsewhere classified
T86.8	Failure and rejection of other transplanted [grafted] organs and tissues
T86.81	Lung transplant failure and rejection
T86.82	Pancreas or pancreatic islet cell transplant failure and rejection
T86.83	Intestinal transplant [graft] failure and rejection
T86.84	Bone transplant [graft] failure and rejection

T86.85	Corneal transplant [graft] failure and rejection
T86.86	Skin graft and flap failure and rejection
T86.88	Failure and rejection of other transplanted organs and tissues, not elsewhere classified
T86.89	Other complications of transplanted organs and tissues, not elsewhere classified
T86.9	Failure and rejection of unspecified transplanted organ and tissue
T87–T88	Other complications of surgical and medical care, not elsewhere classified
T87	Complications peculiar to reattachment and amputation
T87.0	Complications of reattached (part of) upper extremity
T87.1	Complications of reattached (part of) lower extremity
T87.2	Complications of other reattached body part
T87.3	Neuroma of amputation stump
T87.4	Infection of amputation stump
T87.5	Necrosis of amputation stump
T87.6	Other and unspecified complications of amputation stump
T87.60	Complication of amputation stump, unspecified
T87.61	Haemorrhage and haematoma of amputation stump
T87.62	Disruption of amputation stump
T87.69	Other complications of amputation stump
T88	Other complications of surgical and medical care, not elsewhere classified
T88.0	Infection due to immunisation
T88.1	Other complications due to immunisation, not elsewhere classified
T88.2	Shock due to anaesthesia
T88.3	Malignant hyperthermia due to anaesthesia
T88.4	Failed or difficult intubation
T88.41	Failed intubation
T88.42	Complications due to difficult intubation
T88.5	Complications of anaesthesia, not elsewhere classified
T88.51	Hypothermia due to anaesthesia
T88.52	Headache due to anaesthesia
T88.53	Failed anaesthesia
T88.54	Hypotension due to anaesthesia, not elsewhere classified
T88.59	Complications of anaesthesia, not elsewhere classified
T88.6	Anaphylaxis and anaphylactic shock due to adverse effect of correct drug or medicament properly administered
T88.7	Unspecified adverse effect of drug or medicament
T88.8	Other specified complications of surgical and medical care, not elsewhere classified
T88.9	Complication of surgical and medical care, unspecified
T89	Other specified complications of trauma
T89.0	Complications of open wound
T89.00	Complications of open wounds, unspecified
T89.01	Open wound with foreign body (with or without infection)
T89.02	Open wound with infection
T89.03	Other complications of open wounds
T90–T98	Sequelae of injuries, of poisoning and of other consequences of external causes
T90	Sequelae of injuries of head
T90.0	Sequelae of superficial injury of head
T90.1	Sequelae of open wound of head
T90.2	Sequelae of fracture of skull and facial bones

T90.3	Sequelae of injury of cranial nerves
T90.4	Sequelae of injury of eye and orbit
T90.5	Sequelae of intracranial injury
T90.8	Sequelae of other specified injuries of head
T90.9	Sequelae of unspecified injury of head
T91	Sequelae of injuries of neck and trunk
T91.0	Sequelae of superficial injury and open wound of neck and trunk
T91.1	Sequelae of fracture of spine
T91.2	Sequelae of other fracture of thorax and pelvis
T91.3	Sequelae of injury of spinal cord
T91.4	Sequelae of injury of intrathoracic organs
T91.5	Sequelae of injury of intra-abdominal and pelvic organs
T91.8	Sequelae of other specified injuries of neck and trunk
T91.9	Sequelae of unspecified injury of neck and trunk
T92	Sequelae of injuries of upper limb
T92.0	Sequelae of open wound of upper limb
T92.1	Sequelae of fracture of forearm and upper arm
T92.2	Sequelae of fracture at wrist and hand level
T92.3	Sequelae of dislocation, sprain and strain of upper limb
T92.4	Sequelae of injury of nerve of upper limb
T92.5	Sequelae of injury of muscle and tendon of upper limb
T92.6	Sequelae of crushing injury and traumatic amputation of upper limb
T92.8	Sequelae of other specified injuries of upper limb
T92.9	Sequelae of unspecified injury of upper limb
T93	Sequelae of injuries of lower limb
T93.0	Sequelae of open wound of lower limb
T93.1	Sequelae of fracture of femur
T93.2	Sequelae of other fractures of lower limb
T93.3	Sequelae of dislocation, sprain and strain of lower limb
T93.4	Sequelae of injury of nerve of lower limb
T93.5	Sequelae of injury of muscle and tendon of lower limb
T93.6	Sequelae of crushing injury and traumatic amputation of lower limb
T93.8	Sequelae of other specified injuries of lower limb
T93.9	Sequelae of unspecified injury of lower limb
T94	Sequelae of injuries involving multiple and unspecified body regions
T94.0	Sequelae of injuries involving multiple body regions
T94.1	Sequelae of injuries, not specified by body region
T95	Sequelae of burns and frostbite
T95.0	Sequelae of burn and frostbite of head and neck
T95.1	Sequelae of burn and frostbite of trunk
T95.2	Sequelae of burn and frostbite of upper limb
T95.3	Sequelae of burn and frostbite of lower limb
T95.4	Sequelae of burn classifiable only according to extent of body surface involved
T95.8	Sequelae of other specified burn and frostbite
T95.9	Sequelae of unspecified burn and frostbite
T96	Sequelae of poisoning by drugs, medicaments and biological substances
T97	Sequelae of toxic effects of substances chiefly nonmedicinal as to source
T98	Sequelae of other and unspecified effects of external causes

T98.0	Sequelae of effects of foreign body entering through natural orifice
T98.1	Sequelae of other and unspecified effects of external causes
T98.2	Sequelae of certain early complications of trauma
T98.3	Sequelae of complications of surgical and medical care, not elsewhere classified

Chapter 21 FACTORS INFLUENCING HEALTH STATUS AND CONTACT WITH HEALTH SERVICES (Z00–Z99)

Z00	General examination and investigation of persons without complaint or reported diagnosis
Z00.0	General medical examination
Z00.1	Routine child health examination
Z00.2	Examination for period of rapid growth in childhood
Z00.3	Examination for adolescent development state
Z00.4	General psychiatric examination, not elsewhere classified
Z00.5	Examination of potential donor of organ and tissue
Z00.6	Examination for normal comparison and control in clinical research programme
Z00.8	Other general examinations
Z01	Other special examinations and investigations of persons without complaint or reported diagnosis
Z01.0	Examination of eyes and vision
Z01.1	Examination of ears and hearing
Z01.2	Dental examination
Z01.3	Examination of blood pressure
Z01.4	Gynaecological examination (general)(routine)
Z01.5	Diagnostic skin and sensitisation tests
Z01.6	Radiological examination, not elsewhere classified
Z01.7	Laboratory examination
Z01.8	Other specified special examinations
Z01.9	Special examination, unspecified
Z02	Examination and encounter for administrative purposes
Z02.0	Examination for admission to educational institution
Z02.1	Pre-employment examination
Z02.2	Examination for admission to residential institutions
Z02.3	Examination for recruitment to armed forces
Z02.4	Examination for driving licence
Z02.5	Examination for participation in sport
Z02.6	Examination for insurance purposes
Z02.7	Issue of medical certificate
Z02.8	Other examinations for administrative purposes
Z02.9	Examination for administrative purposes, unspecified
Z03	Medical observation and evaluation for suspected diseases and conditions, ruled out
Z03.0	Observation for suspected tuberculosis
Z03.1	Observation for suspected malignant neoplasm
Z03.2	Observation for suspected mental and behavioural disorders
Z03.3	Observation for suspected nervous system disorder
Z03.4	Observation for suspected myocardial infarction
Z03.5	Observation for other suspected cardiovascular diseases
Z03.6	Observation for suspected toxic effect from ingested substance
Z03.7	Observation and evaluation of newborn for suspected condition not found
Z03.70	Observation of newborn for unspecified suspected condition

Z03.71	Observation of newborn for suspected infectious condition
Z03.72	Observation of newborn for suspected neurological condition
Z03.73	Observation of newborn for suspected respiratory condition
Z03.79	Observation of newborn for other suspected condition
Z03.8	Observation for other suspected diseases and conditions
Z03.81	Observation for suspected coronavirus disease 2019 [COVID-19], ruled out
Z03.82	Observation for suspected virus, ruled out
Z03.89	Observation for other suspected diseases and conditions
Z03.9	Observation for suspected disease or condition, unspecified
Z04	Examination and observation for other reasons
Z04.0	Blood-alcohol and blood-drug test
Z04.1	Examination and observation following transport accident
Z04.2	Examination and observation following work accident
Z04.3	Examination and observation following other accident
Z04.4	Examination and observation following alleged rape and seduction
Z04.5	Examination and observation following other inflicted injury
Z04.6	General psychiatric examination, requested by authority
Z04.8	Examination and observation for other specified reasons
Z04.9	Examination and observation for unspecified reason
Z06	Resistance to antimicrobial drugs
Z06.1	Infection with multidrug resistant <i>Staphylococcus aureus</i>
Z06.2	Infection with Vancomycin resistant enterococci
Z06.3	Agent resistant to penicillin and related antibiotics
Z06.31	Penicillin resistant agent
Z06.32	Methicillin resistant agent
Z06.39	Agent resistant to other penicillin-related antibiotic
Z06.4	Agent resistant to vancomycin and related antibiotics
Z06.41	Vancomycin resistant agent
Z06.49	Agent resistant to vancomycin-related antibiotic
Z06.5	Resistance to beta-lactam antibiotics
Z06.50	Resistance to beta-lactam antibiotics, unspecified
Z06.51	Resistance to penicillin
Z06.52	Resistance to methicillin
Z06.53	Extended spectrum beta-lactamase (ESBL) resistance
Z06.58	Resistance to other beta-lactam antibiotics
Z06.6	Resistance to other antibiotics
Z06.60	Resistance to unspecified antibiotics
Z06.61	Resistance to vancomycin
Z06.62	Resistance to other vancomycin related antibiotics
Z06.63	Resistance to quinolones
Z06.67	Resistance to multiple antibiotics
Z06.68	Resistance to other single specified antibiotic
Z06.69	Resistance to other specified antibiotics
Z06.7	Resistance to other antimicrobial drugs
Z06.70	Resistance to unspecified antimicrobial drug(s)
Z06.71	Resistance to antiparasitic drug(s)
Z06.72	Resistance to antifungal drug(s)
Z06.73	Resistance to antiviral drug(s)

Z06.74	Resistance to tuberculostatic drug(s)
Z06.77	Resistance to multiple antimicrobial drug(s)
Z06.78	Resistance to other specified antimicrobial drug
Z06.8	Agent resistant to multiple antibiotics
Z06.9	Agent resistant to other and unspecified antibiotics
Z06.90	Agent resistant to unspecified antibiotic
Z06.99	Agent resistant to other single specified antibiotic
Z07	Resistance to antineoplastic drugs
Z08	Follow-up examination after treatment for malignant neoplasms
Z08.0	Follow-up examination after surgery for malignant neoplasm
Z08.1	Follow-up examination after radiotherapy for malignant neoplasm
Z08.2	Follow-up examination after pharmacotherapy for malignant neoplasm
Z08.7	Follow-up examination after combined treatment for malignant neoplasm
Z08.8	Follow-up examination after other treatment for malignant neoplasm
Z08.9	Follow-up examination after unspecified treatment for malignant neoplasm
Z09	Follow-up examination after treatment for conditions other than malignant neoplasms
Z09.0	Follow-up examination after surgery for other conditions
Z09.1	Follow-up examination after radiotherapy for other conditions
Z09.2	Follow-up examination after pharmacotherapy for other conditions
Z09.3	Follow-up examination after psychotherapy
Z09.4	Follow-up examination after treatment of fracture
Z09.7	Follow-up examination after combined treatment for other conditions
Z09.8	Follow-up examination after other treatment for other conditions
Z09.9	Follow-up examination after unspecified treatment for other conditions
Z10	Routine general health check-up of defined subpopulation
Z10.0	Occupational health examination
Z10.1	Routine general health check-up of inhabitants of institutions
Z10.2	Routine general health check-up of armed forces
Z10.3	Routine general health check-up of sports teams
Z10.8	Routine general health check-up of other defined subpopulations
Z11	Special screening examination for infectious and parasitic diseases
Z11.0	Special screening examination for intestinal infectious diseases
Z11.1	Special screening examination for respiratory tuberculosis
Z11.2	Special screening examination for other bacterial diseases
Z11.3	Special screening examination for infections with a predominantly sexual mode of transmission
Z11.4	Special screening examination for human immunodeficiency virus [HIV]
Z11.5	Special screening examination for other viral diseases
Z11.6	Special screening examination for other protozoal diseases and helminthiases
Z11.8	Special screening examination for other infectious and parasitic diseases
Z11.9	Special screening examination for infectious and parasitic diseases, unspecified
Z12	Special screening examination for neoplasms
Z12.0	Special screening examination for neoplasm of stomach
Z12.1	Special screening examination for neoplasm of intestinal tract
Z12.2	Special screening examination for neoplasm of respiratory organs
Z12.3	Special screening examination for neoplasm of breast
Z12.4	Special screening examination for neoplasm of cervix
Z12.5	Special screening examination for neoplasm of prostate

Z12.6	Special screening examination for neoplasm of bladder
Z12.8	Special screening examination for neoplasms of other sites
Z12.9	Special screening examination for neoplasm, unspecified
Z13	Special screening examination for other diseases and disorders
Z13.0	Special screening examination for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
Z13.1	Special screening examination for intermediate hyperglycaemia and diabetes mellitus
Z13.2	Special screening examination for nutritional disorders
Z13.3	Special screening examination for mental and behavioural disorders
Z13.4	Special screening examination for certain developmental disorders in childhood
Z13.5	Special screening examination for eye and ear disorders
Z13.6	Special screening examination for cardiovascular disorders
Z13.7	Special screening examination for congenital malformations, deformations and chromosomal abnormalities
Z13.8	Special screening examination for other specified diseases and disorders
Z13.81	Special screening examination for nervous system disorder
Z13.82	Special screening examination for respiratory disorder
Z13.83	Special screening examination for digestive tract disorder
Z13.84	Special screening examination for musculoskeletal disorder
Z13.85	Special screening examination for genitourinary disorder
Z13.86	Special screening examination for endocrine and metabolic disorder
Z13.88	Special screening examination for other specified diseases and disorders
Z13.9	Special screening examination, unspecified
Z14–Z16	Resistance to antimicrobial drugs
Z14	Resistance to beta-lactam antibiotics
Z14.0	Resistance to narrow spectrum penicillins
Z14.01	Resistance to beta-lactamase sensitive [first generation] penicillins
Z14.02	Resistance to beta-lactamase resistant [second generation] penicillins
Z14.1	Resistance to extended spectrum penicillins
Z14.11	Resistance to aminopenicillins
Z14.12	Resistance to carboxypenicillins
Z14.13	Resistance to ureidopenicillins
Z14.2	Resistance to cephalosporins
Z14.21	Resistance to first generation cephalosporins
Z14.22	Resistance to second generation cephalosporins
Z14.23	Resistance to third generation cephalosporins
Z14.24	Resistance to fourth generation cephalosporins
Z14.25	Resistance to fifth generation cephalosporins
Z14.3	Resistance to carbapenems, penems and monobactams
Z14.31	Resistance to carbapenems
Z14.32	Resistance to penems
Z14.33	Resistance to monobactams
Z14.4	Resistance to penicillin-based antibiotic with beta-lactamase inhibitor
Z14.8	Resistance to other beta-lactam antibiotics
Z14.9	Resistance to beta-lactam antibiotic, unspecified
Z15	Resistance to other antibiotics
Z15.0	Resistance to sulphonamides and trimethoprim
Z15.1	Resistance to macrolides, lincosamides and streptogramins

Z15.2	Resistance to aminoglycosides
Z15.3	Resistance to quinolones
Z15.30	Resistance to quinolones, unspecified
Z15.31	Resistance to fluoroquinolones
Z15.39	Resistance to other specified quinolones
Z15.4	Resistance to glycopeptides
Z15.41	Resistance to vancomycin
Z15.49	Resistance to other specified glycopeptides
Z15.7	Resistance to multiple antibiotics
Z15.8	Resistance to other specified antibiotic
Z15.81	Resistance to polymyxins
Z15.82	Resistance to tetracyclines
Z15.83	Resistance to imidazole derivatives
Z15.84	Resistance to oxazolidinones
Z15.89	Resistance to other specified antibiotics
Z15.9	Resistance to antibiotic, unspecified
Z16	Resistance to other antimicrobials
Z16.0	Resistance to antimycotics
Z16.1	Resistance to antimycobacterials
Z16.2	Resistance to antivirals
Z16.3	Resistance to antiparasitic drugs
Z16.30	Resistance to antiparasitic drugs, unspecified
Z16.31	Resistance to anthelmintic drugs
Z16.32	Resistance to antimalarial drugs
Z16.39	Resistance to other specified antiparasitic drugs
Z16.7	Resistance to multiple antimicrobials
Z16.8	Resistance to other specified antimicrobials
Z16.9	Resistance to antimicrobial, unspecified
Z20	Contact with and exposure to communicable diseases
Z20.0	Contact with and exposure to intestinal infectious diseases
Z20.1	Contact with and exposure to tuberculosis
Z20.2	Contact with and exposure to infections with a predominantly sexual mode of transmission
Z20.3	Contact with and exposure to rabies
Z20.4	Contact with and exposure to rubella
Z20.5	Contact with and exposure to viral hepatitis
Z20.6	Contact with and exposure to human immunodeficiency virus [HIV]
Z20.7	Contact with and exposure to pediculosis, acariasis and other infestations
Z20.8	Contact with and exposure to other communicable diseases
Z20.81	Contact with and exposure to zoonotic disease
Z20.89	Contact with and exposure to other communicable diseases
Z20.9	Contact with and exposure to unspecified communicable disease
Z21	Asymptomatic human immunodeficiency virus [HIV] infection status
Z22	Carrier of infectious disease
Z22.0	Carrier of typhoid
Z22.1	Carrier of other intestinal infectious diseases
Z22.2	Carrier of diphtheria
Z22.3	Carrier of other specified bacterial diseases
Z22.4	Carrier of infections with a predominantly sexual mode of transmission

Z22.5	Carrier of viral hepatitis
Z22.51	Carrier of viral hepatitis B
Z22.52	Carrier of viral hepatitis C
Z22.59	Carrier of other specified viral hepatitis
Z22.6	Carrier of human T-lymphotropic virus type-1 [HTLV-1] infection
Z22.7	Latent tuberculosis
Z22.8	Carrier of other infectious diseases
Z22.9	Carrier of infectious disease, unspecified
Z23	Need for immunisation against single bacterial diseases
Z23.0	Need for immunisation against cholera alone
Z23.1	Need for immunisation against typhoid-paratyphoid alone [TAB]
Z23.2	Need for immunisation against tuberculosis [BCG]
Z23.3	Need for immunisation against plague
Z23.4	Need for immunisation against tularaemia
Z23.5	Need for immunisation against tetanus alone
Z23.6	Need for immunisation against diphtheria alone
Z23.7	Need for immunisation against pertussis alone
Z23.8	Need for immunisation against other single bacterial diseases
Z24	Need for immunisation against certain single viral diseases
Z24.0	Need for immunisation against poliomyelitis
Z24.1	Need for immunisation against arthropod-borne viral encephalitis
Z24.2	Need for immunisation against rabies
Z24.3	Need for immunisation against yellow fever
Z24.4	Need for immunisation against measles alone
Z24.5	Need for immunisation against rubella alone
Z24.6	Need for immunisation against viral hepatitis
Z25	Need for immunisation against other single viral diseases
Z25.0	Need for immunisation against mumps alone
Z25.1	Need for immunisation against influenza
Z25.2	Need for immunisation against coronavirus disease 2019 [COVID-19]
Z25.8	Need for immunisation against other specified single viral diseases
Z26	Need for immunisation against other single infectious diseases
Z26.0	Need for immunisation against leishmaniasis
Z26.8	Need for immunisation against other specified single infectious diseases
Z26.9	Need for immunisation against unspecified infectious disease
Z27	Need for immunisation against combinations of infectious diseases
Z27.0	Need for immunisation against cholera with typhoid-paratyphoid [cholera + TAB]
Z27.1	Need for immunisation against diphtheria-tetanus-pertussis, combined [DTP]
Z27.2	Need for immunisation against diphtheria-tetanus-pertussis with typhoid-paratyphoid [DTP + TAB]
Z27.3	Need for immunisation against diphtheria-tetanus-pertussis with poliomyelitis [DTP + polio]
Z27.4	Need for immunisation against measles-mumps-rubella [MMR]
Z27.8	Need for immunisation against other combinations of infectious diseases
Z27.9	Need for immunisation against unspecified combinations of infectious diseases
Z28	Immunisation not carried out
Z28.0	Immunisation not carried out because of contraindication
Z28.1	Immunisation not carried out because of patient's decision for reasons of belief and group pressure

Z28.2	Immunisation not carried out because of patient's decision for other and unspecified reasons
Z28.8	Immunisation not carried out for other reasons
Z28.9	Immunisation not carried out for unspecified reason
Z29	Need for other prophylactic measures
Z29.0	Isolation
Z29.1	Prophylactic immunotherapy
Z29.2	Prophylactic pharmacotherapy
Z29.21	Prophylactic pharmacotherapy for neoplasm
Z29.29	Prophylactic pharmacotherapy, not elsewhere classified
Z29.8	Other specified prophylactic measures
Z29.9	Prophylactic measure, unspecified
Z30	Contraceptive management
Z30.0	General counselling and advice on contraception
Z30.1	Insertion of contraceptive device
Z30.2	Sterilisation intervention
Z30.21	Male sterilisation intervention
Z30.22	Female sterilisation intervention
Z30.3	Menstrual extraction
Z30.4	Surveillance of contraceptive drugs
Z30.5	Surveillance of contraceptive device
Z30.8	Other contraceptive management
Z30.9	Contraceptive management, unspecified
Z31	Procreative management
Z31.0	Admission for reversal of sterilisation intervention
Z31.01	Admission for reversal of male sterilisation intervention
Z31.02	Admission for reversal of female sterilisation intervention
Z31.1	Artificial insemination
Z31.2	In vitro fertilisation
Z31.3	Other assisted fertilisation methods
Z31.31	Other assisted fertilisation methods associated with male reproductive system
Z31.32	Other assisted fertilisation methods associated with female reproductive system
Z31.4	Procreative investigation and testing
Z31.41	Procreative investigation and testing of male reproductive system
Z31.42	Procreative investigation and testing of female reproductive system
Z31.5	Genetic counselling
Z31.6	General counselling and advice on procreation
Z31.8	Other procreative management
Z31.81	Other procreative management associated with male reproductive system
Z31.82	Other procreative management associated with female reproductive system
Z31.9	Procreative management, unspecified
Z32	Pregnancy supervision, examination and test, not elsewhere classified
Z32.0	Pregnancy, not (yet) confirmed
Z32.1	Pregnancy confirmed
Z32.2	Initiation of medical abortion
Z33	Pregnant state, incidental
Z34	Supervision of normal pregnancy
Z34.0	Supervision of normal first pregnancy

Z34.8	Supervision of other normal pregnancy
Z34.9	Supervision of normal pregnancy, unspecified
Z35	Supervision of high-risk pregnancy
Z35.0	Supervision of pregnancy with history of infertility
Z35.1	Supervision of pregnancy with history of abortive outcome
Z35.2	Supervision of pregnancy with other poor reproductive or obstetric history
Z35.3	Supervision of pregnancy with history of insufficient antenatal care
Z35.4	Supervision of pregnancy with grand multiparity
Z35.5	Supervision of pregnancy with advanced maternal age
Z35.51	Supervision of primigravida with advanced maternal age
Z35.52	Supervision of multigravida with advanced maternal age
Z35.6	Supervision of (very) young primigravida
Z35.7	Supervision of high-risk pregnancy due to social problems
Z35.8	Supervision of other high-risk pregnancies
Z35.9	Supervision of high-risk pregnancy, unspecified
Z36	Antenatal screening
Z36.0	Antenatal screening for chromosomal anomalies
Z36.1	Antenatal screening for raised alpha-fetoprotein level
Z36.2	Other antenatal screening based on amniocentesis
Z36.3	Antenatal screening for malformations using ultrasound and other physical methods
Z36.4	Antenatal screening for fetal growth retardation using ultrasound and other physical methods
Z36.5	Antenatal screening for isoimmunisation
Z36.8	Other antenatal screening
Z36.9	Antenatal screening, unspecified
Z37	Outcome of delivery
Z37.0	Single live birth
Z37.1	Single stillbirth
Z37.2	Twins, both liveborn
Z37.3	Twins, one liveborn and one stillborn
Z37.4	Twins, both stillborn
Z37.5	Other multiple births, all liveborn
Z37.6	Other multiple births, some liveborn
Z37.7	Other multiple births, all stillborn
Z37.9	Outcome of delivery, unspecified
Z38	Liveborn infants according to place of birth
Z38.0	Singleton, born in hospital
Z38.1	Singleton, born outside hospital
Z38.2	Singleton, unspecified as to place of birth
Z38.3	Twin, born in hospital
Z38.4	Twin, born outside hospital
Z38.5	Twin, unspecified as to place of birth
Z38.6	Other multiple, born in hospital
Z38.7	Other multiple, born outside hospital
Z38.8	Other multiple, unspecified as to place of birth
Z39	Postpartum care and examination
Z39.0	Postpartum care and examination immediately after delivery
Z39.00	Postpartum care and examination after delivery, unspecified

Z39.01	Postpartum care after hospital delivery
Z39.02	Postpartum care after planned, out of hospital delivery
Z39.03	Postpartum care after unplanned, out of hospital delivery
Z39.1	Care and examination of lactating mother
Z39.2	Routine postpartum follow-up
Z40	Prophylactic surgery
Z40.0	Prophylactic surgery for risk-factors related to malignant neoplasms
Z40.00	Prophylactic surgery for risk-factors related to malignant neoplasms, Breast
Z40.01	Prophylactic surgery for risk-factors related to malignant neoplasms, Ovary
Z40.08	Prophylactic surgery for risk-factors related to malignant neoplasms, Other
Z40.8	Other prophylactic surgery
Z40.9	Prophylactic surgery, unspecified
Z41	Procedures for purposes other than remedying health state
Z41.0	Hair transplant
Z41.1	Other plastic surgery for unacceptable cosmetic appearance
Z41.2	Routine and ritual circumcision
Z41.3	Ear piercing
Z41.8	Other procedures for purposes other than remedying health state
Z41.81	Drug challenge
Z41.82	Food challenge
Z41.89	Other procedures for purposes other than remedying health state
Z41.9	Procedure for purposes other than remedying health state, unspecified
Z42	Follow-up care involving plastic surgery
Z42.0	Follow-up care involving plastic surgery of head and neck
Z42.1	Follow-up care involving plastic surgery of breast
Z42.2	Follow-up care involving plastic surgery of other parts of trunk
Z42.3	Follow-up care involving plastic surgery of upper extremity
Z42.4	Follow-up care involving plastic surgery of lower extremity
Z42.8	Follow-up care involving plastic surgery of other body part
Z42.9	Follow-up care involving plastic surgery, unspecified
Z43	Attention to artificial openings
Z43.0	Attention to tracheostomy
Z43.1	Attention to gastrostomy
Z43.2	Attention to ileostomy
Z43.3	Attention to colostomy
Z43.4	Attention to other artificial openings of digestive tract
Z43.5	Attention to cystostomy
Z43.6	Attention to other artificial openings of urinary tract
Z43.7	Attention to artificial vagina
Z43.8	Attention to other artificial openings
Z43.9	Attention to unspecified artificial opening
Z44	Fitting and adjustment of [external]) prosthetic device
Z44.0	Fitting and adjustment of artificial arm [complete] [partial]
Z44.1	Fitting and adjustment of artificial leg [complete] [partial]
Z44.2	Fitting and adjustment of artificial eye
Z44.3	Fitting and adjustment of [external]) breast prosthesis
Z44.8	Fitting and adjustment of other [external]) prosthetic devices
Z44.9	Fitting and adjustment of unspecified [external]) prosthetic device

Z45	Adjustment and management of drug delivery or implanted device
Z45.0	Adjustment and management of cardiac device
Z45.1	Adjustment and management of drug delivery device
Z45.2	Adjustment and management of vascular access device
Z45.3	Adjustment and management of implanted hearing device
Z45.8	Adjustment and management of other implanted devices
Z45.81	Adjustment and management of venous catheter
Z45.82	Adjustment and management of peritoneal access device
Z45.83	Adjustment and management of myringotomy tube
Z45.89	Adjustment and management of other implanted devices
Z45.9	Adjustment and management of unspecified implanted device
Z46	Fitting and adjustment of other devices
Z46.0	Fitting and adjustment of spectacles and contact lenses
Z46.1	Fitting and adjustment of hearing aid
Z46.2	Fitting and adjustment of other devices related to nervous system and special senses
Z46.3	Fitting and adjustment of dental prosthetic device
Z46.4	Fitting and adjustment of orthodontic device
Z46.5	Fitting and adjustment of ileostomy and other intestinal appliances
Z46.6	Fitting and adjustment of urinary device
Z46.7	Fitting and adjustment of orthopaedic device
Z46.8	Fitting and adjustment of other specified devices
Z46.9	Fitting and adjustment of unspecified device
Z47	Other orthopaedic follow-up care
Z47.0	Follow-up care involving removal of fracture plate and other internal fixation device
Z47.8	Other specified orthopaedic follow-up care
Z47.9	Orthopaedic follow-up care, unspecified
Z48	Other surgical follow-up care
Z48.0	Attention to surgical dressings and sutures
Z48.8	Other specified surgical follow-up care
Z48.9	Surgical follow-up care, unspecified
Z49	Care involving dialysis
Z49.0	Preparatory care for dialysis
Z49.1	Extracorporeal dialysis
Z49.2	Other dialysis
Z49.3	Dialysis follow-up care
Z50	Care involving use of rehabilitation procedures
Z50.0	Cardiac rehabilitation
Z50.1	Other physical therapy
Z50.2	Alcohol rehabilitation
Z50.3	Drug rehabilitation
Z50.4	Psychotherapy, not elsewhere classified
Z50.5	Speech therapy
Z50.6	Orthoptic training
Z50.7	Occupational therapy and vocational rehabilitation, not elsewhere classified
Z50.8	Care involving use of other rehabilitation procedures
Z50.9	Care involving use of rehabilitation procedure, unspecified
Z51	Other medical care
Z51.0	Radiotherapy session

Z51.1	Pharmacotherapy session for neoplasm
Z51.2	Other chemotherapy
Z51.3	Blood transfusion without reported diagnosis
Z51.4	Preparatory care for subsequent treatment, not elsewhere classified
Z51.5	Palliative care
Z51.6	Desensitisation to allergens
Z51.60	Allergen, unspecified
Z51.61	Stinging insect
Z51.62	Pollen
Z51.63	Dust mite
Z51.64	Animal
Z51.69	Other specified allergen
Z51.7	Supervision of voluntary assisted dying [VAD] substance administration
Z51.8	Other specified medical care
Z51.81	Apheresis
Z51.88	Other specified medical care
Z51.9	Medical care, unspecified
Z52	Donors of organs and tissues
Z52.0	Blood donor
Z52.00	Whole blood donor
Z52.01	Stem cell donor
Z52.08	Other blood products donor
Z52.1	Skin donor
Z52.2	Bone donor
Z52.3	Bone marrow donor
Z52.4	Kidney donor
Z52.5	Cornea donor
Z52.6	Liver donor
Z52.7	Heart donor
Z52.8	Donor of other organs and tissues
Z52.81	Chondrocyte [cartilage] donor
Z52.82	Limbal stem cell donor
Z52.83	Lung donor
Z52.84	Heart and lungs donor
Z52.85	Intestine donor
Z52.86	Pancreas donor
Z52.88	Donor of multiple organs and tissues
Z52.89	Donor of other organ and tissue
Z52.9	Donor of unspecified organ or tissue
Z53	Persons encountering health services for specific procedures, not carried out
Z53.0	Procedure not carried out because of contraindication
Z53.1	Procedure not carried out because of patient's decision for reasons of belief and group pressure
Z53.2	Procedure not carried out because of patient's decision for other and unspecified reasons
Z53.3	Procedure abandoned after initiation
Z53.30	Procedure abandoned after initiation, not elsewhere classified
Z53.31	Living donor organ procurement attempted but not completed
Z53.32	Posthumous organ procurement attempted but not completed

Z53.8	Procedure not carried out for other reasons
Z53.9	Procedure not carried out, unspecified reason
Z54	Convalescence
Z54.0	Convalescence following surgery
Z54.1	Convalescence following radiotherapy
Z54.2	Convalescence following pharmacotherapy
Z54.3	Convalescence following psychotherapy
Z54.4	Convalescence following treatment of fracture
Z54.7	Convalescence following combined treatment
Z54.8	Convalescence following other treatment
Z54.9	Convalescence following unspecified treatment
Z55–Z65	Persons with potential health hazards related to socioeconomic and psychosocial circumstances
Z55	Problems related to education and literacy
Z55.0	Problem related to literacy
Z55.1	Problem related to access to education
Z55.2	Failed examinations
Z55.3	Problem related to achievement in education
Z55.4	Problem in relationships with teacher and other students
Z55.5	Problem related to level of health knowledge
Z55.8	Other problem related to education and literacy
Z55.9	Problems related to education and literacy, unspecified
Z56	Problems related to employment and unemployment
Z56.0	Problem related to unemployment
Z56.1	Problem related to change of job
Z56.2	Problem related to threat of job loss
Z56.3	Problem related to stressful work schedule
Z56.4	Problem related to workplace relationships and culture
Z56.41	Problem related to specified workplace relationships
Z56.42	Problem related to workplace culture
Z56.5	Problem related to difficult employment environment, not elsewhere classified
Z56.6	Other physical and mental strain related to employment
Z56.7	Other and unspecified problems related to employment
Z57	Occupational exposure to risk-factors
Z57.0	Occupational exposure to noise
Z57.1	Occupational exposure to radiation
Z57.2	Occupational exposure to dust
Z57.3	Occupational exposure to other air contaminants
Z57.4	Occupational exposure to toxic agents in agriculture
Z57.5	Occupational exposure to toxic agents in other industries
Z57.6	Occupational exposure to extreme temperature
Z57.7	Occupational exposure to vibration
Z57.8	Occupational exposure to other risk-factors
Z57.9	Occupational exposure to unspecified risk-factors
Z58	Problems related to physical environment
Z58.0	Exposure to noise
Z58.1	Exposure to air pollution
Z58.2	Exposure to water pollution

Z58.3	Exposure to soil pollution
Z58.4	Exposure to radiation
Z58.5	Exposure to other pollution
Z58.6	Inadequate drinking-water supply
Z58.7	Exposure to tobacco smoke
Z58.8	Other problem related to physical environment
Z58.9	Problems related to physical environment, unspecified
Z59	Problems related to housing and financial circumstances
Z59.0	Homelessness
Z59.00	Homelessness, not elsewhere classified
Z59.01	Sheltered homelessness
Z59.02	Unsheltered homelessness
Z59.1	Problem related to living conditions
Z59.2	Problem related to relationship with neighbours, lodgers and landlord
Z59.3	Problem related to living in residential institution
Z59.4	Lack of access to adequate food
Z59.5	Problem related to poverty
Z59.6	Problem related to low income
Z59.7	Insufficient welfare support
Z59.8	Other problem related to housing and financial circumstances
Z59.81	Other problem related to housing circumstances
Z59.82	Other problem related to financial circumstances
Z59.9	Problems related to housing and financial circumstances, unspecified
Z60	Problems related to social and cultural environment
Z60.0	Problem of adjustment to life-cycle transitions
Z60.1	Atypical parenting situation
Z60.2	Living alone
Z60.3	Problem related to cultural environment
Z60.31	Problem related to migration culture
Z60.32	Problem related to Indigenous culture
Z60.4	Social exclusion and rejection
Z60.5	Target of [perceived] adverse discrimination and persecution
Z60.8	Other problem related to social or cultural environment
Z60.9	Problems related to social or cultural environment, unspecified
Z61	Problems related to specified negative life events in childhood
Z61.0	Loss of love relationship [event] in childhood
Z61.1	Removal from home [event] in childhood
Z61.2	Altered pattern of family relationships [event] in childhood
Z61.3	Events resulting in loss of self-esteem in childhood
Z61.4	Problems related to alleged sexual abuse of child by person within primary support group
Z61.5	Problems related to alleged sexual abuse of child by person outside primary support group
Z61.6	Problems related to alleged physical abuse of child
Z61.7	Problems related to personal frightening experience in childhood
Z61.8	Other negative life events in childhood
Z61.9	Negative life event in childhood, unspecified
Z62	Other problems related to upbringing
Z62.0	Inadequate parental supervision and control
Z62.1	Parental overprotection

Z62.2	Institutional upbringing
Z62.3	Hostility towards and scapegoating of child
Z62.4	Emotional neglect of child
Z62.5	Other problem related to neglect in upbringing
Z62.6	Inappropriate parental pressure and other abnormal qualities of upbringing
Z62.8	Other specified problem related to upbringing
Z62.9	Problems related to upbringing, unspecified
Z63	Relationships and other problems related to primary support group, including family circumstances
Z63.0	Problem in relationship with spouse or partner
Z63.1	Problem in relationship with parents or partner's parents
Z63.2	Problem with family support
Z63.3	Absence of family member
Z63.4	Disappearance and death of family member
Z63.5	Disruption of family by separation and divorce
Z63.6	Dependent family member needing care at home
Z63.7	Stressful life events affecting family and household
Z63.70	Unspecified stressful life events affecting family and household
Z63.71	Problem with alcohol misuse in family and household
Z63.72	Problem with gambling in family and household
Z63.73	Problem with other substance misuse in family and household
Z63.79	Other stressful life events affecting family and household
Z63.8	Other specified problems related to primary support group including family circumstances
Z63.81	Other specified problem related to family and household
Z63.82	Other specified problem related to other primary support group
Z63.9	Problems related to primary support group, unspecified
Z64	Problems related to certain psychosocial circumstances
Z64.0	Problem related to unwanted pregnancy
Z64.1	Problem related to multiparity
Z64.2	Seeking and accepting physical, nutritional and chemical interventions known to be hazardous and harmful
Z64.3	Seeking and accepting behavioural and psychological interventions known to be hazardous and harmful
Z64.4	Problem related to relationship with counsellor
Z64.5	Problem related to child-rearing responsibilities
Z65	Problems related to other psychosocial circumstances
Z65.0	Conviction in civil and criminal proceedings without imprisonment
Z65.1	Problem related to contact with correctional services
Z65.2	Problem related to release from prison
Z65.3	Problem related to other legal circumstances
Z65.4	Victim of crime and terrorism
Z65.5	Exposure to disaster, war and other hostilities
Z65.51	Exposure to natural disaster
Z65.52	Exposure to war
Z65.59	Exposure to other disasters or hostilities
Z65.8	Other specified problem related to psychosocial circumstances
Z65.9	Problems related to unspecified psychosocial circumstances
Z70	Counselling related to sexual attitude, behaviour and orientation

Z70.0	Counselling related to sexual attitude
Z70.1	Counselling related to patient's sexual behaviour and orientation
Z70.2	Counselling related to sexual behaviour and orientation of third party
Z70.3	Counselling related to combined concerns regarding sexual attitude, behaviour and orientation
Z70.8	Other counselling related to sexual attitude, behaviour and orientation
Z70.9	Counselling related to sexual attitude, behaviour and orientation, unspecified
Z71	Persons encountering health services for other counselling and medical advice, not elsewhere classified
Z71.0	Person consulting on behalf of another person
Z71.1	Person with feared complaint in whom no diagnosis is made
Z71.2	Person consulting for explanation of investigation findings
Z71.3	Dietary counselling and surveillance
Z71.4	Counselling and surveillance for alcohol use disorder
Z71.5	Counselling and surveillance for drug use disorder
Z71.6	Counselling for tobacco use disorder
Z71.7	Human immunodeficiency virus [HIV] counselling
Z71.8	Other specified counselling
Z71.9	Counselling, unspecified
Z72	Problems related to lifestyle and health behaviours
Z72.0	Tobacco use, current
Z72.1	Alcohol use
Z72.2	Drug use
Z72.3	Lack of physical exercise
Z72.4	Problem with inappropriate diet and eating habits
Z72.5	High-risk sexual behaviour
Z72.6	Gambling and betting
Z72.7	Use of vaping device, current
Z72.8	Other problem related to health or lifestyle behaviours
Z72.9	Problems related to health or lifestyle behaviours, unspecified
Z73	Problems related to life-management difficulty
Z73.0	Burnout
Z73.1	Accentuation of personality traits
Z73.2	Lack of relaxation and leisure
Z73.3	Stress, not elsewhere classified
Z73.4	Inadequate social skills, not elsewhere classified
Z73.5	Social role conflict, not elsewhere classified
Z73.6	Limitation of activities due to disability
Z73.8	Other problems related to life-management difficulty
Z73.9	Problem related to life-management difficulty, unspecified
Z74	Problems related to care-provider dependency
Z74.0	Need for assistance with mobility
Z74.1	Need for assistance with personal care
Z74.2	Need for assistance at home and no other household member able to render care
Z74.3	Need for continuous supervision
Z74.8	Other problem related to care-provider dependency
Z74.9	Problems related to care-provider dependency, unspecified
Z75	Problems related to medical facilities and other health care

Z75.0	Medical services not available in home
Z75.1	Person awaiting admission to adequate facility elsewhere
Z75.10	Person awaiting admission to acute hospital
Z75.11	Person awaiting admission to residential aged care service
Z75.12	Person awaiting admission to psychiatric facility/unit
Z75.13	Person awaiting admission to rehabilitation facility/unit
Z75.14	Person awaiting admission to palliative care facility/unit
Z75.15	Person awaiting admission to specialist disability accommodation facility/unit
Z75.18	Person awaiting admission to health care facility, not elsewhere classified
Z75.19	Person awaiting admission to adequate facility elsewhere, unspecified
Z75.2	Other waiting period for investigation and treatment
Z75.21	Waiting period for disability support services
Z75.22	Waiting period for aged care support services
Z75.29	Waiting period for investigation and treatment, not elsewhere classified
Z75.3	Unavailability and inaccessibility of healthcare facilities
Z75.4	Unavailability and inaccessibility of other helping agencies
Z75.40	Unavailability and inaccessibility of helping agencies, unspecified
Z75.41	Unavailability and inaccessibility of residential aged care service
Z75.49	Unavailability and inaccessibility of other specified helping agencies
Z75.5	Respite care
Z75.6	Transfer for suspected condition
Z75.8	Other problem related to medical facilities and other health care
Z75.9	Unspecified problems related to medical facilities and other health care
Z76	Persons encountering health services in other circumstances
Z76.0	Issue of repeat prescription
Z76.1	Health supervision and care of abandoned infant
Z76.2	Health supervision and care of other infant and child
Z76.21	Health supervision and care of infant and child awaiting adoption or foster placement
Z76.22	Health supervision and care of infant and child, not elsewhere classified
Z76.3	Healthy person accompanying sick person
Z76.4	Other boarder in healthcare facility
Z76.5	Malingerer [conscious simulation]
Z76.8	Persons encountering health services in other specified circumstances
Z76.9	Person encountering health services in unspecified circumstances
Z80–Z99	Persons with potential health hazards related to family and personal history and certain conditions influencing health status
Z80	Family history of malignant neoplasm
Z80.0	Family history of malignant neoplasm of digestive organs
Z80.1	Family history of malignant neoplasm of trachea, bronchus and lung
Z80.2	Family history of malignant neoplasm of other respiratory and intrathoracic organs
Z80.3	Family history of malignant neoplasm of breast
Z80.4	Family history of malignant neoplasm of genital organs
Z80.5	Family history of malignant neoplasm of urinary tract
Z80.6	Family history of leukaemia
Z80.7	Family history of other malignant neoplasms of lymphoid, haematopoietic and related tissues
Z80.8	Family history of malignant neoplasm of other organs or systems
Z80.9	Family history of malignant neoplasm, unspecified

Z81	Family history of mental and behavioural disorders
Z81.0	Family history of disorder of intellectual development
Z81.1	Family history of alcohol use disorder
Z81.2	Family history of tobacco use disorder
Z81.3	Family history of other psychoactive substance use disorder
Z81.4	Family history of other substance use disorder
Z81.8	Family history of other mental and behavioural disorders
Z82	Family history of certain disabilities and chronic diseases leading to disablement
Z82.0	Family history of epilepsy and other diseases of the nervous system
Z82.1	Family history of blindness and visual loss
Z82.2	Family history of deafness and hearing loss
Z82.3	Family history of stroke
Z82.4	Family history of ischaemic heart disease and other diseases of the circulatory system
Z82.5	Family history of asthma and other chronic lower respiratory diseases
Z82.6	Family history of arthritis and other diseases of the musculoskeletal system and connective tissue
Z82.7	Family history of congenital malformations, deformations and chromosomal abnormalities
Z82.8	Family history of other disabilities and chronic diseases leading to disablement, not elsewhere classified
Z83	Family history of other specific disorders
Z83.0	Family history of human immunodeficiency virus [HIV] disease
Z83.1	Family history of other infectious and parasitic diseases
Z83.2	Family history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
Z83.3	Family history of diabetes mellitus
Z83.4	Family history of other endocrine, nutritional and metabolic diseases
Z83.5	Family history of eye and ear disorders
Z83.6	Family history of diseases of the respiratory system
Z83.7	Family history of diseases of the digestive system
Z84	Family history of other conditions
Z84.0	Family history of diseases of the skin and subcutaneous tissue
Z84.1	Family history of disorders of kidney and ureter
Z84.2	Family history of other diseases of the genitourinary system
Z84.3	Family history of consanguinity
Z84.8	Family history of other specified conditions
Z85	Personal history of malignant neoplasm
Z85.0	Personal history of malignant neoplasm of digestive organs
Z85.1	Personal history of malignant neoplasm of trachea, bronchus and lung
Z85.2	Personal history of malignant neoplasm of other respiratory and intrathoracic organs
Z85.3	Personal history of malignant neoplasm of breast
Z85.4	Personal history of malignant neoplasm of genital organs
Z85.5	Personal history of malignant neoplasm of urinary tract
Z85.6	Personal history of leukaemia
Z85.7	Personal history of other malignant neoplasms of lymphoid, haematopoietic and related tissues
Z85.8	Personal history of malignant neoplasms of other organs and systems
Z85.9	Personal history of malignant neoplasm, unspecified
Z86	Personal history of certain other diseases
Z86.0	Personal history of other neoplasms

Z86.1	Personal history of infectious and parasitic diseases
Z86.10	Personal history of unspecified infectious and parasitic disease
Z86.11	Personal history of tuberculosis
Z86.12	Personal history of poliomyelitis
Z86.13	Personal history of malaria
Z86.18	Personal history of other infectious and parasitic disease
Z86.2	Personal history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
Z86.3	Personal history of endocrine, nutritional and metabolic diseases
Z86.4	Personal history of psychoactive substance use disorder
Z86.41	Personal history of alcohol use disorder
Z86.42	Personal history of drug use disorder
Z86.43	Personal history of tobacco use disorder
Z86.5	Personal history of other mental and behavioural disorders
Z86.6	Personal history of diseases of the nervous system and sense organs
Z86.61	Personal history of transient ischaemic attack [TIA]
Z86.69	Personal history of diseases of the nervous system and sense organs, not elsewhere classified
Z86.7	Personal history of diseases of the circulatory system
Z86.71	Personal history of cerebrovascular disease
Z86.72	Personal history of thrombosis and embolism
Z86.79	Personal history of diseases of the circulatory system, not elsewhere classified
Z87	Personal history of other diseases and conditions
Z87.0	Personal history of diseases of the respiratory system
Z87.1	Personal history of diseases of the digestive system
Z87.10	Personal history of unspecified digestive disease
Z87.11	Personal history of peptic ulcer disease
Z87.12	Personal history of colonic polyps
Z87.18	Personal history of other digestive system disease
Z87.2	Personal history of diseases of the skin and subcutaneous tissue
Z87.3	Personal history of diseases of the musculoskeletal system and connective tissue
Z87.4	Personal history of diseases of the genitourinary system
Z87.5	Personal history of complications of pregnancy, childbirth and the puerperium
Z87.6	Personal history of certain conditions arising in the perinatal period
Z87.7	Personal history of congenital malformations, deformations and chromosomal abnormalities
Z87.8	Personal history of other specified conditions
Z88	Personal history of allergy to drugs, medicaments and biological substances
Z88.0	Personal history of allergy to penicillin
Z88.1	Personal history of allergy to other antibiotic agents
Z88.2	Personal history of allergy to sulfonamides
Z88.3	Personal history of allergy to other anti-infective agents
Z88.4	Personal history of allergy to anaesthetic agent
Z88.5	Personal history of allergy to narcotic agent
Z88.6	Personal history of allergy to analgesic agent
Z88.7	Personal history of allergy to serum and vaccine
Z88.8	Personal history of allergy to other drugs, medicaments and biological substances
Z88.9	Personal history of allergy to unspecified drugs, medicaments and biological substances

Z89	Acquired absence of limb
Z89.0	Acquired absence of finger(s) [including thumb], unilateral
Z89.1	Acquired absence of hand and wrist
Z89.2	Acquired absence of upper limb above wrist
Z89.3	Acquired absence of both upper limbs [any level]
Z89.4	Acquired absence of foot and ankle
Z89.5	Acquired absence of leg at or below knee
Z89.6	Acquired absence of leg above knee
Z89.7	Acquired absence of both lower limbs [any level, except toes alone]
Z89.8	Acquired absence of upper and lower limbs [any level]
Z89.9	Acquired absence of limb, unspecified
Z90	Acquired absence of organs, not elsewhere classified
Z90.0	Acquired absence of part of head and neck
Z90.1	Acquired absence of breast(s)
Z90.2	Acquired absence of lung [part of]
Z90.3	Acquired absence of part of stomach
Z90.4	Acquired absence of other parts of digestive tract
Z90.5	Acquired absence of kidney
Z90.6	Acquired absence of other organs of urinary tract
Z90.7	Acquired absence of genital organ(s)
Z90.8	Acquired absence of other organs
Z91	Personal history of risk-factors, not elsewhere classified
Z91.0	Personal history of allergy, other than to drugs and biological substances
Z91.1	Personal history of noncompliance with medical treatment and regimen
Z91.2	Personal history of poor personal hygiene
Z91.3	Personal history of unhealthy sleep-wake schedule
Z91.4	Personal history of psychological trauma, not elsewhere classified
Z91.5	Personal history of self-harm
Z91.6	Personal history of other physical trauma
Z91.7	Personal history of female genital mutilation
Z91.8	Personal history of other specified risk-factors, not elsewhere classified
Z91.81	Personal history of use of vaping device
Z91.89	Personal history of other specified risk-factors, not elsewhere classified
Z92	Personal history of medical treatment
Z92.0	Personal history of contraception
Z92.1	Personal history of long-term (current) use of anticoagulants
Z92.2	Personal history of long term [current] use of other medicaments
Z92.21	Personal history of long-term [current] use of aspirin
Z92.22	Personal history of long-term [current] use of insulin
Z92.28	Personal history of long-term [current] use of other medicaments
Z92.3	Personal history of irradiation
Z92.4	Personal history of major surgery, not elsewhere classified
Z92.5	Personal history of rehabilitation measures
Z92.6	Personal history of pharmacotherapy for neoplastic disease
Z92.8	Personal history of other medical treatment
Z92.9	Personal history of medical treatment, unspecified
Z93	Artificial opening status
Z93.0	Tracheostomy status

Z93.1	Gastrostomy status
Z93.2	Ileostomy status
Z93.3	Colostomy status
Z93.4	Other artificial openings of gastrointestinal tract status
Z93.5	Cystostomy status
Z93.6	Other artificial openings of urinary tract status
Z93.8	Other artificial opening status
Z93.9	Artificial opening status, unspecified
Z94	Transplanted organ and tissue status
Z94.0	Kidney transplant status
Z94.1	Heart transplant status
Z94.2	Lung transplant status
Z94.3	Heart and lungs transplant status
Z94.4	Liver transplant status
Z94.5	Skin transplant status
Z94.6	Bone transplant status
Z94.7	Corneal transplant status
Z94.8	Other transplanted organ and tissue status
Z94.81	Bone marrow transplant status
Z94.82	Intestine transplant status
Z94.83	Pancreas transplant status
Z94.84	Islet cell transplant status
Z94.85	Stem cell transplant status, not elsewhere classified
Z94.89	Other specified transplanted organ and tissue status
Z94.9	Transplanted organ and tissue status, unspecified
Z95	Presence of cardiac and vascular implants and grafts
Z95.0	Presence of cardiac device
Z95.1	Presence of aortocoronary bypass graft
Z95.2	Presence of prosthetic heart valve
Z95.3	Presence of xenogenic heart valve
Z95.4	Presence of other heart-valve replacement
Z95.5	Presence of coronary angioplasty implant and graft
Z95.8	Presence of other cardiac and vascular implants and grafts
Z95.9	Presence of cardiac and vascular implant and graft, unspecified
Z96	Presence of other functional implants
Z96.0	Presence of urogenital implants
Z96.1	Presence of intraocular lens
Z96.2	Presence of otological and audiological implants
Z96.3	Presence of artificial larynx
Z96.4	Presence of endocrine implants
Z96.5	Presence of tooth-root and mandibular implants
Z96.6	Presence of orthopaedic joint implants
Z96.60	Presence of unspecified joint implant
Z96.61	Presence of shoulder implant
Z96.62	Presence of elbow implant
Z96.63	Presence of wrist implant
Z96.64	Presence of hip implant
Z96.65	Presence of knee implant

Z96.66	Presence of ankle implant
Z96.68	Presence of other orthopaedic joint implant
Z96.7	Presence of other bone and tendon implants
Z96.8	Presence of other specified functional implants
Z96.9	Presence of functional implant, unspecified
Z97	Presence of other devices
Z97.0	Presence of artificial eye
Z97.1	Presence of artificial limb (complete)(partial)
Z97.2	Presence of dental prosthetic device (complete)(partial)
Z97.3	Presence of spectacles and contact lenses
Z97.4	Presence of external hearing aid
Z97.5	Presence of contraceptive device
Z97.8	Presence of other specified devices
Z98	Other postprocedural states
Z98.0	Intestinal bypass and anastomosis status
Z98.1	Arthrodesis status
Z98.2	Presence of cerebrospinal fluid drainage device
Z98.3	Difficult airway for intubation status
Z98.8	Other specified postprocedural states
Z99	Dependence on enabling machines and devices, not elsewhere classified
Z99.0	Dependence on aspirator
Z99.1	Dependence on respirator
Z99.2	Dependence on kidney dialysis
Z99.3	Dependence on wheelchair
Z99.4	Dependence on artificial heart
Z99.8	Dependence on other enabling machines and devices
Z99.9	Dependence on unspecified enabling machine and device

[Appendix A](#): Morphology of neoplasms

[Appendix B](#): Special tabulation lists for mortality and morbidity

[Appendix C](#): Unacceptable Principal Diagnosis Codes

[Appendix D](#): Classification of Hospital Acquired Diagnoses (CHADx)

Status of changes to ICD-10-AM codes A00–T98, Z00–Z99

Chapter 1 Certain infectious and parasitic diseases (A00–B99)

Status of instructional note(s): Revised – [Eighth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Seventh Edition:

Use additional code (Z06.-) to identify the antibiotic to which a bacterial agent is resistant.

ICD-10-AM Eighth Edition:

Use additional code (Z06–Z07) to identify resistance to antimicrobial and antineoplastic drugs.

ICD-10-AM Ninth Edition:

Excludes: carrier or suspected carrier of infectious disease (Z22.-)
 certain localised infections — see body system-related chapters
 infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium [except obstetrical tetanus] (O98.-)
 infectious and parasitic diseases specific to the perinatal period [except tetanus neonatorum, congenital syphilis, perinatal gonococcal infection and perinatal human immunodeficiency virus [HIV] disease] (P35–P39)
 influenza and other acute respiratory infections (J00–J22)

ICD-10-AM Tenth Edition:

Excludes: carrier or suspected carrier of infectious disease (Z22.-)
 certain localised infections — see body system-related chapters
 influenza and other acute respiratory infections (J00–J22)

ICD-10-AM Eleventh Edition:

Use additional code (Z06) to identify resistance to antimicrobial drugs.

ICD-10-AM Twelfth Edition:

Use additional code (Z14–Z16) to identify resistance to antimicrobial drugs.

A01.1 Paratyphoid fever A

Status of inclusion term(s): Created – [Twelfth Edition](#)

A01.2 Paratyphoid fever B

Status of inclusion term(s): Created – [Twelfth Edition](#)

A01.3 Paratyphoid fever C

Status of inclusion term(s): Created – [Twelfth Edition](#)

A02 Other *Salmonella* infections

Status of code title: Revised – [Twelfth Edition](#)
Status of includes note: Revised – [Twelfth Edition](#)
Status of excludes note: Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

A02 Other salmonella infections

Includes: infection or food-borne intoxication due to any *Salmonella* species other than *S. typhi* and *S. paratyphi*

ICD-10-AM Twelfth Edition:

A02 Other *Salmonella* infections

Includes: infection or food-borne intoxication due to *Salmonella* species NEC

A02.1 Sepsis due to *Salmonella*

Status of code title: Revised – [Twelfth Edition](#)
Status of includes note: Created – [Twelfth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

A02.1 *Salmonella* sepsis

ICD-10-AM Twelfth Edition:

A02.1 Sepsis due to *Salmonella*

A02.2 Localised *Salmonella* infections

Status of code title: Revised – [Fourth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Third Edition:

A02.2† Localised salmonella infections

ICD-10-AM Fourth Edition:

A02.2 Localised salmonella infections

ICD-10-AM Twelfth Edition:

A02.2 Localised *Salmonella* infections

A02.8 Other specified *Salmonella* infections

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

A02.8 Other specified salmonella infections

ICD-10-AM Twelfth Edition:

A02.8 Other specified *Salmonella* infections

A03.7 Sepsis due to *Shigella*

Status of code: Created – [Twelfth Edition](#)

A04 Other bacterial intestinal infections

Status of excludes note: Revised – *Fifth Edition*
Status of code title: Revised – *Eleventh Edition*
Status of code title: Revised – *Thirteenth Edition*

ICD-10-AM Fourth Edition:

Excludes: food-borne intoxications, bacterial (A05.-)
 tuberculous enteritis (A18.3)

ICD-10-AM Fifth Edition:

Excludes: food-borne intoxications, elsewhere classified:
 • listeriosis (A32.-)
 • other bacterial (A05.-)
 • salmonella food-borne intoxication and infection (A02.-)
 • toxic effect of noxious foodstuffs (T61–T62)
 • tuberculous enteritis (A18.3)

ICD-10-AM Tenth Edition:

A04 Other bacterial intestinal infections

ICD-10-AM Eleventh Edition:

A04 Other bacterial intestinal infection

ICD-10-AM Thirteenth Edition:

A04 Other bacterial intestinal infections

A04.4 Other intestinal Escherichia coli infection

Status of code title: Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

A04.4 Other intestinal Escherichia coli infections

ICD-10-AM Eleventh Edition:

A04.4 Other intestinal Escherichia coli infection

A04.6 Enteritis due to *Yersinia enterocolitica*

Status of excludes note: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Excludes: extraintestinal yersiniosis (A28.2)

ICD-10-AM Twelfth Edition:

Excludes: extraintestinal yersiniosis (A28.20)

A04.7 Enterocolitis due to *Clostridioides* [*Clostridium*] *difficile*

Status of inclusion term(s): Created – *Fifth Edition*
Status of code title: Revised – *Twelfth Edition*
Status of inclusion term(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

A04.7 Enterocolitis due to *Clostridium difficile*
 Food-borne intoxication by *Clostridium difficile*
 Pseudomembranous colitis

ICD-10-AM Twelfth Edition:

A04.7 Enterocolitis due to *Clostridioides* [*Clostridium*] *difficile*
 Food-borne intoxication by *Clostridioides* [*Clostridium*] *difficile*
 Pseudomembranous colitis

A04.8 Other specified bacterial intestinal infection**Status of code title:** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

A04.8 Other specified bacterial intestinal infections

ICD-10-AM Eleventh Edition:

A04.8 Other specified bacterial intestinal infection

A05 Other bacterial food-borne intoxications, not elsewhere classified**Status of code title:** Revised – *Fifth Edition***Status of excludes note:** Revised – *Fifth Edition***Status of excludes note:** Revised – *Twelfth Edition***ICD-10-AM Fourth Edition:**

A05 Other bacterial food-borne intoxications

Excludes: *Escherichia coli* infection (A04.0–A04.4)
 listeriosis (A32.-)
 salmonella food-borne intoxication and infection (A02.-)
 toxic effect of noxious foodstuffs (T61–T62)

ICD-10-AM Fifth Edition:

A05 Other bacterial food-borne intoxications, not elsewhere classified

Excludes: *Clostridium difficile* food-borne intoxication and infection (A04.7)
Escherichia coli infection (A04.0–A04.4)
 listeriosis (A32.-)
 salmonella food-borne intoxication and infection (A02.-)
 toxic effect of noxious foodstuffs (T61–T62)

ICD-10-AM Twelfth Edition:

Excludes: *Clostridioides [Clostridium] difficile* food-borne intoxication and infection (A04.7)
Escherichia coli infection (A04.0–A04.4)
 listeriosis (A32.-)
 salmonella food-borne intoxication and infection (A02.-)
 toxic effect of noxious foodstuffs (T61–T62)

A06.5 Amoebic lung abscess**Status of code:** Revised – *Third Edition***Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Second Edition:**

A06.5† Amoebic lung abscess (J99.8*)

ICD-10-AM Third Edition:

A06.5 Amoebic lung abscess

ICD-10-AM Tenth Edition:

Amoebic abscess of lung (and liver)

ICD-10-AM Eleventh Edition:

Amoebic abscess of lung:

- NOS
- with pneumonia† (J17.3*)

A06.6 Amoebic brain abscess**Status of code:****Revised – Third Edition****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Second Edition:**

A06.6† Amoebic brain abscess (G07*)

ICD-10-AM Third Edition:

A06.5 Amoebic brain abscess

ICD-10-AM Tenth Edition:

Amoebic abscess of brain (and liver)(and lung)

ICD-10-AM Eleventh Edition:

Amoebic abscess of brain

A07.8 Other specified protozoal intestinal diseases**Status of inclusion term(s):****Classified – First Edition****Term classification:**

Microsporidial enteritis

Intestinal microsporidiosis

A08.1 Acute gastroenteropathy due to Norovirus**Status of code title:****Revised – Eleventh Edition****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**A08.1 Acute gastroenteropathy due to Norwalk agent
Small round structured virus enteritis**ICD-10-AM Eleventh Edition:**A08.1 Acute gastroenteropathy due to Norovirus
Noroviral enteritis
Small round structured virus enteritis

A09 Other gastroenteritis and colitis of infectious and unspecified origin

Status of note: Deleted – [Second Edition](#)
Status of code title: Revised – [Sixth Edition](#)
Status of code(s): Created – [Sixth Edition](#)
Status of inclusion term(s): Deleted – [Sixth Edition](#)
Status of excludes note: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

A09 Diarrhoea and gastroenteritis of presumed infectious origin
 Catarrh, enteric or intestinal
 Colitis }
 Enteritis } NOS, haemorrhagic, septic
 Gastroenteritis }
 Diarrhoea:
 • dysenteric
 • epidemic
 • NOS
 Infectious diarrhoeal disease NOS

Excludes: due to bacterial, protozoal, viral and other specified infectious agents (A00–A08)
 noninfective diarrhoea:
 • neonatal (P78.3)
 • NOS (K52.9)

ICD-10-AM Sixth Edition:

A09 Other gastroenteritis and colitis of infectious and unspecified origin

Excludes: due to bacterial, protozoal, viral and other specified infectious agents (A00–A08)
 noninfective (noninfectious) diarrhoea:
 • neonatal (P78.3)
 • NOS (K52.9)

A09.0 Other gastroenteritis and colitis of infectious origin

[A09.9](#) Gastroenteritis and colitis of unspecified origin

A09.0 Other gastroenteritis and colitis of infectious origin

Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Catarrh, enteric or intestinal

Diarrhoea:

• acute:

- bloody
- haemorrhagic
- watery

• dysenteric

• epidemic

Infectious:

• diarrhoea NOS

• or septic:

- | | |
|---|-------------------|
| <ul style="list-style-type: none"> • colitis • enteritis • gastroenteritis | haemorrhagic, NOS |
|---|-------------------|

ICD-10-AM Eleventh Edition:

Catarrh, enteric or intestinal

Diarrhoea:

- acute:
 - bloody
 - haemorrhagic
 - watery
 - dysenteric
 - epidemic
- Infectious:
 - diarrhoea NOS
 - or septic:
 - haemorrhagic:
 - colitis NOS
 - enteritis NOS
 - gastroenteritis NOS

ICD-10-AM Twelfth Edition:

Catarrh, enteric or intestinal

Diarrhoea:

- acute:
 - bloody
 - haemorrhagic
 - watery
 - dysenteric
 - epidemic
- Infectious (neonatal):
 - diarrhoea NOS
 - or septic:
 - haemorrhagic:
 - colitis NOS
 - enteritis NOS
 - gastroenteritis NOS

A09.9 Gastroenteritis and colitis of unspecified origin**Status of inclusion term(s):****Created – Tenth Edition****Status of excludes note:****Created – Eleventh Edition****A15–A19 Tuberculosis****Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Excludes: congenital tuberculosis (P37.0)
 pneumoconiosis associated with tuberculosis (J65)
 sequelae of tuberculosis (B90.-)
 silicotuberculosis (J65)

ICD-10-AM Seventh Edition:

Excludes: congenital tuberculosis (P37.0)
 human immunodeficiency virus [HIV] disease resulting in tuberculosis (B20)
 pneumoconiosis associated with tuberculosis (J65)
 sequelae of tuberculosis (B90.-)
 silicotuberculosis (J65)

A15.0 Tuberculosis of lung, confirmed by sputum microscopy with or without culture

Status of inclusion term(s):

Revised – [Eleventh Edition](#)

Status of excludes note:

Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Tuberculous:

- | | |
|---|--|
| <ul style="list-style-type: none"> • bronchiectasis • fibrosis of lung • pneumonia • pneumothorax | confirmed by sputum
microscopy with or
without culture |
|---|--|

ICD-10-AM Eleventh Edition:

Tuberculosis of lung, bacteriologically confirmed, with or without culture

Tuberculous:

- bronchiectasis, confirmed bacteriologically, with or without culture
- fibrosis of lung, confirmed bacteriologically, with or without culture
- pneumonia, confirmed bacteriologically, with or without culture
- pneumothorax, confirmed bacteriologically, with or without culture

A15.3 Tuberculosis of lung, confirmed by unspecified means

Status of inclusion term(s):

Revised – [Eleventh Edition](#)

Status of includes note:

Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Tuberculous:

- | | |
|---|---|
| <ul style="list-style-type: none"> • bronchiectasis • fibrosis of lung • pneumonia • pneumothorax | confirmed but unspecified
whether bacteriologically
or histologically |
|---|---|

ICD-10-AM Eleventh Edition:

Tuberculous:

- bronchiectasis, confirmed by unspecified means
- fibrosis of lung, confirmed by unspecified means
- pneumonia, confirmed by unspecified means
- pneumothorax, confirmed by unspecified means

A15.4 Tuberculosis of intrathoracic lymph nodes, confirmed bacteriologically and histologically

Status of inclusion term(s):

Deleted – [Eleventh Edition](#)

Status of includes note:

Created – [Eleventh Edition](#)

A15.5 Tuberculosis of larynx, trachea and bronchus, confirmed bacteriologically and histologically

Status of inclusion term(s):

Deleted – [Eleventh Edition](#)

Status of includes note:

Created – [Eleventh Edition](#)

A15.8 Other respiratory tuberculosis, confirmed bacteriologically and histologically

Status of inclusion term(s):

Deleted – [Eleventh Edition](#)

Status of includes note:

Created – [Eleventh Edition](#)

A16.2 Tuberculosis of lung, without mention of bacteriological or histological confirmation

Status of inclusion term(s):

Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Tuberculosis of lung

Tuberculous:

- bronchiectasis
- fibrosis of lung
- pneumonia
- pneumothorax

NOS (without mention of
bacteriological or histological
confirmation)

ICD-10-AM Eleventh Edition:

Tuberculous:

- bronchiectasis NOS
- fibrosis of lung NOS
- pneumonia NOS
- pneumothorax NOS

A16.3 Tuberculosis of intrathoracic lymph nodes, without mention of bacteriological or histological confirmation

Status of inclusion term(s):

Deleted – [Eleventh Edition](#)

Status of includes note:

Created – [Eleventh Edition](#)

A16.4 Tuberculosis of larynx, trachea and bronchus, without mention of bacteriological or histological confirmation

Status of inclusion term(s):

Deleted – [Eleventh Edition](#)

Status of includes note:

Created – [Eleventh Edition](#)

A16.5 Tuberculous pleurisy, without mention of bacteriological or histological confirmation

Status of inclusion term(s):

Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Tuberculosis of pleura

Tuberculous:

- empyema
- pleurisy

NOS (without mention of
bacteriological or histological
confirmation)

ICD-10-AM Eleventh Edition:

Tuberculosis of pleura NOS

Tuberculous:

- empyema NOS
- pleurisy NOS

A16.8 Other respiratory tuberculosis, without mention of bacteriological or histological confirmation

Status of inclusion term(s):

Deleted – [Eleventh Edition](#)

Status of includes note:

Created – [Eleventh Edition](#)

A17.0 Tuberculous meningitis**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

A17.0† Tuberculous meningitis (G01*)

ICD-10-AM Third Edition:

A17.0 Tuberculous meningitis

A17.1 Meningeal tuberculoma**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

A17.1† Meningeal tuberculoma (G01*)

ICD-10-AM Third Edition:

A17.1 Meningeal tuberculoma

A17.8† Other tuberculosis of nervous system**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Tuberculoma	of	brain (G07*),
Tuberculosis		spinal cord (G07*)

Tuberculous:

- abscess of brain (G07*)
- meningoencephalitis (G05.0*)
- myelitis (G05.0*)
- polyneuropathy (G63.0*)

ICD-10-AM Eleventh Edition:

Tuberculoma:

- brain (G07*)
- spinal cord (G07*)

Tuberculosis:

- brain (G07*)
- spinal cord (G07*)

Tuberculous:

- abscess of brain (G07*)
- meningoencephalitis (G05.0*)
- myelitis (G05.0*)
- polyneuropathy (G63.0*)

A17.9 Tuberculosis of nervous system, unspecified**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

A17.9† Tuberculosis of nervous system, unspecified (G99.8*)

ICD-10-AM Third Edition:

A17.9 Tuberculosis of nervous system, unspecified

A18.1 Tuberculosis of genitourinary system**Status of code:****Revised – Fourth Edition****ICD-10-AM Third Edition:**

A18.1† Tuberculosis of genitourinary system

ICD-10-AM Fourth Edition:

A18.1 Tuberculosis of genitourinary system

A18.5 Tuberculosis of eye**Status of code:****Revised – Fourth Edition****ICD-10-AM Third Edition:**

A18.5† Tuberculosis of eye

ICD-10-AM Fourth Edition:

A18.5 Tuberculosis of eye

A18.6 Tuberculosis of ear**Status of code:****Revised – Fourth Edition****ICD-10-AM Third Edition:**

A18.6† Tuberculosis of ear

ICD-10-AM Fourth Edition:

A18.6 Tuberculosis of ear

A18.7 Tuberculosis of adrenal glands**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

A18.7† Tuberculosis of adrenal glands (E35.1*)

ICD-10-AM Third Edition:

A18.7 Tuberculosis of adrenal glands

A18.8 Tuberculosis of other specified organs**Status of code:****Revised – Fourth Edition****ICD-10-AM Third Edition:**

A18.8† Tuberculosis of other specified organs

ICD-10-AM Fourth Edition:

A18.8 Tuberculosis of other specified organs

A20.7 Sepsis due to plague**Status of code title:****Revised – Twelfth Edition****Status of inclusion term(s):****Created – Twelfth Edition****Status of includes note:****Created – Twelfth Edition****Status of instructional note(s):****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

A20.7 Septicaemic plague

ICD-10-AM Twelfth Edition:

A20.7 Sepsis due to plague

A21.7 Sepsis due to tularaemia

Status of code title:	Revised – Twelfth Edition
Status of inclusion term(s):	Created – Twelfth Edition
Status of includes note:	Created – Twelfth Edition
Status of instructional note(s):	Created – Twelfth Edition
Status of inclusion term(s):	Revised – Thirteenth Edition

ICD-10-AM Eleventh Edition:
A21.7 Generalised tularaemia

ICD-10-AM Twelfth Edition:
A21.7 Sepsis due to tularaemia
Sepsis due to:
• *Francisella tularensis*
• *Pasteurella tularensis*

ICD-10-AM Thirteenth Edition:
Sepsis due to:
• *Francisella tularensis*
• *Pasteurella tularensis*

A22.7 Sepsis due to anthrax

Status of code title:	Revised – Twelfth Edition
Status of includes note:	Created – Twelfth Edition
Status of instructional note(s):	Created – Twelfth Edition

ICD-10-AM Eleventh Edition:
A22.7 Anthrax sepsis

ICD-10-AM Twelfth Edition:
A22.7 Sepsis due to anthrax

A23.7 Sepsis due to *Brucella*

Status of code:	Created – Twelfth Edition
------------------------	--

A24.0 Glanders

Status of inclusion term(s):	Revised – Fifth Edition
Status of inclusion term(s):	Revised – Sixth Edition

ICD-10-AM Fourth Edition:
Infection due to *Pseudomonas*

ICD-10-AM Fifth Edition:
Infection due to *Burkholderia mallei*
Malleus

ICD-10-AM Sixth Edition:
Infection due to:
• *Burkholderia mallei*
• *Pseudomonas mallei*
Malleus

A24.1 Acute and fulminating melioidosis

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of excludes note: Created – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Melioidosis:

- pneumonia
- sepsis
- septicaemia

ICD-10-AM Seventh Edition:

Melioidosis:

- pneumonia
- sepsis

ICD-10-AM Twelfth Edition:

Melioidosis pneumonia

A24.4 Melioidosis, unspecified

Status of inclusion term(s): Created – [Second Edition](#)
Status of inclusion term(s): Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

Infection due to *Burkholderia pseudomallei* NOS
 Whitmore's disease

ICD-10-AM Sixth Edition:

Infection due to:

- *Burkholderia pseudomallei* NOS
 - *Pseudomonas pseudomallei* NOS
- Whitmore's disease

A24.7 Sepsis due to glanders and melioidosis

Status of code: Created – [Twelfth Edition](#)

A26.7 Sepsis due to *Erysipelothrix* [erysipeloid] [rhusiopathiae]

Status of code title: Revised – [Twelfth Edition](#)
Status of includes note: Created – [Twelfth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

A26.7 Erysipelothrix sepsis

ICD-10-AM Twelfth Edition:A26.7 Sepsis due to *Erysipelothrix* [erysipeloid] [rhusiopathiae]**A28.0 Pasteurellosis**

Status of code(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

A28.0 Pasteurellosis

ICD-10-AM Twelfth Edition:

A28.0 Pasteurellosis
 A28.00 Pasteurellosis, not elsewhere classified
 A28.01 Sepsis due to *Pasteurella*, not elsewhere classified

A28.2 Extraintestinal yersiniosis**Status of code(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

A28.2 Extraintestinal yersiniosis

ICD-10-AM Twelfth Edition:

A28.2 Extraintestinal yersiniosis

A28.20 Extraintestinal yersiniosis, not elsewhere classified

A28.21 Sepsis due to extraintestinal yersiniosis

A32.7 Sepsis due to *Listeria* [*monocytogenes*]**Status of code title:****Revised – [Twelfth Edition](#)****Status of includes note:****Created – [Twelfth Edition](#)****Status of instructional note(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

A32.7 Listerial sepsis

ICD-10-AM Twelfth Edition:A32.7 Sepsis due to *Listeria* [*monocytogenes*]**A39.0 Meningococcal meningitis****Status of code:****Revised – [Third Edition](#)****ICD-10-AM Second Edition:**

A39.0† Meningococcal meningitis (G01*)

ICD-10-AM Third Edition:

A39.0 Meningococcal meningitis

A39.5 Meningococcal heart disease**Status of code:****Revised – [Third Edition](#)****ICD-10-AM Second Edition:**

A39.5† Meningococcal heart disease

ICD-10-AM Third Edition:

A39.5 Meningococcal heart disease

A39.7 Sepsis due to *Meningococcus***Status of code:****Created – [Twelfth Edition](#)**

A40 Sepsis due to *Streptococcus* and *Enterococcus*

Status of excludes note:	Revised – Fifth Edition
Status of instructional note(s):	Created – Eighth Edition
Status of excludes note:	Revised – Ninth Edition
Status of instructional note(s):	Revised – Ninth Edition
Status of excludes note:	Revised – Tenth Edition
Status of excludes note:	Revised – Eleventh Edition
Status of code title:	Revised – Twelfth Edition
Status of includes note:	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of excludes note:	Deleted – Twelfth Edition

ICD-10-AM Fourth Edition:

Excludes: during labour (O75.3)
following:
• abortion or ectopic or molar pregnancy (O03–O07, O08.0)
• immunisation (T88.0)
• infusion, transfusion or therapeutic injection (T80.2)
neonatal (P36.0–P36.1)
postprocedural (T81.4)
puerperal (O85)

ICD-10-AM Fifth Edition:

Excludes: during labour (O75.3)
following:
• abortion or ectopic or molar pregnancy (O03–O07, O08.0)
• immunisation (T88.0)
• infusion, transfusion or therapeutic injection (T80.2)
neonatal (P36.0–P36.1)
postprocedural (T81.42)
puerperal (O85)

ICD-10-AM Eighth Edition:

Includes: streptococcal septicaemia

Use additional code (R57.2) to identify septic shock

Excludes: during labour (O75.3)
following:
• abortion or ectopic or molar pregnancy (O03–O07, O08.0)
• immunisation (T88.0)
• infusion, transfusion or therapeutic injection (T80.2)
neonatal (P36.0–P36.1)
postprocedural (T81.42)
puerperal (O85)

ICD-10-AM Ninth Edition:

Includes: streptococcal septicaemia

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

Excludes: during labour (O75.3)
following:
• abortion or ectopic or molar pregnancy (O03–O07, O08.0)
• immunisation (T88.0)
• infusion, transfusion or therapeutic injection (T80.2)
neonatal (P36.0–P36.1)
puerperal (O85)

ICD-10-AM Tenth Edition:

Excludes: following:

- abortion or ectopic or molar pregnancy (O03–O07, O08.0)
- immunisation (T88.0)
- infusion, transfusion or therapeutic injection (T80.2)

neonatal (P36.0–P36.1)

ICD-10-AM Eleventh Edition:

A40 Streptococcal sepsis

Includes: streptococcal septicaemia

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

Excludes: following:

- immunisation (T88.0)
- infusion, transfusion or therapeutic injection (T80.2)

neonatal (P36.0–P36.1)

ICD-10-AM Twelfth Edition:

A40 Sepsis due to *Streptococcus* and *Enterococcus*

Includes: altered mental state
hypotension
tachypnoea

Use additional code (R57.2) to identify septic shock.

A40.0 Sepsis due to *Streptococcus*, group A

Status of code title: Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

A40.0 Sepsis due to streptococcus, group A

ICD-10-AM Twelfth Edition:

A40.0 Sepsis due to *Streptococcus*, group A

A40.1 Sepsis due to *Streptococcus*, group B

Status of code title: Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

A40.1 Sepsis due to streptococcus, group B

ICD-10-AM Twelfth Edition:

A40.1 Sepsis due to *Streptococcus*, group B

A40.2 Sepsis due to *Streptococcus*, group D and *Enterococcus*

Status of code title: Revised – **Tenth Edition**

Status of code(s): Created – **Twelfth Edition**

Status of code title: Revised – **Twelfth Edition**

ICD-10-AM Ninth Edition:

A40.2 Sepsis due to streptococcus, group D

ICD-10-AM Tenth Edition:

A40.2 Sepsis due to streptococcus, group D and enterococcus

ICD-10-AM Twelfth Edition:

A40.2 Sepsis due to *Streptococcus*, group D and *Enterococcus*

A40.21 Sepsis due to *Streptococcus*, group D

A40.22 Sepsis due to *Enterococcus*

A40.3 Sepsis due to *Streptococcus pneumoniae***Status of includes term:** Revised – [Seventh Edition](#)**ICD-10-AM Sixth Edition:**

A40.3 Sepsis due to *Streptococcus pneumoniae*
Pneumococcal septicaemia

ICD-10-AM Seventh Edition:

A40.3 Sepsis due to *Streptococcus pneumoniae*
Pneumococcal sepsis

A41 Other and unspecified sepsis

Status of excludes note:	Revised – Fifth Edition
Status of instructional note(s):	Created – Eighth Edition
Status of excludes note:	Revised – Ninth Edition
Status of instructional note(s):	Revised – Ninth Edition
Status of excludes note:	Revised – Tenth Edition
Status of excludes note:	Revised – Eleventh Edition
Status of code title:	Revised – Twelfth Edition
Status of includes note:	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition

ICD-10-AM Fourth Edition:

Excludes: bacteraemia NOS (A49.9)
during labour (O75.3)
following:
• abortion or ectopic or molar pregnancy (O03–O07, O08.0)
...
• postprocedural (T81.42)

ICD-10-AM Fifth Edition:

Excludes: bacteraemia NOS (A49.9)
during labour (O75.3)
following:
• abortion or ectopic or molar pregnancy (O03–O07, O08.0)
...
• postprocedural (T81.42)

ICD-10-AM Eighth Edition:

Includes: septicaemia

Use additional code (R57.2) to identify septic shock

Excludes: bacteraemia NOS (A49.9)
 during labour (O75.3)
 following:
 • abortion or ectopic or molar pregnancy (O03–O07, O08.0)
 • immunisation (T88.0)
 • infusion, transfusion or therapeutic injection (T80.2)
 sepsis (due to)(in):
 • actinomycotic (A42.7)
 • anthrax (A22.7)
 • candidal (B37.7)
 • Erysipelothrix (A26.7)
 • extraintestinal yersiniosis (A28.2)
 • gonococcal (A54.8)
 • herpesviral (B00.7)
 • listerial (A32.7)
 • meningococcal (A39.2–A39.4)
 • neonatal (P36.-)
 • postprocedural (T81.42)
 • puerperal (O85)
 • streptococcal (A40.-)
 • tularaemia (A21.7)
 septic:
 • melioidosis (A24.1)
 • plague (A20.7)
 toxic shock syndrome (A48.3)

ICD-10-AM Ninth Edition:

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

Excludes: bacteraemia NOS (A49.9)
 during labour (O75.3)
 following:
 • abortion or ectopic or molar pregnancy (O03–O07, O08.0)
 • immunisation (T88.0)
 • infusion, transfusion or therapeutic injection (T80.2)
 sepsis (due to)(in):
 • actinomycotic (A42.7)
 • anthrax (A22.7)
 • candidal (B37.7)
 • Erysipelothrix (A26.7)
 • extraintestinal yersiniosis (A28.2)
 • gonococcal (A54.8)
 • herpesviral (B00.7)
 • listerial (A32.7)
 • meningococcal (A39.2–A39.4)
 • neonatal (P36.-)
 • puerperal (O85)
 • streptococcal (A40.-)
 • tularaemia (A21.7)
 septic:
 • melioidosis (A24.1)
 • plague (A20.7)
 toxic shock syndrome (A48.3)

ICD-10-AM Tenth Edition:

Excludes: bacteraemia NOS (A49.9)
 following:
 • abortion or ectopic or molar pregnancy (O03–O07, O08.0)
 • immunisation (T88.0)
 • infusion, transfusion or therapeutic injection (T80.2)
 sepsis (due to)(in):
 • actinomycotic (A42.7)
 • anthrax (A22.7)
 • candidal (B37.7)
 • Erysipelothrix (A26.7)
 • extraintestinal yersiniosis (A28.2)
 • gonococcal (A54.8)
 • herpesviral (B00.7)
 • listerial (A32.7)
 • meningococcal (A39.2–A39.4)
 • neonatal (P36.-)
 • streptococcal (A40.-)
 • tularaemia (A21.7)
 septic:
 • melioidosis (A24.1)
 • plague (A20.7)
 toxic shock syndrome (A48.3)

ICD-10-AM Eleventh Edition:

A41 Other sepsis

Includes: streptococcal septicaemia

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

Excludes: bacteraemia NOS (A49.9)
 following:
 • immunisation (T88.0)
 • infusion, transfusion or therapeutic injection (T80.2)
 sepsis (due to) (in):
 • actinomycotic (A42.7)
 • anthrax (A22.7)
 • candida (B37.7)
 • Erysipelothrix (A26.7)
 • extraintestinal yersiniosis (A28.2)
 • gonococcal (A54.8)
 • herpesviral (B00.7)
 • listerial (A32.7)
 • meningococcal (A39.2–A39.4)
 • neonatal (P36.-)
 • streptococcal (A40.-)
 • tularaemia (A21.7)
 septic:
 • melioidosis (A24.1)
 • plague (A20.7)
 toxic shock syndrome (A48.3)

ICD-10-AM Twelfth Edition:

A41 Other and unspecified sepsis

Includes: altered mental state
hypotension
tachypnoea

Use additional code (R57.2) to identify septic shock.

Excludes: bacteraemia NOS (A49.9)
sepsis (due to) (in):

- actinomycotic (A42.7)
- anthrax (A22.7)
- brucellosis (A23.7)
- candida (B37.7)
- enterococcal (A40.22)
- *Erysipelothrix* (A26.7)
- extraintestinal yersiniosis (A28.21)
- glanders (A24.7)
- gonococcal (A54.7)
- herpes (simplex) (B00.71)
- herpesviral (B00.71)
- listerial (A32.7)
- melioidosis (A24.7)
- meningococcal (A39.7)
- *Pasteurella*:
 - *multocida* (A28.01)
 - NOS (A28.01)
 - *pestis* (A20.7)
 - *tularensis* (A21.7)
- plague (A20.7)
- salmonella (A02.1)
- *Shigella* (A03.7)
- streptococcal — see Alphabetic Index: *Sepsis/Streptococcus*
- tularaemia (A21.7)
- toxic shock syndrome (A48.3)

A41.1 Sepsis due to other specified *Staphylococcus***Status of code title:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

A41.1 Sepsis due to other specified staphylococcus

ICD-10-AM Twelfth Edition:A41.1 Sepsis due to other specified *Staphylococcus***A41.2 Sepsis due to unspecified *Staphylococcus*****Status of code title:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

A41.2 Sepsis due to unspecified staphylococcus

ICD-10-AM Twelfth Edition:A41.2 Sepsis due to unspecified *Staphylococcus*

A41.5 Sepsis due to other and unspecified Gram-negative organisms

Status of code(s):	Created – First Edition
Status of code(s):	Created – Second Edition
Status of code(s):	Revised – Third Edition
Status of code(s):	Revised – Fifth Edition

WHO ICD-10:

A41.5 Septicaemia due to other Gram-negative organisms

ICD-10-AM First Edition:

A41.5 Septicaemia due to other Gram-negative organisms
 A41.51 Septicaemia due to Escherichia coli [E. Coli]
 A41.52 Septicaemia due to Pseudomonas
 A41.58 Septicaemia due to other Gram-negative organisms

ICD-10-AM Second Edition:

A41.5 Septicaemia due to other Gram-negative organisms
 A41.50 Septicaemia due to unspecified Gram-negative organisms
 A41.51 Septicaemia due to Escherichia coli [E. Coli]
 A41.52 Septicaemia due to Pseudomonas
 A41.58 Septicaemia due to other Gram-negative organisms

ICD-10-AM Third Edition:

A41.5 Sepsis due to other Gram-negative organisms
 A41.50 Sepsis due to unspecified Gram-negative organisms
 A41.51 Sepsis due to Escherichia coli [E. Coli]
 A41.52 Sepsis due to Pseudomonas
 A41.58 Sepsis due to other Gram-negative organisms

ICD-10-AM Fifth Edition:

A41.5 Sepsis due to other and unspecified Gram-negative organisms
 A41.50 Sepsis due to unspecified Gram-negative organisms
 A41.51 Sepsis due to Escherichia coli [E. Coli]
 A41.52 Sepsis due to Pseudomonas
 A41.58 Sepsis due to other Gram-negative organisms

A41.50 Sepsis due to unspecified Gram-negative organisms

Status of inclusion term(s):	Revised – Seventh Edition
-------------------------------------	----------------------------------

ICD-10-AM Sixth Edition:A41.50 Sepsis due to unspecified Gram-negative organisms
Gram-negative septicaemia NOS**ICD-10-AM Seventh Edition:**A41.50 Sepsis due to unspecified Gram-negative organisms
Gram-negative sepsis NOS**A41.8 Sepsis due to other specified organism**

Status of code title:	Revised – Twelfth Edition
------------------------------	----------------------------------

ICD-10-AM Eleventh Edition:

A41.8 Other specified sepsis

ICD-10-AM Twelfth Edition:

A41.8 Sepsis due to other specified organism

A41.9 Sepsis, unspecified*Status of inclusion term(s):**Deleted – Seventh Edition**Status of excludes note:**Created – Twelfth Edition***A42.7 Sepsis due to actinomycosis***Status of code title:**Revised – Twelfth Edition**Status of includes note:**Created – Twelfth Edition**Status of instructional note(s):**Created – Twelfth Edition***ICD-10-AM Eleventh Edition:**

A42.7 Actinomycotic sepsis

ICD-10-AM Twelfth Edition:

A42.7 Sepsis due to actinomycosis

A46 Erysipelas*Status of excludes note:**Deleted – Tenth Edition***A48.3 Toxic shock syndrome***Status of excludes note:**Revised – Seventh Edition***ICD-10-AM Sixth Edition:***Excludes:* endotoxic shock NOS (R57.8)

sepsis NOS (A41.9)

septicaemia NOS (A41.9)

ICD-10-AM Seventh Edition:*Excludes:* endotoxic shock NOS (R57.8)

sepsis NOS (A41.9)

septic shock (R57.2)

A49 Bacterial infection of unspecified site*Status of code(s):**Revised – Sixth Edition**Status of excludes note:**Revised – Twelfth Edition/Twelfth Edition**Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Fifth Edition:**

A49 Bacterial infection of unspecified site

A49.0 Staphylococcal infection, unspecified

A49.1 Streptococcal infection, unspecified

A49.2 *Haemophilus influenzae* infection, unspecified

A49.3 Mycoplasma infection, unspecified

ICD-10-AM Sixth Edition:

A49 Bacterial infection of unspecified site

A49.0 Staphylococcal infection, unspecified site

A49.1 Streptococcal infection, unspecified site

A49.2 *Haemophilus influenzae* infection, unspecified site

A49.3 Mycoplasma infection, unspecified site

ICD-10-AM Eleventh Edition:

Excludes: bacterial agents as the cause of diseases classified to other chapters (B95–B96)
 chlamydial infection NOS (A74.9)
 meningococcal infection NOS (A39.9)
 rickettsial infection NOS (A79.9)
 spirochaetal infection NOS (A69.9)

ICD-10-AM Twelfth Edition:

Excludes: bacterial agents as cause of diseases classified to other chapters (B95–B96)
 chlamydial infection NOS (A74.9)
 meningococcal infection NOS (A39.9)
 rickettsial infection NOS (A79.9)
 spirochaetal infection NOS (A69.9)

ICD-10-AM Thirteenth Edition:

Excludes: chlamydial infection NOS (A74.9)
 meningococcal infection NOS (A39.9)
 rickettsial infection NOS (A79.9)
 spirochaetal infection NOS (A69.9)

A49.0 Staphylococcal infection, unspecified site

Status of code(s):

Created – Seventh Edition

ICD-10-AM Sixth Edition:

A49.0 Staphylococcal infection, unspecified site

ICD-10-AM Seventh Edition:

A49.0 Staphylococcal infection, unspecified site

A49.00 Staphylococcal infection, unspecified site

A49.01 *Staphylococcus aureus* infection, unspecified site

A49.1 Streptococcal and enterococcal infection, unspecified site

Status of code title:

Revised – Tenth Edition

Status of code(s):

Created – Twelfth Edition

ICD-10-AM Ninth Edition:

A49.1 Streptococcal infection, unspecified site

ICD-10-AM Tenth Edition:

A49.1 Streptococcal and enterococcal infection, unspecified site

ICD-10-AM Twelfth Edition:

A49.1 Streptococcal and enterococcal infection, unspecified site

A49.11 Streptococcal infection, unspecified site

A49.12 Enterococcal infection, unspecified site

A49.8 Other bacterial infections of unspecified site

Status of inclusion term(s): Created – [Seventh Edition](#)
Status of code(s): Created – [Twelfth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

A49.8 Other bacterial infections of unspecified site

ICD-10-AM Twelfth Edition:

A49.8 Other bacterial infections of unspecified site
 A49.81 *Bacteroides (fragilis)* infection, unspecified site
 A49.82 *Burkholderia* infection not elsewhere classified, unspecified site
 A49.83 *Campylobacter* infection, unspecified site
 A49.84 *Escherichia coli* [*E. coli*] infection, unspecified site
 A49.85 *Klebsiella pneumoniae* [*K. pneumoniae*] infection, unspecified site
 A49.86 *Proteus (mirabilis)*, *Morganella (morganii)* and *Providencia (rettgeri)* infection, unspecified site
 A49.87 *Pseudomonas (aeruginosa)* infection, unspecified site
 A49.89 Other bacterial infection of unspecified site

A49.9 Bacterial infection, unspecified

Status of instructional note(s): Created – [Seventh Edition](#)

A50–A64 Infections with a predominantly sexual mode of transmission

Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Excludes: human immunodeficiency virus [HIV] disease (B20–B24)
 nonspecific and nongonococcal urethritis (N34.1)
 Reiter's disease (M02.3-)

ICD-10-AM Twelfth Edition:

Excludes: arthropathy following genitourinary infection (M02.3-)
 human immunodeficiency virus [HIV] disease (B20–B24)
 nonspecific and nongonococcal urethritis (N34.1)

A50.0 Early congenital syphilis, symptomatic

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Early congenital syphilis:

- cutaneous
- mucocutaneous
- visceral

Early congenital syphilitic:

- laryngitis
- oculopathy
- osteochondropathy
- pharyngitis
- pneumonia
- rhinitis

ICD-10-AM Eleventh Edition:

Early congenital:

- syphilis:
 - cutaneous
 - mucocutaneous
 - visceral
- syphilitic:
 - laryngitis
 - oculopathy
 - osteochondropathy
 - pharyngitis
 - pneumonia
 - rhinitis

A50.3 Late congenital syphilitic oculopathy**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Late congenital syphilitic interstitial keratitis† (H19.2*)

Late congenital syphilitic oculopathy NEC† (H58.8*)

ICD-10-AM Eleventh Edition:

Late congenital syphilitic:

- interstitial keratitis† (H19.2*)
- oculopathy NEC† (H58.8*)

A52.0 Cardiovascular syphilis**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

A52.0† Cardiovascular syphilis

ICD-10-AM Third Edition:

A52.0 Cardiovascular syphilis

A52.1 Symptomatic neurosyphilis**Status of inclusion term(s):****Revised – Twelfth Edition****Status of excludes note:****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Charcot's arthropathy† (M14.6*)

Late syphilitic:

- acoustic neuritis† (H94.0*)
 - encephalitis† (G05.0*)
 - meningitis† (G01*)
 - optic atrophy† (H48.0*)
 - polyneuropathy† (G63.0*)
 - retrobulbar neuritis† (H48.1*)
- Syphilitic parkinsonism† (G22*)
- Tabes dorsalis

ICD-10-AM Twelfth Edition:

Late syphilitic:

- acoustic neuritis† (H94.0*)
 - encephalitis† (G05.0*)
 - meningitis† (G01*)
 - optic atrophy† (H48.0*)
 - polyneuropathy† (G63.0*)
 - retrobulbar neuritis† (H48.1*)
- Syphilitic:
- arthropathy (tabetic)† (M14.6*)
 - parkinsonism† (G22*)
- Tabes dorsalis

A52.7 Other symptomatic late syphilis**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Glomerular disease in syphilis† (N08.0*)

Gumma (syphilitic)

Late or tertiary syphilis

Late syphilitic:

- bursitis† (M73.1-*)
- chorioretinitis† (H32.0*)
- episcleritis† (H19.0*)
- female pelvic inflammatory disease† (N74.2*)
- leukoderma† (L99.8*)
- oculopathy NEC† (H58.8*)
- peritonitis† (K67.2*)

Syphilis [stage unspecified] of:

- bone† (M90.2-*)
- liver† (K77.0*)
- lung† (J99.8*)
- muscle† (M63.0-*)
- synovium† (M68.0-*)

any sites, except those classified to A52.0–A52.3

ICD-10-AM Eleventh Edition:

Glomerular disease in syphilis† (N08.0*)

Late syphilitic:

- bursitis† (M73.1-*)
- chorioretinitis† (H32.0*)
- episcleritis† (H19.0*)
- female pelvic inflammatory disease† (N74.2*)
- leukoderma† (L99.8*)
- oculopathy NEC† (H58.8*)
- peritonitis† (K67.2*)

Syphilis [stage unspecified] of:

- bone† (M90.2-*)
- liver† (K77.0*)
- lung† (J99.8*)
- muscle† (M63.0-*)
- synovium† (M68.0-*)

A54.2 Gonococcal pelviperitonitis and other gonococcal genitourinary infections**Status of code:****Revised – Fourth Edition****ICD-10-AM Third Edition:**

A54.2† Gonococcal pelviperitonitis and other gonococcal genitourinary infections

ICD-10-AM Fourth Edition:

A54.2 Gonococcal pelviperitonitis and other gonococcal genitourinary infections

A54.7 Sepsis due to *Gonococcus***Status of code:****Created – Twelfth Edition**

A54.8 Other gonococcal infections**Status of inclusion term(s):****Status of inclusion term(s):****Revised – Seventh Edition****Revised – Twelfth Edition****ICD-10-AM Sixth Edition:**

Gonococcal:

- brain abscess† (G07*)
- endocarditis† (I39.8*)
- meningitis† (G01*)
- myocarditis† (I41.0*)
- pericarditis† (I32.0*)
- peritonitis† (K67.1*)
- pneumonia† (J17.0*)
- sepsis
- septicaemia
- skin lesions

Excludes: gonococcal pelviperitonitis (A54.2)**ICD-10-AM Seventh Edition:**

Gonococcal:

- brain abscess† (G07*)
- endocarditis† (I39.8*)
- meningitis† (G01*)
- myocarditis† (I41.0*)
- pericarditis† (I32.0*)
- peritonitis† (K67.1*)
- pneumonia† (J17.0*)
- sepsis
- skin lesions

Excludes: gonococcal pelviperitonitis (A54.2)**ICD-10-AM Twelfth Edition:**

Gonococcal:

- brain abscess† (G07*)
- endocarditis† (I39.8*)
- meningitis† (G01*)
- myocarditis† (I41.0*)
- pericarditis† (I32.0*)
- peritonitis† (K67.1*)
- pneumonia† (J17.0*)
- skin lesions

A56.1 Chlamydial infection of pelviperitoneum and other genitourinary organs**Status of code:****Revised – Fourth Edition****ICD-10-AM Third Edition:**

A56.1† Chlamydial infection of pelviperitoneum and other genitourinary organs

ICD-10-AM Fourth Edition:

A56.1 Chlamydial infection of pelviperitoneum and other genitourinary organs

A60.0 Herpesviral infection of genitalia and urogenital tract**Status of inclusion term(s):** Revised – [Seventh Edition Errata 5](#)**ICD-10-AM Seventh Edition:**

A60.0 Herpesviral infection of genitalia and urogenital tract
 Herpesviral infection of genital tract:
 • female+ (N77.0–N77.1*)
 • male+ (N51.-*)

ICD-10-AM Seventh Edition Errata 5:

A60.0 Herpesviral infection of genitalia and urogenital tract
 Herpesviral infection of genital tract:
 • female+ (N77.0–N77.1*)
 • male+ (N51.8*)

A63.0 Anogenital [venereal] warts**Status of code(s):** Created – [Seventh Edition](#)**Status of inclusion term(s):** Created – [Seventh Edition](#)**Status of code title(s):** Revised – [Thirteenth Edition](#)**ICD-10-AM Sixth Edition:**

A63.0 Anogenital (venereal) warts

ICD-10-AM Seventh Edition:

A63.0 Anogenital (venereal) warts
 A63.00 Anogenital (venereal) warts, unspecified site
 A63.01 Perianal (venereal) warts
 A63.02 Cervical (venereal) warts
 A63.03 Urethral (venereal) warts
 A63.04 Vaginal (venereal) warts
 A63.05 Vulval (venereal) warts
 A63.06 Penile (venereal) warts
 A63.07 Scrotal (venereal) warts
 A63.09 Anogenital (venereal) warts, other site

ICD-10-AM Thirteenth Edition:

A63.0 Anogenital [venereal] warts
 A63.00 Anogenital [venereal] warts, unspecified site
 A63.01 Perianal [venereal] warts
 A63.02 Cervical [venereal] warts
 A63.03 Urethral [venereal] warts
 A63.04 Vaginal [venereal] warts
 A63.05 Vulval [venereal] warts
 A63.06 Penile [venereal] warts
 A63.07 Scrotal [venereal] warts
 A63.09 Anogenital [venereal] warts, other site

A66.6 Bone and joint lesions of yaws**Status of inclusion term(s):** Revised – [Eleventh Edition](#)**ICD-10-AM Tenth Edition:**

Ganglion	
Hydrarthrosis	of yaws
Osteitis	(early)(late)
Periostitis (hypertrophic)	
Goundou	
Gumma, bone	of yaws (late)
Gummatous osteitis or periostitis	

ICD-10-AM Eleventh Edition:Yaws (early) (late) • *ganglion*

- goundou
- gumma, bone
- gummatous osteitis or periostitis
- hydrarthrosis
- osteitis
- periostitis (hypertrophic)

A67.0 Primary lesions of pinta**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Chancres (primary)	of pinta [carate]
Papules (primary)	

ICD-10-AM Eleventh Edition:

Pinta [carate]:

- chancres (primary)
- papules (primary)

A67.1 Intermediate lesions of pinta**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Erythematous plaques	of pinta [carate]
Hyperchromic lesions	
Hyperkeratosis	
Pintids	

ICD-10-AM Eleventh Edition:

Pinta [carate]:

- erythematous plaques
- hyperchromic lesions
- hyperkeratosis
- pintids

A67.2 Late lesions of pinta**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Cardiovascular lesions† (I98.1*)	of pinta [carate]
Skin lesions:	
• achromic	
• cicatricial	
• dyschromic	

ICD-10-AM Eleventh Edition:

Cardiovascular lesions† (I98.1*) of pinta [carate]

Pinta [carate] skin lesions:

- achromic
- cicatricial
- dyschromic

A74.0 Chlamydial conjunctivitis**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

A74.0† Chlamydial conjunctivitis (H13.1*)

ICD-10-AM Third Edition:

A74.0 Chlamydial conjunctivitis

A75 Typhus fever**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:****Excludes:** rickettsiosis due to *Ehrlichia sennetsu* (A79.8)**ICD-10-AM Tenth Edition:****Excludes:** rickettsiosis due to *Neorickettsia sennetsu* [*Ehrlichia sennetsu*] (A79.8)**A79.8 Other specified rickettsioses****Status of inclusion term(s):****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**Rickettsiosis due to *Ehrlichia sennetsu***ICD-10-AM Tenth Edition:**Rickettsiosis due to *Neorickettsia sennetsu* [*Ehrlichia sennetsu*]**A81 Atypical virus infections of central nervous system****Status of code(s):****Revised – First Edition****ICD-10-AM First Edition (publication):**

A81 Slow virus infections of central nervous system

A81.8 Other slow virus infections of central nervous system

A81.9 Slow virus infection of central nervous system, unspecified

ICD-10-AM First Edition Errata 1:

A81 Atypical virus infections of central nervous system

A81.8 Other atypical virus infections of central nervous system

A81.9 Atypical virus infection of central nervous system, unspecified

A85 Other viral encephalitis, not elsewhere classified**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: benign myalgic encephalomyelitis (G93.3)
 encephalitis due to:

- herpesvirus [herpes simplex] (B00.4)
- measles virus (B05.0)
- mumps virus (B26.2)
- poliomyelitis virus (A80.-)
- zoster (B02.0)

lymphocytic choriomeningitis (A87.2)

ICD-10-AM Eleventh Edition:

Excludes: encephalitis due to:

- herpesvirus [herpes simplex] (B00.4)
- measles virus (B05.0)
- mumps virus (B26.2)
- poliomyelitis virus (A80.-)
- zoster (B02.0)

lymphocytic choriomeningitis (A87.2)
myalgic encephalomyelitis (G93.3)

A85.0 Enteroviral encephalitis

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

A85.0† Enteroviral encephalitis (G05.1*)

ICD-10-AM Third Edition:

A85.0 Enteroviral encephalitis

A85.1 Adenoviral encephalitis

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

A85.1† Adenoviral encephalitis (G05.1*)

ICD-10-AM Third Edition:

A85.1 Adenoviral encephalitis

A87.0 Enteroviral meningitis

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

A87.0† Enteroviral meningitis (G02.0*)

ICD-10-AM Third Edition:

A87.0 Enteroviral meningitis

A87.1 Adenoviral meningitis

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

A87.1† Adenoviral meningitis (G02.0*)

ICD-10-AM Third Edition:

A87.1 Adenoviral meningitis

A90 Dengue fever [classical dengue]

Status of code: *Deleted – Ninth Edition*

A91 Dengue haemorrhagic fever

Status of code: *Deleted – Ninth Edition*

A92.3 West Nile virus infection**Status of code title:** *Revised – Sixth Edition***ICD-10-AM Fifth Edition:**

A92.3 West Nile fever

ICD-10-AM Sixth Edition:

A92.3 West Nile virus infection

A92.5 Zika virus disease**Status of code:** *Created – Twelfth Edition***A92.8 Other specified mosquito-borne viral fevers****Status of inclusion term(s):** *Classified – First Edition***Term classification:**

Barmah forest fever

A93.8 Other specified arthropod-borne viral fevers**Status of inclusion term(s):** *Revised – Tenth Edition***ICD-10-AM Ninth Edition:**

Piry virus disease

Vesicular stomatitis virus disease [Indiana fever]

ICD-10-AM Tenth Edition:

Piry virus disease

Severe fever with thrombocytopenia syndrome [SFTS]

Vesicular stomatitis virus disease [Indiana fever]

A97 Dengue

Status of code(s): *Created – Ninth Edition*
Status of glossary description: *Revised – Thirteenth Edition*
Status of note: *Deleted – Thirteenth Edition*

ICD-10-AM Ninth Edition:

A97 Dengue

A97.0 Dengue without warning signs

A97.1 Dengue with warning signs

A97.2 Severe Dengue

A97.9 Dengue, unspecified

ICD-10-AM Twelfth Edition:**Severe Dengue**

Clinical signs include:

1. Severe plasma leakage leading to shock (Dengue shock syndrome — DSS) and/or fluid accumulation with respiratory distress;
2. Severe bleeding as evaluated by clinician;
3. Severe organ involvement: Liver AST or ALT ≥ 1000 , CNS: impaired consciousness (encephalitis), involvement of other organs, such as myocarditis or nephritis

ICD-10-AM Thirteenth Edition:**Severe Dengue**

Clinical signs include:

1. Severe plasma leakage leading to shock (Dengue shock syndrome — DSS) and/or fluid accumulation with respiratory distress.
2. Severe bleeding as evaluated by clinician.
3. Severe organ involvement: Liver AST or ALT 1000 or more, CNS: impaired consciousness (encephalitis), involvement of other organs, such as myocarditis or nephritis.

A98.5 Haemorrhagic fever with renal syndrome**Status of inclusion term(s):** *Revised – Sixth Edition***ICD-10-AM Fifth Edition:**

Haemorrhagic fever:

- epidemic
- Korean
- Russian

Hantaan virus disease

Hantavirus disease with renal manifestations

Nephropathia epidemica

ICD-10-AM Sixth Edition:

Haemorrhagic fever:

- epidemic
- Korean
- Russian

Hantaan virus disease

Hantavirus disease with kidney manifestations

Nephropathia epidemica

B00.1 Herpesviral vesicular dermatitis**Status of inclusion term(s):** *Reclassified – First Edition***Status of inclusion term(s):** *Revised – Eleventh Edition***Term reclassification:**

Herpetetic fever

ICD-10-AM Tenth Edition:

Herpes simplex:

- facialis
- labialis

Vesicular dermatitis of:

- ear | due to human (alpha) herpesvirus 2
- lip

ICD-10-AM Eleventh Edition:

Herpes simplex:

- facialis
- labialis

Vesicular dermatitis due to human (alpha) herpesvirus 2 of:

- ear
- lip

B00.3 Herpesviral meningitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B00.3† Herpesviral meningitis (G02.0*)

ICD-10-AM Third Edition:

B00.3 Herpesviral meningitis

B00.4 Herpesviral encephalitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B00.4† Herpesviral encephalitis (G05.1*)

ICD-10-AM Third Edition:

B00.4 Herpesviral encephalitis

B00.5 Herpesviral ocular disease

Status of inclusion term(s): *Reclassified – First Edition*
Status of code: *Revised – Fourth Edition*

First Edition term reclassification:

Ocular herpesviral disease
 Ocular zoster disease

ICD-10-AM Third Edition:

B00.5† Herpesviral ocular disease

ICD-10-AM Fourth Edition:

B00.5 Herpesviral ocular disease

B00.7 Disseminated herpesviral disease

Status of instructional note(s): *Created – Ninth Edition*
Status of code(s): *Created – Twelfth Edition*
Status of inclusion term(s): *Deleted – Twelfth Edition*
Status of instructional note(s): *Deleted – Twelfth Edition*

ICD-10-AM Eleventh Edition:

B00.7 Disseminated herpesviral disease

ICD-10-AM Twelfth Edition:

B00.7 Disseminated herpesviral disease
 B00.70 Disseminated herpesviral disease, not elsewhere classified
 B00.71 Sepsis due to herpesviral [herpes simplex] infection

B00.8 Other forms of herpesviral infection

Status of inclusion term(s): *Revised – Eighth Edition*

ICD-10-AM Seventh Edition:

Herpesviral:
 • hepatitis† (K77.0*)
 • whitlow

ICD-10-AM Eighth Edition:

Herpesviral:
 • hepatitis† (K77.0*)
 • whitlow† (L99.8*)

B00.9 Herpesviral infection, unspecified

Status of inclusion term(s): *Reclassified – First Edition*

Term reclassification:

Herpetic fever

B01.0 Varicella meningitis

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

B01.0† Varicella meningitis (G02.0*)

ICD-10-AM Third Edition:

B01.0 Varicella meningitis

B01.1 Varicella encephalitis**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

B01.1† Varicella encephalitis (G05.1*)

ICD-10-AM Third Edition:

B01.1 Varicella encephalitis

B01.2 Varicella pneumonia**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

B01.2† Varicella pneumonia (J17.1*)

ICD-10-AM Third Edition:

B01.2 Varicella pneumonia

B02.0 Zoster encephalitis**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

B02.0† Zoster encephalitis (G05.1*)

ICD-10-AM Third Edition:

B02.0 Zoster encephalitis

B02.1 Zoster meningitis**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

B02.1† Zoster meningitis (G02.0*)

ICD-10-AM Third Edition:

B02.1 Zoster meningitis

B02.3 Zoster ocular disease**Status of inclusion term(s):****Reclassified – First Edition****Status of code(s):****Revised – Fourth Edition****Term reclassification:**

Ocular herpesviral disease

Ocular zoster disease

ICD-10-AM Third Edition:

B02.3† Zoster ocular disease

ICD-10-AM Fourth Edition:

B02.3 Zoster ocular disease

B05.0 Measles complicated by encephalitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B05.0† Measles complicated by encephalitis (G05.1*)

ICD-10-AM Third Edition:

B05.0 Measles complicated by encephalitis

B05.1 Measles complicated by meningitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B05.1† Measles complicated by meningitis (G02.0*)

ICD-10-AM Third Edition:

B05.1 Measles complicated by meningitis

B05.2 Measles complicated by pneumonia**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B05.2† Measles complicated by pneumonia (J17.1*)

ICD-10-AM Third Edition:

B05.2 Measles complicated by pneumonia

B05.3 Measles complicated by otitis media**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B05.3† Measles complicated by otitis media (H67.1*)

ICD-10-AM Third Edition:

B05.3 Measles complicated by otitis media

B07 Viral warts**Status of inclusion term(s):***Revised – Seventh Edition***Status of excludes note:***Revised – Seventh Edition***Status of excludes note:***Revised – Thirteenth Edition***ICD-10-AM Sixth Edition:**

Verruca:

- simplex
- vulgaris

Excludes:

- anogenital (venereal) warts (A63.0)
- papilloma of:
 - bladder (D41.4)
 - cervix (D26.0)
 - larynx (D14.1)

ICD-10-AM Seventh Edition:

Verruca:

- simplex
- vulgaris

Viral warts NOS due to human papillomavirus [HPV]

Excludes: anogenital (venereal) warts (A63.0-)
 papilloma of:
 • bladder (D41.4)
 • cervix (D26.0)
 • larynx (D14.1)

ICD-10-AM Thirteenth Edition:

Excludes: anogenital [venereal] warts (A63.0-)
 papilloma of:
 • bladder (D41.4)
 • cervix (D26.0)
 • larynx (D14.1)

B15–B19 Viral hepatitis

Status of instructional note(s): Created – [Sixth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)
Status of glossary description: Created – [Thirteenth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code (Chapter 20) to identify post-transfusion hepatitis

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify post-transfusion hepatitis

B15 Acute hepatitis A

Status of glossary description: Created – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

B16 Acute hepatitis B

Status of glossary description: Created – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

B16.0 Acute hepatitis B with delta-agent [coinfection] with hepatic coma

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

B16.0 Acute hepatitis B with delta-agent (coinfection) with hepatic coma

ICD-10-AM Thirteenth Edition:

B16.0 Acute hepatitis B with delta-agent [coinfection] with hepatic coma

B16.1 Acute hepatitis B with delta-agent [coinfection] without hepatic coma

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

B16.1 Acute hepatitis B with delta-agent (coinfection) without hepatic coma

ICD-10-AM Thirteenth Edition:

B16.1 Acute hepatitis B with delta-agent [coinfection] without hepatic coma

B16.9 Acute hepatitis B without delta-agent and without hepatic coma

Status of inclusion term(s): Deleted – [Eighth Edition](#)
Status of inclusion term(s): Created – [Tenth Edition](#)

ICD-10-AM Tenth Edition:
 Acute hepatitis B (viral) NOS

B17.0 Acute delta-(super)infection in chronic hepatitis B

Status of code: Deleted – [Tenth Edition](#)
Status of code: Reactivated – [Eleventh Edition](#)
Status of code title: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:
 B17.0 Acute delta-(super)infection of hepatitis B carrier

ICD-10-AM Eleventh Edition:
 B17.0 Acute delta-(super)infection in chronic hepatitis B

B17.1 Acute hepatitis C

Status of glossary description: Created – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

B17.2 Acute hepatitis E

Status of glossary description: Created – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

B17.9 Acute viral hepatitis, unspecified

Status of code: Created – [Sixth Edition](#)
Status of inclusion term(s): Revised – [Ninth Edition](#)

ICD-10-AM Sixth Edition:
 B17.9 Acute viral hepatitis, unspecified
 Acute hepatitis NOS

ICD-10-AM Ninth Edition:
 B17.9 Acute viral hepatitis, unspecified
 Acute:
 • hepatitis } NOS
 • infectious hepatitis }

B18.0 Chronic viral hepatitis B with delta-agent

Status of inclusion term(s): Created – [Thirteenth Edition](#)

B18.1 Chronic viral hepatitis B without delta-agent

Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of glossary description: Created – [Thirteenth Edition](#)
Status of inclusion term(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:
 Chronic (viral) hepatitis B

ICD-10-AM Tenth Edition:
 Hepatitis B (viral) NOS

ICD-10-AM Twelfth Edition:
 Hepatitis B NOS

ICD-10-AM Thirteenth Edition:
 Chronic hepatitis B virus infection
 Hepatitis B (virus) NOS

B18.2 Chronic viral hepatitis C**Status of glossary description:****Created – Thirteenth Edition****Status of inclusion term(s):****Created – Thirteenth Edition****B20–B24 Human immunodeficiency virus [HIV] disease****Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Tenth Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Sixth Edition:**

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
 exposure to HIV (Z20.6)
 nonspecific serologic evidence of HIV (R75)

ICD-10-AM Seventh Edition:

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
 complicating pregnancy, childbirth and the puerperium (O98.7)
 exposure to HIV (Z20.6)
 nonspecific serologic evidence of HIV (R75)

ICD-10-AM Tenth Edition:

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
 exposure to HIV (Z20.6)
 nonspecific serologic evidence of HIV (R75)

ICD-10-AM Eleventh Edition:

Use additional code(s) for categories B20–B24 to identify all manifestations of HIV infection

ICD-10-AM Twelfth Edition:

Use additional code(s) to identify manifestation(s).

B20 Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases**Status of code(s):****Revised – First Edition****WHO ICD-10:**

B20 Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases
 B20.0 HIV disease resulting in mycobacterial infection
 B20.1 HIV disease resulting in other bacterial infections
 B20.2 HIV disease resulting in cytomegaloviral disease
 B20.3 HIV disease resulting in other viral infections
 B20.4 HIV disease resulting in candidiasis
 B20.5 HIV disease resulting in other mycoses
 B20.6 HIV disease resulting in *Pneumocystis carinii* pneumonia
 B20.7 HIV disease resulting in multiple infections
 B20.8 HIV disease resulting in other infectious and parasitic diseases
 B20.9 HIV disease resulting in unspecified infectious or parasitic disease

ICD-10-AM First Edition:

B20 Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases

B21 Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms

Status of code(s):

Revised – First Edition

WHO ICD-10:

- B21 Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms
- B21.0 HIV disease resulting in Kaposi's sarcoma
- B21.1 HIV disease resulting in Burkitt's lymphoma
- B21.2 HIV disease resulting in other types of non-Hodgkin's lymphoma
- B21.3 HIV disease resulting in other malignant neoplasms of lymphoid, haematopoietic and related tissue
- B21.7 HIV disease resulting in multiple malignant neoplasms
- B21.8 HIV disease resulting in other malignant neoplasms
- B21.9 HIV disease resulting in unspecified malignant neoplasms

ICD-10-AM First Edition:

- B21 Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms

B22 Human immunodeficiency virus [HIV] disease resulting in other specified diseases

Status of code(s):

Revised – First Edition

Status of inclusion term(s):

Deleted – Tenth Edition

WHO ICD-10:

- B22 Human immunodeficiency virus [HIV] disease resulting in other specified diseases
- B22.0 HIV disease resulting in encephalopathy
- B22.1 HIV disease resulting in lymphoid interstitial pneumonitis
- B22.2 HIV disease resulting in wasting syndrome
- B22.7 HIV disease resulting in multiple diseases classified elsewhere

ICD-10-AM First Edition:

- B22 Human immunodeficiency virus [HIV] disease resulting in other specified diseases

B23 Human immunodeficiency virus [HIV] disease resulting in other conditions

Status of code(s):

Revised – First Edition

WHO ICD-10:

- B23 Human immunodeficiency virus [HIV] disease resulting in other conditions
- B23.0 Acute HIV infection syndrome
- B23.1 HIV disease resulting in (persistent) generalised lymphadenopathy
- B23.2 HIV disease resulting in haematological and immunological abnormalities, not elsewhere classified
- B23.8 HIV disease resulting in other specified conditions

ICD-10-AM First Edition:

- B23 Human immunodeficiency virus [HIV] disease resulting in other conditions
- B23.0 Acute HIV infection syndrome
- B23.8 HIV disease resulting in other specified conditions

B25.1 Cytomegaloviral hepatitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B25.1† Cytomegaloviral hepatitis (K77.0*)

ICD-10-AM Third Edition:

B25.1 Cytomegaloviral hepatitis

B25.2 Cytomegaloviral pancreatitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B25.2† Cytomegaloviral pancreatitis (K87.1*)

ICD-10-AM Third Edition:

B25.2 Cytomegaloviral pancreatitis

B26.0 Mumps orchitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B26.0† Mumps orchitis (N51.1*)

ICD-10-AM Third Edition:

B26.0 Mumps orchitis

B26.1 Mumps meningitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B26.1† Mumps meningitis (G02.0*)

ICD-10-AM Third Edition:

B26.1 Mumps meningitis

B26.2 Mumps encephalitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B26.2† Mumps encephalitis (G05.1*)

ICD-10-AM Third Edition:

B26.2 Mumps encephalitis

B26.3 Mumps pancreatitis**Status of code:** *Revised – Third Edition***ICD-10-AM Second Edition:**

B26.3† Mumps pancreatitis (K87.1*)

ICD-10-AM Third Edition:

B26.3 Mumps pancreatitis

B30.0 Keratoconjunctivitis due to adenovirus

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

B30.0† Keratoconjunctivitis due to adenovirus (H19.2*)

ICD-10-AM Third Edition:

B30.0 Keratoconjunctivitis due to adenovirus

B30.1 Conjunctivitis due to adenovirus

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

B30.1† Conjunctivitis due to adenovirus (H13.1*)

ICD-10-AM Third Edition:

B30.1 Conjunctivitis due to adenovirus

B30.3 Acute epidemic haemorrhagic conjunctivitis [enteroviral]

Status of code: *Revised – Third Edition*

Status of code title: *Revised – Thirteenth Edition*

ICD-10-AM Second Edition:

B30.3† Acute epidemic haemorrhagic conjunctivitis (enteroviral) (H13.1*)

ICD-10-AM Third Edition:

B30.3 Acute epidemic haemorrhagic conjunctivitis (enteroviral)

Thirteenth Edition:

B30.3 Acute epidemic haemorrhagic conjunctivitis [enteroviral]

B30.8 Other viral conjunctivitis

Status of code: *Revised – Third Edition*

ICD-10-AM Second Edition:

B30.81† Other viral conjunctivitis (H13.1*)

ICD-10-AM Third Edition:

B30.8 Other viral conjunctivitis

B33.4† Hantavirus (cardio-) pulmonary syndrome [HPS] [HCPS] (J17.1*)

Status of code(s): *Created – Fourth Edition*

Status of instructional note(s): *Revised – Sixth Edition Errata 1*

ICD-10-AM Fifth Edition:

Use additional code (N17.-) to identify any renal failure associated with HPS caused by the Andes, Bayou and Black Creek Canal hantavirus aetiologies

Excludes: haemorrhagic fever with renal manifestations (A98.5† N08.0*)

ICD-10-AM Sixth Edition Errata 1:

Use additional code (N17.-) to identify any kidney failure associated with HPS caused by the Andes, Bayou and Black Creek Canal hantavirus aetiologies

Excludes: haemorrhagic fever with kidney manifestations (A98.5† N08.0*)

B33.8 Other specified viral diseases

Status of inclusion term(s):
Status of inclusion term(s):

Created – Twelfth Edition
Revised – Thirteenth Edition

Twelfth Edition:

Aujeszky's disease
 Coxsackievirus
 • hepatitis (B33.8†, K77.0*)
 • NOS
 Tahyna (fever)

Thirteenth Edition:

Aujeszky's disease
 Coxsackievirus
 • hepatitis† (K77.0*)
 • NOS
 Tahyna (fever)

B34.0 Adenovirus infection, unspecified site

Status of code title:

Revised – Sixth Edition

ICD-10-AM Fifth Edition:

B34.0 Adenovirus infection, unspecified

ICD-10-AM Sixth Edition:

B34.0 Adenovirus infection, unspecified site

B34.1 Enterovirus infection, unspecified site

Status of code title:

Revised – Sixth Edition

ICD-10-AM Fifth Edition:

B34.1 Enterovirus infection, unspecified

ICD-10-AM Sixth Edition:

B34.1 Enterovirus infection, unspecified site

B34.2 Coronavirus infection, unspecified site

Status of code title:

Revised – Sixth Edition

Status of excludes note:

Created – Sixth Edition

Status of excludes note:

Revised – Twelfth Edition

ICD-10-AM Fifth Edition:

B34.2 Coronavirus infection, unspecified

ICD-10-AM Sixth Edition:

B34.2 Coronavirus infection, unspecified site

ICD-10-AM Eleventh Edition:

Excludes: SARS (U04.9)

ICD-10-AM Twelfth Edition:

Excludes: coronavirus disease 2019 [COVID-19] (U07.1- –U07.2)
 severe acute respiratory syndrome [SARS] (U04.9)

B34.3 Parvovirus infection, unspecified site*Status of code title:* **Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

B34.3 Parvovirus infection, unspecified

ICD-10-AM Sixth Edition:

B34.3 Parvovirus infection, unspecified site

B34.4 Papovavirus infection, unspecified site*Status of code title:* **Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

B34.4 Papovavirus infection, unspecified

ICD-10-AM Sixth Edition:

B34.4 Papovavirus infection, unspecified site

B34.8 Other viral infections of unspecified site*Status of inclusion term(s):* **Created – Twelfth Edition****B35.6 Tinea inguinalis [tinea cruris]***Status of code title:* **Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

B35.6 Tinea cruris

ICD-10-AM Tenth Edition:

B35.6 Tinea inguinalis [tinea cruris]

B37 Candidiasis and certain *Candida* species*Status of code(s):* **Created/Deleted – Twelfth Edition***Status of code title:* **Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

B37 Candidiasis
 B37.0 Candidal stomatitis
 B37.1 Pulmonary candidiasis
 B37.2 Candidiasis of skin and nail
 B37.3† Candidiasis of vulva and vagina (N77.1*)
 B37.4 Candidiasis of other urogenital sites
 B37.5 Candidal meningitis
 B37.6 Candidal endocarditis
 B37.7 Candidal sepsis
 B37.8 Candidiasis of other sites
 B37.81 Candidal oesophagitis
 B37.88 Candidiasis of other sites
 B37.9 Candidiasis, unspecified

ICD-10-AM Twelfth Edition:

B37	Candidiasis and certain <i>Candida</i> species
B37.0	Candidal stomatitis
B37.1	Pulmonary candidiasis
B37.2	Candidiasis of skin and nail
B37.3†	Candidiasis of vulva and vagina (N77.1*)
B37.4	Candidiasis of other urogenital sites
B37.5	Candidal meningitis
B37.6	Candidal endocarditis
B37.7	Sepsis due to <i>Candida</i>
B37.8	Candidiasis of other sites and certain <i>Candida</i> species
B37.81	Candidal oesophagitis
B37.82	<i>Candida albicans</i> [<i>C. albicans</i>]
B37.83	<i>Candida auris</i> [<i>C. auris</i>]
B37.89	Candidiasis of other sites
B37.9	Candidiasis, unspecified site

B37.0 Candidal stomatitis

Status of instructional note(s): Created – [Twelfth Edition](#)

B37.1 Pulmonary candidiasis

Status of instructional note(s): Created – [Twelfth Edition](#)

B37.2 Candidiasis of skin and nail

Status of instructional note(s): Created – [Twelfth Edition](#)

B37.3† Candidiasis of vulva and vagina (N77.1*)

Status of instructional note(s): Created – [Twelfth Edition](#)

B37.4 Candidiasis of other urogenital sites

Status of code: Revised – [Fourth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Third Edition:

B37.4† Candidiasis of other urogenital sites

ICD-10-AM Fourth Edition:

B37.4 Candidiasis of other urogenital sites

B37.5 Candidal meningitis

Status of code: Revised – [Third Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Second Edition:

B37.5† Candidal meningitis (G02.1*)

ICD-10-AM Third Edition:

B37.5 Candidal meningitis

B37.6 Candidal endocarditis

Status of code: Revised – **Third Edition**
Status of instructional note(s): Created – **Twelfth Edition**

ICD-10-AM Second Edition:
 B37.6† Candidal endocarditis (I39.8*)

ICD-10-AM Third Edition:
 B37.6 Candidal endocarditis

B37.7 Sepsis due to *Candida*

Status of instructional note(s): Created – **Ninth Edition**
Status of code title: Revised – **Twelfth Edition/Twelfth Edition**
Status of includes note: Created – **Twelfth Edition/Twelfth Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:
 B37.7 Candidal sepsis

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

ICD-10-AM Twelfth Edition:
 B37.7 Sepsis due to *Candida*

Use additional code (R57.2) to identify septic shock.

B37.8 Candidiasis of other sites and certain *Candida* species

Status of code(s): Created – **First Edition**
Status of code(s): Created/Deleted – **Twelfth Edition**
Status of code title: Revised – **Twelfth Edition**

WHO ICD-10:
 B37.8 Candidiasis of other sites

ICD-10-AM First Edition:
 B37.8 Candidiasis of other sites
 B37.81 Candidal oesophagitis
 B37.88 Candidiasis of other sites

ICD-10-AM Twelfth Edition:
 B37.8 Candidiasis of other sites and certain *Candida* species
 B37.81 Candidal oesophagitis
 B37.82 *Candida albicans* [*C. albicans*]
 B37.83 *Candida auris* [*C. auris*]
 B37.89 Candidiasis of other sites

B37.81 Candidal oesophagitis

Status of instructional note(s): Created – **Twelfth Edition**

B37.9 Candidiasis, unspecified site

Status of code title: Revised – [Twelfth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
 B37.9 Candidiasis, unspecified

ICD-10-AM Twelfth Edition:
 B37.9 Candidiasis, unspecified site

B38.4 Coccidioidomycosis meningitis

Status of code: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
 B38.4† Coccidioidomycosis meningitis (G02.1*)

ICD-10-AM Third Edition:
 B38.4 Coccidioidomycosis meningitis

B42.0 Pulmonary sporotrichosis

Status of code: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
 B42.0† Pulmonary sporotrichosis (J99.8*)

ICD-10-AM Third Edition:
 B42.0 Pulmonary sporotrichosis

B48.5† Pneumocystosis (J17.2*)

Status of code: Created – [Eleventh Edition](#)
Status of inclusion term(s): Created – [Eleventh Edition](#)

B57.0 Acute Chagas' disease with heart involvement

Status of code: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
 B57.0† Acute Chagas' disease with heart involvement (I41.2*, I98.1*)

ICD-10-AM Third Edition:
 B57.0 Acute Chagas' disease with heart involvement

B57.2 Chagas' disease (chronic) with heart involvement

Status of code: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
 B57.2† Chagas' disease (chronic) with heart involvement (I41.2*, I98.1*)

ICD-10-AM Third Edition:
 B57.2 Chagas' disease (chronic) with heart involvement

B58.0 Toxoplasma oculopathy**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

B58.0† Toxoplasma oculopathy

ICD-10-AM Third Edition:

B58.0 Toxoplasma oculopathy

B58.1 Toxoplasma hepatitis**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

B58.1† Toxoplasma hepatitis (K77.0*)

ICD-10-AM Third Edition:

B58.1 Toxoplasma hepatitis

B59† Pneumocystosis (J17.3*)**Status of code:****Revised – Third Edition****Status of inclusion term(s):****Revised – Sixth Edition****Status of code:****Deleted – Eleventh Edition****WHO ICD-10:**

B59† Pneumocystosis (J17.3*) - effective January 2003

ICD-10-AM Third Edition:

B59† Pneumocystosis (J17.3*)

ICD-10-AM Fifth Edition:Pneumonia due to *Pneumocystis carinii***ICD-10-AM Sixth Edition:**

Pneumonia due to:

• *Pneumocystis*:• *carinii*• *jirovecii***B71.1 Dipylidiasis****Status of inclusion term(s):****Deleted – Sixth Edition****B81 Other intestinal helminthiasis, not elsewhere classified****Status of excludes note:****Revised – Sixth Edition****ICD-10-AM Fifth Edition:****Excludes:** angiostrongyliasis due to *Parastrongylus cantonensis* (B83.2)**ICD-10-AM Sixth Edition:****Excludes:** angiostrongyliasis due to:• *Angiostrongylus cantonensis* (B83.2)• *Parastrongylus cantonensis* (B83.2)

B81.3 Intestinal angiostrongyliasis**Status of inclusion term(s):** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**Angiostrongyliasis due to *Parastrongylus costaricensis***ICD-10-AM Sixth Edition:**

Angiostrongyliasis due to:

- *Angiostrongylus costaricensis*
- *Parastrongylus costaricensis*

B81.8 Other specified intestinal helminthiasis**Status of inclusion term(s):** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

Infection due to:

- *Oesophagostomum* species [oesophagostomiasis]
- *Ternidens diminutus* [ternidensiasis]

ICD-10-AM Sixth Edition:

Infection due to:

- *Oesophagostomum* species [oesophagostomiasis]
- *Ternidens*:
 - *deminutus* [ternidensiasis]
 - *diminutus* [ternidensiasis]

B83.2 Angiostrongyliasis due to *Parastrongylus cantonensis***Status of inclusion term(s):** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

Eosinophilic meningoencephalitis† (G05.2*)

ICD-10-AM Sixth Edition:Angiostrongyliasis due to *Angiostrongylus cantonensis*

Eosinophilic meningoencephalitis† (G05.2*)

B88.9 Infestation, unspecified**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Infestation (skin) NOS

Infestation by mites NOS

Skin parasites NOS

ICD-10-AM Eleventh Edition:

Infestation (skin):

- by mites NOS
- NOS

Skin parasites NOS

B90–B94 Sequelae of infectious and parasitic diseases**Status of note:****Revised – Seventh Edition****Status of note:****Revised – Twelfth Edition****ICD-10-AM Sixth Edition:**

Note: These categories are to be used to indicate conditions in categories A00–B89 as the cause of sequelae, which are themselves classified elsewhere. The sequelae include conditions specified as such; they also include late effects of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present.

ICD-10-AM Seventh Edition:

Note: Categories B90–B94 are to be used to indicate conditions in categories A00–B89 as the cause of sequelae, which are themselves classified elsewhere. The sequelae include conditions specified as such; they also include late effects of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present.

ICD-10-AM Twelfth Edition:

Note: Categories B90–B94 are to be used to indicate conditions in categories A00–B89, or infectious conditions classified to an emergency use code, as the cause of sequelae, which are themselves classified elsewhere. The sequelae include conditions specified as such; they also include late effects of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present.

B91 Sequelae of poliomyelitis**Status of excludes note:****Created – Seventh Edition****B94.8 Sequelae of other specified infectious and parasitic diseases****Status of excludes note:****Created – Twelfth Edition****B95–B97 Bacterial and viral agents as the cause of diseases classified to other chapters****Status of note:****Deleted – Second Edition****Status of note:****Created – Ninth Edition****Status of block title:****Revised – Twelfth Edition/Twelfth Edition****Status of note:****Revised – Twelfth Edition/Twelfth Edition****Status of instructional note(s):****Created – Twelfth Edition/Twelfth Edition****Status of excludes note:****Created – Twelfth Edition/Twelfth Edition****ICD-10-AM Eleventh Edition:****B95–B97** Bacterial, viral and other infectious agents

Note: A code from these categories must be assigned if it provides more specificity about the infectious agent. Do not assign a code from these categories if the same agent has been identified in the infection code (eg streptococcal sepsis in A40.-).

ICD-10-AM Twelfth Edition:**B95–B97** Bacterial and viral agents as the cause of diseases classified to other chapters

Note: Assign a code from these categories if it provides specificity about the infectious agent.

B95 *Streptococcus, Enterococcus and Staphylococcus as the cause of diseases classified to other chapters*

Status of code title:

Revised – *Twelfth Edition/Twelfth Edition*

ICD-10-AM Eleventh Edition:

B95 *Streptococcus and staphylococcus as the cause of diseases classified to other chapters*

ICD-10-AM Twelfth Edition:

B95 *Streptococcus, Enterococcus and Staphylococcus as the cause of diseases classified to other chapters*

B95.2 *Streptococcus, group D and Enterococcus, as the cause of diseases classified to other chapters*

Status of code title:

Revised – *Tenth Edition*

Status of code(s):

Created – *Twelfth Edition*

Status of code title:

Revised – *Twelfth Edition*

ICD-10-AM Ninth Edition:

B95.2 *Streptococcus, group D, as the cause of diseases classified to other chapters*

ICD-10-AM Tenth Edition:

B95.2 *Streptococcus, group D and enterococcus, as the cause of diseases classified to other chapters*

ICD-10-AM Eleventh Edition:

B95.2 *Streptococcus, group D and enterococcus, as the cause diseases classified to other chapters*

ICD-10-AM Twelfth Edition:

B95.2 *Streptococcus, group D and Enterococcus, as the cause diseases classified to other chapters*

B95.21 *Streptococcus, group D, as the cause of diseases classified to other chapters*

B95.22 *Enterococcus, as the cause of diseases classified to other chapters*

B95.4 *Other streptococcus as the cause of diseases classified to other chapters*

Status of code(s):

Created – *First Edition*

WHO ICD-10:

B95.4 *Other streptococcus as the cause of diseases classified to other chapters*

ICD-10-AM First Edition:

B95.4 *Other streptococcus as the cause of diseases classified to other chapters*

B95.41 *Streptococcus, Group C, as the cause of diseases classified to other chapters*

B95.42 *Streptococcus, Group G, as the cause of diseases classified to other chapters*

B95.48 *Streptococcus, other specified group, as the cause of diseases classified to other chapters*

B95.7 Other *Staphylococcus* as the cause of diseases classified to other chapters

Status of code(s):

Created – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

B95.7 Other *Staphylococcus* as the cause of diseases classified to other chapters

ICD-10-AM Twelfth Edition:

B95.7 Other *Staphylococcus* as the cause of diseases classified to other chapters

B95.71 *Staphylococcus argenteus* as the cause of diseases classified to other chapters

B95.79 Other *Staphylococcus* as the cause of diseases classified to other chapters

B96.3 *Haemophilus influenzae* [*H. influenzae*] as the cause of diseases classified to other chapters

Status of code(s):

Created – *Second Edition*

ICD-10-AM First Edition:

B96.3 *Haemophilus influenzae* [*H. influenzae*] as the cause of diseases classified to other chapters

ICD-10-AM Second Edition:

B96.3 *Haemophilus influenzae* [*H. influenzae*] as the cause of diseases classified to other chapters

B96.31 *Haemophilus influenzae* [*H. influenzae*] type B, as the cause of diseases classified to other chapters

B96.38 *Haemophilus influenzae* [*H. influenzae*] other specified type, as the cause of diseases classified to other chapters

B96.39 *Haemophilus influenzae* [*H. influenzae*] type not specified, as the cause of diseases classified to other chapters

B96.4 *Proteus*, *Morganella* and *Providencia* as the cause of diseases classified to other chapters

Status of code(s):

Created – *Twelfth Edition*

Status of code title:

Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

B96.4 *Proteus* (*mirabilis*) (*morganii*) as the cause of diseases classified to other chapters

ICD-10-AM Twelfth Edition:

B96.4 *Proteus*, *Morganella* and *Providencia* as the cause of diseases classified to other chapters

B96.41 *Proteus* (*mirabilis*) as the cause of diseases classified to other chapters

B96.42 *Morganella* (*morganii*) as the cause of diseases classified to other chapters

B96.43 *Providencia* (*rettgeri*) as the cause of diseases classified to other chapters

B96.5 *Pseudomonas (aeruginosa)* as the cause of diseases classified to other chapters

Status of code(s): Revised – [Second Edition](#)
Status of code(s): Revised – [Third Edition](#)
Status of code(s): Revised – [Fifth Edition](#)
Status of excludes note: Created – [Twelfth Edition](#)

WHO ICD-10:

B96.5 *Pseudomonas (aeruginosa) (mallei) (pseudomallei)* as the cause of diseases classified to other chapters

ICD-10-AM Second Edition:

B96.5 *Pseudomonas (aeruginosa) (mallei)* as the cause of diseases classified to other chapters

ICD-10-AM Third Edition:

B96.5 *Pseudomonas (aeruginosa) (Burkholderia pseudomallei) (mallei)* as the cause of diseases classified to other chapters

ICD-10-AM Fifth Edition:

B96.5 *Pseudomonas (aeruginosa)* as the cause of diseases classified to other chapters

B96.6 *Bacteroides (fragilis)* as the cause of diseases classified to other chapters

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

B96.6 *Bacillus fragilis* [*B. fragilis*] as the cause of diseases classified to other chapters

ICD-10-AM Twelfth Edition:

B96.6 *Bacteroides (fragilis)* as the cause of diseases classified to other chapters

B96.8 Other specified bacterial agents as the cause of diseases classified to other chapters

Status of code(s): Created – [First Edition](#)
Status of code: Created – [Seventh Edition](#)
Status of code(s): Created/Deleted – [Twelfth Edition](#)

WHO ICD-10:

B96.8 Other specified bacterial agents as the cause of diseases classified to other chapters

ICD-10-AM First Edition:

B96.8 Other specified bacterial agents as the cause of diseases classified to other chapters

B96.81 *Helicobacter pylori* [*H. pylori*]

B96.88 Other and unspecified bacterial agents as the cause of diseases classified to other chapters

ICD-10-AM Seventh Edition:

- B96.8 Other specified bacterial agents as the cause of diseases classified to other chapters
- B96.81 *Helicobacter pylori* [*H. pylori*] as the cause of diseases classified to other chapters
- B96.82 *Vibrio vulnificus* as the cause of diseases classified to other chapters
- B96.88 Other and unspecified bacterial agents as the cause of diseases classified to other chapters

ICD-10-AM Twelfth Edition:

- B96.8 Other specified bacterial agents as the cause of diseases classified to other chapters
- B96.81 *Helicobacter pylori* [*H. pylori*] as the cause of diseases classified to other chapters
- B96.82 *Vibrio vulnificus* as the cause of diseases classified to other chapters
- B96.83 *Acinetobacter baumannii* [*A. baumannii*] as the cause of diseases classified to other chapters
- B96.84 *Burkholderia (mallei) (pseudomallei)* as the cause of diseases classified to other chapters
- B96.85 *Campylobacter* as the cause of diseases classified to other chapters
- B96.86 *Clostridioides [Clostridium] difficile* [*C. difficile*] as the cause of diseases classified to other chapters
- B96.87 Other enterobacterales as the cause of diseases classified to other chapters
- B96.89 Other specified bacterial agents as the cause of diseases classified to other chapters

B96.81 *Helicobacter pylori* [*H. pylori*] as the cause of diseases classified to other chapters

Status of code title: Revised – [Second Edition](#)
Status of instructional note(s): Created – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM First Edition:

- B96.81 *Helicobacter pylori* [*H. pylori*]

ICD-10-AM Second Edition:

- B96.81 *Helicobacter pylori* [*H. pylori*] as the cause of diseases classified to other chapters

ICD-10-AM Eleventh Edition:

Code first any documented condition stated as due to Helicobacter pylori.

ICD-10-AM Twelfth Edition:

Code first, if applicable:

- any documented condition stated as due to *Helicobacter pylori*
- chronic gastritis — see *Alphabetic Index: Gastritis/chronic*
- duodenal ulcer (K26.-)
- gastric ulcer (K25.-)
- gastrojejunal ulcer (K28.-)
- MALT (mucosa associated lymphoid tissue) lymphoma — see *Alphabetic Index: Lymphoma/MALT*

B96.88 Other and unspecified bacterial agents as the cause of diseases classified to other chapters

Status of inclusion term(s): Created – [Fifth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

B97.2 Coronavirus as the cause of diseases classified to other chapters*Status of excludes note:**Created – Twelfth Edition***B97.7 Papillomavirus as the cause of diseases classified to other chapters***Status of excludes note:**Created – Seventh Edition**Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Excludes: anogenital (venereal) warts due to human papillomavirus (A63.0-)
viral warts NOS due to human papillomavirus (B07)

ICD-10-AM Thirteenth Edition:

Excludes: anogenital [venereal] warts due to human papillomavirus (A63.0-)
viral warts NOS due to human papillomavirus (B07)

B97.8 Other viral agents as the cause of diseases classified to other chapters*Status of inclusion term(s):**Created – Seventh Edition**Status of code(s):**Created – Twelfth Edition***Term classification:**

Human metapneumovirus

ICD-10-AM Eleventh Edition:

B97.8 Other viral agents as the cause of diseases classified to other chapters

ICD-10-AM Twelfth Edition:

B97.8 Other viral agents as the cause of diseases classified to other chapters
B97.81 Rhinovirus as the cause of diseases classified to other chapters
B97.82 Astrovirus as the cause of diseases classified to other chapters
B97.83 Parainfluenza virus as the cause of diseases classified to other chapters
B97.89 Viral agents as the cause of diseases classified to other chapters, not elsewhere classified

C00–D48 Neoplasms*Status of note:**Revised – Tenth Edition**Status of note:**Revised – Eleventh Edition**Status of note:**Revised – Twelfth Edition**Status of note:**Revised – Thirteenth Edition***ICD-10-AM Ninth Edition:**

6. **Malignant neoplasms of ectopic tissue**
Malignant neoplasms of ectopic tissue are to be coded to the site mentioned, e.g. ectopic pancreatic malignant neoplasms are coded to pancreas, unspecified (C25.9).

ICD-10-AM Tenth Edition:*Note:*

- Primary, ill-defined, secondary and unspecified sites of malignant neoplasms**
Categories C76 – C80 include malignant neoplasms for which there is no clear indication of the original site of the cancer or the cancer is stated to be 'disseminated', 'scattered' or 'spread' without mention of the primary site. In both cases the primary site is considered to be unknown.
- Functional activity**
All neoplasms are classified in this chapter, whether they are functionally active or not. An additional code from Chapter 4 may be used, if desired, to identify functional activity associated with any neoplasm. For example, catecholamine-producing malignant pheochromocytoma of adrenal gland should be coded to C74.- with additional code E27.5;

basophil adenoma of pituitary gland with Cushing's syndrome should be coded to D35.2 with additional code E24.0.

3. **Morphology**

There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adeno-carcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin and non-Hodgkin); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. 'Carcinoma' is sometimes used incorrectly as a synonym for 'cancer'.

In Chapter 2 neoplasms are classified predominantly by site within broad groupings for behaviour. In a few exceptional cases morphology is indicated in the category and subcategory titles.

For those wishing to identify the histological type of neoplasm, comprehensive separate morphology codes are provided in this volume. These morphology codes are derived from the third edition of International Classification of Diseases for Oncology (ICD-O), which is a dual-axis classification providing independent coding systems for topography and morphology. The first four digits of the morphology code identify the histological type; the fifth digit is the behaviour code (malignant primary, malignant secondary (metastatic), in situ, benign, uncertain whether malignant or benign). A sixth digit is used in ICD-O as a grading code (differentiation) for solid tumours, and is also used as a special code for lymphomas and leukaemias, however, this sixth digit is not included in ICD-10-AM.

4. **Use of subcategories in Chapter 2**

Attention is drawn to the special use of subcategory .8 in this chapter [see note 5]. Where it has been necessary to provide subcategories for 'other', these have generally been designated as subcategory .7.

5. **Malignant neoplasms overlapping site boundaries and the use of subcategory .8 (overlapping lesion)**

Categories C00 – C75 classify primary malignant neoplasms according to their point of origin. Many three character categories are further divided into named parts or subcategories of the organ in question. A neoplasm that overlaps two or more contiguous sites within a three character category and whose point of origin cannot be determined should be classified to the subcategory .8 ('overlapping lesion'), unless the combination is specifically indexed elsewhere. For example, carcinoma of oesophagus and stomach is specifically indexed to C16.0 (cardia), while carcinoma of the tip and ventral surface of the tongue should be assigned to C02.8. On the other hand, carcinoma of the tip of the tongue extending to involve the ventral surface should be coded to C02.1 as the point of origin, the tip, is known. 'Overlapping' implies that the sites involved are contiguous (next to each other).

Numerically consecutive subcategories are frequently anatomically contiguous, but this is not invariably so (eg bladder C67.-) and the coder may need to consult anatomical texts to determine the topographical relationships.

Sometimes a neoplasm overlaps the boundaries of three character categories within certain systems. To take care of this the following subcategories have been designated:

C02.8	<i>Overlapping lesion of tongue</i>
C08.8	<i>Overlapping lesion of major salivary glands</i>
C14.8	<i>Overlapping lesion of lip, oral cavity and pharynx</i>
C21.8	<i>Overlapping lesion of rectum, anus and anal canal</i>
C24.8	<i>Overlapping lesion of biliary tract</i>
C26.8	<i>Overlapping lesion of digestive system</i>
C39.8	<i>Overlapping lesion of respiratory and intrathoracic organs</i>
C41.8	<i>Overlapping lesion of bone and articular cartilage</i>
C49.8	<i>Overlapping lesion of connective and soft tissue</i>
C57.8	<i>Overlapping lesion of female genital organs</i>
C63.8	<i>Overlapping lesion of male genital organs</i>
C68.8	<i>Overlapping lesion of urinary organs</i>
C72.8	<i>Overlapping lesion of brain and other parts of central nervous system</i>

An example of this is a carcinoma of the stomach and small intestine, which should be coded to C26.8 (Overlapping lesion of digestive system).

6. **Malignant neoplasms of ectopic tissue**

Malignant neoplasms of ectopic tissue are to be coded to the site where they are found, eg ectopic pancreatic malignant neoplasms of ovary are coded to ovary (C56).

7. **Use of the Alphabetic Index in coding neoplasms**

In addition to site, morphology and behaviour must also be taken into consideration when coding neoplasms, and reference should always be made first to the Alphabetic Index entry for the morphological description.

8. **Use of the third edition of International Classification of Diseases for Oncology (ICD-O)**

For certain morphological types, Chapter 2 provides a rather restricted topographical classification, or none at all. The topography codes of ICD-O use for all neoplasms essentially the same three- and four- character categories that Chapter 2 uses for malignant neoplasms (C00 – C77, C80.-), thus providing increased specificity of site for other neoplasms (malignant secondary (metastatic), benign, in situ and uncertain or unknown).

It is therefore recommended that agencies interested in identifying both the site and morphology of tumours, eg cancer registries, cancer hospitals, pathology departments and other agencies specialising in cancer, use ICD-O.

ICD-10-AM Eleventh Edition:

Note:

1. **Primary, ill-defined, secondary and unspecified sites of malignant neoplasms**

Categories C76 – C80 include malignant neoplasms for which there is no clear indication of the original site of the neoplasm, or the neoplasm is stated to be 'disseminated', 'scattered' or 'spread' without mention of the primary site. If the primary site is unspecified, assign C80.9 *Malignant neoplasm, primary site unspecified*. Where a neoplasm is documented as 'unknown primary', assign C80.0 *Malignant neoplasm, primary site unknown, so stated*.

2. **Functional activity**

All neoplasms are classified in this chapter, whether they are functionally active or not. Assign an additional code from Chapter 4 to identify any documented functional activity associated with any neoplasm.

For example, catecholamine-producing malignant pheochromocytoma of adrenal gland is classified to category C74 *Malignant neoplasm of adrenal gland*, with an additional diagnosis code E27.5 *Adrenomedullary hyperfunction*; and basophil adenoma of the pituitary gland with Cushing's syndrome is classified to D35.2 *Benign neoplasm of pituitary gland* with an additional diagnosis code E24.0 *Pituitary-dependent Cushing's disease*.

3. **Morphology**

There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adeno-carcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin and non-Hodgkin); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. 'Carcinoma' is sometimes used incorrectly as a synonym for 'cancer'.

In Chapter 2, neoplasms are classified predominantly by site within broad groupings for behaviour. In a few exceptional cases morphology is indicated in the category and subcategory titles.

A comprehensive list of morphology codes are provided in this volume (see Appendix A). These morphology codes are derived from the third edition of International Classification of Diseases for Oncology (ICD-O-3), which is a dual-axis classification providing independent coding systems for topography and morphology. The first four digits of the morphology code identify the histological type; the fifth digit is the behaviour code (malignant primary, malignant secondary (metastatic), in situ, benign, uncertain whether malignant or benign). A sixth digit is used in ICD-O-3 as a grading code (differentiation) for solid tumours, and is also used as a special code for lymphomas and leukaemias, however, this sixth digit is not included in ICD-10-AM.

4. **Use of subcategories in Chapter 2**

Attention is drawn to the special use of subcategory .8 in this chapter [see note 5]. Where it has been necessary to provide subcategories for 'other', these have generally been designated as subcategory .7.

5. **Malignant neoplasms overlapping site boundaries and the use of subcategory .8 (overlapping lesion)**

Categories C00 – C75 classify primary malignant neoplasms according to their point of origin. Many three character categories are further divided into named parts or subcategories of the organ in question. A neoplasm that overlaps two or more contiguous sites within a three character category and whose point of origin cannot be determined is classified to the subcategory .8 ('overlapping lesion'), unless the combination is specifically indexed elsewhere. For example, carcinoma of the oesophagus and stomach is specifically indexed to C16.0 *Malignant neoplasm, cardia*, while carcinoma of the tip and ventral surface of the tongue is classified to C02.8 *Malignant neoplasm, overlapping lesion of tongue*. On the other hand,

carcinoma of the tip of the tongue extending to the ventral surface is classified to C02.1 *Border of tongue*, as the point of origin, the tip, is known. 'Overlapping' implies that the sites involved are contiguous (next to each other).

Numerically consecutive subcategories are mostly anatomically contiguous, but not always (eg category C67 *Malignant neoplasm of bladder*) and the clinical coder may need to consult anatomical texts to determine the topographical relationships.

Sometimes a neoplasm overlaps the boundaries of three character categories within certain systems. To take care of this the following subcategories have been designated:

- C02.8 *Overlapping lesion of tongue*
- C08.8 *Overlapping lesion of major salivary glands*
- C14.8 *Overlapping lesion of lip, oral cavity and pharynx*
- C21.8 *Overlapping lesion of rectum, anus and anal canal*
- C24.8 *Overlapping lesion of biliary tract*
- C26.8 *Overlapping lesion of digestive system*
- C39.8 *Overlapping lesion of respiratory and intrathoracic organs*
- C41.8 *Overlapping lesion of bone and articular cartilage*
- C49.8 *Overlapping lesion of connective and soft tissue*
- C57.8 *Overlapping lesion of female genital organs*
- C63.8 *Overlapping lesion of male genital organs*
- C68.8 *Overlapping lesion of urinary organs*
- C72.8 *Overlapping lesion of brain and other parts of central nervous system*

An example of this is a carcinoma of the stomach and small intestine, which is classified to C26.8 *Overlapping lesion of digestive system*.

6. **Malignant neoplasms of ectopic tissue**

Malignant neoplasms of ectopic tissue are classified to the site where they are found, eg ectopic pancreatic malignant neoplasms of ovary are classified to C56 *Malignant neoplasm of ovary*.)

7. **Use of the Alphabetic Index in coding neoplasms**

In addition to site, morphology and behaviour must also be taken into consideration when coding neoplasms, and reference should always be made first to the Alphabetic Index entry for the morphological description.

8. **Use of the third edition of International Classification of Diseases for Oncology (ICD-O-3)**

For certain morphological types, Chapter 2 provides a restricted topographical (site) classification or none at all. The topography codes in ICD-O-3 use essentially the same three- and four- character categories for all neoplasms (regardless of whether they are in situ, benign or malignant) that Chapter 2 assigns for malignant neoplasms (C00 – C77, C80.-), thus providing increased specificity of site for other neoplasms (malignant secondary (metastatic), benign, in situ and uncertain or unknown).

It is therefore recommended that agencies interested in identifying both the site and morphology of tumours, eg cancer registries, cancer hospitals, pathology departments and other agencies specialising in cancer, refer to ICD-O-3.

ICD-10-AM Twelfth Edition:

3. **Morphology**

There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adeno-carcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin and non-Hodgkin); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. 'Carcinoma' is sometimes used incorrectly as a synonym for 'cancer'.

In Chapter 2, neoplasms are classified predominantly by site within broad groupings for behaviour. In a few exceptional cases morphology is indicated in the category and subcategory titles.

A comprehensive list of morphology codes are provided in this volume (see Appendix A). These morphology codes are derived from the third edition of International Classification of Diseases for Oncology (ICD-O-3.2), which is a dual-axis classification providing independent coding systems for topography and morphology. The first four digits of the morphology code identify the histological type; the fifth digit is the behaviour code (malignant primary, malignant secondary (metastatic), in situ, benign, uncertain whether malignant or benign). A sixth digit is used in ICD-O-3.2 as a grading code (differentiation) for solid tumours, and is also used as a special code for lymphomas and leukaemias, however, this sixth digit is not included in ICD-10-AM.

...

8. **Use of the International Classification of Diseases for Oncology Third Edition Second Revision (ICD-O-3.2)**

For certain morphological types, Chapter 2 provides a restricted topographical classification, or none at all. The topography codes in ICD-O-3.2 use essentially the same three- and four-character categories for all neoplasms (regardless of whether they are in situ, benign or malignant) that Chapter 2 assigns for malignant neoplasms (C00–C77, C80.-), thus providing increased specificity of site for other neoplasms (malignant secondary (metastatic), benign, in situ and uncertain or unknown). It is therefore recommended that agencies interested in identifying both the site and morphology of tumours, eg cancer registries, cancer hospitals, pathology departments and other agencies specialising in cancer, refer to ICD-O-3.2.

ICD-10-AM Thirteenth Edition:

3. **Morphology**

There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adenocarcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin and non-Hodgkin); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. ‘Carcinoma’ is sometimes used incorrectly as a synonym for ‘cancer’.

In Chapter 2, neoplasms are classified predominantly by site within broad groupings for behaviour. In a few exceptional cases morphology is indicated in the category and subcategory titles.

A comprehensive list of morphology codes is provided in the ICD-10-AM Tabular List (see Appendix A). These morphology codes are primarily derived from the third edition of International Classification of Diseases for Oncology (ICD-O-3.2), which is a dual-axis classification providing independent coding systems for topography and morphology. The first four digits of the morphology code identify the histological type; the fifth digit is the behaviour code (malignant primary, malignant secondary (metastatic), in situ, benign, uncertain whether malignant or benign). A sixth digit is used in ICD-O-3.2 as a grading code (differentiation) for solid tumours, and is also used as a special code for lymphomas and leukaemias, however, this sixth digit is not included in ICD-10-AM.

C00.0 Malignant neoplasm of external upper lip

Status of inclusion term(s):

Status of note:

Revised – Twelfth Edition

Created – Twelfth Edition

ICD-10-AM Eleventh Edition:

Upper lip:

- lipstick area
- NOS
- vermilion border

ICD-10-AM Twelfth Edition:

Malignant melanoma of upper vermilion border

Upper lip:

- lipstick area
- NOS
- vermilion border

C00.1 Malignant neoplasm of external lower lip**Status of inclusion term(s):****Revised – Twelfth Edition****Status of note:****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Lower lip:

- lipstick area
- NOS
- vermilion border

ICD-10-AM Twelfth Edition:

Malignant melanoma of lower vermilion border

Lower lip:

- lipstick area
- NOS
- vermilion border

C00.2 Malignant neoplasm of external lip, unspecified**Status of inclusion term(s):****Revised – Twelfth Edition****Status of note:****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Vermilion border NOS

ICD-10-AM Twelfth Edition:

Malignant melanoma of vermilion border NOS

Vermilion border NOS

C08 Malignant neoplasm of other and unspecified major salivary glands**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: malignant neoplasms of minor salivary glands NOS (C06.9)
 malignant neoplasms of specified minor salivary glands which are classified according to their anatomical location parotid gland (C07)

ICD-10-AM Eleventh Edition:

Excludes: malignant neoplasms of:
 • minor salivary glands NOS (C06.9)
 • parotid gland (C07)
 • specified minor salivary glands – see Alphabetic Index: *Neoplasm/by site/malignant*

C18.9 Malignant neoplasm of colon, part unspecified**Status of code title:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition (Hard copy):**

C18.9 Colon, unspecified

ICD-10-AM Eleventh Edition (ECL):

C18.9 Malignant neoplasm of colon, unspecified part

ICD-10-AM Twelfth Edition (Hard copy):

C18.9 Colon, part unspecified

ICD-10-AM Twelfth Edition (ECL):

C18.9 Malignant neoplasm of colon, part unspecified

C24.8 Overlapping lesion of biliary tract

Status of glossary description: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Malignant neoplasm of biliary tract whose point of origin cannot be classified to any one of the categories C22.0–C24.1

Malignant neoplasm involving both intrahepatic and extrahepatic bile ducts

ICD-10-AM Thirteenth Edition:

Malignant neoplasm (of):

- biliary tract whose point of origin cannot be classified to any one of the categories C22.0–C24.1
- involving both intrahepatic and extrahepatic bile ducts.

C25.9 Malignant neoplasm of pancreas, part unspecified

Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition (Hard copy):

C25.9 Pancreas, unspecified

ICD-10-AM Twelfth Edition (Hard copy):

C25.9 Pancreas, part unspecified

C26.1 Malignant neoplasm of spleen

Status of excludes note: Revised – *Seventh Edition*

ICD-10-AM Sixth Edition:

Excludes: Hodgkin disease (C81.-)
non-Hodgkin lymphoma (C82–C85)

ICD-10-AM Seventh Edition:

Excludes: follicular lymphoma (C82.-)
Hodgkin lymphoma (C81.-)
mature T/NK-cell lymphomas (C84.-)
non-follicular lymphoma (C83.-)
non-Hodgkin lymphoma, other and unspecified types (C85.-)

C41.0 Malignant neoplasm of bones of skull and face

Status of code(s): Created – *First Edition*

Status of inclusion term(s): Deleted – *Fifth Edition*

WHO ICD-10:

C41.0 Bones of skull and face

ICD-10-AM First Edition:

C41.0 Bones of skull and face

C41.01 Craniofacial bones

C41.02 Maxillofacial bones

C43.0 Malignant melanoma of lip

Status of inclusion term(s): Created – *Twelfth Edition*

Status of note: Created – *Twelfth Edition*

C44.0 Malignant neoplasm of skin of lip*Status of inclusion term(s):**Revised – Twelfth Edition**Status of note:**Created – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Basal cell carcinoma of lip

ICD-10-AM Twelfth Edition:

Basal cell carcinoma of lip

Nonmelanotic malignant neoplasm of the hair-bearing skin of the lip (outside the vermilion border)

C46 Kaposi sarcoma*Status of code(s):**Revised – Third Edition**Status of glossary description:**Created – Thirteenth Edition***WHO ICD-10:**

- C46 Kaposi's sarcoma
- C46.0 Kaposi's sarcoma of skin
- C46.1 Kaposi's sarcoma of soft tissue
- C46.2 Kaposi's sarcoma
- C46.3 Kaposi's sarcoma of lymph nodes
- C46.7 Kaposi's sarcoma of other sites
- C46.8 Kaposi's sarcoma of multiple organs
- C46.9 Kaposi's sarcoma, unspecified

ICD-10-AM Third Edition:

- C46 Kaposi sarcoma
- C46.0 Kaposi sarcoma of skin
- C46.1 Kaposi sarcoma of soft tissue
- C46.2 Kaposi sarcoma of palate
- C46.3 Kaposi sarcoma of lymph nodes
- C46.7 Kaposi sarcoma of other sites
- C46.8 Kaposi sarcoma of multiple organs
- C46.9 Kaposi sarcoma, unspecified

C46.0 Kaposi sarcoma of skin*Status of inclusion term(s):**Created – Seventh Edition***C46.7 Kaposi sarcoma of other sites***Status of inclusion term(s):**Created – Seventh Edition***C53.1 Malignant neoplasm of exocervix***Status of inclusion term(s):**Created – Ninth Edition***C61 Malignant neoplasm of prostate***Status of instructional note(s):**Created – Twelfth Edition***C69.4 Malignant neoplasm of ciliary body***Status of inclusion term(s):**Deleted – Eighth Edition***C69.7 Malignant neoplasm of other specified parts of eye***Status of code:**Created – Ninth Edition*

C69.9 Malignant neoplasm of eye, unspecified

Status of inclusion term(s): Created – [Eighth Edition](#)

C76.3 Pelvis

Status of code(s): Created – [Twelfth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

C76.3 Pelvis
 Groin NOS
 Sites overlapping systems within the pelvis, such as:
 • rectovaginal (septum)
 • rectovesical (septum)

ICD-10-AM Twelfth Edition:

C76.3 Pelvis
 Sites overlapping systems within the pelvis

 C76.31 Male pelvic organs
 C76.32 Female pelvic organs
 C76.39 Pelvic organs, not elsewhere classified

C78.0 Secondary malignant neoplasm of lung

Status of instructional note(s): Created – [Eleventh Edition](#)

C78.2 Secondary malignant neoplasm of pleura

Status of inclusion term(s): Created – [Fifth Edition](#)

Term classification:

Malignant pleural effusion NOS

C78.7 Secondary malignant neoplasm of liver and intrahepatic bile duct

Status of code title: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

C78.7 Secondary malignant neoplasm of liver

ICD-10-AM Seventh Edition:

C78.7 Secondary malignant neoplasm of liver and intrahepatic bile duct

C79 Secondary malignant neoplasm of other and unspecified sites

Status of category title: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

C79 Secondary malignant neoplasm of other sites

ICD-10-AM Sixth Edition:

C79 Secondary malignant neoplasm of other and unspecified sites

C79.8 Secondary malignant neoplasm of other specified sites**Status of code(s):****Created – First Edition****Status of code(s):****Created//Deleted – Twelfth Edition****WHO ICD-10:**

C79.8 Secondary malignant neoplasm of other specified sites

ICD-10-AM First Edition:

C79.8 Secondary malignant neoplasm of other specified sites

C79.81 Secondary malignant neoplasm of breast

C79.82 Secondary malignant neoplasm of genital organs

C79.88 Secondary malignant neoplasm of other specified sites

ICD-10-AM Twelfth Edition:

C79.8 Secondary malignant neoplasm of other specified sites

C79.81 Secondary malignant neoplasm of breast

C79.83 Secondary malignant neoplasm of male genital organs

C79.84 Secondary malignant neoplasm of female genital organs

C79.88 Secondary malignant neoplasm of other specified sites

C79.9 Secondary malignant neoplasm, unspecified site**Status of code(s):****Created – Seventh Edition****WHO ICD-10:**

C79.9 Secondary malignant neoplasm, unspecified site

ICD-10-AM Seventh Edition:

C79.9 Secondary malignant neoplasm, unspecified site

C80 Malignant neoplasm without specification of site**Status of code(s):****Created – Seventh Edition****Status of excludes note:****Created – Seventh Edition****WHO ICD-10:**

C80 Malignant neoplasm without specification of site

C80.0 Malignant neoplasm, primary site unknown, so stated

C80.9 Malignant neoplasm, unspecified

ICD-10-AM Seventh Edition:

C80 Malignant neoplasm without specification of site

C80.0 Malignant neoplasm, primary site unknown, so stated

C80.9 Malignant neoplasm, primary site unspecified

C80.0 Malignant neoplasm, primary site unknown, so stated**Status of code:****Created – Seventh Edition**

C80.9 Malignant neoplasm, primary site unspecified

Status of code: Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Ninth Edition:

Cancer } NOS
 Carcinoma }
 Malignancy
 Malignant:
 • cachexia
 • neoplasm, not known whether primary or secondary
 Multiple cancer NOS

ICD-10-AM Tenth Edition:

Cancer | NOS
 Carcinoma |
 Malignancy
 Malignant neoplasm, not known whether primary or secondary
 Multiple cancer NOS

ICD-10-AM Eleventh Edition:

Cancer NOS
 Carcinoma NOS
 Malignancy
 Malignant neoplasm, not known whether primary or secondary
 Multiple cancer NOS

C81–C96 Malignant neoplasms of lymphoid, haematopoietic and related tissue

Status of includes note: Deleted – [Seventh Edition](#)
Status of note: Deleted – [Seventh Edition](#)

C81 Hodgkin lymphoma

Status of code: Revised – [Third Edition](#)
Status of includes note: Deleted – [Seventh Edition](#)

WHO ICD-10:

C81 Hodgkin's disease

ICD-10-AM Third Edition:

C81 Hodgkin lymphoma

C81.0 Nodular lymphocyte predominant Hodgkin lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

C81.0 Lymphocytic predominance Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C81.0 Nodular lymphocyte predominant Hodgkin lymphoma

C81.1 Nodular sclerosis (classical) Hodgkin lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Sixth Edition:

C81.1 Nodular sclerosis Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C81.1 Nodular sclerosis classical Hodgkin lymphoma

ICD-10-AM Eighth Edition:

C81.1 Nodular sclerosis (classical) Hodgkin lymphoma

C81.2 Mixed cellularity (classical) Hodgkin lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Sixth Edition:

C81.2 Mixed cellularity Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C81.2 Mixed cellularity classical Hodgkin lymphoma

ICD-10-AM Eighth Edition:

C81.2 Mixed cellularity (classical) Hodgkin lymphoma

C81.3 Lymphocytic depleted (classical) Hodgkin lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Sixth Edition:

C81.3 Lymphocytic depletion Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C81.3 Lymphocytic depleted classical Hodgkin lymphoma

ICD-10-AM Eighth Edition:

C81.3 Lymphocytic depleted (classical) Hodgkin lymphoma

C81.4 Lymphocyte-rich (classical) Hodgkin lymphoma

Status of code: Created – [Seventh Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Seventh Edition:

C81.4 Lymphocyte-rich classical Hodgkin lymphoma

ICD-10-AM Eighth Edition:

C81.4 Lymphocyte-rich (classical) Hodgkin lymphoma

C81.7 Other (classical) Hodgkin lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)
Status of code title: Revised – [Eighth Edition](#)
Status of inclusion term(s): Deleted – [Ninth Edition](#)

ICD-10-AM Sixth Edition:
 C81.7 Other Hodgkin disease

ICD-10-AM Seventh Edition:
 C81.7 Other classical Hodgkin lymphoma

ICD-10-AM Eighth Edition:
 C81.7 Other (classical) Hodgkin lymphoma

C81.9 Hodgkin lymphoma, unspecified

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Ninth Edition](#)

ICD-10-AM Sixth Edition:
 C81.9 Hodgkin disease, unspecified

ICD-10-AM Seventh Edition:
 C81.9 Hodgkin lymphoma, unspecified

C82 Follicular lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of includes note: Deleted – [Seventh Edition](#)
Status of excludes note: Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:
 C82 Follicular [nodular] non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:
 C82 Follicular lymphoma

C82.0 Follicular lymphoma grade 1

Status of code title: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:
 C82.0 Small cleaved cell, follicular non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:
 C82.0 Follicular lymphoma grade 1

C82.1 Follicular lymphoma grade 2

Status of code title: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:
 C82.1 Mixed small cleaved and large cell, follicular non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:
 C82.1 Follicular lymphoma grade 2

C82.2 Follicular lymphoma grade 3, unspecified

Status of code title: **Revised – Seventh Edition**

ICD-10-AM Sixth Edition:

C82.2 Large cell follicular non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C82.2 Follicular lymphoma grade 3, unspecified

C82.3 Follicular lymphoma grade 3a

Status of code: **Created – Seventh Edition**

C82.4 Follicular lymphoma grade 3b

Status of code: **Created – Seventh Edition**

C82.5 Diffuse follicle centre lymphoma

Status of code: **Created – Seventh Edition**

C82.6 Cutaneous follicle centre lymphoma

Status of code: **Created – Seventh Edition**

C82.7 Other types of follicular lymphoma

Status of code title: **Revised – Seventh Edition**

ICD-10-AM Sixth Edition:

C82.7 Other types of follicular non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C82.7 Other types of follicular lymphoma

C82.9 Follicular lymphoma, unspecified

Status of code title: **Revised – Seventh Edition**

Status of inclusion term(s): **Revised – Seventh Edition**

ICD-10-AM Sixth Edition:

C82.9 Follicular non-Hodgkin lymphoma, unspecified
Nodular non-Hodgkin lymphoma NOS

ICD-10-AM Seventh Edition:

C82.9 Follicular lymphoma, unspecified
Nodular lymphoma NOS

C83 Non-follicular lymphoma

Status of code title: **Revised – Seventh Edition**

Status of includes note: **Deleted – Seventh Edition**

ICD-10-AM Sixth Edition:

C83 Diffuse non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C83 Non-follicular lymphoma

C83.0 Small cell B-cell lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)
Status of excludes note: Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

C83.0 Small cell (diffuse) non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C83.0 Small cell B-cell lymphoma

C83.1 Mantle cell lymphoma

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

C83.1 Small cleaved cell (diffuse) non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C83.1 Mantle cell lymphoma

C83.2 Mixed small and large cell (diffuse) non-Hodgkin lymphoma

Status of code: Deleted – [Seventh Edition](#)

C83.3 Diffuse large B-cell lymphoma

Status of term: Reclassified – [First Edition](#)
Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of excludes note: Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

Term reclassification:

Reticulosarcoma (diffuse)

Reticulosarcoma, pleomorphic cell type

ICD-10-AM Sixth Edition:

C83.3 Large cell (diffuse) non-Hodgkin lymphoma
 Reticulum cell sarcoma

ICD-10-AM Seventh Edition:

C83.3 Diffuse large B-cell lymphoma
 Anaplastic }
 CD30-positive }
 Centroblastic }
 Immunoblastic } diffuse large B-cell lymphoma
 Plasmablastic }
 Subtype not specified }
 T-cell rich }

ICD-10-AM Eleventh Edition:

Diffuse large B-cell lymphoma:

- anaplastic
- CD30-positive
- centroblastic
- immunoblastic
- plasmablastic
- subtype not specified
- T-cell rich

C83.4 Immunoblastic (diffuse) non-Hodgkin lymphoma*Status of code:**Deleted – Seventh Edition***C83.5 Lymphoblastic (diffuse) lymphoma***Status of inclusion term(s):**Created – Seventh Edition***C83.6 Undifferentiated (diffuse) non-Hodgkin lymphoma***Status of code:**Deleted – Seventh Edition***C83.7 Burkitt lymphoma***Status of code title:**Revised – Seventh Edition**Status of inclusion term(s):**Created – Seventh Edition**Status of excludes note:**Created – Seventh Edition***ICD-10-AM Sixth Edition:**

C83.7 Burkett tumour

ICD-10-AM Seventh Edition:

C83.7 Burkett lymphoma

C83.8 Other non-follicular lymphoma*Status of code title:**Revised – Seventh Edition**Status of inclusion term(s):**Created – Seventh Edition**Status of excludes note:**Created – Seventh Edition**Status of inclusion term(s):**Revised – Twelfth Edition***ICD-10-AM Sixth Edition:**

C83.8 Other types of diffuse non-Hodgkin lymphoma

ICD-10-AM Seventh Edition:

C83.8 Other non-follicular lymphoma

ICD-10-AM Eleventh Edition:

Lymphoid granulomatosis

ICD-10-AM Twelfth Edition:

Intravascular large B-cell lymphoma

Lymphoid granulomatosis, grade 3

Primary effusion B-cell lymphoma

C83.9 Non-follicular (diffuse) lymphoma, unspecified*Status of term:**Reclassified – First Edition**Status of code title:**Revised – Seventh Edition***Term reclassification:**

Reticulosarcoma (diffuse)

Reticulosarcoma, pleomorphic cell type

ICD-10-AM Sixth Edition:

C83.9 Diffuse non-Hodgkin lymphoma, unspecified

ICD-10-AM Seventh Edition:

C83.9 Non-follicular (diffuse) lymphoma, unspecified

C84 Mature T/NK-cell lymphomas

Status of code title: Revised – [Seventh Edition](#)
Status of includes note: Deleted – [Seventh Edition](#)

ICD-10-AM Sixth Edition:
 C84 Peripheral and cutaneous T-cell lymphomas

ICD-10-AM Seventh Edition:
 C84 Mature T/NK-cell lymphomas

C84.2 T-zone lymphoma

Status of code: Deleted – [Seventh Edition](#)

C84.3 Lymphoepithelioid lymphoma

Status of code: Deleted – [Seventh Edition](#)

C84.4 Peripheral T-cell lymphoma, not elsewhere classified

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:
 C84.4 Peripheral T-cell lymphoma

ICD-10-AM Seventh Edition:
 C84.4 Peripheral T-cell lymphoma, not elsewhere classified

C84.5 Other mature T/NK-cell lymphomas

Status of code title: Revised – [Seventh Edition](#)
Status of excludes note: Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:
 C84.5 Other and unspecified T-cell lymphomas

ICD-10-AM Seventh Edition:
 C84.5 Other mature T/NK-cell lymphomas

C84.6 Anaplastic large cell lymphoma, ALK-positive

Status of code: Created – [Seventh Edition](#)

C84.7 Anaplastic large cell lymphoma, ALK-negative

Status of code: Created – [Seventh Edition](#)

C84.8 Cutaneous T-cell lymphoma, unspecified

Status of code: Created – [Seventh Edition](#)

C84.9 Mature T/NK-cell lymphoma, unspecified

Status of code: Created – [Seventh Edition](#)

C85 Other and unspecified types of non-Hodgkin lymphoma

Status of includes note: Deleted – [Seventh Edition](#)

C85.0 Lymphosarcoma*Status of code:**Deleted – Seventh Edition***C85.1 B-cell lymphoma, unspecified***Status of instructional note(s):**Created – Seventh Edition***C85.2 Mediastinal (thymic) large B-cell lymphoma***Status of code:**Created – Seventh Edition***C85.7 Other specified types of non-Hodgkin lymphoma***Status of inclusion term(s):**Deleted – Seventh Edition***C86 Other specified types of T/NK-cell lymphoma***Status of code(s):**Created – Seventh Edition***WHO ICD-10:**

- C86 Other specified types of T/NK-cell lymphoma
- C86.0 Extranodal NK/T-cell lymphoma, nasal type
- C86.1 Hepatosplenic T-cell lymphoma
- C86.2 Enteropathy-type (intestinal) T-cell lymphoma
- C86.3 Subcutaneous panniculitis-like T-cell lymphoma
- C86.4 Blastic NK-cell lymphoma
- C86.5 Angioimmunoblastic T-cell lymphoma
- C86.6 Primary cutaneous CD30-positive T-cell proliferations

ICD-10-AM Seventh Edition:

- C86 Other specified types of T/NK-cell lymphoma
- C86.0 Extranodal NK/T-cell lymphoma, nasal type
- C86.1 Hepatosplenic T-cell lymphoma
- C86.2 Enteropathy-type (intestinal) T-cell lymphoma
- C86.3 Subcutaneous panniculitis-like T-cell lymphoma
- C86.4 Blastic NK-cell lymphoma
- C86.5 Angioimmunoblastic T-cell lymphoma
- C86.6 Primary cutaneous CD30-positive T-cell proliferations

C86.6 Primary cutaneous CD30-positive T-cell proliferations*Status of inclusion term(s):**Revised – Eighth Edition**Status of inclusion term(s):**Revised – Twelfth Edition***ICD-10-AM Seventh Edition:**

Primary cutaneous:

- anaplastic large-cell } lymphoma
- CD30-positive large T-cell }

ICD-10-AM Eighth Edition:

Lymphomatoid papulosis

Primary cutaneous:

- anaplastic large cell } lymphoma
- CD30-positive large T-cell }

ICD-10-AM Twelfth Edition:

Primary cutaneous:

- anaplastic large cell lymphoma
- CD30-positive large T-cell lymphoma

C88–C95**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

Not classifiable in WHO ICD-10

ICD-10-AM First Edition:

The following fifth character subdivision is for use with category [C88-C95]:

- ✱ 0 without mention of remission
- ✱ 1 in remission

C88**Malignant immunoproliferative diseases****Status of code title:****Revised – *Seventh Edition*****Status of includes note:****Deleted – *Seventh Edition*****Status of code title:****Revised – *Eighth Edition*****Status of instructional note(s):****Revised – *Eighth Edition*****Status of inclusion term(s):****Created – *Thirteenth Edition*****ICD-10-AM Sixth Edition:**

C88 Malignant immunoproliferative diseases

ICD-10-AM Seventh Edition:

C88 Other B-cell lymphoma [malignant immunoproliferative diseases]

ICD-10-AM Eighth Edition:

C88 Malignant immunoproliferative diseases

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category C88

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories C88.0–C88.9

C88.0**Waldenström macroglobulinaemia****Status of code(s):****Created – *First Edition*****Status of inclusion term(s):****Created – *Seventh Edition*****Status of excludes note:****Created – *Seventh Edition*****Status of code title(s):****Revised – *Seventh Edition*****Status of excludes note:****Revised – *Twelfth Edition Errata*****WHO ICD-10:**

C88.0 Waldenström macroglobulinaemia

ICD-10-AM First Edition:

C88.0 Waldenström macroglobulinaemia

C88.00 Waldenström macroglobulinaemia, without mention of remission

C88.01 Waldenström macroglobulinaemia, in remission

ICD-10-AM Sixth Edition:

C88.0 Waldenström's macroglobulinaemia

C88.00 Waldenström's macroglobulinaemia, without mention of remission

C88.01 Waldenström's macroglobulinaemia, in remission

ICD-10-AM Seventh Edition:

- C88.0 Waldenström macroglobulinaemia
 C88.00 Waldenström macroglobulinaemia, without mention of remission
 C88.01 Waldenström macroglobulinaemia, in remission

ICD-10-AM Twelfth Edition:

Excludes: small cell B-cell lymphoma (C83.0)

ICD-10-AM Twelfth Edition Errata:

Excludes: small cell (B-cell) lymphoma (C83.0)

C88.1 Alpha heavy chain disease

Status of code(s): Created – *First Edition*
Status of code(s): Deleted – *Seventh Edition*

WHO ICD-10:

- C88.1 Alpha heavy chain disease

ICD-10-AM First Edition:

- C88.1 Alpha heavy chain disease
 C88.10 Alpha heavy chain disease, without mention of remission
 C88.11 Alpha heavy chain disease, in remission

C88.2 Other heavy chain disease

Status of code(s): Created – *First Edition*
Status of code title(s): Revised – *Seventh Edition*
Status of inclusion term(s): Revised – *Seventh Edition*

WHO ICD-10:

- C88.2 Gamma heavy chain disease

ICD-10-AM First Edition:

- C88.2 Gamma heavy chain disease
 C88.20 Gamma heavy chain disease, without mention of remission
 C88.21 Gamma heavy chain disease, in remission

ICD-10-AM Seventh Edition:

- C88.2 Other heavy chain disease
 C88.20 Other heavy chain disease, without mention of remission
 C88.21 Other heavy chain disease, in remission

C88.3 Immunoproliferative small intestinal disease

Status of code(s): Created – *First Edition*
Status of inclusion term(s): Revised – *Seventh Edition*

WHO ICD-10:

- C88.3 Immunoproliferative small intestinal disease

ICD-10-AM First Edition:

- C88.3 Immunoproliferative small intestinal disease
 C88.30 Immunoproliferative small intestinal disease, without mention of remission
 C88.31 Immunoproliferative small intestinal disease, in remission

Term classification:

Alpha heavy chain disease

ICD-10-AM Seventh Edition:

Alpha heavy chain disease
 Mediterranean lymphoma

C88.4 Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]

Status of code(s): Created – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)
Status of instructional note(s): Created – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

WHO ICD-10:

C88.4 Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]

ICD-10-AM Seventh Edition:

C88.4 Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]
 C88.40 Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma], without mention of remission
 C88.41 Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma], in remission

ICD-10-AM Eleventh Edition:

Use additional code (C83.3) to specify transition to high malignant (diffuse large cell) lymphoma.

Use additional code to identify Helicobacter pylori (B96.81), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (B96.81) to identify Helicobacter pylori.

Use additional code (C83.3) to specify transition to high malignant (diffuse large cell) lymphoma.

C88.7 Other malignant immunoproliferative diseases

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

C88.7 Other malignant immunoproliferative diseases

ICD-10-AM First Edition:

C88.7 Other malignant immunoproliferative diseases
 C88.70 Other malignant immunoproliferative diseases, without mention of remission
 C88.71 Other malignant immunoproliferative diseases, in remission

C88.9 Malignant immunoproliferative disease, unspecified

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

C88.9 Malignant immunoproliferative disease, unspecified

ICD-10-AM First Edition:

C88.9 Malignant immunoproliferative disease, unspecified
 C88.90 Malignant immunoproliferative disease, unspecified, without mention of remission
 C88.91 Malignant immunoproliferative disease, unspecified, in remission

C90 Multiple myeloma and malignant plasma cell neoplasms

Status of includes note: Deleted – [Seventh Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

C90.0 Multiple myeloma

Status of code(s):	Created – First Edition
Status of inclusion term(s):	Revised – Seventh Edition
Status of excludes note:	Revised – Seventh Edition
Status of instructional note(s):	Revised – Eighth Edition

WHO ICD-10:

C90.0 Multiple myeloma

ICD-10-AM First Edition:

C90.0 Multiple myeloma
 C90.00 Multiple myeloma, without mention of remission
 C90.01 Multiple myeloma, in remission

ICD-10-AM Sixth Edition:**Excludes:** solitary myeloma (C90.2)**ICD-10-AM Seventh Edition:****Excludes:** solitary plasmacytoma (C90.3)**Term classification:**

Medullary plasmacytoma
 Plasma cell myeloma

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category C90

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories C90.0–C90.3

C90.1 Plasma cell leukaemia

Status of code(s):	Created – First Edition
Status of inclusion term(s):	Created – Seventh Edition

WHO ICD-10:

C90.1 Plasma cell leukaemia

ICD-10-AM First Edition:

C90.1 Plasma cell leukaemia
 C90.10 Plasma cell leukaemia, without mention of remission
 C90.11 Plasma cell leukaemia, in remission

Term classification:

Plasmacytic leukaemia

C90.2 Extramedullary plasmacytoma

Status of code(s): Created – **First Edition**
Status of code title(s): Revised – **Seventh Edition**
Status of inclusion term(s): Deleted – **Seventh Edition**

WHO ICD-10:

C90.2 Plasmacytoma, extramedullary

ICD-10-AM First Edition:

C90.2 Plasmacytoma, extramedullary
 C90.20 Plasmacytoma, extramedullary, without mention of remission
 C90.21 Plasmacytoma, extramedullary, in remission

ICD-10-AM Seventh Edition:

C90.2 Extramedullary plasmacytoma
 C90.20 Extramedullary plasmacytoma, without mention of remission
 C90.21 Extramedullary plasmacytoma, in remission

C90.3 Solitary plasmacytoma

Status of code(s): Created – **Seventh Edition**
Status of inclusion term(s): Created – **Seventh Edition**

WHO ICD-10:

C90.3 Solitary plasmacytoma

ICD-10-AM Seventh Edition:

C90.3 Solitary plasmacytoma
 C90.30 Solitary plasmacytoma, without mention of remission
 C90.31 Solitary plasmacytoma, in remission

C91 Lymphoid leukaemia

Status of includes note: Revised – **Third Edition**
Status of includes note: Deleted – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**
Status of inclusion term(s): Created – **Thirteenth Edition**

WHO ICD-10:

Includes: morphology codes M982, M9940-M9941 with behaviour code /3

ICD-10-AM Third Edition:

Includes: morphology codes M982-M983 and M9940 with behaviour code /3

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category C91

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories C91.0–C91.9

C91.0 Acute lymphoblastic leukaemia [ALL]

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Seventh Edition
Status of excludes note:	Deleted – Seventh Edition
Status of note:	Created – Seventh Edition

WHO ICD-10:

C91.0 Acute lymphoblastic leukaemia

ICD-10-AM First Edition:

C91.0 Acute lymphoblastic leukaemia
 C91.00 Acute lymphoblastic leukaemia, without mention of remission
 C91.01 Acute lymphoblastic leukaemia, in remission

ICD-10-AM Seventh Edition:

C91.0 Acute lymphoblastic leukaemia [ALL]
 C91.00 Acute lymphoblastic leukaemia [ALL], without mention of remission
 C91.01 Acute lymphoblastic leukaemia [ALL], in remission

C91.1 Chronic lymphocytic leukaemia of B-cell type

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Seventh Edition
Status of inclusion term(s):	Created – Seventh Edition
Status of excludes note:	Created – Seventh Edition

WHO ICD-10:

C91.1 Chronic lymphocytic leukaemia

ICD-10-AM First Edition:

C91.1 Chronic lymphocytic leukaemia
 C91.10 Chronic lymphocytic leukaemia, without mention of remission
 C91.11 Chronic lymphocytic leukaemia, in remission

ICD-10-AM Seventh Edition:

C91.1 Chronic lymphocytic leukaemia of B-cell type
 C91.10 Chronic lymphocytic leukaemia of B-cell type, without mention of remission
 C91.11 Chronic lymphocytic leukaemia of B-cell type, in remission

C91.2 Subacute lymphocytic leukaemia

Status of code(s):	Created – First Edition
Status of code(s):	Deleted – Seventh Edition

WHO ICD-10:

C91.2 Subacute lymphocytic leukaemia

ICD-10-AM First Edition:

C91.2 Subacute lymphocytic leukaemia
 C91.20 Subacute lymphocytic leukaemia, without mention of remission
 C91.21 Subacute lymphocytic leukaemia, in remission

C91.3 Polymphocytic leukaemia of B-cell type**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Seventh Edition****WHO ICD-10:**

C91.3 Polymphocytic leukaemia

ICD-10-AM First Edition:

C91.3 Polymphocytic leukaemia

C91.30 Polymphocytic leukaemia, without mention of remission

C91.31 Polymphocytic leukaemia, in remission

ICD-10-AM Seventh Edition:

C91.3 Polymphocytic leukaemia of B-cell type

C91.30 Polymphocytic leukaemia of B-cell type, without mention of remission

C91.31 Polymphocytic leukaemia of B-cell type, in remission

C91.4 Hairy-cell leukaemia**Status of code(s):****Created – First Edition****WHO ICD-10:**

C91.4 Hairy-cell leukaemia

ICD-10-AM First Edition:

C91.4 Hairy-cell leukaemia

C91.40 Hairy-cell leukaemia, without mention of remission

C91.41 Hairy-cell leukaemia, in remission

C91.5 Adult T-cell leukaemia/lymphoma [HTLV-1-associated]**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Seventh Edition****Status of code title(s):****Revised – Eighth Edition****Status of inclusion term(s):****Created – Eighth Edition****Status of inclusion term(s):****Deleted – Eleventh Edition****Status of includes note:****Created – Eleventh Edition****WHO ICD-10:**

C91.5 Adult T-cell leukaemia

ICD-10-AM First Edition:

C91.5 Adult T-cell leukaemia

C91.50 Adult T-cell leukaemia, without mention of remission

C91.51 Adult T-cell leukaemia, in remission

ICD-10-AM Seventh Edition:

C91.5 Adult T-cell leukaemia/lymphoma (HTLV-1-associated)

C91.50 Adult T-cell leukaemia/lymphoma (HTLV-1-associated), without mention of remission

C91.51 Adult T-cell leukaemia/lymphoma (HTLV-1-associated), in remission

ICD-10-AM Eighth Edition:

C91.5 Adult T-cell leukaemia/lymphoma [HTLV-1-associated]

C91.50 Adult T-cell leukaemia/lymphoma [HTLV-1-associated], without mention of remission

C91.51 Adult T-cell leukaemia/lymphoma [HTLV-1-associated], in remission

C91.6 Polymphocytic leukaemia of T-cell type**Status of code(s):****Created – Seventh Edition****WHO ICD-10:**

C91.6 Polymphocytic leukaemia of T-cell type

ICD-10-AM Seventh Edition:

C91.6 Polymphocytic leukaemia of T-cell type

C91.60 Polymphocytic leukaemia of T-cell type, without mention of remission

C91.61 Polymphocytic leukaemia of T-cell type, in remission

C91.7 Other lymphoid leukaemia**Status of code(s):****Created – First Edition****Status of inclusion term(s):****Reclassified – Third Edition****Status of inclusion term(s):****Revised – Seventh Edition****WHO ICD-10:**

C91.7 Other lymphoid leukaemia

ICD-10-AM First Edition:

C91.7 Other lymphoid leukaemia

C91.70 Other lymphoid leukaemia, without mention of remission

C91.71 Other lymphoid leukaemia, in remission

ICD-10-AM Third Edition:

Lymphosarcoma cell leukaemia

ICD-10-AM Seventh Edition:

T-cell large granular lymphocytic leukaemia (associated with rheumatoid arthritis)

C91.8 Mature B-cell leukaemia Burkitt-type**Status of code(s):****Created – Seventh Edition****Status of excludes note:****Revised – Eighth Edition****WHO ICD-10:**

C91.8 Mature B-cell leukaemia Burkitt-type

ICD-10-AM Seventh Edition:

C91.8 Mature B-cell leukaemia Burkitt-type

C91.80 Mature B-cell leukaemia Burkitt-type, without mention of remission

C91.81 Mature B-cell leukaemia Burkitt-type, in remission

ICD-10-AM Seventh Edition:**Excludes:** Burkitt lymphoma with little or no bone marrow filtration (C83.7)**ICD-10-AM Eighth Edition:****Excludes:** Burkitt lymphoma with little or no bone marrow infiltration (C83.7)**C91.9 Lymphoid leukaemia, unspecified****Status of code(s):****Created – First Edition****WHO ICD-10:**

C91.9 Lymphoid leukaemia, unspecified

ICD-10-AM First Edition:

C91.9 Lymphoid leukaemia, unspecified

C91.90 Lymphoid leukaemia, unspecified, without mention of remission

C91.91 Lymphoid leukaemia, unspecified, in remission

C92 Myeloid leukaemia

Status of includes note:	Revised – Third Edition
Status of includes note:	Revised – Seventh Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of inclusion term(s):	Created – Thirteenth Edition

WHO ICD-10:

Includes: morphology codes M986-M988, M9930 with behaviour code /3

ICD-10-AM Third Edition:

Includes: morphology codes M984-M993 with behaviour code /3

ICD-10-AM Sixth Edition:

Includes: leukaemia:
 • granulocytic
 • myelogenous
 morphology codes M984–M993 with behaviour code /3

ICD-10-AM Seventh Edition:

Includes: leukaemia:
 • granulocytic
 • myelogenous

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category C92

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories C92.0–C92.9

C92.0 Acute myeloblastic leukaemia [AML]

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Seventh Edition
Status of inclusion term(s):	Created – Seventh Edition
Status of inclusion term(s):	Revised – Thirteenth Edition

WHO ICD-10:

C92.0 Acute myeloid leukaemia

ICD-10-AM First Edition:

C92.0 Acute myeloid leukaemia
 C92.00 Acute myeloid leukaemia, without mention of remission
 C92.01 Acute myeloid leukaemia, in remission

ICD-10-AM Seventh Edition:

C92.0 Acute myeloblastic leukaemia [AML]
 C92.00 Acute myeloblastic leukaemia [AML], without mention of remission
 C92.01 Acute myeloblastic leukaemia [AML], in remission

Twelfth Edition:

Acute myeloblastic leukaemia:
 • 1/ETO
 • M0
 • M1
 • M2
 • minimal differentiation
 • NOS (without a FAB classification)
 • with maturation
 • with t(8;21)
 Refractory anaemia with excess blasts in transformation

Thirteenth Edition:

Acute myeloblastic leukaemia:

- 1/ETO
- M0
- M1
- M2
- minimal differentiation
- NOS (without a FAB classification)
- with:
 - maturation
 - t(8;21)

Refractory anaemia with excess blasts in transformation

C92.1 Chronic myeloid leukaemia [CML], BCR/ABL-positive**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****Status of excludes note:****Created – Seventh Edition****Status of excludes note:****Revised – Eighth Edition****WHO ICD-10:**

C92.1 Chronic myeloid leukaemia

ICD-10-AM First Edition:

C92.1 Chronic myeloid leukaemia

C92.10 Chronic myeloid leukaemia, without mention of remission

C92.11 Chronic myeloid leukaemia, in remission

ICD-10-AM Seventh Edition:

C92.1 Chronic myeloid leukaemia [CML], BCR/ABL-positive

C92.10 Chronic myeloid leukaemia [CML], BCR/ABL-positive, without mention of remission

C92.11 Chronic myeloid leukaemia [CML], BCR/ABL-positive, in remission

Excludes: atypical chronic myeloid leukaemia (C92.2)
 chronic myelomonocytic leukaemia (C93.1)
 unclassified myeloproliferative disease (D47.1)

ICD-10-AM Eighth Edition:

Excludes: atypical chronic myeloid leukaemia, BCR/ABL-negative (C92.2)
 chronic myelomonocytic leukaemia (C93.1)
 unclassified myeloproliferative disease (D47.1)

C92.2 Atypical chronic myeloid leukaemia, BCR/ABL-negative**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Seventh Edition****WHO ICD-10:**

C92.2 Subacute myeloid leukaemia

ICD-10-AM First Edition:

C92.2 Subacute myeloid leukaemia

C92.20 Subacute myeloid leukaemia, without mention of remission

C92.21 Subacute myeloid leukaemia, in remission

ICD-10-AM Seventh Edition:

C92.2 Atypical chronic myeloid leukaemia, BCR/ABL-negative

C92.20 Atypical chronic myeloid leukaemia, BCR/ABL-negative, without mention of remission

C92.21 Atypical chronic myeloid leukaemia, BCR/ABL-negative, in remission

C92.3 Myeloid sarcoma**Status of code(s):****Created – First Edition****Status of glossary description:****Created – Seventh Edition****WHO ICD-10:**

C92.3 Myeloid sarcoma

ICD-10-AM First Edition:

C92.3 Myeloid sarcoma

C92.30 Myeloid sarcoma, without mention of remission

C92.31 Myeloid sarcoma, in remission

C92.4 Acute promyelocytic leukaemia [PML]**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****WHO ICD-10:**

C92.4 Acute promyelocytic leukaemia

ICD-10-AM First Edition:

C92.4 Acute promyelocytic leukaemia

C92.40 Acute promyelocytic leukaemia, without mention of remission

C92.41 Acute promyelocytic leukaemia, in remission

ICD-10-AM Seventh Edition:

C92.4 Acute promyelocytic leukaemia [PML]

C92.40 Acute promyelocytic leukaemia [PML], without mention of remission

C92.41 Acute promyelocytic leukaemia [PML], in remission

C92.5 Acute myelomonocytic leukaemia**Status of code(s):****Created – First Edition****Status of inclusion term(s):****Created – Seventh Edition****WHO ICD-10:**

C92.5 Acute myelomonocytic leukaemia

ICD-10-AM First Edition:

C92.5 Acute myelomonocytic leukaemia

C92.50 Acute myelomonocytic leukaemia, without mention of remission

C92.51 Acute myelomonocytic leukaemia, in remission

Term classification:

Acute myelomonocytic leukaemia:

- Eo with inv(16) or t(16;16)
- NOS

C92.6 Acute myeloid leukaemia with 11q23-abnormality

Status of code(s): Created – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)

WHO ICD-10:

C92.6 Acute myeloid leukaemia with 11q23-abnormality

ICD-10-AM Seventh Edition:

C92.6 Acute myeloid leukaemia with 11q23-abnormality
 C92.60 Acute myeloid leukaemia with 11q23-abnormality, without mention of remission
 C92.61 Acute myeloid leukaemia with 11q23-abnormality, in remission

C92.7 Other myeloid leukaemia

Status of code(s): Created – [First Edition](#)
Status of inclusion term(s): Revised – [Third Edition](#)
Status of excludes note: Created – [Seventh Edition](#)

WHO ICD-10:

C92.7 Other myeloid leukaemia

ICD-10-AM First Edition:

C92.7 Other myeloid leukaemia
 C92.70 Other myeloid leukaemia, without mention of remission
 C92.71 Other myeloid leukaemia, in remission

ICD-10-AM Third Edition:

Chronic myelomonocytic leukaemia

C92.8 Acute myeloid leukaemia with multilineage dysplasia

Status of code(s): Created – [Seventh Edition](#)
Status of glossary description: Created – [Seventh Edition](#)

WHO ICD-10:

C92.8 Acute myeloid leukaemia with multilineage dysplasia

ICD-10-AM Seventh Edition:

C92.8 Acute myeloid leukaemia with multilineage dysplasia
 C92.80 Acute myeloid leukaemia with multilineage dysplasia, without mention of remission
 C92.81 Acute myeloid leukaemia with multilineage dysplasia, in remission

C92.9 Myeloid leukaemia, unspecified

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

C92.9 Myeloid leukaemia, unspecified

ICD-10-AM First Edition:

C92.9 Myeloid leukaemia, unspecified
 C92.90 Myeloid leukaemia, unspecified, without mention of remission
 C92.91 Myeloid leukaemia, unspecified, in remission

C93 Monocytic leukaemia

Status of includes note: Revised – **Third Edition**
Status of includes note: Revised – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**
Status of inclusion term(s): Created – **Thirteenth Edition**

WHO ICD-10:

Includes: morphology code M989 with behaviour code /3

ICD-10-AM Third Edition:

Includes: morphology codes M986 and M989 with behaviour code /3

ICD-10-AM Sixth Edition:

Includes: monocytoid leukaemia
morphology codes M986 and M989 with behaviour code /3

ICD-10-AM Seventh Edition:

Includes: monocytoid leukaemia

The following fifth character subdivisions are for use with category C93

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories C93.0–C93.9

C93.0 Acute monoblastic/monocytic leukaemia

Status of code(s): Created – **First Edition**
Status of code title(s): Revised – **Seventh Edition**
Status of inclusion term(s): Created – **Seventh Edition**
Status of excludes note: Deleted – **Seventh Edition**

WHO ICD-10:

C93.0 Acute monocytic leukaemia

ICD-10-AM First Edition:

C93.0 Acute monocytic leukaemia
 C93.00 Acute monocytic leukaemia, without mention of remission
 C93.01 Acute monocytic leukaemia, in remission

ICD-10-AM Seventh Edition:

C93.0 Acute monoblastic/monocytic leukaemia
 C93.00 Acute monoblastic/monocytic leukaemia, without mention of remission
 C93.01 Acute monoblastic/monocytic leukaemia, in remission

C93.1 Chronic myelomonocytic leukaemia [CMML]

Status of code(s): Created – **First Edition**
Status of code title(s): Revised – **Seventh Edition**
Status of inclusion term(s): Created – **Seventh Edition**

WHO ICD-10:

C93.1 Chronic monocytic leukaemia

ICD-10-AM First Edition:

C93.1 Chronic monocytic leukaemia
 C93.10 Chronic monocytic leukaemia, without mention of remission
 C93.11 Chronic monocytic leukaemia, in remission

ICD-10-AM Seventh Edition:

C93.1 Chronic myelomonocytic leukaemia [CMML]
 C93.10 Chronic myelomonocytic leukaemia [CMML], without mention of remission
 C93.11 Chronic myelomonocytic leukaemia [CMML], in remission

C93.2 Subacute monocytic leukaemia**Status of code(s):****Created – First Edition****Status of code(s):****Deleted – Seventh Edition****WHO ICD-10:**

C93.2 Subacute monocytic leukaemia

ICD-10-AM First Edition:

C93.2 Subacute monocytic leukaemia

C93.20 Subacute monocytic leukaemia, without mention of remission

C93.21 Subacute monocytic leukaemia, in remission

C93.3 Juvenile myelomonocytic leukaemia**Status of code(s):****Created – Seventh Edition****WHO-ICD-10:**

C93.3 Juvenile myelomonocytic leukaemia

ICD-10-AM Seventh Edition:

C93.3 Juvenile myelomonocytic leukaemia

C93.30 Juvenile myelomonocytic leukaemia, without mention of remission

C93.31 Juvenile myelomonocytic leukaemia, in remission

C93.7 Other monocytic leukaemia**Status of code(s):****Created – First Edition****WHO ICD-10:**

C93.7 Other monocytic leukaemia

ICD-10-AM First Edition:

C93.7 Other monocytic leukaemia

C93.70 Other monocytic leukaemia, without mention of remission

C93.71 Other monocytic leukaemia, in remission

C93.9 Monocytic leukaemia, unspecified**Status of code(s):****Created – First Edition****WHO ICD-10:**

C93.9 Monocytic leukaemia, unspecified

ICD-10-AM First Edition:

C93.9 Monocytic leukaemia, unspecified

C93.90 Monocytic leukaemia, unspecified, without mention of remission

C93.91 Monocytic leukaemia, unspecified, in remission

C94 Other leukaemias of specified cell type

Status of includes note: Revised – **Third Edition**
Status of includes note: Deleted – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**
Status of inclusion term(s): Created – **Thirteenth Edition**

WHO ICD-10:

Includes: morphology codes M984, M9850, M9900, M9910, M9931-M9932 with behaviour code /3

ICD-10-AM Third Edition:

Includes: morphology codes M974, M9840, M9910, and M993-M994 with behaviour code /3

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category C94

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories C94–C94.7

C94.0 Acute erythroid leukaemia

Status of code(s): Created – **First Edition**
Status of code title(s): Revised – **Seventh Edition**
Status of inclusion term(s): Revised – **Seventh Edition**

WHO ICD-10:

C94.0 Acute erythraemia and erythroleukaemia

ICD-10-AM First Edition:

C94.0 Acute erythraemia and erythroleukaemia
 C94.00 Acute erythraemia and erythroleukaemia, without mention of remission
 C94.01 Acute erythraemia and erythroleukaemia, in remission

ICD-10-AM Sixth Edition:

Acute erythraemic myelosis
 Di Guglielmo disease

ICD-10-AM Seventh Edition:

C94.0 Acute erythroid leukaemia
 Acute myeloid leukaemia M6 (a)(b)
 Erythroleukaemia
 C94.00 Acute erythroid leukaemia, without mention of remission
 C94.01 Acute erythroid leukaemia, in remission

C94.1 Chronic erythraemia

Status of code(s): Created – **First Edition**
Status of code(s): Deleted – **Seventh Edition**

WHO ICD-10:

C94.1 Chronic erythraemia

ICD-10-AM First Edition:

C94.1 Chronic erythraemia
 C94.10 Chronic erythraemia, without mention of remission
 C94.11 Chronic erythraemia, in remission

C94.2 Acute megakaryoblastic leukaemia**Status of code(s):****Created – First Edition****Status of inclusion term(s):****Revised – Seventh Edition****WHO ICD-10:**

C94.2 Acute megakaryoblastic leukaemia

ICD-10-AM First Edition:

C94.2 Acute megakaryoblastic leukaemia

C94.20 Acute megakaryoblastic leukaemia, without mention of remission

C94.21 Acute megakaryoblastic leukaemia, in remission

ICD-10-AM Sixth Edition:

Leukaemia:

- megakaryoblastic (acute)
- megakaryocytic (acute)

ICD-10-AM Seventh Edition:

Acute:

- megakaryocytic leukaemia
- myeloid leukaemia, M7

C94.3 Mast cell leukaemia**Status of code(s):****Created – First Edition****WHO ICD-10:**

C94.3 Mast cell leukaemia

ICD-10-AM First Edition:

C94.3 Mast cell leukaemia

C94.30 Mast cell leukaemia, without mention of remission

C94.31 Mast cell leukaemia, in remission

C94.4 Acute panmyelosis with myelofibrosis**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****WHO ICD-10:**

C94.4 Acute panmyelosis

ICD-10-AM First Edition:

C94.4 Acute panmyelosis

C94.40 Acute panmyelosis, without mention of remission

C94.41 Acute panmyelosis, in remission

ICD-10-AM Seventh Edition:

C94.4 Acute panmyelosis with myelofibrosis

C94.40 Acute panmyelosis with myelofibrosis, without mention of remission

C94.41 Acute panmyelosis with myelofibrosis, in remission

C94.5 Acute myelofibrosis**Status of code(s):****Created – First Edition****Status of code(s):****Deleted – Seventh Edition****WHO ICD-10:**

C94.5 Acute myelofibrosis

ICD-10-AM First Edition:

C94.5 Acute myelofibrosis

C94.50 Acute myelofibrosis, without mention of remission

C94.51 Acute myelofibrosis, in remission

C94.6 Myelodysplastic and myeloproliferative disease, not elsewhere classified**Status of code(s):****Created – Seventh Edition****WHO ICD-10:**

C94.6 Myelodysplastic and myeloproliferative disease, not elsewhere classified

ICD-10-AM Seventh Edition:

C94.6 Myelodysplastic and myeloproliferative disease, not elsewhere classified

C94.60 Myelodysplastic and myeloproliferative disease, not elsewhere classified, without mention of remission

C94.61 Myelodysplastic and myeloproliferative disease, not elsewhere classified, in remission

C94.7 Other specified leukaemias**Status of code(s):****Created – First Edition****Status of inclusion term(s):****Created – Seventh Edition****WHO ICD-10:**

C94.7 Other specified leukaemias

ICD-10-AM First Edition:

C94.7 Other specified leukaemias

C94.70 Other specified leukaemias, without mention of remission

C94.71 Other specified leukaemias, in remission

Term classification:

Acute basophilic } leukaemia

Aggressive NK-cell }

C95 Leukaemia of unspecified cell type**Status of includes note:****Deleted – Seventh Edition****Status of instructional note(s):****Revised – Eighth Edition****Status of inclusion term(s):****Created – Thirteenth Edition****ICD-10-AM Seventh Edition:**

The following fifth character subdivisions are for use with category C95

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories C95.0–C95.9

C95.0 Acute leukaemia of unspecified cell type**Status of code(s):****Created – First Edition****Status of inclusion term(s):****Revised – Seventh Edition****WHO ICD-10:**

C95.0 Acute leukaemia of unspecified cell type

ICD-10-AM First Edition:

C95.0 Acute leukaemia of unspecified cell type

C95.00 Acute leukaemia of unspecified cell type, without mention of remission

C95.01 Acute leukaemia of unspecified cell type, in remission

ICD-10-AM Sixth Edition:

Blast cell leukaemia

Stem cell leukaemia

ICD-10-AM Seventh Edition:

Acute:

• bilineal } leukaemia

• mixed lineage }

Biphenotypic acute }

Stem cell leukaemia of unclear lineage

C95.1 Chronic leukaemia of unspecified cell type**Status of code(s):****Created – First Edition****WHO ICD-10:**

C95.1 Chronic leukaemia of unspecified cell type

ICD-10-AM First Edition:

C95.1 Chronic leukaemia of unspecified cell type

C95.10 Chronic leukaemia of unspecified cell type, without mention of remission

C95.11 Chronic leukaemia of unspecified cell type, in remission

C95.2 Subacute leukaemia of unspecified cell type**Status of code(s):****Created – First Edition****Status of code(s):****Deleted – Seventh Edition****WHO ICD-10:**

C95.2 Subacute leukaemia of unspecified cell type

ICD-10-AM First Edition:

C95.2 Subacute leukaemia of unspecified cell type

C95.20 Subacute leukaemia of unspecified cell type, without mention of remission

C95.21 Subacute leukaemia of unspecified cell type, in remission

C95.7 Other leukaemia of unspecified cell type**Status of code(s):****Created – First Edition****WHO ICD-10:**

C95.7 Other leukaemia of unspecified cell type

ICD-10-AM First Edition:

C95.7 Other leukaemia of unspecified cell type

C95.70 Other leukaemia of unspecified cell type, without mention of remission

C95.71 Other leukaemia of unspecified cell type, in remission

C95.9 Leukaemia, unspecified**Status of code(s):****Created – First Edition****WHO ICD-10:**

C95.9 Leukaemia, unspecified

ICD-10-AM First Edition:

C95.9 Leukaemia, unspecified

C95.90 Leukaemia, unspecified, without mention of remission

C95.91 Leukaemia, unspecified, in remission

C96 Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue**Status of includes note:****Revised – Third Edition****Status of includes note:****Deleted – Seventh Edition****WHO ICD-10:****Includes:** morphology codes M972, M974 with behaviour code /1**ICD-10-AM Third Edition:****Includes:** morphology codes M974-M996 with behaviour code /3**C96.0 Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis [Letterer-Siwe disease]****Status of code title:****Revised – Seventh Edition****Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

C96.0 Letterer-Siwe disease

Nonlipid:

• reticuloendotheliosis

• reticulosis

ICD-10-AM Seventh Edition:

C96.0 Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis [Letterer-Siwe disease]

Histiocytosis X, multisystemic

C96.1 Malignant histiocytosis**Status of code:****Deleted – Seventh Edition****C96.2 Malignant mast cell tumour****Status of inclusion term(s):****Revised – Seventh Edition****Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Malignant:

• mastocytoma

• mastocytosis

Mast cell sarcoma

Excludes:

mast cell leukaemia (C94.3)

mastocytosis (cutaneous) (Q82.2)

ICD-10-AM Seventh Edition:

Aggressive systemic mastocytosis

Mast cell sarcoma

Excludes:

indolent mastocytosis (D47.0)

mast cell leukaemia (C94.3)

mastocytosis (congenital) (cutaneous) (Q82.2)

C96.3 True histiocytic lymphoma**Status of code:****Deleted – Seventh Edition****C96.4 Sarcoma of dendritic cells (accessory cells)****Status of code(s):****Created – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****Status of inclusion term(s):****Revised – Seventh Edition Errata 5****WHO ICD-10:**

C96.4 Sarcoma of dendritic cells (accessory cells)

ICD-10-AM Seventh Edition:

C96.4 Sarcoma of dendritic cells (accessory cells)

Term classification:

Interdigitating dendritic cell } sarcoma

Langerhans-cell }

Sarcoma of follicular dendritic cells

ICD-10-AM Seventh Edition Errata 5:

Interdigitating dendritic cell } sarcoma

Langerhans-cell }

Sarcoma of follicular dendritic cells

C96.5 Multifocal and unisystemic Langerhans-cell histiocytosis**Status of code(s):****Created – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****WHO ICD-10:**

C96.5 Multifocal and unisystemic Langerhans-cell histiocytosis

ICD-10-AM Seventh Edition:

C96.5 Multifocal and unisystemic Langerhans-cell histiocytosis

C96.6 Unifocal Langerhans-cell histiocytosis**Status of code:****Created – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****Status of inclusion term(s):****Revised – Twelfth Edition****WHO ICD-10:**

C96.6 Unifocal Langerhans-cell histiocytosis

ICD-10-AM Seventh Edition:

C96.6 Unifocal Langerhans-cell histiocytosis

ICD-10-AM Eleventh Edition:

Eosinophilic granuloma

Histiocytosis X:

• NOS

• unifocal

Langerhans-cell histiocytosis NOS

ICD-10-AM Twelfth Edition:

Eosinophilic granuloma

Histiocytosis X:

• NOS

• unifocal

Langerhans-cell histiocytosis, unifocal

C96.8 Histiocytic sarcoma**Status of code(s):****Created – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****WHO ICD-10:**

C96.8 Histiocytic sarcoma

ICD-10-AM Seventh Edition:

C96.8 Histiocytic sarcoma

C97 Malignant neoplasms of independent (primary) multiple sites**Status of code(s):****Deleted – Second Edition****D00–D09 In situ neoplasms****Status of note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:****Note:**

Many in situ neoplasms are regarded as being located within a continuum of morphological change between dysplasia and invasive cancer. For example, for cervical intraepithelial neoplasia (CIN) three grades are recognised, the third of which (CIN III) includes both severe dysplasia and carcinoma in situ. This system of grading has been extended to other organs, such as vulva and vagina. Descriptions of grade III intraepithelial neoplasia, with or without mention of severe dysplasia, are assigned to this section; grades I and II are classified as dysplasia of the organ system involved and should be coded to the relevant body system chapter.

ICD-10-AM Twelfth Edition:**Note:**

Many in situ neoplasms are regarded as being located within a continuum of morphological change between dysplasia and invasive cancer. Intraepithelial neoplasia is either classified to this section, or as dysplasia of the organ system involved and classified to the relevant body system chapter.

D06 Carcinoma in situ of cervix uteri**Status of includes note(s):****Revised – Eighth Edition****Status of includes note(s):****Deleted – Ninth Edition****ICD-10-AM Seventh Edition:****Includes:** cervical intraepithelial neoplasia [CIN], grade III, with or without mention of severe dysplasia**ICD-10-AM Eighth Edition:****Includes:** cervical intraepithelial neoplasia [CIN], grade III, with or without mention of severe dysplasia
high grade squamous intraepithelial lesion (HGSIL)

D07.1 Carcinoma in situ of vulva

Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of instructional note(s): Created – [Eleventh Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Vulvar intraepithelial neoplasia [VIN], grade III, with or without mention of severe dysplasia

Excludes: severe dysplasia of vulva NOS (N90.2)

ICD-10-AM Eleventh Edition:

High grade squamous (cell) intraepithelial lesion [HSIL]

Vulvar intraepithelial neoplasia [VIN], grade II or III, with or without mention of severe dysplasia

Use additional code (B97.7) to identify HPV (human papillomavirus), if applicable

Excludes: benign neoplasm of vulva (D28.0)
dysplasia of vulva NOS (N90.3)

ICD-10-AM Twelfth Edition:

High grade squamous (cell) intraepithelial lesion [HSIL] of vulva

Vulvar intraepithelial neoplasia [VIN], grade II or III, with or without mention of severe dysplasia

Use additional code (B97.7) to identify HPV (human papillomavirus).

D07.5 Carcinoma in situ of prostate

Status of excludes note: Created – [Seventh Edition](#)

D11 Benign neoplasm of major salivary glands

Status of excludes note: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Excludes: benign neoplasms of minor salivary glands NOS (D10.3)
benign neoplasms of specified minor salivary glands which are classified according to their anatomical location — see *Alphabetic Index*

ICD-10-AM Eleventh Edition:

Excludes: benign neoplasms of:
• minor salivary glands NOS (D10.3)
• specified minor salivary glands — see *Alphabetic Index: Neoplasm/by site/benign*

D16 Benign neoplasm of bone and articular cartilage

Status of inclusion term(s): Created – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Eighth Edition](#)

Term classification:

Keratocystic odontogenic tumour

D16.4 Benign neoplasm of bones of skull and face

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

D16.4 Bones of skull and face

ICD-10-AM First Edition:

D16.4 Bones of skull and face

D16.41 Craniofacial bones

D16.42 Maxillofacial bones

D18.0 Haemangioma

Status of code(s): Created – *First Edition*
Status of code: Created – *Tenth Edition*
Status of note: Deleted – *Thirteenth Edition*

WHO ICD-10:

D18.0 Haemangioma, any site

ICD-10-AM First Edition:

D18.0 Haemangioma
 D18.00 Haemangioma, unspecified site
 D18.01 Haemangioma, skin and subcutaneous tissue
 D18.02 Haemangioma, intracranial structures
 D18.03 Haemangioma, structures of the hepatobiliary system and pancreas
 D18.04 Haemangioma, structures of the digestive system
 D18.05 Haemangioma, structures of the ear, nose, mouth and throat
 D18.08 Haemangioma, other sites

ICD-10-AM Tenth Edition:

D18.0 Haemangioma
 D18.00 Haemangioma, unspecified site
 D18.01 Haemangioma, skin and subcutaneous tissue
 D18.02 Haemangioma, intracranial structures
 D18.03 Haemangioma, structures of the hepatobiliary system and pancreas
 D18.04 Haemangioma, structures of the digestive system
 D18.05 Haemangioma, structures of the ear, nose, mouth and throat
 D18.06 Haemangioma, structures of the eye and adnexa
 D18.08 Haemangioma, other sites

D18.03 Haemangioma, structures of the hepatobiliary system and pancreas

Status of includes note: Created – *Thirteenth Edition*

D18.04 Haemangioma, structures of the digestive system

Status of includes note: Created – *Thirteenth Edition*

D28.0 Benign neoplasm of vulva

Status of inclusion term(s): Created – *Eleventh Edition*
Status of instructional note(s): Created – *Eleventh Edition*
Status of excludes note: Created – *Eleventh Edition*
Status of inclusion term(s): Revised – *Twelfth Edition*
Status of instructional note(s): Revised – *Twelfth Edition/Twelfth Edition*

ICD-10-AM Eleventh Edition:

Low grade squamous (cell) intraepithelial lesion [LSIL]

Mild dysplasia of vulva

Vulvar intraepithelial neoplasia [VIN], grade I

Use additional code (B97.7) to identify HPV (human papillomavirus), if applicable

ICD-10-AM Twelfth Edition:

Low grade squamous (cell) intraepithelial lesion [LSIL] of vulva

Mild dysplasia of vulva

Vulvar intraepithelial neoplasia [VIN], grade I

Use additional code (B97.7) to identify HPV (human papillomavirus).

D29.1 Benign neoplasm of prostate**Status of excludes note:** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

Excludes: hyperplasia of prostate (adenomatous) (N40)
 prostatic:
 • adenoma (N40)
 • enlargement (N40)
 • hypertrophy (N40)

ICD-10-AM Sixth Edition:

Excludes: hyperplasia of prostate (adenomatous) (N40)
 prostatic:
 • enlargement (N40)
 • hypertrophy (N40)

D31.4 Benign neoplasm of ciliary body**Status of inclusion term(s):** Deleted – *Eighth Edition***D31.7 Benign neoplasm of other specified parts of eye****Status of code:** Created – *Ninth Edition***D31.9 Benign neoplasm of eye, unspecified****Status of inclusion term(s):** Created – *Eighth Edition***D37.7 Neoplasm of uncertain or unknown behaviour of other digestive organs****Status of code(s):** Created – *Eighth Edition***ICD-10-AM Seventh Edition:**

D37.7 Neoplasm of uncertain or unknown behaviour of other digestive organs

ICD-10-AM Eighth Edition:

D37.7 Neoplasm of uncertain or unknown behaviour of other digestive organs
 D37.71 Neoplasm of uncertain or unknown behaviour of pancreas
 D37.79 Neoplasm of uncertain or unknown behaviour of other specified digestive organ

D40.0 Neoplasm of uncertain or unknown behaviour of prostate**Status of inclusion term(s):** Created – *Eleventh Edition***D44 Neoplasm of uncertain or unknown behaviour of endocrine glands****Status of excludes note:** Revised – *Eighth Edition***ICD-10-AM Seventh Edition:**

Excludes: endocrine pancreas (D37.7)
 ovary (D39.1)
 testis (D40.1)
 thymus (D38.4)

ICD-10-AM Eighth Edition:

Excludes: endocrine pancreas (D37.71)
 ovary (D39.1)

testis (D40.1)
thymus (D38.4)

D45 Polycythaemia vera

Status of includes note:	Revised – Third Edition
Status of includes note:	Deleted – Seventh Edition
Status of note:	Revised – Seventh Edition
Status of note:	Revised – Twelfth Edition

WHO ICD-10:

Includes: morphology code M9950 with behaviour code /1

ICD-10-AM Third Edition:

Includes: morphology code M9950 with behaviour code /3

Note: Polycythaemia vera has been reclassified in ICD-O Third Edition with a malignant morphology code. The code D45 will continue to be used (although it is located in the chapter for Neoplasms of uncertain or unknown behaviour) with the appropriate morphology code as indexed.

Conditions classified to C94.1 Chronic erythraemia also have a morphology code of M9950/3 for Polycythaemia vera, yet continue to be classified to that code.

ICD-10-AM Seventh Edition:

Note: Polycythaemia vera has been reclassified in ICD-O Third Edition with a malignant morphology code. The code D45 will continue to be used (although it is located in the chapter for Neoplasms of uncertain or unknown behaviour) with the appropriate morphology code as indexed.

ICD-10-AM Twelfth Edition:

Note: Polycythaemia vera is classified in ICD-O-3.2 with a malignant behaviour code (/3). Assign D45 with M9950/3 *Polycythaemia vera* (regardless of D45 being located in the Chapter 2 block for *Neoplasms of uncertain or unknown behaviour*).

D46 Myelodysplastic syndromes

Status of includes note:	Revised – Third Edition
Status of includes note:	Deleted – Seventh Edition
Status of excludes note:	Created – Seventh Edition
Status of note:	Revised – Twelfth Edition

WHO ICD-10:

Includes: morphology code M998 with behaviour code /1

ICD-10-AM Third Edition:

Includes: morphology code M998 with behaviour code /3

ICD-10-AM Eleventh Edition:

Note: Myelodysplastic syndromes have been reclassified in ICD-O Third Edition with a malignant behaviour code /3. The codes within D46 will continue to be used (although they are located in the chapter for *Neoplasms of uncertain and unknown behaviour*) with the appropriate morphology code as indexed.

ICD-10-AM Twelfth Edition:

Note: Myelodysplastic syndromes are classified in ICD-O-3.2 with a malignant behaviour code (/3). Assign codes from category D46 with an appropriate malignant morphology code (regardless of category D46 being located in the Chapter 2 block for *Neoplasms of uncertain and unknown behaviour*) — see Alphabetic Index.

D46.0 Refractory anaemia without ring sideroblasts, so stated

Status of code title: Revised – [Seventh Edition](#)
Status of includes note: Created – [Seventh Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

D46.0 Refractory anaemia without sideroblasts, so stated

ICD-10-AM Seventh Edition:

D46.0 Refractory anaemia without ring sideroblasts, so stated

D46.1 Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia

Status of code title: Revised – [Seventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

D46.1 Refractory anaemia with sideroblasts

ICD-10-AM Seventh Edition:

D46.1 Refractory anaemia with ring sideroblasts

ICD-10-AM Twelfth Edition:

D46.1 Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia

D46.2 Myelodysplastic syndrome with excess blasts

Status of inclusion term(s): Created – [Seventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

D46.2 Refractory anaemia with excess of blasts [RAEB]

RAEB:

- 1
- 2

ICD-10-AM Twelfth Edition:

D46.2 Myelodysplastic syndrome with excess blasts

Refractory anaemia with excess blasts (RAEB):

- 1
- 2
- NOS

D46.3 Refractory anaemia with excess of blasts with transformation

Status of code: Deleted – [Seventh Edition](#)

D46.4 Myelodysplastic syndrome with single lineage dysplasia

Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

D46.4 Refractory anaemia, unspecified

ICD-10-AM Twelfth Edition:

D46.4 Myelodysplastic syndrome with single lineage dysplasia

D46.5 Myelodysplastic syndrome with multilineage dysplasia

Status of code: Created – [Seventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

D46.5 Refractory anaemia with multilineage dysplasia

ICD-10-AM Twelfth Edition:

D46.5 Myelodysplastic syndrome with multilineage dysplasia

D46.6 Myelodysplastic syndrome with isolated del (5q)

Status of code: Created – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

D46.6 Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality
 5q-minus syndrome

ICD-10-AM Twelfth Edition:

D46.6 Myelodysplastic syndrome with isolated del (5q)
 5q-minus syndrome
 Myelodysplastic syndrome with 5q deletion (5q-) syndrome

D46.7 Other myelodysplastic syndromes

Status of excludes note: Created – [Seventh Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)

D47 Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue

Status of includes note: Revised – [Third Edition](#)
Status of includes note: Revised – [Fourth Edition Errata 2](#)
Status of note: Revised – [Fifth Edition](#)
Status of includes note: Deleted – [Seventh Edition](#)
Status of note: Revised – [Twelfth Edition](#)
Status of note: Revised – [Twelfth Edition Errata](#)
Status of note: Revised – [Thirteenth Edition](#)

WHO ICD-10:

Includes: morphology code M974, M976, M996-M997 with behaviour code /1

ICD-10-AM Third Edition:

Includes: morphology code M974 and M976 with behaviour code /1 and M996-M997 with behaviour code /3

ICD-10-AM Fourth Edition:

Includes: morphology codes M974, M976 with behaviour code /1 and M996- M997 with a behaviour code /3

Note: Chronic myeloproliferative disorders have been reclassified in ICD-O Third Edition with a morphology code of M995-M996 with malignant behaviour code /3...

ICD-10-AM Fifth Edition:

Note: Chronic myeloproliferative disorders have been reclassified in ICD-O Third Edition with malignant behaviour code /3...

ICD-10-AM Fifth Edition Errata 3:

Includes: morphology codes M974, M976 and M997 with behaviour code /1 and M996 with a behaviour code /3

ICD-10-AM Twelfth Edition:

Note: Chronic myeloproliferative disorders are classified in ICD-O-3.2 with a malignant behaviour code (/3).
Assign codes from category D47 with an appropriate malignant morphology code (regardless of category D47 being located in the Chapter 2 block for *Neoplasms of uncertain and unknown behaviour*) — see Alphabetic Index.

ICD-10-AM Twelfth Edition Errata:

Note: Chronic myeloproliferative disorders are classified in ICD-O-3.2 with a malignant behaviour code (/3). Assign codes from category D47 with an appropriate morphology code (regardless of category D47 being located in the Chapter 2 block for *Neoplasms of uncertain and unknown behaviour*) — see Alphabetic Index.

ICD-10-AM Thirteenth Edition:

Note: Assign codes from category D47 with an appropriate morphology code and behaviour code (/1 or /3) (regardless of category D47 being located in the Chapter 2 block for *Neoplasms of uncertain and unknown behaviour*) — see Alphabetic Index.

D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour

Status of inclusion term(s):

Revised – Seventh Edition

Status of excludes note:

Revised – Seventh Edition

ICD-10-AM Sixth Edition:

Mast cell tumour NOS

Mastocytoma NOS

Excludes: mastocytosis (cutaneous) (Q82.2)

ICD-10-AM Seventh Edition:

Indolent systematic mastocytosis

Mast cell tumour } NOS

Mastocytoma }

Systemic mastocytosis, associated with clonal haematopoietic non-mast-cell disease (SM-AHNMD)

Excludes: mastocytosis (congenital) (cutaneous) (Q82.2)

D47.1 Chronic myeloproliferative disease

Status of term:

Reclassified – Fourth Edition Errata 1 & 2

Status of inclusion term(s):

Revised – Seventh Edition

Status of excludes note:

Created – Seventh Edition

Term reclassification:

Myeloproliferative disease, unspecified

ICD-10-AM Sixth Edition:

Myelofibrosis (with myeloid metaplasia)

Myelosclerosis (megakaryocytic) with myeloid metaplasia

ICD-10-AM Seventh Edition:

Chronic neutrophilic leukaemia

D47.2 Monoclonal gammopathy of undetermined significance (MGUS)

Status of code title:

Revised – Seventh Edition

ICD-10-AM Sixth Edition:

D47.2 Monoclonal gammopathy

ICD-10-AM Seventh Edition:

D47.2 Monoclonal gammopathy of undetermined significance (MGUS)

D47.4 Osteomyelofibrosis**Status of code:****Created – Seventh Edition****Status of inclusion term(s):****Created – Seventh Edition****Term classification:**

Chronic idiopathic myelofibrosis

Myelofibrosis (idiopathic) (with myeloid metaplasia)

Myelosclerosis (megakaryocytic) with myeloid metaplasia

Secondary myelofibrosis in myeloproliferative disease

D47.5 Chronic eosinophilic leukaemia [hypereosinophilic syndrome]**Status of code:****Created – Seventh Edition****Status of code title:****Revised – Ninth Edition****ICD-10-AM Eighth Edition:**

D47.5 Chronic eosinophilic leukaemia [hypereosinophilic syndrome]

ICD-10-AM Ninth Edition:

D47.5 Chronic eosinophilic leukaemia [hypereosinophilic syndrome]

D47.7 Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue**Status of inclusion term(s):****Reclassified – Third Edition****Status of includes note:****Created – Seventh Edition****Term reclassification:**

Primary amyloidosis

D47.9 Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified**Status of term:****Reclassification – Fourth Edition Errata 1 & 2****Term reclassification:**

Myeloproliferative disease, unspecified

D48.5 Neoplasm of uncertain or unknown behaviour of skin**Status of term:****Reclassified – First Edition****Status of excludes note:****Revised – Eighth Edition****Term reclassification:**

Keratoacanthoma

ICD-10-AM Seventh Edition:

Excludes: anus NOS (D37.7)
 skin of genital organs (D39.7, D40.7)
 vermilion border of lip (D37.0)

ICD-10-AM Eighth Edition:

Excludes: anus NOS (D37.79)
 skin of genital organs (D39.7, D40.7)
 vermilion border of lip (D37.0)

D50–D89 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism

Status of excludes note:

Revised – Tenth Edition

ICD-10-AM Ninth Edition:

Excludes: autoimmune disease (systemic) NOS (M35.9)
certain conditions originating in the perinatal period (P00–P96)
complications of pregnancy, childbirth and the puerperium (O00–O99)
congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
endocrine, nutritional and metabolic diseases (E00–E89)
human immunodeficiency virus [HIV] disease (B20–B24)
injury, poisoning and certain other consequences of external causes (S00–T98)
neoplasms (C00–D48)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: autoimmune disease (systemic) NOS (M35.9)
endocrine, nutritional and metabolic diseases (E00–E89)
human immunodeficiency virus [HIV] disease (B20–B24)
neoplasms (C00–D48)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

D56.1 Beta thalassaemia

Status of term:

Reclassified – First Edition

Term reclassification:

Sickle-cell beta thalassaemia

D56.3 Thalassaemia trait

Status of inclusion term(s):

Created – Eleventh Edition

D56.9 Thalassaemia, unspecified

Status of inclusion term(s):

Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Mediterranean anaemia (with other haemoglobinopathy)
Thalassaemia (mixed) (with other haemoglobinopathy)

ICD-10-AM Eleventh Edition:

Mediterranean anaemia (with other haemoglobinopathy)
Thalassaemia (with other haemoglobinopathy)

D57.2 Double heterozygous sickling disorders

Status of term:

Reclassified – First Edition

Term reclassification:

Sickle-cell beta thalassaemia

D57.3 Sickle-cell trait

Status of inclusion term(s): **Revised – Sixth Edition**

ICD-10-AM Fifth Edition:

Hb-S trait
Heterozygous haemoglobin S

ICD-10-AM Sixth Edition:

Hb-S trait
Heterozygous haemoglobin S [HbAS]

D61.9 Aplastic anaemia, unspecified

Status of inclusion term(s): **Revised – Eleventh Edition**

ICD-10-AM Tenth Edition:

Hypoplastic anaemia NOS
Medullary hypoplasia
Panmyelophthisis

ICD-10-AM Eleventh Edition:

Hypoplastic anaemia NOS
Medullary hypoplasia
Pancytopenia NOS
Panmyelophthisis

D63* Anaemia in chronic disease classified elsewhere

Status of code: **Validated – Seventh Edition**

D63.0* Anaemia in neoplastic disease

Status of code: **Deleted – Seventh Edition**

D63.8* Anaemia in other chronic disease classified elsewhere

Status of inclusion term(s): **Created – Sixth Edition**
Status of inclusion term(s): **Revised – Sixth Edition Errata 1**
Status of code: **Deleted – Seventh Edition**

ICD-10-AM Fifth Edition:

D63.8* Anaemia in other chronic diseases classified elsewhere

ICD-10-AM Sixth Edition:

D63.8* Anaemia in other chronic diseases classified elsewhere
 Anaemia in chronic kidney disease ≥ stage 3 (N18.3 – N18.5†)

ICD-10-AM Sixth Edition Errata 1:

D63.8* Anaemia in other chronic diseases classified elsewhere
 Anaemia in chronic kidney disease:
 • ≥ stage 3 (N18.3–N18.5†)
 • NEC (N18.9†)

D64 Other anaemias**Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Sixth Edition:**

- Excludes:** refractory anaemia:
- NOS (D46.4)
 - with excess of blasts:
 - NOS (D46.2)
 - with transformation (D46.3)
 - with sideroblasts (D46.1)
 - without sideroblasts (D46.0)

ICD-10-AM Seventh Edition:

- Excludes:** refractory anaemia:
- NOS (D46.4)
 - with excess of blasts:
 - in transformation (C92.0)
 - NOS (D46.2)
 - with ring sideroblasts (D46.1)
 - without ring sideroblasts (D46.0)

ICD-10-AM Thirteenth Edition:

- Excludes:** refractory anaemia:
- NOS (D46.4)
 - with:
 - excess of blasts:
 - in transformation (C92.0)
 - NOS (D46.2)
 - ring sideroblasts (D46.1)
 - without ring sideroblasts (D46.0)

D64.1 Secondary sideroblastic anaemia due to disease**Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code to identify disease.***ICD-10-AM Twelfth Edition:***Code also underlying cause.***D64.2 Secondary sideroblastic anaemia due to drugs and toxins****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***D64.9 Other primary thrombocytopenia****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

- Excludes:** thrombocytopenia with absent radius (Q87.26)
transient neonatal thrombocytopenia (P61.0)
Wiskott-Aldrich syndrome (D82.0)

ICD-10-AM Thirteenth Edition:

- Excludes:** thrombocytopenia with absent radius [TAR] syndrome (Q87.26)
transient neonatal thrombocytopenia (P61.0)
Wiskott-Aldrich syndrome (D82.0)

D65 Disseminated intravascular coagulation [defibrination syndrome]**Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Ninth Edition:****Excludes:** that (complicating):

- abortion or ectopic or molar pregnancy (O00–O07, O08.1)
- in newborn (P60)
- pregnancy, childbirth and the puerperium (O45.0, O46.0, O67.0, O72.3)

ICD-10-AM Tenth Edition:**Excludes:** that (complicating):

- abortion or ectopic or molar pregnancy (O00–O07, O08.1)
- in newborn (P60)

ICD-10-AM Eleventh Edition:**Excludes:** that in newborn (P60)**D68 Other coagulation defects****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Deleted – Eleventh Edition****ICD-10-AM Ninth Edition:****Excludes:** those complicating:

- abortion or ectopic or molar pregnancy (O00–O07, O08.1)
- pregnancy, childbirth and the puerperium (O45.0, O46.0, O67.0, O72.3)

ICD-10-AM Tenth Edition:**Excludes:** those complicating abortion or ectopic or molar pregnancy (O00–O07, O08.1)**D68.3 Haemorrhagic disorder due to circulating anticoagulants****Status of excludes note:****Revised – Sixth Edition****Status of excludes note:****Revised – Tenth Edition****Status of instructional note(s):****Created – Eleventh Edition Errata****Status of instructional note(s):****Revised – Twelfth Edition****Status of inclusion term(s):****Revised – Thirteenth Edition****Status of includes note:****Created – Thirteenth Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Fifth Edition:****Excludes:** long term use of anticoagulants without haemorrhage (Z92.1)**ICD-10-AM Sixth Edition:****Excludes:** long term use of anticoagulants without haemorrhagic disorder (Z92.1)**ICD-10-AM Tenth Edition:****Excludes:** abnormal coagulation profile (R79.83)

long term use of anticoagulants without haemorrhagic disorder (Z92.1)

ICD-10-AM Eleventh Edition:*Code also, if applicable:*

- nontraumatic haematoma of skin and subcutaneous tissue (L98.8)
- nontraumatic haematoma of soft tissue (M79.8-)

Use additional external cause code (Chapter 20) to identify any administered anticoagulant.

ICD-10-AM Twelfth Edition:

Hyperheparinaemia

Increase in:

- anti-VIIIa
- anti-IXa
- anti-Xa
- anti-XIa
- antithrombin

Use additional code (L98.8) to identify nontraumatic haematoma of skin and subcutaneous tissue.

Use additional code (M79.8-) to identify nontraumatic haematoma of soft tissue.

Use additional external cause code (Chapter 20) to identify anticoagulant.

Excludes: abnormal coagulation profile (R79.83)
long term use of anticoagulants without haemorrhagic disorder (Z92.1)

ICD-10-AM Thirteenth Edition:

Hyperheparinaemia

Excludes: abnormal coagulation profile without bleeding (R79.83)
long term use of anticoagulants without haemorrhagic disorder (Z92.1)

D68.5 Primary thrombophilia**Status of code:****Created – Sixth Edition****D68.6 Other thrombophilia****Status of code:****Created – Sixth Edition****D68.8 Other specified coagulation defects****Status of inclusion term(s):****Revised – Fifth Edition****Status of inclusion term(s):****Deleted – Sixth Edition****ICD-10-AM Fourth Edition:**

Presence of systemic lupus erythematosus [SLE] inhibitor

ICD-10-AM Fifth Edition:

Factor V Leiden [APC resistance]

Presence of systemic lupus erythematosus [SLE] inhibitor

D69.2 Other nonthrombocytopenic purpura**Status of term:****Reclassified – First Edition****Term reclassification:**

Annularis telangiectodes purpura

Majocchi's disease

D69.4 Other primary thrombocytopenia**Status of excludes note:****Revised – Thirteenth Edition****Twelfth Edition:**

Excludes: thrombocytopenia with absent radius (Q87.26)
transient neonatal thrombocytopenia (P61.0)
Wiskott-Aldrich syndrome (D82.0)

Thirteenth Edition:

Excludes: thrombocytopenia with absent radius [TAR] syndrome (Q87.26)
transient neonatal thrombocytopenia (P61.0)
Wiskott-Aldrich syndrome (D82.0)

D69.5 Secondary thrombocytopenia

Status of inclusion term(s): Created – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify cause.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

Use additional code (U07.7-) to identify coronavirus disease 2019 [COVID-19] vaccine causing adverse effect in therapeutic use.

D70 Agranulocytosis

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition/Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Agranulocytic angina
 Infantile genetic agranulocytosis
 Kostmann's disease
 Neutropenia:
 • congenital
 • cyclic
 • drug-induced
 • NOS
 • periodic
 • splenic (primary)
 • toxic
 Neutropenic splenomegaly

ICD-10-AM Seventh Edition:

Agranulocytic angina
 Infantile genetic agranulocytosis
 Kostmann's disease
 Neutropenia:
 • congenital
 • cyclic
 • drug-induced
 • NOS
 • periodic
 • splenic (primary)
 • toxic
 Neutropenic splenomegaly
 Werner-Schultz disease

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

D70 Agranulocytosis

▼ 0110, 0304

...

Code first sepsis (Chapter 1), if applicable — see Alphabetic Index: Sepsis/by type.

Use additional code (R50.-) to identify neutropenic fever without sepsis.

Use additional external cause code (Chapter 20) to identify cause.

ICD-10-AM Thirteenth Edition:

D70 Agranulocytosis

▼ 0110

D72 Other disorders of white blood cells**Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Ninth Edition****ICD-10-AM Sixth Edition:**

Excludes: basophilia (D75.8)
immunity disorders (D80–D89)
neutropenia (D70)
preleukaemia (syndrome) (D46.9)

ICD-10-AM Seventh Edition:

Excludes: abnormal white blood cells (count) (R72)
basophilia (D75.8)
immunity disorders (D80–D89)
neutropenia (D70)
preleukaemia (syndrome) (D46.9)

ICD-10-AM Ninth Edition:

Excludes: abnormal white blood cells (count) (R72)
basophilia (D75.89)
immunity disorders (D80–D89)
neutropenia (D70)
preleukaemia (syndrome) (D46.9)

D75.1 Secondary polycythaemia**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Erythrocytosis NOS
Polycythaemia:
• acquired
• due to:
• erythropoietin
• fall in plasma volume
• high altitude
• stress
• emotional
• hypoxaemic
• nephrogenous
• relative

ICD-10-AM Seventh Edition:

Erythrocytosis NOS
Polycythaemia:
• acquired
• due to:
• erythropoietin
• fall in plasma volume
• high altitude
• stress
• emotional
• hypoxaemic
• nephrogenous
• NOS
• relative

D75.2 Essential thrombocytosis**Status of code:****Deleted – Seventh Edition**

D75.8 Other specified diseases of blood and blood-forming organs**Status of code(s):****Created – Ninth Edition****ICD-10-AM Eighth Edition:**

D75.8 Other specified diseases of blood and blood-forming organs

ICD-10-AM Ninth Edition:

D75.8 Other specified diseases of blood and blood-forming organs

D75.81 Secondary thrombocytosis

D75.89 Other specified diseases of blood and blood-forming organs

D76 Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue**Status of code title:****Revised – Seventh Edition****Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Ninth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Sixth Edition:**

D76 Certain diseases involving lymphoreticular tissue and reticulohistiocytic system

Excludes:

Letterer-Siwe disease (C96.0)
 malignant histiocytosis (C96.1)
 reticuloendotheliosis or reticulosis:
 • histiocytic medullary (C96.1)
 • leukaemic (C91.4-)
 • lipomelanotic (I89.8)
 • malignant (C85.7)
 • nonlipid (C96.0)

ICD-10-AM Seventh Edition:

D76 Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue

Excludes:

(Abt-)Letterer-Siwe disease (C96.0)
 eosinophilic granuloma (C96.6)
 Hand-Schüller-Christian disease (C96.5)
 histiocytic sarcoma (C96.8)
 histiocytosis X:
 • multifocal (C96.5)
 • unifocal (C96.6)
 Langerhans-cell histiocytosis:
 • multifocal (C96.5)
 • unifocal (C96.6)
 malignant histiocytosis (C96.8)
 reticuloendotheliosis or reticulosis:
 • histiocytic medullary (C96.9)
 • leukaemic (C91.4-)
 • lipomelanotic (I89.8)
 • malignant (C96.9)
 • nonlipid (C96.0)

ICD-10-AM Ninth Edition:

Excludes: (Abt-)Letterer-Siwe disease (C96.0)
 eosinophilic granuloma (C96.6)
 Hand-Schüller-Christian disease (C96.5)
 histiocytic sarcoma (C96.8)
 histiocytosis X:
 • multifocal (C96.5)
 • unifocal (C96.6)
 Langerhans-cell histiocytosis:
 • multifocal (C96.5)
 • unifocal (C96.6)
 malignant histiocytosis (C96.8)
 reticuloendotheliosis:
 • leukaemic (C91.4-)
 • nonlipid (C96.0)
 reticulosis:
 • histiocytic medullary (C96.8)
 • lipomelanotic (I89.8)
 • malignant (C86.0)

ICD-10-AM Twelfth Edition:

Excludes: (Abt-)Letterer-Siwe disease (C96.0)
 eosinophilic granuloma (C96.6)
 Hand-Schüller-Christian disease (C96.5)
 histiocytic sarcoma (C96.8)
 histiocytosis X:
 • multifocal (C96.5)
 • unifocal (C96.6)
 Langerhans-cell histiocytosis:
 • disseminated (C96.0)
 • multifocal:
 • multisystemic (C96.0)
 • unisystemic (C96.5)
 • unifocal (C96.6)
 malignant histiocytosis (C96.8)
 reticuloendotheliosis:
 • leukaemic (C91.4-)
 • nonlipid (C96.0)
 reticulosis:
 • histiocytic medullary (C96.8)
 • lipomelanotic (I89.8)
 • malignant (C86.0)

D76.0 Langerhans' cell histiocytosis, not elsewhere classified**Status of code:****Deleted – Seventh Edition****D76.2 Haemophagocytic syndrome, infection-associated****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code to identify infectious agent or disease.***ICD-10-AM Twelfth Edition:***Use additional code (B95–B97) to identify infectious agent.**Use additional code to identify specific type of infection.*

D89 Other disorders involving the immune mechanism, not elsewhere classified

Status of excludes note:

Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: hyperglobulinaemia NOS (R77.1)
monoclonal gammopathy (D47.2)
transplant failure and rejection (T86.-)

ICD-10-AM Seventh Edition:

Excludes: hyperglobulinaemia NOS (R77.1)
monoclonal gammopathy of undetermined significance (MGUS) (D47.2)
transplant failure and rejection (T86.-)

D89.3 Immune reconstitution syndrome

Status of code:

Created – [Seventh Edition](#)

Status of inclusion term(s):

Created – [Eighth Edition](#)

Status of instructional note(s):

Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20), to identify drug.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20), to identify cause.

D89.8 Other specified disorders involving the immune mechanism, not elsewhere classified

Status of inclusion term(s):

Revised – [Eleventh Edition](#)

Status of code(s):

Created – [Twelfth Edition](#)

Status of inclusion term(s):

Deleted – [Twelfth Edition](#)

Status of instructional note(s):

Created – [Twelfth Edition/Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Immunocompromised status:

- acquired NOS
- drug related

ICD-10-AM Eleventh Edition:

D89.8 Other specified disorders involving the immune mechanism, not elsewhere classified
Hyperimmunoglobulin D [IgD] syndrome
Immunocompromised status:
• acquired NOS
• drug related

ICD-10-AM Twelfth Edition:

D89.8 Other specified disorders involving the immune mechanism, not elsewhere classified
D89.81 Cytokine release syndrome
D89.82 Immunocompromised status
D89.89 Other specified disorders involving the immune mechanism, not elsewhere classified

D89.82 Immunocompromised status**Status of inclusion term(s):** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Immunocompromised status:

- acquired NOS
- drug induced

ICD-10-AM Thirteenth Edition:

Immunocompromised status:

- acquired NOS
- drug-induced

E00–E89 Endocrine, nutritional and metabolic diseases**Status of excludes note:** Revised – *Tenth Edition***ICD-10-AM Ninth Edition:**

Excludes: complications of pregnancy, childbirth and the puerperium (O00–O99)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)
 transitory endocrine and metabolic disorders specific to fetus and newborn (P70–P74)

ICD-10-AM Tenth Edition:

Excludes: symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)
 transitory endocrine and metabolic disorders specific to fetus and newborn (P70–P74)

E00 Congenital iodine-deficiency syndrome**Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:***Use additional code (F70–F79) to identify any associated mental retardation.***ICD-10-AM Twelfth Edition:***Use additional code (F70–F79) to identify any associated disorder of intellectual development.***E04 Other nontoxic goitre****Status of excludes note:** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Excludes:	congenital goitre:	
	• diffuse	(E03.0)
	• NOS	
	• parenchymatous	
	iodine-deficiency-related goitre (E00–E02)	

ICD-10-AM Eleventh Edition:

Excludes: congenital goitre (E03.0)
 iodine-deficiency-related goitre (E00–E02)

E05 Thyrotoxicosis [hyperthyroidism]**Status of inclusion term(s):****Created – Tenth Edition****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Thyroid (thyrotoxic)

• eye† (H58.8*)

• heart† (I43.8*)

disease

ICD-10-AM Eleventh Edition:

Thyroid (thyrotoxic):

• eye disease† (H58.8*)

• heart disease† (I43.8*)

E05.5 Thyroid crisis or storm**Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code to indicate the type of thyrotoxicosis (E05.0–E05.4, E05.8–E05.9).***ICD-10-AM Twelfth Edition:***Code also the type of thyrotoxicosis (E05.0–E05.4, E05.8–E05.9).***E05.9 Thyrotoxicosis, unspecified****Status of inclusion term(s):****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Hyperthyroidism NOS

Thyrotoxic heart disease† (I43.8*)

ICD-10-AM Tenth Edition:

Hyperthyroidism NOS

E06.1 Subacute thyroiditis**Status of term:****Classified – First Edition****Term classification:**

Viral thyroiditis

E07.1 Dyshormogenetic goitre**Status of term:****Classified – First Edition****Term classification:**

Goitrous cretin

E07.8 Other specified disorders of thyroid

Status of inclusion term(s): Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Abnormality of thyroid-binding globulin

Haemorrhage	of thyroid
Infarction	
Sick-euthyroid syndrome	

ICD-10-AM Eleventh Edition:

Abnormality of thyroid-binding globulin

Sick-euthyroid syndrome

Thyroid:

- haemorrhage
- infarction

E09–E14 Intermediate hyperglycaemia and diabetes mellitus

Status of category note:	Revised – <i>Sixth Edition</i>
Status of category title:	Revised – <i>Eighth Edition</i>
Status of category note:	Deleted – <i>Eighth Edition</i>
Status of instructional note(s):	Revised – <i>Twelfth Edition</i>
Status of instructional note(s):	Revised – <i>Thirteenth Edition</i>

ICD-10-AM Fifth Edition:

Note: Diagnostic criteria:

WHO criteria for impaired glucose tolerance (impaired fasting glycaemia):

Based on correctly conducted oral glucose tolerance test (fasting venous plasma glucose 6.1–6.9 mmol/L

OR

fasting venous plasma glucose level 6.1–6.9 mmol/L and 2-hour post glucose venous plasma glucose 7.8–11.0 mmol/L

WHO criteria for diabetes mellitus:

Based on correctly conducted oral glucose tolerance test (fasting venous plasma glucose $\geq$ 7.0 mmol/L or 2-hour post oral glucose, venous plasma glucose $\geq$ 11.1 mmol/L)

OR

American Diabetes Association (ADA) criteria:

Fasting venous plasma glucose level $\geq$ 7.0 mmol/L or Classical symptoms of thirst, polyuria and a casual venous plasma glucose $\geq$ 11.1 mmol/L.

Use additional external cause code (Chapter 20) to identify if drug-induced or chemical-induced.

ICD-10-AM Sixth Edition:

Note: Diagnostic criteria:

Criteria for impaired fasting glycaemia (IFG)

Fasting venous plasma glucose 6.1 – 6.9mmol/L

Criteria for impaired glucose tolerance (IFG):

Based on correctly conducted oral glucose tolerance test

fasting venous plasma glucose level 6.1–6.9 mmol/L and 2-hour post glucose venous plasma glucose 7.8–11.0 mmol/L

WHO criteria for diabetes mellitus:

Based on correctly conducted oral glucose tolerance test (fasting venous plasma glucose $\geq$ 7.0 mmol/L or 2-hour post oral glucose, venous plasma glucose $\geq$ 11.1 mmol/L)

OR

American Diabetes Association (ADA) criteria for diabetes mellitus:

Fasting venous plasma glucose level $\geq$ 7.0 mmol/L or Classical symptoms of thirst, polyuria and a casual venous plasma glucose $\geq$ 11.1 mmol/L.

Use additional external cause code (Chapter 20) to identify if drug-induced or chemical-induced.

Use an additional code (Z86.3) if an endocrinopathy has been successfully eradicated.

ICD-10-AM Seventh Edition:

E09–E14 Impaired glucose regulation and diabetes mellitus

ICD-10-AM Eighth Edition:

E09–E14 Intermediate hyperglycaemia and diabetes mellitus

ICD-10-AM Eleventh Edition:

Use additional code (Z86.3) if an endocrinopathy has been successfully eradicated.

Use additional external cause code (Chapter 20) to identify if drug-induced or chemical-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

Use additional code (Z86.3) to identify successful eradication of endocrinopathy.

Thirteenth Edition:

Use additional code (Z86.3) to identify successful eradication of endocrinopathy.

E09 Intermediate hyperglycaemia

Status of category title:

Revised – Eighth Edition

Status of includes note:

Revised – Eighth Edition

Status of instructional note(s):

Revised – Twelfth Edition

Status of glossary description:

Created – Thirteenth Edition

Status of includes note:

Revised – Thirteenth Edition

ICD-10-AM Seventh Edition:

E09 Impaired glucose regulation

Includes: abnormal glucose (carbohydrate):

- regulation
- tolerance

diabetes, chemical

diabetes, latent

impaired:

- fasting glycaemia (IFG)
- glucose (carbohydrate) tolerance (IGT)

prediabetes

ICD-10-AM Eighth Edition:

E09 Intermediate hyperglycaemia

Includes: abnormal glucose (carbohydrate):

- regulation
- tolerance

diabetes, chemical

diabetes, latent

impaired:

- fasting glycaemia (IFG)
- glucose (carbohydrate):
 - regulation (IGR)
 - tolerance (IGT)

prediabetes

ICD-10-AM Eleventh Edition:

Use additional code for any underlying condition or associated genetic syndrome.

ICD-10-AM Twelfth Edition:

Includes: abnormal glucose (carbohydrate):

- regulation
- tolerance

diabetes, chemical

diabetes, latent

impaired:

- fasting glycaemia (IFG)
- glucose (carbohydrate):
- regulation (IGR)
- tolerance (IGT)

prediabetes

Code also underlying cause or associated genetic syndrome.

ICD-10-AM Thirteenth Edition:

Includes: abnormal glucose (carbohydrate):

- regulation
- tolerance

chemical diabetes

impaired:

- fasting glycaemia [IFG]
- glucose (carbohydrate):
- regulation [IGR]
- tolerance [IGT]

latent diabetes

prediabetes

E09.0 Impaired glucose regulation with peripheral angiopathy

Status of code(s):

Created – [Third Edition](#)

Status of code(s):

Deleted – [Sixth Edition](#)

ICD-10-AM Third Edition:

E09.0 Impaired glucose regulation with peripheral angiopathy

E09.01 Impaired glucose regulation with peripheral angiopathy without gangrene

E09.02 Impaired glucose regulation with peripheral angiopathy with gangrene

E09.1 Impaired glucose regulation with features of insulin resistance

Status of code(s):

Created – [Third Edition](#)

Status of code:

Deleted – [Sixth Edition](#)

E09.2 Intermediate hyperglycaemia with kidney complication

Status of code title:

Created – [Sixth Edition](#)

Status of instructional note(s):

Created – [Sixth Edition Errata 1](#)

Status of code title:

Revised – [Eighth Edition](#)

Status of instructional note(s):

Deleted – [Ninth Edition](#)

ICD-10-AM Seventh Edition:

E09.2 Impaired glucose regulation with kidney complication

ICD-10-AM Eighth Edition:

E09.2 Intermediate hyperglycaemia with kidney complication

E09.21 Intermediate hyperglycaemia with incipient nephropathy**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****Status of includes note:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

- E09.21 Impaired glucose regulation with incipient nephropathy
- Impaired glucose regulation with:
- chronic kidney disease:
 - stage 1
 - stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - constant
 - persistent
 - proteinuria (fixed)(persistent)
 - tubulo-interstitial changes

ICD-10-AM Eighth Edition:

- E09.21 Intermediate hyperglycaemia with incipient nephropathy
- Intermediate hyperglycaemia with:
- chronic kidney disease:
 - stage 1
 - stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - constant
 - persistent
 - proteinuria
 - fixed
 - persistent
 - tubulo-interstitial changes

E09.29 Intermediate hyperglycaemia with other specified kidney complication**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

- E09.29 Impaired glucose regulation with other specified kidney complication

ICD-10-AM Eighth Edition:

- E09.29 Intermediate hyperglycaemia with other specified kidney complication

E09.3 Intermediate hyperglycaemia with ophthalmic complication**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

- E09.3 Impaired glucose regulation with ophthalmic complication

ICD-10-AM Eighth Edition:

- E09.3 Intermediate hyperglycaemia with ophthalmic complication

E09.31 Intermediate hyperglycaemia with background retinopathy**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****Status of includes note:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

- E09.31 Impaired glucose regulation with background retinopathy
 Impaired glucose regulation with:
- retinal:
 - haemorrhages (dot-and-blot)(flame-shaped)
 - hard exudates
 - microaneurysms
 - venous dilatation
 - retinopathy NOS

ICD-10-AM Eighth Edition:

- E09.31 Intermediate hyperglycaemia with background retinopathy
 Intermediate hyperglycaemia with:
- retinal:
 - haemorrhages:
 - dot-and-blot
 - flame-shaped
 - hard exudates
 - microaneurysms
 - venous dilatation
 - retinopathy NOS

E09.32 Intermediate hyperglycaemia with preproliferative retinopathy**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****Status of includes note:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

- E09.32 Impaired glucose regulation with preproliferative retinopathy
 Impaired glucose regulation with:
- intraretinal microvascular abnormalities [IRMA]
 - retinal:
 - cotton-wool spots
 - haemorrhages (blotchy)(round)(small)
 - ischaemia
 - venous:
 - beading
 - looping
 - reduplication

ICD-10-AM Eighth Edition:

- E09.32 Intermediate hyperglycaemia with preproliferative retinopathy
 Intermediate hyperglycaemia with:
- intraretinal microvascular abnormalities [IRMA]
 - retinal:
 - cotton-wool spots
 - haemorrhages:
 - blotchy
 - round
 - small
 - ischaemia
 - venous:
 - beading
 - looping
 - reduplication

E09.4 Intermediate hyperglycaemia with neurological complication**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

E09.4 Impaired glucose regulation with neurological complication

ICD-10-AM Eighth Edition:

E09.4 Intermediate hyperglycaemia with neurological complication

E09.40 Intermediate hyperglycaemia with unspecified neuropathy**Status of code:****Created – Sixth Edition****E09.42 Intermediate hyperglycaemia with polyneuropathy****Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****Status of inclusion term(s):****Revised – Eighth Edition****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Seventh Edition:**

E09.42 Impaired glucose regulation with polyneuropathy

Impaired glucose regulation with:

- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Eighth Edition:

E09.42 Intermediate hyperglycaemia with polyneuropathy

Intermediate hyperglycaemia with:

- peripheral neuropathy:
 - distal symmetrical
 - NOS
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Eleventh Edition:

Intermediate hyperglycaemia with peripheral neuropathy:

- distal symmetrical
- NOS
- selective 'small fibre'
- sensorimotor

E09.5 Intermediate hyperglycaemia with peripheral angiopathy**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****Status of inclusion term(s):****Created – Tenth Edition****Status of excludes note:****Created – Tenth Edition****ICD-10-AM Seventh Edition:**

E09.5 Impaired glucose regulation with peripheral angiopathy

ICD-10-AM Eighth Edition:

E09.5 Intermediate hyperglycaemia with peripheral angiopathy

E09.51 Intermediate hyperglycaemia with peripheral angiopathy without gangrene**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

E09.51 Impaired glucose regulation with peripheral angiopathy without gangrene

ICD-10-AM Eighth Edition:

E09.51 Intermediate hyperglycaemia with peripheral angiopathy without gangrene

E09.52 Intermediate hyperglycaemia with peripheral angiography with gangrene**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

E09.52 Impaired glucose regulation with peripheral angiography with gangrene

ICD-10-AM Eighth Edition:

E09.52 Intermediate hyperglycaemia with peripheral angiography with gangrene

E09.7 Intermediate hyperglycaemia with multiple complications**Status of code title:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

E09.7 Impaired glucose regulation with multiple complications

ICD-10-AM Eighth Edition:

E09.7 Intermediate hyperglycaemia with multiple complications

E09.71 Intermediate hyperglycaemia with multiple microvascular complications**Status of code:****Created – Sixth Edition****Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

E09.71 Impaired glucose regulation with multiple microvascular complications

ICD-10-AM Eighth Edition:

E09.71 Intermediate hyperglycaemia with multiple microvascular complications

E09.72 Intermediate hyperglycaemia with features of insulin resistance**Status of code:****Created – Sixth Edition****Status of inclusion term(s):****Revised – Seventh Edition Errata 5****Status of instructional note(s):****Created – Seventh Edition Errata 5****Status of code title:****Revised – Eighth Edition****Status of inclusion term(s):****Revised – Tenth Edition****ICD-10-AM Seventh Edition:**

Impaired glucose regulation with one or more of the following:

- acanthosis nigricans
- dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
- hyperinsulinism
- hypertension
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver
- obesity (meeting WHO or other recognised criteria)

ICD-10-AM Seventh Edition Errata 5:

Impaired glucose regulation with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver disease (NAFLD)
- nonalcoholic steatohepatitis (NASH)
- obesity (morbid)
- overweight

ICD-10-AM Seventh Edition:

E09.72 Impaired glucose regulation with features of insulin resistance

ICD-10-AM Eighth Edition:

E09.72 Intermediate hyperglycaemia with features of insulin resistance

ICD-10-AM Ninth Edition:

Intermediate hyperglycaemia with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver disease (NAFLD)
- nonalcoholic steatohepatitis (NASH)
- obesity (morbid)
- overweight

ICD-10-AM Tenth Edition:

Type 2 diabetes mellitus with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver disease (NAFLD)
- nonalcoholic steatohepatitis (NASH)
- obesity
- overweight

E09.8 Intermediate hyperglycaemia with unspecified complication

Status of code title:

Revised – Eighth Edition

ICD-10-AM Seventh Edition:

E09.8 Impaired glucose regulation with unspecified complication

ICD-10-AM Eighth Edition:

E09.8 Intermediate hyperglycaemia with unspecified complication

E09.9 Intermediate hyperglycaemia without complication

Status of code:

Created – Third Edition

Status of code title:

Revised – Eighth Edition

ICD-10-AM Seventh Edition:

E09.9 Impaired glucose regulation without complication

ICD-10-AM Eighth Edition:

E09.9 Intermediate hyperglycaemia without complication

E10 Type 1 diabetes mellitus

Status of code: Revised – [Second Edition](#)
Status of excludes note: Revised – [Eighth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of glossary description: Created – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM First Edition:

E10 Insulin-dependent diabetes mellitus

ICD-10-AM Second Edition:

E10 Type 1 diabetes mellitus

ICD-10-AM Seventh Edition:

Excludes: diabetes mellitus (due to)(in):

- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- pregnancy, childbirth and the puerperium (O24.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

impaired glucose regulation (E09.-)

postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Eighth Edition:

Excludes: diabetes mellitus (due to)(in):

- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- pregnancy, childbirth and the puerperium (O24.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Tenth Edition:

Excludes: diabetes mellitus:

- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Thirteenth Edition:

Excludes: diabetes mellitus:

- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia [IH] (E09.-)

postprocedural hypoinsulinaemia (E89.1)

E10.0 Type 1 diabetes mellitus with hyperosmolarity

<i>Status of code:</i>	<i>Created – First Edition</i>
<i>Status of code:</i>	<i>Deleted – Second Edition</i>
<i>Status of code:</i>	<i>Reactivated – Sixth Edition</i>
<i>Status of code title:</i>	<i>Revised – Sixth Edition</i>

WHO ICD-10:

E10.0 Insulin-dependent diabetes mellitus with coma

ICD-10-AM First Edition:

E10.0 Insulin-dependent diabetes mellitus with coma

ICD-10-AM Sixth Edition:

E10.0 Type 1 diabetes mellitus with hyperosmolarity

E10.00 Insulin-dependent diabetes mellitus with coma, not stated as uncontrolled

<i>Status of code:</i>	<i>Created – First Edition</i>
<i>Status of code:</i>	<i>Deleted – Second Edition</i>

WHO ICD-10:

E10.0 Insulin-dependent diabetes mellitus with coma

ICD-10-AM First Edition:

E10.00 Insulin-dependent diabetes mellitus with coma, not stated as uncontrolled

E10.01 Type 1 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]

<i>Status of code:</i>	<i>Created – First Edition</i>
<i>Status of code:</i>	<i>Deleted – Second Edition</i>
<i>Status of code:</i>	<i>Reactivated – Sixth Edition</i>
<i>Status of code title:</i>	<i>Revised – Sixth Edition</i>

WHO ICD-10:

E10.0 Insulin-dependent diabetes mellitus with coma

ICD-10-AM First Edition:

E10.01 Insulin-dependent diabetes mellitus with coma, stated as uncontrolled

ICD-10-AM Sixth Edition

E10.01 Type 1 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]

E10.02 Type 1 diabetes mellitus with hyperosmolarity with coma

<i>Status of code(s):</i>	<i>Created – Sixth Edition</i>
---------------------------	--------------------------------

E10.1 Type 1 diabetes mellitus with acidosis

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of inclusion term(s):	Created – Sixth Edition
Status of instructional note(s):	Revised – Twelfth Edition

WHO ICD-10:

E10.1 Insulin-dependent diabetes mellitus with ketoacidosis

ICD-10-AM First Edition:

E10.1 Insulin-dependent diabetes mellitus with ketoacidosis
 E10.10 Insulin-dependent diabetes mellitus with ketoacidosis, not stated as uncontrolled
 E10.11 Insulin-dependent diabetes mellitus with ketoacidosis, stated as uncontrolled

ICD-10-AM Second Edition:

E10.1 Type 1 diabetes mellitus with acidosis
 E10.11 Type 1 diabetes mellitus with ketoacidosis, without coma
 E10.12 Type 1 diabetes mellitus with ketoacidosis, with coma
 E10.13 Type 1 diabetes mellitus with lactic acidosis, without coma
 E10.14 Type 1 diabetes mellitus with lactic acidosis, with coma
 E10.15 Type 1 diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
 E10.16 Type 1 diabetes mellitus with ketoacidosis, with lactic acidosis, with coma

ICD-10-AM Eleventh Edition:

Use additional code to identify presence of cerebral oedema (G93.6).

ICD-10-AM Twelfth Edition:

Use additional code (G93.6) to identify presence of cerebral oedema.

E10.2 Type 1 diabetes mellitus with kidney complication

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of code(s):	Deleted – Third Edition
Status of code(s):	Revised – Fourth Edition
Status of code title(s):	Revised – Sixth Edition
Status of code(s):	Deleted – Sixth Edition
Status of inclusion term(s):	Revised – Sixth Edition
Status of instructional note(s):	Created – Sixth Edition Errata 1
Status of instructional note(s):	Deleted – Seventh Edition
Status of instructional note (s):	Created – Seventh Edition
Status of inclusion term(s):	Revised – Eighth Edition
Status of instructional note (s):	Deleted – Ninth Edition

WHO ICD-10:

E10.2† Insulin-dependent diabetes mellitus with renal complications

ICD-10-AM First Edition:

E10.2† Insulin-dependent diabetes mellitus with renal complications
 E10.20† Insulin-dependent diabetes mellitus with renal complications, not stated as uncontrolled
 E10.21† Insulin-dependent diabetes mellitus with renal complications, stated as uncontrolled

ICD-10-AM Second Edition:

- E10.2 Type 1 diabetes mellitus with renal complication
- E10.20 Type 1 diabetes mellitus with renal complication, unspecified
- E10.21 Type 1 diabetes mellitus with incipient diabetic nephropathy
- E10.22 Type 1 diabetes mellitus with established diabetic nephropathy
- E10.23 Type 1 diabetes mellitus with end-stage renal disease [ESRD]
- E10.29 Type 1 diabetes mellitus with other specified renal complication

ICD-10-AM Third Edition:

- E10.2 Type 1 diabetes mellitus with renal complication
- E10.21 Type 1 diabetes mellitus with incipient diabetic nephropathy
- E10.22 Type 1 diabetes mellitus with established diabetic nephropathy
- E10.23 Type 1 diabetes mellitus with end-stage renal disease [ESRD]
- E10.29 Type 1 diabetes mellitus with other specified renal complication

ICD-10-AM Fifth Edition:

- E10.2 Type 1 diabetes mellitus with renal complication
- E10.21 Type 1 diabetes mellitus with incipient diabetic nephropathy
 - Type 1 diabetes mellitus with:
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early) (reversible)
 - microalbuminuria:
 - constant
 - persistent
- E10.22 Type 1 diabetes mellitus with established diabetic nephropathy
 - Type 1 diabetes mellitus with:
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease) (lesion)
 - macroalbuminuria
 - nephropathy (advanced) (NOS) (progressive)
 - proteinuria (fixed) (persistent)
- E10.23 Type 1 diabetes mellitus with advanced renal disease
- E10.29 Type 1 diabetes mellitus with other specified renal complication
 - Type 1 diabetes mellitus with:
 - acute renal:
 - failure
 - impairment
 - medullary (papillary) necrosis

ICD-10-AM Sixth Edition:

- E10.2 Type 1 diabetes mellitus with kidney complication
- E10.21 Type 1 diabetes mellitus with incipient diabetic nephropathy
 - Type 1 diabetes mellitus with:
 - chronic kidney disease:
 - Stage 1
 - Stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - constant
 - persistent
 - tubulo-interstitial changes
- E10.29 Type 1 diabetes mellitus with other specified kidney complication
 - Type 1 diabetes mellitus with:
 - acute kidney:
 - failure
 - impairment
 - medullary (papillary) necrosis

E10.21 Type 1 diabetes mellitus with incipient diabetic nephropathy**Status of inclusion term(s):****Status of excludes note:****Revised – [Thirteenth Edition](#)****Created – [Thirteenth Edition](#)****ICD-10-AM Twelfth Edition:**

Type 1 diabetes mellitus with:

- chronic kidney disease:
 - stage 1
 - stage 2
- glomerular:
 - basement-membrane thickening
 - mesangial expansion
- incipient nephropathy (early)(mild)(reversible)
- microalbuminuria:
 - constant
 - persistent
- tubulo-interstitial changes

ICD-10-AM Thirteenth Edition:

Type 1 diabetes mellitus with:

- chronic kidney disease [CKD] stage 1–2
- glomerular:
 - basement-membrane thickening
 - mesangial expansion
- incipient nephropathy (early)(mild)(reversible)
- microalbuminuria:
 - constant
 - persistent
- tubulo-interstitial changes

E10.22 Type 1 diabetes mellitus with established diabetic nephropathy**Status of instructional note:****Status of inclusion term(s):****Status of instructional note:****Status of inclusion term(s):****Status of inclusion term(s):****Created – [Seventh Edition](#)****Revised – [Eighth Edition](#)****Deleted – [Ninth Edition](#)****Revised – [Twelfth Edition](#)****Revised – [Thirteenth Edition](#)****ICD-10-AM Seventh Edition:**

Type 1 diabetes mellitus with:

- advanced kidney disease
- chronic kidney:
 - disease ≥ stage 3
 - failure
 - impairment
- end-stage kidney disease
- glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
- Kimmelstiel-Wilson (disease)(lesion)
- macroalbuminuria
- nephropathy (advanced)(NOS)(progressive)
- nephrosis
- nephrotic syndrome
- proteinuria (fixed)(persistent)

ICD-10-AM Eighth Edition:

Type 1 diabetes mellitus with:

- advanced kidney disease
- chronic kidney:
 - disease ≥ stage 3
 - failure
 - impairment
- end-stage kidney disease
- glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
- Kimmelstiel-Wilson (disease)(lesion)
- macroalbuminuria
- nephropathy (advanced)(NOS)(progressive)
- nephrosis
- nephrotic syndrome
- proteinuria:
 - fixed
 - persistent

ICD-10-AM Eleventh Edition:

Type 1 diabetes mellitus with:

- advanced kidney disease
- chronic kidney:
 - disease ≥ stage 3
 - failure
- ...

ICD-10-AM Twelfth Edition:

Type 1 diabetes mellitus with:

- advanced kidney disease
- chronic kidney:
 - disease stage 3–5
 - failure
- ...

ICD-10-AM Thirteenth Edition:

Type 1 diabetes mellitus with:

- advanced kidney disease
- chronic kidney:
 - disease [CKD] stage 3–5
 - failure
- ...

E10.3 Type 1 diabetes mellitus with ophthalmic complication**Status of code(s):****Created – *First Edition*****Status of code title(s):****Revised – *Second Edition*****Status of code(s):****Created/Deleted – *Second Edition*****Status of code(s):****Deleted – *Third Edition*****Status of inclusion term(s):****Revised – *Eighth Edition*****WHO ICD-10:**

E10.3† Insulin-dependent diabetes mellitus with ophthalmic complications

ICD-10-AM First Edition:

E10.3† Insulin-dependent diabetes mellitus with ophthalmic complications

E10.30† Insulin-dependent diabetes mellitus with ophthalmic complications, not stated as uncontrolled

E10.31† Insulin-dependent diabetes mellitus with ophthalmic complications, stated as uncontrolled

ICD-10-AM Second Edition:

- E10.3 Type 1 diabetes mellitus with ophthalmic complication
- E10.30 Type 1 diabetes mellitus with ophthalmic complication, unspecified
- E10.31 Type 1 diabetes mellitus with background retinopathy
- E10.32 Type 1 diabetes mellitus with preproliferative retinopathy
- E10.33 Type 1 diabetes mellitus with proliferative retinopathy
- E10.34 Type 1 diabetes mellitus with other retinopathy
- E10.35 Type 1 diabetes mellitus with advanced ophthalmic disease
- E10.36 Type 1 diabetes mellitus with diabetic cataract
- E10.39 Type 1 diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Third Edition:

- E10.3 Type 1 diabetes mellitus with ophthalmic complication
- E10.31 Type 1 diabetes mellitus with background retinopathy
- E10.32 Type 1 diabetes mellitus with preproliferative retinopathy
- E10.33 Type 1 diabetes mellitus with proliferative retinopathy
- E10.34 Type 1 diabetes mellitus with other retinopathy
- E10.35 Type 1 diabetes mellitus with advanced ophthalmic disease
- E10.36 Type 1 diabetes mellitus with diabetic cataract
- E10.39 Type 1 diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Seventh Edition:

- E10.31 Type 1 diabetes mellitus with background retinopathy
- Type 1 diabetes mellitus with:
 - retinal:
 - haemorrhages (dot-and-blot)(flame-shaped)
 - hard exudates
 - microaneurysms
 - venous dilatation
 - retinopathy NOS

Excludes: with any condition listed in E10.32

- E10.32 Type 1 diabetes mellitus with preproliferative retinopathy
- Type 1 diabetes mellitus with:
 - intraretinal microvascular abnormalities [IRMA]
 - retinal:
 - cotton-wool spots
 - haemorrhages (blotchy)(round)(small)
 - ischaemia
 - venous:
 - beading
 - looping
 - reduplication

ICD-10-AM Eighth Edition:

- E10.31 Type 1 diabetes mellitus with background retinopathy
- Type 1 diabetes mellitus with:
 - retinal:
 - haemorrhages:
 - dot-and-blot
 - flame-shaped
 - hard exudates
 - microaneurysms
 - venous dilatation
 - retinopathy NOS

Excludes: with any condition listed in E10.32

- E10.32 Type 1 diabetes mellitus with preproliferative retinopathy
 Type 1 diabetes mellitus with:
- intraretinal microvascular abnormalities [IRMA]
 - retinal:
 - cotton-wool spots
 - haemorrhages:
 - blotchy
 - round
 - small
 - ischaemia
 - venous:
 - beading
 - looping
 - reduplication

E10.31 Type 1 diabetes mellitus with background retinopathy

Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Excludes: with any condition listed in E10.32

ICD-10-AM Thirteenth Edition:

Excludes: with condition classified to E10.32, E10.33 or E10.35

E10.32 Type 1 diabetes mellitus with preproliferative retinopathy

Status of excludes note: Created – *Thirteenth Edition*

E10.33 Type 1 diabetes mellitus with proliferative retinopathy

Status of excludes note: Created – *Thirteenth Edition*

E10.36 Type 1 diabetes mellitus with diabetic cataract

Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Excludes: Type 1 diabetes mellitus with early onset age-related cataract (E10.39)

ICD-10-AM Thirteenth Edition:

Excludes: type 1 diabetes mellitus with early onset age-related cataract (E10.39)

E10.4 Type 1 diabetes mellitus with neurological complication

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of inclusion term(s):	Revised – Sixth Edition
Status of inclusion term(s):	Revised – Eighth Edition

WHO ICD-10:

E10.4† Insulin-dependent diabetes mellitus with neurological complications

ICD-10-AM First Edition:

E10.4† Insulin-dependent diabetes mellitus with neurological complications
 E10.40† Insulin-dependent diabetes mellitus with neurological complications, not stated as uncontrolled
 E10.41† Insulin-dependent diabetes mellitus with neurological complications, stated as uncontrolled

ICD-10-AM Second Edition:

E10.4 Type 1 diabetes mellitus with neurological complication
 E10.40 Type 1 diabetes mellitus with unspecified neuropathy
 E10.41 Type 1 diabetes mellitus with diabetic mononeuropathy
 E10.42 Type 1 diabetes mellitus with diabetic polyneuropathy
 E10.43 Type 1 diabetes mellitus with diabetic autonomic neuropathy
 E10.49 Type 1 diabetes mellitus with other specified neurological complication

ICD-10-AM Seventh Edition:

E10.43 Type 1 diabetes mellitus with diabetic autonomic neuropathy
 Type 1 diabetes mellitus with:
 • abnormal sweating (gustatory)
 • diabetic autonomic polyneuropathy
 • diabetic diarrhoea
 • dysfunction:
 • anorectal
 • oesophageal
 • erectile failure (impotence)
 • gastroparesis
 • hypotonia, bladder
 • neuropathic oedema
 • postural hypotension

ICD-10-AM Eighth Edition:

E10.43 Type 1 diabetes mellitus with diabetic autonomic neuropathy
 Type 1 diabetes mellitus with:
 • abnormal sweating (gustatory)
 • diabetic autonomic polyneuropathy
 • diabetic diarrhoea
 • dysfunction:
 • anorectal
 • oesophageal
 • erectile failure (impotence)
 • gastroparesis
 • hypotension:
 • orthostatic
 • postural
 • hypotonia, bladder
 • neuropathic oedema

E10.42 Type 1 diabetes mellitus with diabetic polyneuropathy**Status of inclusion term(s):****Revised – Sixth Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Fifth Edition:****E10.42** Type 1 diabetes mellitus with diabetic polyneuropathy

Type 1 diabetes mellitus with:

- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
- sensorimotor

ICD-10-AM Sixth Edition:**E10.42** Type 1 diabetes mellitus with diabetic polyneuropathy

Type 1 diabetes mellitus with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
- sensorimotor

ICD-10-AM Twelfth Edition:**Excludes:** Type 1 diabetes mellitus with diabetic autonomic polyneuropathy (E10.43)**ICD-10-AM Thirteenth Edition:****Excludes:** type 1 diabetes mellitus with diabetic autonomic polyneuropathy (E10.43)**E10.43 Type 1 diabetes mellitus with diabetic autonomic neuropathy****Status of inclusion term(s):****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Type 1 diabetes mellitus with:

- abnormal sweating (gustatory)
- diabetic autonomic polyneuropathy
- diabetic diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotension:
 - orthostatic
 - postural
- hypotonia, bladder
- neuropathic oedema

ICD-10-AM Thirteenth Edition:

Type 1 diabetes mellitus with:

- abnormal sweating (gustatory)
- diabetic:
 - autonomic polyneuropathy
 - diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotension:
 - orthostatic
 - postural
- hypotonia, bladder
- neuropathic oedema

E10.5 Type 1 diabetes mellitus with circulatory complication

<i>Status of code(s):</i>	<i>Created – First Edition</i>
<i>Status of code(s):</i>	<i>Revised – Second Edition</i>
<i>Status of code(s):</i>	<i>Revised – Third Edition</i>
<i>Status of code title :</i>	<i>Revised – Sixth Edition</i>
<i>Status of excludes note(s):</i>	<i>Deleted – Seventh Edition Errata 5</i>
<i>Status of inclusion term(s):</i>	<i>Created – Eighth Edition</i>

WHO ICD-10:

E10.5 Insulin-dependent diabetes mellitus with peripheral circulatory complications

ICD-10-AM First Edition:

E10.5 Insulin-dependent diabetes mellitus with peripheral circulatory complications
 E10.50 Insulin-dependent diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
 E10.51 Insulin-dependent diabetes mellitus with peripheral circulatory complications, stated as uncontrolled

ICD-10-AM Second Edition:

E10.5 Type 1 diabetes mellitus with circulatory complication
 E10.50 Type 1 diabetes mellitus with circulatory complication, unspecified
 E10.51 Type 1 diabetes mellitus with peripheral angiopathy, without gangrene
 E10.52 Type 1 diabetes mellitus with peripheral angiopathy, with gangrene
 E10.59 Type 1 diabetes mellitus with other specified circulatory complication

ICD-10-AM Third Edition:

E10.5 Type 1 diabetes mellitus with circulatory complication
 E10.51 Type 1 diabetes mellitus with peripheral angiopathy, without gangrene
 E10.52 Type 1 diabetes mellitus with peripheral angiopathy, with gangrene
 E10.53 Type 1 diabetes mellitus with diabetic ischaemic cardiomyopathy

ICD-10-AM Sixth Edition:

E10.53 Type 1 diabetes mellitus with diabetic cardiomyopathy

Term classification (E10.53):

Type 1 diabetes mellitus with left ventricular diastolic dysfunction

E10.51 Type 1 diabetes mellitus with peripheral angiopathy, without gangrene

<i>Status of inclusion term(s):</i>	<i>Created – Tenth Edition</i>
<i>Status of excludes note:</i>	<i>Created – Tenth Edition</i>

E10.52 Type 1 diabetes mellitus with peripheral angiopathy, with gangrene

<i>Status of inclusion term(s):</i>	<i>Created – Tenth Edition</i>
<i>Status of excludes note:</i>	<i>Created – Tenth Edition</i>

E10.6 Type 1 diabetes mellitus with other specified complication

<i>Status of code(s):</i>	<i>Created – First Edition</i>
<i>Status of code title(s):</i>	<i>Revised – Second Edition</i>
<i>Status of code(s):</i>	<i>Created/Deleted – Second Edition</i>
<i>Status of code(s):</i>	<i>Created, Revised – Third Edition</i>

WHO ICD-10:

E10.6 Insulin-dependent diabetes mellitus with other specified complications

ICD-10-AM First Edition:

- E10.6 Insulin-dependent diabetes mellitus with other specified complications
 E10.60 Insulin-dependent diabetes mellitus with other specified complications, not stated as uncontrolled
 E10.61 Insulin-dependent diabetes mellitus with other specified complications, stated as uncontrolled

ICD-10-AM Second Edition:

- E10.6 Type 1 diabetes mellitus with other specified complication
 E10.61 Type 1 diabetes mellitus with diabetic musculoskeletal and connective tissue complication
 E10.62 Type 1 diabetes mellitus with skin and subcutaneous tissue complication
 E10.63 Type 1 diabetes mellitus with periodontal complication
 E10.64 Type 1 diabetes mellitus with hypoglycaemia
 E10.69 Type 1 diabetes mellitus with other specified complication

ICD-10-AM Third Edition:

- E10.6 Type 1 diabetes mellitus with other specified complication
 E10.61 Type 1 diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
 E10.62 Type 1 diabetes mellitus with specified skin and subcutaneous tissue complication
 E10.63 Type 1 diabetes mellitus with specified periodontal complication
 E10.64 Type 1 diabetes mellitus with hypoglycaemia
 E10.65 Type 1 diabetes mellitus with poor control
 E10.69 Type 1 diabetes mellitus with other specified complication

E10.61 Type 1 diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication

Status of inclusion term(s): Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

- Type 1 diabetes mellitus with:
- Charcot's arthropathy
 - diabetic:
 - hand syndrome (cheiroarthropathy) (Dupuytren's contracture) (palmar fascial fibromatosis)
 - osteopathy
 - peri arthritis of shoulder

ICD-10-AM Tenth Edition:

- Type 1 diabetes mellitus with:
- arthropathy (neuropathic)
 - Charcot's arthropathy
 - diabetic:
 - hand syndrome (cheiroarthropathy) (Dupuytren's contracture) (palmar fascial fibromatosis)
 - osteopathy
 - peri arthritis of shoulder
 - neuropathic arthritis

E10.65 Type 1 diabetes mellitus with poor control

Status of inclusion term(s): Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

- Type 1 diabetes mellitus:
- for stabilisation
 - poorly controlled
 - unstable

ICD-10-AM Thirteenth Edition:

- Type 1 diabetes mellitus:
- for stabilisation
 - labile
 - poorly controlled
 - unstable

E10.69 Type 1 diabetes mellitus with other specified complication**Status of inclusion term(s):****Revised – Sixth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Fifth Edition:**

Type 1 diabetes mellitus with:

- diabetic:
 - fibrous breast disease (mastopathy)(sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis)(ischaemic myonecrosis)(tumoriform focal muscular degeneration)
 - gangrene (acute dermal)(bacterial)(haemolytic):
 - Fournier's
 - Meleney's
 - necrotising fasciitis
 - ulcer (lower extremity)

ICD-10-AM Sixth Edition:

Type 1 diabetes mellitus with:

- diabetic:
 - fibrous breast disease (mastopathy)(sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis)(ischaemic myonecrosis)(tumoriform focal muscular degeneration)
 - gangrene (acute dermal)(bacterial)(haemolytic):
 - Fournier's
 - Meleney's (progressive bacterial synergistic)
 - necrotising fasciitis
 - ulcer (lower extremity)

ICD-10-AM Tenth Edition:**Excludes:** foot ulcer with peripheral:

- angiopathy (E10.73)
- neuropathy (E10.73)

ICD-10-AM Eleventh Edition:**Excludes:** foot ulcer with peripheral:

- angiopathy (E10.73)
- neuropathy (E10.73)

pressure ulcer not meeting the criteria for diabetic foot (L89.-)

E10.7 Type 1 diabetes mellitus with multiple complications**Status of code(s):****Created – First Edition****Status of code titles:****Revised – Second Edition****Status of code(s):****Created/Deleted – Second Edition****Status of code title:****Revised – Sixth Edition****Status of inclusion term(s):****Revised – Sixth Edition****Status of code title:****Revised – Sixth Edition Errata 1****Status of inclusion term(s):****Revised – Sixth Edition Errata 1****Status of inclusion term(s):****Revised – Seventh Edition Errata 5****WHO ICD-10:**

E10.7 Insulin-dependent diabetes mellitus with multiple complications

ICD-10-AM First Edition:

E10.7 Insulin-dependent diabetes mellitus with multiple complications

E10.70 Insulin-dependent diabetes mellitus with multiple complications, not stated as uncontrolled

E10.71 Insulin-dependent diabetes mellitus with multiple complications, stated as uncontrolled

ICD-10-AM Second Edition:

E10.7 Type 1 diabetes mellitus with multiple complications

E10.71 Type 1 diabetes mellitus with multiple microvascular complications

E10.73 Type 1 diabetes mellitus with foot ulcer due to multiple causes

ICD-10-AM Fifth Edition:

E10.71 Type 1 diabetes mellitus with multiple microvascular complications

Two or more of conditions classifiable to E10.2-, E10.31–E10.35, E10.39, E10.4-, E10.53 or E10.62

ICD-10-AM Sixth Edition:

E10.71 Type 1 diabetes mellitus with multiple microvascular or other specified nonvascular complications
Two or more of conditions classifiable to E10.2-, E10.31–E10.35, E10.4-, E10.53 or E10.62

ICD-10-AM Sixth Edition Errata 1:

E10.71 Type 1 diabetes mellitus with multiple microvascular and other specified nonvascular complications
Two or more of conditions classifiable to E10.2-, E10.31–E10.35, E10.39, E10.4-, E10.53 or E10.62

ICD-10-AM Seventh Edition Errata 5:

E10.71 Type 1 diabetes mellitus with multiple microvascular and other specified nonvascular complications
Two or more of conditions classifiable to E10.2-, E10.3-, E10.4-, E10.53 or E10.62

E10.73 Type 1 diabetes mellitus with foot ulcer due to multiple causes

Status of glossary description: Created – **Thirteenth Edition**

E10.8 Type 1 diabetes mellitus with unspecified complication

Status of code(s): Created – **First Edition**
Status of code(s): Revised, Deleted – **Second Edition**

WHO ICD-10:

E10.8 Insulin-dependent diabetes mellitus with unspecified complications

ICD-10-AM First Edition:

E10.8 Insulin-dependent diabetes mellitus with unspecified complications
E10.80 Insulin-dependent diabetes mellitus with unspecified complications, not stated as uncontrolled
E10.81 Insulin-dependent diabetes mellitus with unspecified complications, stated as uncontrolled

ICD-10-AM Second Edition:

E10.8 Type 1 diabetes mellitus with unspecified complication

E10.9 Type 1 diabetes mellitus without complication

Status of code(s): Created – **First Edition**
Status of code(s): Revised, Deleted – **Second Edition**

WHO ICD-10:

E10.9 Insulin-dependent diabetes mellitus without complications

ICD-10-AM First Edition:

E10.9 Insulin-dependent diabetes mellitus without complications
E10.90 Insulin-dependent diabetes mellitus without complications, not stated as uncontrolled
E10.91 Insulin-dependent diabetes mellitus without complications, stated as uncontrolled

ICD-10-AM Second Edition:

E10.9 Type 1 diabetes mellitus without complication

E11 Type 2 diabetes mellitus

Status of code(s):	Revised – Second Edition
Status of excludes note:	Revised – Eighth Edition
Status of excludes note:	Revised – Tenth Edition
Status of glossary description:	Created – Thirteenth Edition
Status of includes note:	Revised – Thirteenth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM First Edition:

E11 Non-insulin-dependent diabetes mellitus

ICD-10-AM Second Edition:

E11 Type 2 diabetes mellitus

ICD-10-AM Seventh Edition:

Excludes: diabetes mellitus (in):

- glycosuria:
 - NOS (R81)
 - renal (E74.8)
- maturity onset (of the young) (MODY) (E13.-)
- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- pregnancy, childbirth and the puerperium (O24.-)
- Type 1 (E10.-)

impaired glucose regulation (E09.-)
postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Eighth Edition:

Excludes: diabetes mellitus (in):

- glycosuria:
 - NOS (R81)
 - renal (E74.8)
- maturity onset (of the young) (MODY) (E13.-)
- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- pregnancy, childbirth and the puerperium (O24.-)
- Type 1 (E10.-)

intermediate hyperglycaemia (E09.-)
postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Tenth Edition:

Excludes: diabetes mellitus:

- maturity onset (of the young) (MODY) (E13.-)
- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- Type 1 (E10.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)
postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Twelfth Edition:

Includes: diabetes (mellitus)(nonobese)(obese):

- adult onset
- due to insulin secretory defect
- insulin resistant
- maturity onset
- nonketotic

...

Excludes: diabetes mellitus:

- maturity onset (of the young) (MODY) (E13.-)
- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- Type 1 (E10.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Thirteenth Edition:

Includes: diabetes (mellitus)(nonobese)(obese):

- adult onset
- due to insulin secretory defect
- insulin resistant
- maturity onset
- noninsulin dependent [NIDDM]
- nonketotic

...

Excludes: diabetes mellitus:

- maturity onset of the young [MODY] (E13.-)
- neonatal (P70.2)
- NOS (E14.-)
- other specified (E13.-)
- type 1 (E10.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia [IH] (E09.-)

postprocedural hypoinsulinaemia (E89.1)

E11.0 Type 2 diabetes mellitus with hyperosmolarity

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of inclusion term(s):	Revised – Sixth Edition

WHO ICD-10:

E11.0 Non-insulin-dependent diabetes mellitus with coma

ICD-10-AM First Edition:

E11.0 Non-insulin-dependent diabetes mellitus with coma

E11.00 Non-insulin-dependent diabetes mellitus with coma, not stated as uncontrolled

E11.01 Non-insulin-dependent diabetes mellitus with coma, stated as uncontrolled

ICD-10-AM Second Edition:

E11.0 Type 2 diabetes mellitus with hyperosmolarity

E11.01 Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]

E11.02 Type 2 diabetes mellitus with hyperosmolarity with coma

ICD-10-AM Fifth Edition:

- E11.01 Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
Type 2 diabetes mellitus with hyperosmolarity NOS

ICD-10-AM Sixth Edition:

- E11.01 Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
Type 2 diabetes mellitus with:
• hypernatraemia NOS
• hyperosmolarity NOS

E11.1 Type 2 diabetes mellitus with acidosis

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of inclusion term(s):	Created – Sixth Edition
Status of instructional note(s):	Revised – Twelfth Edition

WHO ICD-10:

- E11.1 Non-insulin-dependent diabetes mellitus with ketoacidosis

ICD-10-AM First Edition:

- E11.1 Non-insulin-dependent diabetes mellitus with ketoacidosis
E11.10 Non-insulin-dependent diabetes mellitus with ketoacidosis, not stated as uncontrolled
E11.11 Non-insulin-dependent diabetes mellitus with ketoacidosis, stated as uncontrolled

ICD-10-AM Second Edition:

- E11.1 Type 2 diabetes mellitus with acidosis
E11.11 Type 2 diabetes mellitus with ketoacidosis, without coma
E11.12 Type 2 diabetes mellitus with ketoacidosis, with coma
E11.13 Type 2 diabetes mellitus with lactic acidosis, without coma
E11.14 Type 2 diabetes mellitus with lactic acidosis, with coma
E11.15 Type 2 diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
E11.16 Type 2 diabetes mellitus with ketoacidosis, with lactic acidosis, with coma

ICD-10-AM Eleventh Edition:

Use additional code to identify presence of cerebral oedema (G93.6).

ICD-10-AM Twelfth Edition:

Use additional code (G93.6) to identify presence of cerebral oedema.

E11.2 Type 2 diabetes mellitus with kidney complication

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of code(s):	Deleted – Third Edition
Status of code(s):	Revised – Fourth Edition
Status of code title:	Revised – Sixth Edition
Status of inclusion term(s):	Revised – Sixth Edition
Status of code:	Deleted – Sixth Edition
Status of instructional note(s):	Created – Sixth Edition Errata 1
Status of instructional note(s):	Deleted – Seventh Edition
Status of instructional note(s):	Deleted – Seventh Edition
Status of inclusion term(s):	Revised – Eighth Edition
Status of instructional note(s):	Deleted – Ninth Edition

WHO ICD-10:

E11.2† Non-insulin-dependent diabetes mellitus with renal complications

ICD-10-AM First Edition:

E11.2† Non-insulin-dependent diabetes mellitus with renal complications

E11.20† Non-insulin-dependent diabetes mellitus with renal complications, not stated as uncontrolled

E11.21† Non-insulin-dependent diabetes mellitus with renal complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.2 Type 2 diabetes mellitus with renal complication

E11.20 Type 2 diabetes mellitus with renal complication, unspecified

E11.21 Type 2 diabetes mellitus with incipient diabetic nephropathy

E11.22 Type 2 diabetes mellitus with established diabetic nephropathy

E11.23 Type 2 diabetes mellitus with end-stage renal disease [ESRD]

E11.29 Type 2 diabetes mellitus with other specified renal complication

ICD-10-AM Third Edition:

E11.2 Type 2 diabetes mellitus with renal complication

E11.21 Type 2 diabetes mellitus with incipient diabetic nephropathy

E11.22 Type 2 diabetes mellitus with established diabetic nephropathy

E11.23 Type 2 diabetes mellitus with end-stage renal disease [ESRD]

E11.29 Type 2 diabetes mellitus with other specified renal complication

ICD-10-AM Fourth Edition:

E11.23 Type 2 diabetes mellitus with advanced renal disease

ICD-10-AM Fifth Edition:

E11.2 Type 2 diabetes mellitus with renal complication

E11.21 Type 2 diabetes mellitus with incipient diabetic nephropathy

Type 2 diabetes mellitus with:

- glomerular:
 - basement-membrane thickening
 - mesangial expansion
- incipient nephropathy (early) (reversible)
- microalbuminuria:
 - persistent
 - constant

E11.22 Type 2 diabetes mellitus with established diabetic nephropathy

Type 2 diabetes mellitus with:

- glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
- Kimmelstiel-Wilson (disease)(lesion)
- macroalbuminuria
- nephropathy (advanced)(NOS)(progressive)
- proteinuria (fixed)(persistent)

E11.23 Type 2 diabetes mellitus with end-stage renal disease [ESRD]

E11.29 Type 2 diabetes mellitus with other specified renal complication

Type 2 diabetes mellitus with:

- acute renal:
 - failure
 - impairment
- medullary (papillary) necrosis

ICD-10-AM Sixth Edition:

- E11.2 Type 2 diabetes mellitus with kidney complication
- E11.21 Type 2 diabetes mellitus with incipient diabetic nephropathy
 Type 2 diabetes mellitus with:
- chronic kidney disease:
 - stage 1
 - stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early) (mild) (reversible)
 - microalbuminuria:
 - persistent
 - constant
 - tubulo-interstitial changes
- E11.22 Type 2 diabetes mellitus with established diabetic nephropathy
 Type 2 diabetes mellitus with:
- advanced kidney disease
 - chronic kidney:
 - disease $\geq$ Stage 3
 - failure
 - impairment
 - end-stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
- E11.29 Type 2 diabetes mellitus with other specified kidney complication
 Type 2 diabetes mellitus with:
- acute kidney:
 - failure
 - impairment
 - medullary (papillary) necrosis

ICD-10-AM Seventh Edition:

- E11.22 Type 2 diabetes mellitus with established diabetic nephropathy
 Type 2 diabetes mellitus with:
- advanced kidney disease
 - chronic kidney:
 - disease $\geq$ stage 3
 - failure
 - impairment
 - end-stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria (fixed)(persistent)

ICD-10-AM Eighth Edition:

- E11.22 Type 2 diabetes mellitus with established diabetic nephropathy
 Type 2 diabetes mellitus with:
- advanced kidney disease
 - chronic kidney:
 - disease $\geq$ stage 3
 - failure
 - impairment
 - end-stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria:
 - fixed
 - persistent

E11.21 Type 2 diabetes mellitus with incipient diabetic nephropathy

Status of inclusion term(s):
Status of excludes note:

Revised – *Thirteenth Edition*
Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

- Type 2 diabetes mellitus with:
- chronic kidney disease:
 - stage 1
 - stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - persistent
 - constant
 - tubulo-interstitial changes

ICD-10-AM Thirteenth Edition:

- Type 2 diabetes mellitus with:
- chronic kidney disease [CKD] stage 1–2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - persistent
 - constant
 - tubulo-interstitial changes

E11.22 Type 2 diabetes mellitus with established diabetic nephropathy**Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Type 2 diabetes mellitus with:

- advanced kidney disease
- chronic kidney:
 - disease ≥ stage 3
 - failure

...

ICD-10-AM Twelfth Edition:

Type 2 diabetes mellitus with:

- advanced kidney disease
- chronic kidney:
 - disease stage 3–5
 - failure

...

E11.3 Type 2 diabetes mellitus with ophthalmic complication**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Second Edition****Status of code(s):****Created/Deleted – Second Edition****Status of code(s):****Deleted – Third Edition****Status of inclusion term(s):****Revised – Eighth Edition****WHO ICD-10:**

E11.3† Non-insulin-dependent diabetes mellitus with ophthalmic complications

ICD-10-AM First Edition:

E11.3† Non-insulin-dependent diabetes mellitus with ophthalmic complications

E11.30† Non-insulin-dependent diabetes mellitus with ophthalmic complications, not stated as uncontrolled

E11.31† Non-insulin-dependent diabetes mellitus with ophthalmic complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.3 Type 2 diabetes mellitus with ophthalmic complication

E11.30 Type 2 diabetes mellitus with ophthalmic complication, unspecified

E11.31 Type 2 diabetes mellitus with background retinopathy

E11.32 Type 2 diabetes mellitus with preproliferative retinopathy

E11.33 Type 2 diabetes mellitus with proliferative retinopathy

E11.34 Type 2 diabetes mellitus with other retinopathy

E11.35 Type 2 diabetes mellitus with advanced ophthalmic disease

E11.36 Type 2 diabetes mellitus with diabetic cataract

E11.39 Type 2 diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Third Edition:

E11.3 Type 2 diabetes mellitus with ophthalmic complication

E11.31 Type 2 diabetes mellitus with background retinopathy

E11.32 Type 2 diabetes mellitus with preproliferative retinopathy

E11.33 Type 2 diabetes mellitus with proliferative retinopathy

E11.34 Type 2 diabetes mellitus with other retinopathy

E11.35 Type 2 diabetes mellitus with advanced ophthalmic disease

E11.36 Type 2 diabetes mellitus with diabetic cataract

E11.39 Type 2 diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Seventh Edition:

E11.31 Type 2 diabetes mellitus with background retinopathy

Type 2 diabetes mellitus with:

- retinal:
 - haemorrhages (dot-and-blot)(flame-shaped)
 - hard exudates
 - microaneurysms
 - venous dilatation
- retinopathy NOS

Excludes: that with any condition listed in E11.32

E11.32 Type 2 diabetes mellitus with preproliferative retinopathy

Type 2 diabetes mellitus with:

- intraretinal microvascular abnormalities [IRMA]
- retinal:
 - cotton-wool spots
 - haemorrhages (blotchy) (round) (small)
 - ischaemia
- venous:
 - beading
 - looping
 - reduplication

ICD-10-AM Eighth Edition:

E11.31 Type 2 diabetes mellitus with background retinopathy

Type 2 diabetes mellitus with:

- retinal:
 - haemorrhages:
 - dot-and-blot
 - flame-shaped
 - hard exudates
 - microaneurysms
 - venous dilatation
- retinopathy NOS

Excludes: that with any condition listed in E11.32

E11.32 Type 2 diabetes mellitus with preproliferative retinopathy

Type 2 diabetes mellitus with:

- intraretinal microvascular abnormalities [IRMA]
- retinal:
 - cotton-wool spots
 - haemorrhages:
 - blotchy
 - round
 - small
 - ischaemia
- venous:
 - beading
 - looping
 - reduplication

E11.31 Type 2 diabetes mellitus with background retinopathy*Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:***Excludes:* that with any condition listed in E11.32**ICD-10-AM Thirteenth Edition:***Excludes:* with condition classified to E11.32, E11.33 or E11.35

E11.32 Type 2 diabetes mellitus with preproliferative retinopathy*Status of excludes note:**Created – Thirteenth Edition***E11.33 Type 2 diabetes mellitus with proliferative retinopathy***Status of excludes note:**Created – Thirteenth Edition***E11.36 Type 2 diabetes mellitus with diabetic cataract***Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:***Excludes:* Type 2 diabetes mellitus with early onset age-related cataract (E11.39)**ICD-10-AM Thirteenth Edition:***Excludes:* type 2 diabetes mellitus with early onset age-related cataract (E11.39)**E11.4 Type 2 diabetes mellitus with neurological complication***Status of code(s):**Created – First Edition**Status of code title(s):**Revised – Second Edition**Status of code(s):**Created/Deleted – Second Edition***WHO ICD-10:**

E11.4† Non-insulin-dependent diabetes mellitus with neurological complications

ICD-10-AM First Edition:

E11.4† Non-insulin-dependent diabetes mellitus with neurological complications

E11.40† Non-insulin-dependent diabetes mellitus with neurological complications, not stated as uncontrolled

E11.41† Non-insulin-dependent diabetes mellitus with neurological complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.4 Type 2 diabetes mellitus with neurological complication

E11.40 Type 2 diabetes mellitus with unspecified neuropathy

E11.41 Type 2 diabetes mellitus with diabetic mononeuropathy

E11.42 Type 2 diabetes mellitus with diabetic polyneuropathy

E11.43 Type 2 diabetes mellitus with diabetic autonomic neuropathy

E11.49 Type 2 diabetes mellitus with other specified neurological complication

E11.42 Type 2 diabetes mellitus with diabetic polyneuropathy*Status of code(s):**Created – Second Edition**Status of inclusion term(s):**Revised – Sixth Edition**Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Fifth Edition:**

Type 2 diabetes mellitus with:

- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Sixth Edition:

Type 2 diabetes mellitus with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Twelfth Edition:

Excludes: Type 2 diabetes mellitus with diabetic autonomic polyneuropathy (E11.43)

ICD-10-AM Thirteenth Edition:

Excludes: type 2 diabetes mellitus with diabetic autonomic polyneuropathy (E11.43)

E11.43 Type 2 diabetes mellitus with diabetic autonomic neuropathy

Status of code(s):

Status of inclusion term(s):

Status of inclusion term(s):

Created – [Second Edition](#)

Revised – [Eighth Edition](#)

Revised – [Thirteenth Edition](#)

ICD-10-AM Seventh Edition:

Type 2 diabetes mellitus with:

- abnormal sweating (gustatory)
- diabetic autonomic polyneuropathy
- diabetic diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotonia, bladder
- neuropathic oedema
- postural hypotension

ICD-10-AM Eighth Edition:

Type 2 diabetes mellitus with:

- abnormal sweating (gustatory)
- diabetic autonomic polyneuropathy
- diabetic diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotension:
 - orthostatic
 - postural
- hypotonia, bladder
- neuropathic oedema

ICD-10-AM Thirteenth Edition:

Type 2 diabetes mellitus with:

- abnormal sweating (gustatory)
- diabetic:
 - autonomic polyneuropathy
 - diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotension:
 - orthostatic
 - postural
- hypotonia, bladder
- neuropathic oedema

E11.5 Type 2 diabetes mellitus with circulatory complication

<i>Status of code(s):</i>	<i>Created – First Edition</i>
<i>Status of code title(s):</i>	<i>Revised – Second Edition</i>
<i>Status of code(s):</i>	<i>Created/Deleted – Second Edition</i>
<i>Status of code(s):</i>	<i>Created, Deleted – Third Edition</i>
<i>Status of code title:</i>	<i>Revised – Sixth Edition</i>
<i>Status of excludes note(s):</i>	<i>Deleted – Seventh Edition Errata 5</i>
<i>Status of inclusion term(s):</i>	<i>Created – Eighth Edition</i>

WHO ICD-10:

E11.5 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications

ICD-10-AM First Edition:

E11.5 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications

E11.50 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled

E11.51 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.5 Type 2 diabetes mellitus with circulatory complication

E11.50 Type 2 diabetes mellitus with circulatory complication, unspecified

E11.51 Type 2 diabetes mellitus with peripheral angiopathy, without gangrene

E11.52 Type 2 diabetes mellitus with peripheral angiopathy, with gangrene

E11.59 Type 2 diabetes mellitus with other specified circulatory complication

ICD-10-AM Third Edition:

E11.5 Type 2 diabetes mellitus with circulatory complication

[E11.51](#) Type 2 diabetes mellitus with peripheral angiopathy, without gangrene

[E11.52](#) Type 2 diabetes mellitus with peripheral angiopathy, with gangrene

E11.53 Type 2 diabetes mellitus with diabetic ischaemic cardiomyopathy

ICD-10-AM Sixth Edition:

E11.53 Type 2 diabetes mellitus with diabetic cardiomyopathy

Term classification (E11.53):

Type 2 diabetes mellitus with left ventricular diastolic dysfunction

E11.51 Type 2 diabetes mellitus with peripheral angiopathy, without gangrene

<i>Status of inclusion term(s):</i>	<i>Created – Tenth Edition</i>
<i>Status of excludes note:</i>	<i>Created – Tenth Edition</i>

E11.52 Type 2 diabetes mellitus with peripheral angiopathy, with gangrene

<i>Status of inclusion term(s):</i>	<i>Created – Tenth Edition</i>
<i>Status of excludes note:</i>	<i>Created – Tenth Edition</i>

E11.6 Type 2 diabetes mellitus with other specified complication

Status of code(s): Created – *First Edition*
Status of code titles: Revised – *Second Edition*
Status of code(s): Created/Deleted – *Second Edition*
Status of code(s): Created, Revised – *Third Edition*

WHO ICD-10:

E11.6 Non-insulin-dependent diabetes mellitus with other specified complications

ICD-10-AM First Edition:

E11.6 Non-insulin-dependent diabetes mellitus with other specified complications
 E11.60 Non-insulin-dependent diabetes mellitus with other specified complications, not stated as uncontrolled
 E11.61 Non-insulin-dependent diabetes mellitus with other specified complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.6 Type 2 diabetes mellitus with other specified complication
 E11.61 Type 2 diabetes mellitus with diabetic musculoskeletal and connective tissue complication
 E11.62 Type 2 diabetes mellitus with skin and subcutaneous tissue complication
 E11.63 Type 2 diabetes mellitus with periodontal complication
 E11.64 Type 2 diabetes mellitus with hypoglycaemia
 E11.69 Type 2 diabetes mellitus with other specified complication

ICD-10-AM Third Edition:

E11.6 Type 2 diabetes mellitus with other specified complication
 E11.61 Type 2 diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
 E11.62 Type 2 diabetes mellitus with specified skin and subcutaneous tissue complication
 E11.63 Type 2 diabetes mellitus with specified periodontal complication
 E11.64 Type 2 diabetes mellitus with hypoglycaemia
 E11.65 Type 2 diabetes mellitus with poor control
 E11.69 Type 2 diabetes mellitus with other specified complication

E11.61 Type 2 diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication

Status of inclusion term(s): Revised – *Tenth Edition*

ICD-10-AM Ninth Edition:

Type 2 diabetes mellitus with:
 • Charcot's arthropathy
 • diabetic:
 • hand syndrome (cheiroarthropathy) (Dupuytren's contracture) (palmar fascial fibromatosis)
 • osteopathy
 • peri arthritis of shoulder

ICD-10-AM Tenth Edition:

Type 2 diabetes mellitus with:
 • arthropathy (neuropathic)
 • Charcot's arthropathy
 • diabetic:
 • hand syndrome (cheiroarthropathy)(Dupuytren's contracture) (palmar fascial fibromatosis)
 • osteopathy
 • peri arthritis of shoulder
 • neuropathic arthritis

E11.65 Type 2 diabetes mellitus with poor control**Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Type 2 diabetes mellitus:

- for stabilisation
- poorly controlled
- unstable
- with secondary treatment failure

ICD-10-AM Thirteenth Edition:

Type 2 diabetes mellitus:

- for stabilisation
- labile
- poorly controlled
- unstable
- with secondary treatment failure

E11.69 Type 2 diabetes mellitus with other specified complication**Status of inclusion term(s):****Revised – Sixth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Fifth Edition:**

Type 2 diabetes mellitus with:

- diabetic:
 - fibrous breast disease (mastopathy)(sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis)(ischaemic myonecrosis)(tumoriform focal muscular degeneration)
- gangrene (acute dermal)(bacterial)(haemolytic):
 - Fournier's
 - Meleney's
- necrotising fasciitis
- ulcer (lower extremity)

ICD-10-AM Sixth Edition:

Type 2 diabetes mellitus with:

- diabetic:
 - fibrous breast disease (mastopathy)(sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis)(ischaemic myonecrosis)(tumoriform focal muscular degeneration)
- gangrene (acute dermal)(bacterial)(haemolytic):
 - Fournier's
 - Meleney's (progressive bacterial synergistic)
- necrotising fasciitis
- ulcer (lower extremity)

ICD-10-AM Tenth Edition:**Excludes:** foot ulcer with peripheral:

- angiopathy (E11.73)
- neuropathy (E11.73)

ICD-10-AM Eleventh Edition:**Excludes:** foot ulcer with peripheral:

- angiopathy (E11.73)
- neuropathy (E11.73)

pressure ulcer not meeting the criteria for diabetic foot (L89.-)

E11.7 Type 2 diabetes mellitus with multiple complications

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of code:	Revised – Sixth Edition
Status of inclusion term(s):	Revised – Sixth Edition
Status of code title:	Revised – Sixth Edition Errata 1
Status of inclusion term(s):	Revised – Sixth Edition Errata 1
Status of inclusion term(s):	Revised – Seventh Edition Errata 5
Status of inclusion term(s):	Revised – Seventh Edition Errata 5
Status of instructional note(s):	Created – Seventh Edition Errata 5
Status of inclusion term(s):	Revised – Eighth Edition
Status of inclusion term(s):	Revised – Tenth Edition

WHO ICD-10:

E11.7 Non-insulin-dependent diabetes mellitus with multiple complications

ICD-10-AM First Edition:

E11.7 Non-insulin-dependent diabetes mellitus with multiple complications

E11.70 Non-insulin-dependent diabetes mellitus with multiple complications, not stated as uncontrolled

E11.71 Non-insulin-dependent diabetes mellitus with multiple complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.7 Type 2 diabetes mellitus with multiple complications

E11.71 Type 2 diabetes mellitus with multiple microvascular complications

E11.72 Type 2 diabetes mellitus with features of insulin resistance

E11.73 Type 2 diabetes mellitus with foot ulcer due to multiple causes

ICD-10-AM Fifth Edition:

E11.71 Type 2 diabetes mellitus with multiple microvascular complications
Two or more of conditions classifiable to E11.2-, E11.31–E11.35, E11.39, E11.4-, E11.53 or E11.62

E11.72 Type 2 diabetes mellitus with features of insulin resistance
Type 2 diabetes mellitus with:

- acanthosis nigricans
- dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
- hyperinsulinism
- hypertension
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver
- obesity (meeting WHO or other recognised criteria)

ICD-10-AM Sixth Edition:

E11.71 Type 2 diabetes mellitus with multiple microvascular or other specified nonvascular complications
Two or more of conditions classifiable to E11.2-, E11.31–E11.35, E11.4-, E11.53 or E11.62

E11.72 Type 2 diabetes mellitus with features of insulin resistance
Type 2 diabetes mellitus with one or more of the following:

- acanthosis nigricans
- dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
- hyperinsulinism
- hypertension
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver
- obesity (meeting WHO or other recognised criteria)

ICD-10-AM Sixth Edition Errata 1:

- E11.71 Type 2 diabetes mellitus with multiple microvascular and other specified nonvascular complications
Two or more of conditions classifiable to E11.2-, E11.31–E11.35, E11.39, E11.4-, E11.53 or E11.62

ICD-10-AM Seventh Edition Errata 5:

- E11.71 Type 2 diabetes mellitus with multiple microvascular and other specified nonvascular complications
Two or more of conditions classifiable to E11.2-, E11.3-, E11.4-, E11.53 or E11.62
- E11.72 Type 2 diabetes mellitus with features of insulin resistance
Type 2 diabetes mellitus with one or more of the following features:
- acanthosis nigricans
 - dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
 - hyperinsulinism
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic fatty (change of) liver disease (NAFLD)
 - nonalcoholic steatohepatitis (NASH)
 - obesity (morbid)
 - overweight

ICD-10-AM Tenth Edition:

- E11.72 Type 2 diabetes mellitus with features of insulin resistance
Type 2 diabetes mellitus with one or more of the following features:
- acanthosis nigricans
 - dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
 - hyperinsulinism
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic fatty (change of) liver disease (NAFLD)
 - nonalcoholic steatohepatitis (NASH)
 - obesity
 - overweight

E11.72 Type 2 diabetes mellitus with features of insulin resistance**Status of glossary description:****Created – [Thirteenth Edition](#)****Status of inclusion term(s):****Revised – [Thirteenth Edition](#)****ICD-10-AM Twelfth Edition:**

- Type 2 diabetes mellitus with one or more of the following features:
- acanthosis nigricans
 - dyslipidaemia characterised by elevated (fasting) triglycerides or depressed HDL-cholesterol
 - hyperinsulinism
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic: fatty (change of) liver disease (NAFLD)
 - nonalcoholic steatohepatitis (NASH)
 - obesity
 - overweight

ICD-10-AM Thirteenth Edition:

- Type 2 diabetes mellitus with one or more of the following features:
- acanthosis nigricans
 - dyslipidaemia characterised by elevated (fasting) triglycerides or depressed HDL-cholesterol
 - hyperinsulinism
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic:
 - fatty (change of) liver disease [NAFLD]
 - steatohepatitis [NASH]
 - obesity
 - overweight

E11.73 Type 2 diabetes mellitus with foot ulcer due to multiple causes

Status of glossary description: Created – **Thirteenth Edition**

E11.8 Type 2 diabetes mellitus with unspecified complication

Status of code(s): Created – **First Edition**
Status of code(s): Revised, Deleted – **Second Edition**

WHO ICD-10:

E11.8 Non-insulin-dependent diabetes mellitus with unspecified complications

ICD-10-AM First Edition:

E11.8 Non-insulin-dependent diabetes mellitus with unspecified complications
 E11.80 Non-insulin-dependent diabetes mellitus with unspecified complications, not stated as uncontrolled
 E11.81 Non-insulin-dependent diabetes mellitus with unspecified complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.8 Type 2 diabetes mellitus with unspecified complication

E11.9 Type 2 diabetes mellitus without complication

Status of code(s): Created – **First Edition**
Status of code(s): Revised, Deleted – **Second Edition**

WHO ICD-10:

E11.9 Non-insulin-dependent diabetes mellitus without complications

ICD-10-AM First Edition:

E11.9 Non-insulin-dependent diabetes mellitus without complications
 E11.90 Non-insulin-dependent diabetes mellitus without complications, not stated as uncontrolled
 E11.91 Non-insulin-dependent diabetes mellitus without complications, stated as uncontrolled

ICD-10-AM Second Edition:

E11.9 Type 2 diabetes mellitus without complication

E12 Malnutrition-related diabetes mellitus

Status of code(s): Deleted – **Second Edition**

E12.0 Malnutrition-related diabetes mellitus with coma

Status of code(s): Created – **First Edition**
Status of code(s): Deleted – **Second Edition**

WHO ICD-10:

E12.0 Malnutrition-related diabetes mellitus with coma

ICD-10-AM First Edition:

E12.0 Malnutrition-related diabetes mellitus with coma
 E12.00 Malnutrition-related diabetes mellitus with coma, not stated as uncontrolled
 E12.01 Malnutrition-related diabetes mellitus with coma, stated as uncontrolled

E12.1 Malnutrition-related diabetes mellitus with ketoacidosis**Status of code(s):****Created – *First Edition*****Status of code(s):****Deleted – *Second Edition*****WHO ICD-10:**

E12.1 Malnutrition-related diabetes mellitus with ketoacidosis

ICD-10-AM First Edition:

E12.1 Malnutrition-related diabetes mellitus with ketoacidosis

E12.10 Malnutrition-related diabetes mellitus with ketoacidosis, not stated as uncontrolled

E12.11 Malnutrition-related diabetes mellitus with ketoacidosis, stated as uncontrolled

E12.2† Malnutrition-related diabetes mellitus with renal complications**Status of code(s):****Created – *First Edition*****Status of code(s):****Deleted – *Second Edition*****WHO ICD-10:**

E12.2† Malnutrition-related diabetes mellitus with renal complications

ICD-10-AM First Edition:

E12.2† Malnutrition-related diabetes mellitus with renal complications

E12.20† Malnutrition-related diabetes mellitus with renal complications, not stated as uncontrolled

E12.21† Malnutrition-related diabetes mellitus with renal complications, stated as uncontrolled

E12.3† Malnutrition-related diabetes mellitus with ophthalmic complications**Status of code(s):****Created – *First Edition*****Status of code(s):****Deleted – *Second Edition*****WHO ICD-10:**

E12.3† Malnutrition-related diabetes mellitus with ophthalmic complications

ICD-10-AM First Edition:

E12.3† Malnutrition-related diabetes mellitus with ophthalmic complications

E12.30† Malnutrition-related diabetes mellitus with ophthalmic complications, not stated as uncontrolled

E12.31† Malnutrition-related diabetes mellitus with ophthalmic complications, stated as uncontrolled

E12.4† Malnutrition-related diabetes mellitus with neurological complications**Status of code(s):****Created – *First Edition*****Status of code(s):****Deleted – *Second Edition*****WHO ICD-10:**

E12.4† Malnutrition-related diabetes mellitus with neurological complications

ICD-10-AM First Edition:

E12.4† Malnutrition-related diabetes mellitus with neurological complications

E12.40† Malnutrition-related diabetes mellitus with neurological complications, not stated as uncontrolled

E12.41† Malnutrition-related diabetes mellitus with neurological complications, stated as uncontrolled

E12.5 Malnutrition-related diabetes mellitus with peripheral circulatory complications

Status of code(s):

Created – *First Edition*

Status of code(s):

Deleted – *Second Edition*

WHO ICD-10:

E12.5 Malnutrition-related diabetes mellitus with peripheral circulatory complications

ICD-10-AM First Edition:

E12.5 Malnutrition-related diabetes mellitus with peripheral circulatory complications

E12.50 Malnutrition-related diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled

E12.51 Malnutrition-related diabetes mellitus with peripheral circulatory complications, stated as uncontrolled

E12.6 Malnutrition-related diabetes mellitus with other specified complications

Status of code(s):

Created – *First Edition*

Status of code(s):

Deleted – *Second Edition*

WHO ICD-10:

E12.6 Malnutrition-related diabetes mellitus with other specified complications

ICD-10-AM First Edition:

E12.6 Malnutrition-related diabetes mellitus with other specified complications

E12.60 Malnutrition-related diabetes mellitus with other specified complications, not stated as uncontrolled

E12.61 Malnutrition-related diabetes mellitus with other specified complications, stated as uncontrolled

E12.7 Malnutrition-related diabetes mellitus with multiple complications

Status of code(s):

Created – *First Edition*

Status of code(s):

Deleted – *Second Edition*

WHO ICD-10:

E12.7 Malnutrition-related diabetes mellitus with multiple complications

ICD-10-AM First Edition:

E12.7 Malnutrition-related diabetes mellitus with multiple complications

E12.70 Malnutrition-related diabetes mellitus with multiple complications, not stated as uncontrolled

E12.71 Malnutrition-related diabetes mellitus with multiple complications, stated as uncontrolled

E12.8 Malnutrition-related diabetes mellitus with unspecified complications

Status of code(s):

Created – *First Edition*

Status of code(s):

Deleted – *Second Edition*

WHO ICD-10:

E12.8 Malnutrition-related diabetes mellitus with unspecified complications

ICD-10-AM First Edition:

E12.8 Malnutrition-related diabetes mellitus with unspecified complications

E12.80 Malnutrition-related diabetes mellitus with unspecified complications, not stated as uncontrolled

E12.81 Malnutrition-related diabetes mellitus with unspecified complications, stated as uncontrolled

E12.9 Malnutrition-related diabetes mellitus without complications**Status of code(s):****Created – First Edition****Status of code(s):****Deleted – Second Edition****WHO ICD-10:**

E12.9 Malnutrition-related diabetes mellitus without complications

ICD-10-AM First Edition:

E12.9 Malnutrition-related diabetes mellitus without complications

E12.90 Malnutrition-related diabetes mellitus without complications, not stated as uncontrolled

E12.91 Malnutrition-related diabetes mellitus without complications, stated as uncontrolled

E13 Other specified diabetes mellitus**Status of excludes note:****Revised – Eighth Edition****Status of excludes note:****Revised – Tenth Edition****Status of instructional note(s):****Revised – Twelfth Edition****Status of glossary description:****Created – Thirteenth Edition****Status of includes note:****Revised – Thirteenth Edition****Status of instructional note(s):****Revised – Thirteenth Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Seventh Edition:**

Excludes: diabetes mellitus (in):

- neonatal (P70.2)
- NOS (E14.-)
- pregnancy, childbirth and the puerperium (O24.-)
- Type 1 (E10.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

impaired glucose regulation (E09.-)

ICD-10-AM Eighth Edition:

Excludes: diabetes mellitus (in):

- neonatal (P70.2)
- NOS (E14.-)
- pregnancy, childbirth and the puerperium (O24.-)
- Type 1 (E10.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

ICD-10-AM Tenth Edition:

Excludes: diabetes mellitus:

- neonatal (P70.2)
- NOS (E14.-)
- Type 1 (E10.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

ICD-10-AM Eleventh Edition:

Use additional code (Z92.22) to identify current pre-admission or ongoing insulin treatment.

Use additional code to identify any underlying condition or genetic syndrome.

ICD-10-AM Twelfth Edition:

Includes: diabetes mellitus (due to) (in) (secondary to) (with):

- cystic fibrosis
- drug-induced or chemical-induced
- endocrinopathy
- genetic defect of:
 - beta-cell function
 - insulin action
- genetic syndrome
- immune-mediated disease
- infection
- maturity onset of the young (MODY)
- pancreatic exocrine disease

Code also underlying cause or associated genetic syndrome.

Use additional code (Z92.22) to identify current pre-admission or ongoing insulin treatment.

Excludes: diabetes mellitus:

- neonatal (P70.2)
- NOS (E14.-)
- Type 1 (E10.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

ICD-10-AM Thirteenth Edition:

Includes: diabetes mellitus (due to) (in) (secondary to) (with):

- cystic fibrosis
- drug-induced or chemical-induced
- endocrinopathy
- genetic:
- defect of:
 - beta-cell function
 - insulin action
- syndrome
- immune-mediated disease
- infection
- maturity onset of the young [MODY]
- pancreatic exocrine disease

Code also underlying cause or associated genetic syndrome.

Use additional external cause code (Chapter 20) to identify cause.

Use additional code (Z92.22) to identify current pre-admission or ongoing insulin treatment.

Excludes: diabetes mellitus:

- neonatal (P70.2)
- NOS (E14.-)
- type:
 - 1 (E10.-)
 - 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia [IH] (E09.-)

E13.0 Other specified diabetes mellitus with hyperosmolarity

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of inclusion term(s):	Revised – Sixth Edition

WHO ICD-10:

E13.0 Other specified diabetes mellitus with coma

ICD-10-AM First Edition:

E13.0 Other specified diabetes mellitus with coma
 E13.00 Other specified diabetes mellitus with coma, not stated as uncontrolled
 E13.01 Other specified diabetes mellitus with coma, stated as uncontrolled

ICD-10-AM Second Edition:

E13.0 Other specified diabetes mellitus with hyperosmolarity
 E13.01 Other specified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
 E13.02 Other specified diabetes mellitus with hyperosmolarity, with coma

ICD-10-AM Fifth Edition:

E13.01 Other specified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
 Diabetes mellitus NEC with hyperosmolarity NOS

ICD-10-AM Sixth Edition:

E13.01 Other specified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
 Diabetes mellitus NEC with:
 • hypernatraemia } NOS
 • hyperosmolarity }

E13.1 Other specified diabetes mellitus with acidosis

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of instructional note(s):	Created – Sixth Edition
Status of instructional note(s):	Revised – Twelfth Edition

WHO ICD-10:

E13.1 Other specified diabetes mellitus with ketoacidosis

ICD-10-AM First Edition:

E13.1 Other specified diabetes mellitus with ketoacidosis
 E13.10 Other specified diabetes mellitus with ketoacidosis, not stated as uncontrolled
 E13.11 Other specified diabetes mellitus with ketoacidosis, stated as uncontrolled

ICD-10-AM Second Edition:

E13.1 Other specified diabetes mellitus with acidosis
 E13.11 Other specified diabetes mellitus with ketoacidosis, without coma
 E13.12 Other specified diabetes mellitus with ketoacidosis, with coma
 E13.13 Other specified diabetes mellitus with lactic acidosis, without coma
 E13.14 Other specified diabetes mellitus with lactic acidosis, with coma
 E13.15 Other specified diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
 E13.16 Other specified diabetes mellitus with ketoacidosis, with lactic acidosis, with coma

ICD-10-AM Eleventh Edition:*Use additional code to identify presence of cerebral oedema (G93.6).***ICD-10-AM Twelfth Edition:***Use additional code (G93.6) to identify presence of cerebral oedema.*

E13.2 Other specified diabetes mellitus with kidney complication

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of code(s):	Deleted – Third Edition
Status of code(s):	Revised – Fourth Edition
Status of code title:	Revised – Sixth Edition
Status of includes term:	Revised – Sixth Edition
Status of code:	Deleted – Sixth Edition
Status of instructional note(s):	Created – Sixth Edition Errata 1
Status of instructional note(s):	Deleted – Seventh Edition
Status of instructional note(s):	Deleted – Seventh Edition
Status of inclusion term(s):	Revised – Eighth Edition
Status of instructional note(s):	Deleted – Ninth Edition

WHO ICD-10:

E13.2† Other specified diabetes mellitus with renal complications

ICD-10-AM First Edition:

E13.2† Other specified diabetes mellitus with renal complications
 E13.20† Other specified diabetes mellitus with renal complication, not stated as uncontrolled
 E13.21† Other specified diabetes mellitus with renal complication, stated as uncontrolled

ICD-10-AM Second Edition:

E13.2 Other specified diabetes mellitus with renal complication
 E13.20 Other specified diabetes mellitus with renal complication, unspecified
 E13.21 Other specified diabetes mellitus with incipient diabetic nephropathy
 E13.22 Other specified diabetes mellitus with established diabetic nephropathy
 E13.23 Other specified diabetes mellitus with end-stage renal disease [ESRD]
 E13.29 Other specified diabetes mellitus with other specified renal complication

ICD-10-AM Third Edition:

E13.2 Other specified diabetes mellitus with renal complication
 E13.21 Other specified diabetes mellitus with incipient diabetic nephropathy
 E13.22 Other specified diabetes mellitus with established diabetic nephropathy
 E13.23 Other specified diabetes mellitus with end-stage renal disease [ESRD]
 E13.29 Other specified diabetes mellitus with other specified renal complication

ICD-10-AM Fourth Edition:

E13.23 Other specified diabetes mellitus with advanced renal disease

ICD-10-AM Fifth Edition:

E13.2 Other specified diabetes mellitus with renal complication
 E13.21 Other specified diabetes mellitus with incipient diabetic nephropathy
 Diabetes mellitus NEC with:
 • glomerular:
 • basement-membrane thickening
 • mesangial expansion
 • incipient nephropathy (early)(reversible)
 • microalbuminuria:
 • constant
 • persistent
 E13.22 Other specified diabetes mellitus with established diabetic nephropathy
 Diabetes mellitus NEC with:
 • glomerulosclerosis:
 • diffuse
 • intracapillary
 • nodular
 • Kimmelstiel-Wilson (disease)(lesion)
 • macroalbuminuria
 • nephropathy (advanced)(NOS)(progressive)
 • proteinuria (fixed)(persistent)

- E13.23 Other specified diabetes mellitus with advanced renal disease
Diabetes mellitus NEC with chronic renal failure, chronic renal impairment or end-stage renal disease [ESRD] in conditions classifiable to E13.22
- E13.29 Other specified diabetes mellitus with other specified renal complication
Diabetes mellitus NEC with:
- acute renal:
 - failure
 - impairment
 - medullary (papillary) necrosis

ICD-10-AM Sixth Edition:

- E13.2 Other specified diabetes mellitus with kidney complication
- E13.21 Other specified diabetes mellitus with incipient diabetic nephropathy
Diabetes mellitus NEC with:
- chronic kidney disease:
 - stage 1
 - stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - constant
 - persistent
- E13.22 Other specified diabetes mellitus with established diabetic nephropathy
Diabetes mellitus NEC with:
- advanced kidney disease
 - chronic kidney:
 - disease
 - failure
 - impairment
 - end stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria (fixed)(persistent)
- E13.29 Other specified diabetes mellitus with other specified kidney complication
Diabetes mellitus NEC with:
- acute kidney:
 - failure
 - impairment
 - medullary (papillary) necrosis

ICD-10-AM Seventh Edition:

- E13.22 Other specified diabetes mellitus with established diabetic nephropathy
Diabetes mellitus NEC with:
- advanced kidney disease
 - chronic kidney:
 - disease ≥ stage 3
 - failure
 - impairment
 - end-stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria (fixed)(persistent)

ICD-10-AM Eighth Edition:

- E13.22 Other specified diabetes mellitus with established diabetic nephropathy
Diabetes mellitus NEC with:
- advanced kidney disease
 - chronic kidney:
 - disease $\geq$ stage 3
 - failure
 - impairment
 - end-stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria:
 - fixed
 - persistent

E13.21 Other specified diabetes mellitus with incipient diabetic nephropathy

Status of inclusion term(s):
Status of excludes note:

Revised – *Thirteenth Edition*
Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

- Diabetes mellitus NEC with:
- chronic kidney disease:
 - stage 1
 - stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - constant
 - persistent
 - tubulo-interstitial changes

ICD-10-AM Thirteenth Edition:

- Diabetes mellitus NEC with:
- chronic kidney disease [CKD] stage 1–2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - constant
 - persistent
 - tubulo-interstitial changes

E13.22 Other specified diabetes mellitus with established diabetic nephropathy

Status of inclusion term(s):
Status of inclusion term(s):

Revised – *Twelfth Edition*
Revised – *Thirteenth Edition*

ICD-10-AM Eleventh Edition:

Diabetes mellitus NEC with:

- advanced kidney disease
- chronic kidney:
 - disease ≥ stage 3
 - failure
- ...

ICD-10-AM Twelfth Edition:

Diabetes mellitus NEC with:

- advanced kidney disease
- chronic kidney:
 - disease stage 3–5
 - failure
- ...

ICD-10-AM Thirteenth Edition:

Diabetes mellitus NEC with:

- advanced kidney disease
- chronic kidney:
 - disease [CKD] stage 3–5
 - failure
- ...

E13.3 Other specified diabetes mellitus with ophthalmic complication

Status of code(s):

Created – *First Edition*

Status of code(s):

Created, Deleted – *Second Edition*

Status of code(s):

Deleted – *Third Edition*

Status of inclusion term(s):

Revised – *Eighth Edition*

WHO ICD-10:

E13.3† Other specified diabetes mellitus with ophthalmic complications

ICD-10-AM First Edition:

E13.3† Other specified diabetes mellitus with ophthalmic complications

E13.30† Other specified diabetes mellitus with ophthalmic complications, not stated as uncontrolled

E13.31† Other specified diabetes mellitus with ophthalmic complications, stated as uncontrolled

ICD-10-AM Second Edition:

E13.3 Other specified diabetes mellitus with ophthalmic complication

E13.30 Other specified diabetes mellitus with ophthalmic complication, unspecified

E13.31 Other specified diabetes mellitus with background retinopathy

E13.32 Other specified diabetes mellitus with preproliferative retinopathy

E13.33 Other specified diabetes mellitus with proliferative retinopathy

E13.34 Other specified diabetes mellitus with other retinopathy

E13.35 Other specified diabetes mellitus with advanced ophthalmic disease

E13.36 Other specified diabetes mellitus with diabetic cataract

E13.39 Other specified diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Third Edition:

- E13.3 Other specified diabetes mellitus with ophthalmic complication
- E13.31 Other specified diabetes mellitus with background retinopathy
- E13.32 Other specified diabetes mellitus with preproliferative retinopathy
- E13.33 Other specified diabetes mellitus with proliferative retinopathy
- E13.34 Other specified diabetes mellitus with other retinopathy
- E13.35 Other specified diabetes mellitus with advanced ophthalmic disease
- E13.36 Other specified diabetes mellitus with diabetic cataract
- E13.39 Other specified diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Seventh Edition:

- E13.31 Other specified diabetes mellitus with background retinopathy

Diabetes mellitus NEC with:

- retinal:
 - haemorrhages (dot-and-blot) (flame-shaped)
 - hard exudates
 - microaneurysms
 - venous dilatation
- retinopathy NOS

Excludes: that with any condition listed in E13.32

- E13.32 Other specified diabetes mellitus with preproliferative retinopathy

Diabetes mellitus NEC with:

- intraretinal microvascular abnormalities [IRMA]
- retinal:
 - cotton-wool spots
 - haemorrhages (blotchy)(round)(small)
- ischaemia
- venous:
 - beading
 - looping
- reduplication

ICD-10-AM Eighth Edition:

- E13.31 Other specified diabetes mellitus with background retinopathy

Diabetes mellitus NEC with:

- retinal:
 - haemorrhages:
 - dot-and-blot
 - flame-shaped
 - hard exudates
 - microaneurysms
 - venous dilatation
- retinopathy NOS

Excludes: that with any condition listed in E13.32

- E13.32 Other specified diabetes mellitus with preproliferative retinopathy

Diabetes mellitus NEC with:

- intraretinal microvascular abnormalities [IRMA]
- retinal:
 - cotton-wool spots
 - haemorrhages:
 - blotchy
 - round
 - small
- ischaemia
- venous:
 - beading
 - looping
- reduplication

E13.31 Other specified diabetes mellitus with background retinopathy*Status of excludes note:* **Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:***Excludes:* that with any condition listed in E13.32**ICD-10-AM Thirteenth Edition:***Excludes:* with condition classified to E13.32, E13.33 or E13.35**E13.32 Other specified diabetes mellitus with preproliferative retinopathy***Status of excludes note:* **Created – Thirteenth Edition****E13.33 Other specified diabetes mellitus with proliferative retinopathy***Status of excludes note:* **Created – Thirteenth Edition****E13.4 Other specified diabetes mellitus with neurological complication**

Status of code(s): **Created – First Edition**
Status of code title(s): **Revised – Second Edition**
Status of code(s): **Created/Deleted – Second Edition**

WHO ICD-10:

E13.4† Other specified diabetes mellitus with neurological complications

ICD-10-AM First Edition:

E13.4† Other specified diabetes mellitus with neurological complications
 E13.40† Other specified diabetes mellitus with neurological complications, not stated as uncontrolled
 E13.41† Other specified diabetes mellitus with neurological complications, stated as uncontrolled

ICD-10-AM Second Edition:

E13.4 Other specified diabetes mellitus with neurological complication
 E13.40 Other specified diabetes mellitus with unspecified neuropathy
 E13.41 Other specified diabetes mellitus with diabetic mononeuropathy
 E13.42 Other specified diabetes mellitus with diabetic polyneuropathy
 E13.43 Other specified diabetes mellitus with diabetic autonomic neuropathy
 E13.49 Other specified diabetes mellitus with other specified neurological complication

E13.42 Other specified diabetes mellitus with diabetic polyneuropathy

Status of code(s): **Created – Second Edition**
Status of inclusion term(s): **Revised – Sixth Edition**
Status of inclusion term(s): **Revised – Eighth Edition**

ICD-10-AM Fifth Edition:

Diabetes mellitus NEC with:

- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Sixth Edition:

Diabetes mellitus NEC with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'

- sensorimotor

ICD-10-AM Eighth Edition:

Diabetes mellitus NEC with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - NOS
 - selective 'small fibre'
- sensorimotor

E13.43 Other specified diabetes mellitus with diabetic autonomic neuropathy

Status of code(s):

Status of inclusion term(s):

Status of inclusion term(s):

Status of inclusion term(s):

Created – *Second Edition*

Revised – *Sixth Edition*

Revised – *Eighth Edition*

Revised – *Thirteenth Edition*

ICD-10-AM Seventh Edition:

Diabetes mellitus NEC with:

- abnormal sweating (gustatory)
- diabetic autonomic polyneuropathy
- diabetic diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotonia, bladder
- neuropathic oedema
- postural hypotension

ICD-10-AM Eighth Edition:

Diabetes mellitus NEC with:

- abnormal sweating (gustatory)
- diabetic autonomic polyneuropathy
- diabetic diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotension:
 - orthostatic
 - postural
- hypotonia, bladder
- neuropathic oedema

ICD-10-AM Thirteenth Edition:

Diabetes mellitus NEC with:

- abnormal sweating (gustatory)
- diabetic:
 - autonomic polyneuropathy
 - diarrhoea
- dysfunction:
 - anorectal
 - oesophageal
- erectile failure (impotence)
- gastroparesis
- hypotension:
 - orthostatic
 - postural
- hypotonia, bladder
- neuropathic oedema

E13.5 Other specified diabetes mellitus with circulatory complication

Status of code(s): Created – [First Edition](#)
Status of code title(s): Revised – [Second Edition](#)
Status of code(s): Created/Deleted – [Second Edition](#)
Status of code(s): Deleted – [Third Edition](#)

WHO ICD-10:

E13.5 Other specified diabetes mellitus with peripheral circulatory complications

ICD-10-AM First Edition:

E13.5 Other specified diabetes mellitus with peripheral circulatory complications
 E13.50 Other specified diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
 E13.51 Other specified diabetes mellitus with peripheral circulatory complications, stated as uncontrolled

ICD-10-AM Second Edition:

E13.5 Other specified diabetes mellitus with circulatory complication
 E13.50 Other specified diabetes mellitus with circulatory complication, unspecified
 E13.51 Other specified diabetes mellitus with peripheral angiopathy, without gangrene
 E13.52 Other specified diabetes mellitus with peripheral angiopathy, with gangrene
 E13.59 Other specified diabetes mellitus with other specified circulatory complication

ICD-10-AM Third Edition:

E13.5 Other specified diabetes mellitus with circulatory complication
[E13.51](#) Other specified diabetes mellitus with peripheral angiopathy, without gangrene
[E13.52](#) Other specified diabetes mellitus with peripheral angiopathy, with gangrene
[E13.53](#) Other specified diabetes mellitus with diabetic ischaemic cardiomyopathy

E13.51 Other specified diabetes mellitus with peripheral angiopathy, without gangrene

Status of excludes note: Deleted – [Seventh Edition Errata 5](#)
Status of inclusion term(s): Created – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)

E13.52 Other specified diabetes mellitus with peripheral angiopathy, with gangrene

Status of excludes note: Deleted – [Seventh Edition Errata 5](#)
Status of inclusion term(s): Created – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)

E13.53 Other specified diabetes mellitus with diabetic cardiomyopathy

Status of code title: Revised – [Sixth Edition](#)
Status of inclusion term(s): Created – [Eighth Edition](#)

ICD-10-AM Fifth Edition:

E13.53 Other specified diabetes mellitus with diabetic ischaemic cardiomyopathy

ICD-10-AM Sixth Edition:

E13.53 Other specified diabetes mellitus with diabetic cardiomyopathy

E13.6 Other specified diabetes mellitus with other specified complication

Status of code(s): Created – **First Edition**
Status of code title(s): Revised – **Second Edition**
Status of code(s): Created/Deleted – **Second Edition**
Status of code(s): Created, Revised – **Third Edition**

WHO ICD-10:

E13.6 Other specified diabetes mellitus with other specified complications

ICD-10-AM First Edition:

E13.6 Other specified diabetes mellitus with other specified complications
 E13.60 Other specified diabetes mellitus with other specified complications, not stated as uncontrolled
 E13.61 Other specified diabetes mellitus with other specified complications, stated as uncontrolled

ICD-10-AM Second Edition:

E13.6 Other specified diabetes mellitus with other specified complication
 E13.61 Other specified diabetes mellitus with diabetic musculoskeletal and connective tissue complication
 E13.62 Other specified diabetes mellitus with skin and subcutaneous tissue complication
 E13.63 Other specified diabetes mellitus with periodontal complication
 E13.64 Other specified diabetes mellitus with hypoglycaemia
 E13.69 Other specified diabetes mellitus with other specified complication

ICD-10-AM Third Edition:

E13.6 Other specified diabetes mellitus with other specified complication
E13.61 Other specified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
 E13.62 Other specified diabetes mellitus with specified skin and subcutaneous tissue complication
 E13.63 Other specified diabetes mellitus with specified periodontal complication
 E13.64 Other specified diabetes mellitus with hypoglycaemia
 E13.65 Other specified diabetes mellitus with poor control
E13.69 Other specified diabetes mellitus with other specified complication

E13.61 Other specified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication

Status of inclusion term(s): Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

Diabetes mellitus NEC with:

- Charcot's arthropathy
- diabetic:
 - hand syndrome (cheiroarthropathy) (Dupuytren's contracture) (palmar fascial fibromatosis)
 - osteopathy
- peri arthritis of shoulder

ICD-10-AM Tenth Edition:

Diabetes mellitus NEC with:

- arthropathy (neuropathic)
- Charcot's arthropathy
- diabetic:
 - hand syndrome (cheiroarthropathy) (Dupuytren's contracture) (palmar fascial fibromatosis)
 - osteopathy
 - peri arthritis of shoulder
- neuropathic arthritis

E13.65 Other specified diabetes mellitus with poor control**Status of inclusion term(s):****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Other specified diabetes mellitus:

- for stabilisation
- poorly controlled
- unstable
- with secondary treatment failure

ICD-10-AM Thirteenth Edition:

Other specified diabetes mellitus:

- for stabilisation
- labile
- poorly controlled
- unstable
- with secondary treatment failure

E13.69 Other specified diabetes mellitus with other specified complication**Status of inclusion term(s):****Revised – Sixth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Fifth Edition:**

Diabetes mellitus NEC with:

- diabetic:
 - fibrous breast disease (mastopathy) (sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis) (ischaemic myonecrosis) (tumoriform focal muscular degeneration)
- gangrene (acute dermal) (bacterial) (haemolytic):
 - Fournier's
 - Meleney's
- necrotising fasciitis
- ulcer (lower extremity)

ICD-10-AM Sixth Edition:

Diabetes mellitus NEC with:

- diabetic:
 - fibrous breast disease (mastopathy) (sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis) (ischaemic myonecrosis) (tumoriform focal muscular degeneration)
- gangrene (acute dermal) (bacterial) (haemolytic):
 - Fournier's
 - Meleney's (progressive bacterial synergistic)
- necrotising fasciitis
- ulcer (lower extremity)

ICD-10-AM Tenth Edition:

Excludes: foot ulcer with peripheral:

- angiopathy (E13.73)
- neuropathy (E13.73)

ICD-10-AM Eleventh Edition:

Excludes: foot ulcer with peripheral:

- angiopathy (E13.73)
- neuropathy (E13.73)

pressure ulcer not meeting the criteria for diabetic foot (L89.-)

E13.7 Other specified diabetes mellitus with multiple complications

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of code title:	Revised – Sixth Edition
Status of inclusion term(s):	Revised – Sixth Edition
Status of code title:	Revised – Sixth Edition Errata 1
Status of inclusion term(s):	Revised – Sixth Edition Errata 1
Status of inclusion term(s):	Revised – Seventh Edition Errata 5
Status of inclusion term(s):	Revised – Seventh Edition Errata 5
Status of instructional note(s):	Created – Seventh Edition Errata 5
Status of inclusion term(s):	Revised – Tenth Edition

WHO ICD-10:

E13.7 Other specified diabetes mellitus with multiple complications

ICD-10-AM First Edition:

E13.7 Other specified diabetes mellitus with multiple complications
 E13.70 Other specified diabetes mellitus with multiple complications, not stated as uncontrolled
 E13.71 Other specified diabetes mellitus with multiple complications, stated as uncontrolled

ICD-10-AM Second Edition:

E13.7 Other specified diabetes mellitus with multiple complications
 E13.71 Other specified diabetes mellitus with multiple microvascular complications
 E13.72 Other specified diabetes mellitus with features of insulin resistance
 E13.73 Other specified diabetes mellitus with foot ulcer due to multiple causes

ICD-10-AM Fifth Edition:

E13.71 Other specified diabetes mellitus with multiple microvascular complications
 Two or more of conditions classifiable to E11.2-, E11.31–E11.35, E11.39, E11.4-, E11.53 or E11.62
 E13.72 Other specified mellitus with features of insulin resistance
 Other specified diabetes mellitus with:
 • acanthosis nigricans
 • dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
 • hyperinsulinism
 • hypertension
 • increased intra-abdominal visceral fat deposition
 • insulin resistance NOS
 • nonalcoholic fatty (change of) liver
 • obesity (meeting WHO or other recognised criteria)

ICD-10-AM Sixth Edition:

E13.71 Other specified diabetes mellitus with multiple microvascular or other specified nonvascular complications
 Two or more of conditions classifiable to E11.2-, E11.31–E11.35, E11.4-, E11.53 or E11.62
 E13.72 Other specified diabetes mellitus with features of insulin resistance
 Other specified diabetes mellitus with one or more of the following:
 • acanthosis nigricans
 • dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
 • hyperinsulinism
 • hypertension
 • increased intra-abdominal visceral fat deposition
 • insulin resistance NOS
 • nonalcoholic fatty (change of) liver
 • obesity (meeting WHO or other recognised criteria)

ICD-10-AM Sixth Edition Errata 1:

E13.71 Other specified diabetes mellitus with multiple microvascular and other specified nonvascular complications
Two or more of conditions classifiable to E13.2-, E13.31–E13.35, E13.39, E13.4-, E13.53 or E13.62

ICD-10-AM Seventh Edition Errata 5:

E13.71 Other specified diabetes mellitus with multiple microvascular and other specified nonvascular complications
Two or more of conditions classifiable to E11.2-, E11.3-, E11.4-, E11.53 or E11.62

E13.72 Other specified diabetes mellitus with features of insulin resistance
Other specified diabetes mellitus with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver disease (NAFLD)
- nonalcoholic steatohepatitis (NASH)
- obesity (morbid)
- overweight

ICD-10-AM Tenth Edition:

E13.72 Other specified diabetes mellitus with features of insulin resistance
Other specified diabetes mellitus with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic fatty (change of) liver disease (NAFLD)
- nonalcoholic steatohepatitis (NASH)
- obesity
- overweight

E13.72 Other specified diabetes mellitus with features of insulin resistance

Status of inclusion term(s):

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Other specified diabetes mellitus with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated (fasting) triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic: fatty (change of) liver disease (NAFLD)
- nonalcoholic steatohepatitis (NASH)
- obesity
- overweight

ICD-10-AM Thirteenth Edition:

Other specified diabetes mellitus with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated (fasting) triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic:
 - fatty (change of) liver disease [NAFLD]
 - steatohepatitis [NASH]
- obesity
- overweight

E13.73 Other specified diabetes mellitus with foot ulcer due to multiple causes

Status of glossary description: Created – **Thirteenth Edition**

E13.8 Other specified diabetes mellitus with unspecified complication

Status of code(s): Created – **First Edition**
Status of code(s): Deleted – **Second Edition**

WHO ICD-10:

E13.8 Other specified diabetes mellitus with unspecified complications

ICD-10-AM First Edition:

E13.8 Other specified diabetes mellitus with unspecified complications
 E13.80 Other specified diabetes mellitus with unspecified complications, not stated as uncontrolled
 E13.81 Other specified diabetes mellitus with unspecified complications, stated as uncontrolled

ICD-10-AM Second Edition:

E13.8 Other specified diabetes mellitus with unspecified complication

E13.9 Other specified diabetes mellitus without complication

Status of code(s): Created – **First Edition**
Status of code(s): Deleted – **Second Edition**

WHO ICD-10:

E13.9 Other specified diabetes mellitus without complications

ICD-10-AM First Edition:

E13.9 Other specified diabetes mellitus without complications
 E13.90 Other specified diabetes mellitus without complications, not stated as uncontrolled
 E13.91 Other specified diabetes mellitus without complications, stated as uncontrolled

ICD-10-AM Second Edition:

E13.9 Other specified diabetes mellitus without complication

E14 Unspecified diabetes mellitus

Status of excludes note: Revised – **Eighth Edition**
Status of excludes note: Revised – **Tenth Edition**
Status of glossary description: Created – **Thirteenth Edition**
Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Seventh Edition:

Excludes: diabetes mellitus (in):
 • neonatal (P70.2)
 • noninsulin dependent (E11.-)
 • pregnancy, childbirth and the puerperium (O24.-)
 • Type 1 (E10.-)
 • Type 2 (E11.-)
 glycosuria:
 • NOS (R81)
 • renal (E74.8)
 impaired glucose regulation (E09.-)
 postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Eighth Edition:

Excludes: diabetes mellitus (in):

- neonatal (P70.2)
- noninsulin dependent (E11.-)
- pregnancy, childbirth and the puerperium (O24.-)
- Type 1 (E10.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Tenth Edition:

Excludes: diabetes mellitus:

- neonatal (P70.2)
- noninsulin dependent (E11.-)
- Type 1 (E10.-)
- Type 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia (E09.-)

postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Thirteenth Edition:

Excludes: diabetes mellitus:

- neonatal (P70.2)
- noninsulin dependent [NIDDM] (E11.-)
- type:
 - 1 (E10.-)
 - 2 (E11.-)

glycosuria:

- NOS (R81)
- renal (E74.8)

intermediate hyperglycaemia [IH] (E09.-)

postprocedural hypoinsulinaemia (E89.1)

E14.0 Unspecified diabetes mellitus with hyperosmolarity

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of inclusion term(s):	Revised – Sixth Edition

WHO ICD-10:

E14.0 Unspecified diabetes mellitus with coma

ICD-10-AM First Edition:

E14.0 Unspecified diabetes mellitus with coma

E14.00 Unspecified diabetes mellitus with coma, not stated as uncontrolled

E14.01 Unspecified diabetes mellitus with coma, stated as uncontrolled

ICD-10-AM Second Edition:

E14.0 Unspecified diabetes mellitus with hyperosmolarity

E14.01 Unspecified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]

E14.02 Unspecified diabetes mellitus with hyperosmolarity, with coma

ICD-10-AM Fifth Edition:

E14.01 Unspecified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]

Diabetes mellitus NOS with hyperosmolarity NOS

ICD-10-AM Sixth Edition:

- E14.01 Unspecified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
 Diabetes mellitus NOS with:
 • hypernatraemia } NOS
 • hyperosmolarity }

E14.1 Unspecified diabetes mellitus with acidosis

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of inclusion term(s):	Created: Sixth Edition
Status of instructional note(s):	Revised – Twelfth Edition

WHO ICD-10:

- E14.1 Unspecified diabetes mellitus with ketoacidosis

ICD-10-AM First Edition:

- E14.1 Unspecified diabetes mellitus with ketoacidosis
 E14.10 Unspecified diabetes mellitus with ketoacidosis, not stated as uncontrolled
 E14.11 Unspecified diabetes mellitus with ketoacidosis, stated as uncontrolled

ICD-10-AM Second Edition:

- E14.1 Unspecified diabetes mellitus with acidosis
 E14.11 Unspecified diabetes mellitus with ketoacidosis, without coma
 E14.12 Unspecified diabetes mellitus with ketoacidosis, with coma
 E14.13 Unspecified diabetes mellitus with lactic acidosis, without coma
 E14.14 Unspecified diabetes mellitus with lactic acidosis, with coma
 E14.15 Unspecified diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
 E14.16 Unspecified diabetes mellitus with ketoacidosis, with lactic acidosis, with coma

ICD-10-AM Eleventh Edition:

Use additional code to identify presence of cerebral oedema (G93.6).

ICD-10-AM Twelfth Edition:

Use additional code (G93.6) to identify presence of cerebral oedema.

E14.2 Unspecified diabetes mellitus with kidney complication

Status of code(s):	Created – First Edition
Status of code title(s):	Revised – Second Edition
Status of code(s):	Created/Deleted – Second Edition
Status of code(s):	Deleted – Third Edition
Status of code(s):	Revised – Fourth Edition
Status of code(s):	Revised, Deleted – Sixth Edition
Status of inclusion term(s):	Revised – Sixth Edition
Status of instructional note(s):	Created – Sixth Edition Errata 1
Status of instructional note(s):	Deleted – Seventh Edition
Status of instructional note(s):	Deleted – Seventh Edition
Status of inclusion term(s):	Revised – Eighth Edition
Status of instructional note(s):	Deleted – Ninth Edition

WHO ICD-10:

- E14.2† Unspecified diabetes mellitus with renal complications

ICD-10-AM First Edition:

- E14.2† Unspecified diabetes mellitus with renal complications
 E14.20† Unspecified diabetes mellitus with renal complication, unspecified
 E14.21† Unspecified diabetes mellitus with incipient diabetic nephropathy

ICD-10-AM Second Edition:

- E14.2 Unspecified diabetes mellitus with renal complication
- E14.20 Unspecified diabetes mellitus with renal complication, unspecified
- E14.21 Unspecified diabetes mellitus with incipient diabetic nephropathy
- E14.22 Unspecified diabetes mellitus with established diabetic nephropathy
- E14.23 Unspecified diabetes mellitus with end-stage renal disease [ESRD]
- E14.29 Unspecified diabetes mellitus with other specified renal complication

ICD-10-AM Third Edition:

- E14.2 Unspecified diabetes mellitus with renal complication
- E14.21 Unspecified diabetes mellitus with incipient diabetic nephropathy
- E14.22 Unspecified diabetes mellitus with established diabetic nephropathy
- E14.23 Unspecified diabetes mellitus with end-stage renal disease [ESRD]
- E14.29 Unspecified diabetes mellitus with other specified renal complication

ICD-10-AM Fourth Edition:

- E14.23 Unspecified diabetes mellitus with advanced renal disease

ICD-10-AM Fifth Edition:

- E14.2 Unspecified diabetes mellitus with renal complications
- E14.21 Unspecified diabetes mellitus with incipient diabetic nephropathy
Diabetes mellitus NEC with:
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(reversible)
 - microalbuminuria:
 - constant
 - persistent
- E14.22 Unspecified diabetes mellitus with established diabetic nephropathy
Diabetes mellitus NEC with:
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - proteinuria (fixed)(persistent)
- E14.23 Unspecified diabetes mellitus with advanced renal disease
Diabetes mellitus NEC with chronic renal failure, chronic renal impairment or end-stage renal disease [ESRD] in conditions classifiable to E13.22
- E14.29 Unspecified diabetes mellitus with other specified renal complication
Diabetes mellitus NEC with:
 - acute renal:
 - failure
 - impairment
 - medullary (papillary) necrosis

ICD-10-AM Sixth Edition:

- E14.2 Unspecified diabetes mellitus with kidney complications
- E14.21 Unspecified diabetes mellitus with incipient diabetic nephropathy
Diabetes mellitus NEC with:
 - chronic kidney disease:
 - stage 1
 - stage 2
 - glomerular:
 - basement-membrane thickening
 - mesangial expansion
 - incipient nephropathy (early)(mild)(reversible)
 - microalbuminuria:
 - constant
 - persistent

- E14.22 **Unspecified diabetes mellitus with established diabetic nephropathy**
 Diabetes mellitus NEC with:
- advanced kidney disease
 - chronic kidney:
 - disease
 - failure
 - impairment
 - end stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria (fixed)(persistent)
- E14.29 **Unspecified diabetes mellitus with other specified kidney complication**
 Diabetes mellitus NEC with:
- acute kidney:
 - failure
 - impairment
 - medullary (papillary) necrosis

ICD-10-AM Seventh Edition:

- E14.22 **Unspecified diabetes mellitus with established diabetic nephropathy**
 Diabetes mellitus NOS with:
- advanced kidney disease
 - chronic kidney:
 - disease ≥ stage 3
 - failure
 - impairment
 - end-stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria (fixed)(persistent)

ICD-10-AM Eighth Edition:

- E14.22 **Unspecified diabetes mellitus with established diabetic nephropathy**
 Diabetes mellitus NOS with:
- advanced kidney disease
 - chronic kidney:
 - disease ≥ stage 3
 - failure
 - impairment
 - end-stage kidney disease
 - glomerulosclerosis:
 - diffuse
 - intracapillary
 - nodular
 - Kimmelstiel-Wilson (disease)(lesion)
 - macroalbuminuria
 - nephropathy (advanced)(NOS)(progressive)
 - nephrosis
 - nephrotic syndrome
 - proteinuria:
 - fixed
 - persistent

E14.21 Unspecified diabetes mellitus with incipient diabetic nephropathy**Status of inclusion term(s):****Status of excludes note:****Revised – [Thirteenth Edition](#)****Created – [Thirteenth Edition](#)****ICD-10-AM Twelfth Edition:**

Diabetes mellitus NOS with:

- chronic kidney disease:
 - stage 1
 - stage 2
- glomerular:
 - basement-membrane thickening
 - mesangial expansion
- incipient nephropathy (early)(mild)(reversible)
- microalbuminuria:
 - constant
 - persistent
- tubulo-interstitial changes

ICD-10-AM Thirteenth Edition:

Diabetes mellitus NOS with:

- chronic kidney disease [CKD] stage 1–2
- glomerular:
 - basement-membrane thickening
 - mesangial expansion
- incipient nephropathy (early)(mild)(reversible)
- microalbuminuria:
 - constant
 - persistent
- tubulo-interstitial changes

E14.22 Unspecified diabetes mellitus with established diabetic nephropathy**Status of inclusion term(s):****Status of inclusion term(s):****Revised – [Twelfth Edition](#)****Revised – [Thirteenth Edition](#)****ICD-10-AM Eleventh Edition:**

Diabetes mellitus NOS with:

- advanced kidney disease
- chronic kidney:
 - disease ≥ stage 3
 - failure
- ...

ICD-10-AM Twelfth Edition:

Diabetes mellitus NOS with:

- advanced kidney disease
- chronic kidney:
 - disease stage 3–5
 - failure
- ...

ICD-10-AM Thirteenth Edition:

Diabetes mellitus NOS with:

- advanced kidney disease
- chronic kidney:
 - disease [CKD] stage 3–5
 - failure
- ...

E14.3 Unspecified diabetes mellitus with ophthalmic complication

Status of code(s): Created – *First Edition*
Status of code(s): Created, Deleted – *Second Edition*
Status of code(s): Deleted – *Third Edition*
Status of inclusion term(s): Revised – *Eighth Edition*

WHO ICD-10:

E14.3† Unspecified diabetes mellitus with ophthalmic complications

ICD-10-AM First Edition:

E14.3† Unspecified diabetes mellitus with ophthalmic complications
 E14.30† Unspecified diabetes mellitus with ophthalmic complications, not stated as uncontrolled
 E14.31† Unspecified diabetes mellitus with ophthalmic complications, stated as uncontrolled

ICD-10-AM Second Edition:

E14.3 Unspecified diabetes mellitus with ophthalmic complication
 E14.30 Unspecified diabetes mellitus with ophthalmic complication, unspecified
 E14.31 Unspecified diabetes mellitus with background retinopathy
 E14.32 Unspecified diabetes mellitus with preproliferative retinopathy
 E14.33 Unspecified diabetes mellitus with proliferative retinopathy
 E14.34 Unspecified diabetes mellitus with other retinopathy
 E14.35 Unspecified diabetes mellitus with advanced ophthalmic disease
 E14.36 Unspecified diabetes mellitus with diabetic cataract
 E14.39 Unspecified diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Third Edition:

E14.3 Unspecified diabetes mellitus with ophthalmic complication
 E14.31 Unspecified diabetes mellitus with background retinopathy
 E14.32 Unspecified diabetes mellitus with preproliferative retinopathy
 E14.33 Unspecified diabetes mellitus with proliferative retinopathy
 E14.34 Unspecified diabetes mellitus with other retinopathy
 E14.35 Unspecified diabetes mellitus with advanced ophthalmic disease
 E14.36 Unspecified diabetes mellitus with diabetic cataract
 E14.39 Unspecified diabetes mellitus with other specified ophthalmic complication

ICD-10-AM Seventh Edition:

E14.31 Unspecified diabetes mellitus with background retinopathy
 Diabetes mellitus NOS with:
 • retinal:
 • haemorrhages (dot-and-blot)(flame-shaped)
 • hard exudates
 • microaneurysms
 • venous dilatation
 • retinopathy NOS

Excludes: that with any condition listed in E14.32

E14.32 Unspecified diabetes mellitus with preproliferative retinopathy
 Diabetes mellitus NOS with:
 • intraretinal microvascular abnormalities [IRMA]
 • retinal:
 • cotton-wool spots
 • haemorrhages (blotchy)(round)(small)
 • ischaemia
 • venous:
 • beading
 • looping
 • reduplication

ICD-10-AM Eighth Edition:

E14.31 Unspecified diabetes mellitus with background retinopathy
Diabetes mellitus NOS with:

- retinal:
 - haemorrhages:
 - dot-and-blot
 - flame-shaped
 - hard exudates
 - microaneurysms
 - venous dilatation
- retinopathy NOS

Excludes: that with any condition listed in E14.32

E14.32 Unspecified diabetes mellitus with preproliferative retinopathy
Diabetes mellitus NOS with:

- intraretinal microvascular abnormalities [IRMA]
- retinal:
 - cotton-wool spots
 - haemorrhages:
 - blotchy
 - round
 - small
 - ischaemia
 - venous:
 - beading
 - looping
 - reduplication

E14.31 Unspecified diabetes mellitus with background retinopathy

Status of excludes note:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Excludes: that with any condition listed in E14.32

ICD-10-AM Thirteenth Edition:

Excludes: with condition classified to E14.32, E14.33 or E14.35

E14.32 Unspecified diabetes mellitus with preproliferative retinopathy

Status of excludes note:

Created – Thirteenth Edition

E14.33 Unspecified diabetes mellitus with proliferative retinopathy

Status of excludes note:

Created – Thirteenth Edition

E14.4 Unspecified diabetes mellitus with neurological complication

Status of code(s):

Created – First Edition

Status of code title(s):

Revised – Second Edition

Status of code(s):

Created/Deleted – Second Edition

WHO ICD-10:

E14.4† Unspecified diabetes mellitus with neurological complications

ICD-10-AM First Edition:

E14.4† Unspecified diabetes mellitus with neurological complications

E14.40† Unspecified diabetes mellitus with neurological complications, not stated as uncontrolled

E14.41† Unspecified diabetes mellitus with neurological complications, stated as uncontrolled

ICD-10-AM Second Edition:

- E14.4 Unspecified diabetes mellitus with neurological complication
- E14.40 Unspecified diabetes mellitus with unspecified neuropathy
- E14.41 Unspecified diabetes mellitus with diabetic mononeuropathy
- E14.42 Unspecified diabetes mellitus with diabetic polyneuropathy
- E14.43 Unspecified diabetes mellitus with diabetic autonomic neuropathy
- E14.49 Unspecified diabetes mellitus with other specified neurological complication

E14.42 Unspecified diabetes mellitus with diabetic polyneuropathy**Status of code(s):****Status of inclusion term(s):****Status of inclusion term(s):****Created/Deleted – [Second Edition](#)****Revision – [Sixth Edition](#)****Revised – [Eighth Edition](#)****ICD-10-AM Fifth Edition:**

Diabetes mellitus NOS with:

- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Sixth Edition:

Diabetes mellitus NOS with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Eighth Edition:

Diabetes mellitus NOS with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - NOS
 - selective 'small fibre'
 - sensorimotor

E14.43 Unspecified diabetes mellitus with diabetic autonomic neuropathy**Status of code(s):****Status of inclusion term(s):****Status of inclusion term(s):****Status of inclusion term(s):****Created/Deleted – [Second Edition](#)****Revision – [Sixth Edition](#)****Revised – [Eighth Edition](#)****Revised – [Thirteenth Edition](#)****ICD-10-AM Fifth Edition:**

Diabetes mellitus NOS with:

- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Sixth Edition:

Diabetes mellitus NOS with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Eighth Edition:

Diabetes mellitus NOS with:

- diabetic neuropathic cachexia
- early onset diabetic neuropathy
- insulin neuritis
- peripheral neuropathy:
 - distal symmetrical
 - NOS
 - selective 'small fibre'
 - sensorimotor

ICD-10-AM Thirteenth Edition:

Diabetes mellitus NOS with:

- abnormal sweating (gustatory)
- diabetic:
 - autonomic polyneuropathy
 - diarrhoea
 - dysfunction:
 - anorectal
 - oesophageal
 - erectile failure (impotence)
 - gastroparesis
 - hypotension:
 - orthostatic
 - postural
 - hypotonia, bladder
 - neuropathic oedema

E14.5 Unspecified diabetes mellitus with circulatory complication**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Second Edition****Status of code(s):****Created/Deleted – Second Edition****Status of code(s):****Created, Deleted – Third Edition****WHO ICD-10:**

E14.5 Unspecified diabetes mellitus with peripheral circulatory complications

ICD-10-AM First Edition:

E14.5 Unspecified diabetes mellitus with peripheral circulatory complications

E14.50 Unspecified diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled

E14.51 Unspecified diabetes mellitus with peripheral circulatory complications, stated as uncontrolled

ICD-10-AM Second Edition:

E14.5 Unspecified diabetes mellitus with circulatory complication

E14.50 Unspecified diabetes mellitus with circulatory complication, unspecified

E14.51 Unspecified diabetes mellitus with peripheral angiopathy, without gangrene

E14.52 Unspecified diabetes mellitus with peripheral angiopathy, with gangrene

E14.59 Unspecified diabetes mellitus with other specified circulatory complication

ICD-10-AM Third Edition:

E14.5 Unspecified diabetes mellitus with circulatory complication

E14.51 Unspecified diabetes mellitus with peripheral angiopathy, without gangrene

E14.52 Unspecified diabetes mellitus with peripheral angiopathy, with gangrene

E14.53 Unspecified diabetes mellitus with diabetic ischaemic cardiomyopathy

E14.51 Unspecified diabetes mellitus with peripheral angiopathy, without gangrene

Status of excludes note:
Status of inclusion term(s):
Status of excludes note:

Deleted – Seventh Edition Errata 5
Created – Tenth Edition
Created – Tenth Edition

E14.52 Unspecified diabetes mellitus with peripheral angiopathy, with gangrene

Status of excludes note:
Status of inclusion term(s):
Status of excludes note:

Deleted – Seventh Edition Errata 5
Created – Tenth Edition
Created – Tenth Edition

E14.53 Unspecified diabetes mellitus with diabetic cardiomyopathy

Status of code title:
Status of inclusion term(s):

Revised – Sixth Edition
Created – Eighth Edition

ICD-10-AM Fifth Edition:

E14.53 Unspecified diabetes mellitus with diabetic ischaemic cardiomyopathy

ICD-10-AM Sixth Edition:

E14.53 Unspecified diabetes mellitus with diabetic cardiomyopathy

E14.6 Unspecified diabetes mellitus with other specified complication

Status of code(s):
Status of code title(s):
Status of code(s):
Status of code(s):

Created – First Edition
Revised – Second Edition
Created/Deleted – Second Edition
Created, Revised – Third Edition

WHO ICD-10:

E14.6 Unspecified diabetes mellitus with other specified complications

ICD-10-AM First Edition:

E14.6 Unspecified diabetes mellitus with other specified complications
E14.60 Unspecified diabetes mellitus with other specified complications, not stated as uncontrolled
E14.61 Unspecified diabetes mellitus other specified complications, stated as uncontrolled

ICD-10-AM Second Edition:

E14.6 Unspecified diabetes mellitus with other specified complication
E14.61 Unspecified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
E14.62 Unspecified diabetes mellitus with specified skin and subcutaneous tissue complication
E14.63 Unspecified diabetes mellitus with specified periodontal complication
E14.64 Unspecified diabetes mellitus with hypoglycaemia
E14.69 Unspecified diabetes mellitus with other specified complication

ICD-10-AM Third Edition:

E14.6 Unspecified diabetes mellitus with other specified complications
E14.61 Unspecified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
E14.62 Unspecified diabetes mellitus with specified skin and subcutaneous tissue complication
E14.63 Unspecified diabetes mellitus with specified periodontal complication
E14.64 Unspecified diabetes mellitus with hypoglycaemia
E14.65 Unspecified diabetes mellitus with poor control
E14.69 Unspecified diabetes mellitus with other specified complication

E14.61 Unspecified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication

Status of inclusion term(s): Revised – *Tenth Edition*

ICD-10-AM Ninth Edition:

Diabetes mellitus NOS with:

- Charcot's arthropathy
- diabetic:
 - hand syndrome (cheiroarthropathy) (Dupuytren's contracture) (palmar fascial fibromatosis)
 - osteopathy
 - periarthrititis of shoulder

ICD-10-AM Tenth Edition:

Diabetes mellitus NOS with:

- arthropathy (neuropathic)
- Charcot's arthropathy
- diabetic:
 - hand syndrome (cheiroarthropathy) (Dupuytren's contracture) (palmar fascial fibromatosis)
 - osteopathy
 - periarthrititis of shoulder
- neuropathic arthritis

E14.64 Unspecified diabetes mellitus with hypoglycaemia

Status of inclusion term(s): Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Diabetes mellitus NOS with:

- hypoglycaemia(ic):
 - coma
 - NOS
 - seizure (convulsion)(fit)

ICD-10-AM Eleventh Edition:

Diabetes mellitus NOS with hypoglycaemia(ic):

- coma
- NOS
- seizure (convulsion) (fit)

E14.65 Unspecified diabetes mellitus with poor control

Status of inclusion term(s): Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Unspecified diabetes mellitus:

- for stabilisation
- poorly controlled
- unstable
- with secondary treatment failure

ICD-10-AM Thirteenth Edition:

Unspecified diabetes mellitus:

- for stabilisation
- labile
- poorly controlled
- unstable
- with secondary treatment failure

E14.69 Unspecified diabetes mellitus with other specified complication**Status of inclusion term(s):****Revised – Sixth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Fifth Edition:**

Diabetes mellitus NOS with:

- diabetic:
 - fibrous breast disease (mastopathy) (sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis) (ischaemic myonecrosis) (tumoriform focal muscular degeneration)
- gangrene (acute dermal) (bacterial) (haemolytic):
 - Fournier's
 - Meleney's
- necrotising fasciitis
- ulcer (lower extremity)

ICD-10-AM Sixth Edition:

Diabetes mellitus NOS with:

- diabetic:
 - fibrous breast disease (mastopathy) (sclerosing lymphocytic lobulitis)
 - muscle infarction (aseptic myonecrosis) (ischaemic myonecrosis) (tumoriform focal muscular degeneration)
- gangrene (acute dermal) (bacterial) (haemolytic):
 - Fournier's
 - Meleney's (progressive bacterial synergistic)
- necrotising fasciitis
- ulcer (lower extremity)

ICD-10-AM Tenth Edition:**Excludes:** foot ulcer with peripheral:

- angiopathy (E14.73)
- neuropathy (E14.73)

ICD-10-AM Eleventh Edition:**Excludes:** foot ulcer with peripheral:

- angiopathy (E14.73)
- neuropathy (E14.73)

pressure ulcer not meeting the criteria for diabetic foot (L89.-)

E14.7 Unspecified diabetes mellitus with multiple complications**Status of code(s):****Created – First Edition****Status of code(s):****Created, Deleted – Second Edition****Status of code title:****Revised – Sixth Edition****Status of inclusion term(s):****Revised – Sixth Edition****Status of code title:****Revised – Sixth Edition Errata 1****Status of inclusion term(s):****Revised – Seventh Edition Errata 5****Status of inclusion term(s):****Revised – Seventh Edition Errata 5****Status of instructional note(s):****Created – Seventh Edition Errata 5****Status of inclusion term(s):****Revised – Tenth Edition****WHO ICD-10:**

E14.7 Unspecified diabetes mellitus with multiple complications

ICD-10-AM First Edition:

E14.7 Unspecified diabetes mellitus with multiple complications

E14.70 Unspecified diabetes mellitus with multiple complications, not stated as uncontrolled

E14.71 Unspecified diabetes mellitus with multiple complications, stated as uncontrolled

ICD-10-AM Second Edition:

E14.7 Unspecified diabetes mellitus with multiple complications

E14.71 Unspecified diabetes mellitus with multiple microvascular complications

E14.72 Unspecified diabetes mellitus with features of insulin resistance

E14.73 Unspecified diabetes mellitus with foot ulcer due to multiple causes

ICD-10-AM Fifth Edition:

- E14.71 **Unspecified diabetes mellitus with multiple microvascular complications**
Two or more of conditions classifiable to E11.2-, E11.31–E11.35, E11.39, E11.4-, E11.53 or E11.62
- E14.72 **Unspecified diabetes mellitus with features of insulin resistance**
Other specified diabetes mellitus with:
- acanthosis nigricans
 - dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
 - hyperinsulinism
 - hypertension
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic fatty (change of) liver
 - obesity (meeting WHO or other recognised criteria)

ICD-10-AM Sixth Edition:

- E14.71 **Unspecified diabetes mellitus with multiple microvascular or other specified nonvascular complications**
Two or more of conditions classifiable to E11.2-, E11.31–E11.35, E11.4-, E11.53 or E11.62
- E14.72 **Unspecified diabetes mellitus with features of insulin resistance**
Other specified diabetes mellitus with one or more of the following:
- acanthosis nigricans
 - dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
 - hyperinsulinism
 - hypertension
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic fatty (change of) liver
 - obesity (meeting WHO or other recognised criteria)

ICD-10-AM Sixth Edition Errata 1:

- E14.71 **Unspecified diabetes mellitus with multiple microvascular and other specified nonvascular complications**
Two or more of conditions classifiable to E14.2-, E14.31–E14.35, E14.39, E14.4-, E14.53 or E14.62

ICD-10-AM Seventh Edition Errata 5:

- E14.71 **Unspecified diabetes mellitus with multiple microvascular and other specified nonvascular complications**
Two or more of conditions classifiable to E14.2-, E14.3-, E14.4-, E14.53 or E14.62
- E14.72 **Unspecified diabetes mellitus with features of insulin resistance**
Unspecified diabetes mellitus with one or more of the following features:
- acanthosis nigricans
 - dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
 - hyperinsulinism
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic fatty (change of) liver disease (NAFLD)
 - nonalcoholic steatohepatitis (NASH)
 - obesity (morbid)

ICD-10-AM Tenth Edition:

- E14.72 **Unspecified diabetes mellitus with features of insulin resistance**
Unspecified diabetes mellitus with one or more of the following features:
- acanthosis nigricans
 - dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol
 - hyperinsulinism
 - increased intra-abdominal visceral fat deposition
 - insulin resistance NOS
 - nonalcoholic fatty (change of) liver disease (NAFLD)
 - nonalcoholic steatohepatitis (NASH)
 - obesity
 - overweight

E14.72 Unspecified diabetes mellitus with features of insulin resistance**Status of inclusion term(s):** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Unspecified diabetes mellitus with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated (fasting) triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic: fatty (change of) liver disease (NAFLD)
- nonalcoholic steatohepatitis (NASH)
- obesity
- overweight

ICD-10-AM Thirteenth Edition:

Unspecified diabetes mellitus with one or more of the following features:

- acanthosis nigricans
- dyslipidaemia characterised by elevated (fasting) triglycerides or depressed HDL-cholesterol
- hyperinsulinism
- increased intra-abdominal visceral fat deposition
- insulin resistance NOS
- nonalcoholic:
 - fatty (change of) liver disease [NAFLD]
 - steatohepatitis [NASH]
- obesity
- overweight

E14.73 Unspecified diabetes mellitus with foot ulcer due to multiple causes**Status of glossary description:** Created – *Thirteenth Edition***E14.8 Unspecified diabetes mellitus with unspecified complication****Status of code(s):** Created – *First Edition***Status of code(s):** Deleted – *Second Edition***WHO ICD-10:**

E14.8 Unspecified diabetes mellitus with unspecified complications

ICD-10-AM First Edition:

E14.8 Unspecified diabetes mellitus with unspecified complications

E14.80 Unspecified diabetes mellitus with unspecified complications, not stated as uncontrolled

E14.81 Unspecified diabetes mellitus with unspecified complications, stated as uncontrolled

ICD-10-AM Second Edition:

E14.8 Unspecified diabetes mellitus with unspecified complication

E14.9 Unspecified diabetes mellitus without complication**Status of code(s):** Created – *First Edition***Status of code(s):** Revised – *Second Edition***WHO ICD-10:**

E14.9 Unspecified diabetes mellitus without complications

ICD-10-AM First Edition:

E14.9 Unspecified diabetes mellitus without complications

E14.90 Unspecified diabetes mellitus without complications, not stated as uncontrolled

E14.91 Unspecified diabetes mellitus without complications, stated as uncontrolled

ICD-10-AM Second Edition:

E14.9 Unspecified diabetes mellitus without complication

E15 Nondiabetic hypoglycaemic coma**Status of instructional note(s):** **Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***E16.1 Other hypoglycaemia****Status of inclusion term(s):** **Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Functional nonhyperinsulinaemic hypoglycaemia

Hyperinsulinism:

- functional
- NOS

Hyperplasia of pancreatic islet beta cells NOS

Posthypoglycaemic coma encephalopathy

ICD-10-AM Eleventh Edition:

Functional nonhyperinsulinaemic hypoglycaemia

Hyperinsulinism:

- congenital
- functional
- NOS

Hyperplasia of pancreatic islet beta cells NOS

Posthypoglycaemic coma encephalopathy† (G94.3*)

E16.4 Abnormal secretion of gastrin**Status of code(s):****Created – First Edition****Status of term(s):****Reclassified – First Edition****WHO ICD-10:**

E16.4 Abnormal secretion of gastrin (not implemented until 1999)

ICD-10-AM First Edition:

E16.4 Abnormal secretion of gastrin

Term reclassification:

Hypergastrinaemia

Zollinger-Ellison syndrome

E16.8 Other specified disorders of pancreatic internal secretion**Status of code(s):****Created, Deleted – First Edition****Status of term(s):****Reclassified – First Edition****WHO ICD-10:**

E16.8 Other specified disorders of pancreatic internal secretion

ICD-10-AM First Edition (publication):

E16.8 Other specified disorders of pancreatic internal secretion

E16.81 Increased secretion of gastrin

E16.88 Other specified disorders of pancreatic internal secretion

ICD-10-AM First Edition (First Errata):

E16.8 Other specified disorders of pancreatic internal secretion

Term reclassification:

Hypergastrinaemia

Zollinger-Ellison syndrome

E21.2 Other hyperparathyroidism**Status of inclusion term(s):** Created – **Seventh Edition****Term classification:**

Tertiary hyperparathyroidism

E22 Hyperfunction of pituitary gland**Status of excludes note:** Revised – **Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: Cushing's syndrome (E24.-)
 Nelson's syndrome (E24.1)
 overproduction of:
 • ACTH not associated with Cushing's disease (E27.0)
 • pituitary ACTH (E24.0)
 • thyroid-stimulating hormone (E05.8)

ICD-10-AM Eleventh Edition:

Excludes: Cushing's syndrome (E24.-)
 Nelson's syndrome (E24.1)
 overproduction of:
 • adrenocorticotrophic hormone [ACTH] not associated with Cushing's disease (E27.0)
 • pituitary adrenocorticotrophic hormone [ACTH] (E24.0)
 • thyroid-stimulating hormone (E05.8)

E22.1 Hyperprolactinaemia**Status of term:**Classified – **First Edition****Status of instructional note(s):**Revised – **Twelfth Edition****Term classification:**

Forbes-Albright syndrome

ICD-10-AM Eleventh Edition:*Use additional external cause code (Chapter 20) to identify drug, if drug-induced***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***E23.0 Hypopituitarism****Status of instructional note(s):**Created – **Tenth Edition****Status of instructional note(s):**Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code (O99.2) to identify panhypopituitary (Sheehan's) syndrome in puerperal period, if applicable.***ICD-10-AM Twelfth Edition:***Use additional code (O99.2) to identify panhypopituitary (Sheehan's) syndrome in puerperal period.***E23.2 Diabetes insipidus****Status of term:**Classified – **First Edition****Term classification:**

Vasopressin deficiency

E24.0 Pituitary-dependent Cushing's disease

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Overproduction of pituitary ACTH
Pituitary-dependent hyperadrenocorticism

ICD-10-AM Eleventh Edition:

Overproduction of pituitary adrenocorticotrophic hormone [ACTH]
Pituitary-dependent hyperadrenocorticism

E24.3 Ectopic ACTH syndrome

Status of inclusion term(s): Created – [Eleventh Edition](#)

E25.8 Other adrenogenital disorders

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

E27.0 Other adrenocortical overactivity

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Overproduction of ACTH, not associated with Cushing's disease
Premature adrenarche

ICD-10-AM Eleventh Edition:

Overproduction of adrenocorticotrophic hormone [ACTH], not associated with Cushing's disease
Premature adrenarche

E28.0 Oestrogen excess

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

E28.1 Androgen excess

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

E28.2 Polycystic ovarian syndrome

Status of inclusion term(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Sclerocystic ovary syndrome
Stein-Leventhal syndrome

ICD-10-AM Twelfth Edition:

Multicystic ovary or ovaries
Sclerocystic ovary syndrome
Stein-Leventhal syndrome

E29.1 Testicular hypofunction

Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

E34.3 Short stature, not elsewhere classified

Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Excludes: progeria (E34.8)
Russell-Silver syndrome (Q87.15)
short stature:
• achondroplastic (Q77.4)
• hypochondroplastic (Q77.4)
• in congenital malformation syndromes (Q87.1-)
• in specific dysmorphic syndromes - code to syndrome - see Alphabetic Index
• nutritional (E45)
• pituitary (E23.0)
• renal (N25.0)
short-limbed stature with immunodeficiency (D82.2)

ICD-10-AM Thirteenth Edition:

Excludes: progeria (E34.8)
Russell-Silver syndrome (Q87.15)
short stature:
• achondroplastic (Q77.4)
• hypochondroplastic (Q77.4)
• in:
• congenital malformation syndromes (Q87.1-)
• specific dysmorphic syndromes — code to syndrome — see Alphabetic Index
• nutritional (E45)
• pituitary (E23.0)
• renal (N25.0)
short-limbed stature with immunodeficiency (D82.2)

E40–E46 Malnutrition**Status of note:****Revised – Sixth Edition****Status of note:****Revised – Twelfth Edition****ICD-10-AM Fifth Edition:**

Note: The degree of malnutrition is usually measured in terms of weight, expressed in standard deviations from the mean of the relevant reference population. When one or more previous measurements are available, lack of weight gain in children, or evidence of weight loss in children or adults, is usually indicative of malnutrition. When only one measurement is available, the diagnosis is based on probabilities and is not definitive without other clinical or laboratory tests. In the exceptional circumstances that no measurement of weight is available, reliance should be placed on clinical evidence.

ICD-10-AM Sixth Edition:

Note: The degree of malnutrition is usually measured in terms of weight, expressed in standard deviations from the mean of the relevant reference population.

In children, when one or more previous measurements are available, lack of weight gain or evidence of weight loss is usually indicative of malnutrition. When only one measurement is available, the diagnosis is based on probabilities and is not definitive without other clinical or laboratory tests. In the exceptional circumstances that no measurement of weight is available, reliance should be placed on clinical evidence.

In adults, malnutrition includes weight loss of at least 5%, with evidence of suboptimal intake resulting in subcutaneous fat loss and/or muscle wasting.

ICD-10-AM Twelfth Edition:

Note: The degree of malnutrition is usually measured in terms of weight, expressed in standard deviations from the mean of the relevant reference population. In children, when one or more previous measurements are available, lack of weight gain or evidence of weight loss is usually indicative of malnutrition. When only one measurement is available, the diagnosis is based on probabilities and is not definitive without other clinical or laboratory tests. In the exceptional circumstances that no measurement of weight is available, reliance should be placed on clinical evidence. In adults, malnutrition includes weight loss of at least 5 per cent ...

E43 Unspecified severe protein-energy malnutrition**Status of glossary description:****Revised – Sixth Edition****Status of glossary description:****Revised – Twelfth Edition****ICD-10-AM Fifth Edition:**

Severe loss of weight [wasting] in children or adults, or lack of weight gain in children leading to an observed weight that is at least 3 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of severe wasting when the observed weight is 3 or more standard deviations below the mean of the reference population.

ICD-10-AM Sixth Edition:

In children, severe loss of weight [wasting] or lack of weight gain leading to an observed weight that is at least 3 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of severe wasting when the observed weight is 3 or more standard deviations below the mean of the reference population.

In adults, BMI <18.5 kg/m² or unintentional loss of weight (≥ 10%) with evidence of suboptimal intake resulting in severe loss of subcutaneous fat and/or severe muscle wasting.

ICD-10-AM Twelfth Edition:

...

In adults, BMI less than 18.5 kg/m² or unintentional loss of weight (10 per cent or more) with evidence of suboptimal intake resulting in severe loss of subcutaneous fat and/or severe muscle wasting.

E44.0 Moderate protein-energy malnutrition

Status of glossary description: *Revised – Sixth Edition*
Status of glossary description: *Revised – Twelfth Edition*

ICD-10-AM Fifth Edition:

Weight loss in children or adults, or lack of weight gain in children leading to an observed weight that is 2 or more but less than 3 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of moderate protein-energy malnutrition when the observed weight is 2 or more but less than 3 standard deviations below the mean of the reference population.

ICD-10-AM Sixth Edition:

In children, weight loss or lack of weight gain leading to an observed weight that is 2 or more but less than 3 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of moderate protein-energy malnutrition when the observed weight is 2 or more but less than 3 standard deviations below the mean of the reference population.

In adults, BMI < 18.5 kg/m² or unintentional loss of weight (5-9%) with evidence of suboptimal intake resulting in moderate loss of subcutaneous fat and/or moderate muscle wasting.

ICD-10-AM Twelfth Edition:

...

In adults, BMI less than 18.5 kg/m² or unintentional loss of weight (5-9 per cent) with evidence of suboptimal intake resulting in moderate loss of subcutaneous fat and/or moderate muscle wasting.

E44.1 Mild protein-energy malnutrition

Status of glossary description: *Revised – Sixth Edition*
Status of glossary description: *Revised – Seventh Edition*
Status of glossary description: *Revised – Twelfth Edition*

ICD-10-AM Fifth Edition:

Weight loss in children or adults, or lack of weight gain in children leading to an observed weight that is 1 or more but less than 2 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of mild protein-energy malnutrition when the observed weight is 1 or more but less than 2 standard deviations below the mean of the reference population.

ICD-10-AM Sixth Edition:

In children, weight loss or lack of weight gain leading to an observed weight that is 1 or more but less than 2 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of moderate protein-energy malnutrition when the observed weight is 1 or more but less than 2 standard deviations below the mean of the reference population.

In adults, BMI < 18.5 kg/m² or unintentional loss of weight (5-9%) with evidence of suboptimal intake resulting in mild loss of subcutaneous fat and/or mild muscle wasting.

ICD-10-AM Seventh Edition:

In children, weight loss or lack of weight gain leading to an observed weight that is 1 or more but less than 2 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of mild protein-energy malnutrition when the observed weight is 1 or more but less than 2 standard deviations below the mean of the reference population.

In adults, BMI < 18.5 kg/m² or unintentional loss of weight (5-9%) with evidence of suboptimal intake resulting in mild loss of subcutaneous fat and/or mild muscle wasting.

ICD-10-AM Twelfth Edition:

...

In adults, BMI less than 18.5 kg/m² or unintentional loss of weight (5-9 per cent) with evidence of suboptimal intake resulting in mild loss of subcutaneous fat and/or mild muscle wasting.

E61 Deficiency of other nutrient elements

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

E63 Other nutritional deficiencies

Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: dehydration (E86)
failure to thrive (R62.8)
feeding problems in newborn (P92.-)
sequelae of malnutrition and other nutritional deficiencies (E64.-)

ICD-10-AM Tenth Edition:

Excludes: dehydration (E86)
failure to thrive:
• adult (R64)
• NOS (child) (R62.8)
feeding problems in newborn (P92.-)
sequelae of malnutrition and other nutritional deficiencies (E64.-)

E64.3 Sequelae of rickets

Status of instructional note(s): Created – [Fifth Edition](#)
Status of instructional note(s): Revised – [Sixth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Fifth Edition:

Use additional code (M40.0- – M40.2-) to identify kyphosis

ICD-10-AM Sixth Edition:

Use additional code (M40.1-, M41.5-) to identify spinal deformity

ICD-10-AM Twelfth Edition:

Code first secondary kyphosis or scoliosis (M40.1-, M41.5-) to identify spinal deformity, if applicable.

E66 Obesity and overweight

Status of code title: Revised – [Tenth Edition](#)
Status of note: Created – [Tenth Edition](#)
Status of code title(s): Revised – [Eleventh Edition Errata](#)
Status of code title(s): Revised – [Twelfth Edition](#)

ICD-10-AM Ninth Edition:

E66 Obesity

ICD-10-AM Tenth Edition:

E66 Obesity and overweight

ICD-10-AM Eleventh Edition Hard copy:

For patients under 18 years of age, assign fifth character 0.

- ⊛ 0 body mass index [BMI] not elsewhere classified
- ⊛ 1 body mass index [BMI] 30 kg/m² to 34.99 kg/m²
Obese class I
- ⊛ 2 body mass index [BMI] 35 kg/m² to 39.99 kg/m²
Obese class II
- ⊛ 3 body mass index [BMI] 40 kg/m²
Clinically severe obesity
Extreme obesity
Obese class III

ICD-10-AM Eleventh Edition Errata:

For patients under 18 years of age, assign fifth character 0.

- ⊛ 0 body mass index [BMI] not elsewhere classified
- ⊛ 1 body mass index [BMI] ≥ 30 kg/m² to ≤ 34.99 kg/m²
Obese class I
- ⊛ 2 body mass index [BMI] ≥ 35 kg/m² to ≤ 39.99 kg/m²
Obese class II
- ⊛ 3 body mass index [BMI] ≥ 40 kg/m²
Clinically severe obesity
Extreme obesity
Obese class III

ICD-10-AM Twelfth Edition:

For patients under 18 years of age, assign fifth character 0.

- ⊛ 0 body mass index [BMI] not elsewhere classified
- ⊛ 1 body mass index [BMI] 30 kg/m² to 34.99 kg/m²
Obese class I
- ⊛ 2 body mass index [BMI] 35 kg/m² to 39.99 kg/m²
Obese class II
- ⊛ 3 body mass index [BMI] 40 kg/m² or more
Clinically severe obesity
Extreme obesity
Obese class III

E66.0 Obesity due to excess calories

Status of code:

Deleted – Tenth Edition

E66.1 Drug-induced obesity

Status of excludes note:

Created – Sixth Edition

Status of code(s):

Created – Tenth Edition

Status of code title(s):

Revised – Twelfth Edition

ICD-10-AM Ninth Edition:

E66.1 Drug-induced obesity

ICD-10-AM Tenth Edition:

E66.1 Drug-induced obesity

E66.10 Drug-induced obesity, body mass index [BMI] not elsewhere classified

E66.11 Drug-induced obesity, body mass index [BMI] ≥ 30 kg/m² to ≤ 34.99 kg/m²

E66.12 Drug-induced obesity, body mass index [BMI] ≥ 35 kg/m² to ≤ 39.99 kg/m²

E66.13 Drug-induced obesity, body mass index [BMI] ≥ 40 kg/m²

ICD-10-AM Twelfth Edition:

E66.1	Drug-induced obesity
E66.10	Drug-induced obesity, body mass index [BMI] not elsewhere classified
E66.11	Drug-induced obesity, body mass index [BMI] 30 kg/m ² to 34.99 kg/m ²
E66.12	Drug-induced obesity, body mass index [BMI] 35 kg/m ² to 39.99 kg/m ²
E66.13	Drug-induced obesity, body mass index [BMI] 40 kg/m ² or more

E66.2 Obesity with alveolar hypoventilation

Status of inclusion term(s):	Revised – Eighth Edition
Status of code title:	Revised – Tenth Edition
Status of code(s):	Created – Tenth Edition
Status of code title(s):	Revised – Twelfth Edition

ICD-10-AM Seventh Edition:

Pickwickian syndrome

ICD-10-AM Eighth Edition:Obesity hypoventilation syndrome (OHS)
Pickwickian syndrome**ICD-10-AM Ninth Edition:**

E66.2 Extreme obesity with alveolar hypoventilation

ICD-10-AM Tenth Edition:

E66.2	Obesity with alveolar hypoventilation
E66.20	Obesity with alveolar hypoventilation, body mass index [BMI] not elsewhere classified
E66.21	Obesity with alveolar hypoventilation, body mass index [BMI] ≥ 30 kg/m ² to ≤ 34.99 kg/m ²
E66.22	Obesity with alveolar hypoventilation, body mass index [BMI] ≥ 35 kg/m ² to ≤ 39.99 kg/m ²
E66.23	Obesity with alveolar hypoventilation, body mass index [BMI] ≥ 40 kg/m ²

ICD-10-AM Twelfth Edition:

E66.2	Obesity with alveolar hypoventilation
E66.20	Obesity with alveolar hypoventilation, body mass index [BMI] not elsewhere classified
E66.21	Obesity with alveolar hypoventilation, body mass index [BMI] 30 kg/m ² to 34.99 kg/m ²
E66.22	Obesity with alveolar hypoventilation, body mass index [BMI] 35 kg/m ² to 39.99 kg/m ²
E66.23	Obesity with alveolar hypoventilation, body mass index [BMI] 40 kg/m ² or more

E66.3 Overweight

Status of code:	Created – Tenth Edition
Status of inclusion term(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:Body mass index [BMI] ≥ 25 kg/m² to ≤ 29.99 kg/m²**ICD-10-AM Twelfth Edition:**Body mass index [BMI] 25 kg/m² to 29.99 kg/m²**E66.8 Other obesity**

Status of code:	Deleted – Tenth Edition
------------------------	--------------------------------

E66.9 Obesity, not elsewhere classified

Status of code title: Revised – **Tenth Edition**
Status of inclusion term(s): Deleted – **Tenth Edition**
Status of code(s): Created – **Tenth Edition**
Status of code title(s): Revised – **Twelfth Edition**

ICD-10-AM Ninth Edition:

E66.9 Obesity, unspecified

ICD-10-AM Tenth Edition:

E66.9 Obesity, not elsewhere classified
 E66.90 Obesity, not elsewhere classified, body mass index [BMI] not elsewhere classified
 E66.91 Obesity, not elsewhere classified, body mass index [BMI] ≥ 30 kg/m² to ≤ 34.99 kg/m²
 E66.92 Obesity, not elsewhere classified, body mass index [BMI] ≥ 35 kg/m² to ≤ 39.99 kg/m²
 E66.93 Obesity, not elsewhere classified, body mass index [BMI] ≥ 40 kg/m²

ICD-10-AM Twelfth Edition:

E66.9 Obesity, not elsewhere classified
 E66.90 Obesity, not elsewhere classified, body mass index [BMI] not elsewhere classified
 E66.91 Obesity, not elsewhere classified, body mass index [BMI] 30 kg/m² to 34.99 kg/m²
 E66.92 Obesity, not elsewhere classified, body mass index [BMI] 35 kg/m² to 39.99 kg/m²
 E66.93 Obesity, not elsewhere classified, body mass index [BMI] 40 kg/m² or more

E70.8 Other disorders of aromatic amino-acid metabolism

Status of term: Classified – **First Edition**

Term classification:

Indicanuria

E71.1 Other disorders of branched-chain amino-acid metabolism

Status of term: Classified – **First Edition**

Term classification:

Leucinosi

E71.3 Disorders of fatty-acid metabolism

Status of excludes note: Revised – **Fifth Edition**
Status of inclusion term(s): Revised – **Ninth Edition**

ICD-10-AM Fourth Edition:

Excludes: Refsum's disease (G60.1)
 Schilder's disease (G37.0)
 Zellweger syndrome (Q87.83)

ICD-10-AM Fifth Edition:

Excludes: Schilder's disease (G37.0)

ICD-10-AM Ninth Edition:

Adrenoleukodystrophy [Addison-Schilder]
 Muscle carnitine palmitoyltransferase deficiency
 Very long chain acyl-CoA dehydrogenase (VLCAD) deficiency
Excludes: Schilder's disease (G37.0)

E72.0 Disorders of amino-acid transport**Status of inclusion term(s):** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

Cystinosis
 Cystinuria
 Fanconi(-de Toni) (-Debré) syndrome
 Hartnup's disease
 Lowe's syndrome

ICD-10-AM Sixth Edition:

Cystine storage disease † (N29.8*)
 Cystinosis
 Cystinuria
 Fanconi(-de Toni) (-Debré) syndrome
 Hartnup's disease
 Lowe's syndrome

E72.3 Disorders of lysine and hydroxylysine metabolism**Status of excludes note:** Created – *Fifth Edition***E74.0 Glycogen storage disease****Status of inclusion term(s):** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

Cardiac glycogenosis
 Disease:
 • Andersen
 • Cori
 • Forbes
 • Hers
 • McArdle
 • Pompe
 • Tauri
 • von Gierke
 Liver phosphorylase deficiency

ICD-10-AM Sixth Edition:

Cardiac glycogenosis
 Disease:
 • Andersen
 • Cori
 • Forbes
 • Hers
 • McArdle
 • Pompe
 • Tarui
 • Tauri
 • von Gierke
 Liver phosphorylase deficiency

E75.5 Other lipid storage disorders**Status of inclusion term(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:**

Cerebrotendinous cholesterosis [van Bogaert-Scherer-Epstein]
 Wolman's disease

ICD-10-AM Twelfth Edition:

Cerebrotendinous cholesterosis
 Wolman's disease

E77.0 Defects in post-translational modification of lysosomal enzymes**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Mucopolipidosis II [I-cell disease]
 Mucopolipidosis III [pseudo-Hurler polydystrophy]

ICD-10-AM Eleventh Edition:

Mucopolipidosis:
 • II [I-cell disease]
 • III [pseudo-Hurler polydystrophy]

E78.2 Mixed hyperlipidaemia**Status of excludes note:** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:****Excludes:** cerebrotendinous cholesterosis [van Bogaert-Scherer-Epstein] (E75.5)**ICD-10-AM Twelfth Edition:****Excludes:** cerebrotendinous cholesterosis (E75.5)**E79.0 Hyperuricaemia without signs of inflammatory arthritis and tophaceous disease****Status of term:** Reclassified – *First Edition***Term reclassification:**

Lithaemia

E79.8 Other disorders of purine and pyrimidine metabolism**Status of term:** Classified – *First Edition***Term classification:**

Xanthine calculus

E83.3 Disorders of phosphorus metabolism and phosphatases**Status of code title:** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

E83.3 Disorders of phosphorus metabolism

ICD-10-AM Sixth Edition:

E83.3 Disorders of phosphorus metabolism and phosphatases

E83.5 Disorders of calcium metabolism**Status of term:** Reclassified – *First Edition***Term reclassification:**

Metastatic calcification

E84 Cystic fibrosis

Status of code(s): Deleted – [Ninth Edition](#)
Status of glossary description: Created – [Thirteenth Edition](#)
Status of note: Created – [Thirteenth Edition](#)

ICD-10-AM Eighth Edition:

E84 Cystic fibrosis
[E84.0](#) Cystic fibrosis with pulmonary manifestations
[E84.1](#) Cystic fibrosis with intestinal manifestations
[E84.8](#) Cystic fibrosis with other manifestations
[E84.9](#) Cystic fibrosis, unspecified

ICD-10-AM Ninth Edition:

E84 Cystic fibrosis

E84.0 Cystic fibrosis with intestinal manifestations

Status of code(s): Deleted – [Ninth Edition](#)

E84.1 Cystic fibrosis with intestinal manifestations

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of code: Deleted – [Ninth Edition](#)

ICD-10-AM Sixth Edition:

Meconium ileus† (P75*)

Excludes: meconium obstruction in cases where cystic fibrosis is known not to be present (P76.0)

ICD-10-AM Seventh Edition:

Distal intestinal obstruction syndrome

Meconium ileus in cystic fibrosis† (P75*)

Excludes: meconium obstruction (ileus) in cases where cystic fibrosis is known not to be present (P76.0)

E84.8 Cystic fibrosis with other manifestations

Status of inclusion term(s): Deleted – [Eighth Edition](#)
Status of code: Deleted – [Ninth Edition](#)

E84.9 Cystic fibrosis, unspecified

Status of code: Deleted – [Ninth Edition](#)

E85 Amyloidosis

Status of term: Reclassified – [Third Edition](#)

Term reclassification:

Primary amyloidosis

E85.0 Non-neuropathic hereditary familial amyloidosis

Status of code(s): Created – [Twelfth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

E85.0 Non-neuropathic hereditary familial amyloidosis

ICD-10-AM Twelfth Edition:

E85.0 Non-neuropathic hereditary familial amyloidosis

E85.01 Familial Mediterranean fever

E85.09 Non-neuropathic hereditary familial amyloidosis, not elsewhere classified

E86 Volume depletion

Status of instructional note(s): Created – [Twelfth Edition](#)

E87.0 Hyperosmolality and hypernatraemia

Status of excludes note: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

E87.0 Hyperosmolality and hypernatraemia

Excludes: with diabetes mellitus (E11–E14 with common fourth character .0)

ICD-10-AM Sixth Edition:

E87.0 Hyperosmolality and hypernatraemia

Excludes: with diabetes mellitus (E1-.0-)

E87.1 Hypo-osmolality and hyponatraemia

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Low salt syndrome

E87.5 Hyperkalaemia

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Potassium [K] excess

Potassium [K] overload

ICD-10-AM Eleventh Edition:

Potassium [K]:

- excess
- overload

E88 Other metabolic disorders

Status of excludes note: Revised – [Seventh Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Excludes: histiocytosis X (chronic) (D76.0)

ICD-10-AM Seventh Edition:

Excludes: histiocytosis X (chronic) (C96.6)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

E88.0 Disorders of plasma-protein metabolism, not elsewhere classified

Status of excludes note: **Revised – Seventh Edition**

ICD-10-AM Sixth Edition:

Excludes: disorder of lipoprotein metabolism (E78.-)
monoclonal gammopathy (D47.2)
polyclonal hypergammaglobulinaemia (D89.0)
Waldenström's macroglobulinaemia (C88.0-)

ICD-10-AM Seventh Edition:

Excludes: disorder of lipoprotein metabolism (E78.-)
monoclonal gammopathy of undetermined significance (MGUS) (D47.2)
polyclonal hypergammaglobulinaemia (D89.0)
Waldenström's macroglobulinaemia (C88.0-)

E88.3 Tumour lysis syndrome

Status of code: **Created – Seventh Edition**
Status of instructional note(s): **Created – Twelfth Edition**
Status of instructional note(s): **Deleted – Thirteenth Edition**

WHO ICD-10:

E88.3 Tumour lysis syndrome

ICD-10-AM Seventh Edition:

E88.3 Tumour lysis syndrome

E88.4 Lipoedema

Status of code: **Created – Twelfth Edition**

E88.8 Other specified metabolic disorders

Status of term: **Reclassified – Second Edition**
Status of excludes note: **Created – Twelfth Edition**

Term reclassification:

Mitochondrial (cytopathy) (defect) (disease) (disorder) (syndrome) NOS

E89 Intraoperative and postprocedural disorders of endocrine and metabolic system

Status of code title: **Revised – Tenth Edition**
Status of code title: **Revised – Thirteenth Edition**
Status of excludes note: **Created – Thirteenth Edition**

ICD-10-AM Ninth Edition:

E89 Postprocedural endocrine and metabolic disorders, not elsewhere classified

ICD-10-AM Tenth Edition:

E89 Intraoperative and postprocedural disorders of endocrine and metabolic system, not elsewhere classified

ICD-10-AM Thirteenth Edition:

E89 Intraoperative and postprocedural disorders of endocrine and metabolic system

E89.7 Accidental puncture and laceration of endocrine system organ or structure during a procedure

Status of code(s):

Created – Tenth Edition

Status of excludes note:

Created – Thirteenth Edition

ICD-10-AM Tenth Edition

- E89.7 Accidental puncture and laceration of endocrine system organ or structure during a procedure
- E89.71 Accidental puncture and laceration of thyroid gland during a procedure
- E89.72 Accidental puncture and laceration of parathyroid gland during a procedure
- E89.73 Accidental puncture and laceration of adrenal gland during a procedure
- E89.74 Accidental puncture and laceration of pituitary gland during a procedure
- E89.79 Accidental puncture and laceration of endocrine system organ or structure during a procedure, not elsewhere classified

E89.8 Other intraoperative and postprocedural disorders of endocrine and metabolic system

Status of code title:

Revised – Tenth Edition

Status of code:

Deleted – Thirteenth Edition

ICD-10-AM Ninth Edition:

- E89.8 Other postprocedural endocrine and metabolic disorders

ICD-10-AM Tenth Edition:

- E89.8 Other intraoperative and postprocedural disorders of endocrine and metabolic system

E89.9 Intraoperative and postprocedural disorders of endocrine and metabolic system, unspecified

Status of code title:

Revised – Tenth Edition

Status of code:

Deleted – Thirteenth Edition

ICD-10-AM Ninth Edition:

- E89.9 Postprocedural endocrine and metabolic disorder, unspecified

ICD-10-AM Tenth Edition:

- E89.9 Intraoperative and postprocedural disorders of endocrine and metabolic system, unspecified

E90 Nutritional and metabolic disorders in diseases classified elsewhere

Status of code:

Deleted – Third Edition

Chapter 5 Mental and behavioural disorders (F00–F99)

Status of note: Created – *Twelfth Edition*
Status of note: Revised – *Thirteenth Edition*
Status of instructional note: Created – *Thirteenth Edition*
Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Note: The Glossary description/definitions in Chapter 5 are clinical descriptions and are included in ICD-10-AM in accordance with ICD-10 (see ICD-10-AM Tabular List: *Conventions used in the ICD-10-AM Tabular List/ Glossary descriptions/Definitions*). While the Glossary descriptions have been retained, they may contain outdated terminology and definitions.

...
Excludes: symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Thirteenth Edition:

Note: The Glossary descriptions in Chapter 5 are clinical descriptions and are included in ICD-10-AM in accordance with ICD-10 (see *Conventions used in the ICD-10-AM Tabular List/7.1 Glossary description*). While the Glossary descriptions have been retained, they may contain outdated terminology and definitions.

...
Excludes: symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R39, R47–R99)

F00–F09 Organic, including symptomatic, mental disorders

Status of instructional note(s): Deleted – *Eleventh Edition*

F00* Dementia in Alzheimer's disease (G30.-†)

Status of instructional note(s): Created – *Twelfth Edition*

F00.0* Dementia in Alzheimer's disease with early onset (G30.0†)

Status of code(s): Created – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

F00.0* Dementia in Alzheimer's disease with early onset (G30.0†)

ICD-10-AM Twelfth Edition:

F00.0* Dementia in Alzheimer's disease with early onset (G30.0†)
 F00.00* Dementia in Alzheimer's disease with early onset, without mention of psychological or behavioural disturbance (G30.0+)
 F00.01* Dementia in Alzheimer's disease with early onset, with psychological or behavioural disturbance (G30.0+)

F00.1* Dementia in Alzheimer's disease with late onset (G30.1†)

Status of code(s): Created – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

F00.1* Dementia in Alzheimer's disease with late onset (G30.1†)

ICD-10-AM Twelfth Edition:

F00.1* Dementia in Alzheimer's disease with late onset (G30.1†)
 F00.10* Dementia in Alzheimer's disease with late onset, without mention of psychological or behavioural disturbance
 F00.11* Dementia in Alzheimer's disease with late onset, with psychological or behavioural disturbance (G30.1+)

F00.2* Dementia in Alzheimer's disease, atypical or mixed type (G30.8†)**Status of code(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

F00.2* Dementia in Alzheimer's disease, atypical or mixed type (G30.8†)

ICD-10-AM Twelfth Edition:

F00.2* Dementia in Alzheimer's disease, atypical or mixed type (G30.8†)

F00.20* Dementia in Alzheimer's disease, atypical or mixed type, without mention of psychological or behavioural disturbance (G30.8+)

F00.21* Dementia in Alzheimer's disease, atypical or mixed type, with psychological or behavioural disturbance (G30.8+)

F00.9* Dementia in Alzheimer's disease, unspecified (G30.9†)**Status of code(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

F00.9* Dementia in Alzheimer's disease, unspecified (G30.9†)

ICD-10-AM Twelfth Edition:

F00.9* Dementia in Alzheimer's disease, unspecified (G30.9†)

F00.90* Dementia in Alzheimer's disease, unspecified, without mention of psychological or behavioural disturbance (G30.9+)

F00.91* Dementia in Alzheimer's disease, unspecified, with psychological or behavioural disturbance (G30.9+)

F01 Vascular dementia**Status of instructional note(s):****Created – [Eleventh Edition](#)****Status of instructional note(s):****Revised – [Twelfth Edition](#)/[Twelfth Edition](#)****ICD-10-AM Eleventh Edition:***Use additional code to identify underlying disease.***ICD-10-AM Twelfth Edition:***Code also underlying cause.*

The following fifth character subdivisions are for use with subcategories F01.0–F01.9:

- ✱ 0 without mention of psychological or behavioural disturbance
- ✱ 1 with psychological or behavioural disturbance
 - Behavioural and psychological symptoms of dementia (BPSD)
 - Dementia with one or more of the following disturbances present:
 - aggressive behaviour
 - apathy
 - behavioural disturbance
 - disinhibition
 - mood disturbance
 - psychological disturbance
 - violent behaviour
 - wandering

F01.0 Vascular dementia of acute onset**Status of code(s):****Created – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

F01.0 Vascular dementia of acute onset

ICD-10-AM Twelfth Edition:

F01.0 Vascular dementia of acute onset

F01.00 Vascular dementia of acute onset, without mention of psychological or behavioural disturbance

F01.01 Vascular dementia of acute onset, with psychological or behavioural disturbance

F01.1 Multi-infarct dementia**Status of code(s):****Created – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

F01.1 Multi-infarct dementia

ICD-10-AM Twelfth Edition:

F01.1 Multi-infarct dementia

F01.10 Multi-infarct dementia, without mention of psychological or behavioural disturbance

F01.11 Multi-infarct dementia, with psychological or behavioural disturbance

F01.2 Subcortical vascular dementia**Status of code(s):****Created – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

F01.2 Subcortical vascular dementia

ICD-10-AM Twelfth Edition:

F01.2 Subcortical vascular dementia

F01.20 Subcortical vascular dementia, without mention of psychological or behavioural disturbance

F01.21 Subcortical vascular dementia, with psychological or behavioural disturbance

F01.3 Mixed cortical and subcortical vascular dementia**Status of code(s):****Created – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

F01.3 Mixed cortical and subcortical vascular dementia

ICD-10-AM Twelfth Edition:

F01.3 Mixed cortical and subcortical vascular dementia

F01.30 Mixed cortical and subcortical vascular dementia, without mention of psychological or behavioural disturbance

F01.31 Mixed cortical and subcortical vascular dementia, with psychological or behavioural disturbance

F01.8 Other vascular dementia*Status of code(s):**Created – Twelfth Edition***ICD-10-AM Eleventh Edition:**

F01.8 Other vascular dementia

ICD-10-AM Twelfth Edition:

F01.8 Other vascular dementia

F01.80 Other vascular dementia, without mention of psychological or behavioural disturbance

F01.81 Other vascular dementia, with psychological or behavioural disturbance

F01.9 Vascular dementia, unspecified*Status of code(s):**Created – Twelfth Edition***ICD-10-AM Eleventh Edition:**

F01.9 Vascular dementia, unspecified

ICD-10-AM Twelfth Edition:

F01.9 Vascular dementia, unspecified

F01.90 Vascular dementia, unspecified, without mention of psychological or behavioural disturbance

F01.91 Vascular dementia, unspecified, with psychological or behavioural disturbance

F02* Dementia in other diseases classified elsewhere*Status of instructional note(s):**Created – Twelfth Edition***F02.0* Dementia in Pick's disease (G31.0†)***Status of code(s):**Created – Twelfth Edition***ICD-10-AM Eleventh Edition:**

F02.0* Dementia in Pick's disease (G31.0†)

ICD-10-AM Twelfth Edition:

F02.0* Dementia in Pick's disease (G31.0†)

F02.00* Dementia in Pick's disease, without mention of psychological or behavioural disturbance (G31.0+)

F02.01* Dementia in Pick's disease, with psychological or behavioural disturbance (G31.0+)

F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0†)*Status of code(s):**Created – Twelfth Edition***ICD-10-AM Eleventh Edition:**

F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0†)

ICD-10-AM Twelfth Edition:

F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0†)

F02.10* Dementia in Creutzfeldt-Jakob disease, without mention of psychological or behavioural disturbance (A81.0+)

F02.11* Dementia in Creutzfeldt-Jakob disease, with psychological or behavioural disturbance (A81.0+)

F02.2* Dementia in Huntington's disease (G10†)**Status of code(s):****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

F02.2* Dementia in Huntington's disease (G10†)

ICD-10-AM Twelfth Edition:

F02.2* Dementia in Huntington's disease (G10†)

F02.20* Dementia in Huntington's disease, without mention of psychological or behavioural disturbance (G10+)

F02.21* Dementia in Huntington's disease, with psychological or behavioural disturbance (G10+)

F02.3* Dementia in Parkinson's disease (G20†)**Status of code(s):****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

F02.3* Dementia in Parkinson's disease (G20†)

ICD-10-AM Twelfth Edition:

F02.3* Dementia in Parkinson's disease (G20†)

F02.30* Dementia in Parkinson's disease, without mention of psychological or behavioural disturbance (G20+)

F02.31* Dementia in Parkinson's disease, with psychological or behavioural disturbance (G20+)

F02.4* Dementia in human immunodeficiency virus [HIV] disease (B22†)**Status of code(s):****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

F02.4* Dementia in human immunodeficiency virus [HIV] disease (B22†)

ICD-10-AM Twelfth Edition:

F02.4* Dementia in human immunodeficiency virus [HIV] disease (B22†)

F02.40* Dementia in human immunodeficiency virus [HIV] disease, without mention of psychological or behavioural disturbance (B22+)

F02.41* Dementia in human immunodeficiency virus [HIV] disease, with psychological or behavioural disturbance (B22+)

F02.8* Dementia in other specified diseases classified elsewhere**Status of inclusion term(s):****Revised – Sixth Edition****Status of code(s):****Created – Twelfth Edition****ICD-10-AM Fifth Edition:**

Dementia in:

- cerebral lipidosis (E75.-†)
- epilepsy (G40.-†)
- hepatolenticular degeneration (E83.0†)
- hypercalcaemia (E83.5†)
- hypothyroidism, acquired (E01.-†, E03.-†)
- intoxications (T36–T65†)
- Lewy body disease (G31.3†)
- multiple sclerosis (G35†)
- neurosyphilis (A52.1†)
- niacin deficiency [pellagra] (E52†)
- polyarteritis nodosa (M30.0†)
- systemic lupus erythematosus (M32.-†)
- trypanosomiasis (B56.-†, B57.-†)
- vitamin B₁₂ deficiency (E53.8†)

ICD-10-AM Sixth Edition:

Dementia (in):

- cerebral lipidosis (E75.-†)
- epilepsy (G40.-†)
- hepatolenticular degeneration (E83.0†)
- hypercalcaemia (E83.5†)
- hypothyroidism, acquired (E01.-†, E03.-†)
- intoxications (T36–T65†)
- Lewy body disease (G31.3†)
- multiple sclerosis (G35†)
- neurosyphilis (A52.1†)
- niacin deficiency [pellagra] (E52†)
- polyarteritis nodosa (M30.0†)
- systemic lupus erythematosus (M32.-†)
- trypanosomiasis (B56.-†, B57.-†)
- uraemia (N18.5†)
- vitamin B₁₂ deficiency (E53.8†)

ICD-10-AM Eleventh Edition:

F02.8* Dementia in other specified diseases classified elsewhere

ICD-10-AM Twelfth Edition:

F02.8* Dementia in other specified diseases classified elsewhere

F02.80* Dementia in other specified diseases classified elsewhere, without mention of psychological or behavioural disturbance

F02.81* Dementia in other specified diseases classified elsewhere, with psychological or behavioural disturbance

F03 Unspecified dementia**Status of instructional note(s):****Created – Eleventh Edition****Status of code(s):****Created – Twelfth Edition****Status of instructional note(s):****Revised – Twelfth Edition/Twelfth Edition****ICD-10-AM Eleventh Edition:**

F03 Unspecified dementia

*Use additional code to identify underlying disease***ICD-10-AM Twelfth Edition:**

F03 Unspecified dementia

Code also underlying cause

...

Insert fourth character filler digit '0' for category F03.

The following fifth character subdivisions are for use with F03:

- ✱ 0 without mention of psychological or behavioural disturbance
- ✱ 1 with psychological or behavioural disturbance
 - Behavioural and psychological symptoms of dementia (BPSD)
 - Dementia with one or more of the following disturbances present:
 - aggressive behaviour
 - apathy
 - behavioural disturbance
 - disinhibition
 - mood disturbance
 - psychological disturbance
 - violent behaviour
 - wandering

F03.00 Unspecified dementia, without mention of psychological or behavioural disturbance

F03.01 Unspecified dementia, with psychological or behavioural disturbance

F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances

Status of term: *Classified – First Edition*
Status of code(s): *Created – Second Edition*
Status of instructional note(s): *Created – Eleventh Edition*
Status of instructional note(s): *Revised – Twelfth Edition*

Term classification:
 Meynert's amentia, non-alcoholic

ICD-10-AM First Edition:

F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances

ICD-10-AM Second Edition:

F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances
 F04.0 Post traumatic amnesia
 F04.00 Post traumatic amnesia, unspecified
 F04.01 Post traumatic amnesia, duration < 24 hours
 F04.02 Post traumatic amnesia, duration ≥ 24 hours and < 14 days
 F04.03 Post traumatic amnesia, duration ≥ 14 days
 F04.9 Amnesic syndrome, unspecified

ICD-10-AM Eleventh Edition:

Use additional code to identify underlying disease.

ICD-10-AM Twelfth Edition:

Code also underlying cause.

F04.01 Post traumatic amnesia, less than 24 hours duration

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

F04.01 Post traumatic amnesia, duration < 24 hours

ICD-10-AM Twelfth Edition:

F04.01 Post traumatic amnesia, less than 24 hours duration

F04.02 Post traumatic amnesia, 24 hours or more but less than 14 days duration

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

F04.02 Post traumatic amnesia, duration ≤ 24 hours and < 14 days

ICD-10-AM Twelfth Edition:

F04.02 Post traumatic amnesia, 24 hours or more but less than 14 days duration

F04.03 Post traumatic amnesia, 14 days or more duration

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

F04.03 Post traumatic amnesia, duration $\geq$ 14 days

ICD-10-AM Twelfth Edition:

F04.03 Post traumatic amnesia, 14 days or more duration

F05 Delirium, not induced by alcohol and other psychoactive substances

Status of instructional note(s): Created – [Eleventh Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code to identify underlying disease.

ICD-10-AM Twelfth Edition:

Code also underlying cause.

F05.1 Delirium superimposed on dementia

Status of inclusion term(s): Deleted – [Eleventh Edition](#)

Status of instructional note(s): Created – [Eleventh Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

Status of excludes note: Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also specific type of dementia, if known.

ICD-10-AM Twelfth Edition:

Code also specific type of dementia.

F05.8 Other delirium

Status of instructional note(s): Created – [Eleventh Edition](#)

Status of glossary description: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Acute psychosis due to or associated with physical disease or condition

ICD-10-AM Twelfth Edition:

Acute psychosis with delirium due to or associated with physical disease or condition

F06 Other mental disorders due to brain damage and dysfunction and to physical disease or condition

Status of code title: Revised – [Eleventh Edition](#)
Status of glossary description: Created – [Eleventh Edition](#)
Status of includes note: Deleted – [Eleventh Edition](#)
Status of instructional note(s): Created – [Eleventh Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

F06 Other mental disorders due to brain damage and dysfunction and to physical disease

Excludes: associated with:

- delirium (F05.-)
- dementia as classified in F00–F03

resulting from use of alcohol and other psychoactive substances (F10–F19)

ICD-10-AM Eleventh Edition:

F06 Other mental disorders due to brain damage and dysfunction and to physical disease or condition

Use additional code to identify underlying disease.

Excludes: associated with dementia — see Alphabetic Index
resulting from use of alcohol and other psychoactive substances (F10–F19)

ICD-10-AM Twelfth Edition:

Code also underlying cause.

F06.2 Organic delusional [schizophrenia-like] disorder

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Schizophrenia-like psychosis in epilepsy

ICD-10-AM Eleventh Edition:

Schizophrenia-like psychosis

F06.3 Organic mood [affective] disorders

Status of code(s): Revised – [Fourth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)

ICD-10-AM Third Edition:

F06.3 Organic mood [affective] disorders

ICD-10-AM Fourth Edition:

F06.3 Organic mood [affective] disorders
 F06.30 Organic mood [affective] disorder, unspecified
 F06.31 Organic manic disorder
 F06.32 Organic bipolar disorder
 F06.33 Organic depressive disorder
 F06.34 Organic mixed affective disorder
 F06.39 Other organic mood [affective] disorder

F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease or condition

Status of code title: *Revised – Eleventh Edition*

Status of inclusion term(s): *Revised – Eleventh Edition*

ICD-10-AM Tenth Edition:

F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease
Epileptic psychosis NOS

ICD-10-AM Eleventh Edition:

F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease or condition
Psychosis (chronic) (NOS) due to physical disease or condition

F06.9 Unspecified mental disorder due to brain damage and dysfunction and to physical disease or condition

Status of term: *Reclassified – First Edition*

Status of code title: *Revised – Eleventh Edition*

Term reclassification:

Mental disorder due to general medical condition
Mental disorder following organic brain damage
Organic or symptomatic mental disorder

ICD-10-AM Tenth Edition:

F06.9 Unspecified mental disorder due to brain damage and dysfunction and to physical disease

ICD-10-AM Eleventh Edition:

F06.9 Unspecified mental disorder due to brain damage and dysfunction and to physical disease or condition

F07.0 Organic personality disorder

Status of term: *Reclassified – First Edition*

Status of inclusion term(s): *Revised – Tenth Edition*

Status of inclusion term(s): *Revised – Twelfth Edition*

Term reclassification:

Change of personality
Organic personality disorder

ICD-10-AM Eleventh Edition:

Organic:
• pseudopsychopathic personality
• pseudoretarded personality
Syndrome:
• dysexecutive
• frontal lobe
• limbic epilepsy personality
• lobotomy
• postleucotomy

ICD-10-AM Twelfth Edition:

Organic pseudopsychopathic personality
Syndrome:
• dysexecutive
• frontal lobe
• limbic epilepsy personality
• lobotomy
• postleucotomy

F07.2 Postconcussional syndrome**Status of excludes note:****Created – Seventh Edition****F07.9 Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction****Status of term:****Reclassified – First Edition****Term reclassification:**

Organic personality disorder

F09 Unspecified organic or symptomatic mental disorder**Status of term:****Reclassified – First Edition****Term reclassification:**

Mental disorder due to general medical condition

Mental disorder following organic brain damage

Organic or symptomatic mental disorder

F10–F19 Mental and behavioural disorders due to psychoactive substance use**Status of term:****Classified, Deleted – First Edition****Status of inclusion term(s):****Classified, Revised – Third Edition****Status of instructional note(s) (.6):** **Created – Seventh Edition****Status of glossary description:** **Revised – Tenth Edition****Status of instructional note(s) (.6):** **Revised – Twelfth Edition****Term classification:**

Use disorder

Term deletion:

Abuse (in the context of psychoactive substance use)

Term classification (.1 harmful use):

Psychoactive substance use disorder

Term inclusion:

NOS

ICD-10-AM Ninth Edition:

This block contains a wide variety of disorders that differ in severity and clinical form but that are all attributable to the use of one or more psychoactive substances, which may or may not have been medically prescribed. The third character of the code identifies the substance involved, and the fourth character specifies the clinical state. The codes should be used, as required, for each substance specified, but it should be noted that not all fourth character codes are applicable to all substances.

ICD-10-AM Tenth Edition:

This block contains a wide variety of disorders that differ in severity and clinical form but that are all attributable to the use of one or more psychoactive substances, which may or may not have been medically prescribed. The third character of the code identifies the substance involved, and the fourth character specifies the clinical state. The codes should be used, as required, for each substance specified.

ICD-10-AM Eleventh Edition:**.6 amnesic syndrome**

...

Use additional codes (E51.2† G32.8) when associated with Wernicke's disease or syndrome*

ICD-10-AM Twelfth Edition:**.6 amnesic syndrome**

...

Code also Wernicke's disease or syndrome (E51.2).

F10 Mental and behavioural disorders due to use of alcohol

Status of instructional note(s): Created – **Twelfth Edition**

F13 Mental and behavioural disorders due to use of sedatives or hypnotics

Status of code(s): Created – **Seventh Edition (fifth characters)**
Status of instructional note(s): Revised – **Eighth Edition**

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories F13.0-F13.9 to identify the type of sedative or hypnotic:

- 0 unspecified sedative or hypnotic
- 1 gamma hydroxybutyrate
GHB
- 9 other specified sedative or hypnotic

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories F13.0-F13.9 to identify the type of sedative or hypnotic: ...

F15 Mental and behavioural disorders due to use of other stimulants, including caffeine

Status of code(s): Created – **Sixth Edition (fifth characters)**
Status of code(s): Created – **Seventh Edition (fifth characters)**
Status of instructional note(s): Revised – **Eighth Edition**

ICD-10-AM Sixth Edition:

The following fifth character subdivisions are for use with categories F15.0-F15.9 to identify the type of stimulant:

- 0 Unspecified stimulants
- 1 Methylamphetamine
- 9 Other specified stimulants

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories F15.0-F15.9 to identify the type of stimulant:

- 0 Unspecified stimulants
- 1 Methylamphetamine
- 2 Methylenedioxy methamphetamine
Ecstasy
MDMA
- 9 Other specified stimulants

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories F15.0-F15.9 to identify the type of stimulant:

...

F16 Mental and behavioural disorders due to use of hallucinogens

Status of code(s): Created – **Seventh Edition** (fifth characters)
Status of instructional note(s): Revised – **Eighth Edition**

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories F13.0-F13.9 to identify the type of sedative or hypnotic:

- 0 unspecified hallucinogen
- 1 ketamine
- 9 other specified hallucinogen

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories F13.0-F13.9 to identify the type of sedative or hypnotic:

F21 Schizotypal disorder

Status of excludes note: Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Excludes: Asperger's syndrome (F84.5)
schizoid personality disorder (F60.1)

ICD-10-AM Twelfth Edition:

Excludes: autism spectrum disorder (F84)
schizoid personality disorder (F60.1)

F23 Acute and transient psychotic disorders

Status of instructional note(s): Revised – **Eighth Edition**
Status of excludes note: Created – **Eleventh Edition**

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category F23:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories F23.0–F23.9:

F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia

Status of code(s): Revised – **Fourth Edition**

ICD-10-AM Third Edition:

F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia

ICD-10-AM Fourth Edition:

F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia
F23.00 Acute polymorphic psychotic disorder without symptoms of schizophrenia,
without mention of associated acute stress
F23.01 Acute polymorphic psychotic disorder without symptoms of schizophrenia,
with mention of associated acute stress

F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia

Status of code(s):

Revised – Fourth Edition

ICD-10-AM Third Edition:

F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia

ICD-10-AM Fourth Edition:

F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia

F23.10 Acute polymorphic psychotic disorder with symptoms of schizophrenia, without mention of associated acute stress

F23.11 Acute polymorphic psychotic disorder with symptoms of schizophrenia, with mention of associated acute stress

F23.2 Acute schizophrenia-like psychotic disorder

Status of code(s):

Revised – Fourth Edition

Status of excludes note:

Revised – Eleventh Edition

ICD-10-AM Third Edition:

F23.2 Acute schizophrenia-like psychotic disorder

ICD-10-AM Fourth Edition:

F23.2 Acute schizophrenia-like psychotic disorder

F23.20 Acute schizophrenia-like psychotic disorder, without mention of associated acute stress

F23.21 Acute schizophrenia-like psychotic disorder, with mention of associated acute stress

ICD-10-AM Tenth Edition:

Excludes: organic delusional [schizophrenia-like] disorder (F06.2)
schizophreniform disorders NOS (F20.8)

ICD-10-AM Eleventh Edition:

Excludes: organic delusional [schizophrenia-like] disorder (chronic) (NOS) (F06.2)
schizophreniform disorders NOS (F20.8)

F23.3 Other acute predominantly delusional psychotic disorders

Status of code(s):

Revised – Fourth Edition

ICD-10-AM Third Edition:

F23.3 Other acute predominantly delusional psychotic disorders

ICD-10-AM Fourth Edition:

F23.3 Other acute predominantly delusional psychotic disorders

F23.30 Other acute predominantly delusional psychotic disorders, without mention of associated acute stress

F23.31 Other acute predominantly delusional psychotic disorders, with mention of associated acute stress

F23.8 Other acute and transient psychotic disorders**Status of code(s):****Revised – Fourth Edition****ICD-10-AM Third Edition:**

F23.8 Other acute and transient psychotic disorders

ICD-10-AM Fourth Edition:

F23.8 Other acute and transient psychotic disorders

F23.80 Other acute and transient psychotic disorders, without mention of associated acute stress

F23.81 Other acute and transient psychotic disorders, with mention of associated acute stress

F23.9 Acute and transient psychotic disorder, unspecified**Status of code(s):****Revised – Fourth Edition****ICD-10-AM Third Edition:**

F23.9 Acute and transient psychotic disorder, unspecified

ICD-10-AM Fourth Edition:

F23.9 Acute and transient psychotic disorder, unspecified

F23.90 Acute and transient psychotic disorder, unspecified, without mention of associated acute stress

F23.91 Acute and transient psychotic disorder, unspecified, with mention of associated acute stress

F31 Bipolar affective disorder**Status of includes note(s):****Revised – Ninth Edition****ICD-10-AM Eighth Edition:**

Includes: manic-depressive:

- illness
- psychosis
- reaction

ICD-10-AM Ninth Edition:

Includes: manic depression
manic-depressive:

- illness
- psychosis
- reaction

F31.9 Bipolar affective disorder, unspecified**Status of inclusion term(s):****Created – Ninth Edition****F32 Depressive episode****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

The following fifth character subdivisions are for use with category F32:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories F32.0–F32.9:

F32.0 Mild depressive episode*Status of code(s):* **Revised – Third Edition****ICD-10-AM Second Edition:**

F32.0 Mild depressive episode

ICD-10-AM Third Edition:

F32.0 Mild depressive episode

F32.00 Mild depressive episode, not specified as arising in the postnatal period

F32.01 Mild depressive episode, arising in the postnatal period

F32.1 Moderate depressive episode*Status of code(s):* **Revised – Third Edition****ICD-10-AM Second Edition:**

F32.1 Moderate depressive episode

ICD-10-AM Third Edition:

F32.1 Moderate depressive episode

F32.10 Moderate depressive episode, not specified as arising in the postnatal period

F32.11 Moderate depressive episode, arising in the postnatal period

F32.2 Severe depressive episode, without psychotic symptoms*Status of code(s):* **Revised – Third Edition****ICD-10-AM Second Edition:**

F32.2 Severe depressive episode, without psychotic symptoms

ICD-10-AM Third Edition:

F32.2 Severe depressive episode without psychotic symptoms

F32.20 Severe depressive episode without psychotic symptoms, not specified as arising in the postnatal period

F32.21 Severe depressive episode without psychotic symptoms, arising in the postnatal period

F32.3 Severe depressive episode with psychotic symptoms*Status of code(s):* **Revised – Third Edition****ICD-10-AM Second Edition:**

F32.3 Severe depressive episode, with psychotic symptoms

ICD-10-AM Third Edition:

F32.3 Severe depressive episode with psychotic symptoms

F32.30 Severe depressive episode with psychotic symptoms, not specified as arising in the postnatal period

F32.31 Severe depressive episode with psychotic symptoms, arising in the postnatal period

F32.8 Other depressive episodes**Status of code(s):** Revised – *Third Edition***ICD-10-AM Second Edition:**

F32.8 Other depressive episode

ICD-10-AM Third Edition:

F32.8 Other depressive episodes

F32.80 Other depressive episodes, not specified as arising in the postnatal period

F32.81 Other depressive episodes, arising in the postnatal period

F32.9 Depressive episode, unspecified**Status of code(s):** Revised – *Third Edition***ICD-10-AM Second Edition:**

F32.9 Depressive episode, unspecified

ICD-10-AM Third Edition:

F32.9 Depressive episode, unspecified

F32.90 Depressive episode, unspecified, not specified as arising in the postnatal period

F32.91 Depressive episode, unspecified, arising in the postnatal period

F40.0 Agoraphobia**Status of code(s):** Created – *First Edition***WHO ICD-10:**

F40.0 Agoraphobia

ICD-10-AM First Edition:

F40.0 Agoraphobia

F40.00 Agoraphobia without mention of panic disorder

F40.01 Agoraphobia with panic disorder

F40.1 Social phobias**Status of instructional note(s):** Created – *Eighth Edition***Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:***Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.***ICD-10-AM Twelfth Edition:***Use additional code (F41.0) to identify phobia with panic attacks (disorder).***F40.2 Specific [isolated] phobias****Status of instructional note(s):** Created – *Eighth Edition***Status of instructional note(s):** Revised – *Twelfth Edition***Status of code title:** Revised – *Thirteenth Edition***ICD-10-AM Eleventh Edition:***Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.***ICD-10-AM Twelfth Edition:**

F40.2 Specific (isolated) phobias

*Use additional code (F41.0) to identify phobia with panic attacks (disorder).***ICD-10-AM Thirteenth Edition:**

F40.2 Specific [isolated] phobias

F40.8 Other phobic anxiety disorders

Status of instructional note(s): Created – [Eighth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (F41.0) to identify phobia with panic attacks (disorder).

F40.9 Phobic anxiety disorder, unspecified

Status of instructional note(s): Created – [Eighth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (F41.0) to identify phobia with panic attacks (disorder).

F41.0 Panic disorder [episodic paroxysmal anxiety]

Status of instructional note(s): Created – [Eighth Edition](#)

F42.8 Other obsessive-compulsive disorders

Status of inclusion term(s): Created – [Twelfth Edition](#)

F44.8 Other dissociative [conversion] disorders

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

F44.8 Other dissociative [conversion] disorders

ICD-10-AM First Edition:

F44.8 Other dissociative [conversion] disorders

F44.80 Ganser's syndrome

F44.81 Multiple personality disorder

[F44.82](#) Transient dissociative [conversion] disorders occurring in childhood and adolescence

F44.88 Other specified dissociative [conversion] disorders

F44.82 Transient dissociative [conversion] disorders occurring in childhood and adolescence

Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Seventh Edition:

F44.82 Transient dissociative [conversion] disorders occurring in childhood and adolescence

ICD-10-AM Eighth Edition:

F44.82 Transient dissociative [conversion] disorders occurring in childhood and adolescence

F45.0 Somatisation disorder**Status of term:****Reclassified – First Edition****Term reclassification:**

Briquet's disorder

F45.3 Somatoform autonomic dysfunction**Status of code(s):****Created – First Edition****WHO ICD-10:**

F45.3 Somatoform autonomic dysfunction

ICD-10-AM First Edition:

F45.3 Somatoform autonomic dysfunction
 F45.30 Somatoform autonomic dysfunction, unspecified organ or system
 F45.31 Somatoform autonomic dysfunction, heart and cardiovascular system
 F45.32 Somatoform autonomic dysfunction, upper gastrointestinal tract
 F45.33 Somatoform autonomic dysfunction, lower gastrointestinal tract
 F45.34 Somatoform autonomic dysfunction, respiratory system
 F45.35 Somatoform autonomic dysfunction, genitourinary system
 F45.38 Somatoform autonomic dysfunction, other specified organ or system
 F45.39 Somatoform autonomic dysfunction, multiple organs or systems

F45.4 Persistent somatoform pain disorder**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: backache NOS (M54.9-)
 pain:
 • acute (R52.0)
 • chronic (R52.2)
 • intractable (R52.1)
 • NOS (R52.9)
 tension headache (G44.2)

ICD-10-AM Tenth Edition:

Excludes: backache NOS (M54.9-)
 pain:
 • acute (R52.0)
 • chronic (R52.2)
 • NOS (R52.9)
 tension headache (G44.2)

F48.8 Other specified neurotic disorders**Status of term:****Reclassified – First Edition****Term reclassification:**

Briquet's disorder

F50.4 Overeating associated with other psychological disturbances**Status of excludes note:****Deleted – Tenth Edition**

F50.5 Vomiting associated with other psychological disturbances

Status of glossary description: Revised – [Tenth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Ninth Edition:

Repeated vomiting that occurs in dissociative disorders (F44.-) and hypochondriacal disorder (F45.2), and that is not solely due to conditions classified outside this chapter. This subcategory may also be used in addition to O21.- (excessive vomiting in pregnancy) when emotional factors are predominant in the causation of recurrent nausea and vomiting in pregnancy.

ICD-10-AM Tenth Edition:

Repeated vomiting that occurs in dissociative disorders (F44.-) and hypochondriacal disorder (F45.2), and that is not solely due to conditions classified outside this chapter.

ICD-10-AM Eleventh Edition:

Code also excessive vomiting in pregnancy (O21.-), where emotional factors are identified as the predominant cause of excessive vomiting in pregnancy.

ICD-10-AM Twelfth Edition:

Use additional code (O21.-) to identify excessive vomiting in pregnancy.

F52.0 Lack or loss of sexual desire

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Hypoactive sexual desire disorder, female
Hypoactive sexual desire disorder, male

F52.1 Sexual aversion and lack of sexual enjoyment

Status of inclusion term(s): Revised – [Ninth Edition](#)

ICD-10-AM Eighth Edition:

Sexual anhedonia

ICD-10-AM Ninth Edition:

Anhedonia, sexual

F52.2 Failure of genital response

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Sexual arousal disorder, female

F52.3 Orgasmic dysfunction

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Orgasmic disorder, female
Orgasmic disorder, male

F53 Mental and behavioural disorders associated with the puerperium, not elsewhere classified

Status of glossary description: Revised – *Tenth Edition*

ICD-10-AM Ninth Edition:

This category includes only mental disorders associated with the puerperium (commencing within six weeks of delivery) that do not meet the criteria for disorders classified elsewhere in this chapter, either because insufficient information is available, or because it is considered that special additional clinical features are present that make their classification elsewhere inappropriate.

ICD-10-AM Tenth Edition:

This category includes only mental disorders associated with the puerperium (defined as the period of 42 days following childbirth) that do not meet the criteria for disorders classified elsewhere in this chapter, either because insufficient information is available, or because it is considered that special additional clinical features are present that make their classification elsewhere inappropriate.

F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere

Status of glossary description: Revised – *Tenth Edition*

ICD-10-AM Ninth Edition:

Examples of the use of this category are:

- asthma F54 and J45.-
- dermatitis F54 and L23–L25
- gastric ulcer F54 and K25.-
- mucous colitis F54 and K58.-
- ulcerative colitis F54 and K51.-
- urticaria F54 and L50.-

ICD-10-AM Tenth Edition:

Examples of the use of this category are:

- asthma F54 and J45.-
- dermatitis F54 and L23–L25
- gastric ulcer F54 and K25.-
- irritable bowel syndrome F54 and K58.-
- ulcerative colitis F54 and K51.-
- urticaria F54 and L50.-

F55 Harmful use of nondependence-producing substances

Status of code(s): Created – *First Edition*
Status of term: Deleted – *First Edition*

WHO ICD-10:

F55 Abuse of nondependence-producing substances

ICD-10-AM First Edition:

F55 Harmful use of nondependence-producing substances
 F55.0 Antidepressants
 F55.1 Laxatives
 F55.2 Analgesics
 F55.3 Antacids
 F55.4 Vitamins
 F55.5 Steroids or hormones
 F55.6 Specific herbal or folk remedies
 F55.8 Other substances that do not produce dependence
 F55.9 Unspecified

Term deletion:

Abuse (in the context of non-dependence-producing substances)

F59 Unspecified behavioural syndromes associated with physiological disturbances and physical factors

Status of inclusion term(s): Deleted – [Thirteenth Edition](#)

F60.1 Schizoid personality disorder

Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Excludes: Asperger's syndrome (F84.5)
delusional disorder (F22.0)
schizoid disorder of childhood (F84.5)
schizophrenia (F20.-)
schizotypal disorder (F21)

ICD-10-AM Twelfth Edition:

Excludes: autism spectrum disorder (F84)
delusional disorder (F22.0)
schizophrenia (F20.-)
schizotypal disorder (F21)

F62.9 Enduring personality change, unspecified

Status of term: Reclassified – [First Edition](#)

Term reclassification:
Change of personality

F64 Gender incongruence

Status of code title: Revised – [Twelfth Edition](#)
Status of code(s): Deleted – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)
Status of note: Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

F64 Gender identity disorders
F64.0 Transsexualism
F64.1 Dual-role transvestism
F64.2 Gender identity disorder of childhood
F64.8 Other gender identity disorders
F64.9 Gender identity disorder, unspecified

ICD-10-AM Twelfth Edition:

F64 Gender incongruence

F65 Paraphilic disorders

Status of code title: Revised – [Twelfth Edition](#)
Status of includes note: Deleted – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

F65 Disorders of sexual preference

ICD-10-AM Twelfth Edition:

F65 Paraphilic disorders

F65.2 Exhibitionistic disorder

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

F65.2 Exhibitionism

ICD-10-AM Twelfth Edition:

F65.2 Exhibitionistic disorder

F65.3 Voyeuristic disorder

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

F65.3 Voyeurism

ICD-10-AM Twelfth Edition:

F65.3 Voyeuristic disorder

F65.4 Paedophilic disorder

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

F65.4 Paedophilia

ICD-10-AM Twelfth Edition:

F65.4 Paedophilic disorder

F65.6 Multiple paraphilic disorders

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

F65.6 Multiple disorders of sexual preference

ICD-10-AM Twelfth Edition:

F65.6 Multiple paraphilic disorders

F65.8 Other paraphilic disorders

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

F65.8 Other disorders of sexual preference

ICD-10-AM Twelfth Edition:

F65.8 Other paraphilic disorders

F65.9 Paraphilic disorder, unspecified

Status of code title: **Revised – Twelfth Edition**

Status of inclusion term(s): **Deleted – Twelfth Edition**

ICD-10-AM Eleventh Edition:

F65.9 Disorder of sexual preference, unspecified

ICD-10-AM Twelfth Edition:

F65.9 Paraphilic disorder, unspecified

F66 Other sexual disorders**Status of code(s):****Deleted – Twelfth Edition****Status of code title:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

- F66 Psychological and behavioural disorders associated with sexual development and orientation
- F66.0 Sexual maturation disorder
- F66.1 Egodystonic sexual orientation
- F66.2 Sexual relationship disorder
- F66.8 Other psychosexual development disorders
- F66.9 Psychosexual development disorder, unspecified

ICD-10-AM Twelfth Edition:

- F66 Other sexual disorders

F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder]**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

- Excludes:** factitial dermatitis (L98.1)
person feigning illness (with obvious motivation) (Z76.5)

ICD-10-AM Eleventh Edition:

- Excludes:** factitial dermatitis (L98.1)
Munchausen's (syndrome) by proxy (T74.1)
person feigning illness (with obvious motivation) (Z76.5)

F70–F79 Disorders of intellectual development**Status of category title:****Revised – Twelfth Edition****Status of glossary description:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:****F70–F79 Mental retardation**

A condition of arrested or incomplete development of the mind, which is especially characterised by impairment of skills manifested during the developmental period, skills which contribute to the overall level of intelligence, i.e. cognitive, language, motor, and social abilities. Retardation can occur with or without any other mental or physical condition. Degrees of mental retardation are conventionally estimated by standardised intelligence tests. These can be supplemented by scales assessing social adaptation in a given environment. These measures provide an approximate indication of the degree of mental retardation. The diagnosis will also depend on the overall assessment of intellectual functioning by a skilled diagnostician.

Intellectual abilities and social adaptation may change over time, and, however poor, may improve as a result of training and rehabilitation. Diagnosis should be based on the current levels of functioning.

ICD-10-AM Twelfth Edition:**F70–F79 Disorders of intellectual development**

A condition of arrested or incomplete development of the mind, which is especially characterised by impairment of skills manifested during the developmental period, skills which contribute to the overall level of intelligence, i.e. cognitive, language, motor, and social abilities. Disorders of intellectual development can occur with or without any other mental or physical condition.

Degrees of intellectual development are conventionally estimated by standardised intelligence tests. These can be supplemented by scales assessing social adaptation in a given environment. These measures provide an approximate indication of the degree of intellectual development. The diagnosis will also depend on the overall assessment of intellectual functioning by a skilled diagnostician.

Intellectual abilities and social adaptation may change over time, and, however poor, may improve as a result of training and rehabilitation. Diagnosis should be based on the current levels of functioning.

F70 Mild intellectual development disorder

Status of code title(s): **Revised – Twelfth Edition**
Status of includes note: **Deleted – Twelfth Edition**

ICD-10-AM Eleventh Edition:

- F70 Mild mental retardation
- F70.0 Mild mental retardation with the statement of no, or minimal, impairment of behaviour
- F70.1 Mild mental retardation, significant impairment of behaviour requiring attention or treatment
- F70.8 Mild mental retardation, other impairments of behaviour
- F70.9 Mild mental retardation without mention of impairment of behaviour

ICD-10-AM Twelfth Edition:

- F70 Mild intellectual development disorder
- F70.0 Mild intellectual development disorder with the statement of no, or minimal, impairment of behaviour
- F70.1 Mild intellectual development disorder, significant impairment of behaviour requiring attention or treatment
- F70.8 Mild intellectual development disorder, other impairments of behaviour
- F70.9 Mild intellectual development disorder without mention of impairment of behaviour

F71 Moderate intellectual development disorder

Status of code title(s): **Revised – Twelfth Edition**
Status of includes note: **Deleted – Twelfth Edition**

ICD-10-AM Eleventh Edition:

- F71 Moderate mental retardation
- F71.0 Moderate mental retardation with the statement of no, or minimal, impairment of behaviour
- F71.1 Moderate mental retardation, significant impairment of behaviour requiring attention or treatment
- F71.8 Moderate mental retardation, other impairments of behaviour
- F71.9 Moderate mental retardation without mention of impairment of behaviour

ICD-10-AM Twelfth Edition:

- F71 Moderate intellectual development disorder
- F71.0 Moderate intellectual development disorder with the statement of no, or minimal, impairment of behaviour
- F71.1 Moderate intellectual development disorder, significant impairment of behaviour requiring attention or treatment
- F71.8 Moderate intellectual development disorder, other impairments of behaviour
- F71.9 Moderate intellectual development disorder without mention of impairment of behaviour

F72 Severe intellectual development disorder

Status of code title(s): **Revised – Twelfth Edition**
Status of includes note: **Deleted – Twelfth Edition**

ICD-10-AM Eleventh Edition:

- F72 Severe mental retardation
- F72.0 Severe mental retardation with the statement of no, or minimal, impairment of behaviour
- F72.1 Severe mental retardation, significant impairment of behaviour requiring attention or treatment
- F72.8 Severe mental retardation, other impairments of behaviour
- F72.9 Severe mental retardation without mention of impairment of behaviour

ICD-10-AM Twelfth Edition:

- F72 Severe intellectual development disorder
- F72.0 Severe intellectual development disorder with the statement of no, or minimal, impairment of behaviour
- F72.1 Severe intellectual development disorder, significant impairment of behaviour requiring attention or treatment
- F72.8 Severe intellectual development disorder, other impairments of behaviour
- F72.9 Severe intellectual development disorder without mention of impairment of behaviour

F73 Profound intellectual development disorder

Status of code title(s): **Revised – Twelfth Edition**
Status of includes note: **Deleted – Twelfth Edition**

ICD-10-AM Eleventh Edition:

- F7 Profound mental retardation
- F73.0 Profound mental retardation with the statement of no, or minimal, impairment of behaviour
- F73.1 Profound mental retardation, significant impairment of behaviour requiring attention or treatment
- F73.8 Profound mental retardation, other impairments of behaviour
- F73.9 Profound mental retardation without mention of impairment of behaviour

ICD-10-AM Twelfth Edition:

- F73 Profound intellectual development disorder
- F73.0 Profound intellectual development disorder with the statement of no, or minimal, impairment of behaviour
- F73.1 Profound intellectual development disorder, significant impairment of behaviour requiring attention or treatment
- F73.8 Profound intellectual development disorder, other impairments of behaviour
- F73.9 Profound intellectual development disorder without mention of impairment of behaviour

F78 Other intellectual development disorder**Status of code title(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:**

- F78 Other mental retardation
- F78.0 Other mental retardation with the statement of no, or minimal, impairment of behaviour
- F78.1 Other mental retardation, significant impairment of behaviour requiring attention or treatment
- F78.8 Other mental retardation, other impairments of behaviour
- F78.9 Other mental retardation without mention of impairment of behaviour

ICD-10-AM Twelfth Edition:

- F78 Other intellectual development disorder
- F78.0 Other intellectual development disorder with the statement of no, or minimal, impairment of behaviour
- F78.1 Other intellectual development disorder, significant impairment of behaviour requiring attention or treatment
- F78.8 Other intellectual development disorder, other impairments of behaviour
- F78.9 Other intellectual development disorder without mention of impairment of behaviour

F79 Unspecified intellectual development disorder**Status of code title(s):** Revised – *Twelfth Edition***Status of includes note:** Deleted – *Twelfth Edition***ICD-10-AM Eleventh Edition:**

- F79 Unspecified mental retardation
- F79.0 Unspecified mental retardation with the statement of no, or minimal, impairment of behaviour
- F79.1 Unspecified mental retardation, significant impairment of behaviour requiring attention or treatment
- F79.8 Unspecified mental retardation, other impairments of behaviour
- F79.9 Unspecified mental retardation without mention of impairment of behaviour

ICD-10-AM Twelfth Edition:

- F79 Unspecified intellectual development disorder
- F79.0 Unspecified intellectual development disorder with the statement of no, or minimal, impairment of behaviour
- F79.1 Unspecified intellectual development disorder, significant impairment of behaviour requiring attention or treatment
- F79.8 Unspecified intellectual development disorder, other impairments of behaviour
- F79.9 Unspecified intellectual development disorder without mention of impairment of behaviour

F80 Specific developmental disorders of speech and language**Status of glossary description:** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:**

Disorders in which normal patterns of language acquisition are disturbed from the early stages of development. The conditions are not directly attributable to neurological or speech mechanism abnormalities, sensory impairments, mental retardation, or environmental factors. Specific developmental disorders of speech and language are often followed by associated problems, such as difficulties in reading and spelling, abnormalities in interpersonal relationships, and emotional and behavioural disorders.

ICD-10-AM Twelfth Edition:

Disorders in which normal patterns of language acquisition are disturbed from the early stages of development. The conditions are not directly attributable to neurological or speech mechanism abnormalities, sensory impairments, disorders of intellectual development, or environmental factors. Specific developmental disorders of speech and language are often followed by associated problems, such as difficulties in reading and spelling, abnormalities in interpersonal relationships, and emotional and behavioural disorders.

F80.0 Specific speech articulation disorder**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

- Excludes:** speech articulation impairment (due to):
- aphasia NOS (R47.0)
 - apraxia (R48.2)
 - hearing loss (H90–H91)
 - mental retardation (F70–F79)
 - with language developmental disorder:
 - expressive (F80.1)
 - receptive (F80.2)

ICD-10-AM Twelfth Edition:

- Excludes:** speech articulation impairment (due to):
- aphasia NOS (R47.0)
 - apraxia (R48.2)
 - hearing loss (H90–H91)
 - with language developmental disorder:
 - expressive (F80.1)
 - receptive (F80.2)

F80.1 Expressive language disorder**Status of excludes note:****Revised – Sixth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Fifth Edition:**

- Excludes:** acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)
 developmental dysphasia or aphasia, receptive type (F80.2)
 dysphasia and aphasia NOS (R47.0)
 elective mutism (F94.0)
 mental retardation (F70–F79)
 pervasive developmental disorders (F84.-)

ICD-10-AM Sixth Edition:

- Excludes:** acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)
 dysphasia and aphasia:
 • developmental, receptive type (F80.2)
 • NOS (R47.0)
 elective mutism (F94.0)
 mental retardation (F70–F79)
 pervasive developmental disorders (F84.-)

ICD-10-AM Twelfth Edition:

- Excludes:** acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)
 dysphasia and aphasia:
 • developmental, receptive type (F80.2)
 • NOS (R47.0)
 elective mutism (F94.0)

F80.2 Receptive language disorder**Status of excludes note:****Revised – Sixth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Fifth Edition:**

Excludes: acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)
autism (F84.0–F84.1)
dysphasia and aphasia:
• expressive type (F80.1)
• NOS (R47.0)
elective mutism (F94.0)
language delay due to deafness (H90–H91)
mental retardation (F70–F79)

ICD-10-AM Sixth Edition:

Excludes: acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)
autism (F84.0–F84.1)
dysphasia and aphasia:
• developmental, expressive type (F80.1)
• NOS (R47.0)
elective mutism (F94.0)
language delay due to deafness (H90–H91)
mental retardation (F70–F79)

ICD-10-AM Twelfth Edition:

Excludes: acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)
dysphasia and aphasia:
• developmental, expressive type (F80.1)
• NOS (R47.0)
elective mutism (F94.0)
language delay due to deafness (H90–H91)

F80.3 Acquired aphasia with epilepsy [Landau-Kleffner]**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: aphasia (due to):
• autism (F84.0–F84.1)
• disintegrative disorders of childhood (F84.2–F84.3)
• NOS (R47.0)

ICD-10-AM Twelfth Edition:

Excludes: aphasia NOS (R47.0)

F81 Specific developmental disorders of scholastic skills**Status of glossary description:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Disorders in which the normal patterns of skill acquisition are disturbed from the early stages of development. This is not simply a consequence of a lack of opportunity to learn, it is not solely a result of mental retardation, and it is not due to any form of acquired brain trauma or disease.

ICD-10-AM Twelfth Edition:

Disorders in which the normal patterns of skill acquisition are disturbed from the early stages of development. This is not simply a consequence of a lack of opportunity to learn, it is not solely a result of intellectual development disorder, and it is not due to any form of acquired brain trauma or disease.

F81.0 Specific reading disorder**Status of inclusion term(s):** *Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

'Backward reading'
 Developmental dyslexia
 Specific reading retardation

ICD-10-AM Twelfth Edition:

'Backward reading'
 Developmental dyslexia
 Specific reading impairment

F81.1 Specific spelling disorder**Status of inclusion term(s):** *Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Specific spelling retardation (without reading disorder)

ICD-10-AM Twelfth Edition:

Specific spelling disturbance (without reading disorder)

F81.2 Specific disorder of arithmetical skills**Status of glossary description:** *Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Involves a specific impairment in arithmetical skills that is not solely explicable on the basis of general mental retardation or of inadequate schooling. The deficit concerns mastery of basic computational skills of addition, subtraction, multiplication, and division rather than of the more abstract mathematical skills involved in algebra, trigonometry, geometry, or calculus.

ICD-10-AM Twelfth Edition:

Involves a specific impairment in arithmetical skills that is not solely explicable on the basis of general intellectual development disorder or of inadequate schooling. The deficit concerns mastery of basic computational skills of addition, subtraction, multiplication, and division rather than of the more abstract mathematical skills involved in algebra, trigonometry, geometry, or calculus.

F81.3 Mixed disorder of scholastic skills**Status of glossary description:** *Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

An ill-defined residual category of disorders in which both arithmetical and reading or spelling skills are significantly impaired, but in which the disorder is not solely explicable in terms of general mental retardation or of inadequate schooling. It should be used for disorders meeting the criteria for both F81.2 and either F81.0 or F81.1.

ICD-10-AM Twelfth Edition:

An ill-defined residual category of disorders in which both arithmetical and reading or spelling skills are significantly impaired, but in which the disorder is not solely explicable in terms of general intellectual development disorder or of inadequate schooling. It should be used for disorders meeting the criteria for both F81.2 and either F81.0 or F81.1.

F82 Specific developmental disorder of motor function

Status of glossary description: Revised – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

A disorder in which the main feature is a serious impairment in the development of motor coordination that is not solely explicable in terms of general intellectual retardation or of any specific congenital or acquired neurological disorder. Nevertheless, in most cases a careful clinical examination shows marked neurodevelopmental immaturities such as choreiform movements of unsupported limbs or mirror movements and other associated motor features, as well as signs of impaired fine and gross motor coordination.

...

Excludes: abnormalities of gait and mobility (R26.-)
 lack of coordination:
 • NOS (R27.-)
 • secondary to mental retardation (F70–F79)

ICD-10-AM Twelfth Edition:

A disorder in which the main feature is a serious impairment in the development of motor coordination that is not solely explicable in terms of general intellectual development disorder or of any specific congenital or acquired neurological disorder. Nevertheless, in most cases a careful clinical examination shows marked neurodevelopmental immaturities such as choreiform movements of unsupported limbs or mirror movements and other associated motor features, as well as signs of impaired fine and gross motor coordination.

...

Excludes: abnormalities of gait and mobility (R26.-)
 lack of coordination:
 • NOS (R27.-)
 • secondary to intellectual development disorder (F70–F79)

F84 Autism spectrum disorder

Status of code(s): Deleted – [Twelfth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)
Status of excludes note: Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

F84 Pervasive developmental disorders
 F84.0 Childhood autism
 F84.1 Atypical autism
 F84.2 Rett's syndrome
 F84.3 Other childhood disintegrative disorder
 F84.4 Overactive disorder associated with mental retardation and stereotyped movements
 F84.5 Asperger's syndrome
 F84.8 Other pervasive developmental disorders
 F84.9 Pervasive developmental disorder, unspecified

ICD-10-AM Twelfth Edition:

F84 Autism spectrum disorder

F85 Rett syndrome

Status of code: Created – [Twelfth Edition](#)
Status of glossary description: Created – [Twelfth Edition](#)

F90 Hyperkinetic disorders**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: anxiety disorders (F41.-)
 mood [affective] disorders (F30–F39)
 pervasive developmental disorders (F84.-)
 schizophrenia (F20.-)

ICD-10-AM Twelfth Edition:

Excludes: anxiety disorders (F41.-)
 autism spectrum disorder (F84)
 mood [affective] disorders (F30–F39)
 schizophrenia (F20.-)

F90.0 Disturbance of activity and attention**Status of excludes note:****Deleted – Tenth Edition****F90.9 Hyperkinetic disorder, unspecified****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Hyperkinetic reaction of childhood or adolescence NOS
 Hyperkinetic syndrome NOS

ICD-10-AM Eleventh Edition:

Hyperkinetic:
 • reaction of childhood or adolescence NOS
 • syndrome NOS

F91 Conduct disorders**Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Ninth Edition:**

Excludes: mood [affective] disorders (F30–F39)
 pervasive developmental disorders (F84.-)
 schizophrenia (F20.-)
 when associated with:
 • emotional disorders (F92.-)
 • hyperkinetic disorders (F90.1)

ICD-10-AM Tenth Edition:

Excludes: mood [affective] disorders (F30–F39)
 pervasive developmental disorders (F84.-)
 schizophrenia (F20.-)
 when associated with emotional disorders (F92.-)

ICD-10-AM Twelfth Edition:

Excludes: autism spectrum disorder (F84)
 mood [affective] disorders (F30–F39)
 schizophrenia (F20.-)
 when associated with emotional disorders (F92.-)

F93.8 Other childhood emotional disorders**Status of excludes note:** Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:****Excludes:** gender identity disorder of childhood (F64.2)**ICD-10-AM Twelfth Edition:****Excludes:** gender incongruence (F64)**F94 Disorders of social functioning with onset specific to childhood and adolescence****Status of glossary description:** Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:**

A somewhat heterogeneous group of disorders that have in common abnormalities in social functioning which begin during the developmental period, but which (unlike the pervasive developmental disorders) are not primarily characterised by an apparently constitutional social incapacity or deficit that pervades all areas of functioning. In many instances, serious environmental distortions or privations probably play a crucial role in aetiology.

ICD-10-AM Twelfth Edition:

A somewhat heterogeneous group of disorders that have in common abnormalities in social functioning which begin during the developmental period, but which are not primarily characterised by an apparently constitutional social incapacity or deficit that pervades all areas of functioning. In many instances, serious environmental distortions or privations probably play a crucial role in aetiology.

F94.0 Elective mutism**Status of excludes note:** Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:**

Excludes: pervasive developmental disorders (F84.-)
schizophrenia (F20.-)
specific developmental disorders of speech and language (F80.-)
transient mutism as part of separation anxiety in young children (F93.0)

ICD-10-AM Twelfth Edition:

Excludes: autism spectrum disorder (F84)
schizophrenia (F20.-)
specific developmental disorders of speech and language (F80.-)
transient mutism as part of separation anxiety in young children (F93.0)

F94.1 Reactive attachment disorder of childhood**Status of excludes note:** Revised – [Eleventh Edition](#)**Status of instructional note:** Revised – [Twelfth Edition](#)**Status of excludes note:** Revised – [Twelfth Edition](#)/[Twelfth Edition](#)**ICD-10-AM Tenth Edition:**

Excludes: Asperger's syndrome (F84.5)
disinhibited attachment disorder of childhood (F94.2)
maltreatment syndromes (T74.-)
normal variation in pattern of selective attachment
sexual or physical abuse in childhood, resulting in psychosocial problems (Z61.4–Z61.6)

ICD-10-AM Eleventh Edition:

Use additional code to identify any associated failure to thrive or growth retardation.

Excludes: Asperger's syndrome (F84.5)
 disinhibited attachment disorder of childhood (F94.2)
 maltreatment syndromes (T74.-)
 normal variation in pattern of selective attachment — omit code
 sexual or physical abuse in childhood, resulting in psychosocial problems (Z61.4–Z61.6)

ICD-10-AM Twelfth Edition:

Use additional code (R62.8) to identify any associated failure to thrive or growth retardation.

Excludes: autism spectrum disorder (F84)
 disinhibited attachment disorder of childhood (F94.2)
 maltreatment syndromes (T74.-)
 normal variation in pattern of selective attachment — omit code
 sexual or physical abuse in childhood, resulting in psychosocial problems (Z61.4–Z61.6)

F94.2 Disinhibited attachment disorder of childhood

Status of excludes note: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Excludes: Asperger's syndrome (F84.5)
 hospitalism in children (F43.2)
 hyperkinetic disorders (F90.-)
 reactive attachment disorder of childhood (F94.1)

ICD-10-AM Twelfth Edition:

Excludes: autism spectrum disorder (F84)
 hospitalism in children (F43.2)
 hyperkinetic disorders (F90.-)
 reactive attachment disorder of childhood (F94.1)

F98 Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence

Status of excludes note: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Excludes: breath-holding spells (R06.8)
 gender identity disorder of childhood (F64.2)
 Kleine-Levin syndrome (G47.8)
 obsessive-compulsive disorder (F42.-)
 sleep disorders due to emotional causes (F51.-)

ICD-10-AM Twelfth Edition:

Excludes: breath-holding spells (R06.8)
 gender incongruence (F64)
 Kleine-Levin syndrome (G47.8)
 obsessive-compulsive disorder (F42.-)
 sleep disorders due to emotional causes (F51.-)

F98.3 Pica of infancy and childhood**Status of glossary description:** Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:**

Persistent eating of non-nutritive substances (such as soil, paint chippings, etc.). It may occur as one of many symptoms that are part of a more widespread psychiatric disorder (such as autism), or as a relatively isolated psychopathological behaviour; only the latter is classified here. The phenomenon is most common in mentally retarded children and, if mental retardation is also present, F70–F79 should be selected as the main diagnosis

ICD-10-AM Twelfth Edition:

Persistent eating of non-nutritive substances (such as soil, paint chippings, etc.). It may occur as one of many symptoms that are part of a more widespread psychiatric disorder (such as autism), or as a relatively isolated psychopathological behaviour; only the latter is classified here. The phenomenon is most common in children with intellectual development disorder.

F98.4 Stereotyped movement disorders**Status of glossary description:** Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:**

Voluntary, repetitive, stereotyped, nonfunctional (and often rhythmic) movements that do not form part of any recognised psychiatric or neurological condition. When such movements occur as symptoms of some other disorder, only the overall disorder should be recorded. The movements that are of a non self-injurious variety include: body-rocking, head-rocking, hair-plucking, hair-twisting, finger-flicking mannerisms, and hand-flapping. Stereotyped self-injurious behaviour includes repetitive head-banging, face-slapping, eye-poking, and biting of hands, lips or other body parts. All the stereotyped movement disorders occur most frequently in association with mental retardation (when this is the case, both should be recorded). If eye-poking occurs in a child with visual impairment, both should be coded: eye-poking under this category and the visual condition under the appropriate somatic disorder code.

ICD-10-AM Twelfth Edition:

Voluntary, repetitive, stereotyped, nonfunctional (and often rhythmic) movements that do not form part of any recognised psychiatric or neurological condition. When such movements occur as symptoms of some other disorder, only the overall disorder should be recorded. The movements that are of a non self-injurious variety include: body-rocking, head-rocking, hair-plucking, hair-twisting, finger-flicking mannerisms, and hand-flapping. Stereotyped self-injurious behaviour includes repetitive head-banging, face-slapping, eye-poking, and biting of hands, lips or other body parts. All the stereotyped movement disorders occur most frequently in association with intellectual development disorder (when this is the case, both should be recorded). If eye-poking occurs in a child with visual impairment, both should be coded: eye-poking under this category and the visual condition under the appropriate somatic disorder code.

G00–G99 Diseases of the nervous system**Status of excludes note:** Revised – **Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes:

- certain conditions originating in the perinatal period (P00–P96)
- certain infectious and parasitic diseases (A00–B99)
- complications of pregnancy, childbirth and the puerperium (O00–O99)
- congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
- endocrine, nutritional and metabolic diseases (E00–E89)
- injury, poisoning and certain other consequences of external causes (S00–T98)
- neoplasms (C00–D48)
- symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

G00 Bacterial meningitis, not elsewhere classified

Status of includes note: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Includes:	arachnoiditis leptomeningitis meningitis pachymeningitis		bacterial
------------------	---	--	-----------

ICD-10-AM Eleventh Edition:

Includes: bacterial:
 • arachnoiditis
 • leptomeningitis
 • meningitis
 • pachymeningitis

G00.2 Streptococcal meningitis, not elsewhere classified

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

G00.2 Streptococcal meningitis

ICD-10-AM Twelfth Edition:

G00.2 Streptococcal meningitis, not elsewhere classified

G00.8 Other bacterial meningitis

Status of inclusion term(s): Deleted – [Twelfth Edition](#)

Status of instructional note(s): Created – [Twelfth Edition](#)

G03 Meningitis due to other and unspecified causes

Status of includes note: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Includes: arachnoiditis due to other and unspecified causes
 leptomeningitis due to other and unspecified causes
 meningitis due to other and unspecified causes
 pachymeningitis due to other and unspecified causes

ICD-10-AM Twelfth Edition:

Includes: arachnoiditis due to other and unspecified causes
 leptomeningitis due to other and unspecified causes
 pachymeningitis due to other and unspecified causes

G04 Encephalitis, myelitis and encephalomyelitis

Status of excludes note: Revised – *Eleventh Edition*
Status of excludes note: Revised – *Twelfth Edition*

ICD-10-AM Tenth Edition:

Excludes: benign myalgic encephalomyelitis (G93.3)
 encephalopathy:
 • alcoholic (G31.2)
 • NOS (G93.4)
 • toxic (G92)
 multiple sclerosis (G35)
 myelitis:
 • acute transverse (G37.3)
 • subacute necrotising (G37.4)

ICD-10-AM Eleventh Edition:

Excludes: encephalopathy:
 • alcoholic (G31.2)
 • NOS (G93.4)
 • toxic (G92)
 multiple sclerosis (G35)
 myalgic encephalomyelitis (G93.3)
 myelitis:
 • acute transverse (G37.3)
 • subacute necrotising (G37.4)

ICD-10-AM Twelfth Edition:

Excludes: encephalopathy:
 • alcoholic (G31.2)
 • NOS (G93.4)
 • toxic (G92.-)
 multiple sclerosis (G35)
 myalgic encephalomyelitis (G93.3)
 myelitis:
 • acute transverse (G37.3)
 • subacute necrotising (G37.4)

G04.0 Acute disseminated encephalitis

Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify vaccine.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

G04.1 Human T-cell lymphotropic virus associated myelopathy

Status of code title: Revised – *Eleventh Edition*
Status of inclusion term(s): Created – *Eleventh Edition*

ICD-10-AM Tenth Edition:

G04.1 Tropical spastic paraplegia

ICD-10-AM Eleventh Edition:

G04.1 Human T-cell lymphotropic virus associated myelopathy

G04.2 Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified

Status of instructional note(s): Created – [Twelfth Edition](#)

G04.8 Other encephalitis, myelitis and encephalomyelitis

Status of instructional note(s): Created – [Eighth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code to identify any associated epileptic seizures (G40.-).

ICD-10-AM Twelfth Edition:

Use additional code (G40.-) to identify epileptic seizures.

G05.1* Encephalitis, myelitis and encephalomyelitis in viral diseases classified elsewhere

Status of inclusion term(s): Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Encephalitis, myelitis or encephalomyelitis (in):

- cytomegaloviral (B25.8†)
- influenza (J09†, J10.8†, J11.8†)
- rubella (B06.0†)

ICD-10-AM Tenth Edition:

Encephalitis, myelitis or encephalomyelitis (in):

- cytomegaloviral (B25.8†)
- influenza virus:
 - identified:
 - A/H5N1 (avian) (J09†)
 - other (seasonal) (J10.8†)
 - not identified (J11.8†)
- rubella (B06.0†)

G08 Intracranial and intraspinal phlebitis and thrombophlebitis

Status of excludes note: Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)

ICD-10-AM Ninth Edition:

Excludes: intracranial phlebitis and thrombophlebitis:
 • complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 • pregnancy, childbirth and the puerperium (O22.5, O87.3)
 • of nonpyogenic origin (I67.6)
 nonpyogenic intraspinal phlebitis and thrombophlebitis (G95.1)

ICD-10-AM Tenth Edition:

Excludes: intracranial phlebitis and thrombophlebitis:
 • complicating abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 • of nonpyogenic origin (I67.6)
 nonpyogenic intraspinal phlebitis and thrombophlebitis (G95.1)

ICD-10-AM Eleventh Edition:

Excludes: intracranial phlebitis and thrombophlebitis of nonpyogenic origin (I67.6)
 nonpyogenic intraspinal phlebitis and thrombophlebitis (G95.1)

G11 Hereditary ataxia**Status of excludes note:** *Revised – Sixth Edition***ICD-10-AM Fifth Edition:**

Excludes: cerebral palsy (G80.-)
 hereditary and idiopathic neuropathy (G60.-)
 metabolic disorders (E70–E90)

ICD-10-AM Sixth Edition:

Excludes: cerebral palsy (G80.-)
 hereditary and idiopathic neuropathy (G60.-)
 metabolic disorders (E70–E89)

G12.2 Motor neuron disease**Status of inclusion term(s):** *Revised – Eleventh Edition***ICD-10-AM Tenth Edition:**

Familial motor neuron disease

Lateral sclerosis:

- amyotrophic
- primary

Progressive:

- bulbar palsy
- spinal muscular atrophy

ICD-10-AM Eleventh Edition:

Familial motor neuron disease

Kennedy disease

Lateral sclerosis:

- amyotrophic
- primary

Progressive:

- bulbar palsy
- spinal muscular atrophy

G14 Postpolio syndrome**Status of code:** *Created – Seventh Edition***WHO ICD-10:**

G14 Postpolio syndrome

ICD-10-AM Seventh Edition:

G14 Postpolio syndrome

G21.4 Vascular parkinsonism**Status of code:** *Created – Sixth Edition***G23 Other degenerative diseases of basal ganglia****Status of excludes note:** *Deleted – Tenth Edition*

G23.0 Pigmentary pallidal degeneration

Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
 G23.0 Hallervorden-Spatz disease

ICD-10-AM Twelfth Edition:
 G23.0 Pigmentary pallidal degeneration

G23.1 Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]

Status of inclusion term(s): Created – [Eighth Edition](#)

Term classification:
 Progressive supranuclear palsy

G23.2 Multiple system atrophy, parkinsonian type [MSA-P]

Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:
 G23.2 Striatonigral degeneration

ICD-10-AM Tenth Edition:
 G23.2 Multiple system atrophy, parkinsonian type [MSA-P]

G23.3 Multiple system atrophy, cerebellar type [MSA-C]

Status of code: Created – [Tenth Edition](#)

G24.0 Drug-induced dystonia

Status of inclusion term(s): Created – [Seventh Edition](#)

Term classification:
 Tardive dyskinesia

G25.3 Myoclonus

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:
Use additional external cause code (Chapter 20) to identify cause.

G25.6 Drug-induced tics and other tics of organic origin

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:
Use additional external cause code (Chapter 20) to identify cause.

G25.8 Other specified extrapyramidal and movement disorders

Status of term:	Classified – First Edition
Status of inclusion term(s):	Revised – Eighth Edition
Status of instructional note(s):	Created – Eighth Edition
Status of inclusion term(s):	Revised – Eleventh Edition
Status of inclusion term(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

Term classification:

Akathisia due to drugs

ICD-10-AM Seventh Edition:

Restless legs syndrome

Stiff-man syndrome

ICD-10-AM Eighth Edition:

Akathisia (drug-induced) (treatment-induced)

Restless legs syndrome

Stiff-man syndrome

ICD-10-AM Eleventh Edition:

Akathisia (drug-induced) (treatment-induced)

Restless legs syndrome

Stiff-person [man] syndrome

*Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:**

Akathisia (drug-induced) (treatment-induced)

Benign shuddering attacks

Restless legs syndrome

Stiff-person [man] syndrome

*Use additional external cause code (Chapter 20) to identify cause.***G30 Alzheimer's disease**

Status of includes note:	Deleted – Seventh Edition
Status of excludes note:	Deleted – Seventh Edition

G30.0 Alzheimer's disease with early onset

Status of inclusion term(s):	Created – Seventh Edition
Status of inclusion term(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Alzheimer's type presenile dementia† (F00.0*)

ICD-10-AM Twelfth Edition:

Alzheimer's type presenile dementia† (F00.0-*)

G30.1 Alzheimer's disease with late onset

Status of inclusion term(s): Created – [Seventh Edition](#)
Status of excludes note: Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Alzheimer's type senile dementia† (F00.1*)

Excludes: senile:
 • degeneration of brain NEC (G31.1)
 • dementia NOS (F03)
 senility NOS (R54)

ICD-10-AM Twelfth Edition:

Alzheimer's type senile dementia† (F00.1-*)

Excludes: senile:
 • degeneration of brain NEC (G31.1)
 • dementia NOS (F03.0-)
 senility NOS (R54)

G30.8 Other Alzheimer's disease

Status of inclusion term(s): Created – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Alzheimer's type atypical or mixed dementia† (F00.2*)

ICD-10-AM Twelfth Edition:

Alzheimer's type atypical or mixed dementia† (F00.2-*)

G30.9 Alzheimer's disease, unspecified

Status of inclusion term(s): Created – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Alzheimer's type unspecified dementia† (F00.9*)

ICD-10-AM Twelfth Edition:

Alzheimer's type unspecified dementia† (F00.9-*)

G31.0 Circumscribed brain atrophy

Status of inclusion term(s): Revised – [Seventh Edition](#)

Term classification:

Frontotemporal dementia (FTD)

G31.1 Senile degeneration of brain, not elsewhere classified

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: Alzheimer's disease (G30.-)
 senility NOS (R54)

ICD-10-AM Seventh Edition:

Excludes: Alzheimer's disease (G30.1)
 senility NOS (R54)

G31.3 Lewy body disease*Status of code:**Created – Fourth Edition***G31.8 Other specified degenerative diseases of nervous system***Status of code(s):**Created – First Edition**Status of code(s):**Deleted – Second Edition**Status of term:**Reclassified – Second Edition***WHO ICD-10:**

G31.8 Other specified degenerative diseases of nervous system

ICD-10-AM First Edition:

G31.8 Other specified degenerative diseases of nervous system

G31.81 Mitochondrial cytopathy

G31.88 Other specified degenerative diseases of nervous system

ICD-10-AM Second Edition:

G31.8 Other specified degenerative diseases of nervous system

Term reclassification:

Mitochondrial encephalopathy acidosis stroke-like episode syndrome (MELAS)

Myoclonus epilepsy ragged red fibre syndrome (MERFF)

Mitochondrial (cytopathy) (defect) (disease) (disorder) (syndrome) NOS

G31.9 Degenerative disease of nervous system, unspecified*Status of inclusion term(s):**Created – Tenth Edition***G40 Epilepsy***Status of instructional note(s):**Revised – Eighth Edition**Status of excludes note:**Revised – Ninth Edition***ICD-10-AM Seventh Edition:**

The following fifth character subdivisions are for use with category G40:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories G40.0–G40.9:

...

Excludes: Landau-Kleffner syndrome (F80.3)
 seizure (convulsive) NOS (R56.8)
 status epilepticus (G41.-)
 Todd's paralysis (G83.8)

ICD-10-AM Ninth Edition:

Excludes: Landau-Kleffner syndrome (F80.3)
 seizure (convulsive) NOS (R56.8)
 status epilepticus (G41.-)
 Todd's paralysis (G83.89)

G40.0 Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset

Status of code(s):

Created – *Third Edition*

ICD-10-AM Second Edition:

G40.0 Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset

ICD-10-AM Third Edition:

G40.0 Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset

G40.00 Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset, without mention of intractable epilepsy

G40.01 Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset, with intractable epilepsy

G40.1 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures

Status of code(s):

Created – *Third Edition*

ICD-10-AM Second Edition:

G40.1 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures

ICD-10-AM Third Edition:

G40.1 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures

G40.10 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, without mention of intractable epilepsy

G40.11 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, with intractable epilepsy

G40.2 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures

Status of code(s):

Created – *Third Edition*

ICD-10-AM Second Edition:

G40.2 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures

ICD-10-AM Third Edition:

G40.2 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures

G40.20 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, without mention of intractable epilepsy

G40.21 Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy

G40.3 Generalised idiopathic epilepsy and epileptic syndromes**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

G40.3 Generalised idiopathic epilepsy and epileptic syndromes

ICD-10-AM Third Edition:

G40.3 Generalised idiopathic epilepsy and epileptic syndromes

G40.30 Generalised idiopathic epilepsy and epileptic syndromes, without mention of intractable epilepsy

G40.31 Generalised idiopathic epilepsy and epileptic syndromes, with intractable epilepsy

G40.4 Other generalised epilepsy and epileptic syndromes**Status of term:****Reclassified – Second Edition****Status of code(s):****Created – Third Edition****Term reclassification:**

Myoclonus epilepsy ragged red fibre syndrome (MERFF)

ICD-10-AM Second Edition:

G40.4 Other generalised epilepsy and epileptic syndromes

ICD-10-AM Third Edition:

G40.4 Other generalised epilepsy and epileptic syndromes

G40.40 Other generalised epilepsy and epileptic syndromes, without mention of intractable epilepsy

G40.41 Other generalised epilepsy and epileptic syndromes, with intractable epilepsy

G40.5 Special epileptic syndromes**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Second Edition:**

G40.5 Special epileptic syndromes

ICD-10-AM Third Edition:

G40.5 Special epileptic syndromes

G40.50 Special epileptic syndromes, without mention of intractable epilepsy

G40.51 Special epileptic syndromes, with intractable epilepsy

ICD-10-AM Eleventh Edition:*Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.*

G40.6 Grand mal seizures, unspecified (with or without petit mal)**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

G40.6 Grand mal seizures, unspecified (with or without petit mal)

ICD-10-AM Third Edition:

G40.6 Grand mal seizures, unspecified (with or without petit mal)

G40.60 Grand mal seizures, unspecified (with or without petit mal), without mention of intractable epilepsy

G40.61 Grand mal seizures, unspecified (with or without petit mal), with intractable epilepsy

G40.7 Petit mal, unspecified, without grand mal seizures**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

G40.7 Petit mal, unspecified, without grand mal seizures

ICD-10-AM Third Edition:

G40.7 Petit mal, unspecified, without grand mal seizures

G40.70 Petit mal, unspecified, without grand mal seizures, without mention of intractable epilepsy

G40.71 Petit mal, unspecified, without grand mal seizures, with intractable epilepsy

G40.8 Other epilepsy**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

G40.8 Other epilepsy

ICD-10-AM Third Edition:

G40.8 Other epilepsy

G40.80 Other epilepsy, without mention of intractable epilepsy

G40.81 Other epilepsy, with intractable epilepsy

G40.9 Epilepsy, unspecified**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

G40.9 Epilepsy, unspecified

ICD-10-AM Third Edition:

G40.9 Epilepsy, unspecified

G40.90 Epilepsy, unspecified, without mention of intractable epilepsy

G40.91 Epilepsy, unspecified, with intractable epilepsy

G43 Migraine**Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.*

G47.3 Sleep apnoea

Status of code(s): Created – [Second Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM First Edition:

G47.3 Sleep apnoea

ICD-10-AM Second Edition:

G47.3 Sleep apnoea
 G47.30 Sleep apnoea, unspecified
[G47.31](#) Central sleep apnoea syndrome
 G47.32 Obstructive sleep apnoea syndrome
[G47.33](#) Sleep hypoventilation syndrome
 G47.39 Other sleep apnoea

ICD-10-AM Ninth Edition:

Excludes: pickwickian syndrome (E66.2)
 sleep apnoea of newborn (P28.3)

ICD-10-AM Tenth Edition:

Excludes: Pickwickian syndrome (E66.2-)
 sleep apnoea of newborn (P28.3)

ICD-10-AM Twelfth Edition:

Excludes: Pickwickian syndrome (E66.2-)
 sleep apnoea of newborn (P28.3)
 snoring NOS (R06.5)

G47.31 Central sleep apnoea syndrome

Status of excludes note: Created – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Central sleep hypopnoea syndrome

ICD-10-AM Twelfth Edition:

Central sleep:
 • apnoea-hypopnoea syndrome [CSAHS]
 • hypopnoea syndrome

G47.32 Obstructive sleep apnoea syndrome [OSAS]

Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

G47.32 Obstructive sleep apnoea syndrome
 Obstructive sleep hypopnoea syndrome

ICD-10-AM Twelfth Edition:

G47.32 Obstructive sleep apnoea syndrome [OSAS]
 Obstructive sleep:
 • apnoea-hypopnoea syndrome [OSAHS]
 • hypopnoea syndrome
 Upper airway resistance syndrome [UARS]

G47.33 Sleep hypoventilation syndrome*Status of excludes note:**Created – Tenth Edition***G50–G59 Nerve, nerve root and plexus disorders***Status of excludes note:**Revised – Tenth Edition***ICD-10-AM Ninth Edition:**

Excludes: current traumatic nerve, nerve root and plexus disorders — see nerve injury by body region
 neuralgia } NOS (M79.2-)
 neuritis }
 peripheral neuritis in pregnancy (O26.83)
 radiculitis NOS (M54.1-)

ICD-10-AM Tenth Edition:

Excludes: current traumatic nerve, nerve root and plexus disorders — see nerve injury by body region
 neuralgia | NOS (M79.2-)
 neuritis |
 radiculitis NOS (M54.1-)

G51.0 Facial nerve palsy*Status of inclusion term(s):**Revised – Ninth Edition**Status of excludes note:**Created – Ninth Edition**Status of code title:**Revised – Twelfth Edition**Status of inclusion term(s):**Revised – Twelfth Edition**Status of excludes note:**Revised – Twelfth Edition***ICD-10-AM Eighth Edition:**

Facial palsy

ICD-10-AM Ninth Edition:

Facial palsy due to facial nerve disorder

ICD-10-AM Eleventh Edition:

G51.0 Bell's palsy
 Facial palsy due to facial nerve disorder

Excludes: facial paralysis due to:
 • birth trauma (P11.3)
 • cerebrovascular accident (G83.81)

ICD-10-AM Twelfth Edition:

G51.0 Facial nerve palsy
 Bell's palsy
 Facial palsy (droop) (weakness) (paralysis):
 • due to lower motor neuron [LMN] lesion
 • NOS

Excludes: facial palsy due to:
 • birth trauma (P11.3)
 • cerebrovascular accident (G83.81)
 • upper motor neuron [UMN] lesion (G83.6)

G53.1* Multiple cranial nerve palsies in infectious and parasitic diseases classified elsewhere (A00–B94.9, B99†)**Status of code title:****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

G53.1* Multiple cranial nerve palsies in infectious and parasitic diseases classified elsewhere (A00–B99†)

ICD-10-AM Sixth Edition:

G53.1* Multiple cranial nerve palsies in infectious and parasitic diseases classified elsewhere (A00–B94.9, B99†)

G55.2* Nerve root and plexus compressions in spondylosis (M47.-†)**Status of term:****Reclassified – First Edition****Term reclassification:**

Spondylosis with myelopathy, not elsewhere classified

G56.3 Lesion of radial nerve**Status of term:****Reclassified – First Edition****Term reclassification:**

Paralysis of radial nerve

G56.4 Causalgia of upper limb**Status of code(s):****Revised – Fourth Edition****Status of code:****Deleted – Twelfth Edition****ICD-10-AM Third Edition:**

G56.4 Causalgia

ICD-10-AM Fourth Edition:

G56.4 Causalgia of upper limb

G57.7 Causalgia of lower limb**Status of code:****Created – Fourth Edition****Status of code:****Deleted – Twelfth Edition****G58.1 Complex regional pain syndrome type I****Status of code(s):****Created – Fourth Edition****Status of code(s):****Deleted – Twelfth Edition****ICD-10-AM Fourth Edition:**

G58.1 Complex regional pain syndrome type I

G58.10 Complex regional pain syndrome type I, unspecified site

G58.11 Complex regional pain syndrome type I, upper limb

G58.12 Complex regional pain syndrome type I, lower limb

G58.19 Complex regional pain syndrome type I, other specified site

G58.9 Mononeuropathy, unspecified**Status of term:****Reclassified – First Edition****Status of inclusion term(s):****Deleted – Twelfth Edition****Term reclassification:**

Neuropathy, not otherwise specified

G59* Mononeuropathy in diseases classified elsewhere**Status of code(s):****Deleted – Second Edition****ICD-10-AM First Edition:**

G59* Mononeuropathy in diseases classified elsewhere

G59.0* Diabetic mononeuropathy

G59.8* Other mononeuropathies in diseases classified elsewhere

ICD-10-AM Second Edition:

G59* Mononeuropathy in diseases classified elsewhere

G60–G64 Polyneuropathies and other disorders of the peripheral nervous system**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: neuralgia NOS (M79.2-)
 neuritis NOS (M79.2-)
 peripheral neuritis in pregnancy (O26.83)
 radiculitis NOS (M54.1-)

ICD-10-AM Tenth Edition:

Excludes: neuralgia NOS (M79.2-)
 neuritis NOS (M79.2-)
 radiculitis NOS (M54.1-)

G61.0 Guillain-Barré syndrome**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Acute (post-)infective polyneuritis

ICD-10-AM Seventh Edition:

Acute (post-)infective polyneuritis
 Miller Fisher syndrome

G62.9 Polyneuropathy, unspecified**Status of term:****Reclassified – First Edition****Term classification:**

Neuropathy, not otherwise specified

G63.2* Diabetic polyneuropathy**Status of code(s):****Deleted – Second Edition****G70.0 Myasthenia gravis****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.*

G71 Primary disorders of muscles**Status of excludes note:****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

Excludes: arthrogryposis multiplex congenita (Q74.3)
 metabolic disorders (E70–E90)
 myositis (M60.-)

ICD-10-AM Sixth Edition:

Excludes: arthrogryposis multiplex congenita (Q74.3)
 metabolic disorders (E70–E89)
 myositis (M60.-)

G71.0 Muscular dystrophy**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Muscular dystrophy:

- autosomal recessive, childhood type, resembling Duchenne or Becker
- benign [Becker]
- benign scapuloperoneal with early contractures [Emery-Dreifuss]
- distal
- facioscapulohumeral
- limb-girdle
- ocular
- oculopharyngeal
- scapuloperoneal
- severe [Duchenne]

ICD-10-AM Eleventh Edition:

Muscular dystrophy:

- autosomal recessive, childhood type, resembling Duchenne or Becker
- benign:
 - NOS [Becker]
 - scapuloperoneal with early contractures [Emery-Dreifuss]
- distal
- facioscapulohumeral
- limb-girdle
- ocular
- oculopharyngeal
- scapuloperoneal
- severe [Duchenne]

G71.1 Myotonic disorders**Status of instructional note(s):****Revised – Twelfth Edition****Status of inclusion term(s):****Revised – Thirteenth Edition****ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:**

Dystrophia myotonica [Steinert]

Myotonia congenita:

- dominant [Thomsen]
- NOS
- recessive [Becker]

Myotonia:

- chondrodystrophic
- drug-induced
- symptomatic

Neuromyotonia [Isaacs]

Paramyotonia congenita

Pseudomyotonia

*Use additional external cause code (Chapter 20) to identify cause.***ICD-10-AM Thirteenth Edition:**

Dystrophia myotonica [Steinert]

Myotonia:

- chondrodystrophic
- congenita:
 - dominant [Thomsen]
 - NOS
 - recessive [Becker]
- drug-induced
- symptomatic

Neuromyotonia [Isaacs]

Paramyotonia congenita

Pseudomyotonia

G71.3 Mitochondrial myopathy, not elsewhere classified**Status of term:****Reclassified – Second Edition****Term reclassification:**

Mitochondrial encephalopathy acidosis stroke-like episode syndrome (MELAS)

G72.4 Inflammatory myopathy, not elsewhere classified**Status of inclusion term(s):****Created – Sixth Edition****G73.1* Lambert-Eaton syndrome (C00-D48†)****Status of code title:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

G73.1* Eaton-Lambert syndrome (C80†)

ICD-10-AM Seventh Edition:

G73.1* Lambert-Eaton syndrome (C00-D48†)

G80 Cerebral palsy**Status of code title(s):****Revised – Second Edition****Status of code(s):****Created – Second Edition****ICD-10-AM First Edition:**

G80	Infantile cerebral palsy
G80.0	Spastic cerebral palsy
G80.1	Spastic diplegia
G80.2	Infantile hemiplegia
G80.3	Dyskinetic cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy
G80.9	Infantile cerebral palsy, unspecified

ICD-10-AM Second Edition:

G80	Cerebral palsy
G80.0	Spastic cerebral palsy
G80.00	Spastic cerebral palsy, unspecified
G80.01	Spastic diplegic cerebral palsy
G80.02	Spastic hemiplegic cerebral palsy
G80.03	Spastic quadriplegic cerebral palsy
G80.09	Other spastic cerebral palsy
G80.1	Spastic diplegia
G80.2	Infantile hemiplegia
G80.3	Dyskinetic cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy
G80.9	Cerebral palsy, unspecified

G81 Hemiplegia**Status of note:****Deleted – Second Edition****Status of excludes note:****Revised – Sixth Edition Errata 1****WHO ICD-10:**

Note: For primary coding, this category is to be used only when hemiplegia (complete) (incomplete) is reported without further specification, or is stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these types of hemiplegia resulting from any cause.

ICD-10-AM Sixth Edition:

Excludes: congenital cerebral palsy (G80.-)
transient hemiplegia (R29.88)

ICD-10-AM Sixth Edition Errata 1:

Excludes: congenital cerebral palsy (G80.-)
transient hemiplegia (R29.88)

G82 Paraplegia and tetraplegia

Status of note:	Deleted – Second Edition
Status of excludes note:	Revised Sixth Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of inclusion term(s):	Revised – Thirteenth Edition
Status of note:	Created – Thirteenth Edition
Status of instructional note(s):	Created – Thirteenth Edition

WHO ICD-10:

Note: Codes in this category are to be used only when the listed conditions are reported without further specification, or are stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these conditions resulting from any causes.

ICD-10-AM Fifth Edition:

Excludes: acute, traumatic paraplegia and tetraplegia (S14.-, S24.-, S34.-)
congenital cerebral palsy (G80.-)

ICD-10-AM Sixth Edition:

Excludes: acute, traumatic paraplegia and tetraplegia (S14.-, S24.-, S34.-)
congenital cerebral palsy (G80.-)
transient paresis (R29.88)

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category G82:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories G82.0–G82.5:

ICD-10-AM Twelfth Edition:

G82 Paraplegia and tetraplegia
Acute, nontraumatic:
• paraplegia
• quadriplegia
• tetraplegia
Chronic:
• paraplegia
• quadriplegia
• tetraplegia

ICD-10-AM Thirteenth Edition:

G82 Paraplegia and tetraplegia
Acute (nontraumatic):
• paraplegia
• quadriplegia
• tetraplegia
Chronic (nontraumatic):
• paraplegia
• quadriplegia
• tetraplegia

G82.0 Flaccid paraplegia**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Second Edition****WHO ICD-10:**

G82.0 Flaccid paraplegia

ICD-10-AM First Edition:

G82.0 Flaccid paraplegia

G82.00 Flaccid paraplegia, unspecified

G82.01 Flaccid paraplegia, cervical, complete cervicothoracic

G82.02 Flaccid paraplegia, cervical, incomplete cervicothoracic

G82.03 Flaccid paraplegia, thoracic, complete thoracolumbar

G82.04 Flaccid paraplegia, thoracic, incomplete thoracolumbar

G82.05 Flaccid paraplegia, lumbar, complete lumbosacral

G82.06 Flaccid paraplegia, lumbar, incomplete lumbosacral

ICD-10-AM Second Edition:

G82.0 Flaccid paraplegia

G82.00 Flaccid paraplegia, unspecified

G82.01 Flaccid paraplegia, unspecified, acute

G82.02 Flaccid paraplegia, unspecified, chronic

G82.03 Flaccid paraplegia, complete, acute

G82.04 Flaccid paraplegia, complete, chronic

G82.05 Flaccid paraplegia, incomplete, acute

G82.06 Flaccid paraplegia, incomplete, chronic

G82.1 Spastic paraplegia**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Second Edition****WHO ICD-10:**

G82.1 Spastic paraplegia

ICD-10-AM First Edition:

G82.1 Spastic paraplegia

G82.10 Spastic paraplegia, unspecified

G82.11 Spastic paraplegia, cervical, complete cervicothoracic

G82.12 Spastic paraplegia, cervical, incomplete cervicothoracic

G82.13 Spastic paraplegia, thoracic, complete thoracolumbar

G82.14 Spastic paraplegia, thoracic, incomplete thoracolumbar

G82.15 Spastic paraplegia, lumbar, complete lumbosacral

G82.16 Spastic paraplegia, lumbar, incomplete lumbosacral

ICD-10-AM Second Edition:

G82.1 Spastic paraplegia

G82.10 Spastic paraplegia, unspecified

G82.11 Spastic paraplegia, unspecified, acute

G82.12 Spastic paraplegia, unspecified chronic

G82.13 Spastic paraplegia, complete, acute

G82.14 Spastic paraplegia, complete, chronic

G82.15 Spastic paraplegia, incomplete, acute

G82.16 Spastic paraplegia, incomplete, chronic

G82.2 Paraplegia, unspecified**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Second Edition****WHO ICD-10:**

G82.2 Paraplegia, unspecified

ICD-10-AM First Edition:

G82.2 Paraplegia, unspecified

G82.20 Paraplegia, unspecified

G82.21 Paraplegia, unspecified, cervical, complete cervicothoracic

G82.22 Paraplegia, unspecified, cervical, incomplete cervicothoracic

G82.23 Paraplegia, unspecified, thoracic, complete thoracolumbar

G82.24 Paraplegia, unspecified, thoracic, incomplete thoracolumbar

G82.25 Paraplegia, unspecified, lumbar, complete lumbosacral

G82.26 Paraplegia, unspecified, lumbar, incomplete lumbosacral

ICD-10-AM Second Edition:

G82.2 Paraplegia, unspecified

G82.20 Paraplegia, unspecified

G82.21 Paraplegia, unspecified, acute

G82.22 Paraplegia, unspecified, chronic

G82.23 Paraplegia, unspecified, complete, acute

G82.24 Paraplegia, unspecified, complete, chronic

G82.25 Paraplegia, unspecified, incomplete, acute

G82.26 Paraplegia, unspecified, incomplete, chronic

G82.3 Flaccid tetraplegia**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Second Edition****WHO ICD-10:**

G82.3 Flaccid tetraplegia

ICD-10-AM First Edition:

G82.3 Flaccid tetraplegia

G82.30 Flaccid tetraplegia, unspecified

G82.31 Flaccid tetraplegia, cervical, complete cervicothoracic

G82.32 Flaccid tetraplegia, cervical, incomplete cervicothoracic

G82.33 Flaccid tetraplegia, thoracic, complete thoracolumbar

G82.34 Flaccid tetraplegia, thoracic, incomplete thoracolumbar

G82.35 Flaccid tetraplegia, lumbar, complete lumbosacral

G82.36 Flaccid tetraplegia, lumbar, incomplete lumbosacral

ICD-10-AM Second Edition:

G82.3 Flaccid tetraplegia

G82.30 Flaccid tetraplegia, unspecified

G82.31 Flaccid tetraplegia, unspecified, acute

G82.32 Flaccid tetraplegia, unspecified, chronic

G82.33 Flaccid tetraplegia, complete, acute

G82.34 Flaccid tetraplegia, complete, chronic

G82.35 Flaccid tetraplegia, incomplete, acute

G82.36 Flaccid tetraplegia, incomplete, chronic

G82.4 Spastic tetraplegia**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Second Edition****WHO ICD-10:**

G82.4 Spastic tetraplegia

ICD-10-AM First Edition:

G82.4 Spastic tetraplegia
 G82.40 Spastic tetraplegia, unspecified
 G82.41 Spastic tetraplegia, cervical, complete cervicothoracic
 G82.42 Spastic tetraplegia, cervical, incomplete cervicothoracic
 G82.43 Spastic tetraplegia, thoracic, complete thoracolumbar
 G82.44 Spastic tetraplegia, thoracic, incomplete thoracolumbar
 G82.45 Spastic tetraplegia, lumbar, complete lumbosacral
 G82.46 Spastic tetraplegia, lumbar, incomplete lumbosacral

ICD-10-AM Second Edition:

G82.4 Spastic tetraplegia
 G82.40 Spastic tetraplegia, unspecified
 G82.41 Spastic tetraplegia, unspecified, acute
 G82.42 Spastic tetraplegia, unspecified, chronic
 G82.43 Spastic tetraplegia, complete, acute
 G82.44 Spastic tetraplegia, complete, chronic
 G82.45 Spastic tetraplegia, incomplete, acute
 G82.46 Spastic tetraplegia, incomplete, chronic

G82.5 Tetraplegia, unspecified**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Second Edition****WHO ICD-10:**

G82.5 Tetraplegia, unspecified

ICD-10-AM First Edition:

G82.5 Tetraplegia, unspecified
 G82.50 Tetraplegia, unspecified
 G82.51 Tetraplegia, unspecified, cervical, complete cervicothoracic
 G82.52 Tetraplegia, unspecified, cervical, incomplete cervicothoracic
 G82.53 Tetraplegia, unspecified, thoracic, complete thoracolumbar
 G82.54 Tetraplegia, unspecified, thoracic, incomplete thoracolumbar
 G82.55 Tetraplegia, unspecified, lumbar, complete lumbosacral
 G82.56 Tetraplegia, unspecified, lumbar, incomplete lumbosacral

ICD-10-AM Second Edition:

G82.5 Tetraplegia, unspecified
 G82.51 Tetraplegia, unspecified
 G82.51 Tetraplegia, unspecified, acute
 G82.52 Tetraplegia, unspecified, chronic
 G82.53 Tetraplegia, unspecified, complete, acute
 G82.54 Tetraplegia, unspecified, complete, chronic
 G82.55 Tetraplegia, unspecified, incomplete, acute
 G82.56 Tetraplegia, unspecified, incomplete, chronic

G83 Other paralytic syndromes**Status of note:****Deleted – Second Edition****Status of excludes note:****Created – Sixth Edition****WHO ICD-10:****Note:**

For primary coding, this category is to be used only when the listed conditions are reported without further specification, or are stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these conditions resulting from any cause.

G83.2 Monoplegia of upper limb**Status of term:****Reclassified – First Edition****Term reclassification:**

Paralysis of radial nerve

G83.5 Locked-in syndrome**Status of code:****Created – Ninth Edition****G83.6 Upper motor neuron facial paralysis****Status of code:****Created – Twelfth Edition****G83.8 Other specified paralytic syndromes****Status of code(s):****Created – Ninth Edition****Status of inclusion term(s):****Deleted – Ninth Edition****ICD-10-AM Eighth Edition:**

G83.8 Other specified paralytic syndromes

ICD-10-AM Ninth Edition:

G83.8 Other specified paralytic syndromes

G83.81 Facial paralysis due to cerebrovascular accident

G83.89 Other specified paralytic syndromes

G83.81 Facial paralysis due to cerebrovascular accident**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:****Excludes:**

Bell's palsy (G51.0)
 facial paralysis due to:
 • birth trauma (P11.3)
 • facial nerve disorder (G51.0)

ICD-10-AM Twelfth Edition:**Excludes:**

Bell's palsy (G51.0)
 facial:
 • nerve palsy (G51.0)
 • paralysis due to birth trauma (P11.3)

G90 Disorders of autonomic nervous system**Status of instructional note:****Created – Twelfth Edition**

G90.3 Multi-system degeneration*Status of code:* Deleted – *Tenth Edition***G90.4 Autonomic dysreflexia***Status of code:* Created – *Fifth Edition***G90.5 Complex regional pain syndrome type I***Status of code(s):* Created – *Twelfth Edition***ICD-10-AM Twelfth Edition:**

- G90.5 Complex regional pain syndrome type I
- G90.50 Complex regional pain syndrome type I, unspecified site
- G90.51 Complex regional pain syndrome type I, upper limb
- G90.52 Complex regional pain syndrome type I, lower limb
- G90.59 Complex regional pain syndrome type I, other site

G90.6 Complex regional pain syndrome type II*Status of code(s):* Created – *Twelfth Edition***ICD-10-AM Twelfth Edition:**

- G90.6 Complex regional pain syndrome type II
- G90.60 Complex regional pain syndrome type II, unspecified site
- G90.61 Complex regional pain syndrome type II, upper limb
- G90.62 Complex regional pain syndrome type II, lower limb
- G90.69 Complex regional pain syndrome type II, other site

G90.7 Complex regional pain syndrome, other and unspecified type*Status of code(s):* Created – *Twelfth Edition***ICD-10-AM Twelfth Edition:**

- G90.7 Complex regional pain syndrome, other and unspecified type
- G90.70 Complex regional pain syndrome, other and unspecified type, unspecified site
- G90.71 Complex regional pain syndrome, other and unspecified type, upper limb
- G90.72 Complex regional pain syndrome, other and unspecified type, lower limb
- G90.79 Complex regional pain syndrome, other and unspecified type, other site

G90.8 Other disorders of autonomic nervous system

Status of term: Classified – *First Edition*
Status of term: Reclassified – *Fifth Edition*
Status of inclusion term(s): Revised – *Seventh Edition*
Status of inclusion term(s): Deleted – *Thirteenth Edition*
Status of code(s): Created – *Thirteenth Edition*

First Edition Term classification:

Autonomic dysreflexia

Fifth Edition Term reclassification:

Autonomic dysreflexia

ICD-10-AM Seventh Edition:

Sympathetic storm

ICD-10-AM Twelfth Edition:

- G90.8 Other disorders of autonomic nervous system

ICD-10-AM Thirteenth Edition:

- G90.8 Other disorders of autonomic nervous system
 G90.81 Postural orthostatic tachycardia syndrome [POTS]
 G90.89 Other disorders of autonomic nervous system, not elsewhere classified

G91 Hydrocephalus

Status of excludes note: **Revised – Tenth Edition**

ICD-10-AM Ninth Edition:

- Excludes:** hydrocephalus:
 • congenital (Q03.-)
 • due to congenital toxoplasmosis (P37.1)

ICD-10-AM Tenth Edition:

- Excludes:** hydrocephalus:
 • acquired, of newborn (P91.7)
 • congenital (Q03.-)
 • due to congenital toxoplasmosis (P37.1)

G91.8 Other hydrocephalus

Status of inclusion term(s): **Created – Eighth Edition**

Status of inclusion term(s): **Deleted – Tenth Edition**

G92 Toxic encephalopathy

Status of code(s): **Created – Twelfth Edition**

Status of instructional note(s): **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

- G92 Toxic encephalopathy

Use additional external cause code (Chapter 20) to identify toxic agent.

ICD-10-AM Twelfth Edition:

- G92 Toxic encephalopathy

Use additional external cause code (Chapter 20) to identify cause.

- G92.0 Immune effector cell-associated neurotoxicity syndrome
 G92.8 Other toxic encephalopathy
 G92.9 Unspecified toxic encephalopathy

G93.1 Anoxic brain damage, not elsewhere classified

Status of excludes note: **Revised – Tenth Edition**

Status of excludes note: **Revised – Eleventh Edition**

Status of excludes note: **Revised – Thirteenth Edition**

ICD-10-AM Ninth Edition:

- Excludes:** complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 • pregnancy, labour or delivery (O29.2, O74.3, O89.2)
 • surgical and medical care (G97.8)
 neonatal anoxia (P21.9)

ICD-10-AM Tenth Edition:

- Excludes:** complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 • surgical and medical care (G97.8)
 neonatal anoxia (P21.9)

ICD-10-AM Eleventh Edition:

Excludes: complicating surgical and medical care (G97.8)
neonatal anoxia (P21.9)

ICD-10-AM Thirteenth Edition:

Excludes: neonatal anoxia (P21.9)

G93.3 Postviral fatigue syndrome

Status of inclusion term(s): Revised – **Eleventh Edition**

ICD-10-AM Tenth Edition:

Benign myalgic encephalomyelitis

ICD-10-AM Eleventh Edition:

Myalgic encephalomyelitis

G93.4 Encephalopathy, unspecified

Status of excludes note: Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Excludes: encephalopathy:
• alcoholic (G31.2)
• toxic (G92)

ICD-10-AM Twelfth Edition:

Excludes: encephalopathy:
• alcoholic (G31.2)
• toxic (G92.-)

G94.0* Hydrocephalus in infectious and parasitic diseases classified elsewhere (A00-B94.9, B99†)

Status of code title: Revised – **Sixth Edition**

ICD-10-AM Fifth Edition:

G94.0* Hydrocephalus in infectious and parasitic diseases classified elsewhere (A00–B99†)

ICD-10-AM Sixth Edition:

G94.0* Hydrocephalus in infectious and parasitic diseases classified elsewhere (A00–B94.9, B99†)

G94.3* Encephalopathy in diseases classified elsewhere

Status of code: Created – **Eleventh Edition**

G96.8 Other specified disorders of central nervous system

Status of inclusion term(s): Created – **Tenth Edition**

Status of inclusion term(s): Deleted – **Twelfth Edition**

G97 Intraoperative and postprocedural disorders of nervous system

Status of code title: Revised – **Tenth Edition**

Status of code title: Revised – **Thirteenth Edition**

Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Ninth Edition:

G97 Postprocedural disorders of nervous system, not elsewhere classified

ICD-10-AM Tenth Edition:

G97 Intraoperative and postprocedural disorders of nervous system, not elsewhere classified

ICD-10-AM Thirteenth Edition:

G97 Intraoperative and postprocedural disorders of nervous system

G97.0 Postprocedural cerebrospinal fluid leak

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Created – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

G97.0 Cerebrospinal fluid leak from spinal puncture

ICD-10-AM Tenth Edition:

G97.0 Postprocedural cerebrospinal fluid leak

G97.1 Reaction to spinal and lumbar puncture

Status of code title: Revised – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

G97.1 Other reaction to spinal and lumbar puncture

ICD-10-AM Tenth Edition:

G97.1 Reaction to spinal and lumbar puncture, not elsewhere classified

Excludes: cerebrospinal fluid leak (G97.0)
that due to anaesthesia (T88.5-)

G97.11 Headache following spinal and lumbar puncture

[G97.19](#) Reaction to spinal and lumbar puncture, not elsewhere classified

ICD-10-AM Thirteenth Edition:

G97.1 Reaction to spinal and lumbar puncture

Excludes: cerebrospinal fluid leak (G97.0)
that specified as due to anaesthesia (T88.5-)

G97.19 Other reaction to spinal and lumbar puncture

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

G97.19 Reaction to spinal and lumbar puncture, not elsewhere classified

ICD-10-AM Thirteenth Edition:

G97.19 Other reaction to spinal and lumbar puncture

G97.3 Accidental puncture and laceration of nervous system organ or structure during a procedure

Status of code(s): Created – [Tenth Edition](#)
Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Tenth Edition:

- G97.3 Accidental puncture and laceration of nervous system organ or structure during a procedure
- G97.31 Accidental puncture and laceration of dura during a procedure
- G97.32 Accidental puncture and laceration of spinal cord during a procedure
- G97.33 Accidental puncture and laceration of nerve root and plexus during a procedure
- G97.34 Accidental puncture and laceration of peripheral nerve during a procedure
- G97.35 Accidental puncture and laceration of cranial nerve during a procedure
- G97.39 Accidental puncture and laceration of nervous system organ or structure during a procedure, not elsewhere classified

G97.8 Other intraoperative and postprocedural disorders of nervous system

Status of code title: Revised – **Tenth Edition**
Status of inclusion term(s): Created – **Tenth Edition**
Status of code: Deleted – **Thirteenth Edition**

ICD-10-AM Ninth Edition:

- G97.8 Other postprocedural disorders of nervous system

ICD-10-AM Tenth Edition:

- G97.8 Other intraoperative and postprocedural disorders of nervous system

G97.9 Intraoperative and postprocedural disorder of nervous system, unspecified

Status of code title: Revised – **Tenth Edition**
Status of code: Deleted – **Thirteenth Edition**

ICD-10-AM Ninth Edition:

- G97.9 Postprocedural disorder of nervous system, unspecified

ICD-10-AM Tenth Edition:

- G97.9 Intraoperative and postprocedural disorder of nervous system, unspecified

G98 Other disorders of nervous system, not elsewhere classified

Status of inclusion term(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Nervous system disorder NOS

ICD-10-AM Twelfth Edition:

Charcot arthropathy† (M14.6*)
 Nervous system disorder NOS

G99.2* Myelopathy in diseases classified elsewhere

Status of term: Reclassified – **First Edition**
Status of instructional note(s): Created – **Twelfth Edition**

Term reclassification:

Spondylosis with myelopathy, not elsewhere classified

G99.8* Other specified disorders of nervous system in diseases classified elsewhere

Status of inclusion term(s): Created – **Sixth Edition**

H00–H59 Diseases of the eye and adnexa**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: certain conditions originating in the perinatal period (P00–P96)
 certain infectious and parasitic diseases (A00–B99)
 complications of pregnancy, childbirth and the puerperium (O00–O99)
 congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

H00.0 Hordeolum and other deep inflammation of eyelid**Status of inclusion term(s):****Revised – Eleventh Edition****Status of instructional note(s):****Created – Twelfth Edition****ICD-10-AM Tenth Edition:**

Abscess	of eyelid
Furuncle	
Stye	

ICD-10-AM Eleventh Edition:

Eyelid:
 • abscess
 • furuncle
 Stye

H02.5 Other disorders affecting eyelid function**Status of excludes note:****Revised – Eleventh Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Tenth Edition:**

Excludes: blepharospasm (G24.5)
 tic:
 • NOS (F95.-)
 • organic (G25.6)
 • psychogenic (F95.-)

ICD-10-AM Eleventh Edition:

Excludes: blepharospasm (G24.5)
 tic (disorder):
 • drug induced (G25.6)
 • NOS (F95.9)
 • organic origin (G25.6)
 • psychogenic (F95.-)

ICD-10-AM Thirteenth Edition:

Excludes: blepharospasm (G24.5)
 tic (disorder):
 • drug-induced (G25.6)
 • NOS (F95.9)
 • organic origin (G25.6)
 • psychogenic (F95.-)

H05.0 Acute inflammation of orbit**Status of note:****Created – [Twelfth Edition](#)****H16.1 Other superficial keratitis without conjunctivitis****Status of term:****Classified – [First Edition](#)****Term classification:**

Welder's flash burn

H18.0 Corneal pigmentations and deposits**Status of instructional note(s):****Revised – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***H18.1 Bullous keratopathy****Status of excludes note:****Created – [Eleventh Edition](#)****H18.7 Other corneal deformities****Status of excludes note:****Revised – [Seventh Edition](#)****ICD-10-AM Sixth Edition:***Excludes:* congenital malformations of cornea (Q13.3–Q13.4)**ICD-10-AM Seventh Edition:***Excludes:* congenital malformations of cornea (Q13.3–Q13.49)**H18.8 Other specified disorders of cornea****Status of inclusion term(s):****Revised – [Seventh Edition](#)****Status of inclusion term(s):****Revised – [Twelfth Edition](#)****ICD-10-AM Sixth Edition:**

Anaesthesia	}	
Hypaesthesia	}	of cornea
Recurrent erosion	}	

ICD-10-AM Seventh Edition:

Anaesthesia of cornea	
Contact lens intolerance NOS	
Hypaesthesia	}
Recurrent erosion	}

ICD-10-AM Eleventh Edition:

Contact lens intolerance NOS	
Corneal:	
• anaesthesia	
• hypaesthesia	
Recurrent corneal erosion	

ICD-10-AM Twelfth Edition:

Contact lens intolerance NOS	
Corneal:	
• anaesthesia	
• hypaesthesia	
Limbal stem cell deficiency	
Recurrent corneal erosion	

H20.0 Acute and subacute iridocyclitis**Status of inclusion term(s):** *Revised – Tenth Edition***ICD-10-AM Ninth Edition:**

Anterior uveitis
 Cyclitis } acute, recurrent or subacute
 Iritis }

ICD-10-AM Tenth Edition:

Acute, recurrent or subacute:

- anterior uveitis
- cyclitis
- iritis

H26.2 Complicated cataract**Status of inclusion term(s):** *Revised – Eleventh Edition***ICD-10-AM Tenth Edition:**

Cataract in chronic iridocyclitis
 Cataract secondary to ocular disorders
 Glaucomatous flecks (subcapsular)

ICD-10-AM Eleventh Edition:

Cataract:
 • in chronic iridocyclitis
 • secondary to ocular disorders
 Glaucomatous flecks (subcapsular)

H28.0* Diabetic cataract**Status of code:** *Deleted – Second Edition***H31.8 Other specified disorders of choroid****Status of inclusion term(s):** *Created – Ninth Edition***H32.0* Chorioretinal inflammation in infectious and parasitic diseases classified elsewhere****Status of term:** *Reclassified – First Edition***Term reclassification:**

Late syphilis of retina

H32.8* Other chorioretinal disorders in diseases classified elsewhere

Status of inclusion term(s): *Created – Sixth Edition*
Status of inclusion term(s): *Revised – Seventh Edition Errata 6*

ICD-10-AM Seventh Edition:

Albuminurica retinitis (N18.5+)
 Renal retinitis (N18.5+)

ICD-10-AM Seventh Edition Errata 6:

Albuminuric retinitis (N18.5+)
 Renal retinitis (N18.5+)

H33.3 Retinal breaks without detachment

Status of inclusion term(s): *Revised – Tenth Edition*
Status of excludes note: *Revised – Tenth Edition*

ICD-10-AM Ninth Edition:

Horseshoe tear } of retina, without detachment
 Round hole }
 Operculum
 Retinal break NOS

Excludes: chorioretinal scars after surgery for detachment (H59.89)
 peripheral retinal degeneration without break (H35.4)

ICD-10-AM Tenth Edition:

Horseshoe tear of retina without detachment
 Operculum
 Retinal break NOS
 Round hole of retina without detachment

Excludes: peripheral retinal degeneration without break (H35.4)
 postprocedural chorioretinal scars (H59.84)

H34.8 Other retinal vascular occlusions

Status of inclusion term(s): *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Retinal vein occlusion:

- central
- incipient
- partial
- tributary

ICD-10-AM Twelfth Edition:

Retinal vein occlusion:

- branch
- central
- incipient
- partial
- tributary

H35.3 Degeneration of macula and posterior pole

Status of term: *Reclassified – First Edition*
Status of instructional note(s): *Revised – Twelfth Edition*

Term reclassification:

Monochromatism

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

H36* Retinal disorders in diseases classified elsewhere

Status of term: *Reclassified – First Edition*
Status of code(s): *Deleted – Second Edition*

Term reclassification:
 Late syphilis of retina

ICD-10-AM First Edition:

H36* Retinal disorders in diseases classified elsewhere
 H36.0* Diabetic retinopathy
 H36.8* Other retinal disorders in diseases classified elsewhere

ICD-10-AM Second Edition:

H36* Retinal disorders in diseases classified elsewhere

H40.3 Glaucoma secondary to eye trauma

Status of instructional note(s): *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional code to identify cause.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

H40.4 Glaucoma secondary to eye inflammation

Status of instructional note(s): *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional code to identify cause.

ICD-10-AM Twelfth Edition:

Code also underlying cause.

H40.5 Glaucoma secondary to other eye disorders

Status of instructional note(s): *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional code to identify cause.

ICD-10-AM Twelfth Edition:

Code also underlying cause.

H47.0 Disorders of optic nerve, not elsewhere classified

Status of inclusion term(s): *Revised – Eleventh Edition*

ICD-10-AM Tenth Edition:

Compression of optic nerve
 Haemorrhage in optic nerve sheath
 Ischaemic optic neuropathy

ICD-10-AM Eleventh Edition:

Compression of optic nerve
 (Foster-)Kennedy syndrome
 Haemorrhage in optic nerve sheath
 Ischaemic optic neuropathy

H49.8 Other paralytic strabismus

Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

External ophthalmoplegia NOS
Kearns-Sayre syndrome
Ophthalmoplegia syndrome
Tolosa-Hunt syndrome

ICD-10-AM Twelfth Edition:

External ophthalmoplegia NOS
Kearns-Sayre syndrome
Oculocraniosomatic syndrome
Ophthalmoplegia syndrome
Tolosa-Hunt syndrome

H50.0 Convergent concomitant strabismus

Status of inclusion term(s): Revised – [Eleventh Edition](#)

Status of excludes note: Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Esotropia (alternating)(monocular), except intermittent

ICD-10-AM Eleventh Edition:

Esotropia (alternating)(monocular)

H50.1 Divergent concomitant strabismus

Status of inclusion term(s): Revised – [Eleventh Edition](#)

Status of excludes note: Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Exotropia (alternating)(monocular), except intermittent

ICD-10-AM Eleventh Edition:

Exotropia (alternating)(monocular)

H50.2 Vertical strabismus

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Hypertropia
Hypotropia

H50.4 Other and unspecified heterotropia

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Hypertropia
Hypotropia

H53.5 Colour vision deficiencies

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Monochromatism

H54 Visual impairment including binocular or monocular blindness
Status of code title:
Revised – Sixth Edition
Status of note:
Revised – Sixth Edition
Status of note:
Revised – Eleventh Edition Errata
Status of note:
Revised – Thirteenth Edition
ICD-10-AM Fifth Edition:
H54 Blindness and low vision
Note:

The following table gives a classification of severity of visual impairment recommended by a WHO Study Group on the Prevention of Blindness, Geneva, 6-10 November 1972 (WHO Technical Report Series, No. 518, 1973).

The term 'low vision' in category H54 comprises categories 1 and 2 of the table, the term 'blindness' categories 3, 4 and 5, and the term 'unqualified visual loss' category 9.

If the extent of the visual field is taken into account, patients with a field no greater than 10° but greater than 5° around central fixation should be placed in category 3 and patients with a field no greater than 5° around central fixation should be placed in category 4, even if the central acuity is not impaired.

Category of visual impairment	Visual acuity with best possible correction	
	Maximum less than:	Minimum equal to or better than:
1	6/18 3/10 (0.3) 20/70	6/60 1/10 (0.1) 20/200
2	6/60 1/10 (0.1) 20/200	3/60 1/20 (0.05) 20/400
3	3/60 1/20 (0.05) 20/400	1/60 (finger counting at 1 metre) 1/50 (0.02) 5/300 (20/1200)
4	1/60 (finger counting at 1 metre) 1/50 (0.02) 5/300	Light perception
5	No light perception	
9	Undetermined or unspecified	

ICD-10-AM Sixth Edition:**H54 Visual impairment including binocular or monocular blindness**

Note: The following table gives a classification of severity of visual impairment recommended by the Resolution of the International Council of Ophthalmology (2002) and the Recommendations of the WHO Consultation on 'Development of Standards for Characterisation of Vision Loss and Visual Functioning' (Sept 2003).

For characterising visual impairment for codes H54.0 to H54.3, visual acuity should be measured with both eyes open with presenting correction if any. For characterising visual impairment for codes H54.4 to H54.6, visual acuity should be measured monocularly with presenting correction if any.

If the extent of the visual field is taken into account, patients with a visual field of the better eye no greater than 10 in radius around central fixation should be placed under category 3. For monocular blindness (H54.4), this degree of field loss would apply to the affected eye.

Impairment Category	Presenting distance visual acuity	
	Worse than:	Equal to or better than:
Mild or no visual impairment 0		6/18 3/10 (0.3) 20/70
Moderate visual impairment 1	6/18 3/10 (0.3) 20/70	6/60 1/10 (0.1) 20/200
Severe visual impairment 2	6/60 1/10 (0.1) 20/200	3/60 1/20 (0.05) 20/400
Blindness 3	3/60 1/20 (0.05) 20/400	1/60 (counts fingers (CF) at 1 metre) 1/50 (0.02) 5/300 (20/1200)
Blindness 4	1/60 (counts fingers (CF) at 1 metre) 1/50 (0.02) 5/300 (20/1200)	Light perception
Blindness 5	No light perception	
Blindness 9	Undetermined or unspecified	

Note: The term visual impairment in category H54 comprises category 0 for mild or no visual impairment, category 1 for moderate visual impairment, category 2 for severe visual impairment, categories 3, 4 and 5 for blindness and category 9 for unqualified visual impairment. The term "low vision" included in the previous revision has been replaced by categories 1 and 2 to avoid confusion with those requiring low vision care.

ICD-10-AM Eleventh Edition Hard copy:

Note: ...

For characterising visual impairment for codes H54.0 – H54.3, visual acuity should be measured with both eyes open with presenting correction if any. For characterising visual impairment for codes H54.4 – H54.6, visual acuity should be measured monocularly with presenting

...

ICD-10-AM Eleventh Edition Errata:*Note:*

...

For characterising visual impairment for codes H54.0–H54.3, visual acuity should be measured with both eyes open with presenting correction if any. For characterising visual impairment for codes H54.4–H54.6, visual acuity should be measured monocularly with presenting correction if any.

If the extent of the visual field is taken into account, patients with a visual field of the better eye no greater than 10 in radius around central fixation should be placed under category 3. For monocular blindness (H54.4), this degree of field loss would apply to the affected eye.

ICD-10-AM Thirteenth Edition:*Note:*

...

If the extent of the visual field is taken into account, patients with a visual field of the better eye no more than 10 in radius around central fixation should be placed under category 3. For monocular blindness (H54.4), this degree of field loss would apply to the affected eye.

H54.0 Blindness, binocular**Status of code title:****Revised – Sixth Edition****Status of inclusion term(s):****Revised – Sixth Edition****Status of inclusion term(s):****Revised – Tenth Edition****ICD-10-AM Fifth Edition:**

H54.0 Blindness, both eyes

Visual impairment categories 3, 4, 5 in both eyes

ICD-10-AM Sixth Edition:

H54.0 Blindness, binocular

Visual impairment category 5

ICD-10-AM Tenth Edition:

Visual impairment categories 3, 4, 5

H54.1 Severe visual impairment, binocular**Status of code title:****Revised – Sixth Edition****Status of inclusion term(s):****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

H54.1 Blindness, one eye, low vision other eye

Visual impairment categories 3, 4, 5 in one eye, with categories 1 or 2 in the other eye

ICD-10-AM Sixth Edition:

H54.1 Severe visual impairment, binocular

Visual impairment category 2

H54.2 Moderate visual impairment, binocular**Status of code title:****Revised – Sixth Edition****Status of inclusion term(s):****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

H54.2 Low vision, both eyes

Visual impairment categories 1 or 2 in both eyes

ICD-10-AM Sixth Edition:

H54.2 Moderate visual impairment, binocular

Visual impairment category 1

H54.3 Mild or no visual impairment, binocular**Status of code title:** Revised – [Sixth Edition](#)**Status of inclusion term(s):** Revised – [Sixth Edition](#)**ICD-10-AM Fifth Edition:**H54.3 Unqualified visual loss, both eyes
Visual impairment category 9 in both eyes**ICD-10-AM Sixth Edition:**H54.3 Mild or no visual impairment, binocular
Visual impairment category 0**H54.4 Blindness, monocular****Status of code title:** Revised – [Sixth Edition](#)**Status of inclusion term(s):** Revised – [Sixth Edition](#)**ICD-10-AM Fifth Edition:**H54.4 Blindness, one eye
Visual impairment categories 3, 4, 5 in one eye [normal vision in other eye]**ICD-10-AM Sixth Edition:**H54.4 Blindness, monocular
Visual impairment categories 3, 4, 5 in one eye and categories 0, 1, 2 or 9 in the other eye**H54.5 Severe visual impairment, monocular****Status of code title:** Revised – [Sixth Edition](#)**Status of inclusion term(s):** Revised – [Sixth Edition](#)**ICD-10-AM Fifth Edition:**H54.5 Low vision, one eye
Visual impairment categories 1 or 2 in one eye [normal vision in other eye]**ICD-10-AM Sixth Edition:**H54.5 Severe visual impairment, monocular
Visual impairment category 2 in one eye and categories 0, 1 or 9 in other eye**H54.6 Moderate visual impairment, monocular****Status of code title:** Revised – [Sixth Edition](#)**Status of inclusion term(s):** Revised – [Sixth Edition](#)**ICD-10-AM Fifth Edition:**H54.6 Unqualified visual loss, one eye
Visual impairment category 9 in one eye [normal vision in other eye]**ICD-10-AM Sixth Edition:**H54.6 Moderate visual impairment, monocular
Visual impairment category 1 in one eye and categories 0 or 9 in other eye**H54.7 Unspecified visual loss****Status of code:** Deleted – [Sixth Edition](#)**H54.9 Unspecified visual impairment****Status of code:** Created – [Sixth Edition](#)

H58.8* Other specified disorders of eye and adnexa in diseases classified elsewhere

Status of inclusion term(s):

Revised – Tenth Edition

ICD-10-AM Ninth Edition:

Syphilitic oculopathy NEC:

- congenital:
 - early (A50.0†)
 - late (A50.3†)
- early (secondary) (A51.4†)
- late (A52.7†)

ICD-10-AM Tenth Edition:

Syphilitic oculopathy NEC:

- congenital:
 - early (A50.0†)
 - late (A50.3†)
- early (secondary) (A51.4†)
- late (A52.7†)

Thyroid eye disease (E05.-†)

H59 Intraoperative and postprocedural disorders of eye and adnexa

Status of code title(s):

Revised – Tenth Edition

Status of code(s):

Created – Tenth Edition

Status of code title:

Revised – Thirteenth Edition

Status of excludes note:

Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

- H59 Postprocedural disorders of eye and adnexa, not elsewhere classified
- H59.0 Keratopathy [bullous aphakic] following cataract surgery
- H59.8 Other postprocedural disorders of eye and adnexa
- H59.81 Cystoid macula oedema following cataract surgery
- H59.89 Other postprocedural disorders of eye and adnexa, not elsewhere classified
- H59.9 Postprocedural disorder of eye and adnexa, unspecified

ICD-10-AM Tenth Edition:

- H59 Intraoperative and postprocedural disorders of eye and adnexa, not elsewhere classified

Excludes: mechanical complication of

- intraocular lens (T85.2)
- other ocular prosthetic devices, implants and grafts (T85.3)

pseudophakia (Z96.1)

- H59.0 Postprocedural keratopathy [bullous aphakic]
- H59.1 Accidental puncture and laceration of eye and adnexa during a procedure
- H59.11 Accidental puncture and laceration of cornea during a procedure
- H59.12 Accidental puncture and laceration of conjunctiva during a procedure
- H59.13 Accidental puncture and laceration of capsule of lens during a procedure
- H59.14 Accidental puncture and laceration of retina during a procedure
- H59.15 Accidental puncture and laceration of vitreous during a procedure
- H59.16 Accidental puncture and laceration of macula during a procedure
- H59.19 Accidental puncture and laceration of structure of eye and adnexa during a procedure, not elsewhere classified
- H59.8 Other intraoperative and postprocedural disorders of eye and adnexa
- H59.81 Postprocedural cystoid macula oedema
- H59.82 Postprocedural blebitis
- H59.83 Postprocedural endophthalmitis
- H59.84 Postprocedural chorioretinal scars
- H59.85 Postprocedural hyphaema
- H59.89 Other intraoperative and postprocedural disorders of eye and adnexa, not elsewhere classified
- H59.9 Intraoperative and postprocedural disorder of eye and adnexa, unspecified

ICD-10-AM Thirteenth Edition:

H59 Intraoperative and postprocedural disorders of eye and adnexa

Excludes: mechanical complication of devices, implants and grafts — see Alphabetic Index:
Complication(s)/ mechanical, of device, implant or graft/by site OR Complication(s)/by site and type/mechanical
 pseudophakia (Z96.1)

H59.0 Postprocedural keratopathy [bullous aphakic]

Status of code title: Revised – **Sixth Edition**
Status of inclusion term(s): Created – **Sixth Edition**
Status of code title: Revised – **Tenth Edition**
Status of inclusion term(s): Revised – **Tenth Edition**

ICD-10-AM Fifth Edition:

H59.0 Vitreous syndrome following cataract surgery

ICD-10-AM Sixth Edition:

H59.0 Keratopathy [bullous aphakic] following cataract surgery

Syndrome:

- vitreal corneal
- vitreous (touch)

ICD-10-AM Tenth Edition:

H59.0 Postprocedural keratopathy [bullous aphakic]

Keratopathy [bullous aphakic] following cataract surgery

Syndrome:

- vitreal corneal
- vitreous (touch)

H59.1 Accidental puncture and laceration of eye and adnexa during a procedure

Status of code(s): Created – **Tenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Tenth Edition:

H59.1 Accidental puncture and laceration of eye and adnexa during a procedure
 H59.11 Accidental puncture and laceration of cornea during a procedure
 H59.12 Accidental puncture and laceration of conjunctiva during a procedure
 H59.13 Accidental puncture and laceration of capsule of lens during a procedure
 H59.14 Accidental puncture and laceration of retina during a procedure
 H59.15 Accidental puncture and laceration of vitreous during a procedure
 H59.16 Accidental puncture and laceration of macula during a procedure
 H59.19 Accidental puncture and laceration of structure of eye and adnexa during a procedure, not elsewhere classified

H59.8 Other intraoperative and postprocedural disorders of eye and adnexa

Status of code(s): Created – [Sixth Edition](#)
Status of code title(s): Revised – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)

ICD-10-AM Fifth Edition:

H59.8 Other postprocedural disorders of eye and adnexa

ICD-10-AM Sixth Edition:

H59.8 Other postprocedural disorders of eye and adnexa
 H59.81 Cystoid macula oedema following cataract surgery
 H59.89 Other postprocedural disorders of eye and adnexa, not elsewhere classified

ICD-10-AM Tenth Edition:

H59.8 Other intraoperative and postprocedural disorders of eye and adnexa
 H59.81 Postprocedural cystoid macula oedema
 H59.82 Postprocedural blebitis
 H59.83 Postprocedural endophthalmitis
 H59.84 Postprocedural chorioretinal scars
 H59.85 Postprocedural hyphaema
[H59.89](#) Other intraoperative and postprocedural disorders of eye and adnexa, not elsewhere classified

H59.89 Other intraoperative and postprocedural disorders of eye and adnexa, not elsewhere classified

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)
Status of code: Deleted – [Thirteenth Edition](#)

ICD-10-AM Sixth Edition:

Chorioretinal scars after surgery for detachment

ICD-10-AM Seventh Edition:

Bleb associated endophthalmitis
 Chorioretinal scars after surgery for detachment
 Inflammation (infection) of postprocedural bleb
 Postprocedural:
 • blebitis
 • hyphaema

ICD-10-AM Ninth Edition:

H59.89 Other postprocedural disorders of eye and adnexa, not elsewhere classified

ICD-10-AM Tenth Edition:

H59.89 Other intraoperative and postprocedural disorders of eye and adnexa, not elsewhere classified
 Dropped nucleus during eye procedure NOS

H59.9 Intraoperative and postprocedural disorder of eye and adnexa, unspecified

Status of code title: Revised – [Tenth Edition](#)
Status of code: Deleted – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

H59.9 Postprocedural disorder of eye and adnexa, unspecified

ICD-10-AM Tenth Edition:

H59.9 Intraoperative and postprocedural disorder of eye and adnexa, unspecified

H60–H95 Diseases of the ear and mastoid process**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: certain conditions originating in the perinatal period (P00–P96)
 certain infectious and parasitic diseases (A00–B99)
 complications of pregnancy, childbirth and the puerperium (O00–O99)
 congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

H61.1 Noninfective disorders of pinna**Status of inclusion term(s):****Revised – Twelfth Edition****Status of instructional note(s):****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Acquired deformity of:

- auricle
- pinna

ICD-10-AM Twelfth Edition:

Acquired deformity of:

- auricle
- pinna

Stretched ear lobe

H65 Nonsuppurative otitis media**Status of instructional note(s):****Created – Fifth Edition****H65.3 Chronic mucoid otitis media****Status of excludes notes:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:****Excludes:** adhesive middle ear disease (H74.1)**ICD-10-AM Seventh Edition:**

Excludes: adhesive middle ear disease (H74.1)
 that with serous otitis media (H65.9)

H66 Suppurative and unspecified otitis media**Status of instructional note(s):****Created – Fifth Edition**

H67.1* Otitis media in viral diseases classified elsewhere

Status of inclusion term(s): Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Otitis media in influenza (J09–J11†)

ICD-10-AM Tenth Edition:

Otitis media in influenza virus:

- identified:
 - A/H5N1 (avian) (J09†)
 - other (seasonal) (J10.8†)
- not identified (J11.8†)

H72.8 Other perforations of tympanic membrane

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Perforation(s):

- multiple
 - total
- | of tympanic membrane

ICD-10-AM Eleventh Edition:

Tympanic membrane perforation(s):

- multiple
- total

H72.9 Perforation of tympanic membrane, unspecified

Status of excludes note: Created – [Eleventh Edition](#)

H82 Vertiginous syndromes in diseases classified elsewhere

Status of code(s): Deleted – [Third Edition](#)

H95 Intraoperative and postprocedural disorders of ear and mastoid process

Status of code title: Revised – [Tenth Edition](#)

Status of code title: Revised – [Thirteenth Edition](#)

Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

H95 Postprocedural disorders of ear and mastoid process, not elsewhere classified

ICD-10-AM Tenth Edition:

H95 Intraoperative and postprocedural disorders of ear and mastoid process, not elsewhere classified

ICD-10-AM Thirteenth Edition:

H95 Intraoperative and postprocedural disorders of ear and mastoid process

H95.1 Other disorders following mastoidectomy

Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

H95.1 Other disorders following mastoidectomy

ICD-10-AM Tenth Edition:

H95.1 Other disorders following mastoidectomy
 H95.11 Chronic inflammation of postmastoidectomy cavity
 H95.12 Granulation of postmastoidectomy cavity
 H95.13 Mucosal cyst of postmastoidectomy cavity
 H95.19 Other disorders following mastoidectomy

H95.2 Accidental puncture and laceration of structure of ear and mastoid process during a procedure

Status of code: Created – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

[H95.2](#) Accidental puncture and laceration of structure of ear and mastoid process during a procedure, not elsewhere classified

ICD-10-AM Thirteenth Edition:

[H95.2](#) Accidental puncture and laceration of structure of ear and mastoid process during a procedure

H95.8 Other intraoperative and postprocedural disorders of ear and mastoid process

Status of code title: Revised – [Tenth Edition](#)
Status of code: Deleted – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

H95.8 Other postprocedural disorders of ear and mastoid process

ICD-10-AM Tenth Edition:

H95.8 Other intraoperative and postprocedural disorders of ear and mastoid process

H95.9 Intraoperative and postprocedural disorder of ear and mastoid process, unspecified

Status of code title: Revised – [Tenth Edition](#)
Status of code: Deleted – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

H95.9 Postprocedural disorder of ear and mastoid process, unspecified

ICD-10-AM Tenth Edition:

H95.9 Intraoperative and postprocedural disorder of ear and mastoid process, unspecified

I00–I99 Diseases of the circulatory system**Status of excludes note:** *Revised – Tenth Edition***ICD-10-AM Ninth Edition:**

Excludes: certain conditions originating in the perinatal period (P00–P96)
 certain infectious and parasitic diseases (A00–B99)
 complications of pregnancy, childbirth and the puerperium (O00–O99)
 congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)
 systemic connective tissue disorders (M30–M36)
 transient cerebral ischaemic attacks and related syndromes (G45.-)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)
 systemic connective tissue disorders (M30–M36)
 transient cerebral ischaemic attacks and related syndromes (G45.-)

I07 Rheumatic tricuspid valve diseases**Status of includes note:** *Revised – Fifth Edition***ICD-10-AM Fourth Edition:****Includes:** whether specified as rheumatic or not**ICD-10-AM Fifth Edition:****Includes:** whether specified as rheumatic or of unspecified origin**I08 Multiple valve diseases**

Status of includes note: *Revised – Fifth Edition*
Status of excludes note: *Revised – Fifth Edition*
Status of excludes note: *Revised – Seventh Edition*

ICD-10-AM Fourth Edition:**Includes:** whether specified as rheumatic or not

Excludes: endocarditis, valve unspecified (I38)
 rheumatic diseases of endocardium, valve unspecified (I09.1)

ICD-10-AM Fifth Edition:**Includes:** whether specified as rheumatic or of unspecified origin

Excludes: endocarditis, valve unspecified (I38)
 multiple valve diseases of specified origin other than rheumatic heart disease (use appropriate codes in I34–I38, Q22–Q23 and Q24.8)
 rheumatic diseases of endocardium, valve unspecified (I09.1)

ICD-10-AM Sixth Edition:

Excludes: endocarditis, valve unspecified (I38)
 multiple valve diseases of specified origin other than rheumatic heart disease (use appropriate codes in I34–I38, Q22–Q23 and Q24.8)
 rheumatic diseases of endocardium, valve unspecified (I09.1)

ICD-10-AM Seventh Edition:

Excludes: endocarditis, valve unspecified (I38)
 multiple valve diseases of specified origin other than rheumatic heart disease (use appropriate codes in I34–I38, Q22–Q23 and Q24.87)
 rheumatic diseases of endocardium, valve unspecified (I09.1)

I08.0 Disorders of both mitral and aortic valves**Status of inclusion term(s):** *Revised – Fifth Edition***ICD-10-AM Fourth Edition:**

Involvement of both mitral and aortic valves whether specified as rheumatic or not

ICD-10-AM Fifth Edition:

Involvement of both mitral and aortic valves whether specified as rheumatic or of unspecified origin

I10–I15 Hypertensive diseases**Status of excludes note:** *Revised – Seventh Edition***Status of excludes note:** *Revised – Tenth Edition***Status of excludes note:** *Revised – Eleventh Edition***ICD-10-AM Sixth Edition:**

Excludes: complicating pregnancy, childbirth and the puerperium (O10–O11, O13–O16)
 involving coronary vessels (I20–I25)
 neonatal hypertension (P29.2)
 pulmonary hypertension (I27.0)

ICD-10-AM Seventh Edition:

Excludes: complicating pregnancy, childbirth and the puerperium (O10–O11, O13–O16)
 involving coronary vessels (I20–I25)
 neonatal hypertension (P29.2)
 primary pulmonary hypertension (I27.0)

ICD-10-AM Tenth Edition:

Excludes: involving coronary vessels (I20–I25)
 neonatal hypertension (P29.2)
 primary pulmonary hypertension (I27.0)

ICD-10-AM Eleventh Edition:

Excludes: involving coronary vessels (I20–I25)
 neonatal hypertension (P29.2)
 pulmonary hypertension:
 • NOS (I27.2)
 • primary (I27.0)
 • secondary (I27.2)

I12 Hypertensive kidney disease**Status of code title:** *Revised – Sixth Edition***Status of includes note:** *Revised – Sixth Edition***Status of includes note:** *Revised – Seventh Edition***ICD-10-AM Fifth Edition:****I12** Hypertensive renal disease

Includes: any condition in N18.-, N19.- or N26.- with any condition in I10
 arteriosclerosis of kidney
 arteriosclerotic nephritis (chronic)(interstitial)
 hypertensive nephropathy
 nephrosclerosis

ICD-10-AM Sixth Edition:**I12** Hypertensive kidney disease

Includes: any condition in N00–N07, N18.-, N19 or N26 with any condition in I10
 arteriosclerosis of kidney
 arteriosclerotic nephritis (chronic)(interstitial)
 hypertensive nephropathy
 nephrosclerosis

ICD-10-AM Seventh Edition:

Includes: any condition in N00–N07, N18.-, N19 or N26 due to hypertension
 arteriosclerosis of kidney
 arteriosclerotic nephritis (chronic)(interstitial)
 hypertensive nephropathy
 nephrosclerosis

I12.0 Hypertensive kidney disease with kidney failure

Status of code title: Revised – [Sixth Edition](#)
Status of inclusion term(s): Created – [Sixth Edition Errata 1](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Fifth Edition:

I12.0 Hypertensive renal disease with renal failure

ICD-10-AM Sixth Edition:

I12.0 Hypertensive kidney disease with kidney failure

ICD-10-AM Eleventh Edition:

Hypertensive kidney disease with CKD stage 5
Hypertensive renal failure

ICD-10-AM Twelfth Edition:

Hypertensive:
 • kidney disease with CKD stage 5
 • renal failure

I12.9 Hypertensive kidney disease without kidney failure

Status of code title: Revised – [Sixth Edition](#)
Status of inclusion term(s): Created – [Sixth Edition Errata 1](#)
Status of instructional note(s): Created – [Sixth Edition Errata 1](#)
Status of instructional note(s): Revised – [Sixth Edition Errata 2](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Fifth Edition:

I12.9 Hypertensive renal disease without renal failure

ICD-10-AM Sixth Edition:

I12.9 Hypertensive kidney disease without kidney failure

Code also the stage of chronic kidney disease (CKD) (N18.-)

ICD-10-AM Sixth Edition Errata 2:

Code also the stage of chronic kidney disease (CKD) (N18.1 - N18.4, N18.9)

ICD-10-AM Eleventh Edition:

Hypertensive kidney disease with CKD stage 1-4 or unspecified
Hypertensive renal disease NOS

Code also the stage of chronic kidney disease (CKD) (N18.1–N18.4, N18.9)

ICD-10-AM Twelfth Edition:

Hypertensive:
 • kidney disease with CKD stage 1-4 or unspecified
 • renal disease NOS

Use additional code (N18.1–N18.4, N18.9) to identify the stage of chronic kidney disease (CKD).

I13 Hypertensive heart and kidney disease

Status of code title: Revised – [Sixth Edition](#)
Status of includes note: Revised – [Twelfth Edition](#)

ICD-10-AM Fifth Edition:

I13 Hypertensive heart and renal disease

ICD-10-AM Sixth Edition:

I13 Hypertensive heart and kidney disease

ICD-10-AM Eleventh Edition:

Includes: any condition in I11.- with any condition in I12.- disease:
 • cardiorenal
 • cardiovascular renal

ICD-10-AM Twelfth Edition:

Includes: any condition in category I11 with any condition in category I12 disease:
 • cardiorenal
 • cardiovascular renal

I13.0 Hypertensive heart and kidney disease with (congestive) heart failure

Status of code title: Revised – [Sixth Edition](#)
Status of inclusion term(s): Created – [Sixth Edition Errata 1](#)
Status of instructional note(s): Created – [Sixth Edition Errata 1](#)
Status of inclusion term(s): Revised – [Sixth Edition Errata 2](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Fifth Edition:

I13.0 Hypertensive heart and renal disease with (congestive) cardiac failure

ICD-10-AM Sixth Edition:

I13.0 Hypertensive heart and kidney disease with (congestive) heart failure
 Hypertensive heart disease with CKD stage 1–4 or unspecified and heart failure
Code also the stage of chronic kidney disease (CKD) (N18.-)

ICD-10-AM Sixth Edition Errata 2:

Code also the stage of chronic kidney disease (CKD) (N18.1–N18.4, N18.9)

ICD-10-AM Twelfth Edition:

Use additional code (N18.1–N18.4, N18.9) to identify the stage of chronic kidney disease (CKD).

I13.1 Hypertensive heart and kidney disease with kidney failure

Status of code title: Revised – [Sixth Edition](#)
Status of inclusion term(s): Created – [Sixth Edition Errata 1](#)

ICD-10-AM Fifth Edition:

I31.1 Hypertensive heart and renal disease with renal failure

ICD-10-AM Sixth Edition:

I31.1 Hypertensive heart and kidney disease with kidney failure

I13.2 Hypertensive heart and kidney disease with both (congestive) heart failure and kidney failure

Status of code title:

Revised – Sixth Edition

Status of inclusion term(s):

Created – Twelfth Edition

ICD-10-AM Fifth Edition:

I13.2 Hypertensive heart and renal disease with both (congestive) cardiac failure and renal failure

ICD-10-AM Sixth Edition:

I13.2 Hypertensive heart and kidney disease with both (congestive) heart failure and kidney failure

I13.9 Hypertensive heart and kidney disease, unspecified

Status of code title:

Revised – Sixth Edition

Status of instructional note(s):

Created – Sixth Edition Errata 1

Status of instructional note(s):

Revised – Sixth Edition Errata 2

Status of instructional note(s):

Revised – Twelfth Edition

ICD-10-AM Fifth Edition:

I13.9 Hypertensive heart and renal disease, unspecified

ICD-10-AM Sixth Edition:

I13.9 Hypertensive heart and kidney disease, unspecified

Code also the stage of chronic kidney disease (CKD) (N18.-)

ICD-10-AM Sixth Edition Errata:

Code also the stage of chronic kidney disease (CKD) (N18.1–N18.4, N18.9)

ICD-10-AM Twelfth Edition:

Use additional code (N18.1–N18.4, N18.9) to identify the stage of chronic kidney disease (CKD).

I15.0 Renovascular hypertension

Status of instructional note(s):

Created – Sixth Edition Errata 1

Status of instructional note(s):

Deleted – Ninth Edition

I15.1 Hypertension secondary to other kidney disorders

Status of code title:

Revised – Sixth Edition

Status of instructional note(s):

Created – Sixth Edition Errata 1

Status of instructional note(s):

Deleted – Ninth Edition

ICD-10-AM Fifth Edition:

I15.1 Hypertension secondary to other renal disorders

ICD-10-AM Sixth Edition:

I15.1 Hypertension secondary to other kidney disorders

I20–I25 Ischaemic heart diseases

Status of note: *Revised – Seventh Edition*
Status of instructional note(s): *Deleted – Ninth Edition*
Status of includes note: *Deleted – Eleventh Edition*

ICD-10-AM Sixth Edition:

Note: For morbidity, duration as used in categories I21–I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.

ICD-10-AM Seventh Edition:

Note: For morbidity, duration as used in categories I21, I22, I24 and I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.

I20 Angina pectoris

Status of glossary description: *Created – Thirteenth Edition*

I20.0 Unstable angina

Status of term: *Reclassified – First Edition*
Status of inclusion term(s): *Revised – Thirteenth Edition*

Term reclassification:

Decubitus angina

ICD-10-AM Twelfth Edition:

Angina:

- crescendo
- de novo effort
- worsening effort

Impending infarction

Intermediate coronary syndrome

Preinfarction syndrome

ICD-10-AM Thirteenth Edition:

Acute coronary syndrome without acute myocardial infarction

Angina:

- crescendo
- de novo effort
- worsening effort

Impending myocardial infarction

Intermediate coronary syndrome

Postinfarction angina (occurring more than 24 hours after an infarction)

Preinfarction syndrome

I20.8 Other forms of angina pectoris

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Eighth Edition](#)

ICD-10-AM Sixth Edition:

Angina of effort
 Stenocardia

ICD-10-AM Seventh Edition:

Angina of effort
 Slow coronary flow syndrome
 Stenocardia

ICD-10-AM Eighth Edition:

Angina of effort
 Coronary slow flow syndrome
 Stable angina
 Stenocardia

I20.9 Angina pectoris, unspecified

Status of term: **Reclassified – [First Edition](#)**

Term reclassification:

Decubitus angina

I21 Acute myocardial infarction

Status of instructional note(s): Created – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)
Status of instructional note(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Eleventh Edition:

Excludes: certain current complications following acute myocardial infarction (I23.-)
 myocardial infarction:
 • old (I25.2)
 • specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)
 • subsequent (I22.-)
 postmyocardial infarction syndrome (I24.1)

ICD-10-AM Twelfth Edition:

I21 Acute myocardial infarction

Use additional code (I23.-) to identify current complication following acute myocardial infarction.

Excludes: myocardial infarction:
 • old (I25.2)
 • specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)
 • subsequent (I22.-)
 postmyocardial infarction syndrome (I24.1)

ICD-10-AM Thirteenth Edition:

I21 Acute myocardial infarction

Use additional code (I23.-) to identify current complication following acute myocardial infarction.

Use additional code (I25.1-) to identify atherosclerosis (arteriosclerosis/atheroembolism).

I22 Subsequent myocardial infarction

Status of note:	Created – Second Edition
Status of includes note:	Revised – Seventh Edition
Status of note:	Revised – Seventh Edition
Status of instructional note(s):	Created – Twelfth Edition
Status of note:	Revised – Thirteenth Edition

ICD-10-AM Sixth Edition:

Includes: recurrent myocardial infarction

Note: This category should be assigned for infarction of any myocardial site, occurring within 4 weeks (28 days) from onset of a previous infarction.

ICD-10-AM Seventh Edition:

Includes: myocardial:

- infarction:
- extension
- recurrent
- reinfarction

Note: For morbidity coding, this category should be assigned for infarction of any myocardial site, occurring within 4 weeks (28 days) from onset of a previous infarction.

ICD-10-AM Thirteenth Edition:

Note: For morbidity coding, assign a code from this category for infarction of any myocardial site, occurring within 4 weeks (28 days) from onset of a previous infarction.

I23 Certain current complications following acute myocardial infarction

Status of instructional note(s):	Created – Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Excludes: the listed conditions, when:

- concurrent with acute myocardial infarction (I21–I22)
- not specified as current complications following acute myocardial infarction (I31.-, I51.-)

ICD-10-AM Twelfth Edition:

Excludes: the listed conditions, when not specified as current complication following acute myocardial infarction (I31.-, I51.-)

I24.0 Coronary thrombosis not resulting in myocardial infarction

Status of instructional note(s):	Created – Thirteenth Edition
---	---

I25.1 Atherosclerotic heart disease

Status of code(s): Created/Revised (I25.12) – *First Edition*
Status of glossary description: Created – *Thirteenth Edition*
Status of inclusion term(s): Revised – *Thirteenth Edition*
Status of instructional note(s): Created – *Thirteenth Edition*

WHO ICD-10:

I25.1 Atherosclerotic heart disease

ICD-10-AM First Edition (publication):

I25.1 Atherosclerotic heart disease
 I25.10 Atherosclerotic heart disease, of unspecified vessel
 I25.11 Atherosclerotic heart disease, of native coronary artery
 I25.12 Atherosclerotic heart disease, of autologous vein bypass graft
 I25.13 Atherosclerotic heart disease, of nonautologous bypass graft

ICD-10-AM First Edition Errata 1:

I25.1 Atherosclerotic heart disease
 I25.10 Atherosclerotic heart disease of unspecified vessel
 I25.11 Atherosclerotic heart disease of native coronary artery
 I25.12 Atherosclerotic heart disease of autologous bypass graft
 I25.13 Atherosclerotic heart disease of nonautologous bypass graft

ICD-10-AM Twelfth Edition:

Coronary (artery):

- atheroma
- atherosclerosis
- disease
- sclerosis

ICD-10-AM Thirteenth Edition:

Coronary (artery):

- atheroma
- atherosclerosis
- disease [CAD]
- sclerosis

I25.2 Old myocardial infarction

Status of term: *Reclassified – First Edition*
Status of glossary description: *Created – Thirteenth Edition*
Status of inclusion term(s): *Deleted – Thirteenth Edition*

Term reclassification:

Chronic subendocardial necrosis

I25.4 Coronary artery aneurysm and dissection

Status of code title: *Revised – Ninth Edition*
Status of excludes note: *Revised – Thirteenth Edition*

ICD-10-AM Eighth Edition:

I25.4 Coronary artery aneurysm

ICD-10-AM Ninth Edition:

I25.4 Coronary artery aneurysm and dissection

ICD-10-AM Twelfth Edition:

Excludes: congenital coronary (artery) aneurysm (Q24.5)

ICD-10-AM Thirteenth Edition:

Excludes: congenital coronary (artery) aneurysm (Q24.5)
 vascular dissection due to insertion of internal cardiac and vascular devices, implants and grafts (T82.85)

I25.5 Ischaemic cardiomyopathy**Status of term:****Reclassified – First Edition****Term reclassification:**

Myocardial ischaemia

I25.8 Other forms of chronic ischaemic heart disease**Status of term:****Reclassified – First Edition****Status of glossary description:****Revised – Thirteenth Edition****Term reclassification:**

Chronic subendocardial necrosis

ICD-10-AM Twelfth Edition:

Any condition in I21–I22 and I24.-specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset

ICD-10-AM Thirteenth Edition:

Any condition in categories I21–I22 and I24 specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset.

I25.9 Chronic ischaemic heart disease, unspecified**Status of term:****Reclassified – First Edition****Term reclassification:**

Myocardial ischaemia

I26 Pulmonary embolism**Status of code(s):****Created – First Edition****Status of code(s):****Deleted – Second Edition****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Deleted – Eleventh Edition****WHO ICD-10:**

I26 Pulmonary embolism

I26.0 Pulmonary embolism with mention of acute cor pulmonale

I26.9 Pulmonary embolism without mention of acute cor pulmonale

ICD-10-AM First Edition:

I26 Pulmonary embolism

I26.0 Pulmonary embolism with mention of acute cor pulmonale

I26.8 Iatrogenic pulmonary embolism

I26.9 Pulmonary embolism without mention of acute cor pulmonale

ICD-10-AM Second Edition:

I26 Pulmonary embolism

I26.0 Pulmonary embolism with mention of acute cor pulmonale

I26.9 Pulmonary embolism without mention of acute cor pulmonale

ICD-10-AM Ninth Edition:**Excludes:** complicating:

• abortion or ectopic or molar pregnancy (O00–O07, O08.2)

• pregnancy, childbirth and the puerperium (O88.-)

ICD-10-AM Tenth Edition:**Excludes:** complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)

I26.9 Pulmonary embolism without mention of acute cor pulmonale**Status of term:** *Reclassified – [Second Edition](#)***Term reclassification:**
Postoperative pulmonary embolism**I27.0 Primary pulmonary hypertension****Status of inclusion term(s):** *Deleted – [Fifth Edition](#)***I27.2 Other secondary pulmonary hypertension****Status of code(s):** *Created – [Third Edition](#)*
Status of inclusion term(s): *Created – [Eleventh Edition](#)*
Status of instructional note(s): *Revised – [Twelfth Edition](#)***ICD-10-AM Eleventh Edition:***Use additional code to identify underlying disease.***ICD-10-AM Twelfth Edition:***Code also underlying cause.***I27.8 Other specified pulmonary heart diseases****Status of inclusion term(s):** *Created – [Fifth Edition](#)*
Status of excludes note: *Created – [Fifth Edition](#)*
Status of excludes note: *Revised – [Seventh Edition](#)***ICD-10-AM Sixth Edition:****Excludes:** Eisenmenger's defect (Q21.8)**ICD-10-AM Seventh Edition:****Excludes:** Eisenmenger's defect (Q21.81)**I32.0* Pericarditis in bacterial diseases classified elsewhere****Status of inclusion term(s):** *Revised – [Seventh Edition Errata 5](#)***ICD-10-AM Seventh Edition:**

Pericarditis:

- gonococcal (A54.8+)
- meningococcal (A39.5+)
- syphilitic (A52.0+)
- tuberculous (A18.5+)

ICD-10-AM Seventh Edition Errata 5:

Pericarditis:

- gonococcal (A54.8+)
- meningococcal (A39.5+)
- syphilitic (A52.0+)
- tuberculous (A18.8+)

I32.8 Pericarditis in other diseases classified elsewhere**Status of inclusion term(s):** Revised – [Sixth Edition Errata 1](#)**ICD-10-AM Sixth Edition:**

Pericarditis (in):

- rheumatoid (M05.3-†)
- systemic lupus erythematosus (M32.1†)
- uraemic (N18.8†)

ICD-10-AM Sixth Edition Errata 1:

Pericarditis (in):

- rheumatoid (M05.3-†)
- systemic lupus erythematosus (M32.1†)
- uraemic (N18.5†)

I34 Nonrheumatic mitral valve disorders

Status of excludes note: Revised – [Fifth Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition Errata 6](#)
Status of excludes note: Revised – [Ninth Edition](#)

ICD-10-AM Fourth Edition:**Excludes:** when specified as rheumatic (I05.-)**ICD-10-AM Fifth Edition:**

Excludes: when specified as:

- congenital (Q23.2-, Q23.3)
- rheumatic (I05.-)

ICD-10-AM Sixth Edition:

Excludes: mitral (valve):

- disease (I05.9)
- failure (I05.8)
- stenosis (I05.0)

when of unspecified cause but with mention of:

- diseases of aortic valve (I08.0)
- mitral stenosis or obstruction (I05.0)

when specified as:

- congenital (Q23.2-, Q23.3)
- rheumatic (I05.-)

ICD-10-AM Seventh Edition:

Excludes: mitral (valve):

- disease (I05.9)
- failure (I05.8)
- stenosis (I05.0)

when of unspecified cause but with mention of:

- diseases of aortic valve (I08.0)
- mitral stenosis or obstruction (I05.0)

when specified as:

- congenital (Q23.2-, Q23.3, Q23.82, Q23.89, Q23.9)
- rheumatic (I05.-)

ICD-10-AM Seventh Edition Errata 6:

Excludes: mitral (valve):

- disease (I05.9)
- failure (I05.8)
- stenosis (I05.0)

when of unspecified cause but with mention of:

- diseases of aortic valve (I08.0)
- mitral stenosis or obstruction (I05.0)

when specified as:

- congenital (Q23.2-, Q23.3, Q23.4, Q23.82, Q23.89, Q23.9)
- rheumatic (I05.-)

ICD-10-AM Ninth Edition:

- Excludes:** mitral (valve):
- disease (I05.9)
 - failure (I05.8)
 - stenosis (I05.0)
- when of unspecified cause but with mention of:
- diseases of aortic valve (I08.0)
 - mitral stenosis or obstruction (I05.0)
- when specified as:
- congenital (Q23.2— Q23.9)

I34.0 Mitral (valve) insufficiency

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Mitral (valve):

- incompetence | NOS or of specified cause, except rheumatic

ICD-10-AM Eleventh Edition:

Mitral (valve):

- incompetence NOS or of specified cause NEC
- regurgitation NOS or of specified cause NEC

I35 Nonrheumatic aortic valve disorders

Status of excludes note: Revised – [Fifth Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition Errata 6](#)
Status of excludes note: Revised – [Ninth Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)

ICD-10-AM Fourth Edition:

Excludes: when specified as rheumatic (I06.-)

ICD-10-AM Fifth Edition:

Excludes: when specified as:

- congenital (Q23.0-, Q23.1)
- rheumatic (I06.-)

ICD-10-AM Sixth Edition:

Excludes: hypertrophic subaortic stenosis (I42.1)
 when of unspecified cause but with mention of diseases of mitral valve (I08.0)
 when specified as:

- congenital (Q23.0-, Q23.1)
- rheumatic (I06.-)

ICD-10-AM Seventh Edition:

Excludes: hypertrophic subaortic stenosis (I42.1)
 when of unspecified cause but with mention of diseases of mitral valve (I08.0)
 when specified as:

- congenital (Q23.0-, Q23.1, Q23.81, Q23.83, Q23.89)
- rheumatic (I06.-)

ICD-10-AM Seventh Edition Errata 6:

Excludes: hypertrophic subaortic stenosis (I42.1)
 when of unspecified cause but with mention of diseases of mitral valve (I08.0)
 when specified as:

- congenital (Q23.0-, Q23.1, Q23.4, Q23.81, Q23.83, Q23.89)
- rheumatic (I06.-)

ICD-10-AM Ninth Edition:

- Excludes:** hypertrophic subaortic stenosis (I42.1)
 when of unspecified cause but with mention of diseases of mitral valve (I08.0)
 when specified as:
- congenital (Q23.0–Q23.1, Q23.4–Q23.9)
 - rheumatic (I06.-)

ICD-10-AM Eleventh Edition:

- Excludes:** hypertrophic subaortic stenosis (I42.1)
 unspecified cause but with mention of diseases of mitral valve (I08.0)
 when specified as:
- congenital (Q23.0–Q23.1, Q23.4–Q23.9)
 - rheumatic (I06.-)

I35.1 Aortic (valve) insufficiency

Status of inclusion term(s): Revised – **Eleventh Edition**

ICD-10-AM Tenth Edition:

Aortic (valve):

- incompetence NOS or of specified cause, except rheumatic

ICD-10-AM Eleventh Edition:

Aortic (valve):

- incompetence NOS or of specified cause NEC
- regurgitation NOS or of specified cause NEC

I36 Nonrheumatic tricuspid valve disorders

Status of excludes note: Revised – **Fifth Edition**
Status of excludes note: Revised – **Seventh Edition**
Status of excludes note: Revised – **Eleventh Edition**

ICD-10-AM Fourth Edition:

- Excludes:** when specified as rheumatic (I07.-)

ICD-10-AM Fifth Edition:

- Excludes:** when specified as:
- congenital (Q22.4-, Q22.8, Q22.9)
 - rheumatic (I07.-)

ICD-10-AM Sixth Edition:

- Excludes:** when of unspecified cause (I07.-)
 when specified as:
- congenital (Q22.4-, Q22.8, Q22.9)
 - rheumatic (I07.-)

ICD-10-AM Seventh Edition:

- Excludes:** when of unspecified cause (I07.-)
 when specified as:
- congenital (Q22.4-, Q22.8-, Q22.9)
 - rheumatic (I07.-)

ICD-10-AM Eleventh Edition:

- Excludes:** unspecified cause (I07.-)
 when specified as:
- congenital (Q22.4-, Q22.8-, Q22.9)
 - rheumatic (I07.-)

I36.1 Nonrheumatic tricuspid (valve) insufficiency**Status of inclusion term(s):** Revised – [Eleventh Edition](#)**ICD-10-AM Tenth Edition:**

Tricuspid (valve):

- | | |
|----------------|---|
| • incompetence | of specified cause, except
rheumatic |
|----------------|---|

ICD-10-AM Eleventh Edition:

Tricuspid (valve):

- incompetence, nonrheumatic or of specified cause NEC
- regurgitation, nonrheumatic or of specified cause NEC

I37 Pulmonary valve disorders**Status of excludes note:** Revised – [Fifth Edition](#)**Status of excludes note:** Revised – [Seventh Edition](#)**ICD-10-AM Fourth Edition:****Excludes:** when specified as rheumatic (I09.8)**ICD-10-AM Fifth Edition:**

Excludes: when specified as:

- congenital (Q22.1, Q22.2, Q22.3)
- rheumatic (I09.8)

ICD-10-AM Sixth Edition:

Excludes: when specified as:

- congenital (Q22.1, Q22.2, Q22.3)
- rheumatic (I09.8)

ICD-10-AM Seventh Edition:

Excludes: when specified as:

- congenital (Q22.1, Q22.2, Q22.3-)
- rheumatic (I09.8)

I37.1 Pulmonary valve insufficiency**Status of inclusion term(s):** Revised – [Eleventh Edition](#)**ICD-10-AM Tenth Edition:**

Pulmonary valve:

- | | |
|----------------|--|
| • incompetence | NOS or of specified cause,
except rheumatic |
|----------------|--|

ICD-10-AM Eleventh Edition:

Pulmonary valve:

- incompetence NOS or of specified cause NEC
- regurgitation NOS or of specified cause NEC

I38 Endocarditis, valve unspecified

Status of inclusion term(s):	Revised – Fifth Edition
Status of excludes note:	Revised – Fifth Edition
Status of excludes note:	Revised – Seventh Edition
Status of inclusion term(s):	Revised – Eleventh Edition

ICD-10-AM Fourth Edition:

Endocarditis (chronic) NOS

Valvular:

• incompetence	}	{	
• insufficiency	}	{	
• regurgitation	}	{	NOS or of specified cause, except rheumatic
• stenosis	}	{	
Valvulitis (chronic)	}	{	

Excludes: endocardial fibroelastosis (I42.4)**ICD-10-AM Fifth Edition:**

Endocarditis (chronic) NOS

Valvular:

• incompetence	}	{	
• insufficiency	}	{	
• regurgitation	}	{	NOS or of specified cause, except rheumatic or congenital
• stenosis	}	{	
Valvulitis (chronic)	}	{	

Excludes: congenital:

- insufficiency of cardiac valve NOS (Q24.8)
- stenosis of cardiac valve NOS (Q24.8)

endocardial fibroelastosis (I42.4)
when specified as rheumatic (I09.1)

ICD-10-AM Sixth Edition:

Excludes: congenital:

- insufficiency of cardiac valve NOS (Q24.8)
- stenosis of cardiac valve NOS (Q24.8)

endocardial fibroelastosis (I42.4)

ICD-10-AM Seventh Edition:

Excludes: congenital:

- insufficiency of cardiac valve NOS (Q24.87)
- stenosis of cardiac valve NOS (Q24.87)

endocardial fibroelastosis (I42.4)
when specified as rheumatic (I09.1)

ICD-10-AM Eleventh Edition:

Endocarditis (chronic) NOS

Valvular:

- incompetence NOS
- insufficiency NOS
- regurgitation NOS
- stenosis NOS

Valvulitis (chronic) NOS

I41.1 Myocarditis in viral diseases classified elsewhere**Status of inclusion term(s):****Revised – Eighth Edition****Status of inclusion term(s):****Revised – Tenth Edition****ICD-10-AM Seventh Edition:**

Influenzal myocarditis (acute):

- avian influenza virus identified (J09†)
- other virus identified (J10.8†)
- virus not identified (J11.8†)

Mumps myocarditis (B26.8†)

ICD-10-AM Eighth Edition:

Influenzal myocarditis (acute) (J09†) (J10.8†) (J11.8†)

Mumps myocarditis (B26.8†)

ICD-10-AM Tenth Edition:

Myocarditis (acute) due to influenza virus:

- identified:
 - A/H5N1 (avian) (J09†)
 - other (seasonal) (J10.8†)
- not identified (J11.8†)

Mumps myocarditis (B26.8†)

I42 Cardiomyopathy**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:****Excludes:** cardiomyopathy complicating:

- pregnancy (O99.4)
- puerperium (O90.3)

ICD-10-AM Tenth Edition:**Excludes:** ischaemic cardiomyopathy (I25.5)**I42.0 Dilated cardiomyopathy****Status of term:****Reclassified – Third Edition****Term reclassification:**

Congestive cardiomyopathy

I42.5 Other restrictive cardiomyopathy**Status of term:****Reclassified – Third Edition****Term reclassification:**

Constrictive cardiomyopathy

I42.9 Cardiomyopathy, unspecified**Status of term:****Reclassified – Third Edition****Term reclassification:**

Constrictive cardiomyopathy

I43.1* Cardiomyopathy in metabolic diseases**Status of inclusion term(s):** Revised – [Seventh Edition Errata 3](#)**ICD-10-AM Seventh Edition:**

Cardiac amyloidosis (E85.-†)

ICD-10-AM Seventh Edition Errata 3:

Cardiac amyloidosis (E85.4†)

I43.8* Cardiomyopathy in other diseases classified elsewhere**Status of inclusion term(s):** Revised – [Tenth Edition](#)**ICD-10-AM Ninth Edition:**

Gouty tophi of heart (M10.0-†)

Thyrotoxic heart disease (E05.9†)

ICD-10-AM Tenth Edition:

Gouty tophi of heart (M10.0-†)

Thyrotoxic heart disease (E05.-†)

I45.8 Other specified conduction disorders**Status of inclusion term(s):** Revised – [Sixth Edition](#)**Status of excludes note:** Created – [Sixth Edition](#)**Status of excludes note:** Deleted – [Ninth Edition](#)**ICD-10-AM Fifth Edition:**

Atrioventricular [AV] dissociation

Interference dissociation

ICD-10-AM Sixth Edition:

Atrioventricular [AV] dissociation

Interference dissociation

Long QT syndrome

I46 Cardiac arrest**Status of note:** Created – [Seventh Edition](#)**Status of excludes note:** Revised – [Tenth Edition](#)**Status of note:** Revised – [Eleventh Edition](#)**Status of excludes note:** Revised – [Eleventh Edition/Eleventh Edition](#)**ICD-10-AM Ninth Edition:**

Excludes: cardiogenic shock (R57.0)
 complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 • obstetric surgery and procedures (O75.4)

ICD-10-AM Tenth Edition:

Note: Codes from this category should be assigned only if resuscitation intervention is undertaken, regardless of patient outcome.

Excludes: cardiogenic shock (R57.0)
 complicating abortion or ectopic or molar pregnancy (O00–O07, O08.8)

ICD-10-AM Eleventh Edition:

Note: Assign codes from this category only if resuscitation intervention is undertaken, regardless of patient outcome.

Excludes: cardiogenic shock (R57.0)
 where resuscitation intervention is not performed – omit code

I47 Paroxysmal tachycardia**Status of excludes note:****Revised – Fifth Edition****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Fourth Edition:**

- Excludes:** complicating:
- abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 - obstetric surgery and procedures (O75.4)
- tachycardia NOS (R00.0)

ICD-10-AM Fifth Edition:

- Excludes:** complicating:
- abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 - obstetric surgery and procedures (O75.4)
- tachycardia:
- NOS (R00.0)
 - sinoauricular NOS (R00.0)
 - sinus [sinusal] NOS (R00.0)

ICD-10-AM Tenth Edition:

- Excludes:** complicating abortion or ectopic or molar pregnancy (O00–O07, O08.8)
- tachycardia:
- NOS (R00.0)
 - sinoauricular NOS (R00.0)
 - sinus [sinusal] NOS (R00.0)

ICD-10-AM Eleventh Edition:

- Excludes:** tachycardia:
- NOS (R00.0)
 - sinoauricular NOS (R00.0)
 - sinus [sinusal] NOS (R00.0)

I47.1 Supraventricular tachycardia**Status of inclusion term(s):****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

- Paroxysmal tachycardia:
- atrial
 - atrioventricular [AV]
 - junctional
 - nodal

ICD-10-AM Eighth Edition:

- Tachycardia (paroxysmal):
- atrial
 - atrioventricular [AV]:
 - NOS
 - re-entrant (nodal) [AVNRT] [AVRT]
 - junctional
 - nodal

I48 Atrial fibrillation and flutter**Status of code(s):****Created – Eighth Edition****ICD-10-AM Seventh Edition:**

I48 Atrial fibrillation and flutter

ICD-10-AM Eighth Edition:

I48 Atrial fibrillation and flutter
 I48.0 Paroxysmal atrial fibrillation
 I48.1 Persistent atrial fibrillation
 I48.2 Chronic atrial fibrillation
 I48.3 Typical atrial flutter
 I48.4 Atypical atrial flutter
 I48.9 Atrial fibrillation and atrial flutter, unspecified

I49 Other cardiac arrhythmias**Status of excludes note:****Revised – Fifth Edition****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Fourth Edition:**

Excludes: bradycardia NOS (R00.1)
 complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 • obstetric surgery and procedures (O75.4)
 neonatal cardiac dysrhythmia (P29.1)

ICD-10-AM Fifth Edition:

Excludes: bradycardia:
 • NOS (R00.1)
 • sinoatrial (R00.1)
 • sinus (R00.1)
 • vagal (R00.1)
 complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 • obstetric surgery and procedures (O75.4)
 neonatal cardiac dysrhythmia (P29.1)

ICD-10-AM Tenth Edition:

Excludes: bradycardia:
 • NOS (R00.1)
 • sinoatrial (R00.1)
 • sinus (R00.1)
 • vagal (R00.1)
 complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 neonatal cardiac dysrhythmia (P29.1)

ICD-10-AM Eleventh Edition:

Excludes: bradycardia:
 • NOS (R00.1)
 • sinoatrial (R00.1)
 • sinus (R00.1)
 • vagal (R00.1)
 neonatal cardiac dysrhythmia (P29.1)

I49.0 Ventricular fibrillation and flutter**Status of term:****Reclassified – [First Edition](#)****Term reclassification:**

Cardiac fibrillation

Heart fibrillation

Heart flutter

I49.5 Sinus node dysfunction, not elsewhere classified**Status of code title:****Revised – [Twelfth Edition](#)****Status of inclusion term(s):****Deleted – [Twelfth Edition](#)****Status of excludes note:****Created – [Twelfth Edition](#)****Status of code(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

I49.5 Sick sinus syndrome

ICD-10-AM Twelfth Edition:

I49.5 Sinus node dysfunction, not elsewhere classified

I49.50 Sinus node dysfunction, unspecified

I49.51 Sick sinus syndrome

I49.8 Other specified cardiac arrhythmias**Status of term:****Reclassified – [First Edition](#)****Status of inclusion term(s):****Revised – [Sixth Edition](#)****Status of inclusion term(s):****Revised – [Ninth Edition](#)****Status of excludes note:****Created – [Ninth Edition](#)****Term reclassification:**

Cardiac fibrillation

Heart fibrillation

Heart flutter

Sinoatrial bradycardia

Sinus bradycardia

Vagal bradycardia

ICD-10-AM Fifth Edition:

Rhythm disorder:

• coronary sinus

• ectopic

• nodal

ICD-10-AM Sixth Edition:

Brugada syndrome

Rhythm disorder:

• coronary sinus

• ectopic

• nodal

ICD-10-AM Ninth Edition:

Brugada syndrome

Long QT syndrome

Rhythm disorder:

• coronary sinus

• ectopic

• nodal

I49.9 Cardiac arrhythmia, unspecified**Status of term:****Reclassified – First Edition****Term reclassification:**

Abnormal heart rate

I50 Heart failure**Status of instructional note(s):****Created – Ninth Edition****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Ninth Edition:****Excludes:**

complicating:

- abortion or ectopic or molar pregnancy (O00–O07, O08.8)
- obstetric surgery and procedures (O75.4)

due to hypertension:

- NOS (I11.0)
- with renal disease (I13.-)

following cardiac surgery or due to presence of cardiac prosthesis (I97.1)

neonatal cardiac failure (P29.0)

ICD-10-AM Tenth Edition:**Excludes:**

complicating abortion or ectopic or molar pregnancy (O00–O07, O08.8)

due to hypertension:

- NOS (I11.0)
- with renal disease (I13.-)

neonatal cardiac failure (P29.0)

ICD-10-AM Eleventh Edition:*Use additional code (Z99.4) if mention of artificial heart dependence.***Excludes:**

due to hypertension:

- NOS (I11.0)
- with renal disease (I13.-)

neonatal cardiac failure (P29.0)

ICD-10-AM Twelfth Edition:*Use additional code (Z99.4) to identify artificial heart dependence.***I50.0 Congestive heart failure****Status of term:****Reclassified – First Edition****Status of includes note:****Created – Twelfth Edition****Term reclassification:**

Biventricular failure

I50.1 Left ventricular failure**Status of inclusion term(s):****Status of inclusion term(s):****Status of excludes note:****Revised – Sixth Edition****Revised – Twelfth Edition****Created – Twelfth Edition****ICD-10-AM Fifth Edition:**

Acute oedema of lung } with mention of heart disease or heart failure

Acute pulmonary oedema }

Cardiac asthma

Left heart failure

ICD-10-AM Sixth Edition:

Cardiac asthma

Left heart failure

Oedema of lung } with mention of heart disease or heart failure

Pulmonary oedema }

ICD-10-AM Eleventh Edition:

Cardiac asthma

Left heart failure

Oedema of lung, with mention of heart disease or heart failure

Pulmonary oedema, with mention of heart disease or heart failure

ICD-10-AM Twelfth Edition:

Cardiac asthma

Left heart failure

Oedema of lung, with mention of heart disease or noncongestive heart failure

Pulmonary oedema:

- acute NOS
- with mention of heart disease or noncongestive heart failure

I50.9 Heart failure, unspecified**Status of term:****Reclassified – First Edition****Term reclassification:**

Biventricular failure

I51 Complications and ill-defined descriptions of heart disease**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: any condition in I51.4–I51.9 due to hypertension (I11.-):

- with renal disease (I13.-)

complications following acute myocardial infarction (I23.-)
when specified as rheumatic (I00–I09)

ICD-10-AM Eleventh Edition:

Excludes: complications following acute myocardial infarction (I23.-)
when specified as rheumatic (I00–I09)

I51.4 Myocarditis, unspecified**Status of excludes note:****Created – Eleventh Edition****I51.5 Myocardial degeneration****Status of excludes note:****Created – Eleventh Edition****I51.6 Cardiovascular disease, unspecified****Status of excludes note:****Created – Eleventh Edition**

I51.7 Cardiomegaly

Status of excludes note: Created – [Eleventh Edition](#)

I51.8 Other ill-defined heart diseases

Status of excludes note: Created – [Eleventh Edition](#)

I51.9 Heart disease, unspecified

Status of excludes note: Created – [Eleventh Edition](#)

I60-I69 Cerebrovascular diseases

Status of instructional note(s): Deleted – [Ninth Edition](#)

Status of includes note: Deleted – [Eleventh Edition](#)

I60 Subarachnoid haemorrhage

Status of inclusion note: Deleted – [Ninth Edition](#)

I60.9 Subarachnoid haemorrhage, unspecified

Status of inclusion term(s): Deleted – [Ninth Edition](#)

I62.0 Nontraumatic subdural haemorrhage

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

I62.0 Subdural haemorrhage (acute) (nontraumatic)

ICD-10-AM Twelfth Edition:

I62.0 Nontraumatic subdural haemorrhage

I63 Cerebral infarction

Status of includes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Includes: occlusion and stenosis of cerebral and precerebral arteries, resulting in cerebral infarction

ICD-10-AM Tenth Edition:

Includes: occlusion and stenosis of cerebral and precerebral arteries (including truncus brachiocephalicus), resulting in cerebral infarction

I63.2 Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Gubler-Millard paralysis or syndrome

Millard-Gubler-Foville paralysis

I63.3 Cerebral infarction due to thrombosis of cerebral arteries

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Occlusion of anterior cerebral artery with infarction due to thrombosis

I63.8 Other cerebral infarction**Status of term:****Reclassified – First Edition****Term reclassification:**

Occlusion of anterior cerebral artery with infarction due to thrombosis

I63.9 Cerebral infarction, unspecified**Status of term:****Reclassified – First Edition****Term reclassification:**

Occlusion of artery of brain

I65 Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction**Status of inclusion term(s):****Created – Eleventh Edition****Status of includes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Includes: embolism
 narrowing
 obstruction (complete) (partial)
 thrombosis

of basilar, carotid or
 vertebral arteries, not
 resulting in cerebral
 infarction

ICD-10-AM Eleventh Edition:

Includes: basilar artery
 carotid artery
 vertebral artery

I66 Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction**Status of inclusion term(s):****Created – Eleventh Edition****Status of includes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Includes: embolism
 narrowing
 obstruction (complete) (partial)
 thrombosis

of basilar, carotid or
 vertebral arteries, not
 resulting in cerebral
 infarction

ICD-10-AM Eleventh Edition:

Includes: anterior cerebral artery
 cerebellar artery
 middle cerebral artery
 posterior cerebral artery

I66.9 Occlusion and stenosis of unspecified cerebral artery**Status of term:****Reclassified – First Edition****Term reclassification:**

Occlusion of artery of brain

I67.1 Cerebral aneurysm, nonruptured**Status of excludes note:** *Revised – Sixth Edition***ICD-10-AM Fifth Edition:****Excludes:** congenital cerebral aneurysm, nonruptured (Q28.-)
ruptured cerebral aneurysm (I60.9)**ICD-10-AM Sixth Edition:****Excludes:** congenital cerebral aneurysm, nonruptured (Q28.-)
ruptured cerebral aneurysm (I60.-)**I67.8 Other specified cerebrovascular diseases****Status of term:** *Reclassified – First Edition***Term reclassification:**Benedikt's paralysis
Weber's paralysis**I67.9 Cerebrovascular disease, unspecified****Status of term:** *Reclassified – First Edition***Term reclassification:**Benedikt's paralysis
Gubler-Millard paralysis or syndrome
Millard-Gubler-Foville paralysis
Weber's paralysis**I68.8* Other cerebrovascular disorders in diseases classified elsewhere****Status of inclusion term(s):** *Created – Sixth Edition***I69 Sequelae of cerebrovascular disease****Status of inclusion term(s):** *Created – Sixth Edition***Status of note:** *Revised – Seventh Edition***Status of excludes note:** *Created – Seventh Edition***Status of instructional note(s):** *Created – Eleventh Edition***Status of excludes note:** *Revised – Eleventh Edition***ICD-10-AM Sixth Edition:****Note:** This category is to be used to indicate conditions in I60–I67 as the cause of sequelae, themselves classified elsewhere. The sequelae include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition.**ICD-10-AM Seventh Edition****Note:** Category I69 is to be used to indicate previous episodes of conditions in I60–I67.1 and I67.4 – I67.9 as the cause of sequelae, themselves classified elsewhere. The sequelae include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition.**ICD-10-AM Tenth Edition:****Excludes:** chronic cerebrovascular disease (I60–I67)**ICD-10-AM Eleventh Edition:****Excludes:** chronic cerebrovascular disease (I60–I67)
history of cerebrovascular disease with no sequelae (residual deficits) (Z86.71)

I70.2 Atherosclerosis of arteries of extremities**Status of code(s):****Created – First Edition****Status of inclusion term(s):****Revised – Thirteenth Edition****WHO ICD-10:**

I70.2 Atherosclerosis of arteries of extremities

ICD-10-AM First Edition:

I70.2 Atherosclerosis of arteries of extremities
 I70.20 Atherosclerosis of arteries of extremities, unspecified
 I70.21 Atherosclerosis of arteries of extremities with intermittent claudication
 I70.22 Atherosclerosis of arteries of extremities with rest pain
 I70.23 Atherosclerosis of arteries of extremities with ulceration
 I70.24 Atherosclerosis of arteries of extremities with gangrene

ICD-10-AM Twelfth Edition:

Atherosclerotic gangrene
 Mönckeberg's (medial) sclerosis

ICD-10-AM Thirteenth Edition:

Atherosclerotic gangrene
 Mönckeberg's (medial) sclerosis [calcification of small arteries]

I71.0 Dissection of aorta**Status of code(s):****Created – First Edition****WHO ICD-10:**

I71.0 Dissection of aorta [any part]

ICD-10-AM First Edition:

I71.0 Dissection of aorta
 I71.00 Dissection of aorta, unspecified site
 I71.01 Dissection of thoracic aorta
 I71.02 Dissection of abdominal aorta
 I71.03 Dissection of thoracoabdominal aorta

I71.9 Aortic aneurysm of unspecified site, without mention of rupture**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Aneurysm }
 Dilatation } of aorta
 Hyaline necrosis }

ICD-10-AM Seventh Edition

Aneurysm }
 Dilatation } of aorta NOS
 Hyaline necrosis }

172 Other aneurysm and dissection**Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Ninth Edition****ICD-10-AM Sixth Edition:**

- Excludes:**
- aneurysm (of):
 - aorta (I71.-)
 - arteriovenous:
 - acquired (I77.0)
 - NOS (Q27.3)
 - cerebral:
 - nonruptured (I67.1)
 - NOS (I67.1)
 - ruptured (I60.-)
 - coronary (I25.4)
 - heart (I25.3)
 - pulmonary artery (I28.1)
 - retinal (H35.0)
 - varicose (I77.0)

ICD-10-AM Seventh Edition:

- Excludes:**
- aneurysm (of):
 - aorta (I71.-)
 - arteriovenous:
 - acquired (I77.0)
 - NOS (Q27.3)
 - cerebral:
 - nonruptured (I67.1)
 - NOS (I67.1)
 - ruptured (I60.-)
 - coronary (I25.4)
 - heart (I25.3)
 - pulmonary artery (I28.1)
 - retinal (H35.0)
 - varicose (I77.0)
 - dissection of precerebral artery, congenital (nonruptured) (Q28.1)

ICD-10-AM Ninth Edition:

- Excludes:**
- aneurysm (of):
 - aorta (I71.-)
 - arteriovenous:
 - acquired (I77.0)
 - NOS (Q27.3)
 - cerebral:
 - nonruptured (I67.1)
 - NOS (I67.1)
 - ruptured (I60.-)
 - coronary (I25.4)
 - heart (I25.3)
 - pulmonary artery (I28.1)
 - retinal (H35.0)
 - varicose (I77.0)
 - dissection (of):
 - coronary artery (I25.4)
 - precerebral artery, congenital (nonruptured) (Q28.1)

I72.0 Aneurysm and dissection of carotid artery*Status of code title:* **Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

I72.0 Aneurysm of carotid artery

ICD-10-AM Seventh Edition:

I72.0 Aneurysm and dissection of carotid artery

I72.1 Aneurysm and dissection of artery of upper extremity*Status of code title:* **Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

I72.1 Aneurysm of artery of upper extremity

ICD-10-AM Seventh Edition:

I72.1 Aneurysm and dissection of artery of upper extremity

I72.2 Aneurysm and dissection of renal artery*Status of code title:* **Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

I72.2 Aneurysm of renal artery

ICD-10-AM Seventh Edition:

I72.2 Aneurysm and dissection of renal artery

I72.3 Aneurysm and dissection of iliac artery*Status of code title:* **Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

I72.3 Aneurysm of iliac artery

ICD-10-AM Seventh Edition:

I72.3 Aneurysm and dissection of iliac artery

I72.4 Aneurysm and dissection of artery of lower extremity*Status of code title:* **Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

I72.4 Aneurysm of artery of lower extremity

ICD-10-AM Seventh Edition:

I72.4 Aneurysm and dissection of artery of lower extremity

I72.5 Aneurysm and dissection of other precerebral arteries

Status of code(s): Created – **Seventh Edition**
Status of inclusion term(s): Created – **Eighth Edition**
Status of excludes note: Revised – **Eighth Edition**

WHO ICD-10:

I72.5 Aneurysm and dissection of other precerebral arteries

ICD-10-AM Seventh Edition:

I72.5 Aneurysm and dissection of other precerebral arteries

Excludes: aneurysm and dissection of:
 • carotid artery (I72.0)
 • precerebral arteries, congenital (nonruptured) (Q28.1)

ICD-10-AM Eighth Edition:

Aneurysm and dissection of basilar artery (trunk)

Excludes: aneurysm and dissection of:
 • carotid artery (I72.0)
 • vertebral artery (I72.6)
 • precerebral arteries, congenital (nonruptured) (Q28.1)

I72.6 Aneurysm and dissection of vertebral artery

Status of code(s): Created – **Eighth Edition**

I72.8 Aneurysm and dissection of other specified arteries

Status of code title: Revised – **Seventh Edition**

ICD-10-AM Sixth Edition:

I72.8 Aneurysm of other specified arteries

ICD-10-AM Seventh Edition:

I72.8 Aneurysm and dissection of other specified arteries

I72.9 Aneurysm and dissection of unspecified site

Status of code title: Revised – **Seventh Edition**

ICD-10-AM Sixth Edition:

I72.8 Aneurysm of unspecified site

ICD-10-AM Seventh Edition:

I72.8 Aneurysm and dissection of unspecified site

I73 Other peripheral vascular diseases

Status of excludes note: Revised – **Ninth Edition**

ICD-10-AM Eighth Edition:

Excludes: chilblains (T69.1)
 frostbite (T33–T35)
 immersion hand or foot (T69.0)
 spasm of cerebral artery (G45.9)

ICD-10-AM Ninth Edition:

Excludes: chilblains (T69.1)
 frostbite (T33–T35)
 immersion hand or foot (T69.0)

I73.0 Raynaud's syndrome**Status of code(s):****Created – Ninth Edition****ICD-10-AM Eighth Edition:**

I73.0 Raynaud's syndrome

ICD-10-AM Ninth Edition:

I73.00 Raynaud's syndrome without gangrene

I73.01 Raynaud's syndrome with gangrene

I73.9 Peripheral vascular disease, unspecified**Status of excludes note:****Created – Thirteenth Edition****I74 Arterial embolism and thrombosis****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Ninth Edition:**

- Excludes:**
- embolism and thrombosis:
 - basilar (I63.0–I63.2, I65.1)
 - carotid (I63.0–I63.2, I65.2)
 - cerebral (I63.3–I63.5, I66.9)
 - complicating:
 - abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 - pregnancy, childbirth and the puerperium (O88.-)
 - coronary (I21–I25)
 - mesenteric (K55.0)
 - precerebral (I63.0–I63.2, I65.9)
 - pulmonary (I26.-)
 - renal (N28.0)
 - retinal (H34.-)
 - vertebral (I63.0–I63.2, I65.0)

ICD-10-AM Tenth Edition:

- Excludes:**
- embolism and thrombosis:
 - basilar (I63.0–I63.2, I65.1)
 - carotid (I63.0–I63.2, I65.2)
 - cerebral (I63.3–I63.5, I66.9)
 - complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 - coronary (I21–I25)
 - mesenteric (K55.0)
 - precerebral (I63.0–I63.2, I65.9)
 - pulmonary (I26.-)
 - renal (N28.0)
 - retinal (H34.-)
 - vertebral (I63.0–I63.2, I65.0)

ICD-10-AM Eleventh Edition:

- Excludes:**
- embolism and thrombosis:
 - basilar (I63.0–I63.2, I65.1)
 - carotid (I63.0–I63.2, I65.2)
 - cerebral (I63.3–I63.5, I66.9)
 - coronary (I21–I25)
 - mesenteric (K55.0)
 - precerebral (I63.0–I63.2, I65.9)
 - pulmonary (I26.-)
 - renal (N28.0)
 - retinal (H34.-)
 - vertebral (I63.0–I63.2, I65.0)

I77.2 Rupture of artery**Status of inclusion term(s):** Revised – **Sixth Edition****ICD-10-AM Fifth Edition:**

Erosion }
 Fistula } of artery
 Ulcer }

ICD-10-AM Sixth Edition:

Fistula of artery

I77.6 Arteritis, unspecified**Status of excludes note:** Revised – **Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: arteritis or endarteritis:
 • aortic arch [Takayasu] (M31.4)
 • cerebral NEC (I67.7)
 • coronary (I25.8)
 • deformans (I70.-)
 • giant cell (M31.5–M31.6)
 • obliterans (I70.-)
 • senile (I70.-)

ICD-10-AM Eleventh Edition:

Excludes: arteritis or endarteritis:
 • aortic arch [Takayasu] (M31.4)
 • cerebral NEC (I67.7)
 • coronary (I25.8)
 • deformans (I70.-)
 • giant cell (M31.5–M31.6)
 • obliterans (I70.-)
 • senile (I70.-)
 granulomatosis with polyangiitis (M31.3)

I77.8 Other specified disorders of arteries and arterioles**Status of inclusion term(s):** Created – **Sixth Edition****I80 Phlebitis and thrombophlebitis****Status of excludes note:** Revised – **Tenth Edition****Status of excludes note:** Revised – **Eleventh Edition****Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Ninth Edition:**

Excludes: phlebitis and thrombophlebitis (of):
 • complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 • pregnancy, childbirth and the puerperium (O22.-, O87.-)
 • intracranial and intraspinal, septic or NOS (G08)
 • intracranial, nonpyogenic (I67.6)
 • intraspinal, nonpyogenic (G95.1)
 • portal (vein) (K75.1)

ICD-10-AM Tenth Edition:

- Excludes:** phlebitis and thrombophlebitis (of):
- complicating abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 - intracranial:
 - nonpyogenic (I67.6)
 - NOS (G08)
 - septic (G08)
 - intraspinal:
 - nonpyogenic (G95.1)
 - NOS (G08)
 - septic (G08)
 - portal (vein) (K75.1)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

- Excludes:** phlebitis and thrombophlebitis (of):
- intracranial:
 - nonpyogenic (I67.6)
 - NOS (G08)
 - septic (G08)
 - intraspinal:
 - nonpyogenic (G95.1)
 - NOS (G08)
 - septic (G08)
 - portal (vein) (K75.1)
 - postphlebotic syndrome (I87.0)
 - thrombophlebitis migrans (I82.1)

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

180.2 Phlebitis and thrombophlebitis of other deep vessels of lower extremities

Status of instruction term: Created – **Seventh Edition**
Status of code(s): Created – **Tenth Edition**
Status of inclusion term(s): Deleted – **Tenth Edition**

ICD-10-AM Ninth Edition:

180.2 Phlebitis and thrombophlebitis of other deep vessels of lower extremities

ICD-10-AM Tenth Edition:

180.2 Phlebitis and thrombophlebitis of other deep vessels of lower extremities
 180.20 Phlebitis and thrombophlebitis of deep vessels of lower extremities, not elsewhere classified
 180.21 Phlebitis and thrombophlebitis of iliac vein
 180.22 Phlebitis and thrombophlebitis of popliteal vein
 180.23 Phlebitis and thrombophlebitis of tibial vein

180.4 Phlebitis and thrombophlebitis vessels of upper extremities

Status of code(s): Created – **Tenth Edition**

ICD-10-AM Tenth Edition:

180.4 Phlebitis and thrombophlebitis vessels of upper extremities
 180.40 Phlebitis and thrombophlebitis of vessels of upper extremities, not elsewhere classified
 180.41 Phlebitis and thrombophlebitis of superficial vessels of upper extremities
 180.42 Phlebitis and thrombophlebitis of deep vessels of upper extremities

Status of excludes note:**Revised – Tenth Edition/Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Ninth Edition:**

- Excludes:** venous embolism and thrombosis (of):
- cerebral (I63.6, I67.6)
 - complicating:
 - abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 - pregnancy, childbirth and the puerperium (O22.-, O87.-)
 - coronary (I21–I25)
 - intracranial and intraspinal, septic or NOS (G08)
 - intracranial, nonpyogenic (I67.6)
 - intraspinal, nonpyogenic (G95.1)
 - lower extremities (I80.-)
 - mesenteric (K55.0)
 - portal (I81)
 - pulmonary (I26.-)

ICD-10-AM Tenth Edition:

- Excludes:** venous embolism and thrombosis (of):
- cerebral (I63.6, I67.6)
 - complicating abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 - coronary (I21–I25)
 - intracranial:
 - nonpyogenic (I67.6)
 - NOS (G08)
 - septic (G08)
 - intraspinal:
 - nonpyogenic (G95.1)
 - NOS (G08)
 - septic (G08)
 - lower extremities (I80.0 - I80.3)
 - mesenteric (K55.0)
 - portal (I81)
 - pulmonary (I26.-)
 - upper extremities (I80.4-)

ICD-10-AM Eleventh Edition:

- Excludes:** venous embolism and thrombosis (of):
- cerebral (I63.6, I67.6)
 - coronary (I21–I25)
 - intracranial:
 - nonpyogenic (I67.6)
 - NOS (G08)
 - septic (G08)
 - intraspinal:
 - nonpyogenic (G95.1)
 - NOS (G08)
 - septic (G08)
 - lower extremities (I80.0–I80.3)
 - mesenteric (K55.0)
 - portal (I81)
 - pulmonary (I26.-)
 - upper extremities (I80.4-)

I83	Varicose veins of lower extremities	
	<i>Status of excludes note:</i>	<i>Deleted – Tenth Edition</i>
I84	Haemorrhoids	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.0	Internal thrombosed haemorrhoids	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.1	Internal haemorrhoids with other complications	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.2	Internal haemorrhoids without complication	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.3	External thrombosed haemorrhoids	
	<i>Status of inclusion term(s):</i>	<i>Created – Sixth Edition</i>
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.4	External haemorrhoids with other complications	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.5	External haemorrhoids without complication	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.6	Residual haemorrhoidal skin tags	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.7	Unspecified thrombosed haemorrhoids	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.8	Unspecified haemorrhoids with other complications	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I84.9	Unspecified haemorrhoids without complication	
	<i>Status of code:</i>	<i>Deleted – Eighth Edition</i>
I86.1	Scrotal and other male pelvic varices	
	<i>Status of code title:</i>	<i>Revised – Twelfth Edition</i>
	ICD-10-AM Eleventh Edition:	
	I86.1	Scrotal varices
	ICD-10-AM Twelfth Edition:	
	I86.1	Scrotal and other male pelvic varices

I86.2 Female pelvic varices

Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

I86.2 Pelvic varices

ICD-10-AM Twelfth Edition:

I86.2 Female pelvic varices

I86.3 Vulval varices

Status of excludes note: Deleted – [Tenth Edition](#)

I86.5 Bladder varices

Status of code: Created – [Twelfth Edition](#)

I87.0 Postthrombotic syndrome

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

I87.0 Postphlebotic syndrome

ICD-10-AM Seventh Edition:

I87.0 Postthrombotic syndrome

Term classification:

Postphlebotic syndrome

I87.1 Compression of vein

Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Stricture of vein

Vena cava syndrome (inferior) (superior)

ICD-10-AM Twelfth Edition:

May-Thurner syndrome

Stricture of vein

Vena cava syndrome (inferior) (superior)

I88.1 Chronic lymphadenitis, except mesenteric

Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of excludes note: Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Adenitis

Lymphadenitis

chronic, any lymph node
except mesenteric

ICD-10-AM Eleventh Edition:

Chronic:

- adenitis NEC
- lymphadenitis NEC

I95.1 Orthostatic hypotension

Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

I95.1 Orthostatic hypotension
 Hypotension, postural

ICD-10-AM Tenth Edition:

I95.1 Orthostatic hypotension
 Postural hypotension
 I95.10 Orthostatic hypotension, unspecified
 I95.11 Primary orthostatic hypotension
 I95.12 Neurogenic orthostatic hypotension
 I95.19 Other specified orthostatic hypotension

I95.19 Other specified orthostatic hypotension

Status of instructional note(s): Created – [Twelfth Edition](#)

I95.2 Hypotension due to drugs

Status of excludes note: Created – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Excludes: drug-induced orthostatic (postural) hypotension (I95.19)
 that due to anaesthesia (T88.59)

ICD-10-AM Thirteenth Edition:

Excludes: drug-induced orthostatic (postural) hypotension (I95.19)
 that due to anaesthesia NOS (T88.54)

I97 Intraoperative and postprocedural disorders of circulatory system

Status of code title: Revised – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

I97 Postprocedural disorders of circulatory system, not elsewhere classified

ICD-10-AM Tenth Edition:

I97 Intraoperative and postprocedural disorders of circulatory system, not elsewhere classified

Excludes: postprocedural shock (T81.1)

ICD-10-AM Thirteenth Edition:

I97 Intraoperative and postprocedural disorders of circulatory system

Excludes: mechanical complication of devices, implants and grafts — see Alphabetic Index: *Complication(s)/ mechanical, of device, implant or graft/by site* OR *Complication(s)/by site and type/mechanical*
 postprocedural shock (T81.1)

I97.1 Other functional disturbances following cardiac surgery

Status of code: Deleted – [Tenth Edition](#)

I97.3 Accidental puncture and laceration of circulatory system organ or structure during a procedure

Status of code(s):

Created – Tenth Edition

Status of excludes note:

Created – Thirteenth Edition

ICD-10-AM Tenth Edition:

- I97.3 Accidental puncture and laceration of circulatory system organ or structure during a procedure
- I97.31 Accidental puncture and laceration of aorta during a procedure
- I97.32 Accidental puncture and laceration of coronary artery during a procedure
- I97.33 Accidental puncture and laceration of vena cava during a procedure
- I97.34 Accidental puncture and laceration of other blood vessels during a procedure
- I97.35 Accidental puncture and laceration of heart during a procedure
- I97.39 Accidental puncture and laceration of circulatory system organ or structure during a procedure, not elsewhere classified

I97.8 Other intraoperative and postprocedural disorders of circulatory system

Status of term:

Reclassified – Second Edition

Status of code title:

Revised – Tenth Edition

Status of code(s):

Created – Tenth Edition

Status of code title:

Revised – Thirteenth Edition

Status of code(s):

Created, Deleted – Thirteenth Edition

Term reclassification:

- Postoperative pulmonary embolism
- Phlebitis during or resulting from a procedure
- Postprocedural phlebitis
- Thrombophlebitis during or resulting from a procedure
- Postprocedural thrombophlebitis

ICD-10-AM Ninth Edition:

- I97.8 Other postprocedural disorders of circulatory system, not elsewhere classified

ICD-10-AM Tenth Edition:

- I97.8 Other intraoperative and postprocedural disorders of circulatory system, not elsewhere classified
- I97.81 Postprocedural steal syndrome
- I97.82 Pacemaker syndrome
- I97.83 Postprocedural lymphocele, lymphoedema and chylothorax
- I97.89 Other intraoperative and postprocedural disorders of circulatory system, not elsewhere classified

ICD-10-AM Thirteenth Edition:

- I97.8 Other intraoperative and postprocedural disorders of circulatory system
- I97.81 Postprocedural steal syndrome
- I97.82 Pacemaker syndrome
- I97.83 Postprocedural lymphocele, lymphoedema and chylothorax
- I97.84 Haemorrhage and haematoma of access site, from percutaneous cardiovascular procedure

I97.9 Intraoperative and postprocedural disorder of circulatory system, unspecified

Status of code title:

Revised – Tenth Edition

Status of code:

Deleted – Thirteenth Edition

ICD-10-AM Ninth Edition:

I97.9 Postprocedural disorder of circulatory system, unspecified

ICD-10-AM Tenth Edition:

I97.9 Intraoperative and postprocedural disorder of circulatory system, unspecified

I98.2* Oesophageal varices without mention of bleeding in diseases classified elsewhere

Status of code(s):

Created – First Edition

Status of code(s):

Deleted – Sixth Edition

WHO ICD-10:

I98.2* Oesophageal varices in diseases classified elsewhere

ICD-10-AM First Edition:

I98.2* Oesophageal varices in diseases classified elsewhere

I98.20* Oesophageal varices in diseases classified elsewhere, without mention of bleeding

I98.21* Oesophageal varices in diseases classified elsewhere, with bleeding

ICD-10-AM Sixth Edition:

I98.2* Oesophageal varices without mention of bleeding in diseases classified elsewhere

I98.3* Oesophageal varices with bleeding in diseases classified elsewhere

Status of code(s):

Created – Sixth Edition

J00–J99 Diseases of the respiratory system

Status of excludes note:

Revised – Tenth Edition

ICD-10-AM Ninth Edition:

Excludes: certain conditions originating in the perinatal period (P00–P96)
certain infectious and parasitic diseases (A00–B99)
complications of pregnancy, childbirth and the puerperium (O00–O99)
congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
endocrine, nutritional and metabolic diseases (E00–E89)
injury, poisoning and certain other consequences of external causes (S00–T98)
neoplasms (C00–D48)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
endocrine, nutritional and metabolic diseases (E00–E89)
neoplasms (C00–D48)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

J01 Acute sinusitis**Status of inclusion term(s):****Created – Eleventh Edition****Status of includes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Includes:	abscess	
	empyema	acute, of
	infection	sinus
	inflammation	(accessory)(n
	suppuration	asal)

ICD-10-AM Eleventh Edition:

Includes:	accessory sinus
	nasal sinus

J03 Acute tonsillitis**Status of includes note:****Created – Twelfth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes:	peritonsillar abscess (J36)
	sore throat:
	• acute (J02.-)
	• NOS (J02.9)
	• streptococcal (J02.0)

ICD-10-AM Twelfth Edition:

Excludes:	peritonsillar abscess (J36)
	sore throat:
	• acute (J02.-)
	• NOS (J02.9)
	• streptococcal (J02.0)
	tonsillitis not specified as acute or chronic, with tonsillectomy performed (J35.0)

J06 Acute upper respiratory infections of multiple and unspecified sites**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes:	acute respiratory infection NOS (J22)
	influenza virus:
	• identified (J09, J10.1)
	• not identified (J11.1)

ICD-10-AM Twelfth Edition:

Excludes:	acute respiratory infection NOS (J22)
	influenza virus:
	• identified (J09, J10.1)
	• not identified (J11.1)
	respiratory infection NOS (J98.7)

J09 Influenza due to identified zoonotic or pandemic influenza virus

Status of code(s):	Created – Fifth Edition
Status of inclusion term(s):	Created – Sixth Edition
Status of code title:	Revised – Eighth Edition
Status of inclusion term(s):	Revised – Eighth Edition
Status of includes note:	Created – Eighth Edition
Status of instructional note(s):	Created – Eighth Edition
Status of excludes note:	Created – Eighth Edition
Status of code title:	Revised – Tenth Edition
Status of inclusion term(s):	Revised – Tenth Edition
Status of includes note:	Revised – Tenth Edition
Status of note:	Deleted – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Seventh Edition:

J09 Influenza due to identified avian influenza virus
Influenza caused by influenza viruses that normally infect only birds and, less commonly, other animals.

ICD-10-AM Eighth Edition:

J09 Influenza due to certain identified influenza virus
Influenza caused by influenza virus strains of special epidemiological importance with an animal-human or inter-human transmission limited to the inclusions.

Includes: influenza A/H1N1 pandemic 2009 [swine flu]
influenza A/H5N1 epidemic [avian influenza]

Note: Additional virus strains may only be included upon recommendation by WHO.

Use additional code to identify pneumonia or other manifestations.

Excludes: haemophilus influenzae:
• infection NOS (A49.2)
• meningitis (G00.0)
• pneumonia (J14)

ICD-10-AM Tenth Edition:

J09 Influenza due to identified zoonotic or pandemic influenza virus
Influenza caused by influenza virus strains of special epidemiological importance with an animal-human or inter-human transmission.

Includes: influenza A/H5N1 epidemic [avian influenza]

Use additional code to identify pneumonia or other manifestations.

Excludes: haemophilus influenzae:
• infection NOS (A49.2)
• meningitis (G00.0)
• pneumonia (J14)
influenza due to other identified (seasonal) influenza virus (J10.-)

ICD-10-AM Eleventh Edition:

Code also manifestation(s), if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify manifestation

J10 Influenza due to other identified influenza virus

Status of code(s): Revised – **Fifth Edition**
Status of inclusion term(s): Created – **Tenth Edition**
Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Fourth Edition:

J10 Influenza due to identified influenza virus

ICD-10-AM Fifth Edition:

J10 Influenza due to other identified influenza virus

ICD-10-AM Ninth Edition:

Excludes: Haemophilus influenzae [H. influenzae]:
 • infection NOS (A49.2)
 • meningitis (G00.0)
 • pneumonia (J14)

ICD-10-AM Tenth Edition:

Excludes: Haemophilus influenzae [H. influenzae]:
 • infection NOS (A49.2)
 • meningitis (G00.0)
 • pneumonia (J14)
 influenza due to A/H5N1 (avian) influenza virus (J09)

J10.0 Influenza with pneumonia, other influenza virus identified

Status of code(s): Revised – **Fifth Edition**

ICD-10-AM Fourth Edition:

J10.0 Influenza with pneumonia, influenza virus identified

ICD-10-AM Fifth Edition:

J10.0 Influenza with pneumonia, other influenza virus identified

J10.1 Influenza with other respiratory manifestations, other influenza virus identified

Status of code(s): Revised – **Fifth Edition**
Status of inclusion term(s): Revised – **Eleventh Edition**

ICD-10-AM Fourth Edition:

J10.1 Influenza with other respiratory manifestations, influenza virus identified

ICD-10-AM Fifth Edition:

J10.1 Influenza with other respiratory manifestations, other influenza virus identified

ICD-10-AM Tenth Edition:

Influenza	other influenza virus identified
Influenzal:	
• acute upper respiratory infection	
• laryngitis	
• pharyngitis	
• pleural effusion	

ICD-10-AM Eleventh Edition:

Influenza due to other identified influenza virus

Influenzal:

- acute upper respiratory infection, due to other identified influenza virus
- laryngitis, due to other identified influenza virus
- pharyngitis, due to other identified influenza virus
- pleural effusion, due to other identified influenza virus

J10.8 Influenza with other manifestations, other influenza virus identified**Status of code(s):****Revised – Fifth Edition****Status of inclusion term(s)****Revised – Eleventh Edition****Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Fourth Edition:**

J10.8 Influenza with other manifestations, influenza virus identified

ICD-10-AM Fifth Edition:

J10.8 Influenza with other manifestations, other influenza virus identified

ICD-10-AM Tenth Edition:Encephalopathy due to
influenza

Influenzal:

• gastroenteritis

• myocarditis (acute)

other influenza virus
identified**ICD-10-AM Eleventh Edition:**

Influenzal:

- encephalopathy, due to other identified influenza virus
- gastroenteritis, due to other identified influenza virus
- myocarditis (acute), due to other identified influenza virus

ICD-10-AM Twelfth Edition:

Influenzal:

- encephalitis, myelitis or encephalomyelitis† (G05.1*), due to other identified influenza virus
- encephalopathy† (G94.3*), due to other identified influenza virus
- gastroenteritis, due to other identified influenza virus
- myocarditis (acute)† (I41.1*), due to other identified influenza virus
- otitis media† (H67.1*), due to other identified influenza virus

J11 Influenza, virus not identified**Status of inclusion term(s):****Created – Eleventh Edition****Status of includes note:****Deleted – Eleventh Edition****J11.8 Influenza with other manifestations, virus not identified****Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Influenzal:

- encephalopathy, unspecified or specific virus not identified
- gastroenteritis, unspecified or specific virus not identified
- myocarditis (acute), unspecified or specific virus not identified

ICD-10-AM Twelfth Edition:

Influenzal:

- encephalitis, myelitis or encephalomyelitis† (G05.1*), unspecified or specific virus not identified
- encephalopathy† (G94.3*), unspecified or specific virus not identified
- gastroenteritis, unspecified or specific virus not identified
- myocarditis (acute)† (I41.1*), unspecified or specific virus not identified
- otitis media† (H67.1*), unspecified or specific virus not identified

J12 Viral pneumonia, not elsewhere classified**Status of excludes note:****Revised – Ninth Edition****Status of excludes note:****Revised – Tenth Edition****Status of instructional note(s):****Created – Thirteenth Edition****ICD-10-AM Eighth Edition:**

Excludes: congenital rubella pneumonitis (P35.0)
 pneumonia:
 • aspiration (due to):
 • anaesthesia during:
 • labour and delivery (O74.0)
 • pregnancy (O29.0)
 • puerperium (O89.0)
 • neonatal (P24.9)
 • NOS (J69.0)
 • solids and liquids (J69.-)
 • congenital (P23.0)
 • in influenza (J09, J10.0, J11.0)
 • interstitial NOS (J84.9)
 • lipid (J69.1)

ICD-10-AM Ninth Edition:

Excludes: congenital rubella pneumonitis (P35.0)
 pneumonia:
 • aspiration (due to):
 • anaesthesia during:
 • labour and delivery (O74.0)
 • pregnancy (O29.0)
 • puerperium (O89.0)
 • neonatal (P24.9)
 • NOS (J69.0)
 • solids and liquids (J69.-)
 • in influenza (J09, J10.0, J11.0)
 • interstitial NOS (J84.9)
 • lipid (J69.1)
 • viral, congenital (P23.0)

ICD-10-AM Tenth Edition:

Excludes: congenital rubella pneumonitis (P35.0)
 pneumonia:
 • aspiration (due to):
 • neonatal (P24.9)
 • NOS (J69.0)
 • solids and liquids (J69.-)
 • in influenza (J09, J10.0, J11.0)
 • interstitial NOS (J84.9)
 • lipid (J69.1)
 • viral, congenital (P23.0)

J12.3 Human metapneumovirus pneumonia**Status of code:****Created – Seventh Edition****WHO ICD-10:**

J12.3 Human metapneumovirus pneumonia

ICD-10-AM Seventh Edition:

J12.3 Human metapneumovirus pneumonia

J12.8 Other viral pneumonia

Status of instructional note(s): Created – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Use additional code (U07.1–U07.2) to identify coronavirus disease 2019 [COVID-19].

ICD-10-AM Thirteenth Edition:

Use additional code (U07.12–U07.2) to identify coronavirus disease 2019 [COVID-19].

J13 Pneumonia due to *Streptococcus pneumoniae*

Status of instructional note(s): Created – [Thirteenth Edition](#)

J14 Pneumonia due to *Haemophilus influenzae*

Status of instructional note(s): Created – [Thirteenth Edition](#)

J15 Bacterial pneumonia, not elsewhere classified

Status of includes note: Revised – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)
Status of instructional note(s): Created – [Thirteenth Edition](#)

ICD-10-AM Eleventh Edition:

Includes: bronchopneumonia due to bacteria other than *S. pneumoniae* and *H. influenzae*

Excludes: chlamydial pneumonia (J16.0)
 congenital pneumonia (P23.-)
 Legionnaires' disease (A48.1)

ICD-10-AM Twelfth Edition:

Includes: bronchopneumonia due to bacteria NEC

Excludes: chlamydial pneumonia (J16.0)
 congenital pneumonia (P23.-)
 Legionnaires' disease (A48.1)
 pneumonia due to *Haemophilus influenzae* (J14)

J15.6 Pneumonia due to other Gram-negative bacteria

Status of code title: Revised – [Eighth Edition](#)
Status of inclusion term(s): Revised – [Eighth Edition](#)
Status of inclusion term(s): Revised – [Ninth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Seventh Edition:

J15.6 Pneumonia due to other aerobic Gram-negative bacteria
 Pneumonia due to *Serratia marcescens*

ICD-10-AM Eighth Edition:

J15.6 Pneumonia due to other (aerobic) Gram-negative bacteria
 Pneumonia due to:
 • Gram-negative bacteria NOS
 • *Serratia marcescens*

ICD-10-AM Ninth Edition:

J15.6 Pneumonia due to other Gram-negative bacteria
 Pneumonia due to:
 • Gram-negative (aerobic) bacteria NOS
 • *Serratia marcescens*

J15.8 Other bacterial pneumonia

Status of instructional note(s): Created – [Twelfth Edition](#)

J16 Pneumonia due to other infectious organisms, not elsewhere classified

Status of excludes note: Revised – [Eleventh Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)
Status of instructional note(s): Created – [Thirteenth Edition](#)

ICD-10-AM Tenth Edition:

Excludes: ornithosis (A70)
 pneumocystosis (B59)
 pneumonia:
 • congenital (P23.-)
 • NOS (J18.9)

ICD-10-AM Eleventh Edition:

Excludes: ornithosis (A70)
 pneumocystosis (B48.5† J17*)
 pneumonia:
 • congenital (P23.-)
 • NOS (J18.9)

ICD-10-AM Twelfth Edition:

Excludes: ornithosis (A70)
 pneumonia:
 • congenital (P23.-)
 • NOS (J18.9)

J16.1 Fungal pneumonia, not elsewhere classified

Status of code: Created – [Twelfth Edition](#)

J17* Pneumonia in diseases classified elsewhere

Status of instructional note(s): Created – [Thirteenth Edition](#)

J17.2* Pneumonia in mycoses

Status of inclusion term(s): Revised – [Eleventh Edition Errata](#)

ICD-10-AM Eleventh Edition:

Pneumonia in:
 • candidiasis (B37.1†)
 • coccidioidomycosis (B38.0–B38.2†)
 • histoplasmosis (B39.-†)

ICD-10-AM Eleventh Edition Errata:

Pneumonia in:
 • candidiasis (B37.1†)
 • coccidioidomycosis (B38.0–B38.2†)
 • histoplasmosis (B39.-†)
 • pneumocystosis (B48.5†)

J18 Pneumonia, organism unspecified

Status of excludes note: *Revised – Sixth Edition*
Status of excludes note: *Revised – Ninth Edition*
Status of excludes note: *Revised – Tenth Edition*
Status of instructional note: *Created – Thirteenth Edition*

ICD-10-AM Fifth Edition:

Excludes: abscess of lung with pneumonia (J85.1)
 drug-induced interstitial lung disorders (J70.2–J70.4)
 pneumonia:
 • aspiration (due to):
 • anaesthesia during:
 • labour and delivery (O74.0)
 • pregnancy (O29.0)
 • puerperium (O89.0)
 • neonatal (P24.9)
 • NOS (J69.0)
 • solids and liquids (J69.-)
 • congenital (P23.9)
 • interstitial NOS (J84.9)
 • lipid (J69.1)
 pneumonitis, due to external agents (J67–J70)

ICD-10-AM Sixth Edition:

Excludes: abscess of lung with pneumonia (J85.1)
 drug-induced interstitial lung disorders (J70.2–J70.4)
 pneumonia:
 • aspiration (due to):
 • anaesthesia during:
 • labour and delivery (O74.0)
 • pregnancy (O29.0)
 • puerperium (O89.0)
 • neonatal (P24.9)
 • NOS (J69.0)
 • solids and liquids (J69.-)
 • congenital (P23.9)
 • interstitial NOS (J84.9)
 • lipid (J69.1)
 • usual interstitial (J84.1)
 pneumonitis, due to external agents (J67–J70)

ICD-10-AM Ninth Edition:

Excludes: abscess of lung with pneumonia (J85.1)
 drug-induced interstitial pneumonia (J70.2–J70.4)
 pneumonia:
 • aspiration (due to):
 • anaesthesia during:
 • labour and delivery (O74.0)
 • pregnancy (O29.0)
 • puerperium (O89.0)
 • neonatal (P24.9)
 • NOS (J69.0)
 • solids and liquids (J69.-)
 • congenital (P23.9)
 • interstitial:
 • drug-induced (J70.2–J70.4)
 • NOS (J84.9)
 • lipid (J69.1)
 • usual interstitial (J84.1)
 pneumonitis, due to external agents (J67–J70)

ICD-10-AM Tenth Edition:

Excludes: abscess of lung with pneumonia (J85.1)
 drug-induced interstitial pneumonia (J70.2–J70.4)
 pneumonia:
 • aspiration (due to):
 • neonatal (P24.9)
 • NOS (J69.0)
 • solids and liquids (J69.-)
 • congenital (P23.9)
 • interstitial:
 • drug-induced (J70.2–J70.4)
 • NOS (J84.9)
 • lipid (J69.1)
 • usual interstitial (J84.1)
 pneumonitis, due to external agents (J67–J70)

J18.0 Bronchopneumonia, unspecified

Status of excludes note: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Excludes: bronchiolitis (J21.-)

ICD-10-AM Twelfth Edition:

Excludes: bronchiolitis (J21.-)
 lower, middle or upper lobe pneumonia NOS (J18.9)

J18.1 Lobar pneumonia, unspecified

Status of note: *Created – Twelfth Edition*
Status of excludes note: *Created – Twelfth Edition*

J21.1 Acute bronchiolitis due to human metapneumovirus

Status of code: *Created – Seventh Edition*

WHO ICD-10:

J21.1 Acute bronchiolitis due to human metapneumovirus

ICD-10-AM Seventh Edition:

J21.1 Acute bronchiolitis due to human metapneumovirus

J22 Unspecified acute lower respiratory infection

Status of excludes note: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Excludes: upper respiratory infection (acute) (J06.9)

ICD-10-AM Twelfth Edition:

Excludes: respiratory infection NOS (J98.7)
 upper respiratory infection (acute) (J06.9)

J30.1 Allergic rhinitis due to pollen

Status of instructional note(s): *Created – Eleventh Edition*

J30.2 Other seasonal allergic rhinitis

Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Y37.-) to identify allergen, if known.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Y37.-) to identify allergen.

J30.3 Other allergic rhinitis

Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Y37.-) to identify allergen, if known.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Y37.-) to identify allergen.

J30.4 Allergic rhinitis, unspecified

Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Y37.-) to identify allergen, if known.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Y37.-) to identify allergen.

J32 Chronic sinusitis

Status of inclusion term(s): Created – [Eleventh Edition](#)
Status of includes note: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Includes:	abscess	
	empyema	(chronic) of sinus
	infection	(accessory)(nasal)
	suppuration	

ICD-10-AM Eleventh Edition:

Includes: accessory sinus
nasal sinus

J32.9 Chronic sinusitis, unspecified

Status of term: [Reclassified – First Edition](#)

Term reclassification:

Hypertrophic change of nasal sinus

J34.1 Cyst and mucocele of nose and nasal sinus**Status of term:** *Reclassified – First Edition***Term reclassification:**

Cyst of turbinate

J34.8 Other specified disorders of nose and nasal sinuses**Status of term:** *Reclassified – First Edition***Term reclassification:**

Cyst of turbinate

Hypertrophic change of nasal sinus

J35.0 Chronic tonsillitis**Status of includes note:** *Created – Twelfth Edition***Status of excludes note:** *Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Excludes: tonsillitis:

- acute (J03.-)
- NOS (J03.9)

ICD-10-AM Twelfth Edition:

Excludes: tonsillitis:

- acute (J03.-)
- NOS (J03.9)
- not specified as acute or chronic, tonsillectomy not performed (J03.-)

J38.0 Paralysis of vocal cords and larynx**Status of code(s):** *Created – First Edition***Status of code (J38.02):** *Revised – Sixth Edition***Status of code (J38.04):** *Created – Sixth Edition***WHO ICD-10:**

J38.0 Paralysis of vocal cords and larynx

ICD-10-AM First Edition:

J38.0 Paralysis of vocal cords and larynx

J38.00 Paralysis of vocal cords and larynx, unspecified

J38.01 Paralysis of vocal cords and larynx, unilateral, partial

J38.02 Paralysis of vocal cords and larynx, unilateral, complex

J38.03 Paralysis of vocal cords and larynx, bilateral, partial

ICD-10-AM Sixth Edition:

J38.0 Paralysis of vocal cords and larynx

J38.00 Paralysis of vocal cords and larynx, unspecified

J38.01 Paralysis of vocal cords and larynx, unilateral, partial

J38.02 Paralysis of vocal cords and larynx, unilateral, complete

J38.03 Paralysis of vocal cords and larynx, bilateral, partial

J38.04 Paralysis of vocal cords and larynx, bilateral, complete

J39.2 Other diseases of pharynx**Status of inclusion term(s):****Status of includes note:****Revised – Eleventh Edition****Created – Eleventh Edition****ICD-10-AM Tenth Edition:**

Cyst

Oedema

of pharynx or nasopharynx

ICD-10-AM Eleventh Edition:

Pharyngeal:

- cyst
- oedema

J40–J47 Chronic lower respiratory diseases**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:****Excludes:** cystic fibrosis (E84)**ICD-10-AM Twelfth Edition:**

Excludes: cystic fibrosis (E84)
respiratory infection NOS (J98.7)

J40 Bronchitis, not specified as acute or chronic**Status of note:****Status of excludes note:****Deleted – Thirteenth Edition****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Excludes: bronchitis:
• allergic NOS (J45.0)
• asthmatic NOS (J45.9)
• chemical (acute) (J68.0)

ICD-10-AM Thirteenth Edition:

Excludes: bronchitis:
• allergic NOS (J45.0)
• asthmatic NOS (J45.9)
• chemical (acute) (J68.0)
• NOS (not specified as acute or chronic) in those under 15 years of age (J20.-)

J41 Other specified chronic bronchitis**Status of code title:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

J41 Simple and mucopurulent

ICD-10-AM Twelfth Edition:

J41 Other specified chronic bronchitis

J41.2 Protracted bacterial bronchitis**Status of code:****Created – Twelfth Edition**

J42 Unspecified chronic bronchitis**Status of excludes note:****Revised – Twelfth Edition****Status of inclusion term(s):****Revised – Twelfth Edition Errata****ICD-10-AM Eleventh Edition:**

- Excludes:** chronic:
- asthmatic bronchitis (J44.-)
 - bronchitis:
 - simple and mucopurulent (J41.-)
 - with airways obstruction (J44.-)
 - emphysematous bronchitis (J44.-)
 - obstructive pulmonary disease NOS (J44.9)

ICD-10-AM Twelfth Edition:

- Chronic:
- bronchitis NOS
 - tracheitis
 - tracheobronchitis
- Protracted bacterial bronchitis [PBB]

- Excludes:** chronic:
- asthmatic bronchitis (J44.-)
 - bronchitis:
 - childhood (J41.2)
 - mixed simple and mucopurulent (J41.8)
 - mucopurulent (J41.1)
 - simple (J41.0)
 - with airways obstruction (J44.-)
 - emphysematous bronchitis (J44.-)
 - obstructive pulmonary disease NOS (J44.9)
 - protracted bacterial bronchitis (J41.2)

ICD-10-AM Twelfth Edition errata:

- Chronic:
- bronchitis NOS
 - tracheitis
 - tracheobronchitis

J43 Emphysema**Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Ninth Edition:**

- Excludes:** emphysema:
- compensatory (J98.3)
 - due to inhalation of chemicals, gases, fumes or vapours (J68.4)
 - interstitial:
 - neonatal (P25.0)
 - NOS (J98.2)
 - mediastinal (J98.2)
 - surgical (subcutaneous) (T81.8)
 - traumatic subcutaneous (T79.7)
 - with chronic (obstructive) bronchitis (J44.-)
 - emphysematous (obstructive) bronchitis (J44.-)

ICD-10-AM Tenth Edition:

- Excludes:** emphysema:
- compensatory (J98.3)
 - due to inhalation of chemicals, gases, fumes or vapours (J68.4)
 - following a procedure (subcutaneous) (T81.84)
 - interstitial:
 - neonatal (P25.0)
 - NOS (J98.2)
 - mediastinal (J98.2)
 - postprocedural (subcutaneous) (T81.84)
 - surgical (subcutaneous) (T81.84)
 - traumatic subcutaneous (T79.7)
 - with chronic (obstructive) bronchitis (J44.-)
 - emphysematous (obstructive) bronchitis (J44.-)

ICD-10-AM Thirteenth Edition:

- Excludes:**
- emphysema:
 - compensatory (J98.3)
 - due to inhalation of chemicals, gases, fumes or vapours (J68.4)
 - following a procedure (subcutaneous) (T81.84)
 - interstitial:
 - neonatal (P25.0)
 - NOS (J98.2)
 - mediastinal (J98.2)
 - postprocedural (subcutaneous) (T81.84)
 - surgical (subcutaneous) (T81.84)
 - traumatic subcutaneous (T79.7)
 - with chronic:
 - bronchitis (obstructive) (J44.-)
 - obstructive pulmonary disease [COPD] (J44.-)
 - emphysematous (obstructive) bronchitis (J44.-)

J44 Other chronic obstructive pulmonary disease [COPD]

Status of excludes note:	Revised – Twelfth Edition/Twelfth Edition
Status of code title:	Revised – Thirteenth Edition
Status of inclusion term(s):	Created – Thirteenth Edition
Status of includes note:	Revised – Thirteenth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Eleventh Edition:

- Excludes:**
- asthma (J45.-)
 - asthmatic bronchitis NOS (J45.9)
 - bronchiectasis (J47)
 - chronic:
 - bronchitis:
 - NOS (J42)
 - simple and mucopurulent (J41.-)
 - tracheitis (J42)
 - tracheobronchitis (J42)
 - emphysema (J43.-)
 - lung diseases due to external agents (J60–J70)

ICD-10-AM Twelfth Edition:

J44 Other chronic obstructive pulmonary disease

- Includes:**
- chronic:
 - bronchitis:
 - asthmatic (obstructive)
 - emphysematous
 - with:
 - airways obstruction
 - emphysema
 - obstructive:
 - asthma
 - bronchitis
 - tracheobronchitis
- Excludes:**
- asthma (chronic) NEC (J45.-)
 - asthmatic bronchitis NOS (J45.9)
 - bronchiectasis (J47)
 - chronic:
 - bronchitis:
 - childhood (J41.2)
 - mixed simple and mucopurulent (J41.8)
 - mucopurulent (J41.1)
 - NOS (J42)
 - simple (J41.0)
 - tracheitis (J42)
 - tracheobronchitis (J42)
 - emphysema (J43.-)
 - lung diseases due to external agents (J60–J70)
 - protracted bacterial bronchitis (J41.2)

ICD-10-AM Thirteenth Edition:

J44 Other chronic obstructive pulmonary disease [COPD]

- Includes:**
- chronic:
 - asthmatic bronchitis (obstructive)
 - bronchitis with:
 - airways obstruction
 - emphysema
 - emphysematous bronchitis
 - obstructive:
 - asthma
 - bronchitis
 - tracheobronchitis

- Excludes:**
- asthma
 - NOS (J45.9)
 - without mention of obstruction (J45.-)
 - asthmatic bronchitis NOS (J45.9)
 - bronchiectasis (J47)
 - chronic:
 - bronchitis:
 - childhood (J41.2)
 - mixed simple and mucopurulent (J41.8)
 - mucopurulent (J41.1)
 - NOS (J42)
 - simple (J41.0)
 - tracheitis (J42)
 - tracheobronchitis (J42)
 - emphysema (J43.-)
 - lung diseases due to external agents (J60–J70)
 - protracted bacterial bronchitis (J41.2)

J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection

Status of excludes note: Deleted – [Twelfth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

J44.8 Other specified chronic obstructive pulmonary disease

Status of excludes note: Created – [Fifth Edition](#)

J45 Asthma

Status of excludes note: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

- Excludes:**
- acute severe asthma (J46)
 - chronic asthmatic (obstructive) bronchitis (J44.-)
 - chronic obstructive asthma (J44.-)
 - eosinophilic asthma (J82)
 - lung diseases due to external agents (J60–J70)
 - status asthmaticus (J46)

ICD-10-AM Eleventh Edition:

Excludes: acute severe asthma (J46)
 chronic:
 • asthmatic (obstructive) bronchitis (J44.-)
 • obstructive asthma (J44.-)
 eosinophilic asthma (J82)
 lung diseases due to external agents (J60–J70)
 status asthmaticus (J46)

ICD-10-AM Twelfth Edition:

Excludes: acute severe asthma (J46)
 chronic:
 • asthmatic (obstructive) bronchitis (J44.-)
 • obstructive asthma (J44.-)
 eosinophilic asthma (J82)
 lung diseases due to external agents (J60–J70)
 status asthmaticus (J46)
 with chronic obstructive pulmonary disease [COPD] (J44.-)

J45.0 Predominantly allergic asthma

Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Y37.-) to identify allergen, if known.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Y37.-) to identify allergen.

J46 Status asthmaticus

Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Acute severe asthma

ICD-10-AM Twelfth Edition:

Acute severe asthma
 Refractory asthma

J47 Bronchiectasis

Status of inclusion term(s): Created – [Seventh Edition](#)

J60 Coalworker's pneumoconiosis

Status of excludes note: Revised – [Fifth Edition](#)

ICD-10-AM Fourth Edition:

Excludes: with tuberculosis (J65)

ICD-10-AM Fifth Edition:

Excludes: with tuberculosis in A15–A16 (J65)

J61 Pneumoconiosis due to asbestos and other mineral fibres**Status of excludes note:** Revised – *Fifth Edition***ICD-10-AM Fourth Edition:****Excludes:** pleural plaque with asbestosis (J92.0)
with tuberculosis (J65)**ICD-10-AM Fifth Edition:****Excludes:** pleural plaque with asbestosis (J92.0)
with tuberculosis in A15–A16 (J65)**J62 Pneumoconiosis due to dust containing silica****Status of excludes note:** Revised – *Fifth Edition***ICD-10-AM Fourth Edition:****Excludes:** pneumoconiosis with tuberculosis (J65)**ICD-10-AM Fifth Edition:****Excludes:** pneumoconiosis with tuberculosis in A15–A16 (J65)**J63 Pneumoconiosis due to other inorganic dusts****Status of excludes note:** Revised – *Fifth Edition***ICD-10-AM Fourth Edition:****Excludes:** with tuberculosis (J65)**ICD-10-AM Fifth Edition:****Excludes:** with tuberculosis in A15–A16 (J65)**J64 Unspecified pneumoconiosis****Status of excludes note:** Revised – *Fifth Edition***ICD-10-AM Fourth Edition:****Excludes:** with tuberculosis (J65)**ICD-10-AM Fifth Edition:****Excludes:** with tuberculosis in A15–A16 (J65)**J68.1 Pulmonary oedema due to chemicals, gases, fumes and vapours****Status of code title:** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

J68.1 Acute pulmonary oedema due to chemicals, gases, fumes and vapours

ICD-10-AM Sixth Edition:

J68.1 Pulmonary oedema due to chemicals, gases, fumes and vapours

J69.0 Pneumonitis due to food and vomit**Status of instructional note(s):** Created – *Twelfth Edition/Twelfth Edition*

J70.2 Acute drug-induced interstitial lung disorders

Status of glossary description: Created – [Ninth Edition](#)

J70.3 Chronic drug-induced interstitial lung disorders

Status of glossary description: Created – [Ninth Edition](#)

Status of excludes note: Created – [Ninth Edition](#)

J70.4 Drug-induced interstitial lung disorders, unspecified

Status of glossary description: Created – [Ninth Edition](#)

Status of inclusion term(s): Created – [Ninth Edition](#)

Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Conditions classified to J82 and J84.- specified as drug-induced

Drug-induced:

- bronchiolitis obliterans organising pneumonia (BOOP)
- interstitial:
 - fibrosis
 - pneumonia
 - pulmonary disorder
- usual interstitial pneumonia

ICD-10-AM Twelfth Edition:

Conditions classified to J82 and J84.- specified as drug-induced

Drug-induced:

- bronchiolitis obliterans organising pneumonia [BOOP]
- cryptogenic organising pneumonitis [COP]
- interstitial:
 - fibrosis
 - pneumonia
 - pulmonary disorder
- usual interstitial pneumonia

J80 Acute respiratory distress syndrome

Status of code title: Revised – [Eleventh Edition](#)

Status of inclusion term(s): Revised – [Eleventh Edition](#)

Status of excludes note: Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

J80 Adult respiratory distress syndrome
Adult hyaline membrane disease

ICD-10-AM Eleventh Edition:

J80 Acute respiratory distress syndrome
Adult respiratory distress syndrome
Hyaline membrane disease (adult) (child)

J81 Pulmonary oedema**Status of inclusion term(s):****Revised – Twelfth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Acute oedema of lung

Pulmonary congestion (passive)

Excludes:

- hypostatic pneumonia (J18.2)
- pulmonary oedema:
 - chemical (acute) (J68.1)
 - due to external agents (J60–J70)
 - with mention of heart disease or heart failure (I50.1)

ICD-10-AM Twelfth Edition:

Acute oedema of lung without mention of heart disease or heart failure

Pulmonary congestion (passive)

Excludes:

- acute pulmonary oedema [APO] NOS (I50.1)
- hypostatic pneumonia (J18.2)
- pulmonary oedema:
 - chemical (acute) (J68.1)
 - due to external agents (J60–J70)
 - with mention of heart disease or heart failure (I50.1)

J84.1 Other interstitial pulmonary diseases with fibrosis**Status of inclusion term(s):****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

Diffuse pulmonary fibrosis

Fibrosing alveolitis (cryptogenic)

Hamman-Rich syndrome

Idiopathic pulmonary fibrosis

ICD-10-AM Sixth Edition:

Diffuse pulmonary fibrosis

Fibrosing alveolitis (cryptogenic)

Hamman-Rich syndrome

Idiopathic pulmonary fibrosis

Usual interstitial pneumonia

J84.8 Other specified interstitial pulmonary diseases**Status of term:****Classified – Second Edition****Status of inclusion term(s):****Revised – Tenth Edition****Status of inclusion term(s):****Revised – Twelfth Edition****Term classification:**

Bronchiolitis obliterans organising pneumonia [BOOP]

ICD-10-AM Tenth Edition:

Bronchiolitis obliterans organising pneumonia [BOOP]

Lymphoid interstitial pneumonitis

ICD-10-AM Twelfth Edition:

Bronchiolitis obliterans organising pneumonia [BOOP]

Cryptogenic organising pneumonitis [COP]

Lymphoid interstitial pneumonitis

J93 Pneumothorax**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

J93	Pneumothorax
J93.0	Spontaneous tension pneumothorax
J93.1	Other spontaneous pneumothorax
J93.8	Other pneumothorax
J93.9	Pneumothorax, unspecified

ICD-10-AM First Edition:

J93	Pneumothorax
J93.0	Spontaneous tension pneumothorax
J93.1	Other spontaneous pneumothorax
J93.2	Iatrogenic pneumothorax
J93.8	Other pneumothorax
J93.9	Pneumothorax, unspecified

J93.2 Iatrogenic pneumothorax**Status of code(s):****Deleted – *Second Edition*****J95 Intraoperative and postprocedural disorders of respiratory system****Status of code title:****Revised – *Tenth Edition*****Status of code(s):****Created – *Tenth Edition*****Status of excludes note:****Revised – *Tenth Edition*****Status of code title:****Revised – *Thirteenth Edition*****Status of excludes note:****Revised – *Thirteenth Edition*****ICD-10-AM Ninth Edition:**

J95	Postprocedural respiratory disorders, not elsewhere classified
<i>Excludes:</i>	emphysema (subcutaneous) resulting from a procedure (T81.8) pulmonary manifestations due to radiation (J70.0–J70.1)
J95.0	Tracheostomy malfunction
J95.1	Acute pulmonary insufficiency following thoracic surgery
J95.2	Acute pulmonary insufficiency following nonthoracic surgery
J95.3	Chronic pulmonary insufficiency following surgery
J95.4	Mendelson's syndrome
J95.5	Postprocedural subglottic stenosis
J95.8	Other postprocedural respiratory disorders
J95.9	Postprocedural respiratory disorder, unspecified

ICD-10-AM Tenth Edition:

- J95 Intraoperative and postprocedural disorders of respiratory system, not elsewhere classified
Excludes: postprocedural emphysema (subcutaneous) (T81.84)
 pulmonary manifestations due to radiation (J70.0–J70.1)
- J95.0 Malfunction of tracheostomy
- J95.01 Haemorrhage from tracheostomy
- J95.02 Infection of tracheostomy
- J95.03 Leak from tracheostomy
- J95.04 Tracheo-oesophageal fistula following tracheostomy
- J95.09 Malfunction of tracheostomy, not elsewhere classified
- J95.4 Mendelson's syndrome
- J95.5 Postprocedural subglottic stenosis
- J95.6 Accidental puncture and laceration of respiratory system organ or structure during a procedure
- J95.61 Accidental puncture and laceration of larynx during a procedure
- J95.62 Accidental puncture and laceration of pharynx during a procedure
- J95.63 Accidental puncture and laceration of trachea during a procedure
- J95.64 Accidental puncture and laceration of lung during a procedure
- J95.65 Accidental puncture and laceration of pleura and diaphragm during a procedure
- J95.69 Accidental puncture and laceration of respiratory system organ or structure during a procedure, not elsewhere classified
- J95.8 Other intraoperative and postprocedural disorders of respiratory system
- J95.81 Postprocedural tracheal stenosis
- J95.82 Ventilation associated pneumonia
- J95.83 Transfusion related acute lung injury [TRALI]
- J95.84 Postprocedural pneumothorax
- J95.85 Postprocedural haemothorax
- J95.89 Other intraoperative and postprocedural disorders of respiratory system, not elsewhere classified
- J95.9 Intraoperative and postprocedural disorders of respiratory system, unspecified

ICD-10-AM Twelfth Edition:

- J95 Intraoperative and postprocedural disorders of respiratory system, not elsewhere classified
Excludes: postprocedural emphysema (subcutaneous) (T81.84)
 pulmonary manifestations due to radiation (J70.0–J70.1)

ICD-10-AM Thirteenth Edition:

- J95 Intraoperative and postprocedural disorders of respiratory system
Excludes: mechanical complication of devices, implants and grafts — see Alphabetic Index: *Complication(s)/ mechanical, of device, implant or graft/by site* OR *Complication(s)/by site and type/mechanical*
 postprocedural emphysema (subcutaneous) (T81.84)
 pulmonary manifestations due to radiation (J70.0–J70.1)

J95.0 Malfunction of tracheostomy

Status of inclusion term(s): Revised – [Ninth Edition](#)
Status of instructional note(s): Created – [Ninth Edition](#)
Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of instructional note(s): Deleted – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)

ICD-10-AM Eighth Edition:

J95.0 Tracheostomy malfunction
 Haemorrhage from tracheostomy stoma
 Obstruction of tracheostomy airway
 Sepsis of tracheostomy stoma
 Tracheo-oesophageal fistula following tracheostomy

ICD-10-AM Ninth Edition:

J95.0 Tracheostomy malfunction
 Haemorrhage from tracheostomy stoma
 Obstruction of tracheostomy airway
 Tracheo-oesophageal fistula following tracheostomy

ICD-10-AM Tenth Edition:

J95.0 Malfunction of tracheostomy
 J95.01 Haemorrhage from tracheostomy
 J95.02 Infection of tracheostomy
 J95.03 Leak from tracheostomy
 J95.04 Tracheo-oesophageal fistula following tracheostomy
 J95.09 Malfunction of tracheostomy, not elsewhere classified

J95.1 Acute pulmonary insufficiency following thoracic surgery

Status of code: Deleted – [Tenth Edition](#)

J95.2 Acute pulmonary insufficiency following nonthoracic surgery

Status of code: Deleted – [Tenth Edition](#)

J95.3 Chronic pulmonary insufficiency following surgery

Status of code: Deleted – [Tenth Edition](#)

J95.4 Chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia

Status of inclusion term(s): Created – [Ninth Edition](#)
Status of instructional note(s): Created – [Ninth Edition](#)
Status of excludes note: Deleted – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Revised – [Thirteenth Edition](#)
Status of instructional note(s): Deleted – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

J95.4 Mendelson's syndrome
 Chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia

ICD-10-AM Thirteenth Edition:

J95.4 Chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia
 Mendelson's syndrome

J95.5 Postprocedural subglottic stenosis

Status of excludes note: *Revised – Tenth Edition*

ICD-10-AM Ninth Edition:

Excludes: acquired subglottic stenosis in newborn (P28.82)

ICD-10-AM Tenth Edition:

Excludes: acquired (postintubation) subglottic stenosis in newborn (P28.82)

J95.6 Accidental puncture and laceration of respiratory system organ or structure during a procedure

Status of code(s): *Created – Tenth Edition*

Status of excludes note: *Created – Thirteenth Edition*

ICD-10-AM Tenth Edition:

- J95.6 Accidental puncture and laceration of respiratory system organ or structure during a procedure
- J95.61 Accidental puncture and laceration of larynx during a procedure
- J95.62 Accidental puncture and laceration of pharynx during a procedure
- J95.63 Accidental puncture and laceration of trachea during a procedure
- J95.64 Accidental puncture and laceration of lung during a procedure
- J95.65 Accidental puncture and laceration of pleura and diaphragm during a procedure
- J95.69 Accidental puncture and laceration of respiratory system organ or structure during a procedure, not elsewhere classified

J95.8 Other intraoperative and postprocedural disorders of respiratory system

Status of inclusion term(s): *Created – Seventh Edition*

Status of code title: *Revised – Tenth Edition*

Status of inclusion term(s): *Deleted – Tenth Edition*

Status of code(s): *Created – Tenth Edition*

ICD-10-AM Ninth Edition:

- J95.8 Other postprocedural respiratory disorders

ICD-10-AM Tenth Edition:

- J95.8 Other intraoperative and postprocedural disorders of respiratory system
- J95.81 Postprocedural tracheal stenosis
- J95.82 Ventilation associated pneumonia
- J95.83 Transfusion related acute lung injury [TRALI]
- J95.84 Postprocedural pneumothorax
- J95.85 Postprocedural haemothorax
- J95.89 Other intraoperative and postprocedural disorders of respiratory system, not elsewhere classified

J95.82 Ventilation associated pneumonia

Status of instructional note(s): *Created – Twelfth Edition/Twelfth Edition*

J95.89 Other intraoperative and postprocedural disorders of respiratory system, not elsewhere classified

Status of code: *Deleted – Thirteenth Edition*

J95.9 Intraoperative and postprocedural disorders of respiratory system, unspecified

Status of code title:

Revised – Tenth Edition

Status of code:

Deleted – Thirteenth Edition

ICD-10-AM Ninth Edition:

J95.9 Postprocedural respiratory disorder, unspecified

ICD-10-AM Tenth Edition:

J95.9 Intraoperative and postprocedural disorders of respiratory system, unspecified

J96 Respiratory failure, not elsewhere classified

Status of excludes note:

Revised – Sixth Edition

Status of excludes note:

Revised – Eleventh Edition

Status of excludes note:

Deleted – Thirteenth Edition

ICD-10-AM Fifth Edition:

Excludes: cardiorespiratory failure (R09.2)
postprocedural respiratory failure (J95.-)
respiratory:
• arrest (R09.2)
• distress syndrome:
• adult (J80)
• newborn (P22.0)

ICD-10-AM Sixth Edition:

Excludes: cardiorespiratory failure (R09.2)
postprocedural respiratory failure (J95.-)
respiratory:
• arrest (R09.2)
• distress:
• in newborn (P22.-)
• syndrome of adult (J80)

ICD-10-AM Eleventh Edition:

Excludes: newborn (P28.5)
postprocedural respiratory failure (J95.-)

J96.0 Acute respiratory failure

Status of codes:

Created – Eighth Edition

ICD-10-AM Seventh Edition:

J96.0 Acute respiratory failure

ICD-10-AM Eighth Edition:

J96.00 Acute respiratory failure, type I
J96.01 Acute respiratory failure, type II
J96.09 Acute respiratory failure, type unspecified

J96.1 Chronic respiratory failure

Status of codes:

Created – Eighth Edition

ICD-10-AM Seventh Edition:

J96.1 Chronic respiratory failure

ICD-10-AM Eighth Edition:

J96.10 Chronic respiratory failure, type I
J96.11 Chronic respiratory failure, type II
J96.19 Chronic respiratory failure, type unspecified

J96.9 Respiratory failure, unspecified**Status of codes:****Created – Eighth Edition****ICD-10-AM Seventh Edition:**

J96.9 Respiratory failure, unspecified

ICD-10-AM Eighth Edition:

J96.90 Respiratory failure, unspecified, type I

J96.91 Respiratory failure, unspecified, type II

J96.99 Respiratory failure, unspecified, type unspecified

J98.2 Interstitial emphysema**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: emphysema:

- in fetus and newborn (P25.0)
- NOS (J43.9)
- surgical (subcutaneous) (T81.8)
- traumatic subcutaneous (T79.7)

ICD-10-AM Tenth Edition:

Excludes: emphysema:

- in fetus and newborn (P25.0)
- NOS (J43.9)
- postprocedural (subcutaneous) (T81.84)
- surgical (subcutaneous) (T81.84)
- traumatic subcutaneous (T79.7)

J98.5 Diseases of mediastinum, not elsewhere classified**Status of inclusion term(s):****Revised – Sixth Edition****Status of excludes note:****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

Fibrosis }
 Hernia } of mediastinum
 Retraction }
 Mediastinitis

Excludes: abscess of mediastinum (J85.3)**ICD-10-AM Sixth Edition:**

Fibrosis }
 Hernia } of mediastinum
 Retraction }
 Mediastinitis
 Thoracic adhesions

Excludes: abscess of mediastinum (J85.3)
 adhesions:

- lung (J98.4)
- pericardium (I31.0)
- pleura (J94.8)

J98.7 Respiratory infection, not elsewhere classified**Status of code:****Created – Twelfth Edition****J99.0 Rheumatoid lung disease (M05.1†)****Status of code(s):****Deleted – Third Edition**

J99.1* Respiratory disorders in other diffuse connective tissue disorders**Status of inclusion term(s):****Revised – Eleventh Edition****Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Tenth Edition:**

Respiratory disorders in:

- dermatomyositis (M33.0–M33.1†)
- polymyositis (M33.2†)
- sicca syndrome [Sjögren] (M35.0†)
- systemic:
 - lupus erythematosus (M32.1†)
 - sclerosis (M34.8†)
- Wegener's granulomatosis (M31.3†)

ICD-10-AM Eleventh Edition:

Respiratory disorders in:

- dermatomyositis (M33.0–M33.1†)
- polymyositis (M33.2†)
- granulomatosis with polyangiitis (M31.3†)
- sicca syndrome [Sjögren] (M35.0†)
- systemic:
 - lupus erythematosus (M32.1†)
 - sclerosis (M34.8†)
- Wegener's granulomatosis (M31.3†)

ICD-10-AM Twelfth Edition:

Respiratory disorders in:

- dermatomyositis (M33.0–M33.1†)
- polymyositis (M33.2†)
- granulomatosis with polyangiitis (M31.3†)
- sicca syndrome [Sjögren] (M35.0†)
- systemic:
 - lupus erythematosus (M32.1†)
 - sclerosis (M34.8†)

K00–K93 Diseases of the digestive system**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: certain conditions originating in the perinatal period (P00–P96)
 certain infectious and parasitic diseases (A00–B99)
 complications of pregnancy, childbirth and the puerperium (O00–O99)
 congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

K00.2 Abnormalities of size and form of teeth**Status of inclusion term(s):****Revised – [Eleventh Edition](#)****Status of excludes note:****Revised – [Eleventh Edition](#)****ICD-10-AM Tenth Edition:**

Concrescence		of teeth
Fusion		
Gemination		

Dens:

- evaginatus
- in dente
- invaginatus

Enamel pearls

Macrodonia

Microdonia

Peg-shaped [conical] teeth

Taurodonism

Tuberculum paramolare

Excludes: tuberculum Carabelli, which is regarded as a normal variation and should not be coded**ICD-10-AM Eleventh Edition:**

Concrescence of teeth

Dens:

- evaginatus
- in dente
- invaginatus

Enamel pearls

Fusion of teeth

Gemination of teeth

Macrodonia

Microdonia

Peg-shaped [conical] teeth

Taurodonism

Tuberculum paramolare

Excludes: tuberculum Carabelli — omit code**K02.5 Caries with pulp exposure****Status of code:****Created – [Eighth Edition](#)****K03.0 Excessive attrition of teeth****Status of code:****Created – [Eighth Edition](#)****Status of inclusion term(s):****Revised – [Eleventh Edition](#)****ICD-10-AM Tenth Edition:**

Wear:		of teeth
• approximal		
• occlusal		

ICD-10-AM Eleventh Edition:

Worn (approximal) (occlusal) teeth

K03.1 Abrasion of teeth

Status of inclusion term(s):
Status of includes note:

Revised – [Eleventh Edition](#)
Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Abrasion:

- dentifrice
- habitual
- occupational
- ritual
- traditional

Wedge defect NOS

of teeth

ICD-10-AM Eleventh Edition:

Wedge defect of teeth NOS

K04.0 Pulpitis

Status of inclusion term(s):

Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Pulpal:

- abscess
- polyp

Pulpitis:

- acute
- chronic (hyperplastic)(ulcerative)
- suppurative

ICD-10-AM Seventh Edition:

Pulpitis:

- acute
- chronic (hyperplastic)(ulcerative)
- irreversible
- NOS
- reversible

K04.5 Chronic apical periodontitis

Status of inclusion term(s):

Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Apical or periapical granuloma

Apical periodontitis NOS

ICD-10-AM Eleventh Edition:

Apical:

- or periapical granuloma
- periodontitis NOS

K07 Dentofacial anomalies [including malocclusion]**Status of excludes note:** *Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Excludes: hemifacial atrophy or hypertrophy (Q67.49)
 unilateral condylar hyperplasia or hypoplasia (K10.8)

ICD-10-AM Seventh Edition:

Excludes: hemifacial:
 • atrophy (Q67.43)
 • hypertrophy (Q67.44)
 unilateral condylar hyperplasia or hypoplasia (K10.8)

K07.0 Major anomalies of jaw size**Status of inclusion term(s):** *Deleted – Seventh Edition***Status of code(s):** *Created – Seventh Edition***ICD-10-AM Sixth Edition:**

K07.0 Major anomalies of jaw size

ICD-10-AM Seventh Edition:

K07.0 Major anomalies of jaw size
 K07.00 Major anomaly of jaw size, unspecified
 K07.01 Hypoplasia of maxilla
 K07.02 Hyperplasia of maxilla
 K07.03 Hypoplasia of mandible
 K07.04 Hyperplasia of mandible
 K07.09 Other major anomalies of jaw size

K07.6 Temporomandibular joint disorders**Status of inclusion term(s):** *Revised – Tenth Edition***ICD-10-AM Ninth Edition:**

Costen's complex or syndrome
 Derangement of temporomandibular joint
 Snapping jaw
 Temporomandibular joint-pain-dysfunction syndrome

ICD-10-AM Tenth Edition:

Clicking jaw
 Costen's complex or syndrome
 Derangement of temporomandibular joint
 Temporomandibular joint-pain-dysfunction syndrome

K08.8 Other specified disorders of teeth and supporting structures**Status of code(s):****Created – *First Edition*****Status of inclusion term(s):****Revised – *Eighth Edition*****Status of excludes note:****Created – *Eighth Edition*****WHO ICD-10:**

K08.8 Other specified disorders of teeth and supporting structures

ICD-10-AM First Edition:

K08.8 Other specified disorders of teeth and supporting structures

K08.81 Pathological fracture of tooth

K08.88 Other specified disorders of teeth and supporting structures

ICD-10-AM Seventh Edition:

Enlargement of alveolar ridge NOS

Irregular alveolar process

Toothache NOS

ICD-10-AM Eighth Edition:

Alveolar (process) cleft

Enlargement of alveolar ridge NOS

Irregular alveolar process

Toothache NOS

K09.0 Developmental odontogenic cysts**Status of inclusion term(s):****Revised – *Seventh Edition*****ICD-10-AM Sixth Edition:**

Cyst:

- dentigerous
 - eruption
 - follicular
 - gingival
 - lateral periodontal
 - primordial
- Keratocyst

ICD-10-AM Seventh Edition:

Cyst:

- dentigerous
- eruption
- follicular
- gingival
- lateral periodontal
- primordial

K09.1 Developmental (nonodontogenic) cysts of oral region**Status of inclusion term(s):****Revised – *Eighth Edition*****ICD-10-AM Seventh Edition:**

Cyst (of):

- globulomaxillary
- incisive canal
- median palatal
- nasopalatine
- palatine papilla

ICD-10-AM Eighth Edition:

Cyst (of):

- nasolabial [nasoalveolar]
- nasopalatine duct [incisive canal]

K09.8 Other cysts of oral region, not elsewhere classified

Status of inclusion term(s): Revised – *Eighth Edition*

ICD-10-AM Seventh Edition:

Dermoid cyst }
 Epidermoid cyst } of mouth
 Lymphoepithelial cyst }
 Epstein's pearl
 Nasoalveolar cyst
 Nasolabial cyst

ICD-10-AM Eighth Edition:

Dermoid cyst }
 Epidermoid cyst } of mouth
 Lymphoepithelial cyst }
 Epstein's pearl

K10.2 Inflammatory conditions of jaws

Status of inclusion term(s): Revised – *Ninth Edition*
Status of use additional note: Revised – *Ninth Edition*
Status of inclusion term(s): Revised – *Eleventh Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eighth Edition:

Osteitis of jaw } (acute) (chronic) (suppurative)
 Osteomyelitis (neonatal) of jaw }
 Osteoradionecrosis of jaw }
 Periostitis of jaw }
 Sequestrum of jaw bone

Use additional external cause code (Chapter 20) to identify radiation, if radiation-induced.

ICD-10-AM Ninth Edition:

Osteitis of jaw } (acute) (chronic) (suppurative)
 Osteomyelitis (neonatal) of jaw }
 Osteonecrosis (drug-induced) (radiation-induced) of jaw }
 Osteoradionecrosis of jaw }
 Periostitis of jaw }
 Sequestrum of jaw bone

Use additional external cause code (Chapter 20) to identify drug, if drug-induced or to identify radiation, if radiation-induced.

ICD-10-AM Eleventh Edition:

Osteitis of jaw
 Osteomyelitis of jaw
 Osteonecrosis of jaw
 Osteoradionecrosis of jaw
 Periostitis of jaw
 Sequestrum of jaw bone

Use additional external cause code (Chapter 20) to identify drug, if drug-induced or to identify radiation, if radiation-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

K11.4 Fistula of salivary gland

Status of excludes note: **Revised – Seventh Edition**

ICD-10-AM Sixth Edition:

Excludes: congenital fistula of salivary gland (Q38.4)

ICD-10-AM Seventh Edition:

Excludes: congenital fistula of salivary gland (Q38.44)

K12.3 Oral mucositis (ulcerative)

Status of code: **Created – Seventh Edition**

Status of excludes note: **Revised – Eighth Edition**

Status of instructional note(s): **Revised – Twelfth Edition**

WHO ICD-10:

K12.3 Oral mucositis (ulcerative)

ICD-10-AM Seventh Edition:

K12.3 Oral mucositis (ulcerative)

Excludes: mucositis (ulcerative) of:

- gastrointestinal tract (except oral cavity and oropharynx) (K92.8)
- nose and nasal sinuses (J34.8)
- vagina and vulva (N76.8)

ICD-10-AM Eighth Edition:

Excludes: mucositis (ulcerative) of gastrointestinal tract (except oral cavity and oropharynx) (K92.8)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify external agent.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

K13.0 Diseases of lips

Status of excludes note: **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

Excludes: ariboflavinosis (E53.0)
cheilitis due to radiation-related disorders (L55–L59)
perlèche due to:

- candidiasis (B37.88)
- riboflavin deficiency (E53.0)

ICD-10-AM Twelfth Edition:

Excludes: ariboflavinosis (E53.0)
cheilitis due to radiation-related disorders (L55–L59)
perlèche due to:

- candidiasis (B37.89)
- riboflavin deficiency (E53.0)

K13.7 Other and unspecified lesions of oral mucosa

Status of inclusion term(s): **Deleted – Twelfth Edition**

K13.8 Other and unspecified diseases of oral mucosa*Status of code:**Created – Twelfth Edition***K14.5 Plicated tongue***Status of excludes note:**Revised – Seventh Edition***ICD-10-AM Sixth Edition:***Excludes:* fissured tongue, congenital (Q38.3)**ICD-10-AM Seventh Edition:***Excludes:* fissured tongue, congenital (Q38.39)**K22.2 Oesophageal obstruction***Status of inclusion term(s):**Revised – Eleventh Edition**Status of excludes note:**Revised – Eleventh Edition***ICD-10-AM Tenth Edition:**

Compression	of oesophagus
Constriction	
Stenosis	
Stricture	

Excludes: congenital stenosis or stricture of oesophagus (Q39.3)**ICD-10-AM Eleventh Edition:**

Oesophageal web (acquired) (NOS)

Excludes: congenital oesophageal:

- stenosis or stricture (Q39.3)
- web (Q39.4)

K22.4 Dyskinesia of oesophagus*Status of excludes note:**Revised – Ninth Edition***ICD-10-AM Eighth Edition:***Excludes:* cardiospasm (K22.0)**ICD-10-AM Ninth Edition:**

Excludes: cardiospasm (K22.0)

congenital dysmotility (Q39.82)

K22.7 Barrett's oesophagus*Status of code:**Created – Fifth Edition***K22.8 Other specified diseases of oesophagus***Status of term:**Classified – First Edition***Term classification:**

Glycogenic acanthosis of oesophagus

K25 Gastric ulcer

Status of instructional note(s): Created – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Excludes: acute haemorrhagic erosive gastritis (K29.0)
erosion (acute) of stomach (K29.6)
peptic ulcer NOS (K27.-)

ICD-10-AM Seventh Edition:

Excludes: peptic ulcer NOS (K27.-)

ICD-10-AM Eleventh Edition:

Use additional code to identify Helicobacter pylori (B96.81), if applicable.

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional code (B96.81) to identify Helicobacter pylori.

Use additional external cause code (Chapter 20) to identify cause.

K26 Duodenal ulcer

Status of instructional note(s): Created – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Excludes: erosion (acute) of duodenum (K29.8)
peptic ulcer NOS (K27.-)

ICD-10-AM Seventh Edition:

Excludes: peptic ulcer NOS (K27.-)

ICD-10-AM Eleventh Edition:

Use additional code to identify Helicobacter pylori (B96.81), if applicable.

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional code (B96.81) to identify Helicobacter pylori.

Use additional external cause code (Chapter 20) to identify cause.

K28 Gastrojejunal ulcer

Status of instructional note(s): Created – [Twelfth Edition](#)

K29.1 Other acute gastritis

Status of inclusion term(s): Created – [Seventh Edition](#)

K29.2 Alcoholic gastritis

Status of code(s): Created – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**

ICD-10-AM Sixth Edition:

K29.2 Alcoholic gastritis

ICD-10-AM Seventh Edition:

K29.2 Alcoholic gastritis

K29.20 Alcoholic gastritis, without mention of haemorrhage

K29.21 Alcoholic gastritis, with mention of haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2–K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2–K29.9

K29.3 Chronic superficial gastritis

Status of code(s): Created – **Seventh Edition**
Status of instructional note(s): Created – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Sixth Edition:

K29.3 Chronic superficial gastritis

ICD-10-AM Seventh Edition:

K29.3 Chronic superficial gastritis

K29.30 Chronic superficial gastritis, without mention of haemorrhage

K29.31 Chronic superficial gastritis, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2–K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2–K29.9

ICD-10-AM Eleventh Edition:

Use additional code to identify Helicobacter pylori (B96.81), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (B96.81) to identify Helicobacter pylori.

K29.4 Chronic atrophic gastritis

Status of code(s):	Created – Seventh Edition
Status of instructional note(s):	Created – Seventh Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

K29.4 Chronic atrophic gastritis

ICD-10-AM Seventh Edition:

K29.4 Chronic atrophic gastritis
 K29.40 Chronic atrophic gastritis, without mention of haemorrhage
 K29.41 Chronic atrophic gastritis, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2-K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2-K29.9

ICD-10-AM Eleventh Edition:

Use additional code to identify Helicobacter pylori (B96.81), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (B96.81) to identify Helicobacter pylori.

K29.5 Chronic gastritis, unspecified

Status of code(s):	Created – Seventh Edition
Status of instructional note(s):	Created – Seventh Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

K29.5 Chronic gastritis, unspecified

ICD-10-AM Seventh Edition:

K29.5 Chronic gastritis, unspecified
 K29.50 Chronic gastritis, unspecified, without mention of haemorrhage
 K29.51 Chronic gastritis, unspecified, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2-K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2-K29.9

ICD-10-AM Eleventh Edition:

Use additional code to identify Helicobacter pylori (B96.81), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (B96.81) to identify Helicobacter pylori.

K29.6 Other gastritis

Status of code(s): Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Eighth Edition](#)
Status of instructional note(s): Revised – [Eighth Edition](#)

ICD-10-AM Sixth Edition:

K29.6 Other gastritis

ICD-10-AM Seventh Edition:

K29.6 Other gastritis
 K29.60 Other gastritis, without mention of haemorrhage
 K29.61 Other gastritis, with haemorrhage

ICD-10-AM Seventh Edition:

Erosion (acute) of stomach
 Giant hypertrophic gastritis
 Granulomatous gastritis
 Ménétrier's disease

ICD-10-AM Eighth Edition:

Erosion (acute) of stomach
 Gastritis due to bile reflux
 Giant hypertrophic gastritis
 Granulomatous gastritis
 Ménétrier's disease

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2–K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2–K29.9

K29.7 Gastritis, unspecified

Status of code(s): Created – [Seventh Edition](#)
Status of instructional note(s): Revised – [Eighth Edition](#)

ICD-10-AM Sixth Edition:

K29.7 Gastritis, unspecified

ICD-10-AM Seventh Edition:

K29.7 Gastritis, unspecified
 K29.70 Gastritis, unspecified, without mention of haemorrhage
 K29.71 Gastritis, unspecified, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2–K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2–K29.9

K29.8 Duodenitis

Status of code(s): Created – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**

ICD-10-AM Sixth Edition:

K29.8 Duodenitis

ICD-10-AM Seventh Edition:

K29.8 Duodenitis

K29.80 Duodenitis, without mention of haemorrhage

K29.81 Duodenitis, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2–K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2–K29.9

K29.9 Gastroduodenitis, unspecified

Status of code(s): Created – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**

ICD-10-AM Sixth Edition:

K29.9 Gastroduodenitis, unspecified

ICD-10-AM Seventh Edition:

K29.9 Gastroduodenitis, unspecified

K29.90 Gastroduodenitis, unspecified, without mention of haemorrhage

K29.91 Gastroduodenitis, unspecified, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories K29.2–K29.9

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K29.2–K29.9

K30 Functional dyspepsia

Status of term: Reclassified – **First Edition**
Status of code title: Revised – **Eighth Edition**
Status of excludes note: Revised – **Eleventh Edition**

Term reclassification:

Disturbance of stomach

ICD-10-AM Seventh Edition:

K30 Dyspepsia

ICD-10-AM Eighth Edition:

K30 Functional dyspepsia

ICD-10-AM Tenth Edition:

Excludes: dyspepsia:
 • nervous (F45.32)
 • neurotic (F45.32)
 • psychogenic (F45.32)
 heartburn (R12)

ICD-10-AM Eleventh Edition:

Excludes: dyspepsia:
 • nervous (F45.32)
 • neurotic (F45.32)
 • NOS (R10.1)
 • psychogenic (F45.32)
 heartburn (R12)

K31.2 Hourglass stricture and stenosis of stomach**Status of excludes note:** *Revised – Seventh Edition***ICD-10-AM Sixth Edition:****Excludes:** congenital hourglass stomach (Q40.2)
hourglass contraction of stomach (K31.88)**ICD-10-AM Seventh Edition:****Excludes:** congenital hourglass stomach (Q40.29)
hourglass contraction of stomach (K31.88)**K31.4 Gastric diverticulum****Status of excludes note:** *Revised – Seventh Edition***ICD-10-AM Sixth Edition:****Excludes:** congenital diverticulum of stomach (Q40.2)**ICD-10-AM Seventh Edition:****Excludes:** congenital diverticulum of stomach (Q40.22)**K31.5 Obstruction of duodenum****Status of excludes note:** *Revised – Seventh Edition***ICD-10-AM Sixth Edition:****Excludes:** congenital stenosis of duodenum (Q41.0)**ICD-10-AM Seventh Edition:****Excludes:** congenital stenosis of duodenum (Q41.02)**K31.7 Polyp of stomach and duodenum****Status of code(s):** *Created – First Edition***K31.8 Other specified diseases of stomach and duodenum****Status of code(s):** *Created – First Edition***WHO ICD-10:**

K31.8 Other specified diseases of stomach and duodenum

ICD-10-AM First Edition:

K31.8 Other specified diseases of stomach and duodenum

[K31.81](#) Angiodysplasia of stomach and duodenum without mention of haemorrhage[K31.82](#) Angiodysplasia of stomach and duodenum with haemorrhage

K31.88 Other specified diseases of stomach and duodenum

K31.81 Angiodysplasia of stomach without mention of haemorrhage**Status of code title:** *Revised – Eleventh Edition***ICD-10-AM Tenth Edition:**

K31.81 Angiodysplasia of stomach and duodenum without mention of haemorrhage

ICD-10-AM Eleventh Edition:

K31.81 Angiodysplasia of stomach without mention of haemorrhage

K31.82 Angiodysplasia of stomach with haemorrhage

Status of code title: *Revised – Eleventh Edition*

ICD-10-AM Tenth Edition:

K31.82 Angiodysplasia of stomach and duodenum with haemorrhage

ICD-10-AM Eleventh Edition:

K31.82 Angiodysplasia of stomach with haemorrhage

K31.9 Disease of stomach and duodenum, unspecified

Status of term: *Reclassified – First Edition*

Term reclassification:

Disturbance of stomach

K35 Acute appendicitis

Status of term: *Reclassified – Third Edition*
Status of code(s): *Deleted/Created – Seventh Edition*
Status of includes note: *Created – Seventh Edition*

Term reclassification:

Acute appendicitis with localised peritonitis (without rupture)

ICD-10-AM Sixth Edition:

K35 Acute appendicitis
 K35.0 Acute appendicitis with generalised peritonitis
 K35.1 Acute appendicitis with peritoneal abscess
 K35.9 Acute appendicitis, unspecified

ICD-10-AM Seventh Edition:

K35 Acute appendicitis
 K35.2 Acute appendicitis with generalised peritonitis
 K35.3 Acute appendicitis with localised peritonitis
 K35.8 Acute appendicitis, other and unspecified

K35.0 Acute appendicitis with generalised peritonitis

Status of code(s): *Deleted – Seventh Edition*

K35.1 Acute appendicitis with peritoneal abscess

Status of code(s): *Deleted – Seventh Edition*

K35.2 Acute appendicitis with generalised peritonitis

Status of code(s): *Created – Seventh Edition*

WHO ICD-10:

K35.2 Acute appendicitis with generalised peritonitis

ICD-10-AM Seventh Edition:

K35.2 Acute appendicitis with generalised peritonitis

K35.3 Acute appendicitis with localised peritonitis

Status of code(s): Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Eighth Edition](#)

WHO ICD-10:

K35.3 Acute appendicitis with localised peritonitis

ICD-10-AM Seventh Edition:

K35.3 Acute appendicitis with localised peritonitis
 Acute appendicitis with:
 • localised peritonitis (rupture) (perforation)
 • peritoneal abscess

ICD-10-AM Eighth Edition:

Acute appendicitis with:
 • peritoneal abscess
 • peritonitis (rupture) (perforation):
 • localised
 • NOS

K35.8 Acute appendicitis, other and unspecified

Status of code(s): Created – [Seventh Edition](#)

WHO ICD-10:

K35.8 Acute appendicitis, other and unspecified

ICD-10-AM Seventh Edition:

K35.8 Acute appendicitis, other and unspecified

K35.9 Acute appendicitis, unspecified

Status of code(s): Deleted – [Seventh Edition](#)

K36 Other appendicitis

Status of includes note: Created – [Seventh Edition](#)

K37 Unspecified appendicitis

Status of includes note: Created – [Seventh Edition](#)

K40 Inguinal hernia

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

Not classifiable in WHO ICD-10

ICD-10-AM First Edition:

The following fifth character subdivisions are for use with K40:

- ✱ 0 not specified as recurrent
- ✱ 1 recurrent

K40.0 Bilateral inguinal hernia, with obstruction, without gangrene

Status of code(s): Created – **First Edition**
Status of includes note: Created – **Seventh Edition**
Status of instructional note(s): Revised – **Eighth Edition**

WHO ICD-10:

K40.0 Bilateral inguinal hernia, with obstruction, without gangrene

ICD-10-AM First Edition:

K40.0 Bilateral inguinal hernia, with obstruction, without gangrene
 K40.00 Bilateral inguinal hernia, with obstruction, without gangrene, not specified as recurrent
 K40.01 Bilateral inguinal hernia, with obstruction, without gangrene, recurrent

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with K40

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K40.0-K40.9

K40.1 Bilateral inguinal hernia, with gangrene

Status of code(s): Created – **First Edition**
Status of instructional note(s): Revised – **Eighth Edition**

WHO ICD-10:

K40.1 Bilateral inguinal hernia, with gangrene

ICD-10-AM First Edition:

K40.1 Bilateral inguinal hernia, with gangrene
 K40.10 Bilateral inguinal hernia, with gangrene, not specified as recurrent
 K40.11 Bilateral inguinal hernia, with gangrene, recurrent

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with K40

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K40.0-K40.9

K40.2 Bilateral inguinal hernia, without obstruction or gangrene

Status of code(s): Created – **First Edition**
Status of instructional note(s): Revised – **Eighth Edition**

WHO ICD-10:

K40.2 Bilateral inguinal hernia, without obstruction or gangrene

ICD-10-AM First Edition:

K40.2 Bilateral inguinal hernia, without obstruction or gangrene
 K40.20 Bilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent
 K40.21 Bilateral inguinal hernia, without obstruction or gangrene, recurrent

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with K40

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K40.0-K40.9

K40.3 Unilateral or unspecified inguinal hernia, with obstruction, without gangrene

Status of code(s): Created – *First Edition*
Status of includes note: Created – *Seventh Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

K40.3 Unilateral or unspecified inguinal hernia, with obstruction, without gangrene

ICD-10-AM First Edition:

K40.3 Unilateral or unspecified inguinal hernia, with obstruction, without gangrene
 K40.30 Unilateral or unspecified inguinal hernia, with obstruction, without gangrene, not specified as recurrent
 K40.31 Unilateral or unspecified inguinal hernia, with obstruction, without gangrene, recurrent

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with K40

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K40.0-K40.9

K40.4 Unilateral or unspecified inguinal hernia, with gangrene

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

K40.4 Unilateral or unspecified inguinal hernia, with gangrene

ICD-10-AM First Edition:

K40.4 Unilateral or unspecified inguinal hernia, with gangrene
 K40.40 Unilateral or unspecified inguinal hernia, with gangrene, not specified as recurrent
 K40.41 Unilateral or unspecified inguinal hernia, with gangrene, recurrent

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with K40

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K40.0-K40.9

K40.9 Unilateral or unspecified inguinal hernia, without obstruction or gangrene

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

K40.9 Unilateral or unspecified inguinal hernia, without obstruction or gangrene

ICD-10-AM First Edition:

K40.9 Unilateral or unspecified inguinal hernia, without obstruction or gangrene
 K40.90 Unilateral or unspecified inguinal hernia, without obstruction or gangrene, not specified as recurrent
 K40.91 Unilateral or unspecified inguinal hernia, without obstruction or gangrene, recurrent

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with K40

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K40.0-K40.9

K41.0 Bilateral femoral hernia, with obstruction, without gangrene*Status of includes note:**Created – Seventh Edition***K41.3 Unilateral or unspecified femoral hernia, with obstruction, without gangrene***Status of includes note:**Created – Seventh Edition***K42.0 Umbilical hernia with obstruction, without gangrene***Status of includes note:**Created – Seventh Edition***K43 Ventral hernia***Status of includes note:**Revised – Eighth Edition***ICD-10-AM Seventh Edition:**

Includes: hernia:

- epigastric
- incisional

ICD-10-AM Eighth Edition:

Includes: hernia:

- epigastric
- hypogastric
- incisional
- midline
- parastomal
- spigelian
- subxiphoid

K43.0 Incisional hernia with obstruction, without gangrene*Status of includes note:**Created – Seventh Edition**Status of code title:**Revised – Eighth Edition**Status of inclusion term(s):**Revised – Eighth Edition***ICD-10-AM Seventh Edition:**

K43.0 Ventral hernia with obstruction, without gangrene

Ventral hernia:

• causing obstruction	}	
• incarcerated	}	without gangrene
• irreducible	}	
• strangulated	}	

ICD-10-AM Eighth Edition:

K43.0 Incisional hernia with obstruction, without gangrene

Incisional hernia:

• causing obstruction	}	
• incarcerated	}	without gangrene
• irreducible	}	
• strangulated	}	

K43.1 Incisional hernia with gangrene**Status of code title:** Revised – [Eighth Edition](#)**Status of inclusion term(s):** Revised – [Eighth Edition](#)**ICD-10-AM Seventh Edition:**K43.1 Ventral hernia with gangrene
Gangrenous ventral hernia**ICD-10-AM Eighth Edition:**K43.1 Incisional hernia with gangrene
Gangrenous incisional hernia**K43.2 Incisional hernia without obstruction or gangrene****Status of code:** Created – [Eighth Edition](#)**K43.3 Parastomal hernia with obstruction, without gangrene****Status of code:** Created – [Eighth Edition](#)**K43.4 Parastomal hernia with gangrene****Status of code:** Created – [Eighth Edition](#)**K43.5 Parastomal hernia without obstruction or gangrene****Status of code:** Created – [Eighth Edition](#)**K43.6 Other and unspecified ventral hernia with obstruction, without gangrene****Status of code:** Created – [Eighth Edition](#)**Status of inclusion term(s):** Revised – [Eleventh Edition](#)**Status of includes note:** Revised – [Eleventh Edition](#)**ICD-10-AM Tenth Edition:**

Hernia (epigastric) (hypogastric) (midline) (spigelian) (subxyphoid):

- causing obstruction
 - incarcerated
 - irreducible
 - strangulated
- without gangrene

Includes: that with adhesions**ICD-10-AM Eleventh Edition:**

Hernia:

- causing obstruction without gangrene
- incarcerated without gangrene
- irreducible without gangrene
- strangulated without gangrene

Includes: epigastric hernia
hypogastric hernia
midline hernia
spigelian hernia
subxyphoid hernia
that with adhesions

K43.7 Other and unspecified ventral hernia with gangrene**Status of code:** Created – [Eighth Edition](#)**Status of inclusion term(s):** Deleted – [Eleventh Edition](#)**Status of includes note:** Created – [Eleventh Edition](#)

K43.9 Other and unspecified ventral hernia without obstruction or gangrene

Status of code title: Revised – [Eighth Edition](#)
Status of inclusion term(s): Revised – [Eighth Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)

ICD-10-AM Seventh Edition:

K43.9 Ventral hernia without obstruction or gangrene
 Ventral hernia NOS

ICD-10-AM Eighth Edition:

K43.9 Other and unspecified ventral hernia without obstruction or gangrene
 Hernia:
 • epigastric }
 • hypogastric } without obstruction or gangrene
 • midline }
 • spigelian }
 • subxiphoid }
 Ventral hernia NOS

ICD-10-AM Eleventh Edition:

Ventral hernia NOS

K44.0 Diaphragmatic hernia with obstruction, without gangrene

Status of includes note: Created – [Seventh Edition](#)

K45.0 Other specified abdominal hernia with obstruction, without gangrene

Status of includes note: Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Any condition listed under K45:

• causing obstruction • incarcerated • irreducible • strangulated		without gangrene
--	---	------------------

ICD-10-AM Eleventh Edition:

Any hernia listed under K45:

- causing obstruction without gangrene
- incarcerated without gangrene
- irreducible without gangrene
- strangulated without gangrene

K45.1 Other specified abdominal hernia with gangrene

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Any condition listed under K45 specified as gangrenous

ICD-10-AM Eleventh Edition:

Any hernia listed under K45 specified as gangrenous

K46.0 Unspecified abdominal hernia with obstruction, without gangrene

Status of includes note:
Status of inclusion term(s):

Created – Seventh Edition
Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Any condition listed under K46:

- | | | |
|--|--|------------------|
| <ul style="list-style-type: none"> • causing obstruction • incarcerated • irreducible • strangulated | | without gangrene |
|--|--|------------------|

ICD-10-AM Eleventh Edition:

Any hernia listed under K46:

- causing obstruction without gangrene
- incarcerated without gangrene
- irreducible without gangrene
- strangulated without gangrene

K46.1 Unspecified abdominal hernia with gangrene

Status of inclusion term(s):

Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Any condition listed under K46 specified as gangrenous

ICD-10-AM Eleventh Edition:

Any hernia listed under K46 specified as gangrenous

K51.0 Ulcerative [chronic] pancolitis

Status of code title:

Revised – Sixth Edition

Status of inclusion term(s):

Created – Sixth Edition

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Fifth Edition:

K51.0 Ulcerative (chronic) enterocolitis

ICD-10-AM Sixth Edition:

K51.0 Ulcerative (chronic) pancolitis

ICD-10-AM Thirteenth Edition:

K51.0 Ulcerative [chronic] pancolitis

K51.1 Ulcerative (chronic) ileocolitis

Status of code:

Deleted – Sixth Edition

K51.2 Ulcerative [chronic] proctitis

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

K51.2 Ulcerative (chronic) proctitis

ICD-10-AM Thirteenth Edition:

K51.2 Ulcerative [chronic] proctitis

K51.3 Ulcerative [chronic] rectosigmoiditis

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

K51.3 Ulcerative (chronic) rectosigmoiditis

ICD-10-AM Thirteenth Edition:

K51.3 Ulcerative [chronic] rectosigmoiditis

K51.4 Inflammatory polyps

Status of code title: Revised – **Sixth Edition**

ICD-10-AM Fifth Edition:

K51.4 Pseudopolypoidosis of colon

ICD-10-AM Sixth Edition:

K51.4 Inflammatory polyps

K51.5 Left sided colitis

Status of code title: Revised – **Sixth Edition**

Status of inclusion term(s): Created – **Sixth Edition**

ICD-10-AM Fifth Edition:

K51.5 Mucosal proctocolitis

ICD-10-AM Sixth Edition:

K51.5 Left sided colitis

K51.9 Ulcerative colitis, unspecified

Status of inclusion term(s): Deleted – **Sixth Edition**

K52.0 Gastroenteritis and colitis due to radiation

Status of instructional note(s): Created – **Twelfth Edition**

K52.1 Toxic gastroenteritis and colitis

Status of inclusion term(s): Created – **Eighth Edition**

Status of instructional note(s): Revised – **Eighth Edition**

Status of instructional note(s): Revised – **Twelfth Edition**

Term classification:

Drug-induced gastroenteritis and colitis

ICD-10-AM Seventh Edition:

Use additional external cause code (Chapter 20) to identify toxic agent.

ICD-10-AM Eighth Edition:

Use additional external cause code (Chapter 20) to identify drug or toxic agent.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

K52.3 Indeterminate colitis**Status of code:****Created – Sixth Edition****Status of excludes note:****Created – Eleventh Edition****K52.8 Other specified noninfective gastroenteritis and colitis****Status of inclusion term(s):****Revised – Seventh Edition****Term classification:**

Collagenous colitis

Lymphocytic colitis

Microscopic colitis (collagenous colitis or lymphocytic colitis)

K52.9 Noninfective gastroenteritis and colitis, unspecified**Status of inclusion term(s):****Revised – Sixth Edition****Status of excludes note:****Revised – Sixth Edition****Status of inclusion term(s):****Revised – Eleventh Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Fifth Edition:**

Diarrhoea }
 Enteritis } specified as noninfective, or NOS or
 Ileitis } where the conditions can be
 Jejunitis } presumed to be of noninfectious origin
 Sigmoiditis }

Excludes:

colitis, diarrhoea, enteritis, gastroenteritis:

• infectious (A09)

• unspecified, in countries where the condition can be presumed to be of infectious origin (A09)

functional diarrhoea (K59.1)

neonatal diarrhoea (noninfective) (P78.3)

psychogenic diarrhoea (F45.33)

ICD-10-AM Sixth Edition:

Diarrhoea }
 Enteritis } specified as noninfectious
 Ileitis }
 Jejunitis }
 Sigmoiditis }

Excludes:

colitis, diarrhoea, enteritis, gastroenteritis:

• infectious (A09.0)

• unspecified (A09.9)

functional diarrhoea (K59.1)

neonatal diarrhoea (noninfective) (P78.3)

psychogenic diarrhoea (F45.33)

ICD-10-AM Eleventh Edition:

Noninfectious:

- diarrhoea
- enteritis
- ileitis
- jejunitis
- sigmoiditis

Excludes:

colitis, diarrhoea, enteritis, gastroenteritis:

• infectious (A09.0)

• unspecified origin (A09.9)

functional diarrhoea (K59.1)

neonatal diarrhoea (noninfective) (P78.3)

psychogenic diarrhoea (F45.33)

ICD-10-AM Twelfth Edition:

Excludes: colitis, diarrhoea, enteritis, gastroenteritis:

- infectious (A09.0)
- unspecified origin (A09.9)

functional diarrhoea (K59.1)

neonatal diarrhoea:

- infectious (A09.0)
- noninfective (P78.3)
- NOS (A09.9)

psychogenic diarrhoea (F45.33)

K55.2 Angiodysplasia of colon**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

K55.2 Angiodysplasia of colon

ICD-10-AM First Edition:

K55.2 Angiodysplasia of colon

[K55.21](#) Angiodysplasia of colon without mention of haemorrhage

K55.22 Angiodysplasia of colon with haemorrhage

K55.21 Angiodysplasia of colon without mention of haemorrhage**Status of inclusion term(s):****Revised – *Eleventh Edition*****ICD-10-AM Tenth Edition:**

Angiodysplasia of colon NOS

ICD-10-AM Eleventh Edition:

Angiodysplasia:

- colon NOS
- intestine NOS

K55.22 Angiodysplasia of colon with haemorrhage**Status of inclusion term(s):****Revised – *Thirteenth Edition*****ICD-10-AM Twelfth Edition:**

Angiectasia with haemorrhage:

- colon
- intestine
- rectum

Telangiectasia with haemorrhage

- colon
- intestine
- rectum

ICD-10-AM Thirteenth Edition:

Angiectasia with haemorrhage:

- colon
- intestine
- rectum

Telangiectasia with haemorrhage:

- colon
- intestine
- rectum

K55.3 Angiodysplasia of small intestine**Status of code(s):****Created – Eleventh Edition****WHO ICD-10:**

K55.3 Angiodysplasia of small intestine

ICD-10-AM Eleventh Edition:

K55.3 Angiodysplasia of small intestine

K55.31 Angiodysplasia of small intestine, without mention of haemorrhage

K55.32 Angiodysplasia of small intestine, with haemorrhage

K56 Paralytic ileus and intestinal obstruction without hernia**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: congenital stricture or stenosis of intestine (Q41–Q42)
 ischaemic stricture of intestine (K55.1)
 meconium ileus in cystic fibrosis (E84† P75*)
 obstruction of duodenum (K31.5)
 postprocedural intestinal obstruction (K91.3)
 stenosis of anus or rectum (K62.4)
 with hernia (K40–K46)

ICD-10-AM Tenth Edition:

Excludes: congenital stricture or stenosis of intestine (Q41–Q42)
 ischaemic stricture of intestine (K55.1)
 meconium ileus in cystic fibrosis (E84† P75*)
 obstruction of duodenum (K31.5)
 stenosis of anus or rectum (K62.4)
 with hernia (K40–K46)

ICD-10-AM Eleventh Edition:

Excludes: congenital stricture or stenosis of intestine (Q41–Q42)
 ischaemic stricture of intestine (K55.1)
 meconium ileus in cystic fibrosis (E84† P75*)
 newborn intestinal obstruction NEC (P76.-)
 obstruction of duodenum (K31.5)
 stenosis of anus or rectum (K62.4)
 with hernia (K40–K46)

K57 Diverticular disease of intestine**Status of excludes note:****Revised – Seventh Edition****Status of inclusion term(s):****Created – Eleventh Edition****Status of includes note:****Deleted – Eleventh Edition****ICD-10-AM Sixth Edition:**

Excludes: congenital diverticulum of intestine (Q43.8)
 diverticulum of appendix (K38.2)
 Meckel's diverticulum (Q43.0)

ICD-10-AM Seventh Edition:

Excludes: congenital diverticulum of intestine (Q43.89)
 diverticulum of appendix (K38.2)
 Meckel's diverticulum (Q43.0)

K57.0 Diverticular disease of small intestine with perforation and abscess**Status of code(s):****Created – First Edition****Status of instructional note(s):****Revised – Eighth Edition****WHO ICD-10:**

K57.0 Diverticular disease of small intestine with perforation and abscess

ICD-10-AM First Edition:

K57.0 Diverticular disease of small intestine with perforation and abscess

K57.00 Diverticulosis of small intestine with perforation and abscess, without mention of haemorrhage

K57.01 Diverticulosis of small intestine with perforation and abscess, with haemorrhage

K57.02 Diverticulitis of small intestine with perforation and abscess, without mention of haemorrhage

K57.03 Diverticulitis of small intestine with perforation and abscess, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0-K57.9

K57.1 Diverticular disease of small intestine without perforation or abscess**Status of code(s):****Created – First Edition****Status of instructional note(s):****Revised – Eighth Edition****WHO ICD-10:**

K57.1 Diverticular disease of small intestine without perforation or abscess

ICD-10-AM First Edition:

K57.1 Diverticular disease of small intestine without perforation or abscess

K57.10 Diverticulosis of small intestine without perforation or abscess, without mention of haemorrhage

K57.11 Diverticulosis of small intestine without perforation or abscess, with haemorrhage

K57.12 Diverticulitis of small intestine without perforation or abscess, without mention of haemorrhage

K57.13 Diverticulitis of small intestine without perforation or abscess, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0-K57.9

K57.2 Diverticular disease of large intestine with perforation and abscess**Status of code(s):****Created – First Edition****Status of instructional note(s):****Revised – Eighth Edition****WHO ICD-10:**

K57.2 Diverticular disease of large intestine with perforation and abscess

ICD-10-AM First Edition:

K57.2 Diverticular disease of large intestine with perforation and abscess

K57.20 Diverticulosis of large intestine with perforation and abscess, without mention of haemorrhage

K57.21 Diverticulosis of large intestine with haemorrhage, perforation and abscess

K57.22 Diverticulitis of large intestine with perforation and abscess, without mention of haemorrhage

K57.23 Diverticulitis of large intestine with haemorrhage, perforation and abscess

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0–K57.9

K57.3 Diverticular disease of large intestine without perforation or abscess**Status of code(s):****Created – First Edition****Status of instructional note(s):****Revised – Eighth Edition****WHO ICD-10:**

K57.3 Diverticular disease of large intestine without perforation or abscess

ICD-10-AM First Edition:

K57.3 Diverticular disease of large intestine without perforation or abscess

K57.30 Diverticulosis of large intestine without perforation, abscess or mention of haemorrhage

K57.31 Diverticulosis of large intestine without perforation or abscess, with haemorrhage

K57.32 Diverticulitis of large intestine without perforation, abscess or mention of haemorrhage

K57.33 Diverticulitis of large intestine without perforation or abscess, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0–K57.9

K57.4 Diverticular disease of both small and large intestine with perforation and abscess

Status of code(s):

Created – First Edition

Status of instructional note(s):

Revised – Eighth Edition

WHO ICD-10:

K57.4 Diverticular disease of both small and large intestine with perforation and abscess

ICD-10-AM First Edition:

K57.4 Diverticular disease of both small and large intestine with perforation and abscess
 K57.40 Diverticulosis of both small and large intestine with perforation and abscess, without mention of haemorrhage
 K57.41 Diverticulosis of both small and large intestine with haemorrhage, perforation and abscess
 K57.42 Diverticulitis of both small and large intestine with perforation and abscess, without mention of haemorrhage
 K57.43 Diverticulitis of both small and large intestine with haemorrhage, perforation and abscess

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0–K57.9

K57.5 Diverticular disease of both small and large intestine without perforation or abscess

Status of code(s):

Created – First Edition

Status of instructional note(s):

Revised – Eighth Edition

WHO ICD-10:

K57.5 Diverticular disease of both small and large intestine without perforation or abscess

ICD-10-AM First Edition:

K57.5 Diverticular disease of both small and large intestine without perforation or abscess
 K57.50 Diverticulosis of both small and large intestine without perforation, abscess or mention of haemorrhage
 K57.51 Diverticulosis of both small and large intestine without perforation or abscess, with haemorrhage
 K57.52 Diverticulitis of both small and large intestine without perforation, abscess or mention of haemorrhage
 K57.53 Diverticulitis of both small and large intestine without perforation or abscess, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0–K57.9

K57.8 Diverticular disease of intestine, part unspecified, with perforation and abscess

Status of code(s):

Created – First Edition

Status of instructional note(s):

Revised – Eighth Edition

WHO ICD-10:

K57.8 Diverticular disease of intestine, part unspecified, with perforation and abscess

ICD-10-AM First Edition:

K57.8 Diverticular disease of intestine, part unspecified, with perforation and abscess

K57.80 Diverticulosis of intestine, part unspecified, with perforation and abscess without mention of haemorrhage

K57.81 Diverticulosis of intestine, part unspecified, with haemorrhage, perforation and abscess

K57.82 Diverticulitis of intestine, part unspecified, with perforation and abscess, without mention of haemorrhage

K57.83 Diverticulitis of intestine, part unspecified, with haemorrhage, perforation and abscess

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0–K57.9

K57.9 Diverticular disease of intestine, part unspecified, without perforation or abscess

Status of code(s):

Created – First Edition

Status of instructional note(s):

Revised – Eighth Edition

WHO ICD-10:

K57.9 Diverticular disease of intestine, part unspecified, without perforation or abscess

ICD-10-AM First Edition:

K57.9 Diverticular disease of intestine, part unspecified, without perforation or abscess

K57.90 Diverticulosis of intestine, part unspecified, without perforation, abscess or mention of haemorrhage

K57.91 Diverticulosis of intestine, part unspecified, without perforation or abscess, with haemorrhage

K57.92 Diverticulitis of intestine, part unspecified, without perforation, abscess or mention of haemorrhage

K57.93 Diverticulitis of intestine, part unspecified, without perforation or abscess, with haemorrhage

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K57

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K57.0–K57.9

K58 Irritable bowel syndrome**Status of code(s):****Created/Deleted – Twelfth Edition****ICD-10-AM Eleventh Edition:**

K58 Irritable bowel syndrome
 K58.0 Irritable bowel syndrome with diarrhoea
 K58.9 Irritable bowel syndrome without diarrhoea

ICD-10-AM Twelfth Edition:

K58 Irritable bowel syndrome
 K58.1 Irritable bowel syndrome with predominant diarrhoea [IBS-D]
 K58.2 Irritable bowel syndrome with predominant constipation [IBS-C]
 K58.3 Irritable bowel syndrome with mixed bowel habits [IBS-M]
 K58.8 Irritable bowel syndrome, not elsewhere classified

K59.3 Megacolon, not elsewhere classified**Status of excludes note:****Revised – Eighth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Seventh Edition:**

Excludes: megacolon (in):
 • Chagas' disease (B57.3)
 • congenital (aganglionic) (Q43.10)
 • Hirschsprung's disease (Q43.10)

ICD-10-AM Eighth Edition:

Excludes: megacolon (due to) (in):
 • Chagas' disease (B57.3)
 • *Clostridium difficile* (A04.7)
 • congenital (aganglionic) (Q43.10)
 • Hirschsprung's disease (Q43.10)

ICD-10-AM Twelfth Edition:

Excludes: megacolon (due to) (in):
 • Chagas' disease (B57.3)
 • *Clostridioides* [*Clostridium*] *difficile* (A04.7)
 • congenital (aganglionic) (Q43.10)
 • Hirschsprung's disease (Q43.10)

K61 Abscess of anal and rectal regions**Status of inclusion term(s):****Created – Eleventh Edition****Status of includes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Includes:	abscess	of anal and rectal regions
	cellulitis	with or without fistula

ICD-10-AM Eleventh Edition:

Includes: with or without fistula

K62 Other diseases of anus and rectum

Status of excludes note: Revised – [Eighth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Seventh Edition:

Includes: anal canal

Excludes: colostomy and enterostomy malfunction (K91.4)
 faecal incontinence (R15)
 haemorrhoids (I84.-)
 ulcerative proctitis (K51.2)

ICD-10-AM Eighth Edition:

Includes: anal canal

Excludes: colostomy and enterostomy malfunction (K91.4)
 faecal incontinence (R15)
 haemorrhoids (K64.-)
 ulcerative proctitis (K51.2)

ICD-10-AM Tenth Edition:

Excludes: colostomy and enterostomy malfunction (K91.4-)
 faecal incontinence (R15)
 haemorrhoids (K64.-)
 ulcerative proctitis (K51.2)

K63.0 Abscess of intestine

Status of excludes note: Revised – [Seventh Edition Errata 1](#)

ICD-10-AM Seventh Edition:

Excludes: abscess of:
 • anal and rectal regions (K61.-)
 • appendix (K35.1)
 with diverticular disease (K57.-)

ICD-10-AM Seventh Edition Errata 1:

Excludes: abscess of:
 • anal and rectal regions (K61.-)
 • appendix (K35.3)
 with diverticular disease (K57.-)

K63.1 Perforation of intestine (nontraumatic)

Status of excludes note: Revised – [Seventh Edition Errata 1](#)

ICD-10-AM Seventh Edition:

Excludes: perforation (nontraumatic) of:
 • appendix (K35.0)
 • duodenum (K26.-)
 with diverticular disease (K57.-)

ICD-10-AM Seventh Edition Errata 1:

Excludes: perforation (nontraumatic) of duodenum (K26.-)
 with diverticular disease (K57.-)

K63.5 Polyp of colon**Status of code(s):****Created – First Edition****Status of code(s):****Created, Revised – Third Edition****ICD-10-AM First Edition:**

K63.5 Polyp of colon

ICD-10-AM Third Edition:

K63.5 Polyp of colon

K63.50 Polyp of colon, unspecified

K63.51 Juvenile polyp of colon

K63.58 Other polyp of colon

K64 Haemorrhoids and perianal venous thrombosis**Status of code(s):****Created – Eighth Edition****Status of excludes note:****Deleted – Tenth Edition****ICD-10-AM Eighth Edition:**

K64 Haemorrhoids and perianal venous thrombosis

K64.0 First degree haemorrhoids

K64.1 Second degree haemorrhoids

K64.2 Third degree haemorrhoids

K64.3 Fourth degree haemorrhoids

K64.4 Residual haemorrhoidal skin tags

K64.5 Perianal venous thrombosis

K64.8 Other specified haemorrhoids

K64.9 Haemorrhoids, unspecified

K65 Peritonitis**Status of excludes note:****Revised – Eleventh Edition/ Eleventh Edition****Status of code(s):****Created/Deleted – Twelfth Edition****Status of instructional note(s):****Created – Twelfth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Tenth Edition:****Excludes:** peritonitis:

- aseptic (T81.6)
- benign paroxysmal (E85.0)
- chemical (T81.6)
- due to talc or other foreign substance (T81.6)
- neonatal (P78.0–P78.1)
- pelvic, female (N73.3–N73.5)
- periodic familial (E85.0)
- puerperal (O85)
- with or following:
 - abortion or ectopic or molar pregnancy (O00–O07, O08.0)
 - appendicitis (K35.-)
 - diverticular disease of intestine (K57.-)

ICD-10-AM Eleventh Edition:

K65 Peritonitis

- Excludes:**
- peritonitis:
 - benign paroxysmal (E85.0)
 - due to foreign substance accidentally left during procedure (T81.6)
 - neonatal (P78.0–P78.1)
 - pelvic, female (N73.3–N73.5)
 - periodic familial (E85.0)
 - puerperal (O85)
 - with:
 - appendicitis (K35.-)
 - diverticular disease of intestine (K57.-)

K65.0 Acute peritonitis

K65.8 Other peritonitis

K65.9 Peritonitis, unspecified

ICD-10-AM Twelfth Edition:

K65 Peritonitis

- Excludes:**
- peritonitis:
 - benign paroxysmal (E85.01)
 - due to foreign substance accidentally left during procedure (T81.6)
 - neonatal (P78.0–P78.1)
 - pelvic, female (N73.3–N73.5)
 - periodic familial (E85.01)
 - puerperal (O85)
 - with:
 - appendicitis (K35.-)
 - diverticular disease of intestine (K57.-)

K65.1 Primary peritonitis

K65.11 Spontaneous bacterial peritonitis

K65.19 Primary peritonitis, not elsewhere classified

K65.2 Secondary peritonitis

K65.21 Eosinophilic peritonitis

K65.22 Mesenteric peritonitis

K65.23 Chronic proliferative peritonitis

K65.24 Chemical peritonitis

K65.29 Secondary peritonitis, not elsewhere classified

K65.3 Peritoneal abscess

K65.8 Other peritonitis

K65.9 Peritonitis, unspecified

K65.8 Other peritonitis**Status of inclusion term(s):****Revised – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

Chronic proliferative peritonitis

Mesenteric:

- fat necrosis
- saponification

Peritonitis due to:

- bile
- urine

ICD-10-AM Twelfth Edition:

Multiple peritoneal serositis

Peritonitis (acute):

- aseptic
- septic
- suppurative NOS

K65.9 Peritonitis, unspecified*Status of inclusion term(s):**Created – Twelfth Edition***K66.2 Retroperitoneal fibrosis***Status of code:**Created – Tenth Edition***K70–K77 Diseases of liver***Status of excludes note:**Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Excludes: haemochromatosis (E83.1)
jaundice NOS (R17)
Reye's syndrome (G93.7)
viral hepatitis (B15–B19)
Wilson's disease (E83.0)

ICD-10-AM Twelfth Edition:

Excludes: haemochromatosis (E83.1)
hyperbilirubinaemia NOS (R17.9)
jaundice NOS (R17.0)
Reye's syndrome (G93.7)
viral hepatitis (B15–B19)
Wilson's disease (E83.0)

K72 Hepatic failure, not elsewhere classified*Status of includes note(s):**Revised – Eighth Edition**Status of excludes note:**Revised – Tenth Edition**Status of inclusion term(s):**Created – Eleventh Edition**Status of includes note(s):**Deleted – Eleventh Edition**Status of excludes note:**Revised – Eleventh Edition***ICD-10-AM Seventh Edition:**

Includes: hepatic:
• coma NOS
• encephalopathy NOS
hepatitis:
• acute }
• fulminant } NEC, with hepatic failure
• malignant }
liver (cell) necrosis with hepatic failure
yellow liver atrophy or dystrophy

ICD-10-AM Eighth Edition:

Includes: hepatic:
• coma NOS
• encephalopathy NOS
hepatitis:
• fulminant } NEC, with hepatic failure
• malignant }
liver (cell) necrosis with hepatic failure
yellow liver atrophy or dystrophy

Excludes: alcoholic hepatic failure (K70.4)
hepatic failure complicating:
• abortion or ectopic or molar pregnancy (O00–O07, O08.8)
• pregnancy, childbirth and the puerperium (O26.6)
icterus of fetus and newborn (P55–P59)
viral hepatitis (B15–B19)
with toxic liver disease (K71.1)

ICD-10-AM Tenth Edition:

Excludes: alcoholic hepatic failure (K70.4)
 hepatic failure complicating abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 icterus of fetus and newborn (P55–P59)
 viral hepatitis (B15–B19)
 with toxic liver disease (K71.1)

ICD-10-AM Eleventh Edition:

Excludes: alcoholic hepatic failure (K70.4)
 icterus of fetus and newborn (P55–P59)
 viral hepatitis (B15–B19)
 with toxic liver disease (K71.1)

K72.0 Acute and subacute hepatic failure

Status of inclusion term(s): Created – [Eighth Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Acute non-viral hepatitis NOS

ICD-10-AM Eleventh Edition:

Acute non-viral hepatitis NOS
 Late onset hepatic failure

K73.2 Chronic active hepatitis, not elsewhere classified

Status of inclusion term(s): Deleted – [Eighth Edition](#)

K75 Other inflammatory liver diseases

Status of excludes note(s): Revised – [Eighth Edition](#)

ICD-10-AM Seventh Edition:

Excludes: chronic hepatitis NEC (K73.-)
 hepatitis:
 • acute or subacute (K72.0)
 • viral (B15–B19)
 toxic liver disease (K71.-)

ICD-10-AM Eighth Edition:

Excludes: chronic hepatitis NEC (K73.-)
 hepatitis:
 • acute or subacute:
 • non-viral (K72.0)
 • NOS (B17.9)
 • viral (B15–B19)
 toxic liver disease (K71.-)

K75.4 Autoimmune hepatitis

Status of code(s): Created – [Second Edition](#)
Status of inclusion term(s): Reclassified – [Eighth Edition](#)

Term re-classification:

Lupoid hepatitis NEC

K75.8 Other specified inflammatory liver diseases

Status of inclusion term(s): Created – [Seventh Edition](#)

Term classification:

Nonalcoholic steatohepatitis (NASH)

K76.0 Fatty (change of) liver, not elsewhere classified

Status of inclusion term(s): Created – [Seventh Edition](#)

Status of excludes note: Revised – [Seventh Edition](#)

Term classification:

Nonalcoholic fatty liver disease (NAFLD)

ICD-10-AM Sixth Edition:

Excludes: with diabetes mellitus (E1-.72)

ICD-10-AM Seventh Edition:

Excludes: non-alcoholic steatohepatitis (K75.8)
with diabetes mellitus (E1-.72)

K76.7 Hepatorenal syndrome

Status of excludes note: Deleted – [Eleventh Edition](#)

K76.8 Other specified diseases of liver

Status of inclusion term(s): Revised – [Seventh Edition](#)

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Sixth Edition:

Focal nodular hyperplasia of liver
Hepatoptosis

ICD-10-AM Seventh Edition:

Focal nodular hyperplasia of liver
Hepatoptosis
Simple cyst of liver

ICD-10-AM Eleventh Edition:

Acquired intrahepatic vascular shunt
Focal nodular hyperplasia of liver
Hepatoptosis
Simple cyst of liver

K80.0 Calculus of gallbladder with acute cholecystitis

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

K80.0 Calculus of gallbladder with acute cholecystitis

ICD-10-AM First Edition:

K80.0 Calculus of gallbladder with acute cholecystitis
 K80.00 Calculus of gallbladder with acute cholecystitis, without mention of obstruction
 K80.01 Calculus of gallbladder with acute cholecystitis, with obstruction

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K80

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K80.0–K80.8

K80.1 Calculus of gallbladder with other cholecystitis

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

K80.1 Calculus of gallbladder with other cholecystitis

ICD-10-AM First Edition:

K80.1 Calculus of gallbladder with other cholecystitis
 K80.10 Calculus of gallbladder with other cholecystitis, without mention of obstruction
 K80.11 Calculus of gallbladder with other cholecystitis, with obstruction

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K80

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K80.0–K80.8

K80.2 Calculus of gallbladder without cholecystitis

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*
Status of inclusion term(s): Revised – *Eleventh Edition*
Status of excludes note: Created – *Eleventh Edition*

WHO ICD-10:

K80.2 Calculus of gallbladder without cholecystitis

ICD-10-AM First Edition:

K80.2 Calculus of gallbladder without cholecystitis
 K80.20 Calculus of gallbladder without cholecystitis, without mention of obstruction
 K80.21 Calculus of gallbladder without cholecystitis, with obstruction

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K80

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K80.0–K80.8

ICD-10-AM Tenth Edition:

Cholecystolithiasis

Cholelithiasis

Colic (recurrent) of gallbladder

Gallstone (impacted) of:

- cystic duct
- gallbladder

unspecified or without
cholecystitis**ICD-10-AM Eleventh Edition:**

Cholecystolithiasis NOS or without cholecystitis

Cholelithiasis NOS or without cholecystitis

Gallbladder colic (recurrent) NOS or without cholecystitis

Gallstone (impacted) of:

- cystic duct NOS or without cholecystitis
- gallbladder NOS or without cholecystitis

K80.3 Calculus of bile duct with cholangitis**Status of code(s):****Created – First Edition****Status of instructional note(s):****Revised – Eighth Edition****WHO ICD-10:**

K80.3 Calculus of bile duct with cholangitis

ICD-10-AM First Edition:

K80.3 Calculus of bile duct with cholangitis

K80.30 Calculus of bile duct with cholangitis, without mention of obstruction

K80.31 Calculus of bile duct with cholangitis, with obstruction

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K80

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K80.0–K80.8

K80.4 Calculus of bile duct with cholecystitis**Status of code(s):****Created – First Edition****Status of instructional note(s):****Revised – Eighth Edition****WHO ICD-10:**

K80.4 Calculus of bile duct with cholecystitis

ICD-10-AM First Edition:

K80.4 Calculus of bile duct with cholecystitis

K80.40 Calculus of bile duct with cholecystitis, without mention of obstruction

K80.41 Calculus of bile duct with cholecystitis, with obstruction

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K80

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K80.0–K80.8

K80.5 Calculus of bile duct without cholangitis or cholecystitis

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*
Status of inclusion term(s): Revised – *Eleventh Edition*
Status of excludes note: Created – *Eleventh Edition*

WHO ICD-10:

K80.5 Calculus of bile duct without cholangitis or cholecystitis

ICD-10-AM First Edition:

K80.5 Calculus of bile duct without cholangitis or cholecystitis
 K80.50 Calculus of bile duct without cholangitis or cholecystitis, without mention of obstruction
 K80.51 Calculus of bile duct without cholangitis or cholecystitis, with obstruction

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K80

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K80.0–K80.8

ICD-10-AM Tenth Edition:

Choledocholithiasis	
Gallstone (impacted) of:	
• bile duct NOS	
• common duct	unspecified or without
• hepatic duct	cholangitis or cholecystitis
Hepatic:	
• cholelithiasis	
• colic (recurrent)	

ICD-10-AM Eleventh Edition:

Choledocholithiasis NOS or without cholangitis or cholecystitis
 Gallstone (impacted) of:
 • bile duct NOS or without cholangitis or cholecystitis
 • common duct NOS or without cholangitis or cholecystitis
 • hepatic duct NOS or without cholangitis or cholecystitis
 Hepatic:
 • cholelithiasis NOS or without cholangitis or cholecystitis
 • colic (recurrent) NOS or without cholangitis or cholecystitis

K80.8 Other cholelithiasis

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

K80.8 Other cholelithiasis

ICD-10-AM First Edition:

K80.8 Other cholelithiasis
 K80.80 Other cholelithiasis, without mention of obstruction
 K80.81 Other cholelithiasis, with obstruction

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category K80

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories K80.0–K80.8

K83.8 Other specified diseases of biliary tract**Status of term:****Classified – [First Edition](#)****Term classification:**

Haematobilia

K85 Acute pancreatitis**Status of code(s):****Created – [Fifth Edition](#)****Status of inclusion term(s):****Revised – [Fifth Edition](#)****ICD-10-AM Fourth Edition:**

K85 Acute pancreatitis

ICD-10-AM Fifth Edition:

K85 Acute pancreatitis
 K85.0 Idiopathic acute pancreatitis
 K85.1 Biliary acute pancreatitis
 K85.2 Alcohol-induced acute pancreatitis
 K85.3 Drug-induced acute pancreatitis
 K85.8 Other acute pancreatitis
 K85.9 Acute pancreatitis, unspecified

K90.2 Blind loop syndrome, not elsewhere classified**Status of excludes note:****Revised – [Seventh Edition](#)****ICD-10-AM Sixth Edition:**

Excludes: blind loop syndrome:
 • congenital (Q43.8)
 • postprocedural (K91.2)

ICD-10-AM Seventh Edition:

Excludes: blind loop syndrome:
 • congenital (Q43.89)
 • postprocedural (K91.2)

K91 Intraoperative and postprocedural disorders of digestive system**Status of code title:****Revised – [Tenth Edition](#)****Status of code(s):****Created – [Tenth Edition](#)****Status of code title:****Revised – [Thirteenth Edition](#)****Status of excludes note:****Revised – [Thirteenth Edition](#)****ICD-10-AM Ninth Edition:**

K91 Postprocedural disorders of digestive system, not elsewhere classified
[K91.0](#) Vomiting following gastrointestinal surgery
 K91.1 Postgastric surgery syndromes
[K91.2](#) Postprocedural malabsorption, not elsewhere classified
[K91.3](#) Postprocedural intestinal obstruction
[K91.4](#) Colostomy and enterostomy malfunction
 K91.5 Postcholecystectomy syndrome
 K91.8 Other postprocedural disorders of digestive system, not elsewhere classified
 K91.9 Postprocedural disorder of digestive system, unspecified

ICD-10-AM Tenth Edition:

- K91 Intraoperative and postprocedural disorders of digestive system, not elsewhere
- K91.1 Postgastric surgery syndromes
- K91.2 Postprocedural malabsorption, not elsewhere classified
- K91.4 Malfunction of stoma of the digestive system
- K91.41 Haemorrhage from stoma of the digestive system
- K91.42 Infection of stoma of the digestive system
- K91.43 Leak from stoma of the digestive system
- K91.49 Malfunction of stoma of the digestive system, not elsewhere classified
- K91.5 Postcholecystectomy syndrome
- K91.6 Accidental puncture and laceration of digestive system organ or structure during a procedure
- K91.61 Accidental puncture and laceration of oesophagus during a procedure
- K91.62 Accidental puncture and laceration of stomach during a procedure
- K91.63 Accidental puncture and laceration of intestine during a procedure
- K91.64 Accidental puncture and laceration of gallbladder or bile duct during a procedure
- K91.65 Accidental puncture and laceration of liver during a procedure
- K91.66 Accidental puncture and laceration of pancreas during a procedure
- K91.67 Accidental puncture and laceration of spleen during a procedure
- K91.68 Accidental puncture and laceration of peritoneum during a procedure
- K91.69 Accidental puncture and laceration of digestive system organ or structure during a procedure, not elsewhere classified
- K91.8 Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified
- K91.81 Haemorrhage from surgical anastomosis of digestive tract
- K91.82 Stenosis of surgical anastomosis of digestive tract
- K91.83 Leak from surgical anastomosis of digestive tract
- K91.84 Postprocedural bile leak, not elsewhere classified
- K91.89 Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified
- K91.9 Intraoperative and postprocedural disorder of digestive system, unspecified

Twelfth Edition:

- K91 Intraoperative and postprocedural disorders of digestive system, not elsewhere

Excludes: gastrojejunal ulcer (K28.-)
radiation:
• colitis (K52.0)
• gastroenteritis (K52.0)
• proctitis (K62.7)

Thirteenth Edition:

- K91 Intraoperative and postprocedural disorders of digestive system

Excludes: gastrojejunal ulcer (K28.-)
mechanical complication of devices, implants and grafts — see Alphabetic Index: *Complication(s)/mechanical, of device, implant or graft/by site OR Complication(s)/by site and type/mechanical*
radiation:
• colitis (K52.0)
• gastroenteritis (K52.0)
• proctitis (K62.7)

K91.0 Vomiting following gastrointestinal surgery**Status of code:****Deleted – Tenth Edition**

K91.2 Postprocedural malabsorption, not elsewhere classified

Status of code: Revised – [Second Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM First Edition:

K91.2 Postsurgical malabsorption, not elsewhere classified

ICD-10-AM Second Edition:

K91.2 Postprocedural malabsorption, not elsewhere classified

ICD-10-AM Twelfth Edition:

Excludes: malabsorption:
 • osteomalacia in adults (M83.2-)
 • osteoporosis, postprocedural (M81.3-)

ICD-10-AM Thirteenth Edition:

Excludes: postprocedural malabsorption:
 • osteomalacia in adults (M83.2-)
 • osteoporosis (M81.3-)

K91.3 Postprocedural intestinal obstruction

Status of code: Revised – [Second Edition](#)
Status of code: Deleted – [Tenth Edition](#)

ICD-10-AM First Edition:

K91.3 Postoperative intestinal obstruction

ICD-10-AM Second Edition:

K91.3 Postprocedural intestinal obstruction

K91.4 Malfunction of stoma of the digestive system

Status of code title: Revised – [Tenth Edition](#)
Status of includes note: Created – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)
Status of includes note: Revised – [Eleventh Edition](#)
Status of includes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

K91.4 Colostomy and enterostomy malfunction

ICD-10-AM Tenth Edition:

K91.4 Malfunction of stoma of the digestive system

Includes: colostomy
 enterostomy
 gastrostomy
 ileostomy
 jejunostomy

K91.41 Haemorrhage from stoma of the digestive system
 K91.42 Infection of stoma of the digestive system
 K91.43 Leak from stoma of the digestive system
 K91.49 Malfunction of stoma of the digestive system, not elsewhere classified

ICD-10-AM Eleventh Edition:

Includes: colostomy
enterostomy
gastrostomy
ileostomy
jejunostomy
oesophagostomy

ICD-10-AM Thirteenth Edition:

Includes: cholecystostomy
colostomy
enterostomy
gastrostomy
ileostomy
jejunostomy
oesophagostomy

K91.43 Leak from stoma of the digestive system

Status of inclusion term(s): Created – *Thirteenth Edition*

K91.6 Accidental puncture and laceration of digestive system organ or structure during a procedure

Status of code(s): Created – *Tenth Edition*
Status of excludes note: Created – *Thirteenth Edition*

ICD-10-AM Tenth Edition:

K91.6 Accidental puncture and laceration of digestive system organ or structure during a procedure
K91.61 Accidental puncture and laceration of oesophagus during a procedure
K91.62 Accidental puncture and laceration of stomach during a procedure
K91.63 Accidental puncture and laceration of intestine during a procedure
K91.64 Accidental puncture and laceration of gallbladder or bile duct during a procedure
K91.65 Accidental puncture and laceration of liver during a procedure
K91.66 Accidental puncture and laceration of pancreas during a procedure
K91.67 Accidental puncture and laceration of spleen during a procedure
K91.68 Accidental puncture and laceration of peritoneum during a procedure
K91.69 Accidental puncture and laceration of digestive system organ or structure during a procedure, not elsewhere classified

K91.64 Accidental puncture and laceration of gallbladder or bile duct during a procedure

Status of includes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Includes: bile leak

ICD-10-AM Thirteenth Edition:

Includes: bile leak
spilled gallstones

K91.7 Retained calculi postcholecystectomy

Status of code(s): Created – *Thirteenth Edition*

K91.8 Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified

Status of code title:

Revised – Tenth Edition

Status of code(s):

Created – Tenth Edition

Status of code title:

Revised – Thirteenth Edition

Status of code(s):

Created/Deleted – Thirteenth Edition

ICD-10-AM Ninth Edition:

K91.8 Other postprocedural disorders of digestive system, not elsewhere classified

ICD-10-AM Tenth Edition:

K91.8 Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified

K91.81 Haemorrhage from surgical anastomosis of digestive tract

K91.82 Stenosis of surgical anastomosis of digestive tract

K91.83 Leak from surgical anastomosis of digestive tract

K91.84 Postprocedural bile leak, not elsewhere classified

K91.89 Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified

ICD-10-AM Thirteenth Edition:

K91.8 Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified

K91.81 Haemorrhage from surgical anastomosis of digestive tract

K91.82 Stenosis of surgical anastomosis of digestive tract

K91.83 Leak from surgical anastomosis of digestive tract

K91.84 Postprocedural bile leak, not elsewhere classified

K91.85 Postprocedural adhesions [peritoneal], not elsewhere classified

K91.9 Intraoperative and postprocedural disorder of digestive system, unspecified

Status of code title:

Revised – Tenth Edition

Status of code:

Deleted – Thirteenth Edition

ICD-10-AM Ninth Edition:

K91.9 Postprocedural disorder of digestive system, unspecified

ICD-10-AM Tenth Edition:

K91.9 Intraoperative and postprocedural disorder of digestive system, unspecified

K92.1 Melaena

Status of excludes note:

Created – Sixth Edition

K92.2 Gastrointestinal haemorrhage, unspecified**Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Sixth Edition:**

Excludes: acute haemorrhagic gastritis (K29.0)
 haemorrhage of anus and rectum (K62.5)
 with peptic ulcer (K25–K28)

ICD-10-AM Seventh Edition:

Excludes: haemorrhage of anus and rectum (K62.5)
 haemorrhage with:
 • duodenitis (K29.81)
 • gastritis (K29.0, K29.21, K29.31, K29.41, K29.51, K29.61, K29.71)
 • gastroduodenitis (K29.91)
 with peptic ulcer (K25–K28)

ICD-10-AM Eleventh Edition:

Excludes: haemorrhage:
 • of anus and rectum (K62.5)
 • with:
 • duodenitis (K29.81)
 • gastritis (K29.0, K29.21, K29.31, K29.41, K29.51, K29.61, K29.71)
 • gastroduodenitis (K29.91)
 with peptic ulcer (K25–K28)

K93.0 Tuberculous disorders of intestines, peritoneum and mesenteric glands (A18.3†)**Status of code:****Deleted – Third Edition****L00–L99 Diseases of the skin and subcutaneous tissue****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: certain conditions originating in the perinatal period (P00–P96)
 certain infectious and parasitic diseases (A00–B99)
 complications of pregnancy, childbirth and the puerperium (O00–O99)
 congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 lipomelanotic reticulosis (I89.8)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)
 systemic connective tissue disorders (M30–M36)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 lipomelanotic reticulosis (I89.8)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)
 systemic connective tissue disorders (M30–M36)

L00–L08 Infections of the skin and subcutaneous tissue**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: hordeolum (H00.0)
 ...
 perlèche (due to):
 • candidiasis (B37.-)
 • NOS (K13.0)
 • riboflavin deficiency (E53.0)
 pyogenic granuloma (L98.0)
 zoster (B02.-)

ICD-10-AM Twelfth Edition:

Excludes: hordeolum (H00.0)
 ...
 perlèche (due to):
 • candidiasis (B37.89)
 • NOS (K13.0)
 • riboflavin deficiency (E53.0)
 pyogenic granuloma (L98.0)
 zoster (B02.-)

L02.2 Cutaneous abscess, furuncle and carbuncle of trunk**Status of excludes note:****Revised – Ninth Edition****ICD-10-AM Eighth Edition:**

Excludes: breast (N61)
 hip (L02.4)
 omphalitis of newborn (P38)

ICD-10-AM Ninth Edition:

Excludes: breast (N61)
 hip (L02.42)
 omphalitis of newborn (P38)

L02.4 Cutaneous abscess, furuncle and carbuncle of limb**Status of code(s):****Created – Ninth Edition****ICD-10-AM Eighth Edition:**

L02.4 Cutaneous abscess, furuncle and carbuncle of limb

ICD-10-AM Ninth Edition:

L02.4 Cutaneous abscess, furuncle and carbuncle of limb
 L02.40 Cutaneous abscess, furuncle and carbuncle of limb, unspecified
 L02.41 Cutaneous abscess, furuncle and carbuncle of upper limb
 L02.42 Cutaneous abscess, furuncle and carbuncle of lower limb
 L02.43 Cutaneous abscess, furuncle and carbuncle of foot

L03 Cellulitis**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: cellulitis of:

- anal and rectal regions (K61.-)
- external auditory canal (H60.1)
- external genital organs:
 - female (N76.4)
 - male (N48.2, N49.-)
- eyelid (H00.0)
- lacrimal apparatus (H04.3)
- mouth (K12.2)
- nose (J34.0)

eosinophilic cellulitis [Wells] (L98.3)
 febrile neutrophilic dermatosis [Sweet] (L98.2)
 lymphangitis (chronic)(subacute) (I89.1)

ICD-10-AM Twelfth Edition:

Excludes: cellulitis of:

- anal and rectal regions (K61.-)
- external:
 - auditory canal (H60.1)
 - female genital organs (N76.4)
 - male genital organs (N48.2, N49.-)
- lacrimal apparatus (H04.3)
- mouth (K12.2)
- nose (J34.0)

eosinophilic cellulitis [Wells] (L98.3)
 febrile neutrophilic dermatosis [Sweet] (L98.2)
 lymphangitis (chronic)(subacute) (I89.1)

L03.0 Cellulitis of finger and toe**Status of code(s):****Created – First Edition****WHO ICD-10:**

L03.0 Cellulitis of finger and toe

ICD-10-AM First Edition:

L03.0 Cellulitis of finger and toe
 L03.01 Cellulitis of finger
 L03.02 Cellulitis of toe

L03.1 Cellulitis of other parts of limb**Status of code(s):****Created – [First Edition](#)****Status of code(s):****Created – [Ninth Edition](#)****WHO ICD-10:**

L03.1 Cellulitis of other parts of limb

ICD-10-AM First Edition:

L03.1 Cellulitis of other parts of limb

L03.10 Cellulitis of upper limb

L03.11 Cellulitis of lower limb

ICD-10-AM Ninth Edition:

L03.1 Cellulitis of other parts of limb

L03.12 Cellulitis of upper limb

L03.13 Cellulitis of lower limb

L03.14 Cellulitis of foot

L03.19 Cellulitis of limb, not elsewhere classified

L03.2 Cellulitis of face**Status of instructional note(s):****Revised – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:***Use additional code to identify eyelid involvement (H00.0).***ICD-10-AM Twelfth Edition:***Use additional code (H00.0) to identify periorbital cellulitis of eyelid.***L04 Acute lymphadenitis****Status of inclusion term(s):****Created – [Eleventh Edition](#)****Status of includes note:****Deleted – [Eleventh Edition](#)****L05 Pilonidal cyst****Status of inclusion term(s):****Created – [Eleventh Edition](#)****Status of includes note:****Deleted – [Eleventh Edition](#)****L08.0 Pyoderma****Status of inclusion term(s):****Revised – [Eighth Edition](#)****ICD-10-AM Seventh Edition:**

Dermatitis:

- purulent
- septic
- suppurative

ICD-10-AM Eighth Edition:

Dermatitis:

- gangrenosa
- purulent
- septic
- suppurative

L11.0 Acquired keratosis follicularis**Status of excludes note:** Revised – **Seventh Edition****ICD-10-AM Sixth Edition:****Excludes:** keratosis follicularis (congenital) [Darier-White] (Q82.8)**ICD-10-AM Seventh Edition:****Excludes:** keratosis follicularis (congenital) [Darier-White] (Q82.89)**L12 Pemphigoid****Status of excludes note:** Revised – **Tenth Edition****ICD-10-AM Ninth Edition:****Excludes:** herpes gestationis (O26.4)
impetigo herpetiformis (L40.1)**ICD-10-AM Tenth Edition:****Excludes:** pemphigoid gestationis [herpes gestationis] (O26.4)
impetigo herpetiformis (L40.1)**L20.8 Other atopic dermatitis****Status of term:** Reclassified – **First Edition****Term reclassification:**Intertriginous eczema
Seborrhoeic eczema**L21.1 Seborrhoeic infantile dermatitis****Status of term:** Reclassified – **First Edition****Term reclassification:**Intertriginous eczema
Seborrhoeic eczema**L22–L30 Dermatitis and eczema****Status of excludes note:** Revised – **Eighth Edition****ICD-10-AM Seventh Edition:****Excludes:** chronic (childhood) granulomatous disease (D71)
dermatitis:
• dry skin (L85.3)
• factitial (L98.1)
• gangrenosa (L88)
• herpetiformis (L13.0)
• perioral (L71.0)
• stasis (I83.1–I83.2)
radiation-related disorders of the skin and subcutaneous tissue (L55–L59)**ICD-10-AM Eighth Edition:****Excludes:** chronic (childhood) granulomatous disease (D71)
dermatitis:
• dry skin (L85.3)
• factitial (L98.1)
• gangrenosa (L08.0)
• herpetiformis (L13.0)
• perioral (L71.0)
• stasis (I83.1–I83.2)
radiation-related disorders of the skin and subcutaneous tissue (L55–L59)

L22 Diaper [napkin] dermatitis**Status of inclusion term(s):** Revised – **Fifth Edition****ICD-10-AM Fourth Edition:**

Diaper or napkin:

- erythema
- rash

Psoriasiform napkin rash

ICD-10-AM Fifth Edition:

Diaper or napkin:

- erythema
- rash

Incontinence dermatitis:

- perianal
- perineal

Psoriasiform napkin rash

L23 Allergic contact dermatitis**Status of instructional note(s):** Created – **Eleventh Edition****Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional external cause code (Y37.-) to identify allergen, if known.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Y37.-) to identify allergen.***L27 Dermatitis due to substances taken internally****Status of excludes note:** Revised – **Thirteenth Edition****ICD-10-AM Twelfth Edition:****Excludes:**

adverse:

- effect NOS of drugs (T88.7)
- food reaction, except dermatitis (T78.0–T78.1)
- allergy NOS (T78.4)
- contact dermatitis (L23–L25)

drug:

- photoallergic response (L56.1)
- phototoxic response (L56.0)
- urticaria (L50.-)

ICD-10-AM Thirteenth Edition:**Excludes:**

- adverse food reaction, except dermatitis (T78.0–T78.1)
- allergy NOS (T78.4)
- contact dermatitis (L23–L25)
- drug:
 - photoallergic response (L56.1)
 - phototoxic response (L56.0)
- urticaria (L50.-)

L27.0 Generalised skin eruption due to drugs and medicaments**Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.*

L27.1 Localised skin eruption due to drugs and medicaments

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

L41.2 Lymphomatoid papulosis**Status of code:**

Deleted – [Eighth Edition](#)

Status of instructional note(s):

Created – [Eleventh Edition](#)

Status of instructional note(s):

Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Y37.-) to identify allergen, if known.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Y37.-) to identify allergen.

L53.0 Toxic erythema

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify external agent.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

L55 Sunburn**Status of code(s):**

Revised – [First Edition](#)

Status of instructional note(s):

Created – [Eighth Edition](#)

WHO ICD-10:

L55 Sunburn
 L55.0 Sunburn of first degree
 L55.1 Sunburn of second degree
 L55.2 Sunburn of third degree
 L55.8 Other sunburn
 L55.9 Sunburn, unspecified

ICD-10-AM First Edition:

L55 Sunburn
 L55.0 Sunburn, erythema
 L55.1 Sunburn, partial thickness
 L55.2 Sunburn, full thickness
 L55.8 Other sunburn
 L55.9 Sunburn, unspecified

L57.0 Keratosis, not elsewhere classified**Status of code title:** Revised – [Twelfth Edition](#)**Status of excludes note:** Created – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:**

L57.0 Actinic keratosis

ICD-10-AM Twelfth Edition:

L57.0 Keratosis, not elsewhere classified

L65 Other nonscarring hair loss**Status of instructional note(s):** Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***L68.0 Hirsutism****Status of instructional note(s):** Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***L68.1 Acquired hypertrichosis lanuginosa****Status of instructional note(s):** Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify drug, if drug-induced.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***L70.5 Acné excoりée****Status of code title:** Revised – [Ninth Edition](#)**Status of inclusion term(s):** Created – [Ninth Edition](#)**ICD-10-AM Eighth Edition:**

L70.5 Acné excoりée des jeunes filles

ICD-10-AM Ninth Edition:

L70.5 Acné excoりée

L71.0 Perioral dermatitis

Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

L72.9 Follicular cyst of skin and subcutaneous tissue, unspecified

Status of term: Reclassified – *First Edition*

Term reclassification:

Cyst of skin of scrotum

L81.7 Pigmented purpuric dermatosis

Status of term: Reclassified – *First Edition*

Term reclassification:

Annularis telangiectodes purpura
Majocchi's disease

L81.9 Disorder of pigmentation, unspecified

Status of term: Classified – *First Edition*

Term classification:

Cutis achroma

L82 Seborrhoeic keratosis

Status of inclusion term(s): Revised – *Ninth Edition*

ICD-10-AM Eighth Edition:

Dermatosis papulosa nigra
Leser-Trélat disease

ICD-10-AM Ninth Edition:

Basal cell papilloma
Dermatosis papulosa nigra
Leser-Trélat disease

L84 Corns and callosities

Status of code(s): Created – *Ninth Edition*

ICD-10-AM Eighth Edition:

L84 Corns and callosities

ICD-10-AM Ninth Edition:

L84 Corns and callosities
L84.0 Corns and callosities of foot
L84.8 Corns and callosities of other sites
L84.9 Corns and callosities, unspecified

L85.1 Acquired keratosis [keratoderma] palmaris et plantaris**Status of excludes note:** Revised – [Seventh Edition](#)**ICD-10-AM Sixth Edition:****Excludes:** inherited keratosis palmaris et plantaris (Q82.8)**ICD-10-AM Seventh Edition:****Excludes:** inherited keratosis palmaris et plantaris (Q82.89)**L85.8 Other specified epidermal thickening****Status of term:** Reclassified – [First Edition](#)**Term reclassification:**

Keratoacanthoma

L88 Pyoderma gangrenosum**Status of inclusion term(s):** Revised – [Eighth Edition](#)**Status of excludes note:** Created – [Eighth Edition](#)**ICD-10-AM Seventh Edition:**

Dermatitis gangrenosa

Phagedenic pyoderma

ICD-10-AM Eighth Edition:

Phagedenic pyoderma

L89 Pressure injury**Status of code(s):** Revised – [Fourth Edition](#)**Status of code title(s):** Revised – [Sixth Edition](#)**Status of code title(s):** Revised – [Ninth Edition](#)**Status of code(s):** Revised – [Ninth Edition](#)**Status of inclusion term(s):** Revised [Ninth Edition Errata 1](#)**Status of code title(s):** Revised – [Tenth Edition](#)**Status of excludes note:** Revised – [Tenth Edition](#)**Status of inclusion term(s):** Revised – [Tenth Edition](#)**ICD-10-AM Third Edition:**

L89 Decubitus ulcer

ICD-10-AM Fourth Edition:

L89 Decubitus [pressure] ulcer

L89.0 Stage I

L89.1 Stage II

L89.2 Stage III

L89.3 Stage IV

L89.9 Decubitus [pressure] ulcer, unspecified

ICD-10-AM Sixth Edition:

L89 Decubitus ulcer and pressure area

L89.0 Stage I decubitus ulcer and pressure area

L89.1 Stage II decubitus ulcer and pressure area

L89.2 Stage III decubitus ulcer and pressure area

L89.3 Stage IV decubitus ulcer and pressure area

L89.9 Decubitus ulcer and pressure area, unspecified

ICD-10-AM Ninth Edition:

L89	Pressure injury
L89.0-	Pressure injury, stage I
L89.1-	Pressure injury, stage II
L89.2-	Pressure injury, stage III
L89.3-	Pressure injury, stage IV
L89.4-	Pressure injury, unstageable, so stated
L89.5-	Suspected deep tissue injury, depth unknown, so stated
L89.9-	Pressure injury, unspecified stage

Excludes: decubitus (trophic) ulcer of cervix (uteri) (N86)

The following fifth character subdivisions are for use with subcategory L89.0–L89.9

✧ 0	site unspecified Multiple sites, unspecified
✧ 1	head Chin Ear Nose Occiput
✧ 2	upper extremity Elbow
✧ 3	upper back Scapula Spinous process, upper
✧ 4	lower back Coccyx Sacrum Spinous process, lower
✧ 5	ischium Buttock
✧ 6	trochanter Hip Iliac crest Pelvis
✧ 7	heel
✧ 8	toe
✧ 9	other site of lower extremity (excluding heel and toe) Ankle Foot Knee Malleolus (lateral) (medial)

ICD-10-AM Ninth Edition Errata 1:

The following fifth character subdivisions are for use with subcategory L89.0-L89.9

✱ 0 site unspecified
Multiple sites, unspecified
Other site NEC

...

✱ 4 lower back
Back NOS
Coccyx
Sacrum
Spinous process, lower

ICD-10-AM Tenth Edition:

Excludes: decubitus (trophic) ulcer of cervix (uteri) (N86)
mucosal membrane pressure injury (ulcer) — *see Alphabetic Index: Ulcer/by site*

The following fifth character subdivisions are for use with subcategory L89.0-L89.9

✱ 0 site not elsewhere classified
Multiple sites NOS
Other site NEC
Unspecified site

L90.5 Scar conditions and fibrosis of skin

Status of code(s):

Revised – *Fourth Edition*

Status of code title(s):

Revised – *Tenth Edition*

ICD-10-AM Third Edition:

L90.5 Scar conditions and fibrosis of skin

ICD-10-AM Fourth Edition:

L90.5 Scar conditions and fibrosis of skin

L90.50 Due to unspecified cause

L90.51 Due to burn

L90.59 Due to other specified cause

ICD-10-AM Tenth Edition:

L90.5 Scar conditions and fibrosis of skin

L90.50 Scar conditions and fibrosis of skin due to unspecified cause

L90.51 Scar conditions and fibrosis of skin due to burn

L90.59 Scar conditions and fibrosis of skin due to other specified cause

L91.0 Hypertrophic scar

Status of code(s): Revised – *Fourth Edition*
Status of code title(s): Revised – *Seventh Edition*
Status of inclusion term(s): Revised – *Seventh Edition*

ICD-10-AM Third Edition:

L91.0 Keloid scar

ICD-10-AM Fourth Edition:

L91.0 Keloid scar
 L91.00 Due to unspecified cause
 L91.01 Due to burn
 L91.09 Due to other specified cause

ICD-10-AM Sixth Edition term classification:

Hypertrophic scar

ICD-10-AM Seventh Edition:

L91.0 Hypertrophic scar
 L91.00 Hypertrophic scar, unspecified cause
 L91.01 Hypertrophic scar due to burn
 L91.09 Hypertrophic scar due to other specified cause

Term classification:

Keloid scar

L91.8 Other hypertrophic disorders of skin

Status of term: *Reclassified – First Edition*

Term reclassification:

Dermatomegaly, not elsewhere classified

L93 Lupus erythematosus

Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

L95 Vasculitis limited to skin, not elsewhere classified

Status of excludes note: Revised – *Eleventh Edition*

Status of excludes note: Revised – *Twelfth Edition*

ICD-10-AM Tenth Edition:

Excludes: angioma serpiginosum (L81.7)
 Henoch(-Schönlein) purpura (D69.0)
 hypersensitivity angiitis (M31.0)
 panniculitis (of):
 • lupus (L93.2)
 • neck and back (M54.0-)
 • NOS (M79.3-)
 • relapsing [Weber-Christian] (M35.6)
 polyarteritis nodosa (M30.0)
 rheumatoid vasculitis (M05.2-)
 serum sickness (T80.6)
 urticaria (L50.-)
 Wegener's granulomatosis (M31.3)

ICD-10-AM Eleventh Edition:

Excludes: angiodermatitis (L81.7)
 granulomatosis with polyangiitis (M31.3)
 Henoch(-Schönlein) purpura (D69.0)
 hypersensitivity angiitis (M31.0)
 panniculitis (of):
 • lupus (L93.2)
 • neck and back (M54.0-)
 • NOS (M79.3-)
 • relapsing [Weber-Christian] (M35.6)
 polyarteritis nodosa (M30.0)
 rheumatoid vasculitis (M05.2-)
 serum sickness (T80.6)
 urticaria (L50.-)
 Wegener's granulomatosis (M31.3)

ICD-10-AM Twelfth Edition:

Excludes: angiodermatitis (L81.7)
 granulomatosis with polyangiitis (M31.3)
 Henoch(-Schönlein) purpura (D69.0)
 hypersensitivity angiitis (M31.0)
 panniculitis (of):
 • lupus (L93.2)
 • neck and back (M54.0-)
 • NOS (M79.3-)
 • relapsing [Weber-Christian] (M35.6)
 polyarteritis nodosa (M30.0)
 rheumatoid vasculitis (M05.2-)
 serum sickness (T80.6)
 urticaria (L50.-)

L97 Ulcer of lower limb, not elsewhere classified

Status of excludes note: Revised – [Sixth Edition](#)
Status of code(s): Created – [Ninth Edition](#)
Status of excludes note: Revised – [Ninth Edition](#)

ICD-10-AM Fifth Edition:

Excludes: decubitus [pressure] ulcer (L89.-)
 gangrene (R02)
 skin infections (L00–L08)
 specific infections classified to A00–B99
 varicose ulcer (I83.0, I83.2)

ICD-10-AM Sixth Edition:

Excludes: decubitus ulcer and pressure area (L89.-)
 gangrene (R02)
 skin infections (L00–L08)
 specific infections classified to A00–B99
 varicose ulcer (I83.0, I83.2)

ICD-10-AM Ninth Edition:

L97 Ulcer of lower limb, not elsewhere classified

Excludes: decubitus ulcer and pressure area (L89.-)
 gangrene (R02)
 peripheral vascular disease with ulcer (I70.23)
 skin infections (L00–L08)
 specific infections classified to A00–B99
 varicose ulcer (I83.0, I83.2)

L97.0 Ulcer of foot
 L97.8 Ulcer of lower limb, other sites
 L97.9 Ulcer of lower limb, unspecified

L98.4 Chronic ulcer of skin, not elsewhere classified

Status of excludes note: Revised – [Sixth Edition](#)
Status of excludes note: Revised – [Ninth Edition](#)

ICD-10-AM Fifth Edition:

Excludes: decubitus [pressure] ulcer (L89.-)
 gangrene (R02)
 skin infections (L00–L08)
 specific infections classified to A00–B99
 ulcer of lower limb NEC (L97)
 varicose ulcer (I83.0, I83.2)

ICD-10-AM Sixth Edition:

Excludes: decubitus ulcer and pressure area (L89.-)
 gangrene (R02)
 skin infections (L00–L08)
 specific infections classified to A00–B99
 ulcer of lower limb NEC (L97)
 varicose ulcer (I83.0, I83.2)

ICD-10-AM Ninth Edition:

Excludes: decubitus ulcer and pressure area (L89.-)
 gangrene (R02)
 skin infections (L00–L08)
 specific infections classified to A00–B99
 ulcer of lower limb NEC (L97.-)
 varicose ulcer (I83.0, I83.2)

L98.5 Mucinosi s of skin

Status of inclusion term(s): Revised – [Eighth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Seventh Edition:

Focal mucinosis
 Lichen myxoedematosus

ICD-10-AM Eighth Edition:

Focal mucinosis
 Lichen myxoedematosus
 Reticular erythematous mucinosis

ICD-10-AM Eleventh Edition:

Excludes: focal oral mucinosis (K13.7)
 myxoedema (E03.9)

ICD-10-AM Twelfth Edition:

Excludes: focal oral mucinosis (K13.8)
 myxoedema (E03.9)

L98.7 Excessive redundant skin and subcutaneous tissue

Status of code: Created – [Ninth Edition](#)

L98.8 Other specified disorders of skin and subcutaneous tissue

Status of inclusion term(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

L99.8* Other specified disorders of skin and subcutaneous tissue in diseases classified elsewhere

Status of inclusion term(s):

Revised – Ninth Edition Errata 1

Status of inclusion term(s):

Revised – Tenth Edition

ICD-10-AM Ninth Edition:

Syphilitic leukoderma (A51.3†, A52.7†)

ICD-10-AM Ninth Edition Errata 1:

Syphilitic leukoderma (A52.7†)

ICD-10-AM Tenth Edition:

Late syphilitic leukoderma (A52.7†)

Chapter 13 Diseases of the musculoskeletal system and connective tissue (M00–M99)

Status of excludes note:

Revised – Sixth Edition

Status of instructional note(s):

Revised – Eighth Edition

Status of excludes note:

Revised – Tenth Edition

Status of instructional note(s):

Revised – Eleventh Edition

Status of inclusion term(s):

Revised – Eleventh Edition

Status of excludes note:

Revised – Twelfth Edition

ICD-10-AM Fifth Edition:

Excludes: certain conditions originating in the perinatal period (P00–P96)
...
endocrine, nutritional and metabolic diseases (E00–E90)
injury, poisoning and certain other consequences of external causes (S00–T98)
neoplasms (C00–D48)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Sixth Edition:

Excludes: certain conditions originating in the perinatal period (P00–P96)
...
endocrine, nutritional and metabolic diseases (E00–E89)
injury, poisoning and certain other consequences of external causes (S00–T98)
neoplasms (C00–D48)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Seventh Edition:

SITE OF MUSCULOSKELETAL INVOLVEMENT

The following subclassification is used to indicate the site of involvement is provided for use with the appropriate categories in Chapter 13. Valid digits are in [brackets] under each code. Different subclassifications for use with derangement of knee and dorsopathies are given on pages ...

ICD-10-AM Eighth Edition:

SITE OF MUSCULOSKELETAL INVOLVEMENT

The following subclassification is used to indicate the site of involvement is provided for use with the appropriate categories in Chapter 13. Valid characters are in [brackets] under each code. Different subclassifications for use with derangement of knee and dorsopathies are given on pages ...

ICD-10-AM Ninth Edition:

Excludes: certain conditions originating in the perinatal period (P00–P96)
 certain disorders of the temporomandibular joint (K07.6)
 certain infectious and parasitic diseases (A00–B99)
 compartment syndrome, traumatic (T79.6)
 complications of pregnancy, childbirth and the puerperium (O00–O99)
 congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: certain disorders of the temporomandibular joint (K07.6)
 certain infectious and parasitic diseases (A00–B99)
 compartment syndrome, traumatic (T79.6)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

SITE OF MUSCULOSKELETAL INVOLVEMENT

The following subclassification to indicate the site of involvement is provided for use with the appropriate categories in Chapter 13. Valid characters are in [brackets] under each code. Different subclassifications for use with derangement of knee and dorsopathies are given on separate site notes.

0	multiple sites		
1	shoulder region		
	Clavicle	Acromioclavicular	joints
	Scapula	Glenohumeral	
	Sternoclavicular		
2	upper arm		
	Humerus	Elbow joint	
3	forearm		
	Radius	Wrist joint	
	Ulna		
4	hand		
	Carpus	Joints between these bones	
	Fingers		
	Metacarpus		
5	pelvic region and thigh		
	Buttock	Hip (joint)	
	Femur	Sacroiliac joint	
	Pelvis		
6	lower leg		
	Fibula	Knee joint	
	Tibia		
7	ankle and foot		
	Metatarsus	Ankle joint	
	Tarsus	Other joints in foot	
	Toes		

ICD-10-AM Eleventh Edition:

Excludes: certain disorders of the temporomandibular joint (K07.6)
 certain infectious and parasitic diseases (A00–B99)
 compartment syndrome, traumatic (T79.6)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

SITE OF MUSCULOSKELETAL INVOLVEMENT

The following subclassification to indicate the site of involvement is provided for use with the appropriate categories in Chapter 13. Valid characters are in [brackets] under each code. Different subclassifications for use with derangement of knee and dorsopathies are listed on separate site notes.

- 0 multiple sites
- 1 shoulder region
 - Acromioclavicular joint
 - Clavicle
 - Glenohumeral joint
 - Scapula
 - Sternoclavicular joint
- 2 upper arm
 - Elbow joint
 - Humerus
- 3 forearm
 - Radius
 - Ulna
 - Wrist joint
- 4 hand
 - Carpus
 - Fingers
 - Joints between hand bones
 - Metacarpus
- 5 pelvic region and thigh
 - Buttock
 - Femur
 - Hip (joint)
 - Pelvis
 - Sacroiliac joint
- 6 lower leg
 - Fibula
 - Knee (joint)
 - Tibia
- 7 ankle and foot
 - Ankle joint
 - Metatarsus
 - Other joints in foot
 - Tarsus
 - Toes

ICD-10-AM Twelfth Edition:

Excludes: certain disorders of the temporomandibular joint (K07.6)
 certain infectious and parasitic diseases (A00–B99)
 compartment syndrome, traumatic (T79.6)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

M00 Pyogenic arthritis**Status of excludes note:****Created – [Eighth Edition](#)****Status of excludes note:****Deleted – [Thirteenth Edition](#)****M02.1 Arthropathy following dysentery****Status of code title(s):****Revised – [Twelfth Edition](#)****Status of inclusion term(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

- M02.1 Postdysenteric arthropathy
- M02.10 Postdysenteric arthropathy, multiple sites
- M02.11 Postdysenteric arthropathy, shoulder region
- M02.12 Postdysenteric arthropathy, upper arm
- M02.13 Postdysenteric arthropathy, forearm
- M02.14 Postdysenteric arthropathy, hand
- M02.15 Postdysenteric arthropathy, pelvic region and thigh
- M02.16 Postdysenteric arthropathy, lower leg
- M02.17 Postdysenteric arthropathy, ankle and foot
- M02.18 Postdysenteric arthropathy, other site
- M02.19 Postdysenteric arthropathy, site unspecified

ICD-10-AM Twelfth Edition:

- M02.1 Arthropathy following dysentery
- M02.10 Arthropathy following dysentery, multiple sites
- M02.11 Arthropathy following dysentery, shoulder region
- M02.12 Arthropathy following dysentery, upper arm
- M02.13 Arthropathy following dysentery, forearm
- M02.14 Arthropathy following dysentery, hand
- M02.15 Arthropathy following dysentery, pelvic region and thigh
- M02.16 Arthropathy following dysentery, lower leg
- M02.17 Arthropathy following dysentery, ankle and foot
- M02.18 Arthropathy following dysentery, other site
- M02.19 Arthropathy following dysentery, site unspecified

M02.2 Arthropathy following vaccination**Status of code title(s):****Revised – [Twelfth Edition](#)****Status of inclusion term(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

- M02.2 Postimmunisation arthropathy
- M02.20 Postimmunisation arthropathy, multiple sites
- M02.21 Postimmunisation arthropathy, shoulder region
- M02.22 Postimmunisation arthropathy, upper arm
- M02.23 Postimmunisation arthropathy, forearm
- M02.24 Postimmunisation arthropathy, hand
- M02.25 Postimmunisation arthropathy, pelvic region and thigh
- M02.26 Postimmunisation arthropathy, lower leg
- M02.27 Postimmunisation arthropathy, ankle and foot
- M02.28 Postimmunisation arthropathy, other site
- M02.29 Postimmunisation arthropathy, site unspecified

ICD-10-AM Twelfth Edition:

M02.2	Arthropathy following vaccination
M02.20	Arthropathy following vaccination, multiple sites
M02.21	Arthropathy following vaccination, shoulder region
M02.22	Arthropathy following vaccination, upper arm
M02.23	Arthropathy following vaccination, forearm
M02.24	Arthropathy following vaccination, hand
M02.25	Arthropathy following vaccination, pelvic region and thigh
M02.26	Arthropathy following vaccination, lower leg
M02.27	Arthropathy following vaccination, ankle and foot
M02.28	Arthropathy following vaccination, other site
M02.29	Arthropathy following vaccination, site unspecified

M02.3 Arthropathy following genitourinary infection*Status of code title(s):**Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

M02.3	Reiter's disease
M02.30	Reiter's disease, multiple sites
M02.31	Reiter's disease, shoulder region
M02.32	Reiter's disease, upper arm
M02.33	Reiter's disease, forearm
M02.34	Reiter's disease, hand
M02.35	Reiter's disease, pelvic region and thigh
M02.36	Reiter's disease, lower leg
M02.37	Reiter's disease, ankle and foot
M02.38	Reiter's disease, other site
M02.39	Reiter's disease, site unspecified

ICD-10-AM Twelfth Edition:

M02.3	Arthropathy following genitourinary infection
M02.30	Arthropathy following genitourinary infection, multiple sites
M02.31	Arthropathy following genitourinary infection, shoulder region
M02.32	Arthropathy following genitourinary infection, upper arm
M02.33	Arthropathy following genitourinary infection, forearm
M02.34	Arthropathy following genitourinary infection, hand
M02.35	Arthropathy following genitourinary infection, pelvic region and thigh
M02.36	Arthropathy following genitourinary infection, lower leg
M02.37	Arthropathy following genitourinary infection, ankle and foot
M02.38	Arthropathy following genitourinary infection, other site
M02.39	Arthropathy following genitourinary infection, site unspecified

M03.1* Postinfective arthropathy in syphilis*Status of excludes note:**Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:***Excludes:* Charcot's or tabetic arthropathy (M14.6*)**ICD-10-AM Twelfth Edition:**

Excludes:

- Charcot arthropathy:
 - nonsyphilitic (G98†)
 - NOS (G98†)
 - syphilitic (tabetic) (A52.1†)
- Tabetic arthropathy (A52.1†)

M05.1 Rheumatoid lung disease**Status of code:****Revised – Third Edition****ICD-10-AM Second Edition:**

M05.1† Rheumatoid lung disease (J99.0*)

ICD-10-AM Third Edition:

M05.1 Rheumatoid lung disease

M08 Juvenile arthritis**Status of includes note:****Deleted – Twelfth Edition****M10.3 Gout due to impairment of kidney function****Status of instructional note(s):****Revised – Sixth Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Third Edition:***Code also any impairment of renal function (N17–N19)***ICD-10-AM Sixth Edition:***Code also any impairment of kidney function (N17–N19)***ICD-10-AM Twelfth Edition:***Code also impairment of kidney function (N17–N19).***M12 Other specific arthropathies****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Ninth Edition:**

Excludes: arthropathy NOS (M13.9-)
arthrosis (M15–M19)
cricoarytenoid arthropathy (J38.7)

ICD-10-AM Tenth Edition:

Excludes: arthropathy NOS (M25.9-)
arthrosis (M15–M19)
cricoarytenoid arthropathy (J38.7)

ICD-10-AM Twelfth Edition:

Excludes: arthropathy NOS (M25.9-)
arthrosis (M15–M19)
cricoarytenoid arthropathy (J38.7)
pigmented villonodular synovitis — see Alphabetic Index: *Synovitis/pigmented villonodular*

M12.2 Villonodular synovitis (pigmented)**Status of code(s):****Deleted – Twelfth Edition****M13.9 Arthritis, unspecified****Status of inclusion term(s):****Deleted – Tenth Edition**

M14* Arthropathies in other diseases classified elsewhere**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: arthropathy in:

- haematological disorders (M36.2–M36.3*)
- hypersensitivity reactions (M36.4*)
- neoplastic disease (M36.1*)
- neuropathic spondylopathy (M49.4-*)
- psoriatic and enteropathic arthropathies (M07.-*)
- juvenile (M09.-*)

ICD-10-AM Twelfth Edition:

Excludes: arthropathy in:

- haematological disorders (M36.2–M36.3*)
- hypersensitivity reactions (M36.4*)
- neoplastic disease (M36.1*)
- juvenile psoriatic and enteropathic arthropathies (M09.-*)
- neuropathic spondylopathy (M49.4-*)
- psoriatic and enteropathic arthropathies NEC (M07.-*)

M14.2* Diabetic arthropathy**Status of code(s):****Deleted – Second Edition****M14.6* Neuropathic arthropathy****Status of excludes note:****Deleted – Tenth Edition****Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Charcot's or tabetic arthropathy (A52.1†)

ICD-10-AM Twelfth Edition:

Charcot arthropathy:

- nonsyphilitic (G98†)
- NOS (G98†)
- syphilitic (tabetic) (A52.1†)

Tabetic arthropathy (A52.1†)

M15.1 Heberden's nodes [with arthropathy]**Status of code title:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

M15.1 Heberden's nodes (with arthropathy)

ICD-10-AM Thirteenth Edition:

M15.1 Heberden's nodes [with arthropathy]

M15.2 Bouchard's nodes [with arthropathy]**Status of code title:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

M15.2 Bouchard's nodes (with arthropathy)

ICD-10-AM Thirteenth Edition:

M15.2 Bouchard's nodes [with arthropathy]

M17.0 Primary gonarthrosis, bilateral*Status of inclusion term(s):**Created – Twelfth Edition***M17.1 Other primary gonarthrosis***Status of inclusion term(s):**Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Primary gonarthrosis:

- NOS
- unilateral

ICD-10-AM Twelfth Edition:

Erosion of knee (grades 1-4), unilateral

Primary gonarthrosis:

- NOS
- unilateral

M19.04 Primary arthrosis of other joints, hand*Status of code(s):**Created – Second Edition***M19.14 Post-traumatic arthrosis of other joints, hand***Status of code(s):**Created – Second Edition***M19.24 Other secondary arthrosis, hand***Status of code(s):**Created – Second Edition***M19.84 Other specified arthrosis, hand***Status of code(s):**Created – Second Edition***M19.94 Arthrosis, unspecified, hand***Status of code(s):**Created – Second Edition***M21 Other acquired deformities of limbs***Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:***Excludes:*

- acquired absence of limb (Z89.-)
- acquired deformities of fingers or toes (M20.-)
- congenital:
 - absence of limbs (Q71–Q73)
 - deformities and malformations of limbs (Q65–Q66, Q68–Q74)
- coxa plana (M91.2)

ICD-10-AM Thirteenth Edition:*Excludes:*

- acquired:
 - absence of limb (Z89.-)
 - deformities of fingers or toes (M20.-)
- congenital:
 - absence of limbs (Q71–Q73)
 - deformities and malformations of limbs (Q65–Q66, Q68–Q74)
- coxa plana (M91.2)

M21.04 Valgus deformity, not elsewhere classified, hand*Status of code(s):**Created – [Second Edition](#)***M21.07 Valgus deformity, not elsewhere classified, ankle and foot***Status of code(s):**Created – [Second Edition](#)***M21.14 Varus deformity, not elsewhere classified, hand***Status of code(s):**Created – [Second Edition](#)***M21.17 Varus deformity, not elsewhere classified, ankle and foot***Status of code(s):**Created – [Second Edition](#)***M21.78 Unequal limb length (acquired), other site***Status of code(s):**Deleted – [Fourth Edition](#)***M21.88 Other specified acquired deformities of limbs, other site***Status of code(s):**Deleted – [Fourth Edition](#)***M21.98 Acquired deformity of limb, unspecified, other site***Status of code(s):**Deleted – [Fourth Edition](#)***M22.4 Chondromalacia patellae***Status of inclusion term(s):**Created – [Twelfth Edition](#)***M23 Internal derangement of knee***Status of note:**Revised – [Thirteenth Edition](#)***ICD-10-AM Twelfth Edition:**

The following fifth character subdivisions indicate the site of involvement and are provided for use with subcategories M23.-; see also Chapter note...

ICD-10-AM Thirteenth Edition:

The following fifth character subdivisions indicate the site of involvement and are provided for use with subcategories M23.0–M23.6, M23.8, M23.9; see also Chapter note...

M23.1 Discoid meniscus [congenital]*Status of code title(s):**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

- M23.1 Discoid meniscus (congenital)
- M23.10 Discoid meniscus (congenital), multiple sites
- M23.11 Discoid anterior horn of medial meniscus (congenital)
- M23.12 Discoid posterior horn of medial meniscus (congenital)
- M23.13 Discoid medial meniscus (congenital), other and unspecified sites
- M23.14 Discoid anterior horn of lateral meniscus (congenital)
- M23.15 Discoid posterior horn of lateral meniscus (congenital)
- M23.16 Discoid lateral meniscus (congenital), other and unspecified sites
- M23.19 Discoid meniscus

ICD-10-AM Thirteenth Edition:

- M23.1 Discoid meniscus [congenital]
- M23.10 Discoid meniscus [congenital], multiple sites
- M23.11 Discoid meniscus [congenital] anterior cruciate ligament or anterior horn of medial meniscus
- M23.12 Discoid meniscus [congenital] posterior cruciate ligament or posterior horn of medial meniscus
- M23.13 Discoid meniscus [congenital] medial collateral ligament or other and unspecified medial meniscus
- M23.14 Discoid meniscus [congenital] lateral collateral ligament or anterior horn of lateral meniscus
- M23.15 Discoid posterior horn of lateral meniscus [congenital]
- M23.16 Discoid lateral meniscus [congenital], other and unspecified sites
- M23.19 Discoid meniscus [congenital], unspecified

M23.2 Derangement of meniscus due to old tear or injury*Status of inclusion term(s):**Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Old bucket-handle tear

ICD-10-AM Twelfth Edition:

Bucket-handle tear:

- NOS
- old

Meniscus tear:

- NOS
- old

M23.5 Chronic instability of knee*Status of inclusion term(s):**Created – Twelfth Edition***M24.8 Other specified joint derangements, not elsewhere classified***Status of excludes note:**Created – Fifth Edition**Status of inclusion term(s):**Deleted – Seventh Edition***M25.26 Flail joint, lower leg***Status of code:**Deleted – Second Edition*

M25.3 Other instability of joint

Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Excludes: instability of joint secondary to:
 • old ligament injury (M24.2-)
 • removal of joint prosthesis (M96.8)

ICD-10-AM Thirteenth Edition:

Excludes: instability of joint secondary to old ligament injury (M24.2)

M25.36 Other instability of joint, lower leg

Status of code: Deleted – [Second Edition](#)

M25.9 Unspecified joint disorder

Status of inclusion term(s): Created – [Tenth Edition](#)

M30–M36 Systemic connective tissue disorders

Status of excludes note: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

Excludes: autoimmune disease, single organ or single cell-type (code to relevant condition category)

ICD-10-AM Sixth Edition:

Excludes: antiphospholipid syndrome (D68.6)
 autoimmune disease, single organ or single cell-type (code to relevant condition category)

M31.2 Lethal midline granuloma

Status of code: Deleted – [Eleventh Edition](#)

M31.3 Granulomatosis with polyangiitis

Status of inclusion term(s): Revised – [Eleventh Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Necrotising respiratory granulomatosis

ICD-10-AM Eleventh Edition:

M31.3 Wegener's granulomatosis
 Granulomatosis with polyangiitis with:
 • kidney involvement† (N08.5*)
 • lung involvement† (J99.1*)
 Necrotising respiratory granulomatosis

ICD-10-AM Twelfth Edition:

M31.3 Granulomatosis with polyangiitis

M31.6 Other giant cell arteritis

Status of inclusion term(s): Created – [Seventh Edition](#)

M31.7 Microscopic polyangiitis

Status of code: Created – [Fifth Edition](#)

M33.0 Juvenile dermatomyositis*Status of inclusion term(s):* Created – [Sixth Edition](#)**M34.8 Other forms of systemic sclerosis***Status of inclusion term(s):* Revised – [Eleventh Edition](#)**ICD-10-AM Tenth Edition:**

Systemic sclerosis with:

- lung involvement† (J99.1*)
- myopathy† (G73.7*)

ICD-10-AM Eleventh Edition:

Systemic sclerosis with:

- lung involvement† (J99.1*)
- myopathy† (G73.7*)
- polyneuropathy† (G63.5*)

M36.1* Arthropathy in neoplastic disease (C00-D48†)*Status of inclusion term(s):* Revised – [Seventh Edition](#)**ICD-10-AM Sixth Edition:**

Arthropathy in:

- leukaemia (C91–C95†)
- malignant histiocytosis (C96.1†)
- multiple myeloma (C90.0†)

ICD-10-AM Seventh Edition:

Arthropathy in:

- leukaemia (C91–C95†)
- malignant histiocytosis (C96.8†)
- multiple myeloma (C90.0†)

M40.31 Flatback syndrome, occipito-atlanto-axial region*Status of code:* Deleted – [Fourth Edition](#)**M40.32 Flatback syndrome, cervical region***Status of code:* Deleted – [Fourth Edition](#)**M40.33 Flatback syndrome, cervicothoracic region***Status of code:* Deleted – [Fourth Edition](#)**M40.34 Flatback syndrome, thoracic region***Status of code:* Deleted – [Fourth Edition](#)

M43 Other deforming dorsopathies**Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

- Excludes:**
- congenital spondylolisthesis (Q76.21)
 - congenital spondylolysis (Q76.22)
 - hemivertebra (Q76.3-, Q76.4-)
 - Klippel-Feil syndrome (Q76.1)
 - lumbarisation and sacralisation (Q76.4-)
 - platyspondylitis (Q76.49)
 - spina bifida occulta (Q76.0)
 - spinal curvature in:
 - osteoporosis (M80–M81)
 - Paget's disease of bone [osteitis deformans] (M88.-)

ICD-10-AM Thirteenth Edition:

- Excludes:**
- congenital:
 - spondylolisthesis (Q76.21)
 - spondylolysis (Q76.22)
 - hemivertebra (Q76.3-, Q76.4-)
 - Klippel-Feil syndrome (Q76.1)
 - lumbarisation and sacralisation (Q76.4-)
 - platyspondylitis (Q76.49)
 - spina bifida occulta (Q76.0)
 - spinal curvature in:
 - osteoporosis (M80–M81)
 - Paget's disease of bone [osteitis deformans] (M88.-)

M43.2 Other fusion of spine**Status of term:****Reclassified – First Edition****Term reclassification:**

Spinal ankylosis

M43.51 Other recurrent vertebral subluxation, occipito-atlanto-axial region**Status of code:****Deleted – Fourth Edition****M43.6 Torticollis****Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

- Excludes:**
- torticollis:
 - congenital (sternomastoid) (Q68.0)
 - current injury — see injury of spine by body region
 - due to birth trauma (P15.2)
 - psychogenic (F45.8)
 - spasmodic (G24.3)

ICD-10-AM Seventh Edition:

- Excludes:**
- torticollis:
 - congenital (sternomastoid) (Q68.01)
 - current injury — see injury of spine by body region
 - due to birth trauma (P15.2)
 - psychogenic (F45.8)
 - spasmodic (G24.3)

M45 Ankylosing spondylitis**Status of term:****Reclassified – First Edition****Status of excludes note:****Revised – Twelfth Edition****Term reclassification:**

Spinal ankylosis

ICD-10-AM Eleventh Edition:

Excludes: arthropathy in Reiter's disease (M02.3-)
 Behçet's disease (M35.2)
 juvenile (ankylosing) spondylitis (M08.1-)

ICD-10-AM Twelfth Edition:

Excludes: arthropathy following genitourinary infection (M02.3-)
 Behçet's disease (M35.2)
 juvenile (ankylosing) spondylitis (M08.1-)

M46.1 Sacroiliitis, not elsewhere classified**Status of term:****Reclassified – First Edition****Term reclassification:**

Inflammatory change, sacroiliac

M48.0 Spinal stenosis**Status of note:****Created – Twelfth Edition****Status of note:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Note: Assign M48.0- where the underlying cause of spinal or foraminal stenosis is unknown or not documented. Where the underlying cause of spinal or foraminal stenosis is documented, assign a code for the underlying cause, do not assign M48.0-.

ICD-10-AM Thirteenth Edition:

Note: Assign a code from subcategory M48.0 where the underlying cause of spinal or foraminal stenosis is unknown or not specified. Where the underlying cause of spinal or foraminal stenosis is specified, assign a code for the underlying cause, do not assign M48.0-.

M50.0 Cervical disc disorder with myelopathy**Status of code(s):****Revised – Third Edition****ICD-10-AM Second Edition:**

M50.0† Cervical disc disorder with myelopathy (G99.2*)

ICD-10-AM Third Edition:

M50.0 Cervical disc disorder with myelopathy

M50.2 Other cervical disc displacement**Status of inclusion term(s):****Created – Twelfth Edition**

M51.0 Lumbar and other intervertebral disc disorders with myelopathy**Status of code(s):****Revised – Third Edition****ICD-10-AM Second Edition:**

M51.0† Lumbar and other intervertebral disc disorders with myelopathy (G99.2*)

ICD-10-AM Third Edition:

M51.0 Lumbar and other intervertebral disc disorders with myelopathy

M51.1 Lumbar and other intervertebral disc disorders with radiculopathy**Status of code title:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

M51.1† Lumbar and other intervertebral disc disorders with radiculopathy (G55.1*)

ICD-10-AM Twelfth Edition:

M51.1 Lumbar and other intervertebral disc disorders with radiculopathy

M51.2 Other specified intervertebral disc displacement**Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Lumbago due to displacement of intervertebral disc

ICD-10-AM Twelfth Edition:

Lumbago due to displacement of intervertebral disc

Slipped intervertebral disc:

- NOS
- old

M53.3 Sacrococcygeal disorders, not elsewhere classified**Status of term:****Reclassified – First Edition****Term reclassification:**

Inflammatory change, sacroiliac

M54 Dorsalgia**Status of instructional note(s):****Created – Twelfth Edition****M54.5 Low back pain****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: loin pain/haematuria syndrome (N39.81)
 lumbago:
 • due to intervertebral disc displacement (M51.2)
 • with sciatica (M54.4)

ICD-10-AM Tenth Edition:

Excludes: loin pain/haematuria syndrome (N39.81)
 lumbago:
 • due to intervertebral disc displacement (M51.2)
 • with sciatica (M54.4)
 postlaminectomy syndrome (M96.1)

M62 Other disorders of muscle**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: cramp and spasm (R25.2)
 myalgia (M79.1-)
 myopathy:
 • alcoholic (G72.1)
 • drug-induced (G72.0)
 stiff-man syndrome (G25.8)

ICD-10-AM Eleventh Edition:

Excludes: cramp and spasm (R25.2)
 myalgia (M79.1-)
 myopathy:
 • alcoholic (G72.1)
 • drug-induced (G72.0)
 stiff-person [man] syndrome (G25.8)

M62.1 Other rupture of muscle [nontraumatic]**Status of code title(s):****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

M62.1 Other rupture of muscle (nontraumatic)
 M62.10 Other rupture of muscle (nontraumatic), multiple sites
 M62.11 Other rupture of muscle (nontraumatic), shoulder region
 M62.12 Other rupture of muscle (nontraumatic), upper arm
 M62.13 Other rupture of muscle (nontraumatic), forearm
 M62.14 Other rupture of muscle (nontraumatic), hand
 M62.15 Other rupture of muscle (nontraumatic), pelvic region and thigh
 M62.16 Other rupture of muscle (nontraumatic), lower leg
 M62.17 Other rupture of muscle (nontraumatic), ankle and foot
 M62.18 Other rupture of muscle (nontraumatic), other site
 M62.19 Other rupture of muscle (nontraumatic), site unspecified

ICD-10-AM Thirteenth Edition:

M62.1 Other rupture of muscle [nontraumatic]
 M62.10 Other rupture of muscle [nontraumatic], multiple sites
 M62.11 Other rupture of muscle [nontraumatic], shoulder region
 M62.12 Other rupture of muscle [nontraumatic], upper arm
 M62.13 Other rupture of muscle [nontraumatic], forearm
 M62.14 Other rupture of muscle [nontraumatic], hand
 M62.15 Other rupture of muscle [nontraumatic], pelvic region and thigh
 M62.16 Other rupture of muscle [nontraumatic], lower leg
 M62.17 Other rupture of muscle [nontraumatic], ankle and foot
 M62.18 Other rupture of muscle [nontraumatic], other site
 M62.19 Other rupture of muscle [nontraumatic], site unspecified

M62.2 Ischaemic infarction of muscle

Status of inclusion term(s): Created – [Fifth Edition](#)
Status of excludes note: Revised – [Fifth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Fourth Edition:

Excludes: compartment syndrome (T79.6)
 diabetic muscle infarction (E1-.69)
 traumatic ischaemia of muscle (T79.6)
 Volkmann's ischaemic contracture (T79.6)

ICD-10-AM Fifth Edition:

Excludes: compartment syndrome, traumatic (T79.6)
 diabetic muscle infarction (E1-.69)
 traumatic ischaemia of muscle (T79.6)
 Volkmann's ischaemic contracture (T79.6)

ICD-10-AM Tenth Edition:

Excludes: abdominal compartment syndrome (R19.81)
 compartment syndrome, traumatic (T79.6)
 diabetic muscle infarction (E1-.69)
 traumatic ischaemia of muscle (T79.6)
 Volkmann's ischaemic contracture (T79.6)

M62.5 Muscle wasting and atrophy, not elsewhere classified

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Disuse atrophy NEC

ICD-10-AM Eleventh Edition:

Disuse atrophy NEC
 Sarcopenia

M62.8 Other specified disorders of muscle

Status of inclusion term(s): Revised – [Fifth Edition](#)

ICD-10-AM Fourth Edition:

Muscle (sheath) hernia
 Nontraumatic compartment syndrome

ICD-10-AM Fifth Edition:

Muscle (sheath) hernia

M65.8 Other synovitis and tenosynovitis

Status of inclusion term(s): Created – [Seventh Edition](#)

M66 Spontaneous rupture of synovium and tendon**Status of includes note:** Revised – *Eleventh Edition***Status of excludes note:** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:****Includes:** rupture that occurs when a normal force is applied to tissues that are inferred to have less than normal strength**Excludes:** rotator cuff syndrome (M75.1)
rupture where an abnormal force is applied to normal tissue — see injury of tendon by body region**ICD-10-AM Eleventh Edition:****Includes:** rupture that occurs when a normal force is applied to tissues that have less than normal strength**Excludes:** rotator cuff syndrome (M75.1)
rupture due to abnormal force applied to normal tissue — see Alphabetic Index: *Injury/muscle***M67.2 Synovial hypertrophy, not elsewhere classified****Status of excludes note:** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:****Excludes:** villonodular synovitis (pigmented) (M12.2-)**ICD-10-AM Twelfth Edition:****Excludes:** villonodular synovitis (pigmented) — see Alphabetic Index: *Synovitis/pigmented villonodular***M70 Soft tissue disorders related to use, overuse and pressure****Status of excludes note:** Revised – *Seventh Edition***ICD-10-AM Sixth Edition:****Excludes:** bursitis (of):
• NOS (M71.9-)
• shoulder (M75.5)
enthesopathies (M76–M77)**ICD-10-AM Seventh Edition:****Excludes:** bursitis (of):
• NOS (M71.9-)
• shoulder (M75.5)
decubitus ulcer and pressure area (L89.-)
enthesopathies (M76–M77)**M72.3 Nodular fasciitis****Status of code:** Deleted – *Third Edition***M72.4 Pseudosarcomatous fibromatosis****Status of term:** Reclassified – *Third Edition***Status of inclusion term(s):** Deleted – *Twelfth Edition***Term reclassification:**
Nodular fasciitis**M72.5 Fasciitis, not elsewhere classified****Status of code:** Deleted – *Third Edition*

M72.6 Necrotising fasciitis**Status of code:****Created – Third Edition****M72.8 Other fibroblastic disorders****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: fasciitis:

- diffuse (eosinophilic) (M35.4)
- necrotising (M72.6-)
- nodular (M72.4-)
- perirenal:
 - NOS (N13.5)
 - with infection (N13.6)
- plantar (M72.2)

ICD-10-AM Tenth Edition:

Excludes: fasciitis:

- diffuse (eosinophilic) (M35.4)
- necrotising (M72.6-)
- nodular (M72.4-)
- perirenal (K66.2)
- plantar (M72.2)

M75 Shoulder lesions**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: shoulder-hand syndrome (G58.11)

ICD-10-AM Twelfth Edition:

Excludes: shoulder-hand syndrome (G90.5-)

M75.0 Adhesive capsulitis of shoulder**Status of term:****Reclassified – First Edition****Term reclassification:**

Duplay's bursitis
Duplay's peri arthritis

M75.3 Calcific tendinitis of shoulder**Status of term:****Reclassified – First Edition****Term reclassification:**

Duplay's bursitis
Duplay's peri arthritis

M75.6 Tear of labrum of degenerative shoulder joint**Status of code:****Created – Eleventh Edition****M79.0 Rheumatism, unspecified****Status of inclusion term(s):****Deleted – Fifth Edition****Status of excludes notes:****Created – Fifth Edition**

M79.2 Neuralgia and neuritis, unspecified**Status of excludes notes:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: mononeuropathies (G56–G58)
 radiculitis:

• brachial NOS	(M54.1)
• lumbosacral NOS	
• NOS	

sciatica (M54.3–M54.4)

ICD-10-AM Eleventh Edition:

Excludes: brachial radiculitis (M54.1-)
 lumbosacral radiculitis (M54.17)
 mononeuropathies (G56–G58)
 radiculitis NOS (M54.1-)
 sciatica (M54.3–M54.4)

M79.6 Pain in limb**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: causalgia (complex regional pain syndrome type II):
 lower limb (G57.7)
 upper limb (G56.4)
 complex regional pain syndrome type I:
 lower limb (G58.12)
 upper limb (G58.11)

ICD-10-AM Twelfth Edition:

Excludes: complex regional pain syndrome type:
 • I (G90.5-)
 • II (causalgia) (G90.6-)

M79.68 Pain in limb, other site**Status of code:****Deleted – Fourth Edition****M79.7 Fibromyalgia****Status of code(s):****Created – Fifth Edition****ICD-10-AM Fifth Edition:**

M79.7 Fibromyalgia
 M79.70 Fibromyalgia, multiple sites
 M79.71 Fibromyalgia, shoulder region
 M79.72 Fibromyalgia, upper arm
 M79.73 Fibromyalgia, forearm
 M79.74 Fibromyalgia, hand
 M79.75 Fibromyalgia, pelvic region and thigh
 M79.76 Fibromyalgia, lower leg
 M79.77 Fibromyalgia, ankle and foot
 M79.78 Fibromyalgia, other
 M79.79 Fibromyalgia, site unspecified

M79.8 Other specified soft tissue disorders

Status of inclusion term(s): Created – *Eleventh Edition*
Status of instructional note(s): Created – *Eleventh Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

M80.3 Postprocedural malabsorption osteoporosis with pathological fracture

Status of code(s): Revised – *Second Edition*

ICD-10-AM First Edition:

- M80.30 Postsurgical malabsorption osteoporosis with pathological fracture, multiple sites
- M80.31 Postsurgical malabsorption osteoporosis with pathological fracture, shoulder region
- M80.32 Postsurgical malabsorption osteoporosis with pathological fracture, upper arm
- M80.33 Postsurgical malabsorption osteoporosis with pathological fracture, forearm
- M80.34 Postsurgical malabsorption osteoporosis with pathological fracture, hand
- M80.35 Postsurgical malabsorption osteoporosis with pathological fracture, pelvic region and thigh
- M80.36 Postsurgical malabsorption osteoporosis with pathological fracture, lower leg
- M80.37 Postsurgical malabsorption osteoporosis with pathological fracture, ankle and foot
- M80.38 Postsurgical malabsorption osteoporosis with pathological fracture, other site
- M80.39 Postsurgical malabsorption osteoporosis with pathological fracture, site unspecified

ICD-10-AM Second Edition:

- M80.30 Postprocedural malabsorption osteoporosis with pathological fracture, multiple sites
- M80.31 Postprocedural malabsorption osteoporosis with pathological fracture, shoulder region
- M80.32 Postprocedural malabsorption osteoporosis with pathological fracture, upper arm
- M80.33 Postprocedural malabsorption osteoporosis with pathological fracture, forearm
- M80.34 Postprocedural malabsorption osteoporosis with pathological fracture, hand
- M80.35 Postprocedural malabsorption osteoporosis with pathological fracture, pelvic region and thigh
- M80.36 Postprocedural malabsorption osteoporosis with pathological fracture, lower leg
- M80.37 Postprocedural malabsorption osteoporosis with pathological fracture, ankle and foot
- M80.38 Postprocedural malabsorption osteoporosis with pathological fracture, other site
- M80.39 Postprocedural malabsorption osteoporosis with pathological fracture, site unspecified

M81.3 Postprocedural malabsorption osteoporosis**Status of code(s):****Revised – Second Edition****ICD-10-AM First Edition:**

M81.3	Postsurgical malabsorption osteoporosis
M81.30	Postsurgical malabsorption osteoporosis, multiple sites
M81.31	Postsurgical malabsorption osteoporosis, shoulder region
M81.32	Postsurgical malabsorption osteoporosis, upper arm
M81.33	Postsurgical malabsorption osteoporosis, forearm
M81.34	Postsurgical malabsorption osteoporosis, hand
M81.35	Postsurgical malabsorption osteoporosis, pelvic region and thigh
M81.36	Postsurgical malabsorption osteoporosis, lower leg
M81.37	Postsurgical malabsorption osteoporosis, ankle and foot
M81.38	Postsurgical malabsorption osteoporosis, other site
M81.39	Postsurgical malabsorption osteoporosis, site unspecified

ICD-10-AM Second Edition:

M81.3	Postprocedural malabsorption osteoporosis
M81.30	Postprocedural malabsorption osteoporosis, multiple sites
M81.31	Postprocedural malabsorption osteoporosis, shoulder region
M81.32	Postprocedural malabsorption osteoporosis, upper arm
M81.33	Postprocedural malabsorption osteoporosis, forearm
M81.34	Postprocedural malabsorption osteoporosis, hand
M81.35	Postprocedural malabsorption osteoporosis, pelvic region and thigh
M81.36	Postprocedural malabsorption osteoporosis, lower leg
M81.37	Postprocedural malabsorption osteoporosis, ankle and foot
M81.38	Postprocedural malabsorption osteoporosis, other site
M81.39	Postprocedural malabsorption osteoporosis, site unspecified

M85 Other disorders of bone density and structure**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: osteogenesis imperfecta (Q78.0)
osteopetrosis (Q78.2)
osteopoikilosis (Q78.8)
polyostotic fibrous dysplasia (Q78.1)

ICD-10-AM Twelfth Edition:

Excludes: aneurysmal bone cyst:
• any site except jaw — see Alphabetic Index: *Cyst/aneurysmal bone*
• jaw (K09.2)
osteogenesis imperfecta (Q78.0)
osteopetrosis (Q78.2)
osteopoikilosis (Q78.8)
polyostotic fibrous dysplasia (Q78.1)

M85.0 Fibrous dysplasia [monostotic]**Status of code title(s):****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

M85.0	Fibrous dysplasia (monostotic)
M85.00	Fibrous dysplasia (monostotic), multiple sites
M85.01	Fibrous dysplasia (monostotic), shoulder region
M85.02	Fibrous dysplasia (monostotic), upper arm
M85.03	Fibrous dysplasia (monostotic), forearm
M85.04	Fibrous dysplasia (monostotic), hand
M85.05	Fibrous dysplasia (monostotic), pelvic region and thigh
M85.06	Fibrous dysplasia (monostotic), lower leg
M85.07	Fibrous dysplasia (monostotic), ankle and foot
M85.08	Fibrous dysplasia (monostotic), other site
M85.09	Fibrous dysplasia (monostotic), site unspecified

ICD-10-AM Thirteenth Edition:

M85.0	Fibrous dysplasia [monostotic]
M85.00	Fibrous dysplasia [monostotic], multiple sites
M85.01	Fibrous dysplasia [monostotic], shoulder region
M85.02	Fibrous dysplasia [monostotic], upper arm
M85.03	Fibrous dysplasia [monostotic], forearm
M85.04	Fibrous dysplasia [monostotic], hand
M85.05	Fibrous dysplasia [monostotic], pelvic region and thigh
M85.06	Fibrous dysplasia [monostotic], lower leg
M85.07	Fibrous dysplasia [monostotic], ankle and foot
M85.08	Fibrous dysplasia [monostotic], other site
M85.09	Fibrous dysplasia [monostotic], site unspecified

M85.5 Aneurysmal bone cyst**Status of code(s):****Deleted – Twelfth Edition****M85.40 Solitary bone cyst, multiple sites****Status of code(s):****Deleted – Fourth Edition****M85.8 Other specified disorders of bone density and structure****Status of excludes note:****Revised – Ninth Edition****ICD-10-AM Eighth Edition:**

Excludes: diffuse idiopathic skeletal hyperostosis [DISH] (M48.1-)
osteosclerosis:
• congenita (Q77.4)
• myelofibrosis (D75.8)

ICD-10-AM Ninth Edition:

Excludes: diffuse idiopathic skeletal hyperostosis [DISH] (M48.1-)
osteosclerosis:
• congenita (Q77.4)
• myelofibrosis (D75.89)

M86.9 Osteomyelitis, unspecified**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**Infection of bone NOS
Periostitis without mention of osteomyelitis**ICD-10-AM Eleventh Edition:**Infection of bone NOS
Periostitis NOS**M87 Osteonecrosis****Status of excludes note:** Revised – *Ninth Edition***ICD-10-AM Eighth Edition:****Excludes:** osteochondropathies (M91–M93)**ICD-10-AM Ninth Edition:****Excludes:** osteochondropathies (M91–M93)
osteonecrosis of jaw (drug-induced) (radiation-induced) (K10.2)**M88.89 Paget's disease of other bones, site unspecified****Status of code(s):** Deleted – *Second Edition***M88.9 Paget's disease of bone, unspecified****Status of code(s):** Deleted – *Second Edition***ICD-10-AM First Edition:**

M88.9 Paget's disease of bone, unspecified
 M88.90 Paget's disease of bone, unspecified, multiple sites
 M88.91 Paget's disease of bone, unspecified, shoulder region
 M88.92 Paget's disease of bone, unspecified, upper arm
 M88.93 Paget's disease of bone, unspecified, forearm
 M88.94 Paget's disease of bone, unspecified, hand
 M88.95 Paget's disease of bone, unspecified, pelvic region and thigh
 M88.96 Paget's disease of bone, unspecified, lower leg
 M88.97 Paget's disease of bone, unspecified, ankle and foot
 M88.98 Paget's disease of bone, unspecified, other
 M88.99 Paget's disease of bone, unspecified, site unspecified

ICD-10-AM Second Edition:

M88.9 Paget's disease of bone, unspecified

M89.0 Algoneurodystrophy**Status of excludes note:** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:****Excludes:** complex regional pain syndrome type I (G58.1-)**ICD-10-AM Twelfth Edition:****Excludes:** complex regional pain syndrome type I (G90.5-)
sympathetic reflex dystrophy (G90.5-)**M89.6 Osteopathy after poliomyelitis****Status of excludes note:** Created – *Seventh Edition*

M90.3* Osteonecrosis in decompression sickness (T70.3†)*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

M90.3* Osteonecrosis in caisson disease (T70.3†)

ICD-10-AM Fourth Edition:

M90.3* Osteonecrosis in decompression sickness (T70.3†)

M90.30* Osteonecrosis in decompression sickness, multiple sites (T70.3†)*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

M90.30* Osteonecrosis in caisson disease, multiple sites (T70.3†)

ICD-10-AM Fourth Edition:

M90.30* Osteonecrosis in decompression sickness, multiple sites (T70.3†)

M90.31* Osteonecrosis in decompression sickness, shoulder region (T70.3†)*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

M90.31* Osteonecrosis in caisson disease, shoulder region (T70.3†)

ICD-10-AM Fourth Edition:

M90.31* Osteonecrosis in decompression sickness, shoulder region (T70.3†)

M90.32* Osteonecrosis in decompression sickness, upper arm (T70.3†)*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

M90.32* Osteonecrosis in caisson disease, upper arm (T70.3†)

ICD-10-AM Fourth Edition:

M90.32* Osteonecrosis in decompression sickness, upper arm (T70.3†)

M90.33* Osteonecrosis in decompression sickness, forearm (T70.3†)*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

M90.33* Osteonecrosis in caisson disease, forearm (T70.3†)

ICD-10-AM Fourth Edition:

M90.33* Osteonecrosis in decompression sickness, forearm (T70.3†)

M90.34* Osteonecrosis in decompression sickness, hand (T70.3†)*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

M90.34* Osteonecrosis in caisson disease, hand (T70.3†)

ICD-10-AM Fourth Edition:

M90.34* Osteonecrosis in decompression sickness, hand (T70.3†)

M90.35* Osteonecrosis in decompression sickness, pelvic region and thigh (T70.3†)*Status of code title:**Revised – Fourth Edition***ICD-10-AM Third Edition:**

M90.35* Osteonecrosis in caisson disease, pelvic region and thigh (T70.3†)

ICD-10-AM Fourth Edition:

M90.35* Osteonecrosis in decompression sickness, pelvic region and thigh (T70.3†)

M90.36* Osteonecrosis in decompression sickness, lower leg (T70.3†)*Status of code title:**Revised – Fourth Edition***ICD-10-AM Third Edition:**

M90.36* Osteonecrosis in caisson disease, lower leg (T70.3†)

ICD-10-AM Fourth Edition:

M90.36* Osteonecrosis in decompression sickness, lower leg (T70.3†)

M90.37* Osteonecrosis in decompression sickness, ankle and foot (T70.3†)*Status of code title:**Revised – Fourth Edition***ICD-10-AM Third Edition:**

M90.37* Osteonecrosis in caisson disease, ankle and foot (T70.3†)

ICD-10-AM Fourth Edition:

M90.37* Osteonecrosis in decompression sickness, ankle and foot (T70.3†)

M90.38* Osteonecrosis in decompression sickness other site (T70.3†)*Status of code title:**Revised – Fourth Edition***ICD-10-AM Third Edition:**

M90.38* Osteonecrosis in caisson disease, other site (T70.3†)

ICD-10-AM Fourth Edition:

M90.38* Osteonecrosis in decompression sickness, other site (T70.3†)

M90.39* Osteonecrosis in decompression sickness, site unspecified (T70.3†)*Status of code title:**Revised – Fourth Edition***ICD-10-AM Third Edition:**

M90.39* Osteonecrosis in caisson disease, site unspecified (T70.3†)

ICD-10-AM Fourth Edition:

M90.39* Osteonecrosis in decompression sickness, site unspecified (T70.3†)

M91 Juvenile osteochondrosis of hip and pelvis*Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:***Excludes:* slipped upper femoral epiphysis (nontraumatic) (M93.0)**ICD-10-AM Thirteenth Edition:***Excludes:* slipped upper femoral epiphysis [nontraumatic] (M93.0)

M92.9 Juvenile osteochondrosis, unspecified**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Apophysitis	specified as juvenile, of unspecified site
Epiphysitis	
Osteochondritis	
Osteochondrosis	

ICD-10-AM Eleventh Edition:

Juvenile:

- apophysitis NEC
- epiphysitis NEC
- osteochondritis NEC
- osteochondrosis NEC

M93.0 Slipped upper femoral epiphysis [nontraumatic]**Status of code title:** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

M93.0 Slipped upper femoral epiphysis (nontraumatic)

ICD-10-AM Thirteenth Edition:

M93.0 Slipped upper femoral epiphysis [nontraumatic]

M93.2 Osteochondritis dissecans**Status of code(s):** Created – *Fourth Edition***ICD-10-AM Third Edition:**

M93.2 Osteochondritis dissecans

ICD-10-AM Fourth Edition:

M93.2	Osteochondritis dissecans
M93.20	Osteochondritis dissecans, multiple sites
M93.21	Osteochondritis dissecans, shoulder region
M93.22	Osteochondritis dissecans, upper arm
M93.23	Osteochondritis dissecans, forearm
M93.24	Osteochondritis dissecans, hand
M93.25	Osteochondritis dissecans, pelvic region and thigh
M93.26	Osteochondritis dissecans, lower leg
M93.27	Osteochondritis dissecans, ankle and foot
M93.29	Osteochondritis dissecans, site unspecified

M93.9 Osteochondropathy, unspecified**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Apophysitis	not specified as adult or juvenile, of unspecified site
Epiphysitis	
Osteochondritis	
Osteochondrosis	

ICD-10-AM Eleventh Edition:

Apophysitis NEC
 Epiphysitis NEC
 Osteochondritis NEC
 Osteochondrosis NEC

M94.0 Chondrocostal junction syndrome [Tietze]*Status of inclusion term(s):**Created – Sixth Edition***M95 Other acquired deformities of musculoskeletal system and connective tissue***Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition**

Excludes: acquired:

- absence of limbs and organs (Z89–Z90)
- deformities of limbs (M20–M21)

congenital malformations and deformations of the musculoskeletal system (Q65–Q79)
 deforming dorsopathies (M40–M43)
 dentofacial anomalies [including malocclusion] (K07.-)
 postprocedural musculoskeletal disorders (M96.-)

ICD-10-AM Thirteenth Edition:

Excludes: acquired:

- absence of limbs and organs (Z89–Z90)
- deformities of limbs (M20–M21)

congenital malformations and deformations of the musculoskeletal system (Q65–Q79)
 deforming dorsopathies (M40–M43)
 dentofacial anomalies [including malocclusion] (K07.-)

M96 Intraoperative and postprocedural disorders of musculoskeletal system*Status of code title:**Revised – Tenth Edition**Status of code(s):**Created – Tenth Edition**Status of code title:**Revised – Thirteenth Edition**Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Ninth Edition:**

M96 Postprocedural musculoskeletal disorders, not elsewhere classified

M96.0 Pseudarthrosis after fusion or arthrodesis

M96.1 Postlaminectomy syndrome, not elsewhere classified

M96.2 Postradiation kyphosis

M96.3 Postlaminectomy kyphosis

M96.4 Postprocedural lordosis

M96.5 Postradiation scoliosis

M96.6 Fracture of bone following insertion of orthopaedic implant, joint prosthesis, or bone plate

M96.8 Other postprocedural musculoskeletal disorders

M96.9 Postprocedural musculoskeletal disorder, unspecified

ICD-10-AM Tenth Edition:

- M96 Intraoperative and postprocedural disorders of musculoskeletal system, not elsewhere classified
- M96.0 Pseudarthrosis after fusion or arthrodesis
- M96.1 Postlaminectomy syndrome, not elsewhere classified
- M96.2 Postradiation kyphosis
- M96.3 Postlaminectomy kyphosis
- M96.4 Postprocedural lordosis
- M96.5 Postradiation scoliosis
- M96.6 Fracture of bone following insertion of orthopaedic implant, joint prosthesis, or bone plate
- M96.7 Accidental puncture and laceration of musculoskeletal organ or structure during a procedure
- M96.71 Accidental puncture and laceration of muscle during a procedure
- M96.72 Accidental puncture and laceration of tendon during a procedure
- M96.73 Accidental puncture and laceration of ligament during a procedure
- M96.74 Accidental puncture and laceration of cartilage during a procedure
- M96.79 Accidental puncture and laceration of musculoskeletal organ or structure during a procedure, not elsewhere classified
- M96.8 Other intraoperative and postprocedural disorders of musculoskeletal system
- M96.9 Intraoperative and postprocedural disorders of musculoskeletal system, unspecified

ICD-10-AM Twelfth Edition:

- M96 Intraoperative and postprocedural disorders of musculoskeletal system, not elsewhere classified

Excludes: arthropathy following intestinal bypass (M02.0-)
disorders associated with osteoporosis (M80–M81)
presence of functional implants and other devices (Z95–Z97)

ICD-10-AM Thirteenth Edition:

- M96 Intraoperative and postprocedural disorders of musculoskeletal system

Excludes: arthropathy following intestinal bypass (M02.0-)
disorders associated with osteoporosis (M80–M81)
instability of joint secondary to removal of joint prosthesis (T81.89)
mechanical complication of devices, implants and grafts — see Alphabetic Index:
Complication(s)/ mechanical, of device, implant or graft/by site OR Complication(s)/by site and type/mechanical
presence of functional implants and other devices (Z95–Z97)

M96.1	Postlaminectomy syndrome, not elsewhere classified
--------------	---

Status of excludes note:

Created – Tenth Edition

M96.4	Postprocedural lordosis
--------------	--------------------------------

Status of code title:

Revised – Second Edition

ICD-10-AM First Edition:

- M96.4 Postsurgical lordosis

ICD-10-AM Second Edition:

- M96.4 Postprocedural lordosis

M96.6 Fracture of bone following insertion of orthopaedic implant and postprocedural osteolysis

Status of code title: Revised – *Thirteenth Edition*
Status of excludes note: Deleted – *Thirteenth Edition*
Status of code(s): Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

M96.6 Fracture of bone following insertion of orthopaedic implant, joint prosthesis, or bone plate

ICD-10-AM Thirteenth Edition:

M96.6 Fracture of bone following insertion of orthopaedic implant and postprocedural osteolysis
M96.61 Fracture of bone following insertion of orthopaedic implant [joint prosthesis or bone plate]
M96.62 Postprocedural osteolysis

M96.7 Accidental puncture and laceration of musculoskeletal organ or structure during a procedure

Status of code(s): Created – *Tenth Edition*
Status of excludes note: Created – *Thirteenth Edition*

ICD-10-AM Tenth Edition:

M96.7 Accidental puncture and laceration of musculoskeletal organ or structure during a procedure
M96.71 Accidental puncture and laceration of muscle during a procedure
M96.72 Accidental puncture and laceration of tendon during a procedure
M96.73 Accidental puncture and laceration of ligament during a procedure
M96.74 Accidental puncture and laceration of cartilage during a procedure
M96.79 Accidental puncture and laceration of musculoskeletal organ or structure during a procedure, not elsewhere classified

M96.8 Other intraoperative and postprocedural disorders of musculoskeletal system

Status of code title: Revised – *Tenth Edition*
Status of code: Deleted – *Thirteenth Edition*

ICD-10-AM Ninth Edition:

M96.8 Other postprocedural musculoskeletal disorders

ICD-10-AM Tenth Edition:

M96.8 Other intraoperative and postprocedural disorders of musculoskeletal system

M96.9 Intraoperative and postprocedural disorders of musculoskeletal system, unspecified

Status of code title: Revised – *Tenth Edition*
Status of code: Deleted – *Thirteenth Edition*

ICD-10-AM Ninth Edition:

M96.9 Postprocedural musculoskeletal disorder, unspecified

ICD-10-AM Tenth Edition:

M96.9 Intraoperative and postprocedural disorders of musculoskeletal system, unspecified

M99 Biomechanical lesions, not elsewhere classified**Status of note:****Deleted – Ninth Edition****N00–N99 Diseases of the genitourinary system****Status of note:****Created – Seventh Edition****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: certain conditions originating in the perinatal period (P00–P96)
 certain infectious and parasitic diseases (A00–B99)
 complications of pregnancy, childbirth and the puerperium (O00–O99)
 congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

ICD-10-AM Tenth Edition:

Excludes: certain infectious and parasitic diseases (A00–B99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00–R99)

N00–N08 Glomerular Diseases**Status of instructional note(s):****Revised – Sixth Edition****Status of instructional note(s):****Revised – Ninth Edition****Status of inclusion term(s):****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Fifth Edition:**

Use additional code to identify external cause (Chapter 20) or presence of renal failure (N17–N19).

ICD-10-AM Sixth Edition

Use additional code to identify external cause (Chapter 20)

Use additional code to identify presence of kidney failure, acute (N17) or unspecified (N19)

Code also associated chronic kidney disease N18.-

ICD-10-AM Ninth Edition:

Use additional code to identify external cause (Chapter 20).

ICD-10-AM Tenth Edition:

.1 focal and segmental glomerular lesions
 Focal and segmental:
 • hyalinosis
 • sclerosis
 Focal glomerulonephritis

ICD-10-AM Eleventh Edition:

Use additional code to identify external cause (Chapter 20).

.1 focal and segmental glomerular lesions
 Focal:
 • and segmental:
 • hyalinosis
 • sclerosis
 • glomerulonephritis

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

N03 Chronic nephritic syndrome**Status of includes note:****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

- Includes:**
- chronic:
 - glomerular disease
 - glomerulonephritis
 - nephritis
 - renal disease NOS

ICD-10-AM Sixth Edition:

- Includes:**
- chronic:
 - glomerular disease
 - glomerulonephritis
 - nephritis

N07 Hereditary nephropathy, not elsewhere classified**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

- Excludes:**
- Alport's syndrome (Q87.81)
 - hereditary amyloid nephropathy (E85.0)
 - nail patella syndrome (Q87.23)
 - non-neuropathic hereditary familial amyloidosis (E85.0)

ICD-10-AM Twelfth Edition:

- Excludes:**
- Alport's syndrome (Q87.81)
 - hereditary amyloid nephropathy (E85.09)
 - nail patella syndrome (Q87.23)
 - non-neuropathic hereditary familial amyloidosis (E85.09)

N08.0* Glomerular disorders in infectious and parasitic diseases classified elsewhere**Status of inclusion term(s):****Revised – Seventh Edition****Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Sixth Edition:**

Glomerular disorders in:

- mumps (B26.8†)
- *Plasmodium malariae* malaria (B52.0†)
- schistosomiasis [bilharziasis] (B65.-†)
- sepsis (A40–A41†)
- septicaemia (A40–A41†)
- strongyloidiasis (B78.-†)
- syphilis (A52.7†)

ICD-10-AM Seventh Edition:

Glomerular disorders in:

- mumps (B26.8†)
- *Plasmodium malariae* malaria (B52.0†)
- schistosomiasis [bilharziasis] (B65.-†)
- sepsis (A40–A41†)
- strongyloidiasis (B78.-†)
- syphilis (A52.7†)

ICD-10-AM Twelfth Edition:

Glomerular disorders in:

- mumps (B26.8†)
- *Plasmodium malariae* malaria (B52.0†)
- schistosomiasis [bilharziasis] (B65.- †)
- sepsis† — see Alphabetic Index: *Sepsis/by type*
- strongyloidiasis (B78.-†)
- syphilis (A52.7†)

N08.3* Glomerular disorders in diabetes mellitus (E10-E14† with common fourth character .2)
Status of code(s):**Deleted – *Second Edition***
N08.5* Glomerular disorders in systemic connective tissue disorders
Status of inclusion term(s):**Revised – *Fifth Edition*****Status of inclusion term(s):****Revised – *Eleventh Edition*****Status of inclusion term(s):****Revised – *Twelfth Edition*****ICD-10-AM Fourth Edition:**

Glomerular disorders in:

- Goodpasture's syndrome (M31.0†)
- polyarteritis nodosa (M30.0†)
- systemic lupus erythematosus (M32.1†)
- thrombotic thrombocytopenic purpura (M31.1†)
- Wegener's granulomatosis (M31.3†)

ICD-10-AM Fifth Edition:

Glomerular disorders in:

- Goodpasture's syndrome (M31.0†)
- microscopic polyangiitis (M31.7†)
- systemic lupus erythematosus (M32.1†)
- thrombotic thrombocytopenic purpura (M31.1†)
- Wegener's granulomatosis (M31.3†)

ICD-10-AM Eleventh Edition:

Glomerular disorders in:

- Goodpasture's syndrome (M31.0†)
- granulomatosis with polyangiitis (M31.3†)
- microscopic polyangiitis (M31.7†)
- systemic lupus erythematosus (M32.1†)
- thrombotic thrombocytopenic purpura (M31.1†)
- Wegener's granulomatosis (M31.3†)

ICD-10-AM Twelfth Edition:

Glomerular disorders in:

- Goodpasture's syndrome (M31.0†)
- granulomatosis with polyangiitis (M31.3†)
- microscopic polyangiitis (M31.7†)
- systemic lupus erythematosus (M32.1†)
- thrombotic thrombocytopenic purpura (M31.1†)

N10–N16 Renal tubulo-interstitial diseases

Status of instructional note(s): Created – [Sixth Edition](#)
Status of instructional note(s): Revised – [Ninth Edition](#)

ICD-10-AM Sixth Edition:

Use additional code to identify external cause (Chapter 20).

Use additional code to identify presence of kidney failure, acute (N17) or unspecified (N19).

Code also associated chronic kidney disease N18.-

ICD-10-AM Ninth Edition:

Use additional code to identify external cause (Chapter 20).

N13.8 Other obstructive and reflux uropathy

Status of inclusion term(s): Created – [Fifth Edition](#)
Status of excludes note: Created – [Fifth Edition](#)

N16.0* Renal tubulo-interstitial disorders in infectious and parasitic diseases classified elsewhere

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Renal tubulo-interstitial disorders (due to) (in):

- brucellosis (A23.-†)
- diphtheria (A36.8†)
- salmonella infection (A02.2†)
- sepsis (A40–A41†)
- septicaemia (A40–A41†)
- toxoplasmosis (B58.8†)

ICD-10-AM Seventh Edition:

Renal tubulo-interstitial disorders (due to) (in):

- brucellosis (A23.-†)
- diphtheria (A36.8†)
- salmonella infection (A02.2†)
- sepsis (A40–A41†)
- toxoplasmosis (B58.8†)

ICD-10-AM Twelfth Edition:

Renal tubule-interstitial disorders (due to) (in):

- brucellosis (A23.-†)
- diphtheria (A36.8†)
- salmonella infection (A02.2†)
- sepsis† — see Alphabetic Index: *Sepsis/by type*
- toxoplasmosis (B58.8†)

N16.1* Renal tubulo-interstitial disorders in neoplastic diseases

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Seventh Edition Errata 6](#)

ICD-10-AM Sixth Edition:

Renal tubulo-interstitial disorders in:

- leukaemia (C91–C95†)
- lymphoma (C81–C85†, C96.-†)
- multiple myeloma (C90.0†)

ICD-10-AM Seventh Edition:

Renal tubulo-interstitial disorders in:

- leukaemia (C91–C95†)
- lymphoma (C81–C86†, C96.-†)
- multiple myeloma (C90.0†)

ICD-10-AM Seventh Edition Errata 6:

Renal tubulo-interstitial disorders in:

- leukaemia (C91–C95†)
- lymphoma (C81–C86†, C96.-†)
- multiple myeloma (C90.0-†)

N17–N19 Kidney failure**Status of category title:****Revised – Sixth Edition****Status of excludes note:****Revised – Sixth Edition****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Fifth Edition:****Excludes:** congenital renal failure (P96.0)

...

renal failure:

- complicating abortion or ectopic or molar pregnancy (O00–O07, O08.4)
- following labour and delivery (O90.4)
- postprocedural (N99.0)

ICD-10-AM Sixth Edition:**Excludes:** congenital kidney failure (P96.0)

...

kidney failure:

- complicating abortion or ectopic or molar pregnancy (O00–O07, O08.4)
 - following labour and delivery (O90.4)
 - postprocedural (N99.0)
- prerenal uraemia (R39.2)

ICD-10-AM Tenth Edition:

Excludes: congenital kidney failure (P96.0)
 drug- and heavy-metal-induced tubulo-interstitial and tubular conditions (N14.-)
 extrarenal uraemia (R39.2)
 haemolytic-uraemic syndrome (D59.3)
 hepatorenal syndrome:
 • NOS (K76.7)
 • postpartum (O90.4)
 kidney failure:
 • complicating abortion or ectopic or molar pregnancy (O00–O07, O08.4)
 • following labour and delivery (O90.4)
 prerenal uraemia (R39.2)

ICD-10-AM Eleventh Edition:*Use additional external cause code (Chapter 20) to identify external agent.*

Excludes: congenital kidney failure (P96.0)
 drug- and heavy-metal-induced tubulo-interstitial and tubular conditions (N14.-)
 extrarenal uraemia (R39.2)
 haemolytic-uraemic syndrome (D59.3)
 hepatorenal syndrome:
 • NOS (K76.7)
 • postpartum (O90.4)
 prerenal uraemia (R39.2)

ICD-10-AM Twelfth Edition:*Use additional external cause code (Chapter 20) to identify cause.*

N17 Acute kidney failure

Status of code title: Revised – [Sixth Edition](#)
Status of includes note: Revised – [Ninth Edition](#)

ICD-10-AM Fifth Edition:

N17 Acute renal failure

ICD-10-AM Sixth Edition:

N17 Acute kidney failure

ICD-10-AM Eighth Edition:

Includes: acute renal impairment

ICD-10-AM Ninth Edition:

Includes: acute kidney injury
acute renal impairment

N17.0 Acute kidney failure with tubular necrosis

Status of code title: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

N17.0 Acute renal failure with tubular necrosis

ICD-10-AM Sixth Edition:

N17.0 Acute kidney failure with tubular necrosis

N17.1 Acute kidney failure with acute cortical necrosis

Status of code title: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

N17.1 Acute renal failure with acute cortical necrosis

ICD-10-AM Sixth Edition:

N17.1 Acute kidney failure with acute cortical necrosis

N17.2 Acute kidney failure with medullary necrosis

Status of code title: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

N17.2 Acute renal failure with medullary necrosis

ICD-10-AM Sixth Edition:

N17.2 Acute kidney failure with medullary necrosis

N17.8 Other acute kidney failure

Status of code title: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

N17.8 Other acute renal failure

ICD-10-AM Sixth Edition:

N17.8 Other acute kidney failure

N17.9 Acute kidney failure, unspecified

Status of code title: Revised – [Sixth Edition](#)

ICD-10-AM Fifth Edition:

N17.9 Acute renal failure, unspecified

ICD-10-AM Sixth Edition:

N17.9 Acute kidney failure, unspecified

N18 Chronic kidney disease

Status of code(s):	Created, Deleted – Sixth Edition
Status of instructional note(s):	Created – Sixth Edition
Status of includes note:	Deleted – Sixth Edition
Status of excludes note:	Deleted – Sixth Edition
Status of instructional note(s):	Revised – Ninth Edition
Status of instructional note(s):	Revised – Twelfth Edition

WHO ICD-10:

N18 Chronic renal failure

ICD-10-AM First Edition:

N18 Chronic renal failure

ICD-10-AM Fifth Edition

N18 Chronic renal failure
 N18.0 End-stage renal failure
 N18.8 Other chronic renal failure
 N18.9 Chronic renal failure, unspecified

ICD-10-AM Sixth Edition

N18 Chronic kidney disease
 N18.1 Chronic kidney disease, stage 1
 N18.2 Chronic kidney disease, stage 2
 N18.3 Chronic kidney disease, stage 3
 N18.4 Chronic kidney disease, stage 4
 N18.5 Chronic kidney disease, stage 5
 N18.9 Chronic kidney disease, unspecified

Use additional code to identify presence of hypertension.

Use additional code to identify underlying disease.

ICD-10-AM Ninth Edition:

Use additional code to identify underlying disease.

ICD-10-AM Twelfth Edition:

Code also underlying cause.

N18.1 Chronic kidney disease, stage 1

Status of inclusion term(s): **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

Kidney damage with normal or increased GFR (≥ 90 mL/min)

ICD-10-AM Twelfth Edition:

Kidney damage with normal or increased GFR (90 mL/min or more)

N18.5 Chronic kidney disease, Stage 5**Status of code:****Status of inclusion term(s):****Status of inclusion term(s):****Created – Sixth Edition****Revised – Seventh Edition Errata 6****Revised – Twelfth Edition****ICD-10-AM Seventh Edition:**

Chronic uraemia

End-stage kidney disease:

- in allograft failure
- NOS
- on dialysis
- without dialysis or transplant

Renal retinitis+ (H32.8*)

Uraemic:

- apoplexia+ (I68.8*)
- dementia+ (F02.8*)
- neuropathy+ (G63.8*)
- paralysis+ (G99.8*)
- pericarditis+ (I32.8*)

ICD-10-AM Seventh Edition Errata 6:

End-stage kidney disease:

- in allograft failure
- NOS
- on dialysis
- without dialysis or transplant

Renal retinitis+ (H32.8*)

Uraemic:

- apoplexia+ (I68.8*)
- dementia+ (F02.8*)
- neuropathy+ (G63.8*)
- paralysis+ (G99.8*)

ICD-10-AM Eleventh Edition:

End-stage kidney disease:

- in allograft failure
- NOS
- on dialysis
- without dialysis or transplant

Renal retinitis† (H32.8*)

Uraemic:

- apoplexia† (I68.8*)
- dementia† (F02.8*)
- neuropathy† (G63.8*)
- paralysis† (G99.8*)
- pericarditis† (I32.8*)

ICD-10-AM Twelfth Edition:

End-stage kidney disease:

- in allograft failure
- NOS
- on dialysis
- without dialysis or transplant

Renal retinitis† (H32.8*)

Uraemic:

- apoplexia† (I68.8*)
- dementia† (F02.8*)
- neuropathy† (G63.8*)
- paralysis† (G99.8*)
- pericarditis† (I32.8*)

N18.9 Chronic kidney disease, unspecified

Status of code(s): Created – [First Edition](#)
Status of code title: Revised – [Sixth Edition](#)
Status of code(s): Deleted – [Sixth Edition](#)
Status of inclusion term(s): Created – [Seventh Edition Errata 6](#)

WHO ICD-10:

N18.9 Chronic renal failure, unspecified

ICD-10-AM First Edition:

N18.9 Chronic renal failure, unspecified
 N18.90 Unspecified chronic renal failure
 N18.91 Chronic renal impairment

ICD-10-AM Sixth Edition:

N18.9 Chronic kidney disease, unspecified

N19 Unspecified kidney failure

Status of code title: Revised – [Sixth Edition](#)
Status of inclusion term(s): Revised – [Sixth Edition](#)
Status of excludes note: Revised – [Sixth Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Fifth Edition:

N19 Unspecified renal failure
 Uraemia NOS

Excludes: renal failure with hypertension (I12.0)
 uraemia of newborn (P96.0)

ICD-10-AM Sixth Edition:

N19 Unspecified kidney failure
 Renal insufficiency NOS
 Uraemia NOS

Excludes: kidney disease with hypertension (I12.0)
 uraemia of newborn (P96.0)

ICD-10-AM Seventh Edition:

Excludes: kidney disease due to hypertension (I12.0)
 uraemia of newborn (P96.0)

N20 Calculus of kidney and ureter

Status of includes note: Created – [Seventh Edition](#)

N20.9 Urinary calculus, unspecified

Status of inclusion term(s): Deleted – [Seventh Edition](#)

N22.0* Urinary calculus in schistosomiasis [bilharziasis] (B65.0†)

Status of code title: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

N22.0* Urinary calculus in schistosomiasis [bilharziasis] (B65.-†)

ICD-10-AM Eleventh Edition:

N22.0* Urinary calculus in schistosomiasis [bilharziasis] (B65.0†)

N25 Disorders resulting from impaired renal tubular function**Status of excludes note:** Revised – [Sixth Edition](#)**ICD-10-AM Fifth Edition:****Excludes:** metabolic disorders classifiable to E70–E90**ICD-10-AM Sixth Edition:****Excludes:** metabolic disorders classifiable to E70–E89**N26 Unspecified contracted kidney****Status of excludes note:** Revised – [Seventh Edition](#)**Status of excludes note:** Revised – [Ninth Edition](#)**ICD-10-AM Sixth Edition:****Excludes:** contracted kidney with hypertension (I12.-)
diffuse sclerosing glomerulonephritis (N18.-)
hypertensive nephrosclerosis (arteriolar) (arteriosclerotic) (I12.-)
small kidney of unknown cause (N27.-)**ICD-10-AM Seventh Edition:****Excludes:** contracted kidney due to hypertension (I12.-)
diffuse sclerosing glomerulonephritis (N18.-)
hypertensive nephrosclerosis (arteriolar) (arteriosclerotic) (I12.-)
small kidney of unknown cause (N27.-)**ICD-10-AM Ninth Edition:****Excludes:** contracted kidney due to hypertension (I12.-)
diffuse sclerosing glomerulonephritis (N18.-)
nephrosclerosis (arteriolar) (arteriosclerotic) (hypertensive) (I12.-)
small kidney of unknown cause (N27.-)**N28 Other disorders of kidney and ureter, not elsewhere classified****Status of instructional note(s):** Revised – [Sixth Edition Errata 1](#)**ICD-10-AM Sixth Edition:****Excludes:** hydroureter (N13.4)
renal disease:
• acute NOS (N00.9)
ureteric kinking and stricture:
• with hydronephrosis (N13.1)
• without hydronephrosis (N13.5)**ICD-10-AM Sixth Edition Errata 1:****Excludes:** acute renal disease NOS (N00.9)
hydroureter (N13.4)
ureteric kinking and stricture:
• with hydronephrosis (N13.1)
• without hydronephrosis (N13.5)

N28.1 Cyst of kidney

Status of code title: Revised – *Ninth Edition*
Status of inclusion term(s): Revised – *Ninth Edition*
Status of excludes note: Created – *Ninth Edition*

ICD-10-AM Eighth Edition:

N28.1 Cyst of kidney, acquired
 Cyst (multiple) (solitary) of kidney

ICD-10-AM Ninth Edition:

N28.1 Cyst of kidney
 Cyst (acquired) (multiple) (solitary) of kidney

N28.8 Other specified disorders of kidney and ureter

Status of term: Reclassified – *First Edition*

Term reclassification:

Low salt syndrome
 Renal haemorrhage

N29.8* Other disorders of kidney and ureter in other diseases classified elsewhere

Status of inclusion term(s): Created – *Sixth Edition*

N30–N39 Other diseases of urinary system

Status of excludes note: Revised – *Tenth Edition*
Status of excludes note: Revised – *Eleventh Edition*

ICD-10-AM Ninth Edition:

Excludes: urinary infection (complicating):
 • abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 • pregnancy, childbirth and the puerperium (O23.–, O75.3, O86.2)
 • with urolithiasis (N20–N23)

ICD-10-AM Tenth Edition:

Excludes: urinary infection:
 • complicating abortion or ectopic or molar pregnancy (O00–O07, O08.8)
 • with urolithiasis (N20–N23)

ICD-10-AM Eleventh Edition:

Excludes: urinary infection with urolithiasis (N20–N23)

N30 Cystitis

Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional code to identify infectious agent (B95–B97) or responsible external agent (Chapter 20).

ICD-10-AM Twelfth Edition:

Use additional code (B95–B97) to identify infectious agent.

Use additional external cause code (Chapter 20) to identify cause.

N31 Neuromuscular dysfunction of bladder, not elsewhere classified**Status of excludes note:****Revised – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

- Excludes:**
- cord bladder NOS (G95.8)
 - due to spinal cord lesion (G95.8)
 - neurogenic bladder due to cauda equina syndrome (G83.4)
 - urinary incontinence:
 - NOS (R32)
 - specified (N39.3–N39.4)

ICD-10-AM Twelfth Edition:

- Excludes:**
- cord bladder NOS (G95.8)
 - due to spinal cord lesion (G95.8)
 - neurogenic bladder due to cauda equina stress incontinence:
 - associated with female pelvic organ prolapse (N39.31)
 - NOS (N39.30)
 - syndrome (G83.4)
 - urinary incontinence:
 - NOS (R32)
 - specified NEC (N39.4)

N32.8 Other specified disorders of bladder**Status of inclusion term(s):****Revised – *Eighth Edition*****ICD-10-AM Seventh Edition:**

- Bladder:
- calcified
 - contracted

ICD-10-AM Eighth Edition:

- Bladder:
- calcified
 - contracted
 - overactive

N34 Urethritis and urethral syndrome**Status of excludes note:****Revised – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

- Excludes:**
- Reiter's disease (M02.3-)
 - urethritis in diseases with a predominantly sexual mode of transmission (A50–A64)
 - urethrotigonitis (N30.3)

ICD-10-AM Twelfth Edition:

- Excludes:**
- urethritis:
 - in diseases with a predominantly sexual mode of transmission (A50–A64)
 - resulting in arthropathy (M02.3-)
 - urethrotigonitis (N30.3)

N36.3 Prolapsed urethral mucosa**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition****Excludes:** urethrocele, female (N81.0)**ICD-10-AM Seventh Edition****Excludes:** urethrocele:
• congenital (Q64.79)
• female (N81.0)**N39.1 Persistent proteinuria, unspecified****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:****Excludes:** complicating pregnancy, childbirth and the puerperium (O11–O15)
with specified morphological lesion (N06.-)**ICD-10-AM Tenth Edition:****Excludes:** in pregnancy, childbirth and the puerperium (O11–O15)
with specified morphological lesion (N06.-)**N39.3 Stress incontinence****Status of code(s):****Created – Twelfth Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

N39.3 Stress incontinence

*Use additional code (N32.8) to identify overactive bladder or detrusor muscle hyperactivity.***ICD-10-AM Twelfth Edition:**

N39.3 Stress incontinence

Code also overactive bladder or detrusor muscle hyperactivity (N32.8).

N39.30 Stress incontinence, unspecified

N39.31 Stress incontinence associated with female pelvic organ prolapse

N39.4 Other specified urinary incontinence**Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code (N32.8) to identify overactive bladder or detrusor muscle hyperactivity.***ICD-10-AM Twelfth Edition:***Code also overactive bladder or detrusor muscle hyperactivity (N32.8).*

N39.8 Other specified disorders of urinary system**Status of code(s):** Created – *First Edition***WHO ICD-10:**

N39.8 Other specified disorders of urinary system

ICD-10-AM First Edition:

N39.8 Other specified disorders of urinary system

N39.81 Loin pain/haematuria syndrome

N39.88 Other specified disorders of urinary system

N39.81 Loin pain/haematuria syndrome**Status of glossary description:** Created – *Twelfth Edition***N40 Hyperplasia of prostate****Status of inclusion term(s):** Revised – *Sixth Edition***Status of excludes note:** Revised – *Sixth Edition***Status of instructional note(s):** Created – *Eighth Edition***Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Fifth Edition:**

Adenofibromatous hypertrophy	}	
Adenoma (benign)	}	
Enlargement (benign)	}	
Fibroadenoma	}	of prostate
Fibroma	}	
Hypertrophy (benign)	}	
Myoma	}	
Median bar (prostate)		
Prostatic obstruction NOS		

Excludes: benign neoplasms, except adenoma, fibroma and myoma of prostate (D29.1)**ICD-10-AM Sixth Edition:**

Adenofibromatous hypertrophy	}	
Enlargement (benign)	}	of prostate
Hypertrophy (benign)	}	
Median bar (prostate)		
Prostatic obstruction NOS		

Excludes: benign neoplasms of prostate (D29.1)**ICD-10-AM Eleventh Edition:***Code also associated bladder neck obstruction (N32.0).***ICD-10-AM Twelfth Edition:***Use additional code (N32.0) to identify associated bladder neck obstruction.***N42.3 Dysplasia of prostate****Status of code:** Created – *Seventh Edition***WHO ICD-10:**

N42.3 Dysplasia of prostate

ICD-10-AM Seventh Edition:

N42.3 Dysplasia of prostate

N48.0 Leukoplakia of penis**Status of term:****Reclassified – Second Edition****Term reclassification:**

Balanitis xerotica obliterans

N48.4 Impotence of organic origin**Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code to identify cause.***ICD-10-AM Twelfth Edition:***Code also underlying cause.***N48.6 Induratio penis plastica****Status of code:****Revised – Second Edition****Status of term:****Reclassified – Second Edition****ICD-10-AM First Edition:**

N48.6 Balanitis xerotica obliterans

ICD-10-AM Second Edition:

N48.6 Induratio penis plastica

Term reclassification:

Balanitis xerotica obliterans

N48.8 Other specified disorders of penis**Status of term:****Reclassified – First Edition****Term reclassification:**

Cyst of skin of scrotum

N49.9 Inflammatory disorder of unspecified male genital organ**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Abscess

Boil

Carbuncle

Cellulitis

of unspecified male genital organ

ICD-10-AM Eleventh Edition:

Male genital organ:

- abscess NEC
- boil NEC
- carbuncle NEC
- cellulitis NEC

N50.1 Vascular disorders of male genital organs**Status of inclusion term(s):** *Revised – Eleventh Edition***ICD-10-AM Tenth Edition:**

Haematocele NOS		of male genital organs
Haemorrhage		
Thrombosis		

ICD-10-AM Eleventh Edition:

Male genital organ:

- haematocele NOS
- haemorrhage
- thrombosis

N50.8 Other specified disorders of male genital organs

Status of term(s):	<i>Reclassified – First Edition</i>
Status of inclusion term(s):	<i>Revised – Eleventh Edition</i>
Status of includes note:	<i>Created – Eleventh Edition</i>
Status of excludes note:	<i>Created – Eleventh Edition</i>
Status of inclusion term(s):	<i>Revised – Twelfth Edition</i>
Status of inclusion term(s):	<i>Revised – Thirteenth Edition</i>

Term reclassification:

Hypoactive sexual desire disorder, male
 Orgasmic disorder, male

ICD-10-AM Tenth Edition:

Atrophy		of scrotum, seminal vesicle, spermatic cord, testis [except atrophy], tunica vaginalis and vas deferens
Hypertrophy		
Oedema		
Ulcer		
Chylocele, tunica vaginalis (nonfilarial) NOS		

Fistula, urethroscrotal
 Stricture of:

- spermatic cord
- tunica vaginalis
- vas deferens

ICD-10-AM Eleventh Edition:

Chylocele, tunica vaginalis (nonfilarial) NOS
 Fistula, urethroscrotal
 Male genital organ:

- atrophy
- hypertrophy
- oedema
- stricture
- ulcer

ICD-10-AM Twelfth Edition:

Chylocele, tunica vaginalis (nonfilarial) NOS
 Fistula, urethroscrotal
 Male genital organ:

- atrophy
- hypertrophy
- oedema
- pain (pelvic) NOS
- stricture
- ulcer

ICD-10-AM Thirteenth Edition:

Chylocele, tunica vaginalis (nonfilarial) NOS

Fistula, urethroscrotal

Male genital organ:

- atrophy
- hypertrophy
- oedema
- pain NOS
- stricture
- ulcer

N60–N64 Disorders of breast**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:****Excludes:** disorders of breast associated with childbirth (O91–O92)**ICD-10-AM Eleventh Edition:****Excludes:** disorders of breast associated with childbirth (lactation) (pregnancy) (puerperium) (O91–O92)**N70–N77 Inflammatory diseases of female pelvic organs****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Deleted – Eleventh Edition****ICD-10-AM Ninth Edition:**

Excludes: those complicating:
 abortion or ectopic or molar pregnancy (O00–O07, O08.0)
 pregnancy, childbirth and the puerperium (O23.-, O75.3, O85, O86.-)

ICD-10-AM Tenth Edition:**Excludes:** complicating abortion or ectopic or molar pregnancy (O00–O07, O08.0)**N73.0 Acute parametritis and pelvic cellulitis****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Abscess of:

- | | | |
|---|--|--------------------|
| <ul style="list-style-type: none"> • broad ligament • parametrium | | specified as acute |
|---|--|--------------------|
- Pelvic cellulitis, female

ICD-10-AM Eleventh Edition:

Acute abscess of:

- broad ligament
 - parametrium
- Pelvic cellulitis, female

N80.8 Other endometriosis**Status of inclusion term(s):****Created – Ninth Edition**

N81 Female genital prolapse**Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Sixth Edition:**

Excludes: genital prolapse complicating pregnancy, labour or delivery (O34.5)
 prolapse and hernia of ovary and fallopian tube (N83.4)
 prolapse of vaginal vault after hysterectomy (N99.3)

ICD-10-AM Seventh Edition:

Excludes: genital prolapse complicating:
 • labour or delivery (O65.5)
 • pregnancy (O34.5)
 prolapse and hernia of ovary and fallopian tube (N83.4)
 prolapse of vaginal vault after hysterectomy (N99.3)

ICD-10-AM Tenth Edition:

Excludes: prolapse:
 • and hernia of ovary and fallopian tube (N83.4)
 • of vaginal vault after hysterectomy (N99.3)

N81.0 Female urethrocele**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Excludes: urethrocele with:
 • cystocele (N81.1)
 • prolapse of uterus (N81.2–N81.4)

ICD-10-AM Sixth Edition:

Excludes: congenital (Q64.79)
 urethrocele with:
 • cystocele (N81.1)
 • prolapse of uterus (N81.2–N81.4)

N83.2 Other and unspecified ovarian cysts**Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Excludes: ovarian cyst:
 • developmental (Q50.1-)
 • neoplastic (D27)
 polycystic ovarian syndrome (E28.2)

ICD-10-AM Twelfth Edition:

Excludes: corpus luteum cyst (N83.1)
 ovarian cyst:
 • developmental (Q50.1-)
 • follicular (N83.0)
 • neoplastic (D27)
 multicystic ovary or ovaries (E28.2)
 polycystic ovarian syndrome (E28.2)

N85 Other noninflammatory disorders of uterus, except cervix

Status of excludes note: Revised – *Sixth Edition*

ICD-10-AM Fifth Edition:

Excludes: endometriosis (N80.-)
inflammatory diseases of uterus (N71.-)
noninflammatory disorders of cervix (N86–N88)
polyp of corpus uteri (N84.0)
uterine prolapse (N81.-)

ICD-10-AM Sixth Edition:

Excludes: endometriosis (N80.-)
inflammatory diseases of uterus (N71.-)
noninflammatory disorders of cervix except malposition (N86–N88)
polyp of corpus uteri (N84.0)
uterine prolapse (N81.-)

N85.4 Malposition of uterus

Status of excludes note: Revised – *Seventh Edition*
Status of excludes note: Deleted – *Tenth Edition*

ICD-10-AM Sixth Edition:

Excludes: that complicating pregnancy, labour or delivery (O34.5, O65.5)

ICD-10-AM Seventh Edition:

Excludes: that complicating:
• labour or delivery (O65.5)
• pregnancy (O34.5)

N85.6 Intrauterine synechiae

Status of term: Classified – *Second Edition*

Term classification:
Asherman's syndrome

N85.9 Noninflammatory disorder of uterus, unspecified

Status of inclusion term(s): Revised – *Eighth Edition*
Status of inclusion term(s): Revised – *Ninth Edition*

ICD-10-AM Seventh Edition:
Disorder of uterus NOS

ICD-10-AM Eighth Edition:
Disorder of uterus NOS
Thickening of endometrium

ICD-10-AM Ninth Edition:
Disorder of uterus NOS

N87.0 Mild cervical dysplasia**Status of inclusion term(s):****Revised – Eighth Edition****Status of inclusion term(s):****Deleted – Twelfth Edition Errata****ICD-10-AM Seventh Edition:**

Cervical intraepithelial neoplasia [CIN], grade I

ICD-10-AM Eighth Edition:

Cervical intraepithelial neoplasia [CIN], grade I

Low grade squamous intraepithelial lesion (LGSIL)

N87.1 Moderate cervical dysplasia**Status of inclusion term(s):****Deleted – Twelfth Edition Errata****N87.2 Severe cervical dysplasia, not elsewhere classified****Status of excludes note:****Revised – Ninth Edition****ICD-10-AM Eighth Edition:****Excludes:** cervical intraepithelial neoplasia [CIN], grade III, with or without mention of severe dysplasia (D06.-)**ICD-10-AM Ninth Edition:****Excludes:** cervical intraepithelial neoplasia [CIN], grade III, with or without mention of severe dysplasia (D06.1-D06.9)**N88.2 Stricture and stenosis of cervix uteri****Status of excludes note:****Deleted – Tenth Edition****N88.3 Incompetence of cervix uteri****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:****Excludes:** affecting fetus or newborn (P01.0)
complicating pregnancy (O34.3)**ICD-10-AM Tenth Edition:****Excludes:** affecting fetus or newborn (P01.0)
in pregnancy (O34.3)**N90 Other noninflammatory disorders of vulva and perineum****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:****Excludes:** carcinoma in situ of vulva (D07.1)
current obstetric trauma (O70.-, O71.7–O71.8)
inflammation of vulva (N76.-)**ICD-10-AM Eleventh Edition:****Excludes:** benign neoplasm of vulva (D28.0)
carcinoma in situ of vulva (D07.1)
current obstetric trauma (O70.-, O71.7–O71.8)
inflammation of vulva (N76.-)

N90.0 Mild vulvar dysplasia

Status of code: Deleted – Eleventh Edition

N90.1 Moderate vulvar dysplasia

Status of code: Deleted – Eleventh Edition

N90.2 Severe vulvar dysplasia, not elsewhere classified

Status of code: Deleted – Eleventh Edition

N90.3 Dysplasia of vulva, unspecified

Status of inclusion term(s): Created – Eleventh Edition
Status of instructional note(s): Created – Eleventh Edition
Status of excludes note: Created – Eleventh Edition
Status of instructional note(s): Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Use additional code (B97.7) to identify HPV (human papillomavirus), if applicable

ICD-10-AM Twelfth Edition:

Use additional code (B97.7) to identify human papillomavirus (HPV)

N90.7 Vulvar cyst

Status of term: Reclassified – First Edition

Term reclassification:

Implantation cyst of vulva

N90.8 Other specified noninflammatory disorders of vulva and perineum

Status of term: Reclassified – First Edition

Term reclassification:

Implantation cyst of vulva

N92.1 Excessive and frequent menstruation with irregular cycle

Status of inclusion term(s): Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Irregular intermenstrual bleeding
 Irregular, shortened intervals between menstrual bleeding
 Menometrorrhagia
 Metrorrhagia

ICD-10-AM Eleventh Edition:

Irregular:
 • intermenstrual bleeding
 • shortened intervals between menstrual bleeding
 Menometrorrhagia
 Metrorrhagia

N94.8 Other specified conditions associated with female genital organs and menstrual cycle

Status of term:

Reclassified – *First Edition*

Status of inclusion term(s):

Created – *Twelfth Edition*

Term reclassification:

Hypoactive sexual desire disorder, female

Orgasmic disorder, female

Sexual arousal disorder, female

N97 Female infertility

Status of includes note:

Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Includes: inability to achieve a pregnancy
sterility, female NOS

ICD-10-AM Eleventh Edition:

Includes: inability to achieve a pregnancy

N97.1 Female infertility of tubal origin

Status of includes note:

Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Associated with congenital anomaly of tube

Tubal:

- block
- occlusion
- stenosis

ICD-10-AM Eleventh Edition:

Infertility:

- associated with congenital anomaly of (fallopian) tube
- due to (fallopian) tube:
 - blockage
 - occlusion
 - stenosis

N97.2 Female infertility of uterine origin

Status of inclusion term(s):

Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Associated with congenital anomaly of uterus

Nonimplantation of ovum

ICD-10-AM Eleventh Edition:

Infertility associated with congenital anomaly of uterus

Nonimplantation of ovum

N97.4 Female infertility associated with male factors

Status of inclusion term(s):

Created – *Eleventh Edition*

N97.9 Female infertility, unspecified

Status of inclusion term(s):

Created – *Eleventh Edition*

N98.1 Hyperstimulation of ovaries

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of instructional note(s): Created – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Hyperstimulation of ovaries:

- associated with induced ovulation
- NOS

ICD-10-AM Seventh Edition:

Hyperstimulation of ovaries:

- associated with induced ovulation
- drug-induced
- NOS

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

N99 Intraoperative and postprocedural disorders of genitourinary system

Status of code title: Revised – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

- N99 Postprocedural disorders of genitourinary system, not elsewhere classified
- [N99.0](#) Postprocedural kidney failure
- [N99.1](#) Postprocedural urethral stricture
- [N99.2](#) Postprocedural adhesions of vagina
- [N99.3](#) Prolapse of vaginal vault after hysterectomy
- [N99.4](#) Postprocedural pelvic peritoneal adhesions
- [N99.5](#) Malfunction of external stoma of urinary tract
- [N99.8](#) Other postprocedural disorders of genitourinary system
- [N99.9](#) Postprocedural disorder of genitourinary system, unspecified

ICD-10-AM Tenth Edition:

- N99 Intraoperative and postprocedural disorders of genitourinary system, not elsewhere classified
- [N99.1](#) Postprocedural urethral stricture
- [N99.2](#) Postprocedural adhesions of vagina
- [N99.3](#) Prolapse of vaginal vault after hysterectomy
- [N99.4](#) Postprocedural pelvic peritoneal adhesions
- [N99.5](#) Malfunction of stoma of urinary tract
- [N99.51](#) Haemorrhage from stoma of urinary tract
- [N99.52](#) Infection of stoma of urinary tract
- [N99.53](#) Leak from stoma of urinary tract
- [N99.59](#) Malfunction of stoma of urinary tract, not elsewhere classified
- [N99.6](#) Accidental puncture and laceration of genitourinary system organ or structure during a procedure
- [N99.61](#) Accidental puncture and laceration of kidney during a procedure
- [N99.62](#) Accidental puncture and laceration of ureter during a procedure
- [N99.63](#) Accidental puncture and laceration of bladder during a procedure
- [N99.64](#) Accidental puncture and laceration of urethra during a procedure
- [N99.65](#) Accidental puncture and laceration of prostate during a procedure

N99.66	Accidental puncture and laceration of uterus during a procedure
N99.67	Accidental puncture and laceration of ovary and fallopian tube during a procedure
N99.68	Accidental puncture and laceration of testis during a procedure
N99.69	Accidental puncture and laceration of genitourinary organ or structure during a procedure, not elsewhere classified
N99.8	Other intraoperative and postprocedural disorders of genitourinary system
N99.81	Haemorrhage from surgical anastomosis of genitourinary tract
N99.82	Stenosis of surgical anastomosis of genitourinary tract
N99.83	Leak from surgical anastomosis of genitourinary tract
N99.84	Residual ovary syndrome
N99.89	Other intraoperative and postprocedural disorder of genitourinary system
N99.9	Intraoperative and postprocedural disorder of genitourinary system, unspecified

ICD-10-AM Twelfth Edition:

N99 Intraoperative and postprocedural disorders of genitourinary system, not elsewhere classified

Excludes: irradiation cystitis (N30.4)
 postophorectomy osteoporosis:
 • NOS (M81.1-)
 • with pathological fracture (M80.1-)
 states associated with artificial menopause (N95.3)

ICD-10-AM Thirteenth Edition:

N99 Intraoperative and postprocedural disorders of genitourinary system

Excludes: irradiation cystitis (N30.4)
 mechanical complication of devices, implants and grafts — see Alphabetic Index: *Complication(s)/ mechanical, of device, implant or graft/by site* OR *Complication(s)/by site and type/mechanical*
 postophorectomy osteoporosis:
 • NOS (M81.1-)
 • with pathological fracture (M80.1-)
 states associated with artificial menopause (N95.3)

N99.0 Postprocedural renal failure

Status of code: Deleted – Tenth Edition

N99.2 Postprocedural adhesions of vagina

Status of code: Revised – Second Edition

ICD-10-AM First Edition:

N99.2 Postoperative adhesions of vagina

ICD-10-AM Second Edition:

N99.2 Postprocedural adhesions of vagina

N99.5 Malfunction of stoma of urinary tract

Status of code title: Revised – **Tenth Edition**
Status of includes note: Created – **Tenth Edition**
Status of code(s): Created – **Tenth Edition**
Status of includes note: Revised – **Eleventh Edition**

ICD-10-AM Ninth Edition:

N99.5 Malfunction of external stoma of urinary tract

ICD-10-AM Tenth Edition:

N99.5 Malfunction of stoma of urinary tract

Includes: cystostomy
nephrostomy

N99.51 Haemorrhage from stoma of urinary tract
 N99.52 Infection of stoma of urinary tract
 N99.53 Leak from stoma of urinary tract
 N99.59 Malfunction of stoma of urinary tract, not elsewhere classified

ICD-10-AM Eleventh Edition:

Includes: cystostomy
nephrostomy
ureterostomy
urethroscopy

N99.6 Accidental puncture and laceration of genitourinary system organ or structure during a procedure

Status of code(s): Created – **Tenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Tenth Edition:

N99.6 Accidental puncture and laceration of genitourinary system organ or structure during a procedure
 N99.61 Accidental puncture and laceration of kidney during a procedure
 N99.62 Accidental puncture and laceration of ureter during a procedure
 N99.63 Accidental puncture and laceration of bladder during a procedure
 N99.64 Accidental puncture and laceration of urethra during a procedure
 N99.65 Accidental puncture and laceration of prostate during a procedure
 N99.66 Accidental puncture and laceration of uterus during a procedure
 N99.67 Accidental puncture and laceration of ovary and fallopian tube during a procedure
 N99.68 Accidental puncture and laceration of testis during a procedure
 N99.69 Accidental puncture and laceration of genitourinary organ or structure during a procedure, not elsewhere classified

N99.8 Other intraoperative and postprocedural disorders of genitourinary system

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

N99.8 Other postprocedural disorders of genitourinary system

ICD-10-AM Tenth Edition:

N99.8 Other intraoperative and postprocedural disorders of genitourinary system
 N99.81 Haemorrhage from surgical anastomosis of genitourinary tract
 N99.82 Stenosis of surgical anastomosis of genitourinary tract
 N99.83 Leak from surgical anastomosis of genitourinary tract
 N99.84 Residual ovary syndrome
 N99.89 Other intraoperative and postprocedural disorder of genitourinary system

N99.89 Other intraoperative and postprocedural disorder of genitourinary system

Status of code: Deleted – [Thirteenth Edition](#)

N99.9 Intraoperative and postprocedural disorder of genitourinary system, unspecified

Status of code title: Revised – [Tenth Edition](#)
Status of code: Deleted – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

N99.9 Postprocedural disorder of genitourinary system, unspecified

ICD-10-AM Tenth Edition:

N99.9 Intraoperative and postprocedural disorder of genitourinary system, unspecified

000–099 Pregnancy, childbirth and the puerperium

Status of note: Created – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition Errata 6](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of note: Revised – [Eleventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: human immunodeficiency virus [HIV] disease (B20–B24)
 injury, poisoning and certain other consequences of external cause (S00–T98)
 mental and behavioural disorders associated with the puerperium (F53.-)
 obstetrical tetanus (A34)
 postpartum necrosis of pituitary gland (E23.0)
 puerperal osteomalacia (M83.0-)
 supervision of:
 • high-risk pregnancy (Z35.-)
 • normal pregnancy (Z34.-)

ICD-10-AM Seventh Edition:

- Excludes:** certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:
- human immunodeficiency virus [HIV] disease (B20–B24)
 - injury, poisoning and certain other consequences of external cause (S00–T88.1, T88.6–T98)
 - mental and behavioural disorders associated with the puerperium (F53.-)
 - obstetrical tetanus (A34)
 - postpartum necrosis of pituitary gland (E23.0)
 - puerperal osteomalacia (M83.0-)
 - supervision of:
 - high-risk pregnancy (Z35.-)
 - normal pregnancy (Z34.-)

ICD-10-AM Seventh Edition Errata 6:

- Excludes:** certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:
- injury, poisoning and certain other consequences of external cause (S00–T88.1, T88.6–T98)
 - mental and behavioural disorders associated with the puerperium (F53.-)
 - obstetrical tetanus (A34)
 - postpartum necrosis of pituitary gland (E23.0)
 - puerperal osteomalacia (M83.0-)
 - supervision of:
 - high-risk pregnancy (Z35.-)
 - normal pregnancy (Z34.-)

ICD-10-AM Tenth Edition:

Note: The codes in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes)

- Excludes:** incidental pregnant state (Z33)
supervision of normal pregnancy (Z34.-)

ICD-10-AM Eleventh Edition:

Note: Codes in this chapter are assigned for conditions related to or aggravated by pregnancy, childbirth or the puerperium (maternal causes or obstetric causes)

000–008 Pregnancy with abortive outcome

Status of glossary description:
Status of glossary description:

Created – Tenth Edition
Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Fetal viability is defined as 20 completed weeks (140 days) gestation and/or fetal weight greater than or equal to 400g

ICD-10-AM Thirteenth Edition:

Fetal viability is defined as 20 completed weeks (140 days) gestation and/or fetal weight 400g or more.

000–002 Ectopic pregnancy, hydatidiform mole and other abnormal products of conception

Status of block title:

Created – Thirteenth Edition

O00 Ectopic pregnancy

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code from category O08.- to identify any associated complication.

Use additional code from category O09.- to identify duration of pregnancy

ICD-10-AM Twelfth Edition:

Use additional code (O08.-) to identify any associated complication.

Use additional code (O09.-) to identify duration of pregnancy.

O01 Hydatidiform mole

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code from category O08.- to identify any associated complication.

Use additional code from category O09.- to identify duration of pregnancy

ICD-10-AM Twelfth Edition:

Use additional code (O08.-) to identify any associated complication.

Use additional code (O09.-) to identify duration of pregnancy.

O02 Other abnormal products of conception

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code from category O08.- to identify any associated complication.

Use additional code from category O09.- to identify duration of pregnancy

ICD-10-AM Twelfth Edition:

Use additional code (O08.-) to identify any associated complication.

Use additional code (O09.-) to identify duration of pregnancy.

O02.1 Missed abortion

Status of glossary description: Created – [Tenth Edition](#)

Status of inclusion term(s): Deleted – [Tenth Edition](#)

O02.9 Abnormal product of conception, unspecified

Status of note: Deleted – [Tenth Edition](#)

003–006 Spontaneous abortion, medical abortion and abortion not elsewhere classified

Status of instructional note(s):	Created – Seventh Edition
Status of instructional note(s):	Revised – Ninth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of instructional note(s):	Revised – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of block title:	Created – Thirteenth Edition

ICD-10-AM Eighth Edition:

The following fourth character subdivisions are for use with categories O03–O06:

- .0 Incomplete, complicated by genital tract and pelvic infection
With conditions in O08.0

Use additional code (R57.2), to identify septic shock
- .1 Incomplete, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .2 Incomplete, complicated by embolism
With conditions in O08.2
- .3 Incomplete, with other and unspecified complications
With conditions in O08.3–O08.9
- .4 Incomplete, without complication
- .5 Complete or unspecified, complicated by genital tract and pelvic infection
With conditions in O08.0

Use additional code (R57.2), to identify septic shock
- .6 Complete or unspecified, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .7 Complete or unspecified, complicated by embolism
With conditions in O08.2
- .8 Complete or unspecified, with other and unspecified complications
With conditions in O08.3–O08.9
- .9 Complete or unspecified, without complication

ICD-10-AM Ninth Edition:

The following fourth character subdivisions are for use with categories O03–O06:

- .0 Incomplete, complicated by genital tract and pelvic infection
With conditions in O08.0

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis
Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable
- .1 Incomplete, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .2 Incomplete, complicated by embolism
With conditions in O08.2
- .3 Incomplete, with other and unspecified complications
With conditions in O08.3–O08.9
- .4 Incomplete, without complication
- .5 Complete or unspecified, complicated by genital tract and pelvic infection
With conditions in O08.0

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis
Use additional code Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

- .6 Complete or unspecified, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .7 Complete or unspecified, complicated by embolism
With conditions in O08.2
- .8 Complete or unspecified, with other and unspecified complications
With conditions in O08.3–O08.9
- .9 Complete or unspecified, without complication

ICD-10-AM Tenth Edition:

The following fourth character subdivisions are for use with categories O03–O06:

Subdivisions .0–.4 are assigned for incomplete abortion ie where there are retained products of conception following abortion.

Subdivisions .5–.9 are assigned for complete abortion ie where there is no documentation of retained products of conception.

- .0 incomplete, complicated by genital tract and pelvic infection

With conditions in O08.0

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

- .1 incomplete, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .2 incomplete, complicated by embolism
With conditions in O08.2
- .3 incomplete, with other and unspecified complications
With conditions in O08.3–O08.9
- .4 incomplete, without complication
- .5 complete or unspecified, complicated by genital tract and pelvic infection
With conditions in O08.0

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

- .6 complete or unspecified, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .7 complete or unspecified, complicated by embolism
With conditions in O08.2
- .8 complete or unspecified, with other and unspecified complications
With conditions in O08.3–O08.9
- .9 complete or unspecified, without complication

ICD-10-AM Eleventh Edition:

The following fourth character subdivisions are for use with categories O03–O06:

Subdivisions .0–.4 are assigned for incomplete abortion (ie where there are retained products of conception following abortion).

Subdivisions .5–.9 are assigned for complete or unspecified abortion (ie where there is no documentation of retained products of conception):

- .0 incomplete, complicated by genital tract and pelvic infection

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.

Use additional code (B95–B97) to identify infectious agent.

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

Code also specific type of infection, if known

- .1 incomplete, complicated by delayed or excessive haemorrhage
Code also coagulopathy, if applicable
- .2 incomplete, complicated by embolism
Code also site of embolism, if known
- .3 incomplete, with other and unspecified complications

- .4 incomplete, without complication
- .5 complete or unspecified, complicated by genital tract and pelvic infection
Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.
Use additional code (B95–B97) to identify infectious agent.
Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.
Code also specific type of infection, if known
- .6 complete or unspecified, complicated by delayed or excessive haemorrhage
Code also coagulopathy, if applicable
- .7 complete or unspecified, complicated by embolism
Code also site of embolism, if known
- .8 complete or unspecified, with other and unspecified complications
- .9 complete or unspecified, without complication

ICD-10-AM Twelfth Edition:

- .0 incomplete, complicated by genital tract and pelvic infection and sepsis
Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.
Use additional code to identify specific type of infection.
Use additional code (B95–B97) to identify infectious agent.
Use additional code (R57.2) to identify septic shock.
- .1 incomplete, complicated by delayed or excessive haemorrhage
Use additional code to identify specific type of coagulation defect.
- .2 incomplete, complicated by embolism
Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.
Use additional code to identify site of embolism.
Use additional code (R57.2) to identify septic shock.
 ...
- .5 complete or unspecified, complicated by genital tract and pelvic infection and sepsis
Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.
Use additional code to identify specific type of infection.
Use additional code (B95–B97) to identify infectious agent.
Use additional code (R57.2) to identify septic shock.
- .6 complete or unspecified, complicated by delayed or excessive haemorrhage
Use additional code to identify specific type of coagulation defect.
- .7 complete or unspecified, complicated by embolism
Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.
Use additional code to identify site of embolism.
Use additional code (R57.2) to identify septic shock.

O03 Spontaneous abortion

Status of glossary description:	Created – Tenth Edition
Status of inclusion term(s):	Created – Tenth Edition
Status of includes note:	Deleted – Tenth Edition
Status of code title(s):	Revised – Twelfth Edition
Status of inclusion term(s):	Deleted – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

O03	Spontaneous abortion <i>Use additional code from category O09.- to identify duration of pregnancy.</i>
O03.0	Spontaneous abortion, incomplete, complicated by genital tract and pelvic infection
...	
O03.5	Spontaneous abortion, complete or unspecified, complicated by genital tract and pelvic infection
...	

ICD-10-AM Twelfth Edition:

O03	Spontaneous abortion <i>Use additional code (O09.-) to identify duration of pregnancy.</i>
O03.0	Spontaneous abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
...	
O03.5	Spontaneous abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis
...	

O04 Medical abortion

Status of glossary description:	Created – Eleventh Edition
Status of inclusion term(s):	Created – Eleventh Edition
Status of includes note:	Deleted – Eleventh Edition
Status of excludes note:	Created – Eleventh Edition
Status of code title(s):	Revised – Twelfth Edition
Status of inclusion term(s):	Deleted – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

O04	Medical abortion <i>Use additional code from category O09.- to identify duration of pregnancy.</i>
.0	Medical abortion, incomplete, complicated by genital tract and pelvic infection
...	
.5	Medical abortion, complete or unspecified, complicated by genital tract and pelvic infection

ICD-10-AM Twelfth Edition:

O04	Medical abortion <i>Use additional code (O09.-) to identify duration of pregnancy.</i>
.0	Medical abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
...	
.5	Medical abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis

O05 Other abortion

Status of code title(s): Revised – [Twelfth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

- O05 Other abortion
Use additional code from category O09.- to identify duration of pregnancy.
- O05.0 Other abortion, incomplete, complicated by genital tract and pelvic infection
...
- O05.5 Other abortion, complete or unspecified, complicated by genital tract and pelvic infection
...

ICD-10-AM Twelfth Edition:

- O05 Other abortion
Use additional code (O09.-) to identify duration of pregnancy.
- O05.0 Other abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
...
- O05.5 Other abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis
...

O06 Unspecified abortion

Status of inclusion term(s): Created – [Eleventh Edition](#)
Status of includes note: Deleted – [Eleventh Edition](#)
Status of code title(s): Revised – [Twelfth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

- O06 Unspecified abortion
Use additional code from category O09.- to identify duration of pregnancy.
- O06.0 Unspecified abortion, incomplete, complicated by genital tract and pelvic infection
...
- O06.5 Unspecified abortion, complete or unspecified, complicated by genital tract and pelvic infection
...

ICD-10-AM Twelfth Edition:

- O06 Unspecified abortion
Use additional code (O09.-) to identify duration of pregnancy.
- O06.0 Unspecified abortion, incomplete, complicated by genital tract and pelvic infection and sepsis
...
- O06.5 Unspecified abortion, complete or unspecified, complicated by genital tract and pelvic infection and sepsis
...

O07–O08 Failed attempted abortion, and complications following abortion and ectopic and molar pregnancy

Status of block title:

Created – *Thirteenth Edition*

O07 Failed attempted abortion

Status of glossary description:

Created – *Eleventh Edition*

Status of inclusion term(s):

Created – *Eleventh Edition*

Status of includes note:

Deleted – *Eleventh Edition*

Status of instructional note(s):

Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional code from category O09.- to identify duration of pregnancy.

ICD-10-AM Twelfth Edition:

Use additional code (O09.-) to identify duration of pregnancy.

O07.0 Failed medical abortion, complicated by genital tract and pelvic infection and sepsis

Status of instructional note(s):

Created – *Seventh Edition*

Status of instructional note(s):

Revised – *Ninth Edition*

Status of inclusion term(s):

Deleted – *Eleventh Edition*

Status of instructional note(s):

Revised – *Eleventh Edition*

Status of code title:

Revised – *Twelfth Edition*

Status of instructional note(s):

Revised – *Twelfth Edition*

ICD-10-AM Eighth Edition:

With conditions in O08.0

Use additional code (R57.2), to identify septic shock

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

ICD-10-AM Eleventh Edition:

O07.0 Failed medical abortion, complicated by genital tract and pelvic infection

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.

Use additional code (B95–B97) to identify infectious agent.

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

Code also specific type of infection, if known.

ICD-10-AM Twelfth Edition:

O07.0 Failed medical abortion, complicated by genital tract and pelvic infection and sepsis

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

Use additional code (B95–B97) to identify infectious agent.

Use additional code (R57.2) to identify septic shock.

O07.1 Failed medical abortion, complicated by delayed or excessive haemorrhage

Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also coagulopathy, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of coagulation defect.

O07.2 Failed medical abortion, complicated by embolism

Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also site of embolism, if known.

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify site of embolism.

Use additional code (R57.2) to identify septic shock.

O07.3 Failed medical abortion, with other and unspecified complications

Status of inclusion term(s): Deleted – [Eleventh Edition](#)

O07.5 Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection and sepsis

Status of instructional note(s): Created – [Seventh Edition](#)
Status of instructional note(s): Revised – [Ninth Edition](#)
Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Eleventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eighth Edition:

Use additional code (R57.2), to identify septic shock

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

ICD-10-AM Eleventh Edition:

O07.5 Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.

Use additional code (B95–B97) to identify infectious agent.

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

Code also specific type of infection, if known.

ICD-10-AM Twelfth Edition:

O07.5 Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection and sepsis

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

Use additional code (B95–B97) to identify infectious agent.

Use additional code (R57.2) to identify septic shock.

O07.6 Other and unspecified failed attempted abortion, complicated by delayed or excessive haemorrhage

Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Code also coagulopathy, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of coagulation defect.

O07.7 Other and unspecified failed attempted abortion, complicated by embolism

Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Code also site of embolism, if known.

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify site of embolism.

Use additional code (R57.2) to identify septic shock.

O07.8 Other and unspecified failed attempted abortion, complicated by embolism

Status of inclusion term(s):	Deleted – Eleventh Edition
-------------------------------------	-----------------------------------

O08 Complications following abortion and ectopic and molar pregnancy

Status of note:	Created – Eleventh Edition
Status of excludes note:	Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Excludes: retained products of conception (O03–O06)

ICD-10-AM Eleventh Edition:

Excludes: complication(s) during episode of care:

- for staged abortion (O04.5–O04.9)
- in which an abortion is treated, performed or occurred (current episode) (O03–O06)

retained products of conception (O03–O06)

O08.0 Genital tract and pelvic infection and sepsis following abortion and ectopic and molar pregnancy

Status of inclusion term(s):	Revised – Seventh Edition
Status of instructional note(s):	Created – Seventh Edition
Status of inclusion term(s):	Revised – Ninth Edition
Status of instructional note(s):	Revised – Ninth Edition
Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Revised – Eleventh Edition
Status of code title:	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

Endometritis	}	
Oophoritis	}	
Parametritis	}	
Pelvic peritonitis	}	
Salpingitis	}	following conditions classifiable to O00–O07
Salpingo-oophoritis	}	
Sepsis	}	
Septic shock	}	
Septicaemia	}	

ICD-10-AM Seventh Edition:

Endometritis	}	
Oophoritis	}	
Parametritis	}	
Pelvic peritonitis	}	
Salpingitis	}	following conditions classifiable to O00–O07
Salpingo-oophoritis	}	
Sepsis	}	

ICD-10-AM Eighth Edition:

Endometritis following conditions classifiable to O00–O07
 Oophoritis following conditions classifiable to O00–O07
 Parametritis following conditions classifiable to O00–O07
 Pelvic peritonitis following conditions classifiable to O00–O07
 Salpingitis following conditions classifiable to O00–O07
 Salpingo-oophoritis following conditions classifiable to O00–O07
 Sepsis following conditions classifiable to O00–O07

Use additional code (R57.2), to identify septic shock

Excludes: septic or septicopyaemic embolism (O08.2)
 urinary tract infection (O08.8)

ICD-10-AM Ninth Edition:

Endometritis following conditions classifiable to O00–O07
 Oophoritis following conditions classifiable to O00–O07
 Parametritis following conditions classifiable to O00–O07
 Pelvic peritonitis following conditions classifiable to O00–O07
 Salpingitis following conditions classifiable to O00–O07
 Salpingo-oophoritis following conditions classifiable to O00–O07

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable

Excludes: septic or septicopyaemic embolism (O08.2)
 urinary tract infection (O08.8)

ICD-10-AM Eleventh Edition:

O08.0 Genital tract and pelvic infection following abortion and ectopic and molar pregnancy

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.

Use additional code (B95–B97) to identify infectious agent.

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

Code also specific type of infection, if known.

Excludes: septic or septicopyaemic embolism (O08.2)
urinary tract infection (O08.8)

ICD-10-AM Twelfth Edition:

O08.0 Genital tract and pelvic infection and sepsis following abortion and ectopic and molar pregnancy

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

Use additional code (B95–B97) to identify infectious agent.

Use additional code (R57.2) to identify septic shock.

Excludes: urinary tract infection (O08.8)

O08.1 Delayed or excessive haemorrhage following abortion and ectopic and molar pregnancy

Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Code also coagulopathy, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of coagulation defect.

O08.2 Embolism following abortion and ectopic and molar pregnancy

Status of inclusion term(s):	Revised – Ninth Edition
Status of instructional note(s):	Created – Ninth Edition
Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Revised – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eighth Edition:

Embolism:

- air following conditions classifiable to O00–O07
- amniotic fluid following conditions classifiable to O00–O07
- blood clot (pulmonary) following conditions classifiable to O00–O07
- NOS following conditions classifiable to O00–O07
- pyaemic following conditions classifiable to O00–O07
- septic or septicopyaemic following conditions classifiable to O00–O07
- soap following conditions classifiable to O00–O07

ICD-10-AM Ninth Edition:**Embolism:**

- air following conditions classifiable to O00–O07
- amniotic fluid following conditions classifiable to O00–O07
- blood clot (pulmonary) following conditions classifiable to O00–O07
- NOS following conditions classifiable to O00–O07
- pyaemic following conditions classifiable to O00–O07
- soap following conditions classifiable to O00–O07

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Eleventh Edition:

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.

Code also site of embolism, if known.

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify site of embolism.

Use additional code (R57.2) to identify septic shock.

O08.3 Shock following abortion and ectopic and molar pregnancy

Status of excludes note:

Revised – Seventh Edition

Status of excludes note:

Deleted – Ninth Edition

Status of instructional note(s):

Created – Ninth Edition

Status of inclusion term(s):

Deleted – Eleventh Edition

Status of instructional note(s):

Deleted – Twelfth Edition

ICD-10-AM Sixth Edition:

Excludes: septic shock (O08.0)

ICD-10-AM Seventh Edition:

Excludes: septic shock (R57.2)

ICD-10-AM Eighth Edition:

Circulatory collapse following conditions classifiable to O00–O07

Shock (postprocedural) following conditions classifiable to O00–O07

Excludes: septic shock (R57.2)

ICD-10-AM Ninth Edition:

Circulatory collapse following conditions classifiable to O00–O07

Shock (postprocedural) following conditions classifiable to O00–O07

Use additional code (R57.2) to identify septic shock, if applicable

O08.4 Kidney failure following abortion and ectopic and molar pregnancy

Status of inclusion term(s):	Revised – Sixth Edition Errata 1
Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

Oliguria	}	
Kidney:	}	
• failure (acute)	}	following conditions classifiable to O00–O07
• shutdown	}	
• tubular necrosis	}	
Uraemia	}	

ICD-10-AM Sixth Edition Errata 1:

Kidney:	}	
• failure (acute)	}	following conditions classifiable to O00–O07
• shutdown	}	
• tubular necrosis	}	
Oliguria	}	
Uraemia	}	

ICD-10-AM Eleventh Edition:

Code also type of kidney failure, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify type of kidney failure.

O08.5 Metabolic disorders following abortion and ectopic and molar pregnancy

Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Code also type of metabolic disorder, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify type of metabolic disorder.

O08.6 Damage to pelvic organs and tissues following abortion and ectopic and molar pregnancy

Status of inclusion term(s):	Deleted – Eleventh Edition
Status of includes note:	Created – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Use additional code to identify external cause (Chapter 20), if applicable.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

O08.7 Other venous complications following abortion and ectopic and molar pregnancy

Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also specific venous condition, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify type of venous condition.

O08.8 Other complications following abortion and ectopic and molar pregnancy

Status of inclusion term(s): Deleted – [Eleventh Edition](#)

O08.9 Complication following abortion and ectopic and molar pregnancy, unspecified

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Unspecified complication following conditions classifiable to O00–O07

ICD-10-AM Eleventh Edition:

Unspecified complication following abortion and ectopic and molar pregnancy

O09 Duration of pregnancy

Status of code(s): Created – [First Edition](#)
Status of note: Created – [Seventh Edition](#)
Status of note: Revised – [Eighth Edition](#)
Status of note: Revised – [Eleventh Edition](#)
Status of instructional note(s): Created – [Eleventh Edition](#)
Status of note: Revised – [Twelfth Edition](#)
Status of excludes note: Created – [Twelfth Edition](#)

WHO ICD-10:

Not classifiable in WHO ICD-10

ICD-10-AM First Edition (hard copy):

O09 Duration of pregnancy
 O09.0 < 5 completed weeks
 O09.1 5-13 completed weeks
 O09.2 14-19 completed weeks
 O09.3 20-25 completed weeks
 O09.4 26-33 completed weeks
[O09.5](#) 34-36 completed weeks
[O09.9](#) Unspecified duration of pregnancy

ICD-10-AM Seventh Edition:

Note: Category O09 identifies the duration of pregnancy at admission on the mother's record and should only be assigned as an additional diagnosis with the following conditions:

- abortion (O00–O07 *Pregnancy with abortive outcome*)
 - early onset of labour (O60 *Preterm labour and delivery*)
 - fetal death in utero (O36.4)
 - premature rupture of membranes (O42) (before 37 completed weeks of gestation)
 - threatened:
- abortion (O20.0)
- premature labour (O47.0 *False labour before 37 completed weeks of gestation*)

ICD-10-AM Eighth Edition:

Note: 37 completed weeks refers to 36 weeks plus 7 days. Duration of pregnancy less than 37 completed weeks is deemed premature.

Category O09 identifies the duration of pregnancy at admission on the mother's record and should only be assigned as an additional diagnosis with the following conditions:

- abortion (O00–O07 *Pregnancy with abortive outcome*)
- early onset of labour (O60 *Preterm labour and delivery*)
- fetal death in utero (O36.4) (before 37 completed weeks of gestation)
- premature rupture of membranes (O42) (before 37 completed weeks of gestation)
- threatened:
 - abortion (O20.0)
 - premature labour (O47.0 *False labour before 37 completed weeks of gestation*)

ICD-10-AM Eleventh Edition:

Note: Category O09 identifies duration of pregnancy at admission on the patient's (mother's) record. Codes from this category are assigned only in addition to the conditions listed below, if they occur before 37 completed weeks (ie < 36 weeks plus 7 days) of gestation.

ICD-10-AM Twelfth Edition:

Note: Category O09 identifies duration of pregnancy at admission on the patient's (mother's) record. Codes from this category are assigned only in addition to the conditions listed below, if they occur before 37 weeks (ie less than 36 weeks plus 7 days) of gestation.

O09.0 Duration of pregnancy less than 5 completed weeks

Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition (hard copy):

O09.0 < 5 completed weeks

ICD-10-AM Twelfth Edition (hard copy):

O09.0 Less than 5 completed weeks

O09.5 Duration of pregnancy 34–36 completed weeks

Status of code title: Revised – *Eighth Edition*
Status of glossary description: Created – *Eleventh Edition*
Status of code title: Revised – *Twelfth Edition*
Status of glossary description: Revised – *Twelfth Edition*

ICD-10-AM Seventh Edition (hard copy):

O09.5 34–36 completed weeks

ICD-10-AM Eighth Edition (hard copy):

O09.5 34–< 37 completed weeks

ICD-10-AM Eleventh Edition (hard copy):

O09.5 34–< 37 completed weeks
 37 completed weeks is defined as 36 weeks plus 7 days

ICD-10-AM Twelfth Edition (hard copy):

O09.5 34–36 completed weeks
 36 completed weeks is defined as 36 weeks plus 6 days

O09.9 Unspecified duration of pregnancy**Status of note:****Created – Seventh Edition****Status of note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Note: This code should be assigned only with conditions listed above and where the duration of pregnancy has not been recorded

ICD-10-AM Eleventh Edition:

Note: Assign this code only with the conditions listed above, where the duration of pregnancy has not been documented

O10 Pre-existing hypertension in pregnancy, childbirth and the puerperium**Status of excludes note:****Revised – Eighth Edition****Status of code title:****Revised – Tenth Edition****Status of includes note:****Revised – Tenth Edition****Status of instructional note(s):****Created – Tenth Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Seventh Edition:**

Excludes: that with increased or superimposed proteinuria (O11)

ICD-10-AM Eighth Edition:

Excludes: that with superimposed pre-eclampsia (O11)

ICD-10-AM Ninth Edition:

O10 Pre-existing hypertension complicating pregnancy, childbirth and the puerperium

Includes: the listed conditions with pre-existing proteinuria

ICD-10-AM Tenth Edition:

O10 Pre-existing hypertension in pregnancy, childbirth and the puerperium

Includes: pre-existing proteinuria

ICD-10-AM Eleventh Edition:

Code also specific type of hypertension (I10–I15), if known

ICD-10-AM Twelfth Edition:

Use additional code (I10–I15) to identify type of pre-existing hypertension.

O10.0 Pre-existing essential hypertension complicating pregnancy, childbirth and the puerperium**Status of code:****Deleted – Tenth Edition**

O10.1 Pre-existing hypertensive heart disease complicating pregnancy, childbirth and the puerperium*Status of code:**Deleted – Tenth Edition***O10.2 Pre-existing hypertensive kidney disease complicating pregnancy, childbirth and the puerperium***Status of code title:**Revised – Sixth Edition**Status of code:**Deleted – Tenth Edition***ICD-10-AM Fifth Edition:**

O10.2 Pre-existing hypertensive renal disease complicating pregnancy, childbirth and the puerperium

ICD-10-AM Sixth Edition:

O10.2 Pre-existing hypertensive kidney disease complicating pregnancy, childbirth and the puerperium

O10.3 Pre-existing hypertensive heart and kidney disease complicating pregnancy, childbirth and the puerperium*Status of code title:**Revised – Sixth Edition**Status of code:**Deleted – Tenth Edition***ICD-10-AM Fifth Edition:**

O10.3 Pre-existing hypertensive heart and renal disease complicating pregnancy, childbirth and the puerperium

ICD-10-AM Sixth Edition:

O10.3 Pre-existing hypertensive heart and kidney disease complicating pregnancy, childbirth and the puerperium

O10.4 Pre-existing secondary hypertension complicating pregnancy, childbirth and the puerperium*Status of code:**Deleted – Tenth Edition***O10.9 Unspecified pre-existing hypertension complicating pregnancy, childbirth and the puerperium***Status of code:**Deleted – Tenth Edition***O11 Pre-eclampsia superimposed on chronic hypertension***Status of code title:**Revised – Eighth Edition**Status of inclusion term(s):**Revised – Eighth Edition**Status of glossary description:**Deleted – Tenth Edition**Status of instructional note(s):**Created – Tenth Edition**Status of instructional note(s):**Revised – Twelfth Edition***ICD-10-AM Seventh Edition:**

O11 Pre-existing hypertensive disorder with superimposed proteinuria
 Conditions in O10.- complicated by increased proteinuria
 Superimposed pre-eclampsia

ICD-10-AM Eighth Edition:

O11 Pre-eclampsia superimposed on chronic hypertension
Conditions in O10.- complicated by pre-eclampsia

Pre-eclampsia superimposed on:

- hypertension NOS
- pre-existing hypertension

ICD-10-AM Eleventh Edition:

Code also specific type of hypertension (I10–I15), if known

ICD-10-AM Twelfth Edition:

Use additional code (I10–I15) to identify type of pre-existing hypertension.

O13 Gestational [pregnancy-induced] hypertension

Status of code title:

Revised – Eighth Edition

Status of inclusion term(s):

Revised – Eighth Edition

Status of inclusion term(s):

Revised – Ninth Edition

ICD-10-AM Seventh Edition:

O13 Gestational [pregnancy-induced] hypertension without significant proteinuria
Gestational hypertension NOS
Mild pre-eclampsia

ICD-10-AM Eighth Edition:

O13 Gestational [pregnancy-induced] hypertension
Gestational hypertension NOS
Pregnancy-induced hypertension NOS

ICD-10-AM Ninth Edition:

Gestational hypertension NOS
Pregnancy-induced hypertension NOS
Transient hypertension of pregnancy

O14 Pre-eclampsia

Status of code title:

Revised – Eighth Edition

Status of excludes note:

Revised – Tenth Edition

ICD-10-AM Seventh Edition:

O14 Gestational [pregnancy-induced] hypertension with significant proteinuria

ICD-10-AM Eighth Edition:

O14 Pre-eclampsia
Excludes: superimposed pre-eclampsia (O11)

ICD-10-AM Tenth Edition:

Excludes: pre-eclampsia superimposed on pre-existing hypertension (O11)

O14.0 Mild to moderate pre-eclampsia**Status of term:****Reclassified – First Edition****Status of code title:****Revised – Eighth Edition****Term reclassification:**

HELLP syndrome

ICD-10-AM Seventh Edition:

O14.0 Moderate pre-eclampsia

ICD-10-AM Eighth Edition:

O14.0 Mild to moderate pre-eclampsia

O14.1 Severe pre-eclampsia**Status of term:****Reclassified – First Edition****Term reclassification:**

HELLP syndrome

O14.2 HELLP syndrome**Status of code:****Created – Seventh Edition****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Combination of haemolysis, elevated liver enzymes and low platelet count

ICD-10-AM Eleventh Edition:

Severe pre-eclampsia with haemolysis, elevated liver enzymes and low platelet count

O15 Eclampsia**Status of includes note:****Revised – Tenth Edition****Status of instructional note(s):****Created – Tenth Edition****Status of includes note:****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Ninth Edition:**

Includes: convulsions following conditions in O10–O14 and O16
 eclampsia with pregnancy-induced or pre-existing hypertension

ICD-10-AM Tenth Edition:

Includes: coma
 convulsions | following conditions in O10–O14 and O16
 delirium |
 eclampsia with pregnancy-induced or pre-existing hypertension

ICD-10-AM Eleventh Edition:

Includes: coma following conditions classified to O10–O14 and O16
 convulsions following conditions classified to O10–O14 and O16
 delirium following conditions classified to O10–O14 and O16
 eclampsia with pregnancy-induced or pre-existing hypertension

Code also specific type of pre-existing hypertension (I10–I15), if known

ICD-10-AM Twelfth Edition:

Use additional code (I10–I15) to identify type of pre-existing hypertension.

O20–O28 Other maternal disorders predominantly related to pregnancy

Status of note: Revised – [Tenth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of note: Revised – [Eleventh Edition](#)

ICD-10-AM Ninth Edition:

Note: Categories O24.- and O25 include the listed conditions even if they occur during childbirth or the puerperium.

Excludes: maternal:
 • care related to the fetus and amniotic cavity and possible delivery problems (O30–O48)
 • diseases classifiable elsewhere but complicating pregnancy, labour and delivery, and the puerperium (O98–O99)

ICD-10-AM Tenth Edition:

Note: Categories O24.-, O25, O26.6, O26.7 and O26.81 classify conditions in pregnancy, childbirth and the puerperium.

Excludes: maternal care related to the fetus and amniotic cavity and possible delivery problems (O30–O48)

ICD-10-AM Eleventh Edition:

Note: Categories O24, O25, O26.6, O26.7 and O26.81 classify conditions in pregnancy, childbirth and the puerperium.

O20.0 Threatened abortion

Status of excludes note: Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code from category O09.- to identify duration of pregnancy.

ICD-10-AM Twelfth Edition:

Use additional code (O09.-) to identify duration of pregnancy.

O21 Excessive vomiting in pregnancy

Status of excludes note: Created – [Tenth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Excludes: vomiting in pregnancy due to a specified cause classified elsewhere — code condition — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Excludes: vomiting in pregnancy due to specified, non psychological condition, classified elsewhere — code condition — see Alphabetic Index

O21.0 Hyperemesis gravidarum

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Ninth Edition:

O21.0 Mild hyperemesis gravidarum
 Hyperemesis gravidarum, mild or unspecified, starting before the end of the 20th week of gestation

ICD-10-AM Tenth Edition:

O21.0 Hyperemesis gravidarum
 Hyperemesis gravidarum | starting before the end of the 20th week of gestation
 Excessive vomiting

ICD-10-AM Eleventh Edition:

Hyperemesis gravidarum starting before 20 completed weeks of gestation

O21.1 Hyperemesis gravidarum with metabolic disturbance

Status of code: Deleted – [Tenth Edition](#)

O21.2 Vomiting in late pregnancy

Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

O21.2 Late vomiting of pregnancy

ICD-10-AM Tenth Edition:

O21.2 Vomiting in late pregnancy

O21.8 Other vomiting complicating pregnancy

Status of code: Deleted – [Tenth Edition](#)

O21.9 Vomiting in pregnancy, not elsewhere classified

Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

O21.9 Vomiting of pregnancy, unspecified

ICD-10-AM Tenth Edition:

O21.9 Vomiting in pregnancy, not elsewhere classified

O22 Venous conditions and haemorrhoids in pregnancy**Status of code title:** Revised – *Eighth Edition***Status of code title:** Revised – *Tenth Edition***Status of excludes note:** Revised – *Tenth Edition***ICD-10-AM Seventh Edition:**

O22 Venous complications in pregnancy

ICD-10-AM Eighth Edition:

O22 Venous complications and haemorrhoids in pregnancy

Excludes: obstetric pulmonary embolism (O88.-)
 the listed conditions as complications of:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 • childbirth and the puerperium (O87.-)

ICD-10-AM Tenth Edition:

O22 Venous conditions and haemorrhoids in pregnancy

Excludes: obstetric embolism (O88.-)
 the listed conditions:
 • as complications of abortion or ectopic or molar pregnancy (O00–O07, O08.7)
 • in childbirth and the puerperium (O87.-)

O22.0 Varicose veins of lower extremity in pregnancy**Status of code:** Deleted – *Tenth Edition***O22.1 Genital varices in pregnancy****Status of code:** Deleted – *Tenth Edition***O22.2 Superficial thrombophlebitis in pregnancy****Status of code:** Deleted – *Tenth Edition***O22.3 Deep phlebothrombosis in pregnancy****Status of code:** Deleted – *Tenth Edition***O22.4 Haemorrhoids in pregnancy****Status of instructional note(s):** Created – *Tenth Edition***Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:***Code also specific type of haemorrhoids (K64.-), if known.***ICD-10-AM Twelfth Edition:***Use additional code (K64.0–K64.8) to identify specific type of haemorrhoids.***O22.5 Cerebral venous thrombosis in pregnancy****Status of code:** Deleted – *Tenth Edition***O22.8 Other venous complications in pregnancy****Status of code:** Deleted – *Tenth Edition*

O22.9 Venous condition in pregnancy

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Ninth Edition:

O22.9 Venous complication in pregnancy, unspecified

ICD-10-AM Tenth Edition:

O22.9 Venous condition in pregnancy

ICD-10-AM Eleventh Edition:

Code also specific venous condition, if known

ICD-10-AM Twelfth Edition:

Use additional code to identify specific venous condition.

O23 Infections of genitourinary tract in pregnancy

Status of excludes note: Created – [Eighth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Eleventh Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Use additional code (B95–B97) to identify infectious agent.

Code also specific type of infection, if known.

Excludes: gonococcal infections (O98.2)
 infections with a predominantly sexual mode of transmission NOS (O98.3)
 syphilis (O98.1)
 tuberculosis of genitourinary system (O98.0)
 venereal disease NOS (O98.3)

ICD-10-AM Eleventh Edition:

Use additional code (Chapter 1) to identify infectious agent.

Code also specific type of infection, if known.

Excludes: gonococcal infections (O98.2)
 infections with a predominantly sexual mode of transmission classified to A55–A64 (O98.3)
 syphilis (O98.1)
 tuberculosis of genitourinary system (O98.0)
 venereal disease NOS (O98.3)

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of genitourinary tract infection.

Use additional code (Chapter 1) to identify infectious agent

O24 Diabetes mellitus in pregnancy, childbirth and the puerperium

<i>Status of code(s):</i>	<i>Created, Revised – Second Edition</i>
<i>Status of code(s):</i>	<i>Created, Revised – Third Edition</i>
<i>Status of code(s):</i>	<i>Created, Revised – Fourth Edition</i>
<i>Status of includes note:</i>	<i>Revised – Eighth Edition</i>
<i>Status of code title:</i>	<i>Revised – Eleventh Edition</i>
<i>Status of includes note:</i>	<i>Deleted – Eleventh Edition</i>

ICD-10-AM First Edition:

O24	Diabetes mellitus in pregnancy
O24.0	Pre-existing diabetes mellitus, insulin-dependent
O24.1	Pre-existing diabetes mellitus, non-insulin-dependent
O24.2	Pre-existing malnutrition-related diabetes mellitus
O24.3	Pre-existing diabetes mellitus, unspecified
O24.4	Diabetes mellitus arising in pregnancy
O24.9	Diabetes mellitus in pregnancy, unspecified onset

ICD-10-AM Second Edition:

O24	Diabetes mellitus in pregnancy
O24.0	Pre-existing diabetes mellitus, Type 1, in pregnancy
O24.1	Pre-existing diabetes mellitus, Type 2, in pregnancy
O24.2	Pre-existing diabetes mellitus, other specified type, in pregnancy
O24.3	Pre-existing diabetes mellitus, unspecified, in pregnancy
O24.4	Diabetes mellitus arising in pregnancy
O24.41	Diabetes mellitus arising in pregnancy, non-insulin requiring
O24.42	Diabetes mellitus arising in pregnancy, insulin requiring
O24.9	Diabetes mellitus in pregnancy, unspecified onset

ICD-10-AM Third Edition:

O24	Diabetes mellitus in pregnancy
O24.0	Pre-existing diabetes mellitus, Type 1, in pregnancy
O24.1	Pre-existing diabetes mellitus, Type 2, in pregnancy
O24.11	Pre-existing diabetes mellitus, Type 2, in pregnancy, non-insulin treated
O24.12	Pre-existing diabetes mellitus, Type 2, in pregnancy, insulin treated
O24.2	Pre-existing diabetes mellitus, other specified type, in pregnancy
O24.21	Pre-existing diabetes mellitus, other specified type, in pregnancy, non-insulin treated
O24.22	Pre-existing diabetes mellitus, other specified type, in pregnancy, insulin treated
O24.3	Pre-existing diabetes mellitus, unspecified, in pregnancy
O24.31	Pre-existing diabetes mellitus, unspecified, in pregnancy, non-insulin treated
O24.32	Pre-existing diabetes mellitus, unspecified, in pregnancy, insulin treated
O24.4	Diabetes mellitus arising in pregnancy
O24.41	Diabetes mellitus arising in pregnancy, non-insulin treated
O24.42	Diabetes mellitus arising in pregnancy, insulin treated
O24.9	Diabetes mellitus in pregnancy, unspecified onset
O24.91	Diabetes mellitus in pregnancy, unspecified onset, non-insulin treated
O24.92	Diabetes mellitus in pregnancy, unspecified onset, insulin treated

ICD-10-AM Fourth Edition:

O24	Diabetes mellitus in pregnancy
O24.1	Pre-existing diabetes mellitus, Type 2, in pregnancy
O24.11	Pre-existing diabetes mellitus, Type 2, in pregnancy, noninsulin treated
O24.12	Pre-existing diabetes mellitus, Type 2, in pregnancy, insulin treated
O24.19	Pre-existing diabetes mellitus, Type 2, in pregnancy, unspecified
O24.2	Pre-existing diabetes mellitus, other specified type, in pregnancy
O24.21	Pre-existing diabetes mellitus, other specified type, in pregnancy, noninsulin treated
O24.22	Pre-existing diabetes mellitus, other specified type, in pregnancy, insulin treated
O24.29	Pre-existing diabetes mellitus, other specified type, in pregnancy, unspecified
O24.3	Pre-existing diabetes mellitus, unspecified, in pregnancy
O24.31	Pre-existing diabetes mellitus, unspecified, in pregnancy, noninsulin treated
O24.32	Pre-existing diabetes mellitus, unspecified, in pregnancy, insulin treated
O24.39	Pre-existing diabetes mellitus, unspecified, in pregnancy, unspecified
O24.4	Diabetes mellitus arising at or after 24 weeks gestation
O24.41	Diabetes mellitus arising at or after 24 weeks gestation, noninsulin treated
O24.42	Diabetes mellitus arising at or after 24 weeks gestation, insulin treated
O24.49	Diabetes mellitus arising at or after 24 weeks gestation, unspecified
O24.5	Pre-existing impaired glucose regulation, in pregnancy
O24.51	Pre-existing impaired glucose regulation, in pregnancy, noninsulin treated
O24.52	Pre-existing impaired glucose regulation, in pregnancy, insulin treated
O24.59	Pre-existing impaired glucose regulation, in pregnancy, unspecified
O24.9	Diabetes mellitus in pregnancy, unspecified onset
O24.91	Diabetes mellitus in pregnancy, unspecified onset, noninsulin treated
O24.92	Diabetes mellitus in pregnancy, unspecified onset, insulin treated
O24.99	Diabetes mellitus in pregnancy, unspecified onset, unspecified

ICD-10-AM Fifth Edition:

The following fifth character subdivisions are for use with categories O24.1–O24.9:

1	non-insulin treated
2	insulin treated
9	unspecified

ICD-10-AM Sixth Edition:

The following fifth character subdivisions are for use with categories O24.1–O24.9:

2	insulin treated
3	oral hypoglycaemic therapy
4	other
	Diet
	Exercise
	Lifestyle management
9	unspecified

ICD-10-AM Seventh Edition:

Includes: diabetes mellitus } in childbirth and the puerperium
impaired glucose regulation }

ICD-10-AM Eighth Edition:

Includes: diabetes mellitus } in childbirth and the puerperium
intermediate hyperglycaemia }

ICD-10-AM Tenth Edition:

O24	Diabetes mellitus in pregnancy
-----	--------------------------------

ICD-10-AM Eleventh Edition:

O24	Diabetes mellitus and intermediate hyperglycaemia in pregnancy, childbirth and the puerperium
-----	---

O24.0 Pre-existing type 1 diabetes mellitus in pregnancy, childbirth and the puerperium

Status of instructional note(s): Created – [Tenth Edition](#)
Status of code title: Revised – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Tenth Edition:

O24.0 Pre-existing diabetes mellitus, Type 1, in pregnancy

ICD-10-AM Eleventh Edition:

O24.0 Pre-existing Type 1 diabetes mellitus in pregnancy, childbirth and the puerperium

Code also diabetes mellitus (E10.-)

ICD-10-AM Twelfth Edition:

Use additional code (E10.-) to identify diabetes mellitus.

ICD-10-AM Thirteenth Edition:

O24.0 Pre-existing type 1 diabetes mellitus in pregnancy, childbirth and the puerperium

O24.1 Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium

Status of code(s): Created – [Sixth Edition](#)
Status of instructional note(s): Revised – [Sixth Edition](#)
Status of instructional note(s): Revised – [Eighth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of code title(s): Revised – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Sixth Edition:

O24.1 Pre-existing diabetes mellitus, Type 2, in pregnancy
 O24.12 Pre-existing diabetes mellitus, Type 2, in pregnancy, insulin treated
 O24.13 Pre-existing diabetes mellitus, Type 2, in pregnancy, oral hypoglycaemic therapy
 O24.14 Pre-existing diabetes mellitus, Type 2, in pregnancy, other
 O24.19 Pre-existing diabetes mellitus, Type 2, in pregnancy, unspecified

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories O24.1–O24.9:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories O24.1–O24.9:

ICD-10-AM Eleventh Edition:

- O24.1 Pre-existing Type 2 diabetes mellitus in pregnancy, childbirth and the puerperium
Code also diabetes mellitus (E11.-)
- O24.12 Pre-existing Type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, insulin treated
- O24.13 Pre-existing Type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy
- O24.14 Pre-existing Type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, other
- O24.19 Pre-existing Type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified

ICD-10-AM Twelfth Edition:

Use additional code (E11.-) to identify diabetes mellitus.

ICD-10-AM Thirteenth Edition:

- O24.1 Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium
- O24.12 Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, insulin treated
- O24.13 Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy
- O24.14 Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, other
- O24.19 Pre-existing type 2 diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified

O24.2 Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium

Status of code(s):	Created – Sixth Edition
Status of instructional note(s):	Revised – Sixth Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of instructional note(s):	Created – Tenth Edition
Status of code title(s):	Revised – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

- O24.2 Pre-existing diabetes mellitus, other specified type, in pregnancy
- O24.22 Pre-existing diabetes mellitus, other specified type, in pregnancy, insulin treated
- O24.23 Pre-existing diabetes mellitus, other specified type, in pregnancy, oral hypoglycaemic therapy
- O24.24 Pre-existing diabetes mellitus, other specified type, in pregnancy, other
- O24.29 Pre-existing diabetes mellitus, other specified type, in pregnancy, unspecified

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories O24.1–O24.9:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories O24.1–O24.9:

ICD-10-AM Eleventh Edition:

O24.2 Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium

Code also diabetes mellitus (E13.-)

O24.22 Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, insulin treated

O24.23 Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy

O24.24 Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, other

O24.29 Pre-existing other specified diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified

ICD-10-AM Twelfth Edition:

Use additional code (E13.-) to identify diabetes mellitus.

O24.3 Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium

Status of code(s):

Created – Sixth Edition

Status of instructional note(s):

Revised – Sixth Edition

Status of instructional note(s):

Revised – Eighth Edition

Status of instructional note(s):

Created – Tenth Edition

Status of code title(s):

Revised – Eleventh Edition

Status of instructional note(s):

Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

O24.3 Pre-existing diabetes mellitus, unspecified, in pregnancy

O24.32 Pre-existing diabetes mellitus, unspecified, in pregnancy, insulin treated

O24.33 Pre-existing diabetes mellitus, unspecified, in pregnancy, oral hypoglycaemic therapy

O24.34 Pre-existing diabetes mellitus, unspecified, in pregnancy, other

O24.39 Pre-existing diabetes mellitus, unspecified, in pregnancy, unspecified

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories O24.1–O24.9:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories O24.1–O24.9:

ICD-10-AM Eleventh Edition:

O24.3 Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium

Code also diabetes mellitus (E14.-)

O24.32 Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium, insulin treated

O24.33 Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy

O24.34 Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium, other

O24.39 Pre-existing unspecified diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified

ICD-10-AM Twelfth Edition:

Use additional code (E14.-) to identify diabetes mellitus.

O24.4 Diabetes mellitus arising during pregnancy

Status of code(s):	Revised – Sixth Edition
Status of instructional note(s):	Revised – Sixth Edition
Status of note:	Revised – Sixth Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of note:	Deleted – Eighth Edition
Status of glossary description:	Created – Thirteenth Edition
Status of inclusion term(s):	Revised – Thirteenth Edition
Status of instructional note(s):	Created – Thirteenth Edition

ICD-10-AM Fifth Edition:

Note: Diagnostic criteria:
WHO criteria for gestational diabetes (revised 1999):
Based on correctly conducted oral glucose tolerance test (fasting venous plasma glucose ≥ 6.1 mmol/L or 2-hour post oral glucose venous plasma glucose ≥ 7.8 mmol/L)

ICD-10-AM Sixth Edition:

O24.4	Diabetes mellitus arising during pregnancy
O24.42	Diabetes mellitus arising during pregnancy, insulin treated
O24.43	Diabetes mellitus arising during pregnancy, oral
O24.44	Diabetes mellitus arising during pregnancy, other
O24.49	Diabetes mellitus arising during pregnancy, unspecified

Note: Diagnostic criteria based on oral glucose tolerance test correctly conducted according to WHO guidelines (fasting venous plasma glucose ≥ 6.1 mmol/L or 2-hour post glucose venous plasma glucose ≥ 7.8 mmol/L)

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories O24.1–O24.9: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories O24.1–O24.9: ...

ICD-10-AM Twelfth Edition:

Gestational diabetes mellitus NOS

ICD-10-AM Thirteenth Edition:

Gestational diabetes mellitus [GDM] NOS

O24.5 Pre-existing intermediate hyperglycaemia in pregnancy, childbirth and the puerperium

Status of code(s):	Created – Sixth Edition
Status of instructional note(s):	Revised – Sixth Edition
Status of code title(s):	Revised – Eighth Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of instructional note(s):	Created – Tenth Edition
Status of code title(s):	Revised – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition Errata

ICD-10-AM Sixth Edition:

O24.5	Pre-existing impaired glucose regulation, in pregnancy
O24.52	Pre-existing impaired glucose regulation, in pregnancy, insulin treated
O24.53	Pre-existing impaired glucose regulation, in pregnancy, oral hypoglycaemic therapy
O24.54	Pre-existing impaired glucose regulation, in pregnancy, other
O24.59	Pre-existing impaired glucose regulation, in pregnancy, unspecified

The following fifth character subdivisions are for use with categories O24.1–O24.9: ...

ICD-10-AM Eighth Edition:

- O24.5 Pre-existing intermediate hyperglycaemia, in pregnancy
- O24.52 Pre-existing intermediate hyperglycaemia, in pregnancy, insulin treated
- O24.53 Pre-existing intermediate hyperglycaemia, in pregnancy, oral hypoglycaemic therapy
- O24.54 Pre-existing intermediate hyperglycaemia, in pregnancy, other
- O24.59 Pre-existing intermediate hyperglycaemia, in pregnancy, unspecified

The following fifth character subdivisions are for use with subcategories O24.1–O24.9: ...

ICD-10-AM Eleventh Edition:

- O24.5 Pre-existing intermediate hyperglycaemia in pregnancy, childbirth and the puerperium
Code also intermediate hyperglycaemia (E09.-)
- O24.52 Pre-existing intermediate hyperglycaemia in pregnancy, childbirth and the puerperium, insulin treated
- O24.53 Pre-existing intermediate hyperglycaemia in pregnancy, childbirth and the puerperium, oral hypoglycaemic therapy
- O24.54 Pre-existing intermediate hyperglycaemia in pregnancy, childbirth and the puerperium, other
- O24.59 Pre-existing intermediate hyperglycaemia in pregnancy, childbirth and the puerperium, unspecified

ICD-10-AM Twelfth Edition:

Use additional code (E09.-) to identify severity of intermediate hyperglycaemia.

ICD-10-AM Twelfth Edition errata:

Use additional code (E09.-) to identify intermediate hyperglycaemia.

O24.9 Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset

Status of code(s):	Created – Sixth Edition
Status of instructional note(s):	Revised – Sixth Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of code title(s):	Revised – Eleventh Edition

ICD-10-AM Sixth Edition:

- O24.9 Diabetes mellitus in pregnancy, unspecified onset,
- O24.92 Diabetes mellitus in pregnancy, unspecified onset, insulin treated
- O24.93 Diabetes mellitus in pregnancy, unspecified onset, oral hypoglycaemic therapy
- O24.94 Diabetes mellitus in pregnancy, unspecified onset, other
- O24.99 Diabetes mellitus in pregnancy, unspecified onset, unspecified

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with categories O24.1–O24.9:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories O24.1–O24.9:

ICD-10-AM Eleventh Edition:

- O24.9 Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset
- O24.92 Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset, insulin treated
- O24.93 Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset, oral hypoglycaemic therapy
- O24.94 Diabetes mellitus in pregnancy, childbirth and the puerperium, unspecified onset, other
- O24.99 Diabetes mellitus in pregnancy, unspecified onset, unspecified

O25 Malnutrition in pregnancy, childbirth and the puerperium

Status of instructional note(s): Created – [Tenth Edition](#)
Status of code title: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

O25 Malnutrition in pregnancy

ICD-10-AM Eleventh Edition:

O25 Malnutrition in pregnancy, childbirth and the puerperium

Code also type of malnutrition (E40–E46), if known

ICD-10-AM Twelfth Edition:

Use additional code (E40–E46) to identify type of malnutrition.

O26.4 Pemphigoid gestationis [herpes gestationis]

Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

O26.4 Herpes gestationis

ICD-10-AM Tenth Edition:

O26.4 Pemphigoid gestationis [herpes gestationis]

O26.6 Liver disorders in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Created – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of inclusion term(s): Created – [Twelfth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

Term classification:

Cholestasis (intrahepatic) in pregnancy
Obstetric cholestasis

ICD-10-AM Eleventh Edition:

Code also specific liver disorder, if known.

ICD-10-AM Twelfth Edition:

Use additional code (K70–K77) to identify specific liver disorder.

O26.8 Other specified pregnancy-related conditions

Status of code(s): Created – [First Edition](#)
Status of code(s): Deleted – [Tenth Edition](#)

WHO ICD-10:

O26.8 Other specified pregnancy-related conditions

ICD-10-AM First Edition:

O26.8 Other specified pregnancy-related conditions
 O26.81 Renal disease, pregnancy-related
 O26.82 Carpal tunnel syndrome in pregnancy
 O26.83 Neuralgia in pregnancy
 O26.88 Other specified pregnancy-related conditions

ICD-10-AM Tenth Edition:

O26.8 Other specified pregnancy-related conditions
[O26.81](#) Kidney disorders in pregnancy, childbirth and the puerperium
[O26.88](#) Other specified pregnancy-related conditions

O26.81 Kidney disorders in pregnancy, childbirth and the puerperium

Status of code title: Revised – [Seventh Edition](#)
Status of code title: Revised – [Tenth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

O26.81 Renal disease, pregnancy-related

ICD-10-AM Seventh Edition:

O26.81 Kidney disease, pregnancy-related

ICD-10-AM Tenth Edition:

O26.81 Kidney disorders in pregnancy, childbirth and the puerperium

ICD-10-AM Eleventh Edition:

Code also specific kidney disorder, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific kidney disorder.

O26.88 Other specified pregnancy-related conditions

Status of inclusion term(s): Deleted – [Tenth Edition](#)

O29 Complications of anaesthesia during pregnancy

Status of code(s): Deleted – [Tenth Edition](#)

O29.0 Pulmonary complications of anaesthesia during pregnancy

Status of inclusion term(s): Revised – [Ninth Edition](#)
Status of instructional note(s): Created – [Ninth Edition](#)
Status of code: Deleted – [Tenth Edition](#)

ICD-10-AM Eighth Edition:

Aspiration pneumonia due to anaesthesia during pregnancy
 Inhalation of stomach contents or secretions NOS due to anaesthesia during pregnancy
 Mendelson's syndrome due to anaesthesia during pregnancy
 Pressure collapse of lung due to anaesthesia during pregnancy

ICD-10-AM Ninth Edition:

Aspiration pneumonia due to anaesthesia during pregnancy
 Chemical pneumonia due to inhalation or aspiration of gastric contents during anaesthesia, during pregnancy
 Inhalation of stomach contents or secretions NOS due to anaesthesia during pregnancy
 Mendelson's syndrome due to anaesthesia during pregnancy
 Pressure collapse of lung due to anaesthesia during pregnancy

O29.1 Cardiac complications of anaesthesia during pregnancy

Status of code: Deleted – [Tenth Edition](#)

O29.2 Central nervous system complications of anaesthesia during pregnancy

Status of code: Deleted – [Tenth Edition](#)

O29.3 Toxic reaction to local anaesthesia during pregnancy

Status of code: Deleted – [Tenth Edition](#)

O29.4 Spinal and epidural anaesthesia-induced headache during pregnancy

Status of code: Deleted – [Tenth Edition](#)

O29.5 Other complications of spinal and epidural anaesthesia during pregnancy

Status of code: Deleted – [Tenth Edition](#)

O29.6 Failed or difficult intubation during pregnancy

Status of code(s): Created – [Ninth Edition](#)
Status of code(s): Deleted – [Tenth Edition](#)

ICD-10-AM Eighth Edition:

O29.6 Failed or difficult intubation during pregnancy

ICD-10-AM Ninth Edition:

O29.6 Failed or difficult intubation during pregnancy

O29.61 Failed intubation during pregnancy

O29.62 Difficult intubation during pregnancy

O29.8 Other complications of anaesthesia during pregnancy

Status of code: Deleted – [Tenth Edition](#)

O29.9 Complication of anaesthesia during pregnancy, unspecified

Status of code: Deleted – [Tenth Edition](#)

O30 Multiple gestation*Status of excludes note:* Deleted – **Tenth Edition****O31 Complications specific to multiple gestation***Status of excludes note:*Revised – **Tenth Edition***Status of excludes note:*Revised – **Eleventh Edition****ICD-10-AM Ninth Edition:**

Excludes: conjoined twins causing disproportion (O33.7)
 delayed delivery of second twin, triplet, etc (O63.2)
 malpresentation of one fetus or more (O32.5)
 the listed conditions affecting labour and delivery (O64–O66)

ICD-10-AM Tenth Edition:

Excludes: conjoined twins causing disproportion (O33.7)
 delayed delivery of second twin, triplet, etc (O63.2)
 the listed conditions affecting labour and delivery (O64–O66)

ICD-10-AM Eleventh Edition:

Excludes: conjoined twins causing disproportion (O33.7)
 delayed delivery of second or subsequent fetus in multiple delivery (O63.2)
 the listed conditions affecting labour and delivery (O64–O66)

O31.1 Continuing pregnancy after abortion of one fetus or more*Status of inclusion term(s):*Created – **Eleventh Edition****O31.2 Continuing pregnancy after intrauterine death of one fetus or more***Status of inclusion term(s):*Created – **Eleventh Edition***Status of glossary description:*Revised – **Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Continuing pregnancy after fetal death in utero after fetal viability (greater than or equal to 20 completed weeks (140 days) gestation and/or fetal weight greater than or equal to 400g), of one fetus or more

ICD-10-AM Thirteenth Edition:

Continuing pregnancy after fetal death in utero after fetal viability (20 or more completed weeks (140 days) gestation and/or fetal weight 400g or more), of one fetus or more.

O32.5 Maternal care for multiple gestation with malpresentation of one fetus or more*Status of code:*Deleted – **Tenth Edition****O32.8 Maternal care for other malpresentation of fetus***Status of term:*Reclassified – **Sixth Edition****Term reclassification:**

Face to pubes

O33.3 Maternal care for disproportion due to outlet contraction of pelvis*Status of inclusion term(s):*Deleted – **Eleventh Edition****O33.7 Maternal care for disproportion due to other fetal deformities***Status of inclusion term(s):*Deleted – **Eleventh Edition**

O34 Maternal care for known or suspected abnormality of pelvic organs

Status of excludes note: Deleted – [Seventh Edition](#)

O34.0 Maternal care for congenital malformation of uterus

Status of excludes note: Created – [Seventh Edition](#)

Status of instructional note(s): Created – [Tenth Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also specific type of congenital malformation, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of congenital malformation.

O34.1 Maternal care for tumour of corpus uteri

Status of excludes note: Revised – [Seventh Edition](#)

Status of instructional note(s): Created – [Tenth Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Excludes: maternal care for tumour of cervix (O34.4)

ICD-10-AM Seventh Edition:

Excludes: maternal care for tumour of cervix (O34.4)
that affecting labour and delivery (O65.5)

ICD-10-AM Eleventh Edition:

Code also specific type of tumour, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of tumour.

O34.2 Maternal care due to uterine scar from previous surgery

Status of inclusion term(s): Revised – [Seventh Edition](#)

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Maternal care for scar from previous caesarean section

Excludes: vaginal delivery following previous caesarean section NOS (O75.7)

ICD-10-AM Seventh Edition:

Maternal care for scar from (any) previous caesarean section

Excludes: vaginal delivery following (any) previous caesarean section NOS (O75.7)

O34.3 Maternal care for cervical incompetence

Status of excludes note: Created – [Seventh Edition](#)

Status of inclusion term(s): Deleted – [Eleventh Edition](#)

O34.4 Maternal care for other abnormalities of cervix

Status of inclusion term(s):	Revised – Seventh Edition
Status of excludes note:	Created – Seventh Edition
Status of instructional note(s):	Created – Tenth Edition
Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

Maternal care for:

- polyp of cervix
- previous surgery to cervix
- stricture or stenosis of cervix
- tumour of cervix

ICD-10-AM Seventh Edition:

Maternal care for:

- polyp }
- previous surgery }
- stricture or stenosis } (of) (to) cervix
- tumour }

ICD-10-AM Eleventh Edition:*Code also specific type of abnormality, if known.***ICD-10-AM Twelfth Edition:***Use additional code to identify specific type of abnormality.***O34.5 Maternal care for other abnormalities of gravid uterus**

Status of excludes note:	Created – Seventh Edition
Status of instructional note(s):	Created – Tenth Edition
Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:*Code also specific type of abnormality, if known.***ICD-10-AM Twelfth Edition:***Use additional code to identify specific type of abnormality.*

O34.6 Maternal care for abnormality of vagina

Status of inclusion term(s):	Revised – Seventh Edition
Status of excludes note:	Revised – Seventh Edition
Status of instructional note(s):	Created – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of inclusion term(s):	Deleted – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

Maternal care for:

- previous surgery to vagina
- septate vagina
- stenosis of vagina (acquired)(congenital)
- stricture of vagina
- tumour of vagina

Excludes: maternal care for vaginal varices in pregnancy (O22.1)

ICD-10-AM Seventh Edition:

Maternal care for:

- previous surgery }
- septate }
- stenosis (acquired) (congenital) } (of) (to) vagina
- stricture }
- tumour }

Excludes: maternal care for vaginal varices in pregnancy (O22.1)
that affecting labour and delivery (O65.5)

ICD-10-AM Tenth Edition:

Excludes: maternal care for vaginal varices in pregnancy (O22.9)
that affecting labour and delivery (O65.5)

ICD-10-AM Eleventh Edition:

Code also specific type of abnormality, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of abnormality.

O34.7 Maternal care for abnormality of vulva and perineum

Status of excludes note:	Revised – Seventh Edition
Status of instructional note(s):	Created – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

Excludes: maternal care for perineal and vulval varices in pregnancy (O22.1)

ICD-10-AM Seventh Edition:

Excludes: maternal care for perineal and vulval varices in pregnancy (O22.1)
that affecting labour and delivery (O65.5)

ICD-10-AM Tenth Edition:

Excludes: maternal care for perineal and vulval varices in pregnancy (O22.9)
that affecting labour and delivery (O65.5)

ICD-10-AM Eleventh Edition:

Code also specific type of abnormality, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of abnormality.

O34.8 Maternal care for other abnormalities of pelvic organs

Status of excludes note: Created – [Seventh Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also specific type of abnormality, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of abnormality.

O34.9 Maternal care for abnormality of pelvic organ, unspecified

Status of excludes note: Created – [Seventh Edition](#)

O35 Maternal care for known or suspected fetal abnormality and damage

Status of includes note: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Includes: the listed conditions in the fetus as a reason for observation, hospitalisation or other obstetric care of the mother, or for termination of pregnancy

ICD-10-AM Eleventh Edition:

Includes: the listed conditions in the fetus as a reason for observation, hospitalisation or other obstetric care, or for caesarean section or termination of pregnancy

O36 Maternal care for other known or suspected fetal problems

Status of includes note: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Includes: the listed conditions in the fetus as a reason for observation, hospitalisation or other obstetric care of the mother, or for termination of pregnancy

ICD-10-AM Eleventh Edition:

Includes: the listed conditions in the fetus as a reason for observation, hospitalisation or other obstetric care, or for caesarean section or termination of pregnancy

O36.3 Maternal care for signs of fetal hypoxia

Status of term: [Reclassified – First Edition](#)

Term reclassification:

Caesarean delivery for fetal distress
 Caesarean delivery for meconium in liquor
 Pregnancy management affected by fetal acidaemia
 Pregnancy management affected by fetal bradycardia
 Pregnancy management affected by fetal distress
 Pregnancy management affected by meconium in liquor

O36.4 Maternal care for intrauterine death

Status of instructional note(s):	Created – Seventh Edition
Status of glossary description:	Created – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of excludes note:	Revised – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of glossary description:	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Excludes: missed abortion (O02.1)

ICD-10-AM Tenth Edition:

Excludes: fetal death in utero before fetal viability (O02.1)
missed abortion (O02.1)

ICD-10-AM Eleventh Edition:

Use additional code from category O09.- to identify duration of pregnancy, before 37 completed weeks.

Excludes: continuing pregnancy in multiple gestation after fetal death in utero of one fetus or more (O31.2)
fetal death in utero before fetal viability (O02.1)
missed abortion (O02.1)

ICD-10-AM Twelfth Edition:

Maternal care for fetal death in utero after fetal viability (greater than or equal to 20 completed weeks (140 days) gestation and/or fetal weight greater than or equal to 400g)

Use additional code (O09.-) to identify duration of pregnancy, if less than 37 completed weeks.

ICD-10-AM Thirteenth Edition:

Maternal care for fetal death in utero after fetal viability (20 or more completed weeks (140 days) gestation and/or fetal weight 400g or more).

O36.5 Maternal care for poor fetal growth

Status of includes note:	Created – Tenth Edition
---------------------------------	--------------------------------

O36.8 Maternal care for other specified fetal problems

Status of term:	Reclassified – First Edition
Status of glossary description:	Created – Tenth Edition

Term reclassification:

Caesarean delivery for fetal distress
Caesarean delivery for meconium in liquor
Pregnancy management affected by fetal acidaemia
Pregnancy management affected by fetal bradycardia
Pregnancy management affected by fetal distress
Pregnancy management affected by meconium in liquor

O42 Premature rupture of membranes

Status of note:	Created – Seventh Edition
Status of instructional note(s):	Created – Seventh Edition
Status of inclusion term(s):	Created – Ninth Edition
Status of note:	Revised – Ninth Edition
Status of excludes note:	Created – Ninth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eighth Edition:

Note: When a patient with premature rupture of membranes proceeds to a caesarean section without labour, the starting time of the operation should be used to calculate the time interval.

ICD-10-AM Ninth Edition:

Note: When a patient with premature rupture of membranes proceeds to a caesarean section without labour, the starting time of the operation should be used to calculate the time interval.

‘Premature/pre-labour rupture of membranes’ must be documented; a code from this category should not be assigned based on documentation of the times for the establishment of labour alone.

ICD-10-AM Eleventh Edition:

Use additional code from category O09.- to identify duration of pregnancy, when less than 37 completed weeks of gestation.

Code also preterm labour and delivery (O60.-) if applicable.

ICD-10-AM Twelfth Edition:

Code also preterm labour and delivery (O60.-).

Use additional code (O09.-) to identify duration of pregnancy, if less than 37 completed weeks.

O42.0 Premature rupture of membranes, onset of labour within 24 hours

Status of inclusion term(s):	Created – Seventh Edition
-------------------------------------	----------------------------------

O42.1 Premature rupture of membranes, onset of labour after 24 hours

Status of code(s):	Created – First Edition
Status of includes note:	Created – Seventh Edition

WHO ICD-10:

O42.1 Premature rupture of membranes, onset of labour after 24 hours

ICD-10-AM First Edition:

O42.1 Premature rupture of membranes, onset of labour after 24 hours
O42.11 Premature rupture of membranes, onset of labour between 1-7 days later
O42.12 Premature rupture of membranes, onset of labour more than 7 days later

O42.2 Premature rupture of membranes, labour delayed by therapy

Status of inclusion term(s):	Created – Ninth Edition
-------------------------------------	--------------------------------

O42.9 Premature rupture of membranes, unspecified

Status of includes note:	Created – Seventh Edition
---------------------------------	----------------------------------

O43 Placental disorders**Status of code(s):****Created – [Third Edition](#)****ICD-10-AM Second Edition:**

- O43 Placental Disorders
- O43.0 Placental transfusion syndromes
- O43.1 Malformation of placenta
- O43.8 Other placental problems
- O43.9 Placental disorder, unspecified

ICD-10-AM Third Edition:

- O43 Placental Disorders
- O43.0 Placental transfusion syndromes
- O43.1 Malformation of placenta
- [O43.2](#) Morbidly adherent placenta
- O43.8 Other placental problems
- O43.9 Placental disorder, unspecified

O43.2 Morbidly adherent placenta**Status of instructional note(s):****Revised – [Eleventh Edition](#)****Status of instructional note(s):****Revised – [Twelfth Edition](#)****ICD-10-AM Tenth Edition:**

Code also associated postpartum haemorrhage (O72.0) or retained placenta without haemorrhage (O73.0), if applicable.

ICD-10-AM Eleventh Edition:

Code also postpartum haemorrhage (O72.0), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (O72.0) to identify postpartum haemorrhage.

O44.1 Placenta praevia with haemorrhage**Status of inclusion term(s):****Revised – [Eleventh Edition](#)****ICD-10-AM Tenth Edition:**

Low implantation of placenta, NOS or with haemorrhage

Placenta praevia:

- | | | |
|--|--|--------------------------------|
| <ul style="list-style-type: none"> • marginal • partial • total | <div style="border-left: 1px solid black; height: 100px; margin-left: 5px;"></div> | <p>NOS or with haemorrhage</p> |
|--|--|--------------------------------|

ICD-10-AM Eleventh Edition:

Low implantation of placenta, NOS or with haemorrhage

O45.0 Premature separation of placenta with coagulation defect**Status of instructional note(s):****Created – [Tenth Edition](#)****Status of instructional note(s):****Revised – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

Code also specific type of coagulation defect, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of coagulation defect.

O46.0 Antepartum haemorrhage with coagulation defect

Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also specific type of coagulation defect, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of coagulation defect.

O47 False labour or labour without delivery

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of code title: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Deleted – [Eleventh Edition](#)

ICD-10-AM Sixth Edition:

Contractions:

- Braxton Hicks
- irregular uterine tightenings
- irritable uterus

ICD-10-AM Seventh Edition:

Contractions:

- Braxton Hicks
- irregular uterine tightenings
- irritable uterus

False rupture of membranes

ICD-10-AM Tenth Edition:

[O47](#) False labour

ICD-10-AM Eleventh Edition:

[O47](#) False labour or labour without delivery

O47.0 False labour before 37 completed weeks of gestation

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code from category O09.- to identify duration of pregnancy.

ICD-10-AM Twelfth Edition:

Use additional code (O09.-) to identify duration of pregnancy.

O47.2 Labour without delivery

Status of code: Created – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Labour at ≥ 37 completed weeks of gestation, without delivery

Excludes: delivery (O80–O84)
 false labour:
 • ≥ 37 completed weeks of gestation (O47.1)
 • NOS (O47.9)
 preterm labour without delivery (O60.0)

ICD-10-AM Twelfth Edition:

Labour at 37 or more completed weeks of gestation, without delivery

Excludes: delivery (O80–O84)
 false labour:
 • 37 or more completed weeks of gestation (O47.1)
 • NOS (O47.9)
 preterm labour without delivery (O60.0)

O47.9 False labour, unspecified

Status of inclusion term(s): Created – [Eleventh Edition](#)

O60 Preterm labour and delivery

Status of code(s): Created – [Fifth Edition](#)
Status of inclusion term(s): Revised – [Fifth Edition](#)
Status of inclusion term(s): Revised – [Sixth Edition](#)
Status of code title(s): Revised – [Sixth Edition](#)
Status of code (O60.3): Created – [Sixth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Fourth Edition:

O60 Preterm delivery
 Onset (spontaneous) of delivery before 37 completed weeks of gestation

ICD-10-AM Fifth Edition:

O60 Preterm labour
 Onset (spontaneous) of labour before 37 completed weeks of gestation

O60.0 Preterm labour without delivery
 O60.1 Preterm labour with preterm delivery
 O60.2 Preterm labour with term delivery

ICD-10-AM Sixth Edition:

O60 Preterm labour and delivery
 Onset of labour before 37 completed weeks of gestation
Use additional code from category O09.- to identify duration of pregnancy
 O60.0 Preterm labour without delivery
[O60.1](#) Preterm spontaneous labour with preterm delivery
[O60.2](#) Preterm spontaneous labour with term delivery
[O60.3](#) Preterm delivery without spontaneous labour

ICD-10-AM Eleventh Edition:

Use additional code from category O09.- to identify duration of pregnancy.

ICD-10-AM Twelfth Edition:

Use additional code (O09.-) to identify duration of pregnancy.

O60.1 Preterm spontaneous labour with preterm delivery*Status of instructional note(s):* Created – [Seventh Edition](#)**O60.2 Preterm spontaneous labour with term delivery***Status of instructional note(s):* Created – [Seventh Edition](#)**O60.3 Preterm delivery without spontaneous labour***Status of instructional note(s):* Created – [Seventh Edition](#)**O61.0 Failed medical induction of labour***Status of excludes note:* Created – [Eleventh Edition](#)**O61.1 Failed surgical induction of labour***Status of code title:* Revised – [Eleventh Edition](#)*Status of inclusion term(s):* Revised – [Eleventh Edition](#)*Status of excludes note:* Created – [Eleventh Edition](#)**ICD-10-AM Tenth Edition:**

O61.1 Failed instrumental induction of labour
 Failed induction (of labour):

- mechanical
- surgical

ICD-10-AM Eleventh Edition:

O61.1 Failed surgical induction of labour
 Failed

- instrumental induction of labour
- mechanical induction of labour

O61.2 Failed medical with surgical induction of labour*Status of code:* Created – [Eleventh Edition](#)**O62.0 Primary inadequate contractions***Status of inclusion term(s):* Revised – [Seventh Edition](#)**ICD-10-AM Sixth Edition:**

Failure of cervical dilatation
 Primary hypotonic uterine dysfunction

ICD-10-AM Seventh Edition:

Uterine inertia during latent phase of labour

O62.2 Other uterine inertia*Status of excludes note:* Created – [Tenth Edition](#)*Status of excludes note:* Deleted – [Eleventh Edition](#)*Status of instructional term:* Created – [Eleventh Edition](#)*Status of instructional note(s):* Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:**

Code also, if applicable:

- postpartum haemorrhage (O72.1, O72.2)
- third-stage haemorrhage (O72.0)

ICD-10-AM Twelfth Edition:

Use additional code (O72.1, O72.2) to identify postpartum haemorrhage.

Use additional code (O72.0) to identify third-stage haemorrhage.

O62.9 Abnormality of forces of labour, unspecified

Status of inclusion term(s): *Created – Seventh Edition*

Term classification:
Failure to progress NOS

O63.2 Delayed delivery of second or subsequent fetus in multiple delivery

Status of code title: *Revised – Eleventh Edition*

Status of inclusion term(s): *Created – Eleventh Edition*

ICD-10-AM Tenth Edition:

O63.2 Delayed delivery of second twin, triplet, etc.

ICD-10-AM Eleventh Edition:

O63.2 Delayed delivery of second or subsequent fetus in multiple delivery

O63.3 Prolonged third stage (of labour)

Status of code: *Created – Eleventh Edition*

O64 Labour and delivery affected by malposition and malpresentation of fetus

Status of code title: *Revised – Fourth Edition*

ICD-10-AM Third Edition:

O64 Obstructed labour due to malposition and malpresentation of fetus

ICD-10-AM Fourth Edition:

O64 Labour and delivery affected by malposition and malpresentation of fetus

O64.0 Labour and delivery affected by incomplete rotation of fetal head

Status of code title: *Revised – Fourth Edition*

ICD-10-AM Third Edition:

O64.0 Obstructed labour due to incomplete rotation of fetal head

ICD-10-AM Fourth Edition:

O64.0 Labour and deliver affected by incomplete rotation of fetal head

O64.1 Labour and delivery affected by breech presentation

Status of code title: *Revised – Fourth Edition*

ICD-10-AM Third Edition:

O64.1 Obstructed labour due to breech presentation

ICD-10-AM Fourth Edition:

O64.1 Labour and deliver affected by breech presentation

O64.2 Labour and delivery affected by face presentation

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O64.2 Obstructed labour due to face presentation

ICD-10-AM Fourth Edition:

O64.2 Labour and delivery affected by face presentation

O64.3 Labour and delivery affected by brow presentation

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O64.3 Obstructed labour due to brow presentation

ICD-10-AM Fourth Edition:

O64.3 Labour and delivery affected by brow presentation

O64.4 Labour and delivery affected by shoulder presentation

Status of term: **Reclassified – First Edition**

Status of code title: **Revised – Fourth Edition**

Term reclassification:

Transverse lie causing obstructed labour

ICD-10-AM Third Edition:

O64.4 Obstructed labour due to should presentation

ICD-10-AM Fourth Edition:

O64.4 Labour and delivery affected by shoulder presentation

O64.5 Labour and delivery affected by compound presentation

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O64.5 Obstructed labour due to compound presentation

ICD-10-AM Fourth Edition:

O64.5 Labour and delivery affected by compound presentation

O64.8 Labour and delivery affected by other malposition and malpresentation

Status of term: **Reclassified – First Edition**

Status of code title: **Revised – Fourth Edition**

Term reclassification:

Transverse lie causing obstructed labour

ICD-10-AM Third Edition:

O64.8 Obstructed labour due to other malposition and malpresentation

ICD-10-AM Fourth Edition:

O64.8 Labour and delivery affected by other malposition and malpresentation

O64.9 Labour and delivery affected by malposition and malpresentation, unspecified

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O64.8 Obstructed labour due to malposition and malpresentation, unspecified

ICD-10-AM Fourth Edition:

O64.8 Labour and delivery affected by malposition and malpresentation, unspecified

O65 Labour and delivery affected by maternal pelvic abnormality

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O65 Obstructed labour due to maternal pelvic abnormality

ICD-10-AM Fourth Edition:

O65 Labour and delivery affected by maternal pelvic abnormality

O65.0 Labour and delivery affected by deformed pelvis

Status of term: **Reclassified – Second Edition**

Status of code title: **Revised – Fourth Edition**

Term reclassification:

Double uterus, in pregnancy or childbirth, causing obstructed labour

ICD-10-AM Third Edition:

O65.0 Obstructed labour due to deformed pelvis

ICD-10-AM Fourth Edition:

O65.0 Labour and delivery affected by deformed pelvis

O65.1 Labour and delivery affected by generally contracted pelvis

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O65.1 Obstructed labour due to generally contracted pelvis

ICD-10-AM Fourth Edition:

O65.1 Labour and delivery affected by generally contracted pelvis

O65.2 Labour and delivery affected by pelvic inlet contraction

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O65.2 Obstructed labour due to pelvic inlet contraction

ICD-10-AM Fourth Edition:

O65.2 Labour and delivery affected by pelvic inlet contraction

O65.3 Labour and delivery affected by pelvic outlet and mid-cavity contraction

Status of code title: *Revised – Fourth Edition*

ICD-10-AM Third Edition:

O65.3 Obstructed labour due to pelvic outlet and mid-cavity contraction

ICD-10-AM Fourth Edition:

O65.3 Labour and delivery affected by pelvic outlet and mid-cavity contraction

O65.4 Labour and delivery affected by fetopelvic disproportion, unspecified

Status of code title: *Revised – Fourth Edition*

ICD-10-AM Third Edition:

O65.4 Obstructed labour due to fetopelvic disproportion, unspecified

ICD-10-AM Fourth Edition:

O65.4 Labour and delivery affected by fetopelvic disproportion, unspecified

O65.5 Labour and delivery affected by abnormality of maternal pelvic organs

Status of term: *Reclassified – Second Edition*

Status of code title: *Revised – Fourth Edition*

Status of inclusion term(s): *Revised – Seventh Edition*

Status of excludes note: *Created – Seventh Edition*

Status of inclusion term(s): *Deleted – Eleventh Edition*

Term reclassification:

Double uterus, in pregnancy or childbirth, causing obstructed labour

ICD-10-AM Third Edition:

O65.5 Obstructed labour due to abnormality of maternal pelvic organs

ICD-10-AM Fourth Edition:

O65.5 Labour and delivery affected by abnormality of maternal pelvic organs

ICD-10-AM Sixth Edition:

Labour and delivery affected by conditions listed in O34.-

ICD-10-AM Seventh Edition:

Labour and delivery affected by conditions listed in O34.0, O34.1, O34.3-O34.9

O65.8 Labour and delivery affected by other maternal pelvic abnormalities

Status of code title: *Revised – Fourth Edition*

ICD-10-AM Third Edition:

O65.8 Obstructed labour due to other maternal pelvic abnormalities

ICD-10-AM Fourth Edition:

O65.8 Labour and delivery affected by other maternal pelvic abnormalities

O65.9 Labour and delivery affected by maternal pelvic abnormality, unspecified

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O65.9 Obstructed labour due to maternal pelvic abnormality, unspecified

ICD-10-AM Fourth Edition:

O65.9 Labour and delivery affected by maternal pelvic abnormality, unspecified

O66 Other factors affecting labour and delivery

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O66 Other obstructed labour

ICD-10-AM Fourth Edition:

O66 Other factors affecting labour and delivery

O66.0 Labour and delivery affected by shoulder dystocia

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O66.0 Obstructed labour due to shoulder dystocia

ICD-10-AM Fourth Edition:

O66.0 Labour and delivery affected by shoulder dystocia

O66.1 Labour and delivery affected by locked twins

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O66.1 Obstructed labour due to locked twins

ICD-10-AM Fourth Edition:

O66.1 Labour and delivery affected by locked twins

O66.2 Labour and delivery affected by unusually large fetus

Status of code title: **Revised – Fourth Edition**

ICD-10-AM Third Edition:

O66.2 Obstructed labour due to unusually large fetus

ICD-10-AM Fourth Edition:

O66.2 Labour and delivery affected by unusually large fetus

O66.3 Labour and delivery affected by other abnormalities of fetus*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

O66.3 Obstructed labour due to other abnormalities of fetus

ICD-10-AM Fourth Edition:

O66.3 Labour and delivery affected by other abnormalities of fetus

O66.5 Failed application of vacuum extractor and forceps, unspecified*Status of inclusion term(s):* **Deleted – Ninth Edition****O66.8 Labour and delivery affected by other dystocia***Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

O66.8 Obstructed labour due to other dystocia

ICD-10-AM Fourth Edition:

O66.8 Labour and delivery affected by other dystocia

O66.9 Labour and delivery affected by dystocia, unspecified*Status of code title:* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

O66.9 Obstructed labour due to dystocia, unspecified

ICD-10-AM Fourth Edition:

O66.9 Labour and delivery affected by dystocia, unspecified

O67 Labour and delivery complicated by intrapartum haemorrhage, not elsewhere classified*Status of excludes note:* **Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: antepartum haemorrhage NEC (O46.-)
 placenta praevia (O44.-)
 postpartum haemorrhage (O72.-)
 premature separation of placenta [abruptio placentae] (O45.-)

ICD-10-AM Eleventh Edition:

Excludes: antepartum haemorrhage NEC (O46.-)
 placenta praevia (O44.-)
 postpartum haemorrhage (O72.1, O72.2)
 premature separation of placenta [abruptio placentae] (O45.-)
 third-stage haemorrhage (O72.0)

O67.0 Intrapartum haemorrhage with coagulation defect

Status of instructional note(s): **Created – Tenth Edition**
Status of instructional note(s): **Revised – Twelfth Edition**

ICD-10-AM Eleventh Edition:

Code also specific type of coagulation defect, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of coagulation defect.

O69.2 Labour and delivery complicated by other cord entanglement, with compression

Status of code title: **Revised – Seventh Edition**
Status of inclusion term(s): **Revised – Seventh Edition**

ICD-10-AM Sixth Edition:

O69.2 Labour and delivery affected by other cord entanglement
 Entanglement of cords of twins in monoamniotic sac
 Knot in cord

ICD-10-AM Seventh Edition:

O69.2 Labour and delivery affected by other cord entanglement, with compression
 Cord around neck NOS
 Entanglement of cords of twins in monoamniotic sac
 Knot in cord

O69.8 Labour and delivery complicated by other cord complications

Status of inclusion term(s): **Created – Seventh Edition**

Term classification:

Cord around neck without compression

O70 Perineal laceration during delivery

Status of excludes note: **Revised – Eighth Edition**
Status of note: **Created – Eleventh Edition**

ICD-10-AM Seventh Edition:

Excludes: obstetric high vaginal laceration alone (O71.4)

ICD-10-AM Eighth Edition:

Excludes: obstetric high vaginal laceration (O71.4)
 vaginal sulcus laceration (O71.4)

O70.0 First degree perineal laceration during delivery

Status of inclusion term(s): Revised – [Eighth Edition](#)
Status of excludes note: Created – [Eighth Edition](#)
Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)

ICD-10-AM Seventh Edition:

Perineal graze, laceration, rupture or tear (involving):

- fourchette }
 • labia }
 • skin } during delivery
 • slight }
 • vagina }
 • vulva }

ICD-10-AM Eighth Edition:

Perineal graze, laceration, rupture or tear (involving):

- fourchette }
 • labia }
 • periurethral tissue }
 • skin } during delivery
 • slight }
 • vagina, low }
 • vulva }

O70.1 Second degree perineal laceration during delivery

Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)

O70.2 Third degree perineal laceration during delivery

Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)

O70.3 Fourth degree perineal laceration during delivery

Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)

O71.0 Rupture of uterus before onset of labour

Status of code(s): Revised – [Sixth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Fifth Edition:

O71.0 Rupture of uterus before onset of labour

ICD-10-AM Sixth Edition:

O71.0 Rupture of uterus before onset of labour
 O71.00 Rupture of uterus before onset of labour, unspecified
 O71.01 Spontaneous rupture of uterus before onset of labour
 O71.02 Traumatic rupture of uterus before onset of labour

ICD-10-AM Eleventh Edition:

Code also:

- uterine scar from previous surgery (O34.2)
- vaginal delivery following previous caesarean section (O75.7)

ICD-10-AM Twelfth Edition:

Code also uterine scar from previous surgery (O34.2).

Use additional code (O75.7) to identify vaginal delivery following previous caesarean section.

O71.02 Traumatic rupture of uterus before onset of labour**Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code to identify external cause (Chapter 20), if applicable.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***O71.1 Rupture of uterus during labour****Status of code(s):** Revised – **Sixth Edition****Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Fifth Edition:**

O71.1 Rupture of uterus during labour

ICD-10-AM Sixth Edition:

O71.1 Rupture of uterus during labour

O71.10 Rupture of uterus during labour, unspecified

O71.11 Spontaneous rupture of uterus during labour

O71.12 Traumatic rupture of uterus during labour

ICD-10-AM Eleventh Edition:*Code also:*

- uterine scar from previous surgery (O34.2)
- vaginal delivery following previous caesarean section (O75.7)

ICD-10-AM Twelfth Edition:*Code also uterine scar from previous surgery (O34.2).**Use additional code (O75.7) to identify vaginal delivery following previous caesarean section.***O71.12 Traumatic rupture of uterus during labour****Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code to identify external cause (Chapter 20), if applicable.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Chapter 20) to identify cause.***O71.4 Obstetric high vaginal laceration (alone)****Status of code title:** Revised – **Eighth Edition****Status of inclusion term(s):** Revised – **Eighth Edition****Status of excludes note:** Revised – **Eighth Edition****ICD-10-AM Seventh Edition:**O71.4 Obstetric high vaginal laceration alone
Laceration of vaginal wall without mention of perineal laceration**Excludes:** with perineal laceration (O70.-)**ICD-10-AM Eighth Edition:**O71.4 Obstetric high vaginal laceration (alone)
Laceration of:
• middle or upper third of vaginal wall
• vaginal sulcus**Excludes:** that of the lower vagina (O70.-)

O71.5 Other obstetric injury to pelvic organs*Status of excludes note:**Created – Eighth Edition***O71.6 Obstetric damage to pelvic joints and ligaments***Status of inclusion term(s):**Deleted – Eleventh Edition***O71.8 Other specified obstetric trauma***Status of instructional note(s):**Created – Fifth Edition**Status of instructional note(s):**Deleted – Sixth Edition**Status of code(s):**Created – Sixth Edition***ICD-10-AM Fifth Edition:**

O71.8 Other specified obstetric trauma

*Use additional code (M62.08) to identify diastasis recti, if present***ICD-10-AM Sixth Edition:**

O71.8 Other specified obstetric trauma

O71.81 Obstetric uterine laceration or tear

O71.82 Diastasis of recti abdominal muscle in pregnancy or delivery

O71.88 Other specified obstetric trauma

O72 Third-stage and postpartum haemorrhage*Status of code title:**Revised – Eleventh Edition**Status of includes note:**Deleted – Eleventh Edition***ICD-10-AM Tenth Edition:**

O72 Postpartum haemorrhage

ICD-10-AM Eleventh Edition:

O72 Third-stage and postpartum haemorrhage

O72.0 Third-stage haemorrhage*Status of glossary description:**Created – Eleventh Edition**Status of inclusion term(s):**Deleted – Eleventh Edition**Status of instructional note(s):**Revised – Eleventh Edition**Status of instructional note(s):**Revised – Twelfth Edition***ICD-10-AM Tenth Edition:***Code also morbidly adherent placenta (O43.2), if applicable.***ICD-10-AM Eleventh Edition:***Code also, if applicable:*

- adherent placenta NOS (O73.0)
- atonic uterus (O62.2)
- morbidly adherent placenta (O43.2)
- retained placenta (O73.0)

ICD-10-AM Twelfth Edition:*Code also:*

- adherent placenta NOS (O73.0)
- atonic uterus (O62.2)
- morbidly adherent placenta (O43.2)
- retained placenta (O73.0)

O72.1 Other immediate postpartum haemorrhage

Status of inclusion term(s):	Revised – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of inclusion term(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Tenth Edition:

Haemorrhage following delivery of placenta
Postpartum haemorrhage (atonic) NOS

ICD-10-AM Eleventh Edition:

Postpartum haemorrhage:

- ≤ 24 hours following delivery of placenta
- NOS

Code also, if applicable:

- *atonic uterus (O62.2)*
- *retained portions of placenta or membranes (O73.1)*

ICD-10-AM Twelfth Edition:

Postpartum haemorrhage:

- 24 hours or less following delivery of placenta
- NOS

Code also:

- *atonic uterus (O62.2)*
- *retained portions of placenta or membranes (O73.1)*

O72.2 Delayed and secondary postpartum haemorrhage

Status of inclusion term(s):	Revised – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of inclusion term(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Tenth Edition:

Haemorrhage associated with retained portions of placenta or membranes
Retained products of conception NOS, following delivery

ICD-10-AM Eleventh Edition:

Postpartum haemorrhage > 24 hours following delivery of placenta

Code also retained portions of placenta or membranes (O73.1), if applicable.

ICD-10-AM Twelfth Edition:

Postpartum haemorrhage more than 24 hours following delivery of placenta

Code also retained portions of placenta or membranes (O73.1).

O72.3 Postpartum coagulation defects

Status of instructional note(s):	Created – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Code also specific type of coagulation defect, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of coagulation defect.

O73 Retained placenta and membranes

Status of code title: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

O73 Retained placenta and membranes, without haemorrhage

ICD-10-AM Eleventh Edition:

O73 Retained placenta and membranes

O73.0 Retained placenta

Status of code title: Revised – [Eleventh Edition](#)

Status of inclusion term(s): Created – [Eleventh Edition](#)

Status of instructional note(s): Revised – [Eleventh Edition](#)

Status of excludes note: Created – [Eleventh Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

[O73.0](#) Retained placenta without haemorrhage

...

Code also morbidly adherent placenta (O43.2), if applicable.

ICD-10-AM Eleventh Edition:

[O73.0](#) Retained placenta

...

Code also third-stage haemorrhage (O72.0), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (O72.0) to identify third-stage haemorrhage.

O73.1 Retained portions of placenta and membranes

Status of code title: Revised – [Eleventh Edition](#)

Status of inclusion term(s): Revised – [Eleventh Edition](#)

Status of instructional note(s): Created – [Eleventh Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

O73.1 Retained portions of placenta and membranes, without haemorrhage
Retained products of conception following delivery, without haemorrhage

ICD-10-AM Eleventh Edition:

O73.1 Retained portions of placenta and membranes
Retained products of conception following delivery
Code also postpartum haemorrhage (O72.1, O72.2), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (O72.1, O72.2) to identify postpartum haemorrhage.

O74 Complications of anaesthesia during labour and delivery

Status of code: Deleted – [Tenth Edition](#)

O74.0 Aspiration pneumonitis due to anaesthesia during labour and delivery

Status of inclusion term(s): Revised – **Ninth Edition**
Status of instructional note(s): Created – **Ninth Edition**
Status of code: Deleted – **Tenth Edition**

ICD-10-AM Eighth Edition:

Inhalation of stomach contents or secretions NOS due to anaesthesia during labour and delivery

Mendelson's syndrome due to anaesthesia during labour and delivery

ICD-10-AM Ninth Edition:

Chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia, during labour and delivery

Inhalation of stomach contents or secretions NOS due to anaesthesia during labour and delivery

Mendelson's syndrome due to anaesthesia during labour and delivery

O74.1 Other pulmonary complications of anaesthesia during labour and delivery

Status of code: Deleted – **Tenth Edition**

O74.2 Cardiac complications of anaesthesia during labour and delivery

Status of code: Deleted – **Tenth Edition**

O74.3 Central nervous system complications of anaesthesia during labour and delivery

Status of code: Deleted – **Tenth Edition**

O74.4 Toxic reaction to local anaesthesia during labour and delivery

Status of code: Deleted – **Tenth Edition**

O74.5 Spinal and epidural anaesthesia-induced headache during labour and delivery

Status of code: Deleted – **Tenth Edition**

O74.6 Other complications of spinal and epidural anaesthesia during labour and delivery

Status of code: Deleted – **Tenth Edition**

O74.7 Failed or difficult intubation during labour and delivery

Status of code(s): Created – **Ninth Edition**
Status of code(s): Deleted – **Tenth Edition**

ICD-10-AM Eighth Edition:

O74.7 Failed or difficult intubation during labour and delivery

ICD-10-AM Ninth Edition:

O74.7 Failed or difficult intubation during labour and delivery

O74.71 Failed intubation during labour and delivery

O74.72 Difficult intubation during labour and delivery

O74.8 Other complications of anaesthesia during labour and delivery

Status of code: Deleted – **Tenth Edition**

O74.9 Complication of anaesthesia during labour and delivery, unspecified**Status of code:****Deleted – Tenth Edition****O75.3 Other infection during labour****Status of inclusion term(s):****Deleted – Ninth Edition****Status of instructional note(s):****Created – Ninth Edition****Status of instructional note(s):****Revised – Tenth Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Ninth Edition:***Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis***ICD-10-AM Tenth Edition:***Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis**Use additional code (B95–B97) to identify infectious agent.**Code also specific type of infection, if known.***ICD-10-AM Twelfth Edition:***Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.**Use additional code to identify specific type of infection.**Use additional code (B95–B97) to identify infectious agent.**Use additional code (R57.2) to identify septic shock.***O75.4 Other complications of obstetric surgery and procedures****Status of code:****Deleted – Tenth Edition****O75.7 Vaginal delivery following previous caesarean section****Status of inclusion term(s):****Created – Seventh Edition****O80–O84 Delivery****Status of note:****Created – Seventh Edition****Status of instructional note(s):****Created – Seventh Edition****Status of note:****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Tenth Edition:**

Note: Codes from this section are for use in all obstetric episodes of care where delivery is the outcome. Other abnormalities/complications classifiable elsewhere in Chapter 15 may be assigned in conjunction with codes O80–O84 to fully describe the delivery episode.

*Code also the outcome of delivery (Z37.-)***ICD-10-AM Eleventh Edition:**

Note: Codes from O80–O84 are assigned when delivery is completed within the episode of care (for classification purposes delivery is not complete until after expulsion of the placenta, excluding any retained portion(s), expelled or requiring removal post delivery).

*Use additional code to identify outcome of delivery (Z37.-)***ICD-10-AM Twelfth Edition:***Use additional code (Z37.-) to identify outcome of delivery.*

O80 Single spontaneous delivery

Status of code(s):	Revised – First Edition
Status of inclusion term(s):	Revised – Seventh Edition
Status of includes note:	Created – Seventh Edition
Status of excludes note:	Created – Seventh Edition
Status of excludes note:	Revised – Eighth Edition
Status of excludes note:	Revised – Ninth Edition
Status of excludes note:	Revised – Tenth Edition
Status of includes note:	Revised – Eleventh Edition
Status of excludes note:	Revised – Eleventh Edition
Status of note:	Created – Thirteenth Edition

WHO ICD-10:

O80	Single spontaneous delivery
O80.0	Spontaneous vertex delivery
O80.1	Spontaneous breech delivery
O80.2	Other single spontaneous delivery
O80.9	Single spontaneous delivery, unspecified

ICD-10-AM First Edition:

O80	Single spontaneous delivery
-----	-----------------------------

ICD-10-AM Sixth Edition:

Cases with minimal or no assistance
 Delivery in a completely normal case
 Single spontaneous vaginal delivery
 Spontaneous vertex delivery

ICD-10-AM Seventh Edition:

Cases with minimal or no assistance
 Single spontaneous delivery:

- breech
- NOS
- vaginal
- vertex

ICD-10-AM Seventh Edition:

Excludes: pregnancy with abortive outcome (O00–O08)
 single delivery (by):

- assisted NOS (O83)
- breech extraction (O83)
- caesarean section (O82)
- forceps and vacuum extractor (O81)
- version with extraction (O83)

ICD-10-AM Eighth Edition:

Excludes: pregnancy with abortive outcome (O00–O08)
 single delivery (by):

- assisted NOS (O83)
- breech extraction (O83)
- caesarean section (O82)
- forceps and vacuum extractor (O81)
- McRoberts manoeuvre (O83)
- version with extraction (O83)

ICD-10-AM Ninth Edition:

Cases with minimal or no assistance

Single spontaneous delivery:

- breech
- NOS
- vaginal
- vertex

Includes: that with:

- controlled cord traction (CCT)
- epidural injection/infusion
- episiotomy with repair
- fetal monitoring
- medical or surgical:
 - augmentation of labour
 - induction of labour
- suture of obstetric perineal laceration

Excludes: pregnancy with abortive outcome (O00–O08)
single delivery (by) (with):

- assisted NOS (O83)
- breech extraction (O83)
- caesarean section (O82)
- forceps and vacuum extractor (O81)
- manual removal of placenta (O83)
- McRoberts manoeuvre (O83)
- version with extraction (O83)

ICD-10-AM Tenth Edition:

Includes: that with:

- controlled cord traction (CCT)
- epidural injection/infusion
- episiotomy with repair
- fetal monitoring
- medical or surgical:

• augmentation • induction	of labour
---	-----------
- suture of obstetric perineal laceration

Excludes: pregnancy with abortive outcome (O00–O08)
single delivery (by) (with):

- assisted NOS (O83)
- breech extraction (O83)
- caesarean section (O82)
- forceps:
 - NOS (O81)
 - with forceps rotation of fetal head (O81)
- manual:
 - removal of placenta (O83)
 - rotation of fetal head (O83)
- McRoberts manoeuvre (O83)
- rotation of fetal head without forceps delivery (O83)
- vacuum extraction (O81)
- version (with extraction) (O83)

ICD-10-AM Eleventh Edition:

- Includes:** that with:
- administration of Syntocinon in third stage of labour
 - controlled cord traction (CCT)
 - epidural injection/infusion
 - episiotomy with repair
 - fetal monitoring
 - medical or surgical:
 - augmentation of labour
 - induction of labour
 - suture of obstetric perineal laceration
- Excludes:** pregnancy with abortive outcome before fetal viability (O00–O08)
- single delivery (by) (with):
- assisted NOS (O83)
 - breech extraction (O83)
 - caesarean section (O82)
 - forceps:
 - NOS (O81)
 - with forceps rotation of fetal head (O81)
 - manual:
 - removal of placenta (O83)
 - rotation of fetal head (O83)
 - McRoberts manoeuvre (O83)
 - rotation of fetal head without forceps delivery (O83)
 - vacuum extraction (O81)
 - version (with extraction) (O83)

O81 Single delivery by forceps and vacuum extractor

Status of code(s): *Revised – First Edition*
Status of note: *Deleted – Seventh Edition*
Status of excludes note: *Deleted – Seventh Edition*

WHO ICD-10:

- O81 Single delivery by forceps and vacuum extractor
- O81.0 Low forceps delivery
- O81.1 Mid-cavity forceps delivery
- O81.2 Mid-cavity forceps with rotation
- O81.3 Other and unspecified forceps delivery
- O81.4 Vacuum extractor delivery
- O81.5 Delivery by combination of forceps and vacuum extractor

ICD-10-AM First Edition:

- O81 Single delivery by forceps and vacuum extractor

O82 Single delivery by caesarean section

Status of code(s): *Revised – First Edition*
Status of note: *Deleted – Seventh Edition*

WHO ICD-10:

- O82 Single delivery by caesarean section
- O82.0 Delivery by elective caesarean section
- O82.1 Delivery by emergency caesarean section
- O82.2 Delivery by caesarean hysterectomy
- O82.8 Other single delivery by caesarean section
- O82.9 Delivery by caesarean section, unspecified

ICD-10-AM First Edition:

- O82 Single delivery by caesarean section

O83 Other assisted single delivery

Status of code(s):	Revised – First Edition
Status of code:	Reactivated – Seventh Edition
Status of includes note:	Revised – Eighth Edition
Status of includes note:	Revised – Ninth Edition
Status of includes note:	Revised – Tenth Edition
Status of includes note:	Revised – Eleventh Edition

WHO ICD-10:

O83	Other assisted single delivery
O83.0	Breech extraction
O83.1	Other assisted breech delivery
O83.2	Other manipulation-assisted delivery
O83.3	Delivery of viable fetus in abdominal pregnancy
O83.4	Destructive operation for delivery
O83.8	Other specified assisted single delivery
O83.9	Assisted single delivery, unspecified

ICD-10-AM First Edition:

Not classifiable in ICD-10-AM Tabular List

ICD-10-AM Seventh Edition:

O83	Other assisted single delivery
-----	--------------------------------

Includes: assisted single:

- breech delivery } NOS
- delivery }

breech extraction

single delivery assisted (facilitated) by:

- other procedures, not elsewhere classified
- procedures on fetus
- version with extraction

ICD-10-AM Eighth Edition:

Includes: assisted single:

- breech delivery } NOS
- delivery }

breech extraction

single delivery assisted (facilitated) by:

- McRoberts manoeuvre
- other procedures, not elsewhere classified
- procedures on fetus
- version with extraction

ICD-10-AM Ninth Edition:

Includes: assisted single:

- breech delivery } NOS
- delivery }

breech extraction

single delivery assisted (facilitated) by:

- manual removal of placenta
- McRoberts manoeuvre
- other procedures, not elsewhere classified
- procedures on fetus
- version with extraction

ICD-10-AM Tenth Edition:

- Includes:** assisted single:
 • breech delivery | NOS
 • delivery |
 breech extraction
 forceps rotation of fetal head without forceps delivery
 single delivery assisted (facilitated) by:
 • manual:
 • removal of placenta
 • rotation of fetal head
 • McRoberts manoeuvre
 • other procedures, not elsewhere classified
 • procedures on fetus
 • version (with extraction)

ICD-10-AM Eleventh Edition:

- Includes:** assisted single:
 • breech delivery NOS
 • delivery NOS
 breech extraction
 forceps rotation of fetal head without forceps delivery
 single delivery assisted (facilitated) by:
 • manual:
 • removal of placenta
 • rotation of fetal head
 • McRoberts manoeuvre
 • other procedures, not elsewhere classified
 • procedures on fetus
 • version (with extraction)

O84 Multiple delivery

Status of code(s): Revised – **First Edition**
Status of code(s): Reactivated/Created – **Seventh Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

WHO ICD-10:

- O84 Multiple delivery
 O84.0 Multiple delivery, all spontaneous
 O84.1 Multiple delivery, all by forceps and vacuum extractor
 O84.2 Multiple delivery, all by caesarean section
 O84.8 Other multiple delivery
 O84.9 Multiple delivery, unspecified

ICD-10-AM First Edition:

Not classifiable in ICD-10-AM Tabular List

ICD-10-AM Seventh Edition:

- O84 Multiple delivery
 O84.0 Multiple delivery, all spontaneous
 O84.1 Multiple delivery, all by forceps and vacuum extractor
 O84.2 Multiple delivery, all by caesarean section
 O84.8 Other multiple delivery
 O84.81 Multiple delivery, all assisted, not elsewhere classified
 O84.82 Multiple delivery by combination of methods
 O84.9 Multiple delivery, unspecified

ICD-10-AM Eleventh Edition:

Use additional code from category O30.- to identify multiple gestation.

ICD-10-AM Twelfth Edition:

Use additional code (O30.-) to identify multiple gestation.

O84.81 Multiple delivery, all assisted, not elsewhere classified

Status of includes note: *Revised – Tenth Edition Errata 1*

ICD-10-AM Tenth Edition:

Includes: multiple delivery, all assisted by:

- manipulation
- version with extraction

ICD-10-AM Tenth Edition Errata 1:

Includes: multiple delivery, all assisted by methods listed in O83

O85-O92 Complications predominantly related to the puerperium

Status of glossary description: *Created – Tenth Edition*

Status of note: *Revised – Tenth Edition*

Status of excludes note: *Revised – Tenth Edition*

ICD-10-AM Ninth Edition:

Note: Categories O88.-, O91.- and O92.- include the listed conditions even if they occur during pregnancy and childbirth.

Excludes: mental and behavioural disorders associated with the puerperium (F53.-)
obstetrical tetanus (A34)
puerperal osteomalacia (M83.0-)

ICD-10-AM Tenth Edition:

Note: Categories O88.-, O91.- and O92.- classify conditions in pregnancy, childbirth and the puerperium.

Excludes: mental and behavioural disorders associated with the puerperium NEC (F53.-)
obstetrical tetanus (A34)
puerperal osteomalacia (M83.0-)

O85 Puerperal sepsis

Status of instructional note(s): *Revised – Sixth Edition*

Status of instructional note(s): *Revised – Sixth Edition Errata 1*

Status of instructional note(s): *Revised – Seventh Edition*

Status of inclusion term(s): *Revised – Ninth Edition*

Status of instructional note(s): *Revised – Ninth Edition*

Status of inclusion term(s): *Revised – Tenth Edition*

Status of instructional note(s): *Revised – Twelfth Edition*

ICD-10-AM Fifth Edition:

Use additional code (B95–B97) to identify infectious agent.

ICD-10-AM Sixth Edition:

Use additional code (A40.- – A41.-) to identify sepsis.

Use additional code (B95–B97) to identify infectious agent in localised infection.

Use additional code to identify localised infection:

- endometritis (N71.9)
- peritonitis (N73.3, N73.5)

ICD-10-AM Sixth Edition Errata 1:

Use additional code to identify localised infection:

- endometritis (N71.-).
- peritonitis (N73.3, N73.5).

ICD-10-AM Seventh Edition:

Use additional code (A40.- – A41.-) to identify type of sepsis.

Use additional code (B95–B97) to identify infectious agent in localised infection.

Use additional code to identify localised infection:

- *endometritis (N71.-).*
- *peritonitis (N73.3, N73.5).*

ICD-10-AM Eighth Edition:

Puerperal:

- endometritis
- fever
- peritonitis
- septicaemia

Use additional code (A40–A41) to identify type of sepsis.

Use additional code (B95–B97) to identify infectious agent in localised infection

Use additional code to identify localised infection:

- *endometritis (N71.-).*
- *peritonitis (N73.3, N73.5)*

ICD-10-AM Ninth Edition:

Puerperal:

- endometritis
- fever
- peritonitis

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

Use additional code (B95–B97) to identify infectious agent in localised infection

Use additional code to identify localised infection:

- *endometritis (N71.-).*
- *peritonitis (N73.3, N73.5)*

ICD-10-AM Tenth Edition:

Puerperal:

- endometritis
- peritonitis

ICD-10-AM Eleventh Edition:

Use additional code (Chapter 1) to identify sepsis, if applicable — see Alphabetic Index: Sepsis

Use additional code (B95–B97) to identify infectious agent in localised infection.

Use additional code to identify localised infection:

- *endometritis (N71.-).*
- *peritonitis (N73.3, N73.5).*

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify specific type of sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

Use additional code (B95–B97) to identify infectious agent in localised infection.

Use additional code (R57.2) to identify septic shock.

O86 Other and unspecified puerperal infections

Status of instructional note(s): Created – [Fifth Edition](#)
Status of code title: Revised – [Twelfth Edition/Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
 O86 Other puerperal infections

ICD-10-AM Twelfth Edition:
 O86 Other and unspecified puerperal infections

O86.0 Infection of obstetric surgical wound

Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:
 Infected:
 • caesarean section wound
 • perineal repair

| following delivery

ICD-10-AM Eleventh Edition:
 Infection:
 • caesarean section wound
 • obstetric perineal repair wound

ICD-10-AM Twelfth Edition:
 Infection:
 • caesarean section wound
 • obstetric perineal repair wound
 Obstetric surgical wound sepsis

O86.1 Other infection of genital tract following delivery

Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
Code also specific type of infection, if known.

ICD-10-AM Twelfth Edition:
Use additional code to identify specific type of infection.

O86.2 Urinary tract infection following delivery

Status of glossary description: Deleted – [Tenth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition/Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
Code also specific type of infection (N10–N12, N15.-, N30.-, N34.-, N39.0), if known.

ICD-10-AM Twelfth Edition:
Use additional code (N10–N12, N15.-, N30.-, N34.-) to identify specific type of infection.

O86.3 Other genitourinary tract infections following delivery

Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also specific type of infection, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of infection

O86.4 Pyrexia of unknown origin following delivery

Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Puerperal:

- infection NOS
- pyrexia NOS

Excludes: puerperal fever (O85)
 pyrexia during labour (O75.2)

ICD-10-AM Tenth Edition:

Puerperal:

- fever NOS
- pyrexia NOS

Excludes: puerperal:
 • infection NOS (O86.8)
 • sepsis (O85)
 pyrexia during labour (O75.2)

O86.8 Other and unspecified puerperal infections

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Created – [Tenth Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Ninth Edition:

O86.8 Other specified puerperal infections

ICD-10-AM Tenth Edition:

O86.8 Other and unspecified puerperal infections

ICD-10-AM Eleventh Edition:

Code also specific type of infection, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of infection.

O87 Venous conditions and haemorrhoids in the puerperium

Status of code title: Revised – **Eighth Edition**
Status of code title: Revised – **Tenth Edition**
Status of includes note: Revised – **Tenth Edition**
Status of excludes note: Deleted – **Tenth Edition**

ICD-10-AM Seventh Edition:

O87 Venous complications in the puerperium

ICD-10-AM Eighth Edition:

O87 Venous complications and haemorrhoids in the puerperium

Includes: in labour, delivery and the puerperium

ICD-10-AM Tenth Edition:

O87 Venous conditions and haemorrhoids in the puerperium

Includes: the listed conditions in childbirth

O87.0 Superficial thrombophlebitis in the puerperium

Status of code: Deleted – **Tenth Edition**

O87.1 Deep phlebothrombosis in the puerperium

Status of code: Deleted – **Tenth Edition**

O87.2 Haemorrhoids in the puerperium

Status of instructional note(s): Created – **Tenth Edition**
Status of excludes note: Created – **Tenth Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Code also specific type of haemorrhoids (K64.-), if known.

ICD-10-AM Twelfth Edition:

Use additional code (K64.0–K64.8) to identify specific type of haemorrhoids.

O87.3 Cerebral venous thrombosis in the puerperium

Status of code: Deleted – **Tenth Edition**

O87.8 Other venous complications in the puerperium

Status of code: Deleted – **Tenth Edition**

O87.9 Venous condition in the puerperium

Status of code title:	Revised – Tenth Edition
Status of inclusion term(s):	Deleted – Tenth Edition
Status of instructional note(s):	Created – Tenth Edition
Status of excludes note:	Created – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Ninth Edition:

O87.9 Venous complication in the puerperium, unspecified

ICD-10-AM Tenth Edition:

O87.9 Venous condition in the puerperium

ICD-10-AM Eleventh Edition:

Code also specific venous condition, if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of venous condition.

O88 Obstetric embolism

Status of includes note:	Revised – Tenth Edition
Status of instructional note(s):	Created – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Ninth Edition:

Includes: pulmonary emboli in pregnancy, childbirth or the puerperium

Excludes: embolism complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)

ICD-10-AM Tenth Edition:

Includes: embolism in pregnancy, childbirth or the puerperium

Excludes: embolism complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)
traumatic embolism classified to Chapter 19 — *see Alphabetic Index: Embolism*

ICD-10-AM Eleventh Edition:

Code also site of embolism, if known — see Alphabetic Index: Embolism/by site.

ICD-10-AM Twelfth Edition:

Use additional code to identify site of embolism — see Alphabetic Index: Embolism/by site.

O88.0 Obstetric air embolism

Status of inclusion term(s):	Created – Tenth Edition
-------------------------------------	--------------------------------

O88.1 Amniotic fluid embolism

Status of inclusion term(s):	Created – Seventh Edition
-------------------------------------	----------------------------------

Term classification:

Anaphylactoid syndrome of pregnancy

O88.2 Obstetric blood-clot embolism

Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Eleventh Edition](#)

ICD-10-AM Ninth Edition:

Obstetric (pulmonary) embolism NOS
 Puerperal (pulmonary) embolism NOS

ICD-10-AM Tenth Edition:

Embolism NOS }
 Pulmonary embolism NOS } in pregnancy, childbirth and the puerperium
 Thromboembolism NOS }

O88.8 Other obstetric embolism

Status of inclusion term(s): Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Obstetric fat embolism

ICD-10-AM Tenth Edition:

Fat embolism NOS in pregnancy, childbirth and the puerperium

O89 Complications of anaesthesia during the puerperium

Status of code: Deleted – [Tenth Edition](#)

O89.0 Pulmonary complications of anaesthesia during the puerperium

Status of inclusion term(s): Revised – [Ninth Edition](#)
Status of instructional note(s): Created – [Ninth Edition](#)
Status of code: Deleted – [Tenth Edition](#)

ICD-10-AM Eighth Edition:

Aspiration pneumonitis due to anaesthesia during the puerperium
 Inhalation of stomach contents or secretions NOS due to anaesthesia during the puerperium
 Mendelson's syndrome due to anaesthesia during the puerperium
 Pressure collapse of lung due to anaesthesia during the puerperium

ICD-10-AM Ninth Edition:

Aspiration pneumonitis due to anaesthesia during the puerperium
 Chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia, during the puerperium
 Inhalation of stomach contents or secretions NOS due to anaesthesia during the puerperium
 Mendelson's syndrome due to anaesthesia during the puerperium
 Pressure collapse of lung due to anaesthesia during the puerperium

O89.1 Cardiac complications of anaesthesia during the puerperium

Status of code: Deleted – [Tenth Edition](#)

O89.2 Central nervous system complications of anaesthesia during the puerperium

Status of code: Deleted – [Tenth Edition](#)

O89.3 Toxic reaction to local anaesthesia during the puerperium

Status of code: Deleted – [Tenth Edition](#)

O89.4 Spinal and epidural anaesthesia-induced headache during the puerperium

Status of code: Deleted – Tenth Edition

O89.5 Other complications of spinal and epidural anaesthesia during the puerperium

Status of code: Deleted – Tenth Edition

O89.6 Failed or difficult intubation during the puerperium

Status of code(s): Created – Ninth Edition

Status of code(s): Deleted – Tenth Edition

ICD-10-AM Eighth Edition:

O89.6 Failed or difficult intubation during the puerperium

ICD-10-AM Ninth Edition:

O89.6 Failed or difficult intubation during the puerperium

O89.61 Failed intubation during the puerperium

O89.62 Difficult intubation during the puerperium

O89.8 Other complications of anaesthesia during the puerperium

Status of code: Deleted – Tenth Edition

O89.9 Complication of anaesthesia during the puerperium, unspecified

Status of code: Deleted – Tenth Edition

O90.3 Cardiomyopathy in the puerperium

Status of glossary description: Deleted – Tenth Edition

Status of instructional note(s): Created – Tenth Edition

Status of instructional note(s): Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Code also specific type of cardiomyopathy (I42.-), if known.

ICD-10-AM Twelfth Edition:

Use additional code (I42.0–I42.8) to identify specific type of cardiomyopathy.

O90.4 Postpartum acute kidney failure

Status of code title: Revised – Sixth Edition

Status of inclusion term(s): Deleted – Eleventh Edition

ICD-10-AM Fifth Edition:

O90.4 Postpartum acute renal failure

ICD-10-AM Sixth Edition:

O90.4 Postpartum acute kidney failure

O91 Infections of breast associated with childbirth

Status of includes note: *Revised – Eleventh Edition*

ICD-10-AM Tenth Edition:

Includes: the listed conditions during pregnancy, the puerperium or lactation

ICD-10-AM Eleventh Edition:

Includes: the listed conditions in pregnancy, the puerperium, or associated with lactation

O91.0 Infection of nipple associated with childbirth

Status of code(s): *Created – First Edition*

Status of instructional note(s): *Revised – Eighth Edition*

WHO ICD-10:

O91.0 Infection of nipple associated with childbirth

ICD-10-AM First Edition:

O91.0 Infection of nipple associated with childbirth

O91.00 Infection of nipple associated with childbirth, without mention of attachment difficulty

O91.01 Infection of nipple associated with childbirth, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivision should be used with category O91.-

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2

O91.1 Abscess of breast associated with childbirth

Status of code(s): *Created – First Edition*

Status of instructional note(s): *Revised – Eighth Edition*

Status of inclusion term(s): *Deleted – Eleventh Edition*

WHO ICD-10:

O91.1 Abscess of breast associated with childbirth

ICD-10-AM First Edition:

O91.1 Abscess of breast associated with childbirth

O91.10 Abscess of breast associated with childbirth, without mention of attachment difficulty

O91.11 Abscess of breast associated with childbirth, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivision should be used with category O91.-

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2

O91.2 Nonpurulent mastitis associated with childbirth

Status of code(s): Created – **First Edition**
Status of instructional note(s): Revised – **Eighth Edition**
Status of inclusion term(s): Deleted – **Eleventh Edition**

WHO ICD-10:

O91.2 Nonpurulent mastitis associated with childbirth

ICD-10-AM First Edition:

O91.2 Nonpurulent mastitis associated with childbirth
 O91.20 Nonpurulent mastitis associated with childbirth, without mention of attachment difficulty
 O91.21 Nonpurulent mastitis associated with childbirth, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivision should be used with category O91.- ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2 ...

O92 Other disorders of breast and lactation associated with childbirth

Status of includes note: Revised – **Eleventh Edition**

ICD-10-AM Tenth Edition:

Includes: the listed conditions during pregnancy, the puerperium or lactation

ICD-10-AM Eleventh Edition:

Includes: the listed conditions in pregnancy, the puerperium, or associated with lactation

O92.0 Retracted nipple associated with childbirth

Status of code(s): Created – **First Edition**
Status of instructional note(s): Revised – **Eighth Edition**

WHO ICD-10:

O92.0 Retracted nipple associated with childbirth

ICD-10-AM First Edition:

O92.0 Retracted nipple associated with childbirth
 O92.00 Retracted nipple associated with childbirth, without mention of attachment difficulty
 O92.01 Retracted nipple associated with childbirth, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.-

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2

O92.1 Cracked nipple associated with childbirth

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

O92.1 Cracked nipple associated with childbirth

ICD-10-AM First Edition:

O92.1 Cracked nipple associated with childbirth
 O92.10 Cracked nipple associated with childbirth, without mention of attachment difficulty
 O92.11 Cracked nipple associated with childbirth, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.-

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories O91.0–O91.2

O92.2 Other and unspecified disorders of breast associated with childbirth

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*
Status of inclusion term(s): Deleted – *Eleventh Edition*

WHO ICD-10:

O92.2 Other and unspecified disorders of breast associated with childbirth

ICD-10-AM First Edition:

O92.2 Other and unspecified disorders of breast associated with childbirth
 O92.20 Other and unspecified disorders of breast associated with childbirth, without mention of attachment difficulty
 O92.21 Other and unspecified disorders of breast associated with childbirth, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.- ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2 ...

O92.3 Agalactia

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*
Status of glossary description: Created – *Tenth Edition*

WHO ICD-10:

O92.3 Agalactia

ICD-10-AM First Edition:

O92.3 Agalactia
 O92.30 Agalactia, without mention of attachment difficulty
 O92.31 Agalactia, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.- ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2 ...

O92.4 Hypogalactia

Status of code(s):	Created – First Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of inclusion term(s):	Deleted – Eleventh Edition

WHO ICD-10:

O92.4 Hypogalactia

ICD-10-AM First Edition:

O92.4 Hypogalactia

O92.40 Hypogalactia, without mention of attachment difficulty

O92.41 Hypogalactia, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.- ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2 ...

O92.5 Suppressed lactation

Status of code(s):	Created – First Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of glossary description:	Created – Tenth Edition
Status of note:	Created – Tenth Edition
Status of excludes note:	Created – Tenth Edition

WHO ICD-10:

O92.5 Suppressed lactation

ICD-10-AM First Edition:

O92.5 Suppressed lactation

O92.50 Suppressed lactation, without mention of attachment difficulty

O92.51 Suppressed lactation, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.- ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2 ...

O92.6 Galactorrhoea

Status of code(s):	Created – First Edition
Status of instructional note(s):	Revised – Eighth Edition

WHO ICD-10:

O92.6 Galactorrhoea

ICD-10-AM First Edition:

O92.6 Galactorrhoea

O92.60 Galactorrhoea, without mention of attachment difficulty

O92.61 Galactorrhoea, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.- ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2 ...

O92.7 Other and unspecified disorders of lactation

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*

WHO ICD-10:

O92.7 Other and unspecified disorders of lactation

ICD-10-AM First Edition:

O92.7 Other and unspecified disorders of lactation

O92.70 Other and unspecified disorders of lactation, without mention of attachment difficulty

O92.71 Other and unspecified disorders of lactation, with mention of attachment difficulty

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category O91.- ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions should be used with subcategories O91.0–O91.2 ...

O94 Sequelae of complication of pregnancy, childbirth and the puerperium

Status of code: Created – *Third Edition*
Status of note: Revised – *Seventh Edition*
Status of excludes note: Revised – *Ninth Edition Errata 2*
Status of note: Revised – *Tenth Edition*
Status of excludes note: Revised – *Tenth Edition*

ICD-10-AM Sixth Edition:

Note: This category is used to indicate conditions in O00–O75 and O85–O92 as the cause of sequelae, which are themselves classified elsewhere. The sequelae include conditions specified as such, which may occur at any time after the puerperium.

ICD-10-AM Seventh Edition:

Note: Category O94 is used for morbidity coding only to indicate previous episodes of conditions in categories O00–O75 and O85–O92 as the cause of sequelae, which are themselves classified elsewhere. The sequelae include conditions specified as such, which may occur at any time after the puerperium.

Code first any sequelae.

Excludes: that resulting in death (O96, O97)

ICD-10-AM Ninth Edition Errata 2:

Excludes: that resulting in death (O96.-, O97.-)

ICD-10-AM Tenth Edition:

Note: Category O94 is assigned for morbidity coding only to indicate previous episodes of conditions in categories O00–O75 and O85–O92 as the cause of sequelae, which are themselves classified elsewhere. The sequelae include conditions specified as such, that may occur at any time after the puerperium.

Excludes: that resulting in death:

- more than 42 days but less than one year after delivery (O96.-)
- one year or more after delivery (O97.-)

O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery

Status of code(s):	Created – Seventh Edition
Status of instructional note(s):	Revised – Seventh Edition
Status of code title(s):	Revised – Ninth Edition
Status of note:	Created – Tenth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of excludes note:	Created – Tenth Edition

ICD-10-AM Sixth Edition:

O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery

Use additional code to identify obstetric cause of death.

ICD-10-AM Seventh Edition:

O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery

Use additional code to identify obstetric cause (direct or indirect) of death.

ICD-10-AM Seventh Edition:

O96.0 Death from direct obstetric cause
 O96.1 Death from indirect obstetric cause
 O96.9 Death from obstetric cause, unspecified

ICD-10-AM Ninth Edition:

O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery

Use additional code to identify obstetric cause (direct or indirect) of death.

O96.0 Death from direct obstetric cause occurring more than 42 days but less than one year after delivery

O96.1 Death from indirect obstetric cause occurring more than 42 days but less than one year after delivery

O96.9 Death from unspecified obstetric cause occurring more than 42 days but less than one year after delivery

ICD-10-AM Tenth Edition:

Code first obstetric cause (direct or indirect) of death.

O97 Death from obstetric causes, one year or more after delivery

Status of code(s):	Created – Seventh Edition
Status of code title:	Revised – Seventh Edition
Status of glossary descriptor:	Revised – Seventh Edition
Status of code title(s):	Revised – Tenth Edition
Status of glossary description:	Revised – Tenth Edition
Status of note:	Created – Tenth Edition
Status of instructional note(s):	Revised – Tenth Edition

ICD-10-AM Sixth Edition:

O97 Death from sequelae of direct obstetric causes
 Death from any direct obstetric cause occurring one year or more after delivery

ICD-10-AM Seventh Edition:

O97 Death from sequelae of obstetric causes
 Death from any obstetric cause (direct or indirect) occurring one year or more after delivery
 O97.0 Death from sequelae of direct obstetric cause
 O97.1 Death from sequelae of indirect obstetric cause
 O97.9 Death from sequelae of obstetric cause, unspecified

ICD-10-AM Tenth Edition:

- O97 Death from obstetric causes, one year or more after delivery
 Death from sequelae of obstetric causes, one year or more after delivery
 ...
Code first obstetric cause (direct or indirect) of death.
- O97.0 Death from direct obstetric cause, one year or more after delivery
 O97.1 Death from indirect obstetric cause, one year or more after delivery
 O97.9 Death from unspecified obstetric cause, one year or more after delivery

O98 Maternal infectious and parasitic diseases classifiable elsewhere in pregnancy, childbirth and the puerperium

Status of note:	Created – Seventh Edition
Status of excludes note:	Revised – Seventh Edition
Status of code title:	Revised – Tenth Edition
Status of includes note:	Deleted – Tenth Edition
Status of note:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition/Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition

ICD-10-AM Sixth Edition:

- Excludes:** asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
 human immunodeficiency virus [HIV] disease (B20–B24)
 laboratory evidence of human immunodeficiency virus [HIV] (R75)
 obstetrical tetanus (A34)
 puerperal:
 • infection (O86.-)
 • sepsis (O85)
 when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35–O36)

ICD-10-AM Seventh Edition:

- Excludes:** obstetrical tetanus (A34)
 puerperal:
 • infection (O86.-)
 • sepsis (O85)
 when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35–O36)

ICD-10-AM Ninth Edition:

- O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium
- Includes:** the listed conditions when complicating the pregnant state, when aggravated by the pregnancy, or as a reason for obstetric care
- Note:** Please refer to the Alphabetic Index at '*Pregnancy/complicated by/conditions in*' or '*Pregnancy/complicated by/diseases of*' for specific code ranges of the underlying infectious or parasitic disease.
- Use additional code (Chapter 1) to identify specific condition.*
- Excludes:** obstetrical tetanus (A34)
 puerperal:
 • infection (O86.-)
 • sepsis (O85)
 when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35–O36)

ICD-10-AM Tenth Edition:

O98 Maternal infectious and parasitic diseases classifiable elsewhere in pregnancy, childbirth and the puerperium

Note: Refer to the Alphabetic Index at *Pregnancy/complicated by/conditions in* or *Pregnancy/complicated by/diseases of* for specific code ranges of the underlying infectious or parasitic disease.

Code also specific infection or parasitic disease (Chapter 1)

Excludes: genitourinary tract infections:
 • in pregnancy (O23.-)
 • puerperal (O86.1–O86.3)
 infection during labour (O75.3)
 puerperal:
 • infection (O86.-)
 • sepsis (O85)
 when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35–O36)

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify specific infectious or parasitic disease.

Excludes: genitourinary tract infections:
 • in pregnancy (O23.-)
 • puerperal (O86.1–O86.3)
 infection during labour (O75.3)
 puerperal:
 • infection (O86.-)
 • sepsis (O85)
 sepsis during labour (O75.3)
 when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35–O36)

O98.0 Tuberculosis in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code title: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

O98.0 Tuberculosis complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.0 Tuberculosis in pregnancy, childbirth and the puerperium

O98.1 Syphilis in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code title: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

O98.1 Syphilis complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.1 Syphilis in pregnancy, childbirth and the puerperium

O98.2 Gonorrhoea in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

O98.2 Gonorrhoea complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.2 Gonorrhoea in pregnancy, childbirth and the puerperium

O98.3 Other infections with a predominantly sexual mode of transmission in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Created – [Eleventh Edition](#)

ICD-10-AM Ninth Edition:

O98.3 Other infections with a predominantly sexual mode of transmission complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.3 Other infections with a predominantly sexual mode of transmission in pregnancy, childbirth and the puerperium

O98.4 Viral hepatitis in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

O98.4 Viral hepatitis complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.4 Viral hepatitis in pregnancy, childbirth and the puerperium

O98.5 Other viral diseases in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code title: Revised – [Tenth Edition](#)
Status of excludes note: Created – [Eleventh Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Ninth Edition:

O98.5 Other viral diseases complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.5 Other viral diseases in pregnancy, childbirth and the puerperium

O98.6 Protozoal diseases in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

O98.6 Protozoal diseases complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.6 Protozoal diseases in pregnancy, childbirth and the puerperium

O98.7 Human immunodeficiency virus [HIV] disease in pregnancy, childbirth and the puerperium

Status of code: Created – [Seventh Edition](#)
Status of code title: Revised – [Eighth Edition](#)
Status of code title: Revised – [Tenth Edition](#)
Status of excludes note: Deleted – [Tenth Edition](#)

ICD-10- AM Seventh Edition:

O98.7 Human immunodeficiency [HIV] disease complicating pregnancy, childbirth and the puerperium

ICD-10- AM Eighth Edition:

O98.7 Human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.7 Human immunodeficiency virus [HIV] disease in pregnancy, childbirth and the puerperium

O98.8 Other maternal infectious and parasitic diseases in pregnancy, childbirth and the puerperium

Status of code title: Revised – [Tenth Edition](#)
Status of excludes note: Created – [Tenth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Ninth Edition:

O98.8 Other maternal infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.8 Other maternal infectious and parasitic diseases in pregnancy, childbirth and the puerperium

O98.9 Unspecified maternal infectious or parasitic disease in pregnancy, childbirth and the puerperium

Status of code title: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

O98.9 Unspecified maternal infectious or parasitic disease complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O98.9 Unspecified maternal infectious or parasitic disease in pregnancy, childbirth and the puerperium

O99 Other maternal diseases classifiable elsewhere in pregnancy, childbirth and the puerperium

Status of note:	Revised – Seventh Edition
Status of code title:	Revised – Tenth Edition
Status of note:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of excludes note:	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10- AM Sixth Edition:

Note: This category includes conditions which complicate the pregnant state, are aggravated by the pregnancy or are a main reason for obstetric care and for which the Alphabetic Index does not indicate a specific rubric in Chapter 15.

ICD-10- AM Seventh Edition:

Note: This category includes conditions which complicate the pregnant state, are aggravated by the pregnancy or are a main reason for obstetric care. Please refer to the Alphabetic Index at 'Pregnancy, complicated by, conditions in' or 'Pregnancy, complicated by, diseases of' for specific code ranges of the underlying condition.

ICD-10-AM Ninth Edition:

O99 Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium

Note: This category includes conditions which complicate the pregnant state, are aggravated by the pregnancy or are a main reason for obstetric care. Please refer to the Alphabetic Index at 'Pregnancy/complicated by/conditions in' or 'Pregnancy/complicated by/diseases of' for specific code ranges of the underlying condition.

Use additional code to identify specific condition.

ICD-10-AM Tenth Edition:

O99 Other maternal diseases classifiable elsewhere in pregnancy, childbirth and the puerperium

Note: Refer to the Alphabetic Index at *Pregnancy/complicated by/conditions in* or *Pregnancy/complicated by/diseases of* for specific code ranges of the underlying condition.

Code also specific condition

ICD-10-AM Eleventh Edition:

Code also specific condition.

Excludes: infectious and parasitic diseases (O98.-)
injury, poisoning and certain other consequences of external causes (S00–T98)
when the reason for maternal care is that the condition is known or suspected to have affected the fetus (O35–O36)

ICD-10-AM Twelfth Edition:

Use additional code to identify specific condition.

Excludes: injury, poisoning and certain other consequences of external causes (S00–T98)
when the reason for maternal care is that the condition is known or suspected to have affected the fetus (O35–O36)

O99.0 Anaemia in pregnancy, childbirth and the puerperium

Status of code(s): Created – *Sixth Edition*
Status of inclusion term(s) (O99.0): Deleted – *Seventh Edition*
Status of notes(s) (O99.02, O99.04): Created – *Seventh Edition*
Status of code title(s): Revised – *Tenth Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10- AM Fifth Edition:

O99.0 Anaemia complicating pregnancy, childbirth and the puerperium

ICD-10- AM Sixth Edition:

O99.0 Anaemia complicating pregnancy, childbirth and the puerperium
 O99.00 Anaemia complicating pregnancy, childbirth and the puerperium, unspecified
 O99.01 Anaemia complicating pregnancy
 O99.02 Anaemia complicating pregnancy, with mention of pre-existing anaemia
 O99.03 Anaemia complicating pregnancy, childbirth and the puerperium
 O99.04 Anaemia complicating pregnancy, childbirth and the puerperium, with mention of pre-existing anaemia

ICD-10-AM Ninth Edition:

O99.0 Anaemia complicating pregnancy, childbirth and the puerperium
 O99.00 Anaemia complicating pregnancy, childbirth and the puerperium, unspecified
 O99.01 Anaemia complicating pregnancy
 O99.02 Anaemia complicating pregnancy, with mention of pre-existing anaemia
 O99.03 Anaemia complicating pregnancy, childbirth and the puerperium
 O99.04 Anaemia complicating pregnancy, childbirth and the puerperium, with mention of pre-existing anaemia

ICD-10-AM Tenth Edition:

O99.0 Anaemia in pregnancy, childbirth and the puerperium
 O99.00 Anaemia in pregnancy, childbirth and the puerperium, unspecified
 O99.01 Anaemia in pregnancy
 O99.02 Anaemia in pregnancy, with mention of pre-existing anaemia
 O99.03 Anaemia in childbirth and the puerperium
 O99.04 Anaemia in childbirth and the puerperium, with mention of pre-existing anaemia

ICD-10-AM Eleventh Edition:

Code also specific type of anaemia if known.

ICD-10-AM Twelfth Edition:

Use additional code to identify specific type of anaemia.

O99.1 Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – *Seventh Edition*
Status of code title: Revised – *Tenth Edition*

ICD-10-AM Ninth Edition:

O99.1 Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O99.1 Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism in pregnancy, childbirth and the puerperium

O99.2 Endocrine, nutritional and metabolic diseases in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code title: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

O99.2 Endocrine, nutritional and metabolic diseases complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O99.2 Endocrine, nutritional and metabolic diseases in pregnancy, childbirth and the puerperium

O99.3 Mental disorders and diseases of the nervous system in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code title: Revised – **Tenth Edition**
Status of excludes note: Revised – **Tenth Edition**
Status of excludes note: Deleted – **Eleventh Edition**
Status of code(s): Created – **Eleventh Edition**

ICD-10-AM Ninth Edition:

O99.3 Mental disorders and diseases of the nervous system complicating pregnancy, childbirth and the puerperium

Excludes: postnatal depression (F53.0)
 postpartum:
 • blues } NOS (F53.8)
 • dysphoria }
 • mood disturbance }
 • sadness }
 pregnancy-related peripheral neuritis (O26.83)
 puerperal psychosis (F53.1)

ICD-10-AM Tenth Edition:

O99.3 Mental disorders and diseases of the nervous system in pregnancy, childbirth and the puerperium

Excludes: mental disorder in puerperium NEC (F53.-)
 postnatal depression (F53.0)
 postpartum:
 • blues | NOS (F53.8)
 • dysphoria |
 • mood disturbance |
 • sadness |
 puerperal psychosis (F53.1)
 vomiting associated with other psychological disturbances (F50.5)

ICD-10-AM Eleventh Edition:

O99.3 Mental disorders and diseases of the nervous system in pregnancy, childbirth and the puerperium

O99.31 Mental disorders in pregnancy, childbirth and the puerperium

O99.32 Diseases of the nervous system in pregnancy, childbirth and the puerperium

O99.31 Mental disorders in pregnancy, childbirth and the puerperium**Status of code:****Created – Eleventh Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Excludes: mental disorder in puerperium NEC (F53.-)
 postnatal depression (F53.0)
 postpartum:
 • blues NOS (F53.8)
 • dysphoria NOS (F53.8)
 • mood disturbance NOS (F53.8)
 • sadness NOS (F53.8)
 puerperal psychosis (F53.1)
 vomiting associated with other psychological disturbances (F50.5)

ICD-10-AM Thirteenth Edition:

Excludes: depressive episode arising in postnatal period (F32.-1)
 mental disorder in puerperium NEC (F53.-)
 postnatal depression NOS (F53.0)
 postpartum:
 • blues NOS (F53.8)
 • dysphoria NOS (F53.8)
 • mood disturbance NOS (F53.8)
 • sadness NOS (F53.8)
 puerperal psychosis (F53.1)
 vomiting associated with other psychological disturbances (F50.5)

O99.32 Diseases of the nervous system in pregnancy, childbirth and the puerperium**Status of code:****Created – Eleventh Edition****O99.4 Diseases of the circulatory system in pregnancy, childbirth and the puerperium****Status of inclusion term(s):****Deleted – Seventh Edition****Status of excludes note:****Revised – Eighth Edition****Status of code title:****Revised – Tenth Edition****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Seventh Edition:**

Excludes: cardiomyopathy in the puerperium (O90.3)
 hypertensive disorders (O10–O16)
 obstetric embolism (O88.-)
 venous complications and cerebrovenous sinus thrombosis in:
 • labour, childbirth and the puerperium (O87.-)
 • pregnancy (O22.-)

ICD-10-AM Eighth Edition:

Excludes: cardiomyopathy in the puerperium (O90.3)
 hypertensive disorders (O10–O16)
 obstetric embolism (O88.-)
 venous complications and cerebrovenous sinus thrombosis in:
 • labour, childbirth and the puerperium (O87.0–O87.1, O87.3–O87.9)
 • pregnancy (O22.0–O22.3, O22.5–O22.9)

ICD-10-AM Ninth Edition:

O99.4 Diseases of the circulatory system complicating pregnancy, childbirth and the puerperium

Excludes: cardiomyopathy in the puerperium (O90.3)
 hypertensive disorders (O10–O16)
 obstetric embolism (O88.-)
 venous complications and cerebrovenous sinus thrombosis in:
 • labour, childbirth and the puerperium (O87.0–O87.1, O87.3–O87.9)
 • pregnancy (O22.0–O22.3, O22.5–O22.9)

ICD-10-AM Tenth Edition:

O99.4 Diseases of the circulatory system in pregnancy, childbirth and the puerperium

Excludes: cardiomyopathy in the puerperium (O90.3)
 hypertensive disorders (O10–O16)
 obstetric embolism (O88.-)
 venous conditions in:
 • childbirth and the puerperium (O87.9)
 • pregnancy (O22.9)

O99.5 Diseases of the respiratory system in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code title: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

O99.5 Diseases of the respiratory system complicating pregnancy, childbirth and the puerperium

ICD-10-AM Tenth Edition:

O99.5 Diseases of the respiratory system in pregnancy, childbirth and the puerperium

O99.6 Diseases of the digestive system in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of excludes note: Revised – **Eighth Edition**
Status of code title: Revised – **Tenth Edition**
Status of excludes note: Revised – **Tenth Edition**

ICD-10- AM Seventh Edition:

Excludes: liver disorders in pregnancy, childbirth and the puerperium (O26.6)

ICD-10- AM Eighth Edition:

Excludes: haemorrhoids in:
 • labour, childbirth and the puerperium (O87.2)
 • pregnancy (O22.4)
 liver disorders in pregnancy, childbirth and the puerperium (O26.6)

ICD-10-AM Ninth Edition:

O99.6 Diseases of the digestive system complicating pregnancy, childbirth and the puerperium

Excludes: haemorrhoids in:
 • labour, childbirth and the puerperium (O87.2)
 • pregnancy (O22.4)
 liver disorders in pregnancy, childbirth and the puerperium (O26.6)

ICD-10-AM Tenth Edition:

O99.6 Diseases of the digestive system in pregnancy, childbirth and the puerperium

Excludes: haemorrhoids in:
 • childbirth and the puerperium (O87.2)
 • pregnancy (O22.4)
 liver disorders in pregnancy, childbirth and the puerperium (O26.6)

O99.7 Diseases of the skin and subcutaneous tissue in pregnancy, childbirth and the puerperium

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of excludes note: Revised – **Eighth Edition**
Status of code title: Revised – **Tenth Edition**
Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Seventh Edition:

Excludes: herpes gestationis (O26.4)

ICD-10-AM Eighth Edition:

Excludes: herpes gestationis (O26.4)
pruritis in pregnancy (O26.88)

ICD-10-AM Ninth Edition:

O99.7 Diseases of the skin and subcutaneous tissue complicating pregnancy, childbirth and the puerperium

Excludes: herpes gestationis (O26.4)
pruritis in pregnancy (O26.88)

ICD-10-AM Tenth Edition:

O99.7 Diseases of the skin and subcutaneous tissue in pregnancy, childbirth and the puerperium

Excludes: pemphigoid gestationis [herpes gestationis] (O26.4)

O99.8 Other specified diseases and conditions in pregnancy, childbirth and the puerperium

Status of term: Classified, Deleted – **Third Edition**
Status of excludes note: Revised – **Sixth Edition**
Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code title: Revised – **Tenth Edition**
Status of excludes note: Revised – **Tenth Edition**

Term classification:

Conditions in C00-D48, H00-H95, M00-M99, N00-N99, Q00-Q99, R00-R99

ICD-10-AM Fifth Edition:

Excludes: genitourinary infections in pregnancy (O23.-)
infection of genitourinary tract following delivery (O86.0–O86.3)
maternal care for known or suspected abnormality of maternal pelvic organs (O34.-)
postpartum acute renal failure (O90.4)

ICD-10-AM Sixth Edition:

Excludes: genitourinary infections in pregnancy (O23.-)
infection of genitourinary tract following delivery (O86.0–O86.3)
maternal care for known or suspected abnormality of maternal pelvic organs (O34.-)
postpartum:
• acute renal failure (O90.4)
• nephritis (O90.8)

ICD-10-AM Ninth Edition:

O99.8 Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium

Excludes: genitourinary infections in pregnancy (O23.-)
infection of genitourinary tract following delivery (O86.0–O86.3)
maternal care for known or suspected abnormality of maternal pelvic organs (O34.-)
postpartum:
• acute kidney failure (O90.4)
• nephritis (O90.8)

ICD-10-AM Tenth Edition:

O99.8 Other specified diseases and conditions in pregnancy, childbirth and the puerperium

Excludes: acute kidney failure in the puerperium (O90.4)
 kidney disorders in pregnancy, childbirth and the puerperium NEC (O26.81)
 maternal care for known or suspected abnormality of maternal pelvic organs (O34.-)
 puerperal osteomalacia (M83.0-)

P00–P96 Certain conditions originating in the perinatal period

Status of note:

Created – Tenth Edition

Status of excludes note:

Revised – Tenth Edition

ICD-10-AM Ninth Edition:

Excludes: congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)
 endocrine, nutritional and metabolic diseases (E00–E89)
 injury, poisoning and certain other consequences of external causes (S00–T98)
 neoplasms (C00–D48)
 tetanus neonatorum (A33)

ICD-10-AM Tenth Edition:

Excludes: endocrine, nutritional and metabolic diseases (E00–E89)
 neoplasms (C00–D48)
 tetanus neonatorum (A33)

P00–P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery

Status of includes note:

Deleted – Tenth Edition

Status of instructional note(s):

Created – Tenth Edition

P00 Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy

Status of excludes note:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Excludes: fetus and newborn affected by:
 • maternal complications of pregnancy (P01.-)
 • maternal endocrine and metabolic disorders (P70–P74)
 • noxious influences transmitted via placenta or breast milk (P04.-)

ICD-10-AM Thirteenth Edition:

Excludes: fetus and newborn affected by:
 • maternal:
 • complications of pregnancy (P01.-)
 • endocrine and metabolic disorders (P70–P74)
 • noxious influences transmitted via placenta or breast milk (P04.-)

P00.8 Fetus and newborn affected by other maternal conditions

Status of inclusion term(s):

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Fetus or newborn affected by:
 • conditions classifiable to T80–T88
 • maternal genital tract and other localised infections
 • maternal systemic lupus erythematosus

ICD-10-AM Thirteenth Edition:

Fetus or newborn affected by:
 • conditions classifiable to T80–T88
 • maternal:
 • genital tract and other localised infections
 • systemic lupus erythematosus

P02.3 Fetus and newborn affected by placental transfusion syndromes

Status of instructional note(s): Deleted – Tenth Edition

P02.6 Fetus and newborn affected by other and unspecified conditions of umbilical cord

Status of excludes note: Revised – Seventh Edition

ICD-10-AM Sixth Edition:

Excludes: single umbilical artery (Q27.0)

ICD-10-AM Seventh Edition:

Excludes: single umbilical artery (Q27.01)

P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk

Status of excludes note: Revised – Sixth Edition

Status of excludes note: Revised – Tenth Edition

ICD-10-AM Fifth Edition:

Excludes: congenital malformations (Q00–Q99)
neonatal jaundice from other excessive haemolysis due to drugs or toxins transmitted from mother (P58.4)

ICD-10-AM Sixth Edition:

Excludes: congenital malformations (Q00–Q99)
neonatal jaundice due to drugs or toxins transmitted from mother (P58.4)

ICD-10-AM Tenth Edition:

Excludes: congenital malformations due to teratogenic effects of substances transmitted via placenta (Q00–Q99)
neonatal jaundice due to drugs or toxins transmitted from mother (P58.4)

P04.1 Fetus and newborn affected by other maternal medication

Status of term: Classified – First Edition

Status of inclusion term(s): Deleted – Eleventh Edition

Status of includes note: Created – Eleventh Edition

Status of includes note: Revised – Thirteenth Edition

Status of instructional note: Created – Thirteenth Edition

Term classification:

Absorption diethylstilboestrol [DES] through placenta (fetus or newborn)

ICD-10-AM Twelfth Edition:

Includes: that by:
• cytotoxic drugs
• pharmacotherapy for neoplasm

ICD-10-AM Thirteenth Edition:

Includes: that by:
• cytotoxic drugs
• diethylstilbestrol [DES]
• pharmacotherapy for neoplasm

P05.9 Slow fetal growth, unspecified

Status of inclusion term(s): Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Fetal growth restriction NOS
Fetal growth retardation NOS
Intrauterine growth retardation [IUGR] NOS

ICD-10-AM Eleventh Edition:

Fetal growth:
• restriction NOS
• retardation NOS
Intrauterine growth retardation [IUGR] NOS

P07 Disorders related to short gestation and low birth weight, not elsewhere classified

Status of note: Revised – *First Edition*

Status of note: Deleted – *Eleventh Edition*

Status of excludes note: Revised – *Eleventh Edition*

WHO ICD-10:

Note: When both birth weight and gestational age are available, priority of assignment should be given to birth weight

ICD-10-AM First Edition (Hard copy):

Note: When both birth weight and gestational age are available, priority of assignment should be given to birth weight

ICD-10-AM First Edition Errata 2:

Note: When both birth weight and gestational age are available, priority of assignment should be given to gestational age

ICD-10-AM Tenth Edition:

Excludes: low birth weight due to slow fetal growth and fetal malnutrition (P05.-)

ICD-10-AM Eleventh Edition:

Excludes: low birth weight:
• due to slow fetal growth and fetal malnutrition (P05.-)
• in term infant (P05.-)

P07.0 Extremely low birth weight

Status of code(s): Created – *Third Edition*

Status of note: Created – *Eleventh Edition*

Status of instructional note(s): Created – *Eleventh Edition*

Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Second Edition:

P07.0 Extremely low birth weight

ICD-10-AM Third Edition:

P07.0 Extremely low birth weight
P07.01 Extremely low birth weight 499g or less
P07.02 Extremely low birth weight 500 - 749g
P07.03 Extremely low birth weight 750 - 999g

ICD-10-AM Eleventh Edition:

Code first the gestational age (P07.2-, P07.3-).

ICD-10-AM Twelfth Edition:

Code first the gestational age (P07. 4-, P07.5-).

P07.1 Other low birth weight

Status of code(s):	Created – Third Edition
Status of note:	Created – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Second Edition:

P07.1 Other low birth weight

ICD-10-AM Third Edition:

P07.1 Other low birth weight

P07.11 Other low birth weight 1000 - 1249g

P07.12 Other low birth weight 1250 - 1499g

P07.13 Other low birth weight 1500 - 2499g

ICD-10-AM Eleventh Edition:*Code first the gestational age (P07.2-, P07.3-).***ICD-10-AM Twelfth Edition:***Code first the gestational age (P07. 4-, P07.5-).***P07.2 Extreme immaturity**

Status of code(s):	Created – Third Edition
Status of note:	Created – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of code(s):	Deleted – Twelfth Edition

ICD-10-AM Second Edition:

P07.2 Extreme immaturity

ICD-10-AM Third Edition:

P07.2 Extreme immaturity

P07.21 Extreme immaturity, less than 24 completed weeks

P07.22 Extreme immaturity, 24 or more completed weeks but less than 28 completed weeks

P07.3 Other and unspecified preterm infants

Status of code(s):	Created – Third Edition
Status of code title:	Revised – Eleventh Edition
Status of note:	Created – Eleventh Edition
Status of instructional note(s):	Created – Eleventh Edition
Status of code(s):	Deleted – Twelfth Edition

ICD-10-AM Second Edition:

P07.3 Other preterm infants

ICD-10-AM Third Edition:

P07.3 Other preterm infants

P07.30 Prematurity, unspecified

P07.31 Other preterm infant, 28 or more completed weeks but less than 32 completed weeks

P07.32 Other preterm infant, 32 or more completed weeks but less than 37 completed weeks

ICD-10-AM Eleventh Edition:

- P07.3 Other and unspecified preterm infants
 P07.30 Preterm infant, unspecified
 P07.31 Preterm infant, 28 or more completed weeks but less than 32 completed weeks
 P07.32 Preterm infant, 32 or more completed weeks but less than 37 completed weeks

P07.30 Preterm infant, unspecified

Status of code title: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Created – [Eleventh Edition](#)
Status of code(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

- P07.30 Prematurity, unspecified

ICD-10-AM Eleventh Edition:

- P07.30 Preterm infant, unspecified

P07.31 Preterm infant, 28 or more completed weeks but less than 32 completed weeks

Status of code title: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of code(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

- P07.31 Other preterm infant, 28 or more completed weeks but less than 32 completed weeks
 Other preterm infant, 196 or more completed days but less than 224 completed days

ICD-10-AM Eleventh Edition:

- P07.31 Preterm infant, 28 or more completed weeks but less than 32 completed weeks
 Preterm infant, 196 or more completed days but less than 224 completed days

P07.32 Preterm infant, 32 or more completed weeks but less than 37 completed weeks

Status of code title: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of code(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

- P07.32 Other preterm infant, 32 or more completed weeks but less than 37 completed weeks
 Other preterm infant, 224 or more completed days but less than 259 completed days

ICD-10-AM Eleventh Edition:

- P07.32 Preterm infant, 32 or more completed weeks but less than 37 completed weeks
 Preterm infant, 224 or more completed days but less than 259 completed days

P07.4 Extreme prematurity**Status of code(s):****Created – *Twelfth Edition*****ICD-10-AM Twelfth Edition:**

P07.4	Extreme prematurity
P07.40	Extreme prematurity, unspecified gestational age
P07.41	Extreme prematurity, gestational age less than 22 completed weeks
P07.42	Extreme prematurity, gestational age 22 completed weeks
P07.43	Extreme prematurity, gestational age 23 completed weeks
P07.44	Extreme prematurity, gestational age 24 completed weeks
P07.45	Extreme prematurity, gestational age 25 completed weeks
P07.46	Extreme prematurity, gestational age 26 completed weeks
P07.47	Extreme prematurity, gestational age 27 completed weeks

P07.5 Other and unspecified preterm infants**Status of code(s):****Created – *Twelfth Edition*****ICD-10-AM Twelfth Edition:**

P07.5	Other and unspecified preterm infants
P07.50	Preterm infant, unspecified
P07.51	Preterm infant, gestational age 28 completed weeks
P07.52	Preterm infant, gestational age 29 completed weeks
P07.53	Preterm infant, gestational age 30 completed weeks
P07.54	Preterm infant, gestational age 31 completed weeks
P07.55	Preterm infant, gestational age 32 completed weeks
P07.56	Preterm infant, gestational age 33 completed weeks
P07.57	Preterm infant, gestational age 34 completed weeks
P07.58	Preterm infant, gestational age 35 completed weeks
P07.59	Preterm infant, gestational age 36 completed weeks

P08 Disorders related to long gestation and high birth weight**Status of note:****Revised – *First Edition*****WHO ICD-10:**

Note: When both birth weight and gestational age are available, priority of assignment should be given to birth weight

ICD-10-AM First Edition (Hard copy):

Note: When both birth weight and gestational age are available, priority of assignment should be given to birth weight

ICD-10-AM First Edition Errata 2:

Note: When both birth weight and gestational age are available, priority of assignment should be given to gestational age

P08.0 Exceptionally large baby**Status of excludes note:****Revised – *Thirteenth Edition*****ICD-10-AM Twelfth Edition:**

Excludes: syndrome of:
 • infant of diabetic mother (P70.1)
 • infant of mother with gestational diabetes (P70.0)

ICD-10-AM Thirteenth Edition:

Excludes: syndrome of infant of:
 • diabetic mother (P70.1)
 • mother with gestational diabetes (P70.0)

P08.1 Other heavy for gestational age infants

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of excludes note: Created – [Seventh Edition](#)
Status of glossary description: Revised – [Twelfth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)

ICD-10-AM Sixth Edition:

Other fetus or infant heavy- or large-for-dates regardless of period of gestation

ICD-10-AM Seventh Edition:

Other fetus or infant heavy- or large-for-dates regardless of period of gestation

Usually implies a birth weight of > 90th percentile for gestational age or 4000g or more at term

ICD-10-AM Twelfth Edition:

Other fetus or infant heavy- or large-for-dates regardless of period of gestation

Usually implies a birth weight of greater than 90th percentile for gestational age or 4000g or more at term

ICD-10-AM Thirteenth Edition:

Other fetus or infant heavy- or large-for-dates regardless of period of gestation.

Usually implies a birth weight of more than 90th percentile for gestational age or 4000g or more at term

P10–P15 Birth trauma

Status of term(s): Classified, Deleted – [Third Edition](#)
Status of instructional note(s): Created – [Tenth Edition](#)

Term classification:

Birth Trauma

Term deletion:

Injury

P12.2 Epicranial subaponeurotic haemorrhage due to birth trauma

Status of inclusion term(s): Created – [Tenth Edition](#)

P21.9 Birth asphyxia, unspecified

Status of inclusion term(s): Created – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Anoxia	NOS
Asphyxia	
Hypoxia	

ICD-10-AM Eleventh Edition:

Birth:

- anoxia NOS
- asphyxia NOS
- hypoxia NOS

P22.0 Respiratory distress syndrome of newborn

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Hyaline membrane disease

ICD-10-AM Eleventh Edition:

Hyaline membrane disease of newborn

P22.9 Respiratory distress of newborn, unspecified

Status of excludes note: Created – [Eleventh Edition](#)

P23.0 Congenital pneumonia due to viral agent

Status of instructional note(s): Created – [Twelfth Edition](#)

P23.6 Congenital pneumonia due to other bacterial agents

Status of inclusion term(s): Revised – [Eleventh Edition](#)

Status of inclusion term(s): Deleted – [Twelfth Edition](#)

Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Haemophilus influenzae

Klebsiella pneumoniae

Mycoplasma

Streptococcus, except group B

ICD-10-AM Eleventh Edition:

Congenital pneumonia due to:

- *Haemophilus influenzae*

- *Klebsiella pneumoniae*

- *Mycoplasma*

- Streptococcus, except group B

P24.0 Neonatal aspiration of meconium

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Meconium aspiration syndrome

Meconium pneumonitis

ICD-10-AM Eleventh Edition:

Meconium:

- aspiration syndrome

- pneumonitis

P28.3 Primary sleep apnoea of newborn

Status of inclusion term(s): Revised – [Seventh Edition](#)

Status of inclusion term(s): Revised – [Tenth Edition](#)

Status of instructional note(s): Created – [Tenth Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

Congenital central hypoventilation

Sleep apnoea of newborn

ICD-10-AM Seventh Edition:

Congenital central hypoventilation

Sleep apnoea of newborn:

- central

- NOS

- obstructive

ICD-10-AM Tenth Edition:

Congenital central hypoventilation syndrome

Sleep apnoea of newborn:

- central

- NOS

- obstructive

ICD-10-AM Eleventh Edition:

Code also *Hirschsprung's disease or megacolon (Q43.1-)* if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (*Q43.1-*) to identify *Hirschsprung's disease or megacolon*.

P28.4 Other apnoea of newborn**Status of code(s):** Created – [Third Edition](#)**ICD-10-AM Second Edition:**

P28.4 Other apnoea of newborn

ICD-10-AM Third Edition:

P28.4 Other apnoea of newborn

P28.40 Apnoea of newborn, unspecified

P28.41 Apnoea of prematurity

[P28.42](#) Obstructive apnoea of newborn[P28.49](#) Other apnoea of newborn**P28.42 Obstructive apnoea of newborn****Status of code:** Deleted – [Seventh Edition](#)**P28.49 Other apnoea of newborn****Status of inclusion term(s):** Created – [Seventh Edition](#)**Status of excludes note:** Created – [Seventh Edition](#)**P28.5 Respiratory failure of newborn****Status of excludes note:** Revised – [Tenth Edition](#)**ICD-10-AM Ninth Edition:****Excludes:** congenital central hypoventilation (P28.3)**ICD-10-AM Tenth Edition:****Excludes:** congenital central hypoventilation syndrome (P28.3)**P28.8 Other specified respiratory conditions of newborn****Status of term:** Reclassified – [Third Edition](#)**Status of code(s):** Created – [Third Edition](#)**Term classification:**

Congenital stridor

Congenital laryngeal stridor

ICD-10-AM Second Edition:

P28.8 Other specified respiratory conditions of newborn

ICD-10-AM Third Edition:

P28.8 Other specified respiratory conditions of newborn

P28.81 Snuffles in newborn

P28.82 Acquired subglottic stenosis in newborn

P28.83 Grunting in newborn

P28.89 Other specified respiratory conditions of newborn

P29.3 Persistent fetal circulation**Status of inclusion term(s):** Revised – [Thirteenth Edition](#)**ICD-10-AM Twelfth Edition:**

(Persistent) Pulmonary hypertension of newborn

Delayed closure of ductus arteriosus

ICD-10-AM Thirteenth Edition:

Delayed closure of ductus arteriosus

Persistent pulmonary hypertension of newborn

Pulmonary hypertension of newborn

P29.8 Other cardiovascular disorders originating in the perinatal period**Status of code(s):****Created – Third Edition****Status of code:****Created – Tenth Edition****ICD-10-AM Second Edition:**

P29.8 Other cardiovascular disorders originating in the perinatal period

ICD-10-AM Third Edition:

P29.8 Other cardiovascular disorders originating in the perinatal period

P29.81 Neonatal hypotension

P29.82 Benign and innocent cardiac murmurs in newborn

P29.89 Other cardiovascular disorders originating in the perinatal period

ICD-10-AM Tenth Edition:

P29.8 Other cardiovascular disorders originating in the perinatal period

P29.81 Neonatal hypotension

P29.82 Benign and innocent cardiac murmurs in newborn

P29.83 Embolism and thrombosis of renal vein in newborn

P29.89 Other cardiovascular disorders originating in the perinatal period

P35–P39 Infections specific to the perinatal period**Status of excludes note:****Revised – Eleventh Edition****Status of instructional note(s):****Created – Thirteenth Edition****ICD-10-AM Tenth Edition:**

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
 congenital:
 • gonococcal infection (A54.-)
 • pneumonia (P23.-)
 • syphilis (A50.-)
 human immunodeficiency virus [HIV] disease (B20–B24)
 infectious diseases acquired after birth (A00–B99, J09–J11)
 intestinal infectious diseases (A00–A09)
 laboratory evidence of human immunodeficiency virus [HIV] (R75)
 maternal infectious disease as a cause of mortality or morbidity in fetus or newborn not itself
 manifesting the disease (P00.2)
 tetanus neonatorum (A33)

ICD-10-AM Eleventh Edition:

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
 congenital:
 • gonococcal infection (A54.-)
 • pneumonia (P23.-)
 • syphilis (A50.-)
 human immunodeficiency virus [HIV] disease (B20–B24)
 infectious diseases acquired after birth (A00–B99, J09–J11)
 intestinal infectious diseases (A00–A09)
 laboratory evidence of human immunodeficiency virus [HIV] (R75)
 maternal infectious disease as a cause of mortality or morbidity in fetus or newborn not itself
 manifesting the disease (P00.2)
 tetanus neonatorum (A33)
 whooping cough (A37.-)

P35.4 Congenital Zika virus disease**Status of code:****Created – Twelfth Edition**

P36 Sepsis of newborn

Status of includes note:	Revised – Ninth Edition
Status of instructional note(s):	Created – Ninth Edition
Status of code(s):	Deleted – Twelfth Edition
Status of code title:	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Eighth Edition:

Includes: congenital septicaemia

ICD-10-AM Ninth Edition:

Includes: congenital sepsis

ICD-10-AM Eleventh Edition:

P36 Bacterial sepsis of newborn

Use additional code (R65.1) to identify severe sepsis OR (R57.2) to identify septic shock, if applicable.

P36.0 Sepsis of newborn due to streptococcus, group B
 P36.1 Sepsis of newborn due to other and unspecified streptococci
 P36.2 Sepsis of newborn due to Staphylococcus aureus
 P36.3 Sepsis of newborn due to other and unspecified staphylococci
 P36.4 Sepsis of newborn due to Escherichia coli
 P36.5 Sepsis of newborn due to anaerobes
 P36.8 Other bacterial sepsis of newborn
 P36.9 Bacterial sepsis of newborn, unspecified

ICD-10-AM Twelfth Edition:

P36 Sepsis of newborn

Use additional code (Chapter 1) to identify specific type of sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

Use additional code (R57.2) to identify septic shock.

P37 Other congenital infectious and parasitic diseases

Status of excludes note:	Revised – Eleventh Edition
Status of excludes note:	Revised – Twelfth Edition

ICD-10-AM Tenth Edition:

Excludes: congenital syphilis (A50.-)
 necrotising enterocolitis of fetus or newborn (P77)
 neonatal diarrhoea:
 • infectious (A00–A09)
 • noninfective (P78.3)
 ophthalmia neonatorum due to gonococcus (A54.3)
 tetanus neonatorum (A33)

ICD-10-AM Eleventh Edition:

Excludes: congenital syphilis (A50.-)
 necrotising enterocolitis of fetus or newborn (P77)
 neonatal diarrhoea:
 • infectious (A00–A09)
 • noninfective (P78.3)
 ophthalmia neonatorum due to gonococcus (A54.3)
 tetanus neonatorum (A33)
 whooping cough (A37.-)

ICD-10-AM Twelfth Edition:

Excludes: congenital syphilis (A50.-)
 necrotising enterocolitis of fetus or newborn (P77)
 neonatal diarrhoea:
 • infectious (A09.0)
 • noninfective (P78.3)
 • NOS (A09.9)
 ophthalmia neonatorum due to gonococcus (A54.3)
 tetanus neonatorum (A33)
 whooping cough (A37.-)

P37.5 Neonatal candidiasis**Status of code(s):****Created – [Third Edition](#)****Status of instructional note(s):****Created – [Twelfth Edition](#)****ICD-10-AM Second Edition:**

P37.5 Neonatal candidiasis

ICD-10-AM Third Edition:

P37.5 Neonatal candidiasis

P37.50 Neonatal candidiasis, unspecified

P37.51 Topical or gastrointestinal neonatal candidiasis

[P37.52](#) Invasive neonatal candidiasis

P37.59 Other neonatal candidiasis

P37.52 Invasive neonatal candidiasis**Status of instructional note(s):****Created – [Ninth Edition](#)****Status of inclusion term(s):****Revised – [Twelfth Edition](#)****Status of instructional note(s):****Deleted – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

Generalised neonatal candida sepsis

Neonatal pulmonary candidiasis

Systemic neonatal candidiasis

ICD-10-AM Twelfth Edition:

Neonatal pulmonary candidiasis

P52.0 Intraventricular (nontraumatic) haemorrhage, grade 1, of fetus and newborn**Status of inclusion term(s):****Revised – [Eighth Edition](#)****Status of inclusion term(s):****Revised – [Eleventh Edition](#)****ICD-10-AM Seventh Edition:**

Subependymal haemorrhage (without intraventricular extension)

ICD-10-AM Eighth Edition:

Subependymal germinal matrix haemorrhage

Subependymal haemorrhage (without intraventricular extension)

ICD-10-AM Eleventh Edition:

Subependymal:

- germinal matrix haemorrhage
- haemorrhage (without intraventricular extension)

P52.1 Intraventricular (nontraumatic) haemorrhage, grade 2, of fetus and newborn

Status of inclusion term(s): Revised – *Eighth Edition*

ICD-10-AM Seventh Edition:

Subependymal haemorrhage with intraventricular extension

ICD-10-AM Eighth Edition:

Intraventricular haemorrhage with no ventricular distension

Subependymal haemorrhage with intraventricular extension

P52.2 Intraventricular (nontraumatic) haemorrhage, grade 3 and grade 4, of fetus and newborn

Status of code title: Revised – *Eighth Edition*

Status of code(s): Created – *Eighth Edition*

Status of inclusion term(s): Deleted – *Eighth Edition*

ICD-10-AM Seventh Edition:

P52.2 Intraventricular (nontraumatic) haemorrhage, grade 3, of fetus and newborn

ICD-10-AM Eighth Edition:

P52.2 Intraventricular (nontraumatic) haemorrhage, grade 3 and grade 4, of fetus and newborn

P52.21 Intraventricular (nontraumatic) haemorrhage, grade 3, of fetus and newborn

P52.22 Intraventricular (nontraumatic) haemorrhage, grade 4, of fetus and newborn

P58.4 Neonatal jaundice due to drugs or toxins transmitted from mother or given to newborn

Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

P59 Neonatal jaundice from other and unspecified causes

Status of excludes note: Revised – *Sixth Edition*

ICD-10-AM Fifth Edition:

Excludes: due to inborn errors of metabolism (E70–E90)
kernicterus (P57.-)

ICD-10-AM Sixth Edition:

Excludes: due to inborn errors of metabolism (E70–E89)
kernicterus (P57.-)

P59.2 Neonatal jaundice from other and unspecified hepatocellular damage**Status of inclusion term(s):****Created – Seventh Edition****Status of inclusion term(s):****Revised – Eighth Edition****Term classification:**

Fetal or neonatal (idiopathic) hepatitis

Giant cell hepatitis

ICD-10-AM Seventh Edition:

Fetal or neonatal (idiopathic) hepatitis

Giant cell hepatitis

ICD-10-AM Eighth Edition:

Fetal or neonatal (giant cell) (idiopathic) hepatitis

P70.0 Syndrome of infant of mother with gestational diabetes**Status of inclusion term(s):****Created – Seventh Edition****P70.1 Syndrome of infant of a diabetic mother****Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Maternal diabetes mellitus (pre-existing) affecting fetus or newborn (with hypoglycaemia)

ICD-10-AM Seventh Edition:

Fetus or newborn (with hypoglycaemia) affected by maternal diabetes mellitus (pre-existing)

P74.2 Disturbances of sodium balance of newborn**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

P74.2 Disturbances of sodium balance of newborn

ICD-10-AM Third Edition:

P74.2 Disturbances of sodium balance of newborn

P74.20 Disturbances of sodium balance of newborn, unspecified

P74.21 Hypernatraemia of newborn

P74.22 Hyponatraemia of newborn

P74.29 Other disturbances of sodium balance in newborn

P74.3 Disturbances of potassium balance of newborn**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

P74.3 Disturbances of potassium balance of newborn

ICD-10-AM Third Edition:

P74.3 Disturbances of potassium balance of newborn

P74.30 Disturbances of potassium balance of newborn, unspecified

P74.31 Hyperkalaemia of newborn

P74.32 Hypokalaemia of newborn

P74.39 Other disturbances of potassium balance of newborn

P75* Meconium ileus in cystic fibrosis (E84†)

Status of code title: Revised – [Second Edition](#)
Status of term: [Reclassified – Second Edition](#)
Status of code title: Revised – [Ninth Edition](#)

WHO ICD-10:

P75* Meconium ileus (E84.1†)

ICD-10-AM Second Edition:

P75* Meconium ileus in cystic fibrosis (E84.1†)

Term reclassification:

Meconium ileus (in the absence of cystic fibrosis)

ICD-10-AM Ninth Edition:

P75* Meconium ileus in cystic fibrosis (E84†)

P76 Other intestinal obstruction of newborn

Status of excludes note: Created – [Eleventh Edition](#)

P76.0 Meconium plug syndrome

Status of term: [Reclassified – Second Edition](#)
Status of excludes note: Created – [Ninth Edition](#)

Term reclassification:

Meconium ileus (in the absence of cystic fibrosis)

P76.3 Volvulus of newborn

Status of code: Created – [Eleventh Edition](#)

P76.8 Other specified intestinal obstruction of newborn

Status of excludes note: Deleted – [Eleventh Edition](#)

P78.3 Noninfective neonatal diarrhoea

Status of excludes note: Revised – [Sixth Edition](#)
Status of excludes note: Revised – [Sixth Edition Errata 1](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition Errata 5](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)

ICD-10-AM Fifth Edition:

Excludes: neonatal diarrhoea NOS in countries where the condition can be presumed to be of infectious origin (A09)

ICD-10-AM Sixth Edition:

Excludes: infectious or unspecified neonatal diarrhoea (A09.-)

ICD-10-AM Sixth Edition Errata 1:

Excludes: infectious neonatal diarrhoea (A09.0)

ICD-10-AM Seventh Edition:

Excludes: infectious and unspecified neonatal diarrhoea (A09.-)

ICD-10-AM Seventh Edition Errata 5:

Excludes: infectious neonatal diarrhoea (A09.0)

ICD-10-AM Tenth Edition:

Excludes: neonatal diarrhoea:

- infectious (A09.0)
- NOS (A09.9)

ICD-10-AM Eleventh Edition:

Excludes: neonatal diarrhoea:

- infectious (A09.0)
- NOS (A09.0)

P78.8 Other specified perinatal digestive system disorders

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Congenital cirrhosis (of liver)
Peptic ulcer of newborn

ICD-10-AM Seventh Edition:

Congenital cirrhosis (of liver)
Neonatal oesophageal reflux
Peptic ulcer of newborn

P91.2 Neonatal cerebral leukomalacia

Status of code(s): Created – [Eighth Edition](#)

ICD-10-AM Seventh Edition:

P91.2 Neonatal cerebral leukomalacia

ICD-10-AM Eighth Edition:

P91.2 Neonatal cerebral leukomalacia
P91.20 Neonatal cerebral leukomalacia, unspecified
P91.21 Neonatal cerebral leukomalacia, cystic

P91.6 Hypoxic ischaemic encephalopathy [HIE] of newborn

Status of code: Created – [Fifth Edition](#)
Status of code(s): Created – [Eighth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Seventh Edition:

P91.6 Hypoxic ischaemic encephalopathy [HIE] of newborn

ICD-10-AM Eighth Edition:

P91.6 Hypoxic ischaemic encephalopathy [HIE] of newborn
P91.60 Hypoxic ischaemic encephalopathy [HIE] of newborn, unspecified
[P91.61](#) Stage 1 hypoxic ischaemic encephalopathy [HIE] of newborn
[P91.62](#) Stage 2 hypoxic ischaemic encephalopathy [HIE] of newborn
[P91.63](#) Stage 3 hypoxic ischaemic encephalopathy [HIE] of newborn

ICD-10-AM Eleventh Edition:

Code also any co-existent severe birth asphyxia (P21.0).

ICD-10-AM Twelfth Edition:

Use additional code (P21.0) to identify severe birth asphyxia.

P91.61 Stage 1 hypoxic ischaemic encephalopathy [HIE] of newborn**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Grade 1	hypoxic ischaemic encephalopathy [HIE] of newborn
---------	---

ICD-10-AM Eleventh Edition:

HIE of newborn:

- grade 1
- mild

P91.62 Stage 2 hypoxic ischaemic encephalopathy [HIE] of newborn**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Grade 2	hypoxic ischaemic encephalopathy [HIE] of newborn
---------	---

ICD-10-AM Eleventh Edition:

HIE of newborn:

- grade 2
- moderate

P91.63 Stage 3 hypoxic ischaemic encephalopathy [HIE] of newborn**Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Grade 3 Severe	hypoxic ischaemic encephalopathy [HIE] of newborn
-------------------	---

ICD-10-AM Eleventh Edition:

HIE of newborn:

- grade 3
- severe

P91.7 Acquired hydrocephalus of newborn**Status of code:** Created – *Tenth Edition***P91.8 Other specified disturbances of cerebral status of newborn****Status of code(s):** Created – *Third Edition***Status of code(s):** Deleted – *Fifth Edition***ICD-10-AM Second Edition:**

P91.8 Other specified disturbances of cerebral status of newborn

ICD-10-AM Third Edition:

P91.8 Other specified disturbances of cerebral status of newborn

P91.81 Neonatal encephalopathy

P91.89 Other specified disturbances of cerebral status of newborn

ICD-10-AM Fifth Edition:

P91.8 Other specified disturbances of cerebral status of newborn

P92 Feeding problems of newborn*Status of instructional note(s):* Created – **Tenth Edition****P92.8 Other feeding problems of newborn***Status of inclusion term(s):* Deleted – **Tenth Edition****P96.0 Congenital kidney failure***Status of code title:* Revised – **Sixth Edition****ICD-10-AM Fifth Edition:**

P96.0 Congenital renal failure

ICD-10-AM Sixth Edition:

P96.0 Congenital kidney failure

P96.1 Neonatal withdrawal symptoms from maternal use of drugs of addiction*Status of inclusion term(s):* Revised – **Seventh Edition****ICD-10-AM Sixth Edition:**

Drug withdrawal syndrome in infant of dependent mother

ICD-10-AM Seventh Edition:

Drug withdrawal syndrome in infant of dependent mother

Neonatal abstinence syndrome

P96.4 Termination of pregnancy, affecting fetus and newborn*Status of code title:* Revised – **Sixth Edition***Status of excludes note:* Revised – **Sixth Edition***Status of excludes note:* Deleted – **Eleventh Edition****ICD-10-AM Fifth Edition:**

P96.4 Termination of pregnancy, fetus and newborn

Excludes: termination of pregnancy (mother) (O04.-)**ICD-10-AM Sixth Edition:**

P96.4 Termination of pregnancy, affecting fetus and newborn

Excludes: termination of pregnancy (affecting mother) (O04.-)**P96.5 Complications of intrauterine procedures, not elsewhere classified***Status of code(s):* Created – **Third Edition****ICD-10-AM Second Edition:**

P96.5 Complications of intrauterine procedures, not elsewhere classified

ICD-10-AM Third Edition:

P96.5 Complications of intrauterine procedures, not elsewhere classified

P96.50 Fetus and newborn affected by unspecified intrauterine procedure

P96.51 Fetus and newborn affected by amniocentesis

P96.52 Fetus and newborn affected by chorionic villous sampling

P96.53 Fetus and newborn affected by fetal blood sampling

P96.54 Fetus and newborn affected by complications of intrauterine fetal surgery

P96.59 Fetus and newborn affected by other intrauterine procedures

P96.8 Other specified conditions originating in the perinatal period**Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

P96.8 Other specified conditions originating in the perinatal period

ICD-10-AM Third Edition:

P96.8 Other specified conditions originating in the perinatal period

P96.81 Jittery baby

P96.89 Other specified conditions originating in the perinatal period

Q00.0 Anencephaly**Status of code(s):****Created – *Third Edition*****Status of code(s):****Created – *Seventh Edition*****ICD-10-AM Second Edition:**

Q00.0 Anencephaly

ICD-10-AM Third Edition:

Q00.0 Anencephaly

Q00.00 Anencephaly, unspecified

Q00.01 Incomplete anencephaly

Q00.09 Other anencephaly

ICD-10-AM Seventh Edition:

Q00.0 Anencephaly

Q00.00 Anencephaly, unspecified

Q00.01 Incomplete anencephaly

Q00.02 Complete anencephaly

Q00.03 Acrania

Q00.04 Acephaly

Q00.09 Other anencephaly**Q00.09 Other anencephaly****Status of inclusion term(s):****Revised – *Seventh Edition*****ICD-10-AM Sixth Edition:**

Acephaly

Acrania

Amyelencephaly

Complete anencephaly

ICD-10-AM Seventh Edition:

Amyelencephaly

Q00.1 Craniorachischisis**Status of term:****Classified – *Third Edition*****Term classification:**

Rachischisis

- complete
- craniospinal
- total

Q00.2 Iniencephaly**Status of code(s):****Created – [Third Edition](#)****ICD-10-AM Second Edition:**

Q00.2 Iniencephaly

ICD-10-AM Third Edition:

Q00.2 Iniencephaly

Q00.20 Iniencephaly, unspecified

Q00.21 Iniencephaly, open

Q00.22 Iniencephaly, closed

Q01 Encephalocele**Status of excludes note:****Revised – [Seventh Edition](#)****Status of instructional note (s):****Created – [Seventh Edition](#)****Status of excludes note:****Revised – [Tenth Edition](#)****Status of excludes note:****Revised – [Twelfth Edition](#)****ICD-10-AM Sixth Edition:****Excludes:** Meckel-Gruber syndrome (Q61.9)**ICD-10-AM Seventh Edition:****Excludes:** Meckel-Gruber syndrome (Q89.83)**ICD-10-AM Tenth Edition:****Excludes:** acquired encephalocele (G96.8)

Meckel-Gruber syndrome (Q89.83)

ICD-10-AM Twelfth Edition:**Excludes:** acquired encephalocele (G93.5)

Meckel-Gruber syndrome (Q89.83)

Q01.2 Occipital encephalocele**Status of inclusion term(s):****Created – [Seventh Edition](#)****Q01.8 Encephalocele of other sites****Status of code(s):****Created – [Third Edition](#)****ICD-10-AM Second Edition:**

Q01.8 Encephalocele of other sites

ICD-10-AM Third Edition:

Q01.8 Encephalocele of other sites

Q01.81 Parietal encephalocele

Q01.82 Orbital encephalocele

Q01.83 Nasal encephalocele

Q01.84 Nasopharyngeal encephalocele

[Q01.89](#) Encephalocele of other specified sites**Q01.89 Encephalocele of other specified sites****Status of inclusion term(s):****Created – [Seventh Edition](#)**

Q02 Microcephaly**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Excludes: Meckel-Gruber syndrome (Q61.9)
 microcephalus with cystic kidney disease (Q61.9)
 microcephaly due to:
 • congenital infection (P35–P37)
 • exposure to ionising radiation (Q86.86)

ICD-10-AM Seventh Edition:

Excludes: Meckel-Gruber syndrome (Q89.83)
 microcephalus with cystic kidney disease (Q89.83)
 microcephaly due to:
 • congenital infection (P35–P37)
 • exposure to ionising radiation (Q86.86)

Q03 Congenital hydrocephalus**Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: Arnold-Chiari syndrome (Q07.0)
 hydrocephalus:
 • acquired (G91.-)
 • due to congenital toxoplasmosis (P37.1)
 • with spina bifida (Q05.0- – Q05.4-)

ICD-10-AM Tenth Edition:

Excludes: Arnold-Chiari syndrome (Q07.0)
 hydrocephalus:
 • acquired
 • of newborn (P91.7)
 • NEC (G91.-)
 • due to congenital toxoplasmosis (P37.1)
 • with spina bifida (Q05.0- – Q05.4-)

Q03.0 Malformations of aqueduct of Sylvius**Status of code(s):****Created – Seventh Edition****Status of inclusion term(s):****Deleted – Seventh Edition****ICD-10-AM Sixth Edition:**

Q03.0 Malformations of aqueduct of Sylvius

ICD-10-AM Seventh Edition:

Q03.0 Malformations of aqueduct of Sylvius

Q03.01 Congenital stenosis and obstruction of aqueduct of Sylvius

Q03.09 Other congenital malformations of aqueduct of Sylvius

Q03.8 Other congenital hydrocephalus**Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q03.8 Other congenital hydrocephalus

ICD-10-AM Seventh Edition:

Q03.8 Other congenital hydrocephalus

Q03.81 Congenital communicating hydrocephalus

Q03.89 Other congenital hydrocephalus

Q04 Other congenital malformations of brain**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:****Excludes:** cyclopia (Q87.09)
macrocephaly (Q75.3-)**ICD-10-AM Seventh Edition:****Excludes:** cyclopia (Q87.00)
macrocephaly (Q75.3-)**Q04.0 Congenital malformations of corpus callosum****Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q04.0 Congenital malformations of corpus callosum

ICD-10-AM Third Edition:

Q04.0 Congenital malformations of corpus callosum

Q04.00 Congenital malformations of corpus callosum, unspecified

Q04.01 Agenesis of corpus callosum

Q04.09 Other congenital malformations of corpus callosum

Q04.2 Holoprosencephaly**Status of inclusion term(s):****Created – Seventh Edition**

Q04.3 Other and unspecified reduction deformities of brain

Status of code(s): Created – **Third Edition**
Status of code title(s): Revised – **Seventh Edition**
Status of code(s): Created – **Seventh Edition**
Status of code title(s): Revised – **Seventh Edition**

ICD-10-AM Second Edition:

Q04.3 Other reduction deformities of brain

ICD-10-AM Third Edition:

Q04.3 Other reduction deformities of brain
 Q04.31 Reduction anomalies of cerebrum
 Q04.32 Reduction anomalies of hypothalamus
 Q04.33 Reduction anomalies of cerebellum
 Q04.34 Agyria and lissencephaly
 Q04.35 Microgyria and pachygyria
 Q04.36 Hydranencephaly
 Q04.39 Other reduction anomalies of brain

ICD-10-AM Seventh Edition:

Q04.3 Other and unspecified reduction deformities of brain
Q04.30 Reduction anomalies of brain, unspecified
 Q04.31 Reduction anomalies of cerebrum
 Q04.32 Reduction anomalies of hypothalamus
 Q04.33 Reduction anomalies of cerebellum
Q04.34 Agyria and lissencephaly
 Q04.35 Microgyria and pachygyria
 Q04.36 Hydranencephaly
 Q04.39 Other reduction anomalies of brain

Q04.30 Reduction anomalies of brain, unspecified

Status of code: Created – **Seventh Edition**

Q04.34 Agyria and lissencephaly

Status of inclusion term(s): Created – **Seventh Edition**

Q04.6 Congenital cerebral cysts

Status of code(s): Created – **Third Edition**

ICD-10-AM Second Edition:

Q04.6 Congenital cerebral cysts

ICD-10-AM Third Edition:

Q04.6 Congenital cerebral cysts
 Q04.60 Congenital cerebral cysts, unspecified
 Q04.61 Single congenital cerebral cyst
 Q04.62 Multiple congenital cerebral cysts

Q04.8 Other specified congenital malformations of brain

Status of term: Classified – **Third Edition**

Term classification:

Congenital haematocephalus
 Congenital malformation of cerebral meninges
 Walnut brain

Q05 Spina bifida**Status of includes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Includes: hydromeningocele (spinal)
 meningocele (spinal)
 meningomyelocele
 myelocele
 myelomeningocele
 spina bifida (aperta)(cystica)
 spinal rachischisis
 syringomyelocele

ICD-10-AM Seventh Edition:

Includes: hydromeningocele (spinal)
 lipomyelomeningocele
 meningocele (spinal)
 meningomyelocele
 myelocele
 myelomeningocele
 spina bifida (aperta)(cystica)
 spinal rachischisis
 syringomyelocele

Q05.0 Cervical spina bifida with hydrocephalus**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Q05.0 Cervical spina bifida with hydrocephalus

ICD-10-AM Third Edition:

Q05.0 Cervical spina bifida with hydrocephalus

Q05.00 Cervical spina bifida with hydrocephalus, unspecified whether lesion is open or closed

Q05.01 Cervical spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane

Q05.02 Cervical spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.1 Thoracic spina bifida with hydrocephalus**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Q05.1 Thoracic spina bifida with hydrocephalus

ICD-10-AM Third Edition:

Q05.1 Thoracic spina bifida with hydrocephalus

Q05.10 Thoracic spina bifida with hydrocephalus, unspecified whether lesion is open or closed

Q05.11 Thoracic spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane

Q05.12 Thoracic spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.2 Lumbar spina bifida with hydrocephalus**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Q05.2 Lumbar spina bifida with hydrocephalus

ICD-10-AM Third Edition:

Q05.2 Lumbar spina bifida with hydrocephalus

Q05.20 Lumbar spina bifida with hydrocephalus, unspecified whether lesion is open or closed

Q05.21 Lumbar spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane

Q05.22 Lumbar spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.3 Sacral spina bifida with hydrocephalus

Status of code(s): Created – *Third Edition*
Status of instructional note(s): Revised – *Eighth Edition*

ICD-10-AM Second Edition:

Q05.3 Sacral spina bifida with hydrocephalus

ICD-10-AM Third Edition:

Q05.3 Sacral spina bifida with hydrocephalus
 Q05.30 Sacral spina bifida with hydrocephalus, unspecified whether lesion is open or closed
 Q05.31 Sacral spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane
 Q05.32 Sacral spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.4 Unspecified spina bifida with hydrocephalus

Status of code(s): Created – *Third Edition*
Status of instructional note(s): Revised – *Eighth Edition*

ICD-10-AM Second Edition:

Q05.4 Unspecified spina bifida with hydrocephalus

ICD-10-AM Third Edition:

Q05.4 Unspecified spina bifida with hydrocephalus
 Q05.40 Unspecified spina bifida with hydrocephalus, unspecified whether lesion is open or closed
 Q05.41 Unspecified spina bifida with hydrocephalus, open, aperta, not covered with skin or membrane
 Q05.42 Unspecified spina bifida with hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.5 Cervical spina bifida without hydrocephalus

Status of code(s): Created – *Third Edition*
Status of instructional note(s): Revised – *Eighth Edition*

ICD-10-AM Second Edition:

Q05.5 Cervical spina bifida without hydrocephalus

ICD-10-AM Third Edition:

Q05.5 Cervical spina bifida without hydrocephalus
 Q05.50 Cervical spina bifida without hydrocephalus, unspecified whether lesion is open or closed
 Q05.51 Cervical spina bifida without hydrocephalus, open, aperta, not covered with skin or membrane
 Q05.52 Cervical spina bifida without hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.6 Thoracic spina bifida without hydrocephalus**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Q05.6 Thoracic spina bifida without hydrocephalus

ICD-10-AM Third Edition:

Q05.6 Thoracic spina bifida without hydrocephalus

Q05.60 Thoracic spina bifida without hydrocephalus, unspecified whether lesion is open or closed

Q05.61 Thoracic spina bifida without hydrocephalus, open, aperta, not covered with skin or membrane

Q05.62 Thoracic spina bifida without hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.7 Lumbar spina bifida without hydrocephalus**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Q05.7 Lumbar spina bifida without hydrocephalus

ICD-10-AM Third Edition:

Q05.7 Lumbar spina bifida without hydrocephalus

Q05.70 Lumbar spina bifida without hydrocephalus, unspecified whether lesion is open or closed

Q05.71 Lumbar spina bifida without hydrocephalus, open, aperta, not covered with skin or membrane

Q05.72 Lumbar spina bifida without hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.8 Sacral spina bifida without hydrocephalus**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Q05.8 Sacral spina bifida without hydrocephalus

ICD-10-AM Third Edition:

Q05.8 Sacral spina bifida without hydrocephalus

Q05.80 Sacral spina bifida without hydrocephalus, unspecified whether lesion is open or closed

Q05.81 Sacral spina bifida without hydrocephalus, open, aperta, not covered with skin or membrane

Q05.82 Sacral spina bifida without hydrocephalus, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q05.9 Spina bifida, unspecified**Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Q05.9 Spina bifida, unspecified

ICD-10-AM Third Edition:

Q05.9 Spina bifida, unspecified

Q05.90 Spina bifida, unspecified, unspecified whether lesion is open or closed

Q05.91 Spina bifida, unspecified, open, aperta, not covered with skin or membrane

Q05.92 Spina bifida, unspecified, closed, cystica, covered with skin or membrane

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category Q05 to denote the type of spina bifida: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q05.0–Q05.9 to denote the type of spina bifida: ...

Q06.8 Other specified congenital malformations of spinal cord**Status of term:****Classified – Third Edition****Term classification:**

Congenital tethered spinal cord

Q07.8 Other specified congenital malformations of nervous system**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q07.8 Other specified congenital malformations of nervous system

ICD-10-AM Third Edition:

Q07.8 Other specified congenital malformations of nervous system

Q07.81 Jaw-winking syndrome

Q07.82 Optic nerve hypoplasia

Q07.89 Other specified congenital malformations of the nervous system

Q13.1 Absence of iris**Status of term:****Reclassified – Second Edition****Term reclassification:**

Irideraemia

Q13.2 Other congenital malformations of iris**Status of term:****Reclassified – Second Edition****Term reclassification:**

Irideraemia

Q13.3 Congenital corneal opacity**Status of inclusion term(s):****Created – Seventh Edition****Q13.4 Other and unspecified congenital corneal malformations****Status of code title:****Revised – Seventh Edition****Status of code(s):****Created – Seventh Edition****Status of inclusion term(s):****Deleted – Seventh Edition****ICD-10-AM Sixth Edition:**

Q13.4 Other congenital corneal malformations

ICD-10-AM Seventh Edition:

Q13.4 Other and unspecified congenital corneal malformations

Q13.40 Congenital corneal malformation, unspecified

Q13.41 Microcornea

Q13.49 Other congenital corneal malformations

Q13.8 Other congenital malformations of anterior segment of eye**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Rieger's anomaly

ICD-10-AM Eleventh Edition:

Axenfeld-Rieger syndrome

Rieger anomaly

Q14.0 Congenital malformation of vitreous humour

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Congenital vitreous opacity

ICD-10-AM Seventh Edition:

Congenital vitreous opacity

Persistent hyperplastic primary vitreous [PHPV]

Q15.0 Congenital glaucoma

Status of inclusion term(s): Classified and revised – [First Edition](#)

Term classification:

Congenital keratoglobus with glaucoma

Macrocornea with glaucoma

Megalocornea with glaucoma

Term reclassification:

Congenital keratoglobus

Macrocornea

Megalocornea

Q15.8 Other specified congenital malformations of eye**Status of term:**

Classified – [First Edition](#)

Status of inclusion term(s):

Created – [Seventh Edition](#)

Term classification:

Congenital keratoglobus

Macrocornea

Megalocornea

Q17.0 Accessory auricle and ear tag**Status of code title:**

Revised – [Seventh Edition](#)

Status of code(s):

Created – [Seventh Edition](#)

Status of inclusion term(s):

Deleted – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q17.0 Accessory auricle

ICD-10-AM Seventh Edition:

Q17.0 Accessory auricle and ear tag

Q17.01 Accessory auricle

Q17.02 Ear tag

Q18 Other congenital malformations of face and neck**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Excludes: cleft lip and cleft palate (Q35–Q37)
 conditions classified to Q67.0–Q67.4-
 congenital malformations of skull and face bones (Q75.-)
 cyclopia (Q87.09)
 dentofacial anomalies [including malocclusion] (K07.-)
 malformation syndromes affecting facial appearance (Q87.0-)
 persistent thyroglossal duct (Q89.2)

ICD-10-AM Seventh Edition:

Excludes: cleft lip and cleft palate (Q35–Q36)
 conditions classified to Q67.0–Q67.4-
 congenital malformations of skull and face bones (Q75.-)
 cyclopia (Q87.00)
 dentofacial anomalies [including malocclusion] (K07.-)
 malformation syndromes affecting facial appearance (Q87.0-)
 persistent thyroglossal duct (Q89.23)

Q18.1 Preauricular sinus and cyst**Status of inclusion term(s):****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

Fistula (of):

- auricle, congenital
- cervicoaural

ICD-10-AM Sixth Edition:

Fistula (of):

- auricle, congenital
- cervicoaural

Pretragal sinus and cyst

Q18.8 Other specified congenital malformations of face and neck**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Medial:

- | | | |
|-----------|---|------------------|
| • cyst | } | |
| • fistula | } | of face and neck |
| • sinus | } | |

ICD-10-AM Seventh Edition:

Facial cleft

Medial:

- | | | |
|-----------|---|------------------|
| • cyst | } | |
| • fistula | } | of face and neck |
| • sinus | } | |

Q20 Congenital malformations of cardiac chambers and connections

Status of excludes note: *Revised – Seventh Edition Errata 5*

ICD-10-AM Seventh Edition:

Excludes: dextrocardia with situs inversus (Q89.3)
mirror-image atrial arrangement with situs inversus (Q89.3)

ICD-10-AM Seventh Edition Errata 5:

Excludes: dextrocardia with situs inversus (Q89.31)
mirror-image atrial arrangement with situs inversus (Q89.32)

Q20.1 Double outlet right ventricle

Status of instructional note(s): *Created – Seventh Edition*
Status of instructional note(s): *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Code also ventricular septal defect (Q21.0-), if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (Q21.0-) to identify ventricular septal defect.

Q20.3 Discordant ventriculoarterial connection

Status of inclusion term(s): *Deleted – Seventh Edition*
Status of code(s): *Created – Seventh Edition*

ICD-10-AM Sixth Edition:

Q20.3 Discordant ventriculoarterial connection

ICD-10-AM Seventh Edition:

Q20.3 Discordant ventriculoarterial connection
Q20.30 Discordant ventriculoarterial connection, unspecified
Q20.31 Transposition of great vessels, complete
Q20.39 Other specified discordant ventriculoarterial connection

Q20.4 Double inlet ventricle

Status of inclusion term(s): *Deleted – Seventh Edition*
Status of code(s): *Created – Seventh Edition*

ICD-10-AM Sixth Edition:

Q20.4 Double inlet ventricle

ICD-10-AM Seventh Edition:

Q20.4 Double inlet ventricle
Q20.40 Double inlet ventricle, unspecified
Q20.41 Double inlet left ventricle
Q20.42 Double inlet right ventricle
Q20.49 Other specified double inlet ventricle

Q20.5 Discordant atrioventricular connection

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q20.5 Discordant atrioventricular connection

ICD-10-AM Seventh Edition:

Q20.5 Discordant atrioventricular connection
 Q20.50 Discordant atrioventricular connection, unspecified
 Q20.51 Corrected transposition
 Q20.52 Ventricular inversion
 Q20.59 Other specified discordant atrioventricular connection

Q20.6 Isomerism of atrial appendages

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of instructional note(s): Created – [Seventh Edition](#)

Q20.8 Other congenital malformations of cardiac chambers and connections

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q20.8 Other congenital malformations of cardiac chambers and connections

ICD-10-AM Seventh Edition:

Q20.8 Other congenital malformations of cardiac chambers and connections
 Q20.81 Hypoplastic right ventricle
 Q20.82 Hypoplastic left ventricle
 Q20.89 Other specified congenital malformations of cardiac chambers and connections

Q21.0 Ventricular septal defect

Status of code(s): Revised – [Fourth Edition](#)
Status of code(s): Created – [Seventh Edition](#)
Status of code title(s): Revised – [Seventh Edition](#)
Status of excludes note: Created – [Seventh Edition](#)

ICD-10-AM Third Edition:

Q21.0 Ventricular septal defect

ICD-10-AM Fourth Edition:

Q21.0 Ventricular septal defect
 Q21.00 Unspecified ventricular septal defect
 Q21.01 Muscular ventricular septal defect
 Q21.02 Perimembranous ventricular septal defect
 Q21.09 Other ventricular septal defect

ICD-10-AM Seventh Edition:

Q21.0 Ventricular septal defect
 Q21.00 Ventricular septal defect, unspecified
 Q21.01 Muscular ventricular septal defect
[Q21.02](#) Perimembranous ventricular septal defect
 Q21.03 Subarterial ventricular septal defect
 Q21.04 Gerbode effect
[Q21.09](#) Other specified ventricular septal defect

Q21.02 Perimembranous ventricular septal defect

Status of inclusion term(s): *Revised – Seventh Edition*

ICD-10-AM Sixth Edition:

Membranous ventricular septal defect

ICD-10-AM Seventh Edition:

Membranous }
 Paramembranous }
 Subaortic } ventricular septal defect

Q21.09 Other ventricular septal defect

Status of code title: *Revised – Seventh Edition*

Status of inclusion term(s): *Revised – Seventh Edition*

ICD-10-AM Sixth Edition:

Q21.09 Other ventricular septal defect
 Multiple ventricular septal defects NOS
 Roger's disease
 Subaortic }
 Subarterial } ventricular septal defect NOS
 Subcrystal }

ICD-10-AM Seventh Edition:

Q21.09 Other specified ventricular septal defect
 Multiple ventricular septal defects NOS
 Noncommitted ventricular septal defect
 Roger's disease
 Subcrystal ventricular septal defect

Q21.1 Atrial septal defect

Status of code(s): *Created – Fourth Edition*

Status of code(s): *Created – Seventh Edition*

ICD-10-AM Third Edition:

Q21.1 Atrial septal defect

ICD-10-AM Fourth Edition:

Q21.1 Atrial septal defect
 Q21.10 Unspecified atrial septal defect
 Q21.11 Patent or persistent foramen ovale
 Q21.12 Sinus venosus defect
 Q21.19 Other atrial septal defect

ICD-10-AM Seventh Edition:

Q21.1 Atrial septal defect
 Q21.10 Atrial septal defect, unspecified
 Q21.11 Patent or persistent foramen ovale
 Q21.12 Sinus venosus defect
 Q21.13 Ostium secundum defect
 Q21.14 Coronary sinus septal defect
 Q21.15 Lutembacher's syndrome
 Q21.19 Other specified atrial septal defect

Q21.11 Patent or persistent foramen ovale

Status of inclusion term(s): Created – [Seventh Edition](#)

Q21.19 Other specified atrial septal defect

Status of code title: Revised – [Seventh Edition](#)

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q21.19 Other atrial septal defect
 Atrial septal defect located in:
 • common atrium
 • coronary sinus
 Cor triloculare biventriculare
 Lutembacher's syndrome [atrial septal defect with mitral stenosis]
 Ostium secundum defect (type II)

ICD-10-AM Seventh Edition:

Q21.19 Other specified atrial septal defect
 Cor triloculare biventriculare
 Single common atrium

Q21.2 Atrioventricular septal defect

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q21.2 Atrioventricular septal defect

ICD-10-AM Seventh Edition:

Q21.2 Atrioventricular septal defect
 Q21.20 Atrioventricular septal defect, unspecified
 Q21.21 Ostium primum defect
 Q21.22 Incomplete common atrioventricular septal defect
 Q21.23 Intermediate common atrioventricular septal defect
 Q21.24 Complete common atrioventricular septal defect
 Q21.29 Other specified atrioventricular septal defect

Q21.3 Tetralogy of Fallot

Status of excludes note: Created – [Seventh Edition](#)

Q21.8 Other congenital malformations of cardiac septa

Status of inclusion term(s): Revised – [Fifth Edition](#)

Status of excludes note: Created – [Fifth Edition](#)

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Status of excludes note: Deleted – [Seventh Edition](#)

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Fourth Edition:

Eisenmenger's syndrome

ICD-10-AM Fifth Edition:

Eisenmenger's defect

ICD-10-AM Sixth Edition:

Q21.8 Other congenital malformations of cardiac septa

ICD-10-AM Seventh Edition:

Q21.8 Other congenital malformations of cardiac septa
 Q21.81 Eisenmenger's defect
 Q21.82 Trilogy of Fallot
 Q21.83 Pentalogy of Fallot
 Q21.89 Other specified congenital malformations of cardiac septa

Q21.9 Congenital malformation of cardiac septum, unspecified

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Septal (heart) defect NOS

ICD-10-AM Seventh Edition:

Defects of septal closure NOS

Septal (heart) defect NOS

Q22.0 Pulmonary valve atresia

Status of inclusion term(s): Created – [Seventh Edition](#)

Q22.1 Congenital pulmonary valve stenosis

Status of inclusion term(s): Created – [Seventh Edition](#)

Q22.2 Congenital pulmonary valve insufficiency

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Congenital pulmonary valve regurgitation

ICD-10-AM Seventh Edition:

Congenital pulmonary valve regurgitation

Incompetence of pulmonary valve

Q22.3 Other and unspecified congenital malformations of pulmonary valve

Status of code title: Revised – [Seventh Edition](#)

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q22.3 Other congenital malformations of pulmonary valve

ICD-10-AM Seventh Edition:

Q22.3 Other and unspecified congenital malformations of pulmonary valve

Q22.30 Congenital malformation of pulmonary valve, unspecified

Q22.31 Dysplasia of pulmonary valve

Q22.39 Other specified congenital malformations of pulmonary valve

Q22.4 Congenital tricuspid stenosis and atresia*Status of code(s):* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

Q22.4 Congenital tricuspid stenosis

ICD-10-AM Fourth Edition:

Q22.4 Congenital tricuspid stenosis and atresia

Q22.41 Congenital tricuspid stenosis

Q22.42 Congenital tricuspid atresia

Q22.42 Congenital tricuspid atresia*Status of inclusion term(s):* **Created – Seventh Edition****Q22.6 Hypoplastic right heart syndrome***Status of includes note:* **Created – Seventh Edition****Q22.8 Other congenital malformations of tricuspid valve***Status of code(s):* **Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q22.8 Other congenital malformations of tricuspid valve

ICD-10-AM Seventh Edition:

Q22.8 Other congenital malformations of tricuspid valve

Q22.81 Congenital tricuspid insufficiency

Q22.82 Congenital tricuspid dysplasia

Q22.89 Other specified congenital malformations of tricuspid valve

Q23.0 Congenital stenosis and atresia of aortic valve*Status of code(s):* **Revised – Fourth Edition****ICD-10-AM Third Edition:**

Q23.0 Congenital stenosis of aortic valve

ICD-10-AM Fourth Edition:

Q23.0 Congenital stenosis and atresia of aortic valve

Q23.01 Congenital stenosis of aortic valve

Q23.02 Congenital atresia of aortic valve

Q23.02 Congenital atresia of aortic valve*Status of inclusion term(s):* **Created – Seventh Edition****Q23.1 Congenital insufficiency of aortic valve***Status of inclusion term(s):* **Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Bicuspid aortic valve

ICD-10-AM Seventh Edition:

Congenital aortic insufficiency

Q23.2 Congenital mitral stenosis and atresia**Status of code(s):****Revised – Fourth Edition****ICD-10-AM Third Edition:**

Q23.2 Congenital mitral stenosis

ICD-10-AM Fourth Edition:

Q23.2 Congenital mitral stenosis and atresia

Q23.21 Congenital mitral stenosis

Q23.22 Congenital mitral atresia

Q23.22 Congenital mitral atresia**Status of inclusion term(s):****Created – Seventh Edition****Q23.4 Hypoplastic left heart syndrome****Status of inclusion term(s):****Revised – Seventh Edition****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Sixth Edition:**

Atresia, or marked hypoplasia of aortic orifice or valve, with hypoplasia of ascending aorta and defective development of left ventricle (with mitral valve stenosis or atresia)

ICD-10-AM Seventh Edition:

Atresia or hypoplasia of aortic orifice or valve with:

- hypoplasia of ascending aorta and underdevelopment of left ventricle with:
 - mitral valve:
 - atresia
 - stenosis

ICD-10-AM Eleventh Edition:

Atresia, or hypoplasia of aortic orifice or valve, with hypoplasia of ascending aorta and underdevelopment of left ventricle (with mitral valve stenosis or atresia)

Q23.8 Other congenital malformations of aortic and mitral valves**Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q23.8 Other congenital malformations of aortic and mitral valves

ICD-10-AM Seventh Edition:

Q23.8 Other congenital malformations of aortic and mitral valves

Q23.81 Congenital aortic valve dysplasia

Q23.82 Congenital mitral valve dysplasia

Q23.83 Congenital bicuspid aortic valve

Q23.89 Other specified congenital malformations of aortic and mitral valves

Q24.0 Dextrocardia**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Excludes: dextrocardia with situs inversus (Q89.3)
 isomerism of atrial appendages (with asplenia or polysplenia) (Q20.6)
 mirror-image atrial arrangement with situs inversus (Q89.3)

ICD-10-AM Seventh Edition:

Excludes: dextrocardia with situs inversus (Q89.3)
 isomerism of atrial appendages (Q20.6)
 mirror-image atrial arrangement with situs inversus (Q89.32)

Q24.8 Other specified congenital malformations of heart**Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q24.8 Other specified congenital malformations of heart

ICD-10-AM Seventh Edition:

Q24.8 Other specified congenital malformations of heart

Q24.81 Anomalous bands of heart

Q24.82 Congenital cardiomegaly

Q24.83 Congenital cyanotic heart disease

Q24.84 Congenital diverticulum of heart

Q24.85 Congenital malformation of pericardium, not elsewhere classified

Q24.86 Congenital malformation of myocardium, not elsewhere classified

Q24.87 Congenital malformation of cardiac valve, not elsewhere classified

Q24.89 Other specified congenital malformations of heart

Q24.9 Congenital malformation of heart, unspecified**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Congenital:

- anomaly } NOS of heart
- disease }

ICD-10-AM Seventh Edition:

Congenital:

- acyanotic heart disease
- anomaly } NOS of heart
- disease }

Q25.1 Coarctation of aorta**Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q25.1 Coarctation of aorta

ICD-10-AM Seventh Edition:

Q25.1 Coarctation of aorta

Q25.1 Coarctation of aorta

Q25.10 Coarctation of aorta, unspecified

Q25.11 Coarctation of aorta, preductal

Q25.12 Coarctation of aorta, postductal

Q25.13 Interrupted aortic arch

Q25.19 Other specified coarctation of aorta

Q25.3 Stenosis of aorta

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q25.3 Stenosis of aorta

Excludes: congenital aortic stenosis (Q23.0)

ICD-10-AM Seventh Edition:

Q25.3 Stenosis of aorta

Excludes: congenital stenosis of aortic valve (Q23.01)

Q25.30 Stenosis of aorta, unspecified
 Q25.31 Supravalvular aortic stenosis
 Q25.32 Subvalvular aortic stenosis
 Q25.39 Other specified stenosis of aorta

Q25.4 Other and unspecified congenital malformations of aorta

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of excludes note: Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q25.4 Other congenital malformations of aorta

ICD-10-AM Seventh Edition:

Q25.4 Other and unspecified congenital malformations of aorta
 Q25.40 Congenital malformation of aorta, unspecified
 Q25.41 Absence of aorta
 Q25.42 Congenital aneurysm of aorta
 Q25.43 Double aortic arch [vascular ring of aorta]
 Q25.44 Hypoplasia of aorta
 Q25.45 Persistent aortic arch
 Q25.46 Pseudotruncus arteriosus
 Q25.47 Overriding aorta
 Q25.49 Other specified congenital malformations of aorta

Q25.6 Stenosis of pulmonary artery

Status of inclusion term(s): Created – [Seventh Edition](#)

Term classification:

Supravalvular pulmonary stenosis

Q25.7 Other and unspecified congenital malformations of pulmonary artery

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q25.7 Other congenital malformations of pulmonary artery

ICD-10-AM Seventh Edition:

Q25.7 Other and unspecified congenital malformations of pulmonary artery
 Q25.70 Congenital malformation of pulmonary artery, unspecified
 Q25.71 Congenial aneurysm of pulmonary artery
 Q25.79 Other specified congenital malformations of pulmonary artery

Q26.0 Congenital stenosis of vena cava

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q26.0 Congenital stenosis of vena cava

ICD-10-AM Seventh Edition:

Q26.0 Congenital stenosis of vena cava
 Q26.00 Congenital stenosis of vena cava, unspecified
 Q26.01 Congenital stenosis of superior vena cava
 Q26.02 Congenital stenosis of inferior vena cava
 Q26.09 Other specified congenital stenosis of vena cava

Q26.2 Total anomalous pulmonary venous connection

Status of inclusion term(s): Created – [Seventh Edition](#)

Q26.3 Partial anomalous pulmonary venous connection

Status of inclusion term(s): Created – [Seventh Edition](#)

Q26.5 Anomalous portal vein connection

Status of inclusion term(s): Created – [Seventh Edition](#)

Q26.8 Other congenital malformations of great veins

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q26.8 Other congenital malformations of great veins

ICD-10-AM Seventh Edition:

Q26.8 Other congenital malformations of great veins
 Q26.81 Scimitar syndrome
 Q26.89 Other specified congenital malformations of great veins

Q27 Other congenital malformations of peripheral vascular system

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: anomalies of:
 • cerebral and precerebral vessels (Q28.0–Q28.3)
 • coronary vessels (Q24.5)
 • pulmonary artery (Q25.5–Q25.7)
 congenital retinal aneurysm (Q14.1)
 haemangioma and lymphangioma (D18.-)

ICD-10-AM Seventh Edition:

Excludes: anomalies of:
 • cerebral and precerebral vessels (Q28.0–Q28.3-)
 • coronary vessels (Q24.5)
 • pulmonary artery (Q25.5–Q25.7-)
 congenital retinal aneurysm (Q14.1)
 haemangioma and lymphangioma (D18.-)

Q27.0 Congenital absence and hypoplasia of umbilical artery

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q27.0 Congenital absence and hypoplasia of umbilical artery

ICD-10-AM Seventh Edition:

Q27.0 Congenital absence and hypoplasia of umbilical artery

Q27.01 Congenital absence of umbilical artery

Q27.02 Congenital hypoplasia of umbilical artery

Q27.2 Other and unspecified congenital malformations of renal artery

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q27.2 Other congenital malformations of renal artery

ICD-10-AM Seventh Edition:

Q27.2 Other and unspecified congenital malformations of renal artery

Q27.20 Congenital malformations of renal artery, unspecified

Q27.21 Congenital atresia of renal artery

Q27.22 Congenital hypoplasia of renal artery

Q27.29 Other specified congenital malformations of renal artery

Q27.5 Lymphatic malformation

Status of code: Created – [Twelfth Edition](#)

Q28 Other congenital malformations of circulatory system

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: congenital aneurysm:
 • coronary (Q24.5)
 • NOS (Q27.8)
 • peripheral (Q27.8)
 • pulmonary (Q25.7)
 • retinal (Q14.1)
 ruptured:
 • cerebral arteriovenous malformation (I60.8)
 • malformation of precerebral vessels (I72.-)

ICD-10-AM Seventh Edition:

Excludes: congenital aneurysm:
 • coronary (Q24.5)
 • NOS (Q27.8)
 • peripheral (Q27.8)
 • pulmonary (Q25.71)
 • retinal (Q14.1)
 ruptured:
 • cerebral arteriovenous malformation (I60.8)
 • malformation of precerebral vessels (I72.-)

Q28.3 Other and unspecified congenital malformations of cerebral vessels

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q28.3 Other malformations of cerebral vessels

ICD-10-AM Seventh Edition:

Q28.3 Other and unspecified congenital malformations of cerebral vessels
 Q28.30 Congenital malformations of cerebral vessels, unspecified
 Q28.31 Aneurysm of great vein of Galen
 Q28.39 Other specified malformations of cerebral vessels

Q30.0 Choanal atresia and stenosis

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q30.0 Choanal atresia

ICD-10-AM Seventh Edition:

Q30.0 Choanal atresia and stenosis
 Q30.01 Choanal atresia
 Q30.02 Choanal stenosis

Q30.01 Choanal atresia

Status of code: Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Atresia of:
 • anterior | nares
 • posterior

ICD-10-AM Eleventh Edition:

Atresia of nares (anterior) (posterior)

Q30.02 Choanal stenosis

Status of code: Created – [Seventh Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Congenital stenosis of:
 • anterior | nares
 • posterior

ICD-10-AM Eleventh Edition:

Congenital stenosis of nares (anterior) (posterior)

Q30.8 Other congenital malformations of nose

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q30.8 Other congenital malformations of nose

ICD-10-AM Seventh Edition:

Q30.8 Other congenital malformations of nose

Q30.81 Congenital accessory nose

Q30.82 Congenital anomaly of nasal sinus

Q30.89 Other congenital malformations of nose

Q31.4 Congenital laryngeal stridor

Status of code(s): Deleted – [Third Edition](#)

Q31.5 Congenital laryngomalacia

Status of code(s): Created – [Third Edition](#)

Q31.8 Other congenital malformations of larynx

Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Absence	of cricoid cartilage, epiglottis, glottis, larynx or thyroid cartilage
Agensis	
Atresia	
Cleft thyroid cartilage	
Congenital stenosis of larynx NEC	
Fissure of epiglottis	
Posterior cleft of cricoid cartilage	

ICD-10-AM Eleventh Edition:

Absence of larynx
 Agensis of larynx
 Atresia of larynx
 Cleft thyroid cartilage
 Congenital stenosis of larynx NEC
 Fissure of epiglottis
 Posterior cleft of cricoid cartilage

Q33.0 Congenital cystic lung

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q33.0 Congenital cystic lung

ICD-10-AM Seventh Edition:

Q33.0 Congenital cystic lung
 Q33.00 Congenital cystic lung, unspecified
 Q33.01 Congenital cystic adenomatoid lung
 Q33.02 Congenital honeycomb lung
 Q33.03 Congenital single cyst of lung
 Q33.04 Congenital polycystic lung
 Q33.05 Congenital pulmonary lymphangiectasis
 Q33.09 Other congenital cystic lung

Q35–Q36 Cleft lip and cleft palate

Status of instructional note(s): Created – *Third Edition*

Q35 Cleft palate

Status of term:	Reclassified – First Edition
Status of code(s):	Revised, Deleted – Second Edition
Status of term:	Classified – Third Edition
Status of code(s):	Revised, Deleted – Third Edition
Status of instructional note (s):	Created – Seventh Edition
Status of excludes note:	Deleted – Seventh Edition
Status of code(s):	Created, Deleted – Seventh Edition
Status of instructional note(s):	Revised – Twelfth Edition

Term reclassification:

Perforation of palatine vault

ICD-10-AM First Edition:

Q35	Cleft palate
Q35.0	Cleft hard palate, bilateral
Q35.1	Cleft hard palate, unilateral
Q35.2	Cleft soft palate, bilateral
Q35.3	Cleft soft palate, unilateral
Q35.4	Cleft hard palate with cleft soft palate, bilateral
Q35.5	Cleft hard palate with cleft soft palate, unilateral
Q35.6	Cleft palate, medial
Q35.7	Cleft uvula
Q35.8	Cleft palate, unspecified, bilateral
Q35.9	Cleft palate, unspecified, unilateral

ICD-10-AM Second Edition:

Q35	Cleft palate
Q35.1	Cleft hard palate
Q35.3	Cleft soft palate
Q35.5	Cleft hard palate with cleft soft palate
Q35.6	Cleft palate, medial
Q35.7	Cleft uvula
Q35.9	Cleft palate, unspecified

ICD-10-AM Third Edition:

Q35	Cleft palate
Q35.1	Cleft hard palate
Q35.3	Cleft soft palate
Q35.5	Cleft hard palate with cleft soft palate
Q35.7	Cleft uvula
Q35.9	Cleft palate, unspecified

Term classification:

Bifid uvula

ICD-10-AM Seventh Edition:

Q35	Cleft palate
Q35.1	Cleft hard palate
Q35.10	Cleft hard palate, unspecified
Q35.11	Cleft hard palate, bilateral
Q35.12	Cleft hard palate, median
Q35.13	Cleft hard palate, unilateral
Q35.3	Cleft soft palate
Q35.30	Cleft soft palate, unspecified
Q35.31	Cleft soft palate, bilateral
Q35.32	Cleft soft palate, median
Q35.33	Cleft soft palate, unilateral
Q35.7	Cleft uvula
Q35.9	Cleft palate, unspecified

ICD-10-AM Eleventh Edition:

Code also cleft lip (Q36.-) if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (Q36.-) to identify cleft lip.

Q35.1 Cleft hard palate

Status of instructional note(s): Created – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also cleft soft palate (Q35.3-) if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (Q35.3-) to identify cleft soft palate.

Q35.3 Cleft soft palate

Status of instructional note(s): Created – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also cleft hard palate (Q35.1-) if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (Q35.1-) to identify cleft hard palate.

Q35.5 Cleft hard palate with cleft soft palate

Status of code: Deleted – [Seventh Edition](#)

Q36 Cleft lip

Status of instructional note (s): Created – [Seventh Edition](#)
Status of excludes note: Deleted – [Seventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Code also cleft palate (Q35.-) if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (Q35.-) to identify cleft palate.

Q36.1 Cleft lip, median**Status of code title:****Revised – Third Edition****ICD-10-AM Second Edition:**

Q36.1 Cleft lip, medial

ICD-10-AM Third Edition:

Q36.1 Cleft lip, median

Q37 Cleft palate with cleft lip**Status of code(s):****Revised – Second Edition****Status of code(s):****Deleted – Seventh Edition****ICD-10-AM First Edition:**

Q37 Cleft palate with cleft lip
 Q37.0 Cleft hard palate with cleft lip, bilateral
 Q37.1 Cleft hard palate with cleft lip, unilateral
 Q37.2 Cleft soft palate with cleft lip, bilateral
 Q37.3 Cleft soft palate with cleft lip, unilateral
 Q37.4 Cleft hard and soft palate with cleft lip, bilateral
 Q37.5 Cleft hard and soft palate with cleft lip, unilateral
 Q37.8 Unspecified cleft palate with cleft lip, bilateral
 Q37.9 Unspecified cleft palate with cleft lip, unilateral

ICD-10-AM Second Edition:

Q37 Cleft palate with cleft lip
 Q37.0 Cleft hard palate with bilateral cleft lip
 Q37.1 Cleft hard palate with unilateral cleft lip
 Q37.2 Cleft soft palate with bilateral cleft lip
 Q37.3 Cleft soft palate with unilateral cleft lip
 Q37.4 Cleft hard and soft palate with bilateral cleft lip
 Q37.5 Cleft hard and soft palate with unilateral cleft lip
 Q37.8 Unspecified cleft palate with bilateral cleft lip
 Q37.9 Unspecified cleft palate with unilateral cleft lip

Q37.0 Cleft hard palate with bilateral cleft lip**Status of code:****Deleted – Seventh Edition****Q37.1 Cleft hard palate with unilateral cleft lip****Status of code:****Deleted – Seventh Edition****Q37.2 Cleft soft palate with bilateral cleft lip****Status of code:****Deleted – Seventh Edition****Q37.3 Cleft soft palate with unilateral cleft lip****Status of code:****Deleted – Seventh Edition****Q37.4 Cleft hard and soft palate with bilateral cleft lip****Status of code:****Deleted – Seventh Edition****Q37.5 Cleft hard and soft palate with unilateral cleft lip****Status of code:****Deleted – Seventh Edition**

Q37.8 Unspecified cleft palate with bilateral cleft lip*Status of code:**Deleted – Seventh Edition***Q37.9 Unspecified cleft palate with unilateral cleft lip***Status of code:**Deleted – Seventh Edition***Q38.0 Congenital malformations of lips***Status of code title:**Revised – Seventh Edition**Status of inclusion term(s):**Deleted – Seventh Edition**Status of excludes note:**Revised – Seventh Edition**Status of code(s):**Created – Seventh Edition***ICD-10-AM Sixth Edition:**

Q38.0 Congenital malformations of lips, not elsewhere classified

Congenital:

- fistula of lip
 - malformation of lip NOS
- Van der Woude's syndrome

Excludes:

- cleft lip:
 - NOS (Q36.-)
 - with cleft palate (Q37.-)
- macrocheilia (Q18.6)
- microcheilia (Q18.7)

ICD-10-AM Seventh Edition:

Q38.0 Congenital malformations of lips

Excludes:

- cleft lip (Q36.-)
- macrocheilia (Q18.6)
- microcheilia (Q18.7)

Q38.00 Congenital malformations of lips, unspecified

Q38.01 Congenital fistula of pit of lips

Q38.02 Van der Woude's syndrome

Q38.09 Other congenital malformations of lips

Q38.3 Other and unspecified congenital malformations of tongue*Status of code title:**Created – Seventh Edition**Status of inclusion term(s):**Deleted – Seventh Edition**Status of code(s):**Created – Seventh Edition***ICD-10-AM Sixth Edition:**

Q38.3 Other congenital malformations of tongue

ICD-10-AM Seventh Edition:

Q38.3 Other and unspecified congenital malformations of tongue

Q38.30 Congenital malformation of tongue, unspecified

Q38.31 Congenital absence of tongue

Q38.32 Congenital cleft of tongue

Q38.33 Congenital displacement of tongue

Q38.34 Congenital hypoplasia of tongue

Q38.39 Other congenital malformations of tongue

Q38.4 Congenital malformations of salivary glands and ducts

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q38.4 Congenital malformations of salivary glands and ducts

ICD-10-AM Seventh Edition:

Q38.4 Congenital malformations of salivary glands and ducts
 Q38.40 Congenital malformation of salivary gland(s) and duct(s), unspecified
 Q38.41 Congenital absence of salivary gland(s) and duct(s)
 Q38.42 Congenital accessory salivary gland(s) and duct(s)
 Q38.43 Congenital atresia of salivary gland(s) and duct(s)
 Q38.44 Congenital fistula of salivary gland(s) and duct(s)
 Q38.45 Congenital ranula
 Q38.49 Other congenital malformations of salivary gland(s) and duct(s)

Q38.5 Congenital malformations of palate, not elsewhere classified

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q38.5 Congenital malformations of palate, not elsewhere classified

Excludes: cleft palate:
 • NOS (Q35.-)
 • with cleft lip (Q37.-)

ICD-10-AM Seventh Edition:

Q38.5 Congenital malformations of palate, not elsewhere classified

Excludes: cleft palate (Q35.-)

Q38.50 Congenital malformation of palate, unspecified
 Q38.51 Congenital absence of uvula
 Q38.52 Congenital high arched palate
 Q38.59 Other congenital malformations of palate

Q38.6 Other and unspecified congenital malformations of mouth

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q38.6 Other congenital malformations of mouth

ICD-10-AM Seventh Edition:

Q38.6 Other and unspecified congenital malformations of mouth
 Q38.60 Congenital malformation of mouth, unspecified
 Q38.61 Congenital cleft of gum
 Q38.69 Other congenital malformations of mouth

Q38.8 Other and unspecified congenital malformations of pharynx**Status of code title:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Q38.8 Other congenital malformations of pharynx

ICD-10-AM Seventh Edition:

Q38.8 Other and unspecified congenital malformations of pharynx

Q39.1 Atresia of oesophagus with oesophageal fistula**Status of code(s):****Created – Third Edition****Status of code title:****Revised – Seventh Edition****Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created/Deleted – Seventh Edition****ICD-10-AM Second Edition:**

Q39.1 Atresia of oesophagus with tracheo-oesophageal fistula

ICD-10-AM Third Edition:

Q39.1 Atresia of oesophagus with tracheo-oesophageal fistula

Q39.11 Atresia of oesophagus with fistula between trachea and upper oesophageal pouch

Q39.12 Atresia of oesophagus with fistula between trachea and lower oesophageal pouch

Q39.19 Atresia of oesophagus with tracheo-oesophageal fistula

ICD-10-AM Sixth Edition:

Q39.1 Atresia of oesophagus with tracheo-oesophageal fistula

ICD-10-AM Seventh Edition:

Q39.1 Atresia of oesophagus with oesophageal fistula

Q39.10 Atresia of oesophagus with oesophageal fistula, unspecified

Q39.13 Atresia of oesophagus with fistula between trachea and oesophageal pouch

Q39.14 Atresia of oesophagus with broncho-oesophageal fistula

Q39.15 Atresia of oesophagus with tracheo-oesophageal fistula

Q39.2 Congenital oesophageal fistula without atresia**Status of code(s):****Created – Third Edition****Status of code title:****Revised – Seventh Edition****ICD-10-AM Second Edition:**

Q39.2 Congenital tracheo-oesophageal fistula without atresia

ICD-10-AM Third Edition:

Q39.2 Congenital tracheo-oesophageal fistula without atresia

Q39.21 Congenital tracheo-oesophageal fistula without atresia

Q39.22 Congenital broncho-oesophageal fistula without atresia

ICD-10-AM Sixth Edition:

Q39.2 Congenital tracheo-oesophageal fistula without atresia

ICD-10-AM Seventh Edition:

Q39.2 Congenital oesophageal fistula without atresia

Q39.4 Congenital oesophageal web

Status of code title: Revised – [Eleventh Edition](#)
Status of excludes note: Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Q39.4 Oesophageal web

ICD-10-AM Eleventh Edition:

Q39.4 Congenital oesophageal web

Q39.8 Other congenital malformations of oesophagus

Status of code(s): Created – [Third Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Second Edition:

Q39.8 Other congenital malformations of oesophagus

ICD-10-AM Third Edition:

Q39.8 Other congenital malformations of oesophagus

Q39.81 Congenital duplication of oesophagus

Q39.82 Oesophageal dysmotility

Q39.89 Other congenital malformations of oesophagus

ICD-10-AM Seventh Edition:

Q39.8 Other congenital malformations of oesophagus

Q39.81 Congenital duplication of oesophagus

Q39.82 Oesophageal dysmotility

Q39.83 Congenital absence of oesophagus

Q39.84 Congenital displacement of oesophagus

Q39.85 Congenital duplication cyst of oesophagus

Q39.89 Other congenital malformations of oesophagus

Q39.89 Other congenital malformations of oesophagus

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Q40.2 Other specified congenital malformations of stomach

Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q40.2 Other specified congenital malformations of stomach

ICD-10-AM Seventh Edition:

Q40.2 Other specified congenital malformations of stomach

Q40.21 Congenital absence of stomach

Q40.22 Congenital diverticulum of stomach

Q40.23 Congenital duplication of stomach

Q40.24 Congenital megalogastria

Q40.25 Congenital microgastria

Q40.29 Other specified congenital malformations of stomach

Q40.9 Congenital malformation of upper alimentary tract, unspecified**Status of inclusion term(s):** *Revised – Eleventh Edition***ICD-10-AM Tenth Edition:**

Congenital:

- | | | |
|--|--|-------------------------------|
| <ul style="list-style-type: none"> • anomaly • deformity | | NOS of upper alimentary tract |
|--|--|-------------------------------|

ICD-10-AM Eleventh Edition:

Congenital:

- anomaly NOS of upper alimentary tract NEC
- deformity NOS of upper alimentary tract NEC

Q41 Congenital absence, atresia and stenosis of small intestine**Status of excludes note:** *Revised – Eleventh Edition***ICD-10-AM Tenth Edition:****Excludes:** meconium ileus in cystic fibrosis (E84† P75*)**ICD-10-AM Eleventh Edition:****Excludes:** meconium ileus in cystic fibrosis (E84† P75*)
intestinal obstruction of newborn (P76.-)**Q41.0 Congenital absence, atresia and stenosis of duodenum****Status of code(s):** *Created – Seventh Edition***ICD-10-AM Sixth Edition:**

Q41.0 Congenital absence, atresia and stenosis of duodenum

ICD-10-AM Seventh Edition:

Q41.0 Congenital absence, atresia and stenosis of duodenum

Q41.01 Congenital absence and atresia of duodenum

Q41.02 Congenital stenosis of duodenum

Q41.1 Congenital absence, atresia and stenosis of jejunum**Status of inclusion term(s):** *Deleted – Seventh Edition***Status of code(s):** *Created – Seventh Edition***ICD-10-AM Sixth Edition:**

Q41.1 Congenital absence, atresia and stenosis of jejunum

ICD-10-AM Seventh Edition:

Q41.1 Congenital absence, atresia and stenosis of jejunum

Q41.11 Congenital absence and atresia of jejunum

Q41.12 Congenital stenosis of jejunum

Q41.13 Apple peel syndrome

Q41.2 Congenital absence, atresia and stenosis of ileum**Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q41.2 Congenital absence, atresia and stenosis of ileum

ICD-10-AM Seventh Edition:

Q41.2 Congenital absence, atresia and stenosis of ileum

Q41.21 Congenital absence and atresia of ileum

Q41.22 Congenital stenosis of ileum

Q41.8 Congenital absence, atresia and stenosis of other specified parts of small intestine**Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q41.8 Congenital absence, atresia and stenosis of other specified parts of small intestine

ICD-10-AM Seventh Edition:

Q41.8 Congenital absence, atresia and stenosis of other specified parts of small intestine

Q41.81 Congenital absence and atresia of other specified parts of small intestine

Q41.82 Congenital stenosis of other specified parts of small intestine

Q42 Congenital absence, atresia and stenosis of large intestine**Status of excludes note:****Created – Eleventh Edition****Q42.0 Congenital absence, atresia and stenosis of rectum with fistula****Status of code(s):****Created – Third Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Second Edition:**

Q42.0 Congenital absence, atresia and stenosis of rectum with fistula

ICD-10-AM Third Edition:

Q42.0 Congenital absence, atresia and stenosis of rectum with fistula

Q42.00 Congenital absence, atresia and stenosis of rectum with unspecified fistula

Q42.01 Congenital absence, atresia and stenosis of rectum with rectourethral fistula

Q42.02 Congenital absence, atresia and stenosis of rectum with rectovesical fistula

Q42.03 Congenital absence, atresia and stenosis of rectum with rectovulval fistula

Q42.04 Congenital absence, atresia and stenosis of rectum with rectocutaneous fistula

Q42.05 Congenital absence, atresia and stenosis of rectum with rectocloacal fistula

Q42.09 Congenital absence, atresia and stenosis of rectum with other fistula

ICD-10-AM Eleventh Edition:*Use additional code to identify congenital rectovaginal fistula (Q52.2) if present.***ICD-10-AM Twelfth Edition:***Use additional code (Q52.2) to identify congenital rectovaginal fistula.*

Q42.2 Congenital absence, atresia and stenosis of anus with fistula**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q42.2 Congenital absence, atresia and stenosis of anus with fistula

ICD-10-AM Third Edition:

Q42.2 Congenital absence, atresia and stenosis of anus with fistula

Q42.20 Congenital absence, atresia and stenosis of anus with unspecified fistula

Q42.21 Congenital absence, atresia and stenosis of anus with anocutaneous fistula

Q42.22 Congenital absence, atresia and stenosis of anus with anovestibular fistula

Q42.29 Congenital absence, atresia and stenosis of anus with other fistula

Q42.9 Congenital absence, atresia and stenosis of large intestine, part unspecified**Status of term:****Classified – Third Edition****Term classification:**

Colonic atresia

Q43.1 Hirschsprung's disease**Status of code(s):****Created – Third Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Second Edition:**

Q43.1 Hirschsprung's disease

ICD-10-AM Third Edition:

Q43.1 Hirschsprung's disease

Q43.10 Hirschsprung's disease, unspecified

Q43.11 Short segment Hirschsprung's disease

Q43.12 Long segment Hirschsprung's disease

Q43.19 Other Hirschsprung's disease

ICD-10-AM Seventh Edition:

Q43.1 Hirschsprung's disease

Q43.10 Hirschsprung's disease, unspecified

Q43.11 Short segment Hirschsprung's disease

Q43.12 Long segment Hirschsprung's disease

Q43.13 Total aganglionosis of colon and intestine

Q43.19 Other Hirschsprung's disease

Q43.19 Other Hirschsprung's disease**Status of inclusion term(s):****Deleted – Seventh Edition****Q43.3 Congenital malformations of intestinal fixation****Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q43.3 Congenital malformations of intestinal fixation

ICD-10-AM Third Edition:

Q43.3 Congenital malformations of intestinal fixation

Q43.31 Malrotation of colon

Q43.32 Congenital intra-abdominal adhesions (bands)

Q43.39 Other congenital malformations of intestinal fixation

Q43.8 Other specified congenital malformations of intestine**Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q43.8 Other specified congenital malformations of intestine

ICD-10-AM Seventh Edition:

Q43.8 Other specified congenital malformations of intestine

Q43.81 Congenital microcolon

Q43.82 Congenital transposition of intestine

Q43.89 Other specified congenital malformations of intestine

Q44.7 Other congenital malformations of liver**Status of code(s):****Created – Fourth Edition****Status of code:****Created – Seventh Edition****ICD-10-AM Third Edition:**

Q44.7 Other congenital malformations of liver

ICD-10-AM Fourth Edition:

Q44.7 Other congenital malformations of liver

Q44.71 Alagille syndrome

Q44.79 Other congenital malformations of liver

ICD-10-AM Seventh Edition:

Q44.7 Other congenital malformations of liver

Q44.71 Alagille syndrome

Q44.72 Congenital absence of liver

[Q44.79](#) Other congenital malformations of liver**Q44.79 Other congenital malformations of liver****Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Accessory liver

Congenital:

• absence of liver

• hepatomegaly

• malformation of liver NOS

ICD-10-AM Seventh Edition:

Accessory liver

Congenital:

• hepatomegaly

• malformation of liver NOS

Q45.3 Other and unspecified congenital malformations of pancreas and pancreatic duct

Status of code(s): Created – **Third Edition**
Status of code(s): Created – **Seventh Edition**
Status of code title: Revised – **Seventh Edition**

ICD-10-AM Second Edition:

Q45.3 Other congenital malformations of pancreas and pancreatic duct

ICD-10-AM Third Edition:

Q45.3 Other congenital malformations of pancreas and pancreatic duct

Q45.31 Ectopic pancreas

Q45.39 Other congenital malformations of pancreas and pancreatic duct

ICD-10-AM Seventh Edition:

Q45.3 Other and unspecified congenital malformations of pancreas and pancreatic duct

Q45.30 Congenital malformation of pancreas and pancreatic duct, unspecified

Q45.31 Ectopic pancreas

Q45.32 Congenital accessory pancreas

Q45.39 Other congenital malformations of pancreas and pancreatic duct

Q45.39 Other congenital malformations of pancreas and pancreatic duct

Status of inclusion term(s): Deleted – **Seventh Edition**

Q45.8 Other specified congenital malformations of digestive system

Status of code(s): Created – **Third Edition**
Status of code(s): Created – **Seventh Edition**

ICD-10-AM Second Edition:

Q45.8 Other specified congenital malformations of digestive system

ICD-10-AM Third Edition:

Q45.8 Other specified congenital malformations of digestive system

Q45.81 Absence (complete) (partial) of alimentary tract, not elsewhere classified

Q45.82 Duplication of digestive organs, not elsewhere classified

Q45.83 Congenital malposition of digestive organs, not elsewhere classified

Q45.84 Congenital mesenteric cyst, not elsewhere classified

Q45.89 Other specified congenital malformations of digestive system

ICD-10-AM Seventh Edition:

Q45.8 Other specified congenital malformations of digestive system

Q45.81 Absence (complete) (partial) of alimentary tract, not elsewhere classified

Q45.82 Duplication of digestive organs, not elsewhere classified

Q45.83 Congenital malposition of digestive organs, not elsewhere classified

Q45.84 Congenital mesenteric cyst, not elsewhere classified

Q45.85 Congenital ectopic digestive organs, not elsewhere classified

Q45.86 Congenital malformation of mesentery, not elsewhere classified

Q45.89 Other specified congenital malformations of digestive system

Q50.0 Congenital absence of ovary**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q50.0 Congenital absence of ovary

ICD-10-AM Third Edition:

Q50.0 Congenital absence of ovary

Q50.00 Congenital absence of ovary, unspecified

Q50.01 Congenital absence of ovary, unilateral

Q50.02 Congenital absence of ovary, bilateral

Q50.1 Developmental ovarian cyst**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q50.1 Developmental ovarian cyst

ICD-10-AM Third Edition:

Q50.1 Developmental ovarian cyst

Q50.10 Developmental ovarian cyst, unspecified

Q50.11 Developmental ovarian cyst, single

Q50.12 Developmental ovarian cyst, multiple

Q50.3 Other and unspecified congenital malformations of ovary**Status of code(s):****Created – Third Edition****Status of code title:****Revised – Seventh Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Second Edition:**

Q50.3 Other congenital malformations of ovary

ICD-10-AM Third Edition:

Q50.3 Other congenital malformations of ovary

Q50.31 Ovarian streak

Q50.39 Other congenital malformations of ovary

ICD-10-AM Seventh Edition:

Q50.3 Other and unspecified congenital malformations of ovary

Q50.30 Congenital malformation of ovary, unspecified

Q50.31 Ovarian streak

Q50.32 Accessory ovary

Q50.39 Other congenital malformations of ovary

Q50.39 Other congenital malformations of ovary**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Accessory }

Dysplasia } (of) ovary

Hypoplasia }

Congenital malformation of ovary NOS

ICD-10-AM Seventh Edition:

Dysplasia } (of) ovary

Hypoplasia }

Q50.4 Embryonic cyst of fallopian tube**Status of term:****Reclassified – [First Edition](#)****Term reclassification:**

Paramesonephric duct cyst

Q50.5 Embryonic cyst of broad ligament**Status of term:****Classified – [Third Edition](#)****Term classification:**

Cyst (of)

• mesenteric remnant

Q50.6 Other and unspecified congenital malformations of fallopian tube and broad ligament**Status of code(s):****Created – [Third Edition](#)****Status of code title:****Revised – [Seventh Edition](#)****Status of code(s):****Created – [Seventh Edition](#)****ICD-10-AM Second Edition:**

Q50.6 Other congenital malformations of fallopian tube and broad ligament

ICD-10-AM Third Edition:

Q50.6 Other congenital malformations of fallopian tube and broad ligament

Q50.61 Absence of fallopian tube and broad ligament

Q50.69 Other congenital malformations of fallopian tube and broad ligament

ICD-10-AM Seventh Edition:

Q50.6 Other and unspecified congenital malformations of fallopian tube and broad ligament

Q50.60 Congenital malformation of fallopian tube and broad ligament, unspecified

Q50.61 Absence of fallopian tube and broad ligament

[Q50.69](#) Other congenital malformations of fallopian tube and broad ligament**Q50.69 Other congenital malformations of fallopian tube and broad ligament****Status of inclusion term(s):****Revised – [Seventh Edition](#)****ICD-10-AM Sixth Edition:**

Accessory } (of) fallopian tube or broad ligament

Atresia }

Congenital malformation of fallopian tube or broad ligament NOS

ICD-10-AM Seventh Edition:

Accessory } (of) fallopian tube or broad ligament

Atresia }

Q51.3 Bicornuate uterus**Status of code title:****Revised – [Seventh Edition](#)****ICD-10-AM Sixth Edition:**

Q51.3 Bicornuate uterus

ICD-10-AM Seventh Edition:

Q51.3 Bicornuate uterus

Q51.4 Unicornuate uterus

Status of code title: *Revised – Seventh Edition*

ICD-10-AM Sixth Edition:

Q51.4 Unicornate uterus

ICD-10-AM Seventh Edition:

Q51.4 Unicornuate uterus

Q51.8 Other congenital malformations of uterus and cervix

Status of inclusion term(s): *Deleted – Seventh Edition*

Status of code(s): *Created – Seventh Edition*

ICD-10-AM Sixth Edition:

Q51.8 Other congenital malformations of uterus and cervix

ICD-10-AM Seventh Edition:

Q51.8 Other congenital malformations of uterus and cervix

Q51.81 Congenital hypoplasia of uterus

Q51.82 Congenital hypoplasia of cervix

Q51.83 Congenital displacement of uterus

Q51.84 Congenital displacement of cervix

Q51.89 Other congenital malformations of uterus and cervix

Q52.0 Congenital absence of vagina

Status of inclusion term(s): *Created – Seventh Edition*

Q52.1 Doubling of vagina

Status of term: *Reclassified – First Edition*

Term reclassification:

Accessory vagina

Q52.4 Other and unspecified congenital malformations of vagina

Status of term: *Reclassified – First Edition*

Status of code title: *Revised – Seventh Edition*

Status of inclusion term(s): *Deleted – Seventh Edition*

Status of code(s): *Created – Seventh Edition*

Term reclassification:

Accessory vagina

ICD-10-AM Sixth Edition:

Q52.4 Other congenital malformations of vagina

ICD-10-AM Seventh Edition:

Q52.4 Other and unspecified congenital malformations of vagina

Q52.40 Congenital malformation of vagina, unspecified

Q52.41 Congenital atresia of vagina

Q52.42 Embryonic cyst of vagina

Q52.43 Congenital cyst of canal of Nuck

Q52.49 Other congenital malformations of vagina

Q52.6 Other and unspecified congenital malformation of clitoris

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q52.6 Congenital malformations of clitoris

ICD-10-AM Seventh Edition:

Q52.6 Other and unspecified congenital malformations of clitoris
 Q52.60 Congenital malformation of clitoris, unspecified
 Q52.61 Congenital absence of clitoris
 Q52.62 Congenital hypertrophy of clitoris
 Q52.69 Other congenital malformations of clitoris

Q52.7 Other and unspecified congenital malformations of vulva

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q52.7 Other congenital malformations of vulva

ICD-10-AM Seventh Edition:

Q52.7 Other and unspecified congenital malformations of vulva
 Q52.70 Congenital malformation of vulva, unspecified
 Q52.71 Congenital absence of vulva
 Q52.79 Other congenital malformations of vulva

Q52.8 Other specified congenital malformations of female genitalia

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Paramesonephric duct cyst

Q53 Undescended testicle

Status of code(s): Created – [Fourth Edition](#)
Status of code(s) (Q53.0-): Deleted – [Sixth Edition](#)
Status of instructional note(s): Relocated – [Sixth Edition](#)
Status of code(s) (-9): Deleted – [Sixth Edition](#)
Status of note (Q53.2): Created – [Sixth Edition](#)
Status of instructional note(s): Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

Q53 Undescended testicle
 Q53.0 Ectopic testis
 Q53.1 Undescended testicle, unilateral
 Q53.2 Undescended testicle, bilateral
 Q53.9 Undescended testicle, unspecified

ICD-10-AM Fourth Edition:

Q53	Undescended testicle
Q53.0	Ectopic testis
Q53.00	Ectopic testis, unspecified site
Q53.01	Ectopic testis, canalicular
Q53.02	Ectopic testis, inguinal
Q53.03	Ectopic testis, intra-abdominal
Q53.09	Ectopic testis, other specified site
Q53.1	Undescended testicle, unilateral
Q53.10	Undescended testicle, unilateral, unspecified site
Q53.11	Undescended testicle, unilateral, canalicular
Q53.12	Undescended testicle, unilateral, inguinal
Q53.13	Undescended testicle, unilateral, intra-abdominal
Q53.19	Undescended testicle, unilateral, other specified site
Q53.2	Undescended testicle, bilateral
Q53.20	Undescended testicle, bilateral, unspecified site
Q53.21	Undescended testicle, bilateral, canalicular
Q53.22	Undescended testicle, bilateral, inguinal
Q53.23	Undescended testicle, bilateral, intra-abdominal
Q53.29	Undescended testicle, bilateral, other specified site
Q53.9	Undescended testicle, unspecified, laterality
Q53.90	Undescended testicle, unspecified laterality, unspecified site
Q53.91	Undescended testicle, unspecified laterality, canalicular
Q53.92	Undescended testicle, unspecified laterality, inguinal
Q53.93	Undescended testicle, unspecified laterality, intra-abdominal
Q53.99	Undescended testicle, unspecified laterality, other specified site

ICD-10-AM Sixth Edition:

Q53	Undescended testicle
Q53.0	Ectopic testis

The following fifth character subdivisions are for use with category Q53.1-Q53.9 to denote the site of the undescended testicle(s):

0	unspecified site
1	canalicular
2	inguinal
3	intra-abdominal

Q53.1	Undescended testicle, unilateral
Q53.2	Undescended testicle, bilateral
Q53.9	Undescended testicle, unspecified laterality

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with subcategories Q53.1 - Q53.9 to denote the site of the undescended testicle(s):

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories Q53.1-Q53.9 to denote the site of the undescended testicle(s):

Q55.0 Absence and aplasia of testis**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q55.0 Absence and aplasia of testis

ICD-10-AM Third Edition:

Q55.0 Absence and aplasia of testis

Q55.00 Absence and aplasia of testis, unspecified

Q55.01 Absence and aplasia of testis, unilateral

Q55.02 Absence and aplasia of testis, bilateral

Q55.1 Hypoplasia of testis and scrotum**Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q55.1 Hypoplasia of testis and scrotum

ICD-10-AM Seventh Edition:

Q55.1 Hypoplasia of testis and scrotum

Q55.11 Hypoplasia of testis

Q55.12 Hypoplasia of scrotum

Q55.2 Other and unspecified congenital malformations of testis and scrotum**Status of term:****Reclassified – First Edition****Status of code(s):****Created – Third Edition****Status of code title:****Revised – Seventh Edition****Status of code(s):****Created – Seventh Edition****Term reclassification:**

Appendix Morgagni, male

Appendix testes

Morgagni hydatid, male

Testicular appendage (organ of Morgagni)

ICD-10-AM Second Edition:

Q55.2 Other congenital malformations of testis and scrotum

ICD-10-AM Third Edition:

Q55.2 Other congenital malformations of testis and scrotum

Q55.21 Retractable testis

Q55.22 Bifid scrotum

Q55.29 Other congenital malformations of testis or scrotum

ICD-10-AM Seventh Edition:

Q55.2 Other and unspecified congenital malformations of testis and scrotum

Q55.20 Congenital malformation of testis and scrotum, unspecified

Q55.21 Retractable testis

Q55.22 Bifid scrotum

Q55.23 Absence of scrotum

Q55.24 Polyorchism

Q55.29 Other congenital malformations of testis or scrotum

Q55.29 Other congenital malformations of testis and scrotum

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Congenital malformation of testis or scrotum NOS

Polyorchism

Testis migrans

ICD-10-AM Seventh Edition:

Testis migrans

Q55.4 Other and unspecified congenital malformations of vas deferens, epididymis, seminal vesicles and prostate

Status of code title: Revised – [Seventh Edition](#)

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q55.4 Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate

ICD-10-AM Seventh Edition:

Q55.4 Other and unspecified congenital malformations of vas deferens, epididymis, seminal vesicles and prostate

Q55.40 Congenital malformation of vas deferens, epididymis, seminal vesicles and prostate, unspecified

Q55.41 Other congenital malformations of vas deferens

Q55.42 Other congenital malformations of epididymis

Q55.43 Other congenital malformations of seminal vesicles

Q55.44 Other congenital malformations of prostate

Q55.6 Other and unspecified congenital malformations of penis

Status of code title: Revised – [Seventh Edition](#)

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q55.6 Other congenital malformations of penis

ICD-10-AM Seventh Edition:

Q55.6 Other and unspecified congenital malformations of penis

Q55.60 Congenital malformation of penis, unspecified

Q55.61 Congenital circumcision

Q55.62 Congenital dysplasia of penis

Q55.63 Congenital curvature of penis

Q55.64 Congenital hooded prepuce

Q55.65 Congenital hypoplasia of penis

Q55.69 Other congenital malformations of penis

Q56.4 Indeterminate sex and ambiguous genitalia

Status of code title: Revised – **Seventh Edition**
Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code(s): Created – **Seventh Edition**

ICD-10-AM Sixth Edition:

Q56.4 Indeterminate sex, unspecified

ICD-10-AM Seventh Edition:

Q56.4 Indeterminate sex and ambiguous genitalia
 Q56.41 Ambiguous genitalia
 Q56.42 Indeterminate sex

Q61 Cystic kidney disease

Status of excludes note: Revised – **Ninth Edition**

ICD-10-AM Eighth Edition:

Excludes: acquired cyst of kidney (N28.1)
 Potter's syndrome (Q60.6)

ICD-10-AM Ninth Edition:

Excludes: cyst of kidney (acquired) (N28.1)
 Potter's syndrome (Q60.6)

Q61.0 Congenital single renal cyst

Status of inclusion term(s): Deleted – **Ninth Edition**

Q61.1 Polycystic kidney, autosomal recessive

Status of code(s): Revised – **Third Edition**

ICD-10-AM Second Edition:

Q61.1 Polycystic kidney, infantile type

ICD-10-AM Third Edition:

Q61.1 Polycystic kidney, autosomal recessive

Q61.2 Polycystic kidney, autosomal dominant

Status of code(s): Revised – **Third Edition**

ICD-10-AM Second Edition:

Q61.2 Polycystic kidney, adult type

ICD-10-AM Third Edition:

Q61.2 Polycystic kidney, autosomal dominant

Q61.4 Renal dysplasia

Status of code(s): Created – *Third Edition*
Status of excludes note: Created – *Seventh Edition*
Status of code(s): Created – *Seventh Edition*

ICD-10-AM Second Edition:

Q61.4 Renal dysplasia

ICD-10-AM Third Edition:

Q61.4 Renal dysplasia
 Q61.40 Renal dysplasia, unspecified
 Q61.41 Cystic renal dysplasia, unilateral
 Q61.42 Cystic renal dysplasia, bilateral

ICD-10-AM Seventh Edition:

Q61.4 Renal dysplasia
 Q61.40 Renal dysplasia, unspecified
 Q61.41 Cystic renal dysplasia, unilateral
 Q61.42 Cystic renal dysplasia, bilateral
 Q61.43 Cystic renal dysplasia, unspecified
 Q61.44 Renal dysplasia, unilateral
 Q61.45 Renal dysplasia, bilateral

Q61.5 Medullary cystic kidney

Status of code(s): Created – *Third Edition*

ICD-10-AM Second Edition:

Q61.5 Medullary cystic kidney

ICD-10-AM Third Edition:

Q61.5 Medullary cystic kidney
 Q61.50 Medullary cystic kidney, unspecified
 Q61.51 Juvenile medullary cystic kidney
 Q61.52 Adult type medullary cystic kidney

Q61.8 Other cystic kidney diseases

Status of term: Classified – *Third Edition*

Term classification:

Glomerular cystic disease

Q61.9 Cystic kidney disease, unspecified

Status of term: Classified – *Third Edition*
Status of inclusion term(s): Deleted – *Seventh Edition*

Term classification:

Microcephalus with cystic kidney disease

Q62.0 Congenital hydronephrosis

Status of term: Classified – *Third Edition*
Status of inclusion term(s): Deleted – *Seventh Edition*

Term classification:

Antenatally diagnosed hydronephrosis

Q62.1 Atresia and stenosis of ureter

Status of code(s): Created – [Third Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created/Deleted – [Seventh Edition](#)

ICD-10-AM Second Edition:

Q62.1 Atresia and stenosis of ureter

ICD-10-AM Third Edition:

Q62.1 Atresia and stenosis of ureter
 Q62.11 Atresia and stenosis of ureteropelvic junction, unilateral
 Q62.12 Atresia and stenosis of ureteropelvic junction, bilateral
 Q62.13 Atresia and stenosis of ureterovesical junction, unilateral
 Q62.14 Atresia and stenosis of ureterovesical junction, bilateral
 Q62.18 Atresia and stenosis of other and unspecified site of ureter, unilateral
 Q62.19 Atresia and stenosis of other and unspecified site of ureter, bilateral

ICD-10-AM Seventh Edition:

Q62.1 Atresia and stenosis of ureter
 Q62.15 Atresia of ureter, unilateral
 Q62.16 Atresia of ureter, bilateral
 Q62.17 Stenosis of ureter, unilateral
[Q62.19](#) Stenosis of ureter, bilateral

Q62.19 Stenosis of ureter, bilateral

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q62.19 Atresia and stenosis of other and unspecified site of ureter, bilateral

ICD-10-AM Seventh Edition:

Q62.19 Stenosis of ureter, bilateral

Q62.3 Other and unspecified congenital obstructive defects of renal pelvis and ureter

Status of code(s): Created – [Third Edition](#)
Status of code title: Revised – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Second Edition:

Q62.3 Other obstructive defects of renal pelvis and ureter

ICD-10-AM Third Edition:

Q62.3 Other obstructive defects of renal pelvis and ureter
 Q62.31 Ectopic ureterocele
 Q62.32 Orthotopic ureterocele
 Q62.33 Congenital polyp of ureter
 Q62.34 Congenital hydroureter
 Q62.39 Other congenital obstructive defects of renal pelvis and ureter

ICD-10-AM Seventh Edition:

Q62.3 Other and unspecified congenital obstructive defects of renal pelvis and ureter
 Q62.30 Congenital obstructive defect of renal pelvis and ureter, unspecified
 Q62.31 Ectopic ureterocele
 Q62.32 Orthotopic ureterocele
 Q62.33 Congenital polyp of ureter
[Q62.34](#) Congenital hydroureter
 Q62.35 Congenital ureterocele, not elsewhere classified
[Q62.39](#) Other congenital obstructive defects of renal pelvis and ureter

Q62.34 Congenital hydroureter

Status of inclusion term(s): Deleted – [Seventh Edition Errata 5](#)

Q62.39 Other congenital obstructive defects of renal pelvis and ureter

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Q62.4 Agenesis of ureter

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Absent ureter

ICD-10-AM Seventh Edition:

Absence of ureter

Q62.5 Duplication of ureter

Status of code(s): Created – [Third Edition](#)

ICD-10-AM Second Edition:

Q62.5 Duplication of ureter

ICD-10-AM Third Edition:

Q62.5 Duplication of ureter

Q62.51 Double ureter

Q62.52 Triple ureter

Q62.59 Other duplication of ureter

Q62.6 Malposition of ureter

Status of code(s): Created – [Third Edition](#)

Status of inclusion term(s): Revised – [Eleventh Edition](#)

Status of includes note: Created – [Eleventh Edition](#)

ICD-10-AM Second Edition:

Q62.6 Malposition of ureter

ICD-10-AM Third Edition:

Q62.6 Malposition of ureter

Q62.60 Malposition of ureter, unspecified ureteric drainage site

Q62.61 Malposition of ureter, ureteric drainage via bladder neck

Q62.62 Malposition of ureter, ureteric drainage via urethra

Q62.63 Malposition of ureter, ureteric drainage via vagina

Q62.64 Malposition of ureter, ureteric drainage via vulva

Q62.65 Malposition of ureter, ureteric drainage via vas deferens

Q62.66 Malposition of ureter, ureteric drainage via seminal vesicles

Q62.69 Malposition of ureter, ureteric drainage via other site

ICD-10-AM Tenth Edition:

Deviation

Displacement

Ectopic

Implantation, anomalous

(of) ureter or
ureteric orifice

ICD-10-AM Eleventh Edition:

Ureter:

- deviation
- displacement
- ectopic
- implantation, anomalous

Q62.7 Congenital vesico-uretero-renal reflux**Status of code(s):****Created – [Third Edition](#)****ICD-10-AM Second Edition:**

Q62.7 Congenital vesico-uretero-renal reflux

ICD-10-AM Third Edition:

Q62.7 Congenital vesico-uretero-renal reflux

Q62.70 Congenital vesico-uretero-renal reflux, unspecified

Q62.71 Congenital vesico-uretero-renal reflux, unilateral

Q62.72 Congenital vesico-uretero-renal reflux, bilateral

Q63.0 Accessory kidney**Status of code(s):****Created – [Third Edition](#)****ICD-10-AM Second Edition:**

Q63.0 Accessory kidney

ICD-10-AM Third Edition:

Q63.0 Accessory kidney

Q63.01 Double kidney

Q63.02 Triple kidney

Q63.09 Other accessory kidney

Q63.1 Lobulated, fused and horseshoe kidney**Status of code(s):****Created – [Third Edition](#)****Status of code:****Created – [Seventh Edition](#)****ICD-10-AM Second Edition:**

Q63.1 Lobulated, fused and horseshoe kidney

ICD-10-AM Third Edition:

Q63.1 Lobulated, fused and horseshoe kidney

Q63.10 Renal fusion anomaly, unspecified

Q63.11 Horseshoe kidney

Q63.19 Other specified renal fusion anomaly

ICD-10-AM Seventh Edition:

Q63.1 Lobulated, fused and horseshoe kidney

Q63.10 Renal fusion anomaly, unspecified

Q63.11 Horseshoe kidney

Q63.12 Congenital lobulated kidney without ectopia

[Q63.19](#) Other specified renal fusion anomaly**Q63.19 Other specified renal fusion anomaly****Status of inclusion term(s):****Deleted – [Seventh Edition](#)**

Q63.2 Ectopic kidney**Status of code(s):****Created – [Third Edition](#)****ICD-10-AM Second Edition:**

Q63.2 Ectopic kidney

ICD-10-AM Third Edition:

Q63.2 Ectopic kidney

Q63.20 Renal ectopia, unspecified

Q63.21 Pelvic kidney

Q63.22 Crossed ectopia of kidney without fusion anomaly

Q63.23 Crossed ectopia of kidney with fusion anomaly

Q63.29 Other specified renal ectopia

Q63.8 Other specified congenital malformations of kidney**Status of code(s):****Created – [Third Edition](#)****Status of code:****Created – [Seventh Edition](#)****ICD-10-AM Second Edition:**

Q63.8 Other specified congenital malformations of kidney

ICD-10-AM Third Edition:

Q63.8 Other specified congenital malformations of kidney

Q63.81 Congenital calyceal diverticulum

Q63.89 Other specified congenital malformations of kidney

ICD-10-AM Seventh Edition:

Q63.8 Other specified congenital malformations of kidney

Q63.81 Congenital calyceal diverticulum

Q63.82 Congenital renal calculi

[Q63.89](#) Other specified congenital malformations of kidney**Q63.89 Other specified congenital malformations of kidney****Status of inclusion term(s):****Deleted – [Seventh Edition](#)****Status of excludes note:****Deleted – [Seventh Edition](#)****Q64.1 Exstrophy of urinary bladder****Status of code(s):****Created – [Third Edition](#)****ICD-10-AM Second Edition:**

Q64.1 Exstrophy of urinary bladder

ICD-10-AM Third Edition:

Q64.1 Exstrophy of urinary bladder

Q64.11 Cloacal exstrophy

Q64.19 Exstrophy of urinary bladder

Q64.2 Congenital urethral valves**Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

Q64.2 Congenital urethral valves

ICD-10-AM Third Edition:

Q64.2 Congenital urethral valves

Q64.20 Congenital urethral valves, unspecified

Q64.21 Congenital posterior urethral valves

Q64.22 Congenital anterior urethral valves

Q64.3 Other atresia and stenosis of urethra and bladder neck**Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

Q64.3 Other atresia and stenosis of urethra and bladder neck

ICD-10-AM Third Edition:

Q64.3 Other atresia and stenosis of urethra and bladder neck

Q64.31 Congenital bladder neck obstruction

Q64.32 Congenital stricture of urethra

Q64.33 Congenital stricture of urethral meatus

Q64.34 Hypoplasia of urethra

Q64.39 Other atresia and stenosis of urethra and bladder neck

Q64.4 Malformation of urachus**Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

Q64.4 Malformation of urachus

ICD-10-AM Third Edition:

Q64.4 Malformation of urachus

Q64.41 Cyst of urachus

Q64.42 Patent urachus

Q64.43 Urachal diverticulum

Q64.49 Other specified malformation of urachus

Q64.5 Congenital absence of bladder and urethra**Status of code(s):****Created – *Seventh Edition*****ICD-10-AM Sixth Edition:**

Q64.5 Congenital absence of bladder and urethra

ICD-10-AM Seventh Edition:

Q64.5 Congenital absence of bladder and urethra

Q64.51 Congenital absence of bladder

Q64.52 Congenital absence of urethra

Q64.6 Congenital diverticulum of bladder**Status of term:****Classified – Third Edition****Term classification:**

Congenital paraureteric diverticulum

Q64.7 Other congenital malformations of bladder and urethra**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q64.7 Other congenital malformations of bladder and urethra

ICD-10-AM Third Edition:

Q64.7 Other congenital malformations of bladder and urethra

Q64.71 Congenital anterior urethral diverticulum

Q64.72 Congenital prolapse of bladder (mucosa)

Q64.73 Double urethra

Q64.74 Ectopic urethra or urethral orifice

Q64.75 Congenital gastrointestinal-urinary tract fistula

Q64.76 Congenital megaurethra

Q64.77 Megacystitis-megaureter syndrome

Q64.78 Congenital urethral syringocele

Q64.79 Other congenital malformations of bladder and urethra

Q65.6 Unstable hip**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q65.6 Unstable hip

ICD-10-AM Third Edition:

Q65.6 Unstable hip

Q65.60 Unstable hip, unspecified

Q65.61 Unstable hip, unilateral

Q65.62 Unstable hip, bilateral

Q65.8 Other congenital deformities of hip**Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q65.8 Other congenital deformities of hip

ICD-10-AM Seventh Edition:

Q65.8 Other congenital deformities of hip

Q65.81 Congenital coxa valga

Q65.82 Congenital coxa vara

Q65.89 Other congenital deformities of hip

Q66.0 Talipes equinovarus**Status of code(s):****Created – Sixth Edition****ICD-10-AM Fifth Edition:**

Q66.0 Talipes equinovarus

ICD-10-AM Sixth Edition:

Q66.0 Talipes equinovarus

Q66.00 Talipes equinovarus, unspecified

Q66.01 Structural talipes equinovarus

Q66.02 Positional talipes equinovarus

Q66.6 Other congenital valgus deformities of feet**Status of inclusion term(s):****Revised – Sixth Edition****ICD-10-AM Fifth Edition:**

Metatarsus valgus

ICD-10-AM Sixth Edition:

Metatarsus valgus

Talipes equinovalgus

Q66.7 Pes cavus**Status of term:****Reclassified – First Edition****Term reclassification:**

Congenital hollow foot

Q66.8 Other congenital deformities of feet**Status of term:****Reclassified – First Edition****Status of term:****Revised – Fourth Edition****Status of code(s):****Created – Seventh Edition****Term reclassification:**

Congenital hollow foot

ICD-10-AM Third Edition:

Q66.8 Other congenital deformities of feet

ICD-10-AM Fourth Edition:

Q66.8 Other congenital deformities of feet

Q66.81 Clawfoot

Q66.89 Other congenital deformities of feet

ICD-10-AM Seventh Edition:

Q66.8 Other congenital deformities of feet

Q66.81 Clawfoot

Q66.82 Congenital hammer toe

Q66.83 Congenital shortening of Achilles tendon

Q66.84 Congenital spade-like foot

[Q66.89](#) Other congenital deformities of feet

Q66.89 Other congenital deformities of feet

Status of inclusion term(s): *Revised – Seventh Edition*

ICD-10-AM Sixth Edition:

Clubfoot NOS
 Hammer toe, congenital
 Talipes:
 • asymmetric
 • NOS
 Tarsal coalition
 Vertical talus

ICD-10-AM Seventh Edition:

Clawtoe
 Clubfoot NOS
 Talipes:
 • asymmetric
 • NOS
 Tarsal coalition
 Vertical talus

Q67.3 Plagiocephaly

Status of term: *Classified – Third Edition*

Term classification:

Asymmetric head

Q67.4 Other congenital deformities of skull, face and jaw

Status of code(s): *Created – Third Edition*
Status of code(s): *Created – Seventh Edition*

ICD-10-AM Second Edition:

Q67.4 Other congenital deformities of skull, face and jaw

ICD-10-AM Third Edition:

Q67.4 Other congenital deformities of skull, face and jaw
 Q67.41 Depressions in skull
 Q67.42 Deviation of nasal septum, congenital
 Q67.49 Other congenital deformities of skull, face and jaw

ICD-10-AM Seventh Edition:

Q67.4 Other congenital deformities of skull, face and jaw
 Q67.41 Depressions in skull
 Q67.42 Deviation of nasal septum, congenital
 Q67.43 Congenital hemifacial atrophy
 Q67.44 Congenital hemifacial hypertrophy
 Q67.49 Other congenital deformities of skull, face and jaw

Q67.49 Other congenital deformities of skull, face and jaw**Status of inclusion term(s):****Revised – Seventh Edition****Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Congenital deformities of skull, face and jaw NOS

Hemifacial atrophy or hypertrophy

Squashed or bent nose, congenital

Excludes:

dentofacial anomalies [including malocclusion] (K07.-)

Goldenhar syndrome [oculo-auriculo-vertebral syndrome] (Q87.09)

syphilitic saddle nose (A50.5)

ICD-10-AM Seventh Edition:

Congenital deformities of skull, face and jaw NOS

Squashed or bent nose, congenital

Excludes:

dentofacial anomalies [including malocclusion] (K07.-)

Goldenhar syndrome [oculo-auriculo-vertebral syndrome] (Q87.08)

syphilitic saddle nose (A50.5)

Q67.5 Congenital deformity of spine**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q67.5 Congenital deformity of spine

ICD-10-AM Third Edition:

Q67.5 Congenital deformity of spine

Q67.51 Congenital scoliosis, postural

Q67.52 Congenital postural curvature of spine

Q67.59 Other specified congenital deformity of spine

Q68.0 Congenital deformities of sternocleidomastoid muscle**Status of code title:****Revised – Seventh Edition****Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q68.0 Congenital deformity of sternocleidomastoid muscle

ICD-10-AM Seventh Edition:

Q68.0 Congenital deformities of sternocleidomastoid muscle

Q68.00 Congenital deformity of sternocleidomastoid muscle, unspecified

Q68.01 Congenital torticollis

Q68.02 Congenital contracture of sternocleidomastoid muscle

Q68.03 Congenital sternomastoid lesion

Q68.1 Congenital deformities of hand

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q68.1 Congenital deformity of hand

ICD-10-AM Seventh Edition:

Q68.1 Congenital deformities of hand
 Q68.10 Congenital deformity of hand, unspecified
 Q68.11 Congenital clubhand
 Q68.12 Congenital spade-like hand
 Q68.13 Congenital accessory carpal bones
 Q68.14 Congenital macrodactylia
 Q68.15 Congenital triphalangeal thumb
 Q68.19 Other congenital deformities of hand

Q68.2 Congenital deformity of knee

Status of term: Reclassified – [First Edition](#)
Status of code: Deleted – [Seventh Edition](#)

Term reclassification:

Congenital knock knee

Q68.8 Other specified congenital musculoskeletal deformities

Status of code: Deleted – [Seventh Edition](#)

Q69.2 Accessory toe(s)

Status of code(s): Revised – [Fourth Edition](#)

ICD-10-AM Third Edition:

Q69.2 Accessory toe(s)

ICD-10-AM Fourth Edition:

Q69.2 Accessory toe(s)
 Q69.21 Accessory hallux [halluces]
 Q69.29 Other accessory toe(s)

Q70.1 Webbed fingers

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Syndactyly of fingers

Q70.3 Webbed toes

Status of term: Reclassified – [First Edition](#)

Term reclassification:

Syndactyly of toes

Q70.9 Syndactyly, unspecified**Status of term:****Reclassified – First Edition****Term reclassification:**

Syndactyly of fingers

Syndactyly of toes

Q71.0 Congenital complete absence of upper limb(s)**Status of term:****Classified – Third Edition****Term classification:**

Amelia of upper limb

Q71.1 Congenital absence of upper arm and forearm with hand present**Status of term:****Classified – Third Edition****Status of code(s):****Created – Seventh Edition****Term classification:**

Phocomelia of upper limb

ICD-10-AM Sixth Edition:

Q71.1 Congenital absence of upper arm and forearm with hand present

ICD-10-AM Seventh Edition:

Q71.1 Congenital absence of upper arm and forearm with hand present

Q71.11 Congenital absence of upper arm with hand present

Q71.12 Congenital absence of forearm with hand present

Q71.13 Congenital absence of both upper arm and forearm with hand present

Q71.3 Congenital absence of hand and finger(s)**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q71.3 Congenital absence of hand and finger(s)

ICD-10-AM Third Edition:

Q71.3 Congenital absence of hand and finger(s)

Q71.31 Congenital absence of finger(s) with remainder of hand intact

Q71.32 Congenital absence of thumb with all other digits intact

Q71.33 Congenital absence of hand and finger(s)

Q71.4 Longitudinal reduction defect of radius

Status of code:	Classified – Third Edition
Status of code title:	Revised – Seventh Edition
Status of inclusion term(s):	Deleted – Seventh Edition
Status of excludes note:	Revised – Seventh Edition
Status of code(s):	Created – Seventh Edition
Status of excludes note:	Revised – Thirteenth Edition

Term classification:

Absence of radius

ICD-10-AM Sixth Edition:

Q71.4 Longitudinal reduction defect of radius
 Absence of radius
 Clubhand (congenital)
 Radial clubhand

Excludes: Fanconi's anaemia with absent radius (D61.0)
 thrombocytopenia with absent radius syndrome (Q87.26)

ICD-10-AM Seventh Edition:

Q71.4 Longitudinal reduction defects of radius

Excludes: clubhand (congenital) (Q68.11)
 Fanconi's anaemia with absent radius (D61.0)
 thrombocytopenia with absent radius syndrome (Q87.26)

Q71.40 Congenital longitudinal reduction defect of radius, unspecified
 Q71.41 Congenital absence of radius
 Q71.49 Other longitudinal reduction defect of radius

ICD-10-AM Thirteenth Edition:

Excludes: clubhand (congenital) (Q68.11)
 Fanconi's anaemia with absent radius (D61.0)
 thrombocytopenia with absent radius [TAR] syndrome (Q87.26)

Q71.5 Longitudinal reduction defects of ulna

Status of term:	Classified – Third Edition
Status of code title:	Revised – Seventh Edition
Status of inclusion term(s):	Deleted – Seventh Edition
Status of code(s):	Created – Seventh Edition

Term classification:

Absence of ulna

ICD-10-AM Sixth Edition:

Q71.5 Longitudinal reduction defect of ulna

ICD-10-AM Seventh Edition:

Q71.5 Longitudinal reduction defects of ulna
 Q71.50 Congenital longitudinal reduction defect of ulna, unspecified
 Q71.51 Congenital absence of ulna
 Q71.59 Other longitudinal reduction defects of ulna

Q71.6 Lobster-claw hand**Status of term:****Classified – Third Edition****Status of inclusion term(s):****Revised – Seventh Edition****Term classification:**

Congenital cleft hand

ICD-10-AM Sixth Edition:

Congenital cleft hand

ICD-10-AM Seventh Edition:

Congenital cleft hand

Ectrodactyly NOS

Split hand

Q71.8 Other reduction defects of upper limb(s)**Status of term:****Classified – Third Edition****Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****Term classification:**

Hypoplasia of hand and fingers

ICD-10-AM Sixth Edition:

Q71.8 Other reduction defects of upper limb(s)

ICD-10-AM Seventh Edition:

Q71.8 Other reduction defects of upper limb(s)

Q71.81 Other reduction defects of upper arm(s)

Q71.82 Other reduction defects of forearm(s)

Q71.83 Other reduction defects of hand(s)

Q71.84 Other reduction defects of finger(s) and thumb(s)

Q71.89 Other reduction defects of upper limb(s)

Q71.9 Reduction defect of upper limb, unspecified**Status of term:****Classified – Third Edition****Status of inclusion term(s):****Revised – Seventh Edition****Term classification:**

Congenital amputation of upper limb NOS

Constriction ring syndrome of upper limb NOS

ICD-10-AM Sixth Edition:

Congenital amputation of upper limb NOS

Constriction ring syndrome of upper limb NOS

ICD-10-AM Seventh Edition:

Congenital amputation

} (of) upper limb NOS

Constriction ring

}

Q72.0 Congenital complete absence of lower limb(s)**Status of term:****Classified – Third Edition****Term classification:**

Amelia of lower limb

Q72.1 Congenital absence of thigh and lower leg with foot present**Status of term:****Classified – Third Edition****Status of code(s):****Created – Seventh Edition****Term classification:**

Phocomelia of lower limb

ICD-10-AM Sixth Edition:

Q72.1 Congenital absence of thigh and lower leg with foot present

ICD-10-AM Seventh Edition:

Q72.1 Congenital absence of thigh and lower leg with foot present

Q72.11 Congenital absence of thigh with foot present

Q72.12 Congenital absence of lower leg with foot present

Q72.13 Congenital absence of both thigh and lower leg with foot present

Q72.3 Congenital absence of foot and toe(s)**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q72.3 Congenital absence of foot and toe(s)

ICD-10-AM Third Edition:

Q72.3 Congenital absence of foot and toe(s)

Q72.31 Congenital absence of toe(s) with remainder of foot intact

Q72.32 Congenital absence of first toe with all other digits intact

Q72.33 Congenital absence of foot and toe(s)

Q72.5 Longitudinal reduction defect of tibia**Status of term:****Classified – Third Edition****Term classification:**

Absence of tibia

Q72.6 Longitudinal reduction defect of fibula**Status of term:****Classified – Third Edition****Term classification:**

Absence of fibula

Q72.8 Other reduction defects of lower limb(s)**Status of term:****Classified – Third Edition****Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****Term classification:**

Congenital hypoplasia of foot and toe(s)

ICD-10-AM Sixth Edition:

Q72.8 Other reduction defects of lower limb(s)

ICD-10-AM Seventh Edition:

Q72.8 Other reduction defects of lower limb(s)

Q72.81 Other reduction defects of lower leg(s)

Q72.82 Other reduction defects of foot/feet

Q72.83 Other reduction defects of toe(s)

Q72.89 Other reduction defects of lower limb(s)

Q72.9 Reduction defect of lower limb, unspecified**Status of term:****Classified – Third Edition****Status of inclusion term(s):****Revised – Seventh Edition****Term classification:**

Congenital amputation of lower limb NOS

Constriction ring syndrome of lower limb NOS

ICD-10-AM Sixth Edition:

Congenital amputation of upper limb NOS

Constriction ring syndrome of upper limb NOS

ICD-10-AM Seventh Edition:

Congenital amputation } of upper limb NOS

Constriction ring } of upper limb NOS

Q73.8 Other reduction defects of unspecified limb(s)**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q73.8 Other reduction defects of unspecified limb(s)

ICD-10-AM Third Edition:

Q73.8 Other reduction defects of unspecified limb(s)

Q73.80 Reduction defects of unspecified limb(s), unspecified

Q73.89 Other reduction defects of unspecified limb(s)

Q73.89 Other reduction defects unspecified limb(s)**Status of inclusion term(s):****Revised – Seventh Edition****Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Sixth Edition:**

Absence of digit(s) NOS

Congenital amputation }

Constriction ring syndrome } of unspecified limb(s)

Longitudinal reduction deformity }

Ectromelia NOS } of limb(s) NOS

Hemimelia NOS }

ICD-10-AM Seventh Edition:

Absence of digit(s) NOS

Congenital amputation }

Constriction ring syndrome } of unspecified limb(s)

Longitudinal reduction deformity }

Ectromelia } of limb(s) NOS

Hemimelia }

Micromelia }

ICD-10-AM Eleventh Edition:

Absence of digit(s) NOS

Congenital amputation of limb(s) NEC

Constriction ring syndrome of limb(s) NEC

Ectromelia of limb(s) NOS

Hemimelia of limb(s) NOS

Longitudinal reduction deformity of limb(s) NEC

Micromelia of limb(s) NOS

Q74.0 Other and unspecified congenital malformations of upper limb(s), including shoulder girdle

Status of code(s): Created – **Third Edition**
Status of code title: Revised – **Seventh Edition**
Status of excludes note: Created – **Seventh Edition**
Status of code(s): Created/Deleted – **Seventh Edition**

ICD-10-AM Second Edition:

Q74.0 Other congenital malformations of upper limb(s), including shoulder girdle

ICD-10-AM Third Edition:

Q74.0 Other congenital malformations of upper limb(s), including shoulder girdle
 Q74.01 Accessory carpal bones
 Q74.02 Macrodactylia (fingers)
 Q74.03 Triphalangeal thumb
 Q74.04 Radioulnar synostosis
 Q74.05 Humeroulnar synostosis
 Q74.06 Humeroradial synostosis
 Q74.07 Bifid digit(s) of upper limb
 Q74.08 Sprengel's deformity
 Q74.09 Other congenital malformations of upper limb(s), including shoulder girdle

ICD-10-AM Seventh Edition:

Q74.0 Other and unspecified congenital malformations of upper limb(s), including shoulder girdle
 Q74.00 Congenital malformation of upper limb(s), including shoulder girdle, unspecified
 Q74.04 Radioulnar synostosis
 Q74.05 Humeroulnar synostosis
 Q74.06 Humeroradial synostosis
 Q74.08 Sprengel's deformity
Q74.09 Other congenital malformation of upper limb(s), including shoulder girdle

Q74.09 Congenital malformation of upper limb(s), including shoulder girdle, unspecified

Status of inclusion term(s): Revised – **Seventh Edition**

ICD-10-AM Sixth Edition:

Cleidocranial dysostosis
 Congenital pseudarthrosis of clavicle
 Madelung's deformity
 Trigger finger

ICD-10-AM Seventh Edition:

Cleidocranial dysostosis
 Congenital pseudarthrosis of clavicle
 Madelung's deformity

Q74.1 Congenital malformations of knee

<i>Status of term:</i>	Reclassified – First Edition
<i>Status of code title:</i>	Revised – Seventh Edition
<i>Status of inclusion term(s):</i>	Deleted – Seventh Edition
<i>Status of excludes note:</i>	Revised – Seventh Edition
<i>Status of code(s):</i>	Created – Seventh Edition

Term reclassification:

Congenital knock knee

ICD-10-AM Sixth Edition:

Q74.1 Congenital malformation of knee

Congenital:

- absence of patella
- dislocation of patella
- genu:
 - valgum
 - varum

Rudimentary patella

Excludes: congenital:

- dislocation of knee (Q68.2)
- genu recurvatum (Q68.2)

nail patella syndrome (Q87.23)

ICD-10-AM Seventh Edition:

Q74.1 Congenital malformations of knee

Excludes: nail patella syndrome (Q87.23)

Q74.10 Congenital malformation of knee, unspecified

Q74.11 Congenital absence of patella

Q74.12 Congenital dislocation of patella

Q74.13 Rudimentary patella

Q74.14 Genu valgum

Q74.15 Genu varum

Q74.19 Other congenital malformations of knee

Q74.2 Other and unspecified congenital malformations of lower limb(s), including pelvic girdle

<i>Status of code title:</i>	Revised – Seventh Edition
<i>Status of inclusion term(s):</i>	Deleted – Seventh Edition
<i>Status of excludes note:</i>	Deleted – Seventh Edition
<i>Status of code(s):</i>	Created – Seventh Edition

ICD-10-AM Sixth Edition:

Q74.2 Other congenital malformations of lower limb(s), including pelvic girdle

ICD-10-AM Seventh Edition:

Q74.2 Other and unspecified congenital malformations of lower limb(s), including pelvic girdle

Q74.20 Congenital malformation of lower limb(s), including pelvic girdle

Q74.21 Other congenital malformations of pelvis, not elsewhere classified

Q74.22 Other congenital malformations of thigh, not elsewhere classified

Q74.23 Other congenital malformations of lower leg, not elsewhere classified

Q74.24 Other congenital malformations of ankle, not elsewhere classified

Q74.25 Other congenital malformations of foot, not elsewhere classified

Q74.26 Other congenital malformations of toe(s), not elsewhere classified

Q74.4 Distal arthrogryposis syndromes**Status of code:** Created – [Seventh Edition](#)**Status of inclusion terms:** Created – [Seventh Edition](#)**Term classification:**

Beals	}
Cerebro-oculo-facial-skeletal (COFS)	}
Gordon	} syndrome
Whistling face (Freeman-Sheldon)	}

Q74.5 Pterygium syndromes**Status of code:** Created – [Seventh Edition](#)**Status of terms:** Created – [Seventh Edition](#)**Term classification:**

Pterygium syndrome:

- multiple
- popliteal

Q74.8 Other specified congenital malformations of limb(s)**Status of code(s):** Created – [Third Edition](#)**ICD-10-AM Second Edition:**

Q74.8 Other specified congenital malformations of limb(s)

ICD-10-AM Third Edition:

Q74.8 Other specified congenital malformations of limb(s)

Q74.81 Brachydactyly

Q74.82 Congenital overgrowth of limb(s)

Q74.83 Congenital undergrowth of limb(s)

Q74.84 Congenital limb asymmetry

Q74.85 Larsen's syndrome

Q74.89 Other specified congenital malformations of limb(s)

Q75 Other congenital malformations of skull and face bones**Status of excludes note:** Revised – [Thirteenth Edition](#)**ICD-10-AM Twelfth Edition:**

Excludes: congenital malformation of face NOS (Q18.-)
 congenital malformation syndromes classified to Q87.-
 dentofacial anomalies [including malocclusion] (K07.-)
 musculoskeletal deformities of head and face (Q67.0–Q67.4-)
 skull defects associated with congenital anomalies of brain such as:

- anencephaly (Q00.0-)
- encephalocele (Q01.-)
- hydrocephalus (Q03.-)
- microcephaly (Q02)

ICD-10-AM Thirteenth Edition:

Excludes: congenital malformation:

- face NOS (Q18.-)
- syndromes classified to Q87.-
- dentofacial anomalies [including malocclusion] (K07.-)
- musculoskeletal deformities of head and face (Q67.0–Q67.4-)
- skull defects associated with congenital anomalies of brain such as:
- anencephaly (Q00.0-)
- encephalocele (Q01.-)
- hydrocephalus (Q03.-)
- microcephaly (Q02)

Q75.0 Craniosynostosis**Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

Q75.0 Craniosynostosis

ICD-10-AM Third Edition:

Q75.0 Craniosynostosis

Q75.01 Coronal craniosynostosis

Q75.02 Sagittal craniosynostosis

Q75.03 Trigonocephaly

Q75.04 Craniosynostosis of other multiple sutures

Q75.05 Pfeiffer syndrome

Q75.06 Clover leaf skull

Q75.09 Other and unspecified craniosynostosis

Q75.3 Macrocephaly**Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

Q75.3 Macrocephaly

ICD-10-AM Third Edition:

Q75.3 Macrocephaly

Q75.31 Familial (benign) macrocephaly

Q75.39 Other and unspecified macrocephaly

Q75.4 Mandibulofacial dysostosis**Status of term:****Reclassified – *First Edition*****Status of term:****Reclassified – *Third Edition*****Term reclassification:**

Treacher Collins syndrome

Term reclassification:

Syndrome:

• Franceschetti

• Treacher Collins

Q75.8 Other specified congenital malformations of skull and face bones**Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

Q75.8 Other specified congenital malformations of skull and face bones

ICD-10-AM Third Edition:

Q75.8 Other specified congenital malformations of skull and face bones

Q75.81 Frontonasal dysplasia

Q75.89 Other specified congenital malformations of skull and face bones

Q76.3 Congenital scoliosis due to congenital bony malformation**Status of code(s):****Created – [Third Edition](#)****Status of code(s):****Created – [Seventh Edition](#)****ICD-10-AM Second Edition:**

Q76.3 Congenital scoliosis due to congenital bony malformation

ICD-10-AM Third Edition:

Q76.3 Congenital scoliosis due to congenital bony malformation

Q76.31 Single hemivertebra with congenital scoliosis

Q76.39 Congenital scoliosis due to other specified congenital bony malformation

ICD-10-AM Seventh Edition:

Q76.3 Congenital scoliosis due to congenital bony malformation

Q76.31 Single hemivertebra with congenital scoliosis

Q76.32 Congenital scoliosis due to absence of vertebra

Q76.33 Congenital scoliosis due to anomalies of vertebra

Q76.34 Congenital kyphoscoliosis

[Q76.39](#) Congenital scoliosis due to other specified congenital bony malformation**Q76.39 Congenital scoliosis due to other specified congenital bony malformation****Status of inclusion term(s):****Revised – [Seventh Edition](#)****ICD-10-AM Sixth Edition:**

Congenital scoliosis } due to congenital bony malformation NOS

Kyphoscoliosis }

ICD-10-AM Seventh Edition:

Congenital scoliosis due to congenital bony malformation NOS

Q76.4 Other and unspecified congenital malformations of spine, not associated with scoliosis**Status of code(s):****Created – [Third Edition](#)****Status of code title:****Revised – [Seventh Edition](#)****Status of code(s):****Created, Deleted – [Seventh Edition](#)****ICD-10-AM Second Edition:**

Q76.4 Other congenital malformations of spine, not associated with scoliosis

ICD-10-AM Third Edition:

Q76.4 Other congenital malformations of spine, not associated with scoliosis

Q76.41 Congenital absence of vertebra(e)

Q76.42 Congenital anomalies of sacral vertebra(e)

Q76.43 Congenital anomalies of other vertebra(e)

Q76.44 Congenital lordosis, postural

Q76.45 Hemivertebra

Q76.49 Other congenital malformation of spine

ICD-10-AM Seventh Edition:

Q76.4 Other and unspecified congenital malformations of spine, not associated with scoliosis

Q76.40 Congenital malformation of spine, not associated with scoliosis, unspecified

[Q76.41](#) Congenital absence of vertebra(e)[Q76.43](#) Other congenital anomalies of vertebra(e)

Q76.44 Congenital lordosis, postural

Q76.45 Hemivertebra

Q76.46 Sacral agenesis

[Q76.49](#) Other congenital malformations of spine, not associated with scoliosis

Q76.41 Congenital absence of vertebra(e)*Status of excludes note:**Created – Seventh Edition***Q76.43 Other congenital anomalies of vertebra(e)***Status of code title:**Revised – Seventh Edition**Status of inclusion term(s):**Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q76.43 Congenital anomalies of other vertebra(e)

Congenital:

- anomalies of lumbosacral vertebra(e)
- malformation of lumbosacral region (joint)

ICD-10-AM Seventh Edition:

Q76.43 Other congenital anomalies of vertebra(e)

Supernumerary vertebra

Q76.49 Other congenital malformations of spine, not associated with scoliosis*Status of code title:**Revised – Seventh Edition**Status of inclusion term(s):**Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q76.49 Other congenital malformation of spine

Congenital:

- | | | |
|------------------------|---|-----|
| • fusion of spine | } | |
| • gibbus | } | |
| • kyphosis | } | |
| • lordosis | } | NOS |
| Malformation of spine | } | |
| Platyspondylisis | } | |
| Supernumerary vertebra | } | |

ICD-10-AM Seventh Edition:

Q76.49 Other congenital malformations of spine, not associated with scoliosis

Congenital:

- | | | |
|-----------------------|---|-----|
| • fusion of spine | } | |
| • gibbus | } | |
| • kyphosis | } | |
| • lordosis | } | NOS |
| Malformation of spine | } | |
| Platyspondylisis | } | |

Q76.6 Other congenital malformations of ribs**Status of code(s):****Created – Third Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Second Edition:**

Q76.6 Other congenital malformations of ribs

ICD-10-AM Third Edition:

Q76.6 Other congenital malformations of ribs

Q76.61 Congenital absence of rib

Q76.62 Congenital fusion of ribs

Q76.63 Accessory rib

Q76.69 Other congenital malformation of ribs

ICD-10-AM Seventh Edition:

Q76.6 Other congenital malformations of ribs

Q76.61 Congenital absence of rib

Q76.62 Congenital fusion of ribs

Q76.63 Accessory rib

Q76.64 Congenital misshapen ribs

Q76.69 Other congenital malformation of ribs

Q76.7 Congenital malformation of sternum**Status of code(s):****Created – Third Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Second Edition:**

Q76.7 Congenital malformation of sternum

ICD-10-AM Third Edition:

Q76.7 Congenital malformation of sternum

Q76.71 Congenital absence of sternum

Q76.72 Sternum bifidum

Q76.79 Other specified congenital malformation of sternum

ICD-10-AM Seventh Edition:

Q76.7 Congenital malformation of sternum

Q76.71 Congenital absence of sternum

Q76.72 Sternum bifidum

Q76.73 Congenital misshapen sternum

Q76.79 Other specified congenital malformation of sternum

Q77.0 Achondrogenesis**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q77.0 Achondrogenesis

ICD-10-AM Third Edition:

Q77.0 Achondrogenesis

Q77.00 Achondrogenesis, unspecified

Q77.01 Achondrogenesis, type 1

Q77.02 Achondrogenesis, type II

Q77.03 Hypochondrogenesis

Q77.09 Other achondrogenesis

Q77.1 Thanatophoric short stature**Status of term:****Classified – Third Edition****Status of inclusion term(s):****Revised – Thirteenth Edition****Term classification:**

Thanatophoric dwarfism/trigonocephaly association
 Thanatophoric dysplasia (with clover leaf skull)

ICD-10-AM Thirteenth Edition:

Thanatophoric:

- dwarfism/trigonocephaly association
- dysplasia (with clover leaf skull)

Q77.2 Short rib syndrome**Status of term:****Classified – Third Edition****Term classification:**

Jeune's syndrome

Q77.3 Chondrodysplasia punctata**Status of term:****Classified – Third Edition****Term classification:**

Chondrodystrophia calcificans congenita
 Congenital multiple epiphyseal dysplasia
 Conradi (-Hunerman) syndrome
 Rhizomelic syndrome

Q77.4 Achondroplasia**Status of term:****Classified – Third Edition****Term classification:**

Achondroplastic dwarfism

Q77.5 Dystrophic dysplasia**Status of term:****Classified – Third Edition****Term classification:**

Diastrophic dwarfism

Q77.8 Other osteochondrodysplasia with defects of growth of tubular bones and spine**Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q77.8 Other osteochondrodysplasia with defects of growth of tubular bones and spine

ICD-10-AM Third Edition:

Q77.8 Other osteochondrodysplasia with defects of growth of tubular bones and spine

Q77.81 Metatropic dwarfism

Q77.82 Metaphyseal chondroplasia

Q77.89 Other osteochondrodysplasia with defects of growth of tubular bones and spine

Q78.3 Progressive diaphyseal dysplasia**Status of term:****Reclassified – First Edition****Term reclassification:**

Osteopathia condensans disseminata

Q78.8 Other specified osteochondrodysplasias**Status of term:****Reclassified – First Edition****Status of inclusion term(s):****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****Term reclassification:**

Osteopathia condensans disseminata

Supernumerary bone

ICD-10-AM Sixth Edition:

Q78.8 Other specified osteochondrodysplasias

ICD-10-AM Seventh Edition:

Q78.8 Other specified osteochondrodysplasias

Q78.81 Osteopoikilosis

Q78.82 Albright's osteodystrophy

Q78.89 Other specified osteochondrodysplasias

Q78.89 Other specified osteochondrodysplasias**Status of inclusion term(s):****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Campomelic dwarfism

Campomelic dysplasia

ICD-10-AM Thirteenth Edition:

Campomelic:

- dwarfism
- dysplasia

Q78.9 Osteochondrodysplasia, unspecified**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Chondrodystrophy NOS

Osteodystrophy NOS

ICD-10-AM Seventh Edition:

Chondrodystrophy }

Osteodystrophy } NOS

Skeletal dysplasia }

Q79.1 Other and unspecified congenital malformations of diaphragm

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q79.1 Other congenital malformations of diaphragm

ICD-10-AM Seventh Edition:

Q79.1 Other and unspecified congenital malformations of diaphragm
 Q79.10 Congenital malformation of diaphragm, unspecified
 Q79.11 Absence of diaphragm
 Q79.12 Congenital eventration of diaphragm
 Q79.19 Other congenital malformations of diaphragm

Q79.5 Other congenital malformations of abdominal wall

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q79.5 Other congenital malformations of abdominal wall

ICD-10-AM Seventh Edition:

Q79.5 Other congenital malformations of abdominal wall
 Q79.50 Congenital malformation of abdominal wall, unspecified
 Q79.51 Limb body wall complex
 Q79.52 Diastasis recti
 Q79.59 Other congenital malformations of abdominal wall

Q79.8 Other congenital malformations of musculoskeletal system

Status of term: Reclassified – [First Edition](#)
Status of inclusion term(s): Deleted – [Seventh Edition](#)
Status of code(s): Created – [Seventh Edition](#)

Term reclassification:

Supernumerary bone

ICD-10-AM Sixth Edition:

Q79.8 Other congenital malformations of musculoskeletal system

ICD-10-AM Seventh Edition:

Q79.8 Other congenital malformations of musculoskeletal system
 Q79.81 Other congenital malformations of muscle, not elsewhere classified
 Q79.82 Other congenital malformations of tendon, not elsewhere classified
 Q79.83 Amyotrophia congenita
 Q79.84 Poland's syndrome
 Q79.89 Other congenital malformations of musculoskeletal system

Q79.9 Congenital malformation of musculoskeletal system, unspecified**Status of code(s):****Created – Seventh Edition****ICD-10-AM Sixth Edition:**

Q79.9 Congenital malformation of musculoskeletal system, unspecified

ICD-10-AM Seventh Edition:

Q79.9 Congenital malformation of musculoskeletal system, unspecified

Q79.90 Congenital malformation of musculoskeletal system, unspecified

Q79.91 Congenital malformation of muscle, unspecified

Q79.92 Congenital malformation of tendon, unspecified

Q79.93 Congenital malformation of bone, unspecified

Q79.94 Congenital malformation of connective tissue, unspecified

Q82.8 Other specified congenital malformations of skin**Status of term:****Reclassified – First Edition****Status of inclusion term(s):****Deleted – Seventh Edition****Status of excludes note:****Deleted – Seventh Edition****Status of code(s):****Created – Seventh Edition****Term reclassification:**

Dermatomegaly, not elsewhere classified

ICD-10-AM Sixth Edition:

Q82.8 Other specified congenital malformations of skin

ICD-10-AM Seventh Edition:

Q82.8 Other specified congenital malformations of skin

Q82.81 Hidrotic ectodermal dysplasia

Q82.82 Cutis laxa

Q82.89 Other specified congenital malformations of skin

Q83.8 Other congenital malformations of breast**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Hypoplasia of breast

ICD-10-AM Seventh Edition:

Hypoplasia of breast

Small nipple

Q84.1 Congenital morphological disturbances of hair, not elsewhere classified**Status of term:****Classified – Third Edition****Term classification:**

Pili torti

Q84.3 Anonychia**Status of term:****Classified – Third Edition****Term classification:**

Congenital absent nails

Q84.6 Other congenital malformations of nails

Status of inclusion term(s): Deleted – **Seventh Edition**
Status of code(s): Created – **Seventh Edition**

ICD-10-AM Sixth Edition:

Q84.6 Other congenital malformations of nails

ICD-10-AM Seventh Edition:

Q84.6 Other congenital malformations of nails
 Q84.60 Congenital malformations of nails, unspecified
 Q84.61 Congenital clubnail
 Q84.62 Congenital koilonychias
 Q84.69 Other congenital malformations of nails

Q84.8 Other specified congenital malformations of integument

Status of code(s): Created – **Third Edition**

ICD-10-AM Second Edition:

Q84.8 Other specified congenital malformations of integument

ICD-10-AM Third Edition:

Q84.8 Other specified congenital malformations of integument
 Q84.81 Aplasia cutis congenita
 Q84.89 Other specified congenital malformations of integument

Q85.0 Neurofibromatosis (nonmalignant)

Status of excludes note: Created – **Sixth Edition**

Q85.8 Other phakomatoses

Status of code(s): Created – **Third Edition**
Status of excludes note: Revised – **Seventh Edition**

ICD-10-AM Second Edition:

Q85.8 Other phakomatoses

ICD-10-AM Third Edition:

Q85.8 Other phakomatoses
 Q85.81 Peutz-Jeghers syndrome
 Q85.82 Sturge-Weber(-Dimitri) syndrome
 Q85.83 Von Hippel-Lindau syndrome
 Q85.84 Gardner's syndrome
 Q85.89 Other specified phakomatoses

ICD-10-AM Sixth Edition:

Excludes: Meckel-Gruber syndrome (Q61.9)

ICD-10-AM Seventh Edition:

Excludes: Meckel-Gruber syndrome (Q89.83)

Q86.0 Fetal alcohol syndrome (dysmorphic)

Status of inclusion term(s): Created – **Tenth Edition**

Q86.8 Other congenital malformation syndromes due to known exogenous causes

Status of code(s):

Created – Third Edition

ICD-10-AM Second Edition:

Q86.8 Other congenital malformation syndromes due to known exogenous causes

ICD-10-AM Third Edition:

Q86.8 Other congenital malformation syndromes due to known exogenous causes

Q86.81 Congenital malformations due to valproate

Q86.82 Congenital malformations due to Vitamin A

Q86.83 Congenital malformations due to thalidomide

Q86.84 Congenital malformations due to cytotoxic agents

Q86.85 Congenital malformations due to other drugs

Q86.86 Congenital malformations due to ionising radiation

Q86.87 Congenital malformations due to methylmercury

Q86.89 Congenital malformations due to other specified exogenous causes

Q86.81 Congenital malformations due to valproate

Status of inclusion term(s):

Created – Twelfth Edition

Q87.0 Congenital malformation syndromes predominantly affecting facial appearance

Status of term:

Reclassified – First Edition

Status of code(s):

Created – Third Edition

Status of code(s):

Created – Seventh Edition

Term reclassification:

Treacher Collins syndrome

ICD-10-AM Second Edition:

Q87.0 Congenital malformation syndromes predominantly affecting facial appearance

ICD-10-AM Third Edition:

Q87.0 Congenital malformation syndromes predominantly affecting facial appearance

Q87.01 Acrocephalopolysyndactyly

Q87.02 Acrocephalosyndactyly

Q87.03 Cryptophthalmos syndrome

Q87.04 Treacher Collins [-Franceschetti] [-Klein] syndrome

Q87.05 Hallerman-Streiff syndrome

Q87.06 Pierre Robin sequence

Q87.07 Pena-Shokeir syndrome

Q87.09 Other specified congenital malformation syndromes predominantly affecting facial appearance

ICD-10-AM Seventh Edition:

Q87.0 Congenital malformation syndromes predominantly affecting facial appearance

Q87.00 Cyclopia

Q87.01 Acrocephalopolysyndactyly

Q87.02 Acrocephalosyndactyly

Q87.03 Cryptophthalmos syndrome

Q87.04 Treacher Collins [-Franceschetti] [-Klein] syndrome

Q87.05 Hallerman-Streiff syndrome

Q87.06 Pierre Robin sequence

Q87.07 Pena-Shokeir syndrome

Q87.01 Acrocephalopolysyndactyly**Status of inclusion term(s):****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Acrocephalopolysyndactyly type I, Noack syndrome
 Acrocephalopolysyndactyly type II, Carpenter syndrome

ICD-10-AM Eleventh Edition:

Acrocephalopolysyndactyly:

- type I, Noack syndrome
- type II, Carpenter syndrome

Q87.09 Other specified congenital malformation syndromes predominantly affecting facial appearance**Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Congenital malformation syndrome predominantly affecting facial appearance NOS

Cyclopia [cyclops] [cyclopism] [synophthalmia]

Dyscraniopygophalangism

Hereditary progressive arthro-ophthalmopathy

Syndrome:

- Goldenhar
- Moebius
- Mohr
- Oculo-auriculo-vertebral [Hemifacial microsomia]
- Oro-facial-digital types I and II
- Stickler
- Trico-rhino-phalangeal types I and II [Langer-Giedion]
- Ullrich-Feichtiger
- Whistling face

ICD-10-AM Seventh Edition:

Congenital malformation syndrome predominantly affecting facial appearance NOS

Dyscraniopygophalangism

Hereditary progressive arthro-ophthalmopathy

Syndrome:

- FG [Opitz-Kaveggia]
- Moebius
- Mohr's
- Opitz C [trigonocephaly]
- Oro-facial-digital types I and II
- Stickler
- Trico-rhino-phalangeal types I and II [Langer-Giedion]
- Ullrich-Feichtiger

Q87.1 Congenital malformation syndromes predominantly associated with short stature

Status of code(s):

Created – *Third Edition*

ICD-10-AM Second Edition:

Q87.1 Congenital malformation syndromes predominantly associated with short stature

ICD-10-AM Third Edition:

Q87.1 Congenital malformation syndromes predominantly associated with short stature

Q87.11 Cockayne syndrome

Q87.12 Cornelia de Lange syndrome

Q87.13 Noonan syndrome

Q87.14 Prader-Willi syndrome

Q87.15 Russell-Silver syndrome

Q87.16 Seckel syndrome

Q87.17 Smith-Lemli-Opitz syndrome

Q87.18 Sjogren-Larsson syndrome

Q87.19 Other specified congenital malformation syndromes predominantly associated with short stature

Q87.2 Congenital malformation syndromes predominantly involving limbs

Status of code(s):

Created – *Third Edition*

Status of code(s):

Created – *Seventh Edition*

ICD-10-AM Second Edition:

Q87.2 Congenital malformation syndromes predominantly involving limbs

ICD-10-AM Third Edition:

Q87.2 Congenital malformation syndromes predominantly involving limbs

Q87.21 Holt-Oram syndrome

Q87.22 Klippel-Trenaunay-Weber syndrome

Q87.23 Nail patella syndrome

Q87.24 Rubinstein-Taybi syndrome

Q87.25 Sirenomelia syndrome

Q87.26 Thrombocytopenia with absent radius syndrome

Q87.27 VATER association

Q87.29 Other specified congenital malformation syndromes predominantly involving limbs

ICD-10-AM Seventh Edition:

Q87.2 Congenital malformation syndromes predominantly involving limbs

Q87.21 Holt-Oram syndrome

Q87.22 Klippel-Trenaunay-Weber syndrome

Q87.23 Nail patella syndrome

Q87.24 Rubinstein-Taybi syndrome

Q87.25 Sirenomelia syndrome

Q87.26 Thrombocytopenia with absent radius syndrome

Q87.27 VATER association

Q87.28 Congenital malformation syndrome with ectrodactyly, not elsewhere classified

Q87.29 Other specified congenital malformation syndromes predominantly involving limbs

Q87.26 Thrombocytopenia with absent radius syndrome**Status of inclusion term(s):** *Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

TAR syndrome

ICD-10-AM Thirteenth Edition:

Thrombocytopenia absent radius [TAR] syndrome

Q87.27 VATER association**Status of note:** *Created – Thirteenth Edition***Q87.3 Congenital malformation syndromes involving early overgrowth****Status of code(s):** *Created – Third Edition***ICD-10-AM Second Edition:**

Q87.3 Congenital malformation syndromes involving early overgrowth

ICD-10-AM Third Edition:

Q87.3 Congenital malformation syndromes involving early overgrowth

Q87.31 Beckwith-Wiedemann syndrome

Q87.32 Sotos syndrome

Q87.33 Weaver syndrome

Q87.39 Other specified congenital malformation syndromes involving early overgrowth

Q87.4 Marfan's syndrome**Status of term:** *Classified – Third Edition***Term classification:**

Arachnodactyly NOS

Q87.8 Other specified congenital malformation syndromes, not elsewhere classified**Status of code(s):** *Created – Third Edition***Status of code(s):** *Created – Sixth Edition***Status of code(s):** *Created – Seventh Edition***ICD-10-AM Second Edition:**

Q87.8 Other specified congenital malformation syndromes, not elsewhere classified

ICD-10-AM Third Edition:

Q87.8 Other specified congenital malformation syndromes, not elsewhere classified

Q87.81 Alport's syndrome

Q87.82 Laurence-Moon-Biedl syndrome

Q87.83 Zellweger syndrome

Q87.84 William's syndrome

Q87.85 Angelman syndrome

Q87.89 Other specified malformation syndromes, not elsewhere classified

ICD-10-AM Sixth Edition:

Q87.8	Other specified congenital malformation syndromes, not elsewhere classified
Q87.81	Alport's syndrome
Q87.82	Laurence-Moon-Biedl syndrome
Q87.83	Zellweger syndrome
Q87.84	William's syndrome
Q87.85	Angelman syndrome
Q87.86	CHARGE syndrome
Q87.89	Other specified malformation syndromes, not elsewhere classified

ICD-10-AM Seventh Edition:

Q87.8	Other specified congenital malformation syndromes, not elsewhere classified
Q87.81	Alport's syndrome
Q87.82	Laurence-Moon-Biedl syndrome
Q87.83	Zellweger syndrome
Q87.84	William's syndrome
Q87.85	Angelman syndrome
Q87.86	CHARGE syndrome
Q87.87	Velocardiofacial syndrome [VCFS]
Q87.88	Opitz BBB/G syndrome
Q87.89	Other specified congenital malformation syndromes, not elsewhere classified

Q87.81 Alport's syndrome

Status of inclusion term(s): Created – **Sixth Edition**

Q89.0 Congenital malformations of spleen

Status of code(s): Created – **Third Edition**
Status of code(s): Created – **Seventh Edition**

ICD-10-AM Second Edition:

Q89.0	Congenital malformations of spleen
-------	------------------------------------

ICD-10-AM Third Edition:

Q89.0	Congenital malformations of spleen
Q89.01	Congenital asplenia
Q89.09	Other specified congenital malformations of spleen

ICD-10-AM Seventh Edition:

Q89.0	Congenital malformations of spleen
Q89.00	Congenital malformation of spleen, unspecified
Q89.01	Congenital asplenia
Q89.02	Accessory spleen
Q89.03	Ectopic spleen
Q89.04	Congenital hypoplasia of spleen
Q89.05	Congenital hyperplasia of spleen
Q89.09	Other specified congenital malformations of spleen

Q89.01 Congenital asplenia

Status of instructional note(s): Created – **Seventh Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Use additional code (Q20.6) to identify isomerism of atrial appendages, if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (Q20.6) to identify isomerism of atrial appendages.

Q89.02 Accessory spleen

Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code (Q20.6) to identify isomerism of atrial appendages, if applicable.

ICD-10-AM Twelfth Edition:

Use additional code (Q20.6) to identify isomerism of atrial appendages.

Q89.09 Other specified congenital malformations of spleen

Status of inclusion term(s): Revised – [Seventh Edition](#)

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Congenital splenomegaly [hyperplasia of spleen]

Accessory	}
Ectopic	}
Hypoplasia	}
Malformation NOS	}
Misshapen	}

Excludes: isomerism of atrial appendages (with asplenia or polysplenia) (Q20.6)

ICD-10-AM Seventh Edition:

Misshapen spleen

Excludes: asplenia (Q89.01)

Q89.1 Congenital malformations of adrenal gland

Status of code(s): Created – [Third Edition](#)

Status of code(s): Created – [Seventh Edition](#)

ICD-10-AM Second Edition:

Q89.1 Congenital malformations of adrenal gland

ICD-10-AM Third Edition:

Q89.1	Congenital malformations of adrenal gland
Q89.11	Congenital absence of adrenal gland
Q89.12	Congenital adrenal hypoplasia
Q89.19	Other specified congenital malformations of adrenal gland

ICD-10-AM Seventh Edition:

Q89.1	Congenital malformations of adrenal gland
Q89.10	Congenital malformations of adrenal gland, unspecified
Q89.11	Congenital absence of adrenal gland
Q89.12	Congenital adrenal hypoplasia
Q89.13	Accessory adrenal gland
Q89.14	Ectopic adrenal gland
Q89.19	Other specified congenital malformations of adrenal gland

Q89.19 Other specified congenital malformations of adrenal gland

Status of inclusion term(s): Deleted – [Seventh Edition](#)

Q89.2 Congenital malformations of other endocrine glands**Status of code(s):****Created – Third Edition****Status of code(s):****Created – Seventh Edition****ICD-10-AM Second Edition:**

Q89.2 Congenital malformations of other endocrine glands

ICD-10-AM Third Edition:

Q89.2 Congenital malformations of other endocrine glands
 Q89.21 Congenital malformations of pituitary gland
 Q89.22 Congenital malformations of thyroid gland
 Q89.23 Persistent thyroglossal cyst
 Q89.24 Thyroglossal cyst
 Q89.25 Congenital malformations of parathyroid gland
 Q89.26 Congenital malformations of thymus
 Q89.29 Congenital malformations of other specified endocrine glands

ICD-10-AM Seventh Edition:

Q89.2 Congenital malformations of other endocrine glands
 Q89.20 Congenital malformations of endocrine glands, unspecified
 Q89.21 Congenital malformations of pituitary gland
 Q89.22 Congenital malformations of thyroid gland
 Q89.23 Persistent thyroglossal cyst
 Q89.24 Thyroglossal cyst
 Q89.25 Congenital malformations of parathyroid gland
 Q89.26 Congenital malformations of thymus
 Q89.29 Congenital malformations of other specified endocrine glands

Q89.29 Congenital malformations of other specified endocrine glands**Status of inclusion term(s):****Deleted – Seventh Edition****Q89.3 Situs inversus****Status of code(s):****Created – Third Edition****ICD-10-AM Second Edition:**

Q89.3 Situs inversus

ICD-10-AM Third Edition:

Q89.3 Situs inversus
 Q89.30 Situs inversus, unspecified
 Q89.31 Dextrocardia with situs inversus
 Q89.32 Mirror-image atrial arrangement with situs inversus
 Q89.33 Situs inversus abdominalis
 Q89.34 Situs inversus thoracis
 Q89.35 Kartagener's syndrome
 Q89.39 Other specified situs inversus

Q89.4 Conjoined twins**Status of term:****Deleted – *First Edition*****Status of code(s):****Created – *Third Edition*****Status of code(s):****Created – *Seventh Edition*****Term deletion:**

Double monster

ICD-10-AM Second Edition:

Q89.4 Conjoined twins

ICD-10-AM Third Edition:

Q89.4 Conjoined twins

Q89.41 Dicephaly

Q89.42 Craniopagus

Q89.43 Thoracopagus

Q89.44 Xiphopagus

Q89.45 Pygopagus

Q89.46 Acardiac twin

Q89.49 Other specified conjoined twins

ICD-10-AM Seventh Edition:

Q89.4 Conjoined twins

Q89.40 Conjoined twins, unspecified

Q89.41 Dicephaly

Q89.42 Craniopagus

Q89.43 Thoracopagus

Q89.44 Xiphopagus

Q89.45 Pygopagus

Q89.46 Acardiac twin

Q89.49 Other specified conjoined twins**Q89.49 Other specified conjoined twins****Status of inclusion term(s):****Deleted – *Seventh Edition*****Q89.7 Multiple congenital malformations, not elsewhere classified****Status of code(s):****Created – *Third Edition*****ICD-10-AM Second Edition:**

Q89.7 Multiple congenital malformations, not elsewhere classified

ICD-10-AM Third Edition:

Q89.7 Multiple congenital malformations, not elsewhere classified

Q89.71 Dysmorphic features

Q89.79 Multiple congenital malformations, not elsewhere classified

Q89.8 Other specified congenital malformations**Status of code(s):****Created – [Third Edition](#)****Status of code(s):****Created – [Seventh Edition](#)****ICD-10-AM Second Edition:**

Q89.8 Other specified congenital malformations

ICD-10-AM Third Edition:

Q89.8 Other specified congenital malformations

Q89.81 Caudal dysplasia sequence

Q89.89 Other specified congenital malformations

ICD-10-AM Seventh Edition:

Q89.8 Other specified congenital malformations

[Q89.81](#) Caudal dysplasia sequence

Q89.82 Pentology of Cantrell

Q89.83 Meckel-Gruber syndrome

Q89.89 Other specified congenital malformations

Q89.81 Caudal dysplasia sequence**Status of inclusion term(s):****Created – [Seventh Edition](#)****Q90.1 Trisomy 21, mosaicism****Status of code title:****Revised – [Seventh Edition](#)****Status of inclusion term(s):****Created – [Seventh Edition](#)****ICD-10-AM Sixth Edition:**

Q90.1 Trisomy 21, mosaicism (mitotic nondisjunction)

ICD-10-AM Seventh Edition:

Q90.1 Trisomy 21, mosaicism

Trisomy 21 with mitotic nondisjunction

Q90.2 Trisomy 21, translocation**Status of inclusion term(s):****Created – [Seventh Edition](#)****Q91.1 Trisomy 18, mosaicism****Status of code title:****Revised – [Seventh Edition](#)****Status of inclusion term(s):****Created – [Seventh Edition](#)****ICD-10-AM Sixth Edition:**

Q91.1 Trisomy 18, mosaicism (mitotic nondisjunction)

ICD-10-AM Seventh Edition:

Q91.1 Trisomy 18, mosaicism

Trisomy 18 with mitotic nondisjunction

Q91.3 Edwards' syndrome, unspecified**Status of inclusion term(s):****Created – [Seventh Edition](#)**

Q91.5 Trisomy 13, mosaicism

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q91.5 Trisomy 13, mosaicism (mitotic nondisjunction)

ICD-10-AM Seventh Edition:

Q91.5 Trisomy 13, mosaicism
 Trisomy 13 with mitotic nondisjunction

Q91.6 Trisomy 13, translocation

Status of inclusion term(s): Created – [Seventh Edition](#)

Q91.7 Patau's syndrome, unspecified

Status of inclusion term(s): Created – [Seventh Edition](#)

Q92.1 Whole chromosome trisomy, mosaicism

Status of code title: Revised – [Seventh Edition](#)
Status of inclusion term(s): Created – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Q92.1 Whole chromosome trisomy, mosaicism (mitotic nondisjunction)

ICD-10-AM Seventh Edition:

Q92.1 Whole chromosome trisomy, mosaicism
 Whole chromosome trisomy mosaicism with mitotic nondisjunction

Q92.2 Major partial trisomy

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Whole arm or more duplicated

ICD-10-AM Seventh Edition:

Whole arm duplicated:
 • p arm or q arm
 • short arm or long arm

Q92.3 Minor partial trisomy

Status of inclusion term(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Less than whole arm or more duplicated

ICD-10-AM Seventh Edition:

Partial arm duplicated:
 • p arm or q arm
 • short arm or long arm

Q92.5 Duplications with other complex rearrangements

Status of inclusion term(s): Created – [Seventh Edition](#)

Q92.6 Extra marker chromosomes*Status of includes note:**Created – Seventh Edition***Q92.7 Triploidy and polyploidy***Status of includes note:**Created – Seventh Edition**Status of code(s):**Created – Seventh Edition***ICD-10-AM Sixth Edition:**

Q92.7 Triploidy and polyploidy

ICD-10-AM Seventh Edition:

Q92.7 Triploidy and polyploidy

Q92.71 Triploidy

Q92.72 Tetraploidy

Q92.73 Polyploidy

Q92.9 Trisomy and partial trisomy of autosomes, unspecified*Status of excludes note:**Created – Seventh Edition***Q93.1 Whole chromosome monosomy, mosaicism***Status of code title:**Revised – Seventh Edition**Status of inclusion term(s):**Created – Seventh Edition***ICD-10-AM Sixth Edition:**

Q93.1 Whole chromosome monosomy, mosaicism (mitotic nondisjunction)

ICD-10-AM Seventh Edition:

Q93.1 Whole chromosome monosomy, mosaicism

Whole chromosome monosomy mosaicism with mitotic nondisjunction

Q93.2 Chromosome replaced with ring or dicentric*Status of includes note:**Created – Seventh Edition**Status of excludes note:**Created – Seventh Edition***Q93.5 Other deletions of part of a chromosome***Status of term:**Classified – Second Edition**Status of inclusion term(s):**Deleted – Third Edition**Status of includes note:**Created – Seventh Edition***Term classification:**

Angelman syndrome

Q93.7 Deletions with other complex rearrangements*Status of inclusion term(s):**Created – Seventh Edition**Status of excludes note:**Created – Seventh Edition***Q95.0 Balanced translocation and insertion in normal individual***Status of inclusion term(s):**Created – Seventh Edition***Q95.1 Chromosome inversion in normal individual***Status of inclusion term(s):**Created – Seventh Edition*

Q95.2 Balanced autosomal rearrangement in abnormal individual*Status of inclusion term(s):* *Created – Seventh Edition***Q95.3 Balanced sex/autosomal rearrangement in abnormal individual***Status of inclusion term(s):* *Created – Seventh Edition***Q97 Other female sex chromosome abnormalities, not elsewhere classified***Status of code title:* *Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q97 Other sex chromosome abnormalities, female phenotype, not elsewhere classified

ICD-10-AM Seventh Edition:

Q97 Other female sex chromosome abnormalities, not elsewhere classified

Q97.3 Female with 46,XY karyotype*Status of excludes note:* *Created – Seventh Edition***Q97.8 Other specified female sex chromosome abnormalities***Status of code title:* *Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q97.8 Other specified sex chromosome abnormalities, female phenotype

ICD-10-AM Seventh Edition:

Q97.8 Other specified female sex chromosome abnormalities

Q97.9 Female sex chromosome abnormality, unspecified*Status of code title:* *Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q97.9 Sex chromosome abnormality, female phenotype, unspecified

ICD-10-AM Seventh Edition:

Q97.9 Female sex chromosome abnormality, unspecified

Q98 Other male sex chromosome abnormalities, not elsewhere classified*Status of code title:* *Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q98 Other sex chromosome abnormalities, male phenotype, not elsewhere classified

ICD-10-AM Seventh Edition:

Q98 Other male sex chromosome abnormalities, not elsewhere classified

Q98.0 Klinefelter's syndrome karyotype 47,XXY*Status of includes note:* *Created – Seventh Edition*

Q98.5 Karyotype 47,XY*Status of includes note:**Created – Seventh Edition***Q98.7 Male with sex chromosome mosaicism***Status of excludes note:**Created – Seventh Edition***Q98.8 Other specified male sex chromosome abnormalities***Status of code title:**Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q98.8 Other specified sex chromosome abnormalities, male phenotype

ICD-10-AM Seventh Edition:

Q98.8 Other specified male sex chromosome abnormalities

Q98.9 Male sex chromosome abnormality, unspecified*Status of code title:**Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Q98.9 Sex chromosome abnormality, male phenotype, unspecified

ICD-10-AM Seventh Edition:

Q98.9 Male sex chromosome abnormality, unspecified

Q99.8 Other specified chromosome abnormalities*Status of inclusion term(s):**Created – Sixth Edition***R00–R99 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified***Status of excludes note:**Revised – Tenth Edition***ICD-10-AM Ninth Edition:***Excludes:* abnormal findings on antenatal screening of mother (O28.-)
certain conditions originating in the perinatal period (P00–P96)**ICD-10-AM Tenth Edition:***Excludes:* abnormal findings on antenatal screening of mother (O28.-)**R00.0 Tachycardia, unspecified***Status of inclusion term(s):**Revised – Fifth Edition***ICD-10-AM Fourth Edition:**

Rapid heart beat

ICD-10-AM Fifth Edition:

Rapid heart beat

Tachycardia:

- sinoauricular NOS
- sinus [sinusal] NOS

R00.1 Bradycardia, unspecified

Status of term: *Reclassified – First Edition*
Status of inclusion term(s): *Revised – Fifth Edition*
Status of instructional note(s): *Revised – Twelfth Edition*

Term reclassification:

Sinoatrial bradycardia
 Sinus bradycardia
 Vagal bradycardia

ICD-10-AM Fourth Edition:

Slow heart beat

ICD-10-AM Fifth Edition:

Bradycardia:
 • sinoatrial
 • sinus
 • vagal
 Slow heart beat

ICD-10-AM Eleventh Edition:

Use additional external cause code (Chapter 20) to identify drug, if drug-induced.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

R00.3 Pulseless electrical activity, not elsewhere classified

Status of code: *Created – Eleventh Edition*

R00.8 Other and unspecified abnormalities of heart beat

Status of term: *Reclassified – First Edition*

Term reclassification:

Abnormal heart rate

R01.1 Cardiac murmur, unspecified

Status of inclusion term(s): *Revised – Ninth Edition*

ICD-10-AM Eighth Edition:

Cardiac bruit NOS

ICD-10-AM Ninth Edition:

Cardiac bruit NOS
 Systolic murmur NOS

R03.1 Nonspecific low blood-pressure reading**Status of excludes note:** *Revised – Tenth Edition***ICD-10-AM Ninth Edition:**

Excludes: hypotension:

- neurogenic orthostatic (G90.3)
- NOS (I95.-)

maternal hypotension syndrome (O26.5)

ICD-10-AM Tenth Edition:

Excludes: hypotension:

- neurogenic orthostatic (I95.12)
- NOS (I95.9)

maternal hypotension syndrome (O26.5)

R06 Abnormalities of breathing

Status of excludes note: *Revised – Sixth Edition*
Status of excludes note: *Revised – Eleventh Edition*

ICD-10-AM Fifth Edition:

Excludes: respiratory:

- arrest (R09.2)
- distress (syndrome)(of):
 - adult (J80)
 - newborn (P22.-)
- failure:
 - NOS (J96.-)
 - of newborn (P28.5)

ICD-10-AM Sixth Edition:

Excludes: respiratory:

- arrest (R09.2)
- distress:
 - in newborn (P22.-)
 - syndrome of adult (J80)
- failure:
 - NOS (J96.-)
 - of newborn (P28.5)

ICD-10-AM Eleventh Edition:

Excludes: respiratory:

- arrest (R09.2)
- failure:
 - NOS (J96.-)
 - of newborn (P28.5)

R06.0 Dyspnoea**Status of excludes note:** *Revised – Eleventh Edition***ICD-10-AM Tenth Edition:**

Excludes: transient tachypnoea of newborn (P22.1)

ICD-10-AM Eleventh Edition:

Excludes: acute respiratory distress syndrome (ARDS) in adult or child (J80)
 respiratory distress of newborn (P22.-)
 transient tachypnoea of newborn (P22.1)

R06.5 Mouth breathing

Status of excludes note: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Excludes: dry mouth NOS (R68.2)

ICD-10-AM Twelfth Edition:

Excludes: dry mouth NOS (R68.2)
snoring with obstructive sleep apnoea syndrome [OSAS] (G47.32)

R09 Other symptoms and signs involving the circulatory and respiratory systems

Status of excludes note: *Deleted – Eleventh Edition*

R09.2 Respiratory arrest

Status of inclusion term(s): *Deleted – Eleventh Edition*

R09.8 Other specified symptoms and signs involving the circulatory and respiratory systems

Status of code(s): *Created – Fourth Edition*

ICD-10-AM Third Edition:

R09.8 Other specified symptoms and signs involving the circulatory and respiratory systems

ICD-10-AM Fourth Edition:

R09.8 Other specified symptoms and signs involving the circulatory and respiratory systems

R09.88 Other specified symptoms and signs involving the circulatory system

R09.89 Other specified symptoms and signs involving the respiratory system

R10–R19 Symptoms and signs involving the digestive system and abdomen

Status of excludes note: *Revised – Eleventh Edition*

Status of excludes note: *Revised – Twelfth Edition*

ICD-10-AM Tenth Edition:

Excludes: gastrointestinal haemorrhage:
• newborn (P54.0–P54.3)
• NOS (K92.0–K92.2)
intestinal obstruction:
• newborn (P76.-)
• NOS (K56.-)
pylorospasm:
• congenital or infantile (Q40.0)
• NOS (K31.3)
symptoms and signs involving the urinary system (R30–R39)
symptoms referable to genital organs:
• female (N94.-)
• male (N48–N50)

ICD-10-AM Eleventh Edition:

Excludes: gastrointestinal haemorrhage:

- newborn (P54.0–P54.3)
- NOS (K92.0–K92.2)

intestinal obstruction:

- due to congenital stricture or stenosis of intestine (Q41–Q42)
- newborn (P76.-)
- NOS (K56.-)

pylorospasm:

- congenital or infantile (Q40.0)
- NOS (K31.3)

symptoms and signs involving the urinary system (R30–R39)

symptoms referable to genital organs:

- female (N94.-)
- male (N48–N50)

ICD-10-AM Twelfth Edition:

Excludes: gastrointestinal haemorrhage:

- newborn (P54.0–P54.3)
- NOS (K92.0–K92.2)

intestinal obstruction:

- due to congenital stricture or stenosis of intestine (Q41–Q42)
- newborn (P76.-)
- NOS (K56.-)

pylorospasm:

- congenital or infantile (Q40.0)
- NOS (K31.3)

symptoms (and signs) involving:

- disorder of penis (N48.-)
- female genital organs NEC (N94.-)
- male genital organs NEC (N49–N50)
- menstrual cycle NEC (N94.-)
- urinary system (R30–R39)

R10.1 Pain localised to upper abdomen

Status of inclusion term(s):	Revised – Eighth Edition
Status of excludes note:	Created – Eighth Edition
Status of instructional note(s):	Created – Twelfth Edition

ICD-10-AM Seventh Edition:

Epigastric pain

ICD-10-AM Eighth Edition:

Dyspepsia NOS

Epigastric pain

R10.2 Pelvic and perineal pain

Status of excludes note: Created – [Twelfth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)
Status of code(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

R10.2 Pelvic and perineal pain

Excludes: pain involving:

- female genital organ(s) NEC (N94.8)
- male genital organ(s) NEC (N50.8)
- menstrual cycle NEC (N94.6)
- musculoskeletal system NEC (R29.89)
- penis (N48.8)
- urinary system NEC (R39.8)

ICD-10-AM Thirteenth Edition:

R10.2 Pelvic and perineal pain

Excludes: pain involving:

- musculoskeletal system NEC (R29.89)
- urinary system NEC (R39.8)

R10.21 Pelvic and perineal pain associated with male pelvis

R10.22 Pelvic and perineal pain associated with female pelvis

R10.3 Pain localised to other parts of lower abdomen

Status of instructional note(s): Created – [Twelfth Edition](#)

R10.4 Other and unspecified abdominal pain

Status of instructional note(s): Created – [Twelfth Edition](#)

R11 Nausea and vomiting

Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: haematemesis:

- neonatal (P54.0)
- NOS (K92.0)

vomiting (of):

- excessive, in pregnancy (O21.-)
- following gastrointestinal surgery (K91.0)
- newborn (P92.0)
- psychogenic (F50.5)

ICD-10-AM Tenth Edition:

Excludes: haematemesis:

- neonatal (P54.0)
- NOS (K92.0)

vomiting (of):

- excessive, in pregnancy (O21.-)
- newborn (P92.0)
- psychogenic (F50.5)

R12 Heartburn

Status of excludes note: Revised – [Eighth Edition](#)

ICD-10-AM Seventh Edition:

Excludes: dyspepsia (K30)

ICD-10-AM Eighth Edition:

Excludes: dyspepsia:
 • functional (K30)
 • NOS (R10.1)

R14 Flatulence and related conditions

Status of excludes note: Revised – [Seventh Edition Errata 5](#)

ICD-10-AM Seventh Edition:

Excludes: psychogenic aerophagy (F45.3-)

ICD-10-AM Seventh Edition Errata 5:

Excludes: psychogenic aerophagy (F45.32–F45.33)

R17 Hyperbilirubinaemia, with or without jaundice, not elsewhere classified

Status of code title: Revised – [Twelfth Edition](#)

Status of code(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

R17 Unspecified jaundice

ICD-10-AM Twelfth Edition:

R17 Hyperbilirubinaemia, with or without jaundice, not elsewhere classified

R17.0 Hyperbilirubinaemia with mention of jaundice, not elsewhere classified

R17.9 Hyperbilirubinaemia without mention of jaundice, not elsewhere classified

R19.5 Other faecal abnormalities

Status of inclusion term(s): Revised – [Sixth Edition](#)

Status of inclusion term(s): Revised – [Eleventh Edition](#)

ICD-10-AM Fifth Edition:

Abnormal stool colour

Bulky stools

Mucus in stools

ICD-10-AM Sixth Edition:

Abnormal stool colour

Bulky stools

Mucus } in stools

Occult blood }

ICD-10-AM Eleventh Edition:

Abnormal stool colour

Bulky stools

Faecal occult blood (FOB)

Mucus in stools

Occult blood in stools

R19.8 Other specified symptoms and signs involving the digestive system and abdomen

Status of code(s):

Created – Tenth Edition

ICD-10-AM Ninth Edition:

R19.8 Other specified symptoms and signs involving the digestive system and abdomen

ICD-10-AM Tenth Edition:

R19.8 Other specified symptoms and signs involving the digestive system and abdomen

R19.81 Abdominal compartment syndrome

R19.89 Other specified symptoms and signs involving the digestive system and abdomen

R23.3 Spontaneous ecchymoses

Status of excludes note:

Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Excludes: ecchymoses in fetus and newborn (P54.5)
purpura (D69.-)

ICD-10-AM Eleventh Edition:

Excludes: ecchymoses in fetus and newborn (P54.5)
nontraumatic haematoma:
• skin (L98.8)
• soft tissue (muscle) (M79.8-)
purpura (D69.-)

R23.4 Changes in skin texture

Status of inclusion term(s):

Revised – Twelfth Edition

ICD-10-AM Eleventh Edition:

Delicate skin
Desquamation of skin
Fragile skin
Frail skin
Friable skin
Induration of skin
Scaling skin
Skin tear:
• incidental
• nontraumatic

ICD-10-AM Twelfth Edition:

Delicate skin
Desquamation of skin
Fragile skin
Frail skin
Friable skin
Induration of skin
Scaling skin
Skin tear:
• incidental
• nontraumatic
• unknown cause

R25.8 Other and unspecified abnormal involuntary movements

Status of term: *Classified – First Edition*

Term classification:
Acathisia

R26 Abnormalities of gait and mobility

Status of excludes note: *Deleted – Twelfth Edition*

R26.0 Ataxic gait

Status of excludes note: *Created – Twelfth Edition*

R26.3 Immobility

Status of code: *Created – Sixth Edition*

Status of excludes note: *Created – Twelfth Edition*

R26.8 Other and unspecified abnormalities of gait and mobility

Status of inclusion term(s): *Revised – Ninth Edition*

ICD-10-AM Eighth Edition:

Unsteadiness on feet NOS

ICD-10-AM Ninth Edition:

Impaired }
Reduced } mobility NOS
Unsteadiness on feet NOS

R29.5 Neurologic neglect

Status of code(s): *Created – First Edition*

Status of term(s): *Classified – First Edition*

Status of inclusion term(s): *Revised – Thirteenth Edition*

Term classification:

Asomatognosia
Hemi-akinesia
Hemi-inattention
Hemispacial neglect
Left-sided neglect
Sensory extinction
Sensory neglect
Visuospatial neglect

ICD-10-AM Thirteenth Edition:

Asomatognosia
Hemiakinesia
Hemi-inattention
Hemispacial neglect
Left-sided neglect
Sensory:
• extinction
• neglect
Visuospatial neglect

R29.6 Tendency to fall, not elsewhere classified**Status of code:****Created – Fifth Edition****Status of excludes note:****Revised – Fifth Edition Errata 4****ICD-10-AM Fifth Edition:**

Excludes: accidents NOS (X59)
 difficulty in walking (R26.2)
 dizziness and giddiness (R42)
 falls causing injury (W00-W19)
 syncope and collapse (R55)

ICD-10-AM Fifth Edition Errata 4:

Excludes: difficulty in walking (R26.2)
 dizziness and giddiness (R42)
 syncope and collapse (R55)

R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Fourth Edition****Status of code(s):****Deleted (R29.81) – Fifth Edition****WHO ICD-10:**

R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems

ICD-10-AM First Edition:

R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems
 R29.81 Falls
 R29.89 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems

ICD-10-AM Fourth Edition:

R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems
 R29.81 Falls
 R29.88 Other and unspecified symptoms and signs involving the nervous system
 R29.89 Other and unspecified symptoms and signs involving the musculoskeletal systems

ICD-10-AM Fifth Edition:

R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems
 R29.88 Other and unspecified symptoms and signs involving the nervous system
 R29.89 Other and unspecified symptoms and signs involving the musculoskeletal systems

R31 Unspecified haematuria**Status of term:****Reclassified – First Edition**

R32 Unspecified urinary incontinence

Status of excludes note: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Excludes: nonorganic enuresis (F98.0)
stress incontinence and other specified urinary incontinence (N39.3–N39.4)

ICD-10-AM Twelfth Edition:

Excludes: nonorganic enuresis (F98.0)
stress incontinence (N39.3-)
other specified urinary incontinence (N39.4)

R34 Anuria and oliguria

Status of excludes note: *Revised – Tenth Edition*
Status of excludes note: *Revised – Eleventh Edition*

ICD-10-AM Ninth Edition:

Excludes: that complicating:
• abortion or ectopic or molar pregnancy (O00–O07, O08.4)
• pregnancy, childbirth and the puerperium (O26.88, O90.4)

ICD-10-AM Tenth Edition:

Excludes: that:
• complicating abortion or ectopic or molar pregnancy (O00–O07, O08.4)
• with:
• kidney disorder in pregnancy (O26.81)
• postpartum acute kidney failure (O90.4)

ICD-10-AM Eleventh Edition:

Excludes: that with:
• kidney disorder in pregnancy (O26.81)
• postpartum acute kidney failure (O90.4)

R40–R46 Symptoms and signs involving cognition, perception, emotional state and behaviour

Status of excludes note: *Deleted – Thirteenth Edition*

R40 Somnolence, stupor and coma

Status of excludes note: *Deleted – Eleventh Edition*
Status of note: *Created – Eleventh Edition Errata*
Status of excludes note: *Created – Thirteenth Edition*

R40.0 Somnolence

Status of inclusion term(s): *Revised – Eleventh Edition*

ICD-10-AM Tenth Edition:

Drowsiness

ICD-10-AM Eleventh Edition:

Decreased (level of) consciousness (nontraumatic)
Drowsiness
GCS score 13–15

R40.1 Stupor**Status of inclusion term(s):****Revised – [Eleventh Edition](#)****Status of excludes note:****Revised – [Eleventh Edition](#)****ICD-10-AM Tenth Edition:**

Semicoma

Excludes:

- stupor:
- catatonic (F20.2)
 - depressive (F31–F33)
 - dissociative (F44.2)
 - manic (F30.2)

ICD-10-AM Eleventh Edition:

GCS score 9–12

Semicoma

Excludes:

- stupor:
- catatonic (F20.2)
 - depressive (F31–F33)
 - dissociative (F44.2)
 - manic (F30.2)
- that with any head injury classifiable to Chapter 19 (S06.01–S06.05)

R40.2 Coma**Status of code title:****Revised – [Eleventh Edition](#)****Status of inclusion term(s):****Revised – [Eleventh Edition](#)****Status of excludes note:****Revised – [Eleventh Edition](#)****Status of excludes note:****Revised – [Eleventh Edition Errata](#)****Status of inclusion term(s):****Revised – [Twelfth Edition](#)****ICD-10-AM Tenth Edition:**

R40.2 Coma, unspecified
Unconsciousness NOS

ICD-10-AM Eleventh Edition:

R40.2 Coma
GCS score ≤ 8
Loss of consciousness (nontraumatic) NOS
Unconsciousness NOS

Excludes:

- coma:
- diabetic (E10–E14)
 - hepatic (K72.-)
 - hypoglycaemic (nondiabetic) (E15)
 - neonatal (P91.5)
 - uraemic (N19)
 - syncope (R55)

ICD-10-AM Eleventh Edition Errata:**Excludes:**

- coma:
- diabetic (E10–E14)
 - hepatic (K72.-)
 - hypoglycaemic (nondiabetic) (E15)
 - neonatal (P91.5)
 - that with any head injury classifiable to Chapter 19 (S06.01–S06.05)
 - uraemic (N19)
 - syncope (R55)

ICD-10-AM Twelfth Edition:

GCS score 8 or less
Loss of consciousness (nontraumatic) NOS
Unconsciousness NOS

R41 Other symptoms and signs involving cognitive functions and awareness

Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Excludes: dissociative [conversion] disorders (F44.-)

ICD-10-AM Thirteenth Edition:

Excludes: as part of a mental or behavioural disorder (F00–F99)

R41.8 Other and unspecified symptoms and signs involving cognitive functions and awareness

Status of excludes note: Created – *Thirteenth Edition*

Status of code(s): Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

R41.8 Other and unspecified symptoms and signs involving cognitive functions and awareness

ICD-10-AM Thirteenth Edition:

R41.8 Other and unspecified symptoms and signs involving cognitive functions and awareness

R41.81 Age associated cognitive decline

R41.89 Symptoms and signs involving cognitive functions and awareness, not elsewhere classified

R42 Dizziness and giddiness

Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Excludes: vertiginous syndromes (H81.-)

ICD-10-AM Thirteenth Edition:

Excludes: as part of a mental or behavioural disorder (F00–F99)
vertiginous syndromes (H81.-)

R43 Disturbances of smell and taste

Status of excludes note: Created – *Thirteenth Edition*

R44 Other symptoms and signs involving general sensations and perceptions

Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Excludes: disturbances of skin sensation (R20.-)

ICD-10-AM Thirteenth Edition:

Excludes: as part of a mental or behavioural disorder (F00–F99)
disturbances of skin sensation (R20.-)

R45.0 Nervousness*Status of excludes note:**Created – [Thirteenth Edition](#)***R45.1 Restlessness and agitation***Status of excludes note:**Created – [Thirteenth Edition](#)***R45.2 Unhappiness***Status of excludes note:**Created – [Thirteenth Edition](#)***R45.3 Demoralisation and apathy***Status of excludes note:**Created – [Thirteenth Edition](#)***R45.4 Irritability and anger***Status of excludes note:**Created – [Thirteenth Edition](#)***R45.5 Hostility***Status of excludes note:**Created – [Thirteenth Edition](#)***R45.6 Physical violence***Status of excludes note:**Created – [Thirteenth Edition](#)***R45.7 State of emotional shock and stress, unspecified***Status of excludes note:**Created – [Thirteenth Edition](#)***R45.8 Other symptoms and signs involving emotional state***Status of code(s):**Created – [Third Edition](#)**Status of code(s):**Created – [Thirteenth Edition](#)***ICD-10-AM Second Edition:**

R45.8 Other symptoms and signs involving emotional state

ICD-10-AM Third Edition:

R45.8 Other symptoms and signs involving emotional state

[R45.81](#) Suicidal ideation[R45.89](#) Other symptoms and signs involving emotional state**ICD-10-AM Thirteenth Edition:**

R45.8 Other symptoms and signs involving emotional state

[R45.81](#) Suicidal ideation

R45.82 Homicidal ideation

[R45.89](#) Other symptoms and signs involving emotional state

R45.81 Suicidal ideation

Status of excludes note: Revised – **Ninth Edition**
Status of glossary description: Created – **Thirteenth Edition**
Status of instructional note: Created – **Thirteenth Edition**
Status of excludes note: Deleted – **Thirteenth Edition**

ICD-10-AM Eighth Edition:

Excludes: suicidal ideation constituting part of a mental disorder (F00–F99)

ICD-10-AM Ninth Edition:

Excludes: signs and symptoms constituting part of a mental disorder (F00–F99)

R45.89 Other symptoms and signs involving emotional state

Status of excludes note: Created – **Eighth Edition**

R46 Symptoms and signs involving appearance and behaviour

Status of excludes note: Created – **Thirteenth Edition**

R46.8 Other symptoms and signs involving appearance and behaviour

Status of inclusion term(s): Created – **Sixth Edition**
Status of excludes note: Created – **Sixth Edition**
Status of excludes note: Revised – **Eleventh Edition**

ICD-10-AM Tenth Edition:

Excludes: insufficient intake of food and water due to self neglect (R63.6)

ICD-10-AM Eleventh Edition:

Excludes: insufficient intake of food and water (due to self neglect) (R63.6)

R47 Speech disturbances, not elsewhere classified

Status of excludes note: Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Excludes: autism (F84.0–F84.1)
 cluttering (F98.6)
 specific developmental disorders of speech and language (F80.-)
 stuttering [stammering] (F98.5)

ICD-10-AM Twelfth Edition:

Excludes: autism spectrum disorder (F84)
 cluttering (F98.6)
 specific developmental disorders of speech and language (F80.-)
 stuttering [stammering] (F98.5)

R50 Fever of other and unknown origin**Status of code(s):****Created/Deleted – Fifth Edition****ICD-10-AM Fourth Edition:**

R50 Fever of unknown origin
 R50.0 Fever with chills
 F50.1 Persistent fever
 F50.9 Fever, unspecified

ICD-10-AM Fifth Edition:

R50 Fever of other and unknown origin
 R50.2 Drug-induced fever
 R50.8 Other specified fever
 F50.9 Fever, unspecified

R52 Pain, not elsewhere classified**Status of excludes note:****Revised – Ninth Edition****Status of includes note:****Deleted – Tenth Edition****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Twelfth Edition****ICD-10-AM Eighth Edition:**

Excludes: chronic pain personality syndrome (F62.8)
 headache (R51)
 pain (in):
 • abdomen (R10.-)
 • back (M54.9-)
 • breast (N64.4)
 • chest (R07.1–R07.4)
 • ear (H92.0)
 • eye (H57.1)
 • joint (M25.5-)
 • limb (M79.6-)
 • lumbar region (M54.5)
 • pelvic and perineal (R10.2)
 • psychogenic (F45.4)
 • shoulder (M75.8)
 • spine (M54.-)
 • throat (R07.0)
 • tongue (K14.6)
 • tooth (K08.8)
 renal colic (N23)

ICD-10-AM Ninth Edition:

Excludes: chronic pain personality syndrome (F62.8)
 headache (R51)
 pain (in):
 • abdomen (R10.-)
 • back (M54.9-)
 • breast (N64.4)
 • chest (R07.1–R07.4)
 • ear (H92.0)
 • eye (H57.1)
 • joint (M25.5-)
 • limb (M79.6-)
 • lumbar region (M54.5)
 • pelvic and perineal (R10.2)
 • psychogenic (F45.4)
 • shoulder (M25.51)
 • spine (M54.-)
 • throat (R07.0)
 • tongue (K14.6)
 • tooth (K08.8)
 renal colic (N23)

ICD-10-AM Tenth Edition:

Excludes: complex regional pain syndrome:
 • NOS (G58.1-)
 • type I (G58.1-)
 • type II:
 • limb:
 • lower (G57.7)
 • upper (G56.4)
 • NOS (G58.9)
 migraine and other headache syndromes (G43–G44)
 renal colic (N23)

ICD-10-AM Twelfth Edition:

Excludes: complex regional pain syndrome:
 • NOS (G90.7-)
 • specified type NEC (G90.7-)
 • type:
 • I (G90.5-)
 • II (causalgia) (G90.6-)
 migraine and other headache syndromes (G43–G44)
 renal colic (N23)

R52.0 Acute pain, not elsewhere classified

Status of code title: Revised – **Tenth Edition**
Status of excludes note: Created – **Tenth Edition**

ICD-10-AM Ninth Edition:

R52.0 Acute pain

ICD-10-AM Tenth Edition:

R52.0 Acute pain, not elsewhere classified

R52.1 Chronic intractable pain

Status of code: Deleted – **Tenth Edition**

R52.2 Chronic pain

Status of code title:	Revised – Tenth Edition
Status of instructional note(s):	Created – Tenth Edition
Status of instructional note(s):	Revised – Tenth Edition Errata 2
Status of inclusion term(s):	Created – Twelfth Edition
Status of note:	Created – Twelfth Edition

ICD-10-AM Ninth Edition:

R52.2 Other chronic pain

ICD-10-AM Tenth Edition:

R52.2 Chronic pain
Code first the underlying cause/site of chronic pain, if applicable

ICD-10-AM Tenth Edition Errata 2:*Code first the underlying cause and /or site of chronic pain, if applicable***R53 Malaise and fatigue**

Status of inclusion term(s):	Revised – Eighth Edition
Status of excludes note:	Revised – Tenth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Seventh Edition:

Asthenia NOS

Debility:

- chronic
- nervous
- NOS

General physical deterioration

Lethargy

Tiredness

ICD-10-AM Eighth Edition:

Asthenia NOS

Debility:

- chronic
- NOS

General physical deterioration

Lethargy

Tiredness

ICD-10-AM Ninth Edition:

Excludes:

- debility:
 - congenital (P96.9)
 - senile (R54)
- exhaustion and fatigue (due to) (in):
 - combat (F43.0)
 - excessive exertion (T73.3)
 - exposure (T73.2)
 - heat (T67.-)
 - neurasthenia (F48.0)
 - pregnancy (O26.88)
 - senile asthenia (R54)
- fatigue syndrome:
 - NOS (F48.0)
 - postviral (G93.3)

ICD-10-AM Tenth Edition:

- Excludes:** debility:
- congenital (P96.9)
 - senile (R54)
- exhaustion and fatigue (due to) (in):
- combat (F43.0)
 - excessive exertion (T73.3)
 - exposure (T73.2)
 - heat (T67.-)
 - neurasthenia (F48.0)
 - senile asthenia (R54)
- fatigue syndrome:
- NOS (F48.0)
 - postviral (G93.3)

ICD-10-AM Thirteenth Edition:

- Excludes:** ageing associated (senile):
- asthenia (R54)
 - debility (R54)
 - decline (R54)
 - exhaustion and fatigue (R54)
- debility:
- congenital (P96.9)
- exhaustion and fatigue (due to)(in):
- combat (F43.0)
 - excessive exertion (T73.3)
 - exposure (T73.2)
 - heat (T67.-)
 - neurasthenia (F48.0)
- fatigue syndrome:
- NOS (F48.0)
 - postviral (G93.3)

R54	Ageing associated decline
------------	----------------------------------

- | | |
|--------------------------------------|-------------------------------------|
| Status of excludes note: | Revised – Twelfth Edition |
| Status of code title: | Revised – Thirteenth Edition |
| Status of inclusion term(s): | Revised – Thirteenth Edition |
| Status of instructional note: | Created – Thirteenth Edition |
| Status of excludes note: | Revised – Thirteenth Edition |

ICD-10-AM Eleventh Edition:

- Excludes:** senile psychosis (F03)

ICD-10-AM Twelfth Edition:

- R54** Senility
- Old age without mention of psychosis
- Senescence without mention of psychosis
- Senile:
- asthenia
 - debility

- Excludes:** senile psychosis (F03.0-)

ICD-10-AM Thirteenth Edition:

- R54** Ageing associated decline
- Ageing associated (senile):
- decline in intrinsic capacity
 - exhaustion and fatigue
 - frailty
- Old age without mention of psychosis
- Senescence without mention of psychosis
- Senile:
- asthenia
 - debility

- Excludes:** senile dementia (F03.0-)

R55 Syncope and collapse**Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Ninth Edition:**

Excludes: neurocirculatory asthenia (F45.31)
 orthostatic hypotension:
 • neurogenic (G90.3)
 • NOS (I95.1)
 shock:
 • cardiogenic (R57.0)
 • complicating or following:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.3)
 • labour and delivery (O75.1)
 • NOS (R57.9)
 • postprocedural (T81.1)
 Stokes-Adams attack (I45.9)
 syncope:
 • carotid sinus (G90.0)
 • heat (T67.1)
 • psychogenic (F48.8)
 unconsciousness NOS (R40.2)

ICD-10-AM Tenth Edition:

Excludes: neurocirculatory asthenia (F45.31)
 orthostatic hypotension:
 • neurogenic (I95.12)
 • NOS (I95.10)
 shock:
 • cardiogenic (R57.0)
 • complicating or following:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.3)
 • labour and delivery (O75.1)
 • NOS (R57.9)
 • postprocedural (T81.1)
 Stokes-Adams attack (I45.9)
 syncope:
 • carotid sinus (G90.0)
 • heat (T67.1)
 • psychogenic (F48.8)
 unconsciousness NOS (R40.2)

ICD-10-AM Eleventh Edition:

Excludes: neurocirculatory asthenia (F45.31)
 orthostatic hypotension:
 • neurogenic (I95.12)
 • NOS (I95.10)
 shock:
 • cardiogenic (R57.0)
 • during or following labour and delivery (O75.1)
 • NOS (R57.9)
 • postprocedural (T81.1)
 Stokes-Adams attack (I45.9)
 syncope:
 • carotid sinus (G90.0)
 • heat (T67.1)
 • psychogenic (F48.8)
 unconsciousness NOS (R40.2)

R57 Shock, not elsewhere classified**Status of excludes note:****Revised – Seventh Edition****Status of excludes note:****Revised – Eleventh Edition/Eleventh Edition****ICD-10-AM Sixth Edition:**

- Excludes:** shock (due to):
- anaesthesia (T88.2)
 - anaphylactic (due to):
 - adverse food reaction (T78.0)
 - NOS (T78.2)
 - serum (T80.5)
 - complicating or following abortion or ectopic or molar pregnancy (O00–O07, O08.3)
 - electric (T75.4)
 - lightning (T75.0)
 - obstetric (O75.1)
 - postprocedural (T81.1)
 - psychic (F43.0)
 - septic (A41.9)
 - traumatic (T79.4)
- toxic shock syndrome (A48.3)

ICD-10-AM Seventh Edition:

- Excludes:** shock (due to):
- anaesthesia (T88.2)
 - anaphylactic (due to):
 - adverse food reaction (T78.0)
 - NOS (T78.2)
 - serum (T80.5)
 - complicating or following abortion or ectopic or molar pregnancy (O00–O07, O08.3)
 - electric (T75.4)
 - lightning (T75.0)
 - obstetric (O75.1)
 - postprocedural (T81.1)
 - psychic (F43.0)
 - traumatic (T79.4)
- toxic shock syndrome (A48.3)

ICD-10-AM Eleventh Edition:

- Excludes:** shock (due to):
- anaesthesia (T88.2)
 - anaphylactic (due to):
 - adverse:
 - effect of correct drug or medicament properly administered (T88.6)
 - food reaction (T78.0)
 - NOS (T78.2)
 - serum (T80.5)
 - during or following labour and delivery (O75.1)
 - electric (T75.4)
 - lightning (T75.0)
 - postprocedural (T81.1)
 - psychic (F43.0)
 - traumatic (T79.4)
- toxic shock syndrome (A48.3)

R57.2 Septic shock

Status of code:	Created – Seventh Edition
Status of instructional note(s):	Created – Ninth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of includes note:	Created – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition

ICD-10-AM Ninth Edition:

Code first the type of sepsis (Chapter 1, P36–P37) — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Code first the type of sepsis (Chapter 1, P36., P37.52) — see Alphabetic Index/Sepsis

ICD-10-AM Eleventh Edition:

Code first the type of sepsis (Chapter 1, P36., P37.52) — see Alphabetic Index: Sepsis.

Use additional code(s) to identify specific acute organ failure.

ICD-10-AM Twelfth Edition:

Code first the type of sepsis (Chapter 1) — see Alphabetic Index: Sepsis/by type.

R60.0 Localised oedema

Status of excludes note:	Created – Twelfth Edition
---------------------------------	----------------------------------

R62.8 Other lack of expected normal physiological development

Status of inclusion term(s):	Revised – Tenth Edition
Status of excludes note:	Revised – Tenth Edition

ICD-10-AM Ninth Edition:

Failure to:

- gain weight
- thrive

Infantilism NOS

Lack of growth

Physical retardation

Excludes: physical retardation due to malnutrition (E45)

ICD-10-AM Tenth Edition:

Failure to:

- gain weight
- thrive NOS

Infantilism NOS

Lack of growth

Physical retardation

Excludes: adult failure to thrive (R64)
physical retardation due to malnutrition (E45)

R63.6 Insufficient intake of food and water

Status of code: *Created – Sixth Edition*
Status of code title: *Revised – Eleventh Edition*
Status of inclusion term(s): *Created – Eleventh Edition*

ICD-10-AM Tenth Edition:

R63.6 Insufficient intake of food and water due to self neglect

ICD-10-AM Eleventh Edition:

R63.6 Insufficient intake of food and water

R64 Cachexia

Status of excludes note: *Revised – Seventh Edition*
Status of inclusion term(s): *Created – Tenth Edition*
Status of excludes note: *Revised – Tenth Edition*

ICD-10-AM Sixth Edition:

Excludes: malignant cachexia (C80)
 nutritional marasmus (E41)

ICD-10-AM Seventh Edition:

Excludes: malignant cachexia (C80.-)
 nutritional marasmus (E41)

ICD-10-AM Tenth Edition:

Adult failure to thrive

Wasting:

- disease
- syndrome

Excludes: due to malnutrition (E41)
 extreme wasting (E41)
 nutritional marasmus (E41)

R65 Systemic inflammatory response syndrome [SIRS]

Status of code(s): *Created – Seventh Edition*
Status of note: *Deleted – Ninth Edition*

ICD-10-AM Seventh Edition:

R65 Systemic inflammatory response syndrome [SIRS]

R65.0 Systemic inflammatory response syndrome [SIRS] of infectious origin without acute organ failure

R65.1 Systemic inflammatory response syndrome [SIRS] of infectious origin with acute organ failure

R65.2 Systemic inflammatory response syndrome [SIRS] of noninfectious origin without acute organ failure

R65.3 Systemic inflammatory response syndrome [SIRS] of noninfectious origin with acute organ failure

R65.1 Severe sepsis

Status of code(s): Created – [Seventh Edition](#)
Status of code title: Revised – [Ninth Edition](#)
Status of instructional note(s): Created – [Ninth Edition](#)
Status of instructional note(s): Revised – [Tenth Edition](#)
Status of instructional note(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Seventh Edition:

R65.1 Systemic inflammatory response syndrome [SIRS] of infectious origin with acute organ failure

ICD-10-AM Ninth Edition:

R65.1 Severe sepsis

Code first the type of sepsis (Chapter 1, P36–P37) — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Code first the type of sepsis (Chapter 1, P36., P37.52) — see Alphabetic Index/Sepsis

R65.2 Systemic inflammatory response syndrome [SIRS] of noninfectious origin without acute organ failure

Status of instructional note(s): Created – [Ninth Edition](#)

R65.3 Systemic inflammatory response syndrome [SIRS] of noninfectious origin with acute organ failure

Status of instructional note(s): Revised – [Ninth Edition](#)

ICD-10-AM Seventh Edition:

Use additional code(s) to identify type of acute organ failure

ICD-10-AM Ninth Edition:

Code first the underlying cause

Use additional code(s) to identify type of acute organ failure

R68.0 Hypothermia, not associated with low environmental temperature

Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: hypothermia (due to) (of):

- anaesthesia (T88.5)
- low environmental temperature (T68)
- newborn (P80.-)
- NOS (accidental) (T68)

ICD-10-AM Tenth Edition:

Excludes: hypothermia (due to) (of):

- anaesthesia (T88.5-)
- low environmental temperature (T68)
- newborn (P80.-)
- NOS (accidental) (T68)

R68.1 Nonspecific symptoms peculiar to infancy**Status of inclusion term(s):** Revised – [Thirteenth Edition](#)**ICD-10-AM Twelfth Edition:**Excessive crying of infant
Irritable infant**ICD-10-AM Thirteenth Edition:**Acute/apparent life threatening event/episode [ALTE]
Brief resolved unexplained event [BRUE]
Excessive crying of infant
Irritable infant**R68.3 Clubbing of fingers****Status of excludes note:** Revised – [Sixth Edition](#)
Status of excludes note: Revised – [Seventh Edition](#)**ICD-10-AM Fifth Edition:****Excludes:** congenital clubfinger (Q68.1)**ICD-10-AM Sixth Edition:****Excludes:** congenital:
• clubfinger (Q68.1)
• clubnail (Q84.6)**ICD-10-AM Seventh Edition:****Excludes:** congenital:
• clubfinger (Q68.1)
• clubnail (Q84.61)**R68.8 Other specified general symptoms and signs****Status of excludes note:** Created – [Eleventh Edition](#)**R71 Abnormality of red blood cells****Status of excludes note:** Revised – [Seventh Edition](#)**ICD-10-AM Sixth Edition:****Excludes:** anaemias (D50–D64)
polycythaemia:
• benign (familial) (D75.0)
• neonatorum (P61.1)
• secondary (D75.1)
• vera (D45)**ICD-10-AM Seventh Edition:****Excludes:** anaemias (D50–D64)
polycythaemia:
• benign (familial) (D75.0)
• neonatorum (P61.1)
• NOS (D75.1)
• secondary (D75.1)
• vera (D45)

R73 Elevated blood glucose level**Status of inclusion term(s):****Created – Third Edition****Status of excludes note:****Revised – Third Edition****Status of excludes note:****Revised – Eighth Edition****ICD-10-AM Second Edition:**

Excludes: diabetes mellitus (E10 – E14)

- in pregnancy, childbirth and the puerperium (O24.-)
- neonatal disorders (P70.0–P70.2)
- postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Third Edition:

Excludes: diabetes mellitus:

- in pregnancy, childbirth and the puerperium (O24.-)
- NOS (E10–E14)
- impaired glucose regulation (E09.-)
- neonatal disorders (P70.0–P70.2)
- postprocedural hypoinsulinaemia (E89.1)

ICD-10-AM Eighth Edition:

Excludes: diabetes mellitus:

- in pregnancy, childbirth and the puerperium (O24.-)
- NOS (E10–E14)
- intermediate hyperglycaemia (E09.-)
- neonatal disorders (P70.0–P70.2)
- postprocedural hypoinsulinaemia (E89.1)

R73.0 Abnormal carbohydrate tolerance**Status of code title:****Revised – Second Edition****Status of code:****Deleted – Third Edition****ICD-10-AM First Edition:**

R73.0 Abnormal glucose tolerance test

ICD-10-AM Second Edition:

R73.0 Abnormal carbohydrate tolerance

R73.9 Hyperglycaemia, unspecified**Status of code:****Deleted – Third Edition****R74.8 Abnormal levels of other serum enzymes****Status of inclusion term(s):****Revised – Seventh Edition****ICD-10-AM First Edition:**

Abnormal level of:

- acid phosphatase
- alkaline phosphatase
- amylase
- lipase [triacylglycerol lipase]

ICD-10-AM Seventh Edition:

Abnormal level of:

- acid phosphatase
- alkaline phosphatase
- amylase
- lipase [triacylglycerol lipase]
- troponin

R75 Laboratory evidence of human immunodeficiency virus [HIV]

Status of excludes note: *Revised – Eighth Edition*
Status of excludes note: *Revised – Tenth Edition*

ICD-10-AM Seventh Edition:

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
human immunodeficiency virus [HIV] disease (B20–B24)

ICD-10-AM Eighth Edition:

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
human immunodeficiency virus [HIV] disease (B20–B24)
human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O98.7)

ICD-10-AM Tenth Edition:

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
human immunodeficiency virus [HIV] disease (B20–B24)

R78.0 Finding of alcohol in blood

Status of instructional note(s): *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional external cause code (Y90.-) for detail regarding alcohol level.

ICD-10-AM Twelfth Edition:

Use additional external cause code (Y90.-) to identify alcohol level.

R79.8 Other specified abnormal findings of blood chemistry

Status of term: *Reclassified – First Edition*
Status of inclusion term(s): *Revised – Seventh Edition*
Status of code(s): *Created – Tenth Edition*
Status of inclusion term(s): *Deleted – Tenth Edition*

Term reclassification:

Lithaemia

ICD-10-AM Sixth Edition:

Abnormal blood gas level

ICD-10-AM Seventh Edition:

Abnormal blood gas level
Elevated prostate specific antigen (PSA)

ICD-10-AM Ninth Edition:

R79.8 Other specified abnormal findings of blood chemistry

ICD-10-AM Tenth Edition:

R79.8 Other specified abnormal findings of blood chemistry
R79.81 Abnormal blood gas level
R79.82 Elevated prostate specific antigen
R79.83 Abnormal coagulation profile
R79.89 Other specified abnormal findings of blood chemistry

R79.81 Abnormal blood gas level**Status of inclusion term(s):** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Abnormal ABG (arterial blood gas level)

ICD-10-AM Thirteenth Edition:

Abnormal arterial blood gas [ABG] level

R79.83 Abnormal coagulation profile**Status of instructional note(s):** Revised – *Twelfth Edition***Status of inclusion term(s):** Revised – *Thirteenth Edition***ICD-10-AM Eleventh Edition:***Use additional external cause code (Chapter 20) to identify any administered anticoagulant.***ICD-10-AM Twelfth Edition:**

Abnormal or prolonged:

- bleeding time
- coagulation time
- international normalised ratio (INR)
- partial thromboplastin time (PTT)
- prothrombin time (PT)

Overwarfarinisation

Supratherapeutic/subtherapeutic INR (due to anticoagulants)

Underwarfarinisation

Unstable INR

*Use additional external cause code (Chapter 20) to identify cause.***ICD-10-AM Thirteenth Edition:**

Abnormal or prolonged:

- activated:
 - clotting time [ACT]
 - partial thromboplastin time [aPTT]
- anti-factor Xa
- bleeding time
- coagulation time
- international normalised ratio [INR]
- partial thromboplastin time [PTT]
- prothrombin time [PT]
- thrombin clotting time [TCT]

Overwarfarinisation

Supratherapeutic/subtherapeutic INR (due to anticoagulants)

Supratherapeutic/subtherapeutic warfarinisation

Underwarfarinisation

Unstable INR

R87 Abnormal findings in specimens from female genital organs**Status of excludes note:** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Excludes: carcinoma in situ (D05–D07.3)
 dysplasia of:

- cervix uteri (N87.-)
- vagina (N89.0–N89.3)
- vulva (N90.0–N90.3)

ICD-10-AM Eleventh Edition:

Excludes: carcinoma in situ (D05–D07.3)
 dysplasia of:

- cervix uteri (N87.-)
- vagina (N89.0–N89.3)
- vulva NOS (N90.3)

R89.7 Abnormal findings in specimens from other organs, abnormal histological findings
Status of term:
Reclassified – First Edition
Term reclassification:

Metastatic calcification

R90.8 Other abnormal findings on diagnostic imaging of central nervous system
Status of inclusion term(s):
Revised – Sixth Edition
ICD-10-AM Fifth Edition:

Abnormal echoencephalogram

ICD-10-AM Sixth Edition:

Abnormal echoencephalogram

White matter disease NOS

R93.5 Abnormal findings on diagnostic imaging of abdominal and pelvic region, not elsewhere classified
Status of code title:
Revised – Tenth Edition
Status of code(s):
Created – Tenth Edition
ICD-10-AM Ninth Edition:

R93.5 Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum

ICD-10-AM Tenth Edition:

R93.5 Abnormal findings on diagnostic imaging of abdominal and pelvic region, not elsewhere classified

R93.51 Abnormal findings on diagnostic imaging of uterus

R93.59 Abnormal findings on diagnostic imaging of abdominal and pelvic region, not elsewhere classified

R95 Sudden infant death syndrome
Status of inclusion term(s):
Created – Twelfth Edition
Status of excludes note:
Created – Twelfth Edition
R95.0 Sudden infant death syndrome with mention of autopsy
Status of code:
Created – Eighth Edition
R95.9 Sudden infant death syndrome without mention of autopsy
Status of code:
Created – Eighth Edition

R96 Other sudden death, cause unknown**Status of excludes note:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

Excludes: sudden:

- cardiac death, so described (I46.1)
- infant death syndrome (R95)

ICD-10-AM Eighth Edition:

Excludes: sudden:

- cardiac death, so described (I46.1)
- infant death syndrome (R95.-)

R96.0 Instantaneous death**Status of inclusion term(s):****Created – Sixth Edition****Status of inclusion term(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Sudden unexplained death in adult

ICD-10-AM Twelfth Edition:

Sudden unexplained (infant) death (syndrome) one year of age and above

R96.1 Death occurring less than 24 hours from onset of symptoms, not otherwise explained**Status of inclusion term(s):****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Death known not to be violent or instantaneous for which no cause can be discovered

Death without sign of disease

ICD-10-AM Thirteenth Edition:

Death:

- known not to be violent or instantaneous for which no cause can be discovered
- without sign of disease.

Chapter 19 Injury, poisoning and certain other consequences of external causes (S00–T98)

Status of glossary description(s): Revised – **Eleventh Edition**

Status of inclusion term(s): Deleted – **Eleventh Edition**

Status of includes note: Created – **Eleventh Edition**

Status of includes note: **Revised – Twelfth Edition**

ICD-10-AM Tenth Edition:

The blocks of the S-section as well as T00–T14 and T90–T98 contain injuries at the three character level classified by type as follows:

Superficial injury including:

abrasion

blister (nonthermal)

contusion, including bruise and haematoma

injury from superficial foreign body (splinter) without major open wound

insect bite (nonvenomous)

Open wound including:

animal bite

cut

laceration

puncture wound:

- NOS
- penetrating injury (except that involving deeper structures)

Excludes: skin tear:

- incidental (R23.4)
- nontraumatic (R23.4)

Fracture including:

fracture:

- closed:
 - comminuted
 - depressed
 - elevated
 - fissured
 - greenstick
 - impacted
 - linear
 - simple
 - slipped epiphysis
 - spiral

with or without delayed healing

- dislocated
- displaced
- open:
 - compound
 - infected
 - missile
 - puncture
 - with foreign body

with or without delayed healing

Excludes: fracture:

- pathological:
- NOS (M84.4)
- with osteoporosis (M80.-)
- stress (M84.3-)
- malunion of fracture (M84.0)
- nonunion of fracture [pseudoarthrosis] (M84.1)

Dislocation, sprain and strain including:

avulsion

laceration

sprain

strain

traumatic:

- haemarthrosis
- rupture
- subluxation
- tear

of

cartilage, joint (capsule), ligament

Injury to nerves and spinal cord including:

complete or incomplete lesion of spinal cord

lesion in continuity of nerves and spinal cord

traumatic:

- division of nerve
- haematomyelia
- paralysis (transient)
- paraplegia
- quadriplegia

Injury to blood vessels including:

avulsion

cut

laceration

traumatic:

- aneurysm or fistula (arteriovenous)
- arterial haematoma
- rupture

of blood
vessels**Injury to muscle, fascia and tendon** including:

avulsion

cut

laceration

sprain

strain

traumatic rupture

of muscle,
fascia and
tendon**Crushing injury****Traumatic amputation****Injury to internal organs** including:

blast injuries	
bruise	
concussion injuries	
crushing	
laceration	of internal
traumatic:	organs
• haematoma	
• puncture	
• rupture	
• tear	

ICD-10-AM Eleventh Edition:

The blocks of the S-section as well as T00–T14 and T90–T98 contain injuries at the three character level classified by type as follows:

Superficial injury

Includes: abrasion
blister (nonthermal)
contusion, including bruise and haematoma
injury from superficial foreign body (splinter) without major open wound
insect bite (nonvenomous)

Open wound

Includes: animal bite
cut
laceration
puncture wound:
• NOS
• penetrating injury (except that involving deeper structures)

Excludes: skin tear:
• incidental (R23.4)
• nontraumatic (R23.4)

Fracture

Includes: fracture (with or without delayed healing):
• closed:
• comminuted
• depressed
• elevated
• fissured
• greenstick
• impacted
• linear
• simple
• slipped epiphysis
• spiral
• dislocated
• displaced
• open:
• compound
• infected
• missile
• puncture
• with foreign body

Excludes: fracture:
 • pathological:
 • NOS (M84.4)
 • with osteoporosis (M80.-)
 • stress (M84.3-)
 malunion of fracture (M84.0)
 nonunion of fracture [pseudoarthrosis] (M84.1)

Dislocation, sprain and strain

Includes: cartilage, joint (capsule), ligament:
 • avulsion
 • laceration
 • sprain
 • strain
 • traumatic:
 • haemarthrosis
 • rupture
 • subluxation
 • tear

Injury to nerves and spinal cord

Includes: complete or incomplete lesion of spinal cord
 lesion in continuity of nerves and spinal cord
 traumatic:
 • division of nerve
 • haematomyelia
 • paralysis (transient)
 • paraplegia
 • quadriplegia

Injury to blood vessels

Includes: avulsion
 cut
 laceration
 traumatic:
 • aneurysm or fistula (arteriovenous)
 • arterial haematoma
 • rupture

Injury to muscle, fascia and tendon

Includes: avulsion
 cut
 laceration
 sprain
 strain
 traumatic rupture

Crushing injury

Traumatic amputation

Injury to internal organs

Includes: blast injuries
 bruise
 concussion injuries
 crushing
 laceration
 traumatic:
 • haematoma
 • puncture
 • rupture
 • tear

ICD-10-AM Twelfth Edition:**Fracture**

- Includes:** fracture (with or without delayed healing):
- closed:
 - avulsion
 - burst
 - comminuted
 - compression
 - depressed
 - elevated
 - fissured
 - greenstick
 - impacted
 - linear
 - simple
 - slipped epiphysis
 - spiral
 - transverse
 - wedge
 - crush
 - dislocated
 - displaced
 - open:
 - compound
 - infected
 - missile
 - puncture
 - with foreign body

S00 Superficial injury of head

Status of instructional note(s):
Status of instructional note(s):

Revised – Eighth Edition
Created – Twelfth Edition

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category S00 to denote the type of superficial injury. Valid fifth digits are in [brackets] under each code:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories S00.0, S00.2–S00.5, S00.8 and S00.9 to denote the type of superficial injury. Valid fifth characters are in [brackets] under each code:

S00.0 Superficial injury of scalp

Status of code(s):

Created – First Edition

WHO ICD-10:

S00.0 Superficial injury of scalp

ICD-10-AM First Edition:

S00.0 Superficial injury of scalp
 S00.00 Superficial injury of scalp, unspecified
 S00.01 Superficial injury of scalp, abrasion
 S00.02 Superficial injury of scalp, blister
 S00.03 Superficial injury of scalp, insect bite
 S00.04 Superficial injury of scalp, superficial foreign body (splinter)
 S00.05 Superficial injury of scalp, contusion
 S00.08 Superficial injury of scalp, other

S00.2 Other superficial injuries of eyelid and periocular area*Status of code(s):**Created – First Edition***WHO ICD-10:**

S00.2 Other superficial injuries of eyelid and periocular area

ICD-10-AM First Edition:

S00.2 Other superficial injuries of eyelid and periocular area
 S00.20 Other superficial injuries of eyelid and periocular area, unspecified
 S00.21 Other superficial injuries of eyelid and periocular area, abrasion
 S00.22 Other superficial injuries of eyelid and periocular area, blister
 S00.23 Other superficial injuries of eyelid and periocular area, insect bite
 S00.24 Other superficial injuries of eyelid and periocular area, superficial foreign body (splinter)
 S00.28 Other superficial injuries of eyelid and periocular area, other

S00.3 Superficial injury of nose*Status of code(s):**Created – First Edition***WHO ICD-10:**

S00.3 Superficial injury of nose

ICD-10-AM First Edition:

S00.3 Superficial injury of nose
 S00.30 Superficial injury of nose, unspecified
 S00.31 Superficial injury of nose, abrasion
 S00.32 Superficial injury of nose, blister
 S00.33 Superficial injury of nose, insect bite
 S00.34 Superficial injury of nose, superficial foreign body (splinter)
 S00.35 Superficial injury of nose, contusion
 S00.38 Superficial injury of nose, other

S00.4 Superficial injury of ear*Status of code(s):**Created – First Edition***WHO ICD-10:**

S00.4 Superficial injury of ear

ICD-10-AM First Edition:

S00.4 Superficial injury of ear
 S00.40 Superficial injury of ear, unspecified
 S00.41 Superficial injury of ear, abrasion
 S00.42 Superficial injury of ear, blister
 S00.43 Superficial injury of ear, insect bite
 S00.44 Superficial injury of ear, superficial foreign body (splinter)
 S00.45 Superficial injury of ear, contusion
 S00.48 Superficial injury of ear, other

S00.5 Superficial injury of lip and oral cavity**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S00.5 Superficial injury of lip and oral cavity

ICD-10-AM First Edition:

S00.5 Superficial injury of lip and oral cavity
 S00.50 Superficial injury of lip and oral cavity, unspecified
 S00.51 Superficial injury of lip and oral cavity, abrasion
 S00.52 Superficial injury of lip and oral cavity, blister
 S00.53 Superficial injury of lip and oral cavity, insect bite
 S00.54 Superficial injury of lip and oral cavity, superficial foreign body (splinter)
 S00.55 Superficial injury of lip and oral cavity, contusion
 S00.58 Superficial injury of lip and oral cavity, other

S00.8 Superficial injury of other parts of head**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S00.8 Superficial injury of other parts of head

ICD-10-AM First Edition:

S00.8 Superficial injury of other parts of head
 S00.80 Superficial injury of other parts of head, unspecified
 S00.81 Superficial injury of other parts of head, abrasion
 S00.82 Superficial injury of other parts of head, blister
 S00.83 Superficial injury of other parts of head, insect bite
 S00.84 Superficial injury of other parts of head, superficial foreign body (splinter)
 S00.85 Superficial injury of other parts of head, contusion
 S00.88 Superficial injury of other parts of head, other

S00.9 Superficial injury of head, part unspecified**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S00.9 Superficial injury of head, part unspecified

ICD-10-AM First Edition:

S00.9 Superficial injury of head, part unspecified
 S00.90 Superficial injury of head, part unspecified, unspecified
 S00.91 Superficial injury of head, part unspecified, abrasion
 S00.92 Superficial injury of head, part unspecified, blister
 S00.93 Superficial injury of head, part unspecified, insect bite
 S00.94 Superficial injury of head, part unspecified, superficial foreign body (splinter)
 S00.95 Superficial injury of head, part unspecified, contusion
 S00.98 Superficial injury of head, part unspecified, other

S01 Open wound of head

Status of includes note: Deleted – **Seventh Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (S09.9) to identify (closed) head injury NOS.

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S01.2 Open wound of nose

Status of code(s): Created – **First Edition**

WHO ICD-10:

S01.2 Open wound of nose

ICD-10-AM First Edition:

S01.2 Open wound of nose
 S01.20 Open wound of nose, part unspecified
 S01.21 Open wound of nose, external skin
 S01.22 Open wound of nares (nostril)
 S01.23 Open wound of nasal septum
 S01.29 Open wound of other and multiple parts of nose

S01.3 Open wound of ear and auditory structures

Status of code(s): Created – **First Edition**

WHO ICD-10:

S01.3 Open wound of ear

ICD-10-AM First Edition:

S01.3 Open wound of ear and auditory structures
 S01.30 Open wound of external ear, part unspecified
 S01.31 Open wound of auricle
 S01.33 Open wound of tragus
 S01.34 Open wound of external auditory meatus
 S01.35 Open wound of eustachian tube
 S01.36 Open wound of ossicles
 S01.37 Open wound of ear drum
 S01.38 Open wound of inner ear
 S01.39 Open wound of other and multiple parts of ear and auditory structures

S01.30 Open wound of external ear, part unspecified

Status of inclusion term(s): Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Ear canal (external)
 Ear NOS

ICD-10-AM Thirteenth Edition:

Ear:
 • canal (external)
 • NOS

S01.4 Open wound of cheek and temporomandibular area**Status of code(s):****Created – First Edition****WHO ICD-10:**

S01.4 Open wound of cheek and temporomandibular area

ICD-10-AM First Edition:

S01.4 Open wound of cheek and temporomandibular area

S01.41 Open wound of cheek

S01.42 Open wound of maxillary region

S01.43 Open wound of mandibular region

S01.49 Open wound of other and multiple sites of cheek and temporomandibular area

S01.5 Open wound of lip and oral cavity**Status of code(s):****Created – First Edition****WHO ICD-10:**

S01.5 Open wound of lip and oral cavity

ICD-10-AM First Edition:

S01.5 Open wound of lip and oral cavity

S01.50 Open wound of mouth, part unspecified

S01.51 Open wound of lip

S01.52 Open wound of buccal mucosa

S01.53 Open wound of gum (alveolar process)

S01.54 Open wound of tongue and floor of mouth

S01.55 Open wound of palate

S01.59 Open wound of other and multiple parts of lip and oral cavity

S01.8 Open wound of other parts of head**Status of code(s):****Created – First Edition****Status of code(s):****Created/Deleted – Second Edition****WHO ICD-10:**

S01.8 Open wound of other parts of head

ICD-10-AM First Edition:

S01.8 Open wound of other parts of head

S01.80 Unspecified open wound of other parts of head

S01.81 Open wound (of any part of head) communicating with a fracture

S01.82 Open wound (of any part of head) communicating with a dislocation

S01.83 Open wound (of any part of head) communicating with an intracranial injury

ICD-10-AM Second Edition:

S01.8 Open wound of other parts of head

S01.81 Open wound (of any part of head) communicating with a fracture

S01.82 Open wound (of any part of head) communicating with a dislocation

S01.83 Open wound (of any part of head) communicating with an intracranial injury

S01.88 Open wound of other parts of head

S02 Fracture of skull and facial bones

Status of code(s):	Revised – First Edition
Status of instructional note(s):	Revised – Fifth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition Errata

WHO ICD-10:

S02 Fracture of skull and facial bones

Optional fifth character subdivision:

0	Closed
1	Open

ICD-10-AM First Edition:

S02 Fracture of skull and facial bones

ICD-10-AM Fourth Edition:*Use additional code S06.02–S06.06 to identify any loss of consciousness associated with a skull fracture.***ICD-10-AM Fifth Edition:***Use additional code S06.01–S06.05 to identify any loss of consciousness associated with a skull fracture.***ICD-10-AM Eleventh Edition:***Use additional code S06.01–S06.05 to identify any loss of consciousness associated with a skull fracture.**Use additional open wound code S01.81 with category S02 to identify an open/compound fracture [open wound communicating with a fracture]. This excludes where the fracture is associated with an intracranial injury, use S01.83.***ICD-10-AM Twelfth Edition:***Use additional code (S01.81) to identify open/compound fracture [open wound communicating with a fracture].**Use additional code (S01.83) to identify fracture associated with intracranial injury.**Use additional code (S06.01–S06.05) to identify any loss of consciousness.**Use additional code (S09.9) to identify (closed) head injury NOS.***ICD-10-AM Twelfth Edition Errata:***Use additional code (S01.81) to identify open/compound fracture [open wound communicating with a fracture].**Use additional code (S01.83) to identify open/compound fracture associated with intracranial injury.**Use additional code (S06.01–S06.05) to identify any loss of consciousness.**Use additional code (S09.9) to identify (closed) head injury NOS.*

S02.6 Fracture of mandible**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S02.6 Fracture of mandible

ICD-10-AM First Edition:

S02.6 Fracture of mandible
 S02.60 Fracture of mandible, part unspecified
 S02.61 Fracture of condylar process
 S02.62 Subcondylar fracture
 S02.63 Fracture of coronoid process
 S02.64 Fracture of ramus, unspecified
 S02.65 Fracture of angle of jaw
 S02.66 Fracture of symphysis of body
 S02.67 Fracture of alveolar border of body
 S02.68 Fracture of mandible body, other and unspecified parts
 S02.69 Fracture of mandible, multiple sites

S03 Dislocation, sprain and strain of joints and ligaments of head**Status of instructional note(s):****Revised – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

Use additional open wound code S01.82 with subcategories S03.0–S03.3 to identify an open dislocation [open wound communicating with a dislocation].

ICD-10-AM Twelfth Edition:

Use additional code (S09.9) to identify (closed) head injury NOS.

S03.0 Dislocation of jaw**Status of instructional note(s):****Created – *Twelfth Edition*****S03.1 Dislocation of septal cartilage of nose****Status of instructional note(s):****Created – *Twelfth Edition*****S03.2 Dislocation of tooth****Status of instructional note(s):****Created – *Twelfth Edition*****S03.3 Dislocation of other and unspecified parts of head****Status of instructional note(s):****Created – *Twelfth Edition*****S04 Injury of cranial nerves****Status of instructional note(s):****Created – *Twelfth Edition*****S05 Injury of eye and orbit****Status of instructional note(s):****Created – *Twelfth Edition***

S06 Intracranial injury

Status of code(s): Revised – *First Edition*
Status of instructional note(s): Revised – *Fifth Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

WHO ICD-10:

S06 Intracranial injury

Optional fifth character subdivision:

0 Without open intracranial wound
 1 With open intracranial wound

S06.0 Concussion
 S06.1 Traumatic cerebral oedema
 S06.2 Diffuse brain injury
 S06.3 Focal brain injury
 S06.4 Epidural haemorrhage
 S06.5 Traumatic subdural haemorrhage
 S06.6 Traumatic subarachnoid haemorrhage
 S06.7 Intracranial injury with prolonged coma
 S06.8 Other intracranial injuries
 S06.9 Intracranial injury, unspecified

ICD-10-AM First Edition:

S06 Intracranial injury
 S06.0 Concussive injury
 S06.00 Concussion
 S06.01 Loss of consciousness of unspecified duration
 S06.02 Loss of consciousness of brief duration [less than 30 minutes]
 S06.03 Loss of consciousness of moderate duration [30 minutes to 24 hours]
 S06.04 Loss of consciousness of prolonged duration [more than 24 hours] with return to pre-existing conscious level
 S06.05 Loss of consciousness of prolonged duration [more than 24 hours] without return to pre-existing conscious level
 S06.1 Traumatic cerebral oedema
 S06.2 Diffuse brain injury
 S06.20 Diffuse cerebral and cerebellar brain injury, unspecified
 S06.21 Diffuse cerebral contusions
 S06.22 Diffuse cerebellar contusions
 S06.23 Multiple intracerebral and cerebellar haematomas
 S06.28 Other diffuse cerebral and cerebellar injury
 S06.3 Focal brain injury
 S06.30 Focal cerebral and cerebellar injury, unspecified
 S06.31 Focal cerebral contusion
 S06.32 Focal cerebellar contusion
 S06.33 Focal cerebral haematoma
 S06.34 Focal cerebellar haematoma
 S06.38 Other focal cerebral and cerebellar injury
 S06.4 Epidural haemorrhage
 S06.5 Traumatic subdural haemorrhage
 S06.6 Traumatic subarachnoid haemorrhage
 S06.8 Other intracranial injuries
 S06.9 Intracranial injury, unspecified

ICD-10-AM Fourth Edition:

For subcategories S06.1–S06.9 use an additional code (S06.02–S06.05) for any associated loss of consciousness.

ICD-10-AM Fifth Edition:

For subcategories S06.1–S06.9 use an additional code (S06.01–S06.05) for any associated loss of consciousness.

ICD-10-AM Eleventh Edition:

For subcategories S06.1–S06.9 use an additional code (S06.01–S06.05) for any associated loss of consciousness.

Use additional open wound code S01.83 with category S06 to identify an open intracranial wound [open wound communicating with an intracranial injury].

ICD-10-AM Twelfth Edition:

Use additional code (S06.01–S06.05) to identify loss of consciousness.

Use additional code (S01.83) to identify open intracranial wound [open wound communicating with an intracranial injury].

S06.0 Concussive injury

Status of code(s):

Created – [First Edition](#)

WHO ICD-10:

S06.0 Concussion

ICD-10-AM First Edition:

S06.0 Concussive injury

S06.00 Concussion

S06.01 Loss of consciousness of unspecified duration

S06.02 Loss of consciousness of brief duration [less than 30 minutes]

S06.03 Loss of consciousness of moderate duration [30 minutes to 24 hours]

S06.04 Loss of consciousness of prolonged duration [more than 24 hours] with return to pre-existing conscious level

S06.05 Loss of consciousness of prolonged duration [more than 24 hours] without return to pre-existing conscious level

S06.2 Diffuse brain injury

Status of code(s):

Created – [First Edition](#)

WHO ICD-10:

S06.2 Diffuse brain injury

ICD-10-AM First Edition:

S06.2 Diffuse brain injury

[S06.20](#) Diffuse cerebral and cerebellar brain injury, unspecified

[S06.21](#) Diffuse cerebral contusions

S06.22 Diffuse cerebellar contusions

[S06.23](#) Multiple intracerebral and cerebellar haematomas

S06.28 Other diffuse cerebral and cerebellar injury

S06.20 Diffuse cerebral and cerebellar brain injury, unspecified

Status of inclusion term(s):

Created – [Sixth Edition](#)

S06.21 Diffuse cerebral contusions

Status of inclusion term(s):

Created – [Sixth Edition](#)

Status of inclusion term(s):

Deleted – [Twelfth Edition](#)

Status of includes note:

Created – [Twelfth Edition](#)

S06.22 Diffuse cerebellar contusions**Status of inclusion term(s):****Deleted – [Twelfth Edition](#)****Status of includes note:****Created – [Twelfth Edition](#)****S06.23 Multiple intracerebral and cerebellar haematomas****Status of inclusion term(s):****Revised – [Sixth Edition](#)****Status of inclusion term(s):****Revised – [Twelfth Edition](#)****Status of includes note:****Created – [Twelfth Edition](#)****ICD-10-AM Fifth Edition:**

> 5 mls blood

Multiple intracerebral haemorrhages

ICD-10-AM Sixth Edition:

> 5 mls blood

Haemorrhage/haematoma:

- brain NOS
- cerebellar NOS
- cerebral NOS

Multiple intracerebral haemorrhages

ICD-10-AM Twelfth Edition:

Haemorrhage/haematoma:

- brain NOS
- cerebellar NOS
- cerebral NOS

Multiple intracerebral haemorrhages

S06.3 Focal brain injury**Status of code(s):****Created – [First Edition](#)****WHO ICD-10:**

S06.3 Focal brain injury

ICD-10-AM First Edition:

S06.3 Focal brain injury

S06.30 Focal cerebral and cerebellar injury, unspecified

S06.31 Focal cerebral contusion

S06.32 Focal cerebellar contusion

S06.33 Focal cerebral haematoma

S06.34 Focal cerebellar haematoma

S06.38 Other focal cerebral and cerebellar injury

S06.31 Focal cerebral contusion**Status of inclusion term(s):****Deleted – [Twelfth Edition](#)****Status of includes note:****Created – [Twelfth Edition](#)****S06.32 Focal cerebellar contusion****Status of inclusion term(s):****Deleted – [Twelfth Edition](#)****Status of includes note:****Created – [Twelfth Edition](#)**

S06.33 Focal cerebral haematoma**Status of inclusion term(s):****Revised – [Twelfth Edition](#)****Status of includes note:****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

> 5 mls blood

Intracerebral haematoma/haemorrhage

ICD-10-AM Twelfth Edition:

Intracerebral haematoma/haemorrhage

S06.34 Focal cerebellar haematoma**Status of inclusion term(s):****Revised – [Twelfth Edition](#)****Status of includes note:****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

> 5 mls blood

Cerebellar haemorrhage

ICD-10-AM Twelfth Edition:

Cerebellar haemorrhage

S06.8 Other intracranial injuries**Status of inclusion term(s):****Revised – [Sixth Edition](#)****Status of inclusion term(s):****Revised – [Eleventh Edition](#)****ICD-10-AM Fifth Edition:**

Traumatic haemorrhage/haematoma/contusion:

- brain NOS
- intracranial NOS

ICD-10-AM Sixth Edition:

Traumatic haemorrhage/haematoma/contusion:

- intracranial NOS

ICD-10-AM Eleventh Edition:

Traumatic intracranial:

- contusion NOS
- haematoma NOS
- haemorrhage NOS

S07 Crushing injury of head**Status of excludes note:****Revised – [Eleventh Edition](#)****Status of instructional note(s):****Revised – [Twelfth Edition](#)****ICD-10-AM Tenth Edition:**

Excludes: where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (S09.9) to identify (closed) head injury NOS.

Use additional code (T79.5) to identify crush syndrome.

S08 Traumatic amputation of part of head*Status of instructional note(s):* Created – **Twelfth Edition****S09.9 Unspecified injury of head***Status of inclusion term(s):* Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:**

Injury of:

- ear NOS
- face NOS
- nose NOS

ICD-10-AM Twelfth Edition:

Injury (of):

- closed head NOS
- ear NOS
- face NOS
- head NOS
- nose NOS

S10 Superficial injury of neck*Status of instructional note(s):* Revised – **Eighth Edition****ICD-10-AM Seventh Edition:**

The following fifth character subdivisions are for use with category S10 to denote the type of superficial injury. Valid fifth digits are in [brackets] under each code:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories S10.1, S10.8 and S10.9 to denote the type of superficial injury. Valid fifth characters are in [brackets] under each code:

S10.0 Contusion of throat*Status of inclusion term(s):* Revised – **Tenth Edition****ICD-10-AM Ninth Edition:**

Cervical oesophagus
Larynx
Pharynx
Trachea

ICD-10-AM Tenth Edition:

Cervical oesophagus
Epiglottis
Larynx
Pharynx
Trachea

S10.1 Other and unspecified superficial injuries of throat*Status of code(s):* Created – **First Edition****WHO ICD-10:**

S10.1 Other and unspecified superficial injuries of throat

ICD-10-AM First Edition:

S10.1 Other and unspecified superficial injuries of throat
S10.10 Other and unspecified superficial injuries of throat, unspecified
S10.11 Other and unspecified superficial injuries of throat, abrasion
S10.12 Other and unspecified superficial injuries of throat, blister
S10.13 Other and unspecified superficial injuries of throat, insect bite
S10.14 Other and unspecified superficial injuries of throat, superficial foreign body (splinter)
S10.18 Other and unspecified superficial injuries of throat, other

S10.8 Superficial injury of other parts of neck**Status of code(s):****Created – First Edition****WHO ICD-10:**

S10.8 Superficial injury of other parts of neck

ICD-10-AM First Edition:

S10.8 Superficial injury of other parts of neck
 S10.80 Superficial injury of other parts of neck, unspecified
 S10.81 Superficial injury of other parts of neck, abrasion
 S10.82 Superficial injury of other parts of neck, blister
 S10.83 Superficial injury of other parts of neck, insect bite
 S10.84 Superficial injury of other parts of neck, superficial foreign body (splinter)
 S10.85 Superficial injury of other parts of neck, contusion
 S10.88 Superficial injury of other parts of neck, other

S10.9 Superficial injury of neck, part unspecified**Status of code(s):****Created – First Edition****WHO ICD-10:**

S10.9 Superficial injury of neck, part unspecified

ICD-10-AM First Edition:

S10.9 Superficial injury of neck, part unspecified
 S10.90 Superficial injury of neck, part unspecified, unspecified
 S10.91 Superficial injury of neck, part unspecified, abrasion
 S10.92 Superficial injury of neck, part unspecified, blister
 S10.93 Superficial injury of neck, part unspecified, insect bite
 S10.94 Superficial injury of neck, part unspecified, superficial foreign body (splinter)
 S10.95 Superficial injury of neck, part unspecified, contusion
 S10.98 Superficial injury of neck, part unspecified, other

S11 Open wound of neck**Status of includes note:****Deleted – Seventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S11.0 Open wound involving larynx and trachea**Status of code(s):****Created – First Edition****WHO ICD-10:**

S11.0 Open wound involving larynx and trachea

ICD-10-AM First Edition:

S11.0 Open wound involving larynx and trachea
 S11.01 Open wound of larynx
 S11.02 Open wound of trachea

S11.01 Open wound of larynx

Status of inclusion term(s): Created – **Tenth Edition**

S11.2 Open wound involving pharynx and cervical oesophagus

Status of code(s): Created – **First Edition**

WHO ICD-10:

S11.2 Open wound involving pharynx and cervical oesophagus

ICD-10-AM First Edition:

S11.2 Open wound involving pharynx and cervical oesophagus

S11.21 Open wound of pharynx

S11.22 Open wound of cervical oesophagus

S11.8 Open wound of other parts of neck

Status of code(s): Created – **First Edition**

Status of code(s): Created/Deleted – **Second Edition**

WHO ICD-10:

S11.8 Open wound of other parts of neck

ICD-10-AM First Edition:

S11.8 Open wound of other parts of neck

S11.80 Unspecified open wound of other parts of neck

S11.81 Open wound (of any part of neck) communicating with a fracture

S11.82 Open wound (of any part of neck) communicating with a dislocation

ICD-10-AM Second Edition:

S11.8 Open wound of other parts of neck

S11.81 Open wound (of any part of neck) communicating with a fracture

S11.82 Open wound (of any part of neck) communicating with a dislocation

S11.88 Open wound of other parts of neck

S11.82 Open wound (of any part of neck) communicating with a dislocation

Status of instructional note(s): Revised – **Seventh Edition**

ICD-10-AM Sixth Edition:

Code first the dislocation (S13.-).

ICD-10-AM Seventh Edition:

Code first the dislocation (S13.1- – S13.3).

S11.88 Open wound of other parts of neck

Status of inclusion term(s): Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

Epiglottis

Supraclavicular region

Throat NOS

ICD-10-AM Tenth Edition:

Supraclavicular region

Throat NOS

S12 Fracture of neck

Status of code(s): Revised – **First Edition**
Status of instructional note(s): Revised – **Seventh Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

WHO ICD-10:

S12 Fracture of neck

Optional fifth character subdivision:

0 Closed
 1 Open

ICD-10-AM First Edition:

S12 Fracture of neck

ICD-10-AM Sixth Edition:

Use additional code (S13.-) to describe dislocation associated with cervical vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

ICD-10-AM Seventh Edition:

Use additional code (S13.1- – S13.3) to describe dislocation associated with cervical vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

ICD-10-AM Eleventh Edition:

Use additional code (S13.1- -S13.3) to describe dislocation associated with cervical vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

Use additional code S14.- to identify any cervical spinal cord injury.

Use additional open wound code S11.81 with category S12 to identify an open/compound fracture [open wound communicating with a fracture].

ICD-10-AM Twelfth Edition:

Use additional code (S11.81) to identify open/compound fracture [open wound communicating with a fracture].

Use additional code (S13.1- –S13.3) to identify dislocation associated with cervical vertebral fractures. Where the number of fractured vertebrae is not known, code the fracture at the highest level.

Use additional code (S14.-) to identify cervical spinal cord injury.

S12.2 Fracture of other specified cervical vertebra

Status of code(s): Created – **First Edition**

WHO ICD-10:

S12.2 Fracture of other specified cervical vertebra

ICD-10-AM First Edition:

S12.2 Fracture of other specified cervical vertebra
 S12.21 Fracture of third cervical vertebra
 S12.22 Fracture of fourth cervical vertebra
 S12.23 Fracture of fifth cervical vertebra
 S12.24 Fracture of sixth cervical vertebra
 S12.25 Fracture of seventh cervical vertebra

S12.7 Multiple fractures of cervical spine

Status of excludes note: Revised – **Eleventh Edition**

ICD-10-AM Tenth Edition:

Excludes: multiple fractures of specified levels of cervical vertebra (S12.0, S12.1, S12.2-). Code each level separately

ICD-10-AM Eleventh Edition:

Excludes: multiple specified levels of cervical vertebra — code each level separately (S12.0, S12.1, S12.2-)

S13 Dislocation, sprain and strain of joints and ligaments at neck level

Status of instructional note(s): Revised – **Seventh Edition**

Status of instructional note(s): Deleted – **Twelfth Edition**

ICD-10-AM Sixth Edition:

Use additional code (S12.-) to describe fractures associated with cervical dislocations. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest vertebral level.

Use additional code S14.- to identify any cervical spinal cord injury.

Use additional open wound code S11.82 with subcategories S13.0–S13.3 to identify an open dislocation [open wound communicating with a dislocation].

ICD-10-AM Seventh Edition:

Use additional code (S12.-) to describe fractures associated with cervical dislocations (S13.1–S13.3). Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest vertebral level.

Use additional code (S14.-) with S13.1–S13.3 to identify any cervical spinal cord injury.

Use additional open wound code (S11.82) with S13.1–S13.3 to identify an open dislocation [open wound communicating with a dislocation].

S13.1 Dislocation of cervical vertebra

Status of code(s): Created – **First Edition**

Status of instructional note(s): Created – **Twelfth Edition**

WHO ICD-10:

S13.1 Dislocation of cervical vertebra

ICD-10-AM First Edition:

S13.1 Dislocation of cervical vertebra
 S13.10 Dislocation of cervical vertebra, level unspecified
 S13.11 Dislocation of C1/C2 cervical vertebrae
 S13.12 Dislocation of C2/C3 cervical vertebrae
 S13.13 Dislocation of C3/C4 cervical vertebrae
 S13.14 Dislocation of C4/C5 cervical vertebrae
 S13.15 Dislocation of C5/C6 cervical vertebrae
 S13.16 Dislocation of C6/C7 cervical vertebrae
 S13.17 Dislocation of C7/T1 cervicothoracic vertebrae
 S13.18 Other dislocation of cervical vertebrae

S13.2 Dislocation of other and unspecified parts of neck

Status of instructional note(s): Created – **Twelfth Edition**

S13.3 Multiple dislocations of neck

Status of excludes note: Revised – *Eleventh Edition*
Status of instructional note(s): Created – *Twelfth Edition*

ICD-10-AM Tenth Edition:

Excludes: multiple dislocations of specified levels of cervical vertebra (S13.1-). Code each level separately

ICD-10-AM Eleventh Edition:

Excludes: multiple specified levels of cervical vertebra — code each level separately (S13.1-)

S14.1 Other and unspecified injuries of cervical spinal cord

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

WHO ICD-10:

S14.1 Other and unspecified injuries of cervical spinal cord

ICD-10-AM First Edition:

S14.1 Other and unspecified injuries of cervical spinal cord
 S14.10 Injury of cervical spinal cord, unspecified
 S14.11 Complete lesion of cervical spinal cord
 S14.12 Central cord syndrome (incomplete cord injury) of cervical spinal cord
 S14.13 Other incomplete cord syndrome of cervical spinal cord

ICD-10-AM Eleventh Edition:

Use additional code (Z99.1) if mention of ventilator dependence.

Code also the functional level of spinal cord injury (S14.7-).

ICD-10-AM Twelfth Edition:

Use additional code (S14.7-) to identify functional level of spinal cord injury.

Use additional code (Z99.1) if mention of ventilator dependence.

S14.7 Functional level of cervical spinal cord injury

Status of code(s): Created – *First Edition*
Status of code(s): Revised – *Third Edition*

WHO ICD-10:

No concept in WHO ICD-10

ICD-10-AM First Edition:

S14.7 Functional level of cervical spinal cord injury
 S14.70 Injury of cervical spinal cord, level unspecified
 S14.71 Injury of spinal cord at C1 level
 S14.72 Injury of spinal cord at C2 level
 S14.73 Injury of spinal cord at C3 level
 S14.74 Injury of spinal cord at C4 level
 S14.75 Injury of spinal cord at C5 level
 S14.76 Injury of spinal cord at C6 level
 S14.77 Injury of spinal cord at C7 level
 S14.78 Injury of spinal cord at C8 level

ICD-10-AM Third Edition:

S14.7	Functional level of cervical spinal cord injury
S14.70	Functional spinal cord injury, cervical level unspecified
S14.71	Functional spinal cord injury, C1
S14.72	Functional spinal cord injury, C2
S14.73	Functional spinal cord injury, C3
S14.74	Functional spinal cord injury, C4
S14.75	Functional spinal cord injury, C5
S14.76	Functional spinal cord injury, C6
S14.77	Functional spinal cord injury, C7
S14.78	Functional spinal cord injury, C8

S15.0 Injury of carotid artery**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S15.0	Injury of carotid artery
-------	--------------------------

ICD-10-AM First Edition:

S15.0	Injury of carotid artery
S15.00	Injury of carotid artery, unspecified
S15.01	Injury of common carotid artery
S15.02	Injury of external carotid artery
S15.03	Injury of internal carotid artery

S16 Injury of muscle and tendon at neck level**Status of excludes note:****Revised – *Seventh Edition*****ICD-10-AM Sixth Edition:****Excludes:** sprains and strains of joint capsule (ligament) (S13)**ICD-10-AM Seventh Edition:****Excludes:** sprains and strains of joint capsule (ligament) (S13.4 – S13.6)**S17 Crushing injury of neck****Status of excludes note:****Revised – *Eleventh Edition*****Status of instructional note(s):****Revised – *Twelfth Edition*****ICD-10-AM Tenth Edition:****Excludes:** where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only**ICD-10-AM Eleventh Edition:***Code also crush syndrome (T79.5) if applicable.***Excludes:** with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index**ICD-10-AM Twelfth Edition:***Use additional code (T79.5) to identify crush syndrome.*

S20 Superficial injury of thorax**Status of instructional note(s):** Revised – *Eighth Edition***ICD-10-AM Seventh Edition:**

The following fifth character subdivisions are for use with category S20 to denote the type of superficial injury. Valid fifth digits are in [brackets] under each code:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories S20.1, S20.3, S20.4 and S20.8 to denote the type of superficial injury. Valid fifth characters are in [brackets] under each code:

S20.1 Other and unspecified superficial injuries of breast**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S20.1 Other and unspecified superficial injuries of breast

ICD-10-AM First Edition:

S20.1 Other and unspecified superficial injuries of breast
 S20.10 Other and unspecified superficial injuries of breast, unspecified
 S20.11 Other and unspecified superficial injuries of breast, abrasion
 S20.12 Other and unspecified superficial injuries of breast, blister
 S20.13 Other and unspecified superficial injuries of breast, insect bite
 S20.14 Other and unspecified superficial injuries of breast, superficial foreign body (splinter)
 S20.18 Other and unspecified superficial injuries of breast, other

S20.3 Other superficial injuries of front wall of thorax**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S20.3 Other superficial injuries of front wall of thorax

ICD-10-AM First Edition:

S20.3 Other superficial injuries of front wall of thorax
 S20.30 Other superficial injuries of front wall of thorax, unspecified
 S20.31 Other superficial injuries of front wall of thorax, abrasion
 S20.32 Other superficial injuries of front wall of thorax, blister
 S20.33 Other superficial injuries of front wall of thorax, insect bite
 S20.34 Other superficial injuries of front wall of thorax, superficial foreign body (splinter)
 S20.38 Other superficial injuries of front wall of thorax, other

S20.4 Other superficial injuries of back wall of thorax**Status of code(s):****Created – First Edition****WHO ICD-10:**

S20.4 Other superficial injuries of back wall of thorax

ICD-10-AM First Edition:

S20.4 Other superficial injuries of back wall of thorax
 S20.40 Other superficial injuries of back wall of thorax, unspecified
 S20.41 Other superficial injuries of back wall of thorax, abrasion
 S20.42 Other superficial injuries of back wall of thorax, blister
 S20.43 Other superficial injuries of back wall of thorax, insect bite
 S20.44 Other superficial injuries of back wall of thorax, superficial foreign body (splinter)
 S20.48 Other superficial injuries of back wall of thorax, other

S20.8 Superficial injury of other and unspecified parts of thorax**Status of code(s):****Created – First Edition****Status of code(s):****Deleted – Second Edition****WHO ICD-10:**

S20.8 Superficial injury of other and unspecified parts of thorax

ICD-10-AM First Edition:

S20.8 Superficial injury of other and unspecified parts of thorax
 S20.80 Superficial injury of other and unspecified parts of thorax, unspecified
 S20.81 Superficial injury of other and unspecified parts of thorax, abrasion
 S20.82 Superficial injury of other and unspecified parts of thorax, blister
 S20.83 Superficial injury of other and unspecified parts of thorax, insect bite
 S20.84 Superficial injury of other and unspecified parts of thorax, superficial foreign body (splinter)
 S20.85 Superficial injury of other and unspecified parts of thorax, contusion
 S20.88 Superficial injury of other and unspecified parts of thorax, other

ICD-10-AM Second Edition:

S20.8 Superficial injury of other and unspecified parts of thorax
 S20.80 Superficial injury of other and unspecified parts of thorax, unspecified
 S20.81 Superficial injury of other and unspecified parts of thorax, abrasion
 S20.82 Superficial injury of other and unspecified parts of thorax, blister
 S20.83 Superficial injury of other and unspecified parts of thorax, insect bite
 S20.84 Superficial injury of other and unspecified parts of thorax, superficial foreign body (splinter)
 S20.88 Superficial injury of other and unspecified parts of thorax, other

S21 Open wound of thorax**Status of includes note:****Deleted – Seventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S21.8 Open wound of other parts of thorax**Status of code(s):****Created – First Edition****Status of code(s):****Created/Deleted – Second Edition****WHO ICD-10:**

S21.8 Open wound of other parts of thorax

ICD-10-AM First Edition:

S21.8 Open wound of other parts of thorax

S21.80 Unspecified open wound of other parts of thorax

S21.81 Open wound (of any part of thorax) communicating with a fracture

S21.82 Open wound (of any part of thorax) communicating with a dislocation

S21.83 Open wound (of any part of thorax) communicating with an intrathoracic injury

ICD-10-AM Second Edition:

S21.8 Open wound of other parts of thorax

S21.81 Open wound (of any part of thorax) communicating with a fracture

S21.82 Open wound (of any part of thorax) communicating with a dislocation

S21.83 Open wound (of any part of thorax) communicating with an intrathoracic injury

S21.82 Open wound (of any part of thorax) communicating with a dislocation**Status of instructional note(s):****Revised – Seventh Edition****ICD-10-AM Sixth Edition:***Code first the dislocation (S23.-).***ICD-10-AM Seventh Edition:***Code first the dislocation (S23.1- – S23.2).***S22 Fracture of rib(s), sternum and thoracic spine****Status of code(s):****Revised – First Edition****Status of instructional note(s):****Revised – Seventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S22 Fracture of rib(s), sternum and thoracic spine

Optional fifth character subdivision:

0 Closed

1 Open

ICD-10-AM First Edition:

S22 Fracture of rib(s), sternum and thoracic spine

ICD-10-AM Sixth Edition:*Use additional code (S23.-) to describe dislocations associated with thoracic vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.***ICD-10-AM Seventh Edition:***Use additional code (S23.1- – S23.2) to describe dislocations associated with thoracic vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.*

ICD-10-AM Eleventh Edition:

Use additional code (S23.1- -S23.2) to describe dislocations associated with thoracic vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

Use additional code S24.- to identify any thoracic spinal cord injury.

Use additional open wound code S21.81 with category S22 to identify an open/compound fracture [open wound communicating with a fracture].

ICD-10-AM Twelfth Edition:

Use additional code (S21.81) to identify open/compound fracture [open wound communicating with a fracture].

Use additional code (S23.1-, S23.2) to identify dislocations associated with thoracic vertebral fractures. Where the number of fractured vertebrae is not known, code the fracture at the highest level.

Use additional code (S24.-) to identify thoracic spinal cord injury.

S22.0 Fracture of thoracic vertebra

Status of code(s):

Created – *First Edition*

WHO ICD-10:

S22.0 Fracture of thoracic vertebra

ICD-10-AM First Edition:

S22.0 Fracture of thoracic vertebra
 S22.00 Fracture of thoracic vertebra, level unspecified
 S22.01 Fracture of thoracic vertebra, T1 and T2 level
 S22.02 Fracture of thoracic vertebra, T3 and T4 level
 S22.03 Fracture of thoracic vertebra, T5 and T6 level
 S22.04 Fracture of thoracic vertebra, T7 and T8 level
 S22.05 Fracture of thoracic vertebra, T9 and T10 level
 S22.06 Fracture of thoracic vertebra, T11 and T12 level

S22.1 Multiple fractures of thoracic spine

Status of excludes note:

Revised – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Excludes: multiple fractures of specified levels of thoracic vertebra (S22.0-). Code each level separately

ICD-10-AM Eleventh Edition:

Excludes: multiple specified levels of thoracic vertebra — code each level separately (S22.0-)

S22.2 Fracture of sternum

Status of instructional note(s):

Created – *Twelfth Edition*

S22.3 Fracture of rib

Status of code(s):

Created – *First Edition*

WHO ICD-10:

S22.3 Fracture of rib

ICD-10-AM First Edition:

S22.3 Fracture of rib
 S22.31 Fracture of first rib
 S22.32 Fracture of one rib, other than first rib

S22.4 Multiple rib fractures**Status of code(s):****Created – First Edition****Status of instructional note(s):****Created – Twelfth Edition****WHO ICD-10:**

S22.4 Multiple rib fractures

ICD-10-AM First Edition:

S22.4 Multiple rib fractures

S22.40 Multiple rib fractures, unspecified

S22.41 Multiple rib fractures, involving first rib

S22.42 Multiple rib fractures, involving two ribs

S22.43 Multiple rib fractures, involving three ribs

S22.44 Multiple rib fractures involving four or more ribs

S23 Dislocation, sprain and strain of joints and ligaments of thorax**Status of instructional note(s):****Revised – Seventh Edition****Status of instructional note(s):****Deleted – Twelfth Edition****ICD-10-AM Sixth Edition:**

Use additional code (S22.-) to describe fractures associated with thoracic dislocations. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

Use additional code S24.- to identify any thoracic spinal cord injury.

Use additional open wound code S21.82 with subcategories S23.0–S23.2 to identify an open dislocation [open wound communicating with a dislocation].

ICD-10-AM Seventh Edition:

Use additional code (S22.-) to describe fractures associated with thoracic dislocations (S23.1–S23.2). Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

Use additional code (S24.-) with S23.1–S23.2 to identify any thoracic spinal cord injury.

Use additional open wound code (S21.82) with S23.1–S23.2 to identify an open dislocation [open wound communicating with a dislocation].

S23.1 Dislocation of thoracic vertebra**Status of code(s):****Created – First Edition****Status of instructional note(s):****Created – Twelfth Edition****WHO ICD-10:**

S23.1 Dislocation of thoracic vertebra

ICD-10-AM First Edition:

S23.1 Dislocation of thoracic vertebra

S23.10 Dislocation of thoracic vertebra, level unspecified

S23.11 Dislocation of T1/T2 and T2/T3 thoracic vertebrae

S23.12 Dislocation of T3/T4 and T4/T5 thoracic vertebrae

S23.13 Dislocation of T5/T6 and T6/T7 thoracic vertebrae

S23.14 Dislocation of T7/T8 and T8/T9 thoracic vertebrae

S23.15 Dislocation of T9/T10 and T10/T11 thoracic vertebrae

S23.16 Dislocation of T11/T12 thoracic vertebrae

S23.17 Dislocation of T12/L1 thoracolumbar vertebrae

S23.2 Dislocation of other and unspecified parts of thorax**Status of instructional note(s):****Created – Twelfth Edition**

S24.1 Other and unspecified injuries of thoracic spinal cord**Status of code(s):****Created – First Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S24.1 Other and unspecified injuries of thoracic spinal cord

ICD-10-AM First Edition:

S24.1 Other and unspecified injuries of thoracic spinal cord

S24.10 Injury of thoracic spinal cord unspecified

S24.11 Complete lesion of thoracic spinal cord

S24.12 Incomplete cord syndrome of thoracic spinal cord

ICD-10-AM Eleventh Edition:*Use additional code (Z99.1) if mention of ventilator dependence**Code also the functional level of spinal cord injury (S24.7-).***ICD-10-AM Twelfth Edition:***Use additional code (S24.7-) to identify functional level of spinal cord injury.**Use additional code (Z99.1) to identify ventilator dependence.***S24.7 Functional level of thoracic spinal cord injury****Status of code(s):****Created – First Edition****Status of code(s):****Revised – Third Edition****WHO ICD-10:**

No concept in WHO ICD-10

ICD-10-AM First Edition:

S24.7 Functional level of thoracic spinal cord injury

S24.70 Injury of thoracic spinal cord, level unspecified

S24.71 Injury of spinal cord at T1 level

S24.72 Injury of spinal cord at T2-T3 level

S24.73 Injury of spinal cord at T4-T5 level

S24.74 Injury of spinal cord at T6-T7 level

S24.75 Injury of spinal cord at T8-T9 level

S24.76 Injury of spinal cord at T10-T11 level

S24.77 Injury of spinal cord at T12 level

ICD-10-AM Third Edition:

S24.7 Functional level of thoracic spinal cord injury

S24.70 Functional spinal cord injury, thoracic level unspecified

S24.71 Functional spinal cord injury, T1

S24.72 Functional spinal cord injury, T2/T3

S24.73 Functional spinal cord injury, T4/T5

S24.74 Functional spinal cord injury, T6/T7

S24.75 Functional spinal cord injury, T8/T9

S24.76 Functional spinal cord injury, T10/T11

S24.77 Functional spinal cord injury, T12

S26 Injury of heart**Status of code(s):****Revised – First Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S26 Injury of heart

Optional fifth character subdivision:

0 Without open wound into thoracic cavity

1 With open wound into thoracic cavity

ICD-10-AM First Edition:

S26 Injury of heart

ICD-10-AM Eleventh Edition:*Use additional open wound code S21.83 with category S26 to identify an open intrathoracic wound [open wound communicating with the thoracic cavity].***ICD-10-AM Twelfth Edition:***Use additional code (S21.83) to identify open intrathoracic wound [open wound communicating with the thoracic cavity].***S26.0 Traumatic haemopericardium****Status of code(s):****Revised – First Edition****WHO ICD-10:**

S26.0 Injury of heart with haemopericardium

ICD-10-AM First Edition:

S26.0 Traumatic haemopericardium

S26.8 Other injuries of heart**Status of code(s):****Created – First Edition****WHO ICD-10:**

S26.8 Other injuries of heart

ICD-10-AM First Edition:

S26.8 Other injuries of heart

S26.81 Contusion of heart

S26.82 Laceration of heart without penetration into heart chamber

S26.83 Laceration of heart with penetration into heart chamber

S26.88 Other injuries of heart

S27 Injury of other and unspecified intrathoracic organs

Status of code(s): Revised – *First Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

WHO ICD-10:

S27 Injury of other and unspecified intrathoracic organs

Optional fifth character subdivision:

0 Without open wound into thoracic cavity

1 With open wound into thoracic cavity

ICD-10-AM First Edition:

S27 Injury of other and unspecified intrathoracic organs

ICD-10-AM Eleventh Edition:

Use additional open wound code S21.83 with category S27 to identify an open intrathoracic wound [open wound communicating with the thoracic cavity].

ICD-10-AM Twelfth Edition:

Use additional code (S21.83) to identify open intrathoracic wound [open wound communicating with the thoracic cavity].

S27.3 Other injuries of lung

Status of code(s): Created – *First Edition*

WHO ICD-10:

S27.3 Other injuries of lung

ICD-10-AM First Edition:

S27.3 Other injuries of lung

S27.31 Contusion and haematoma of lung

S27.32 Laceration of lung

S27.38 Other and unspecified injuries of lung

S27.8 Injury of other specified intrathoracic organs and structures

Status of code(s): Created – *First Edition*

WHO ICD-10:

S27.8 Injury of other specified intrathoracic organs

ICD-10-AM First Edition:

S27.8 Injury of other specified intrathoracic organs and structures

S27.81 Injury of diaphragm

S27.82 Injury of lymphatic thoracic duct

S27.83 Injury of oesophagus (thoracic part)

S27.84 Injury of thymus gland

S27.88 Injury of other specified intrathoracic organs and structures

S28.0 Crushed chest

Status of excludes note: Revised – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Excludes: flail chest (S22.5)
 where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: flail chest (S22.5)
 with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (T79.5) to identify crush syndrome.

S29.0 Injury of muscle of and tendon at thorax level

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: sprains and strains of joint capsule (ligament) (S23.-)

ICD-10-AM Seventh Edition:

Excludes: sprains and strains of joint capsule (ligament) (S23.3–S23.5)

S30 Superficial injury of abdomen, lower back and pelvis

Status of instruction note: Deleted – [Sixth Edition](#)

S30.2 Contusion of external genital organs

Status of code(s): Created – [Twelfth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)
Status of excludes note: Deleted – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

S30.2 Contusion of external genital organs

ICD-10-AM Twelfth Edition:

S30.2 Contusion of external genital organs
 S30.21 Contusion of external male genital organs
 S30.22 Contusion of external female genital organs

S30.8 Other superficial injuries of abdomen, lower back and pelvis

Status of code(s):	Created – First Edition
Status of code(s):	Deleted – Second Edition
Status of instructional note(s):	Revised – Eighth Edition
Status of instructional note(s):	Revised – Twelfth Edition Errata
Status of valid characters:	Revised – Twelfth Edition Errata

WHO ICD-10:

S30.8 Other superficial injuries of abdomen, lower back and pelvis

ICD-10-AM First Edition:

S30.8 Other superficial injuries of abdomen, lower back and pelvis
 S30.80 Other superficial injuries of abdomen, lower back and pelvis, unspecified
 S30.81 Other superficial injuries of abdomen, lower back and pelvis, abrasion
 S30.82 Other superficial injuries of abdomen, lower back and pelvis, blister
 S30.83 Other superficial injuries of abdomen, lower back and pelvis, insect bite
 S30.84 Other superficial injuries of abdomen, lower back and pelvis, superficial foreign body
 S30.85 Other superficial injuries of abdomen, lower back and pelvis, contusion
 S30.88 Other superficial injuries of abdomen, lower back and pelvis, other

ICD-10-AM Second Edition:

S30.8 Other superficial injuries of abdomen, lower back and pelvis
 S30.80 Other superficial injuries of abdomen, lower back and pelvis, unspecified
 S30.81 Other superficial injuries of abdomen, lower back and pelvis, abrasion
 S30.82 Other superficial injuries of abdomen, lower back and pelvis, blister
 S30.83 Other superficial injuries of abdomen, lower back and pelvis, insect bite
 S30.84 Other superficial injuries of abdomen, lower back and pelvis, superficial foreign body (splinter)
 S30.88 Other superficial injuries of abdomen, lower back and pelvis, other

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with S30.8 and S30.9 to denote the type of superficial injury ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories S30.8 and S30.9 to denote the type of superficial injury:

- ★ 0 unspecified
- ★ 1 abrasion
- ★ 2 blister
- ★ 3 insect bite
- ★ 4 superficial foreign body (splinter)
- ★ 5 contusion
- ★ 8 other

S30.8 Other superficial injuries of abdomen, lower back and pelvis
 [0-4, 8]

ICD-10-AM Twelfth Edition Errata:

The following fifth character subdivisions are for use with subcategories S30.8 and S30.9 to denote the type of superficial injury:

✧	0	unspecified
✧	1	abrasion
✧	2	blister
✧	3	insect bite
✧	4	superficial foreign body (splinter)
✧	8	other

S30.8 [0-8] Other superficial injuries of abdomen, lower back and pelvis

S30.9 Superficial injury of abdomen, lower back and pelvis, part unspecified

Status of code(s):	Created – <i>First Edition</i>
Status of code(s):	Deleted – <i>Second Edition</i>
Status of instructional note(s):	Revised – <i>Eighth Edition</i>
Status of valid characters:	Revised – <i>Twelfth Edition Errata</i>

WHO ICD-10:

S30.9 Superficial injury of abdomen, lower back and pelvis, part unspecified

ICD-10-AM First Edition:

S30.9 Superficial injury of abdomen, lower back and pelvis, part unspecified
 S30.90 Superficial injury of abdomen, lower back and pelvis, part unspecified, unspecified
 S30.91 Superficial injury of abdomen, lower back and pelvis, part unspecified, abrasion
 S30.92 Superficial injury of abdomen, lower back and pelvis, part unspecified, blister
 S30.93 Superficial injury of abdomen, lower back and pelvis, part unspecified, insect bite
 S30.94 Superficial injury of abdomen, lower back and pelvis, part unspecified, superficial foreign body
 S30.95 Superficial injury of abdomen, lower back and pelvis, part unspecified, contusion
 S30.98 Superficial injury of abdomen, lower back and pelvis, part unspecified, other

ICD-10-AM Second Edition:

S30.9 Superficial injury of abdomen, lower back and pelvis, part unspecified
 S30.90 Superficial injury of abdomen, lower back and pelvis, part unspecified, unspecified
 S30.91 Superficial injury of abdomen, lower back and pelvis, part unspecified, abrasion
 S30.92 Superficial injury of abdomen, lower back and pelvis, part unspecified, blister
 S30.93 Superficial injury of abdomen, lower back and pelvis, part unspecified, insect bite
 S30.94 Superficial injury of abdomen, lower back and pelvis, part unspecified, superficial foreign body (splinter)
 S30.98 Superficial injury of abdomen, lower back and pelvis, part unspecified, other

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with S30.8 and S30.9 to denote the type of superficial injury:

ICD-10-AM Eighth Edition:

S30.9 Superficial injury of abdomen, lower back and pelvis, part unspecified
[0-4, 8]

ICD-10-AM Twelfth Edition Errata:

S30.9 Superficial injury of abdomen, lower back and pelvis, part unspecified
[0-8]

S31 Open wound of abdomen, lower back and pelvis

Status of includes note: Deleted – **Seventh Edition**
Status of instructional note(s): Revised – **Twelfth Edition**
Status of excludes note: Revised – **Twelfth Edition**
Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Eleventh Edition:

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

Excludes: open wound of hip (S71.0)
 traumatic amputation of part of abdomen, lower back and pelvis (S38.2–S38.3)

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

Excludes: open wound of hip (S71.0)
 traumatic amputation of part of abdomen, lower back and pelvis (S38.2–S38.3)

ICD-10-AM Thirteenth Edition:

Excludes: open wound of hip (S71.0)
 traumatic amputation of part of abdomen, lower back and pelvis (S38.2- to S38.3)

S31.0 Open wound of lower back and pelvis

Status of excludes note: Created – **Twelfth Edition**

S31.5 Open wound of other and unspecified external genital organs

Status of code(s): Created – **Twelfth Edition**
Status of inclusion term(s): Deleted – **Twelfth Edition**
Status of excludes note: Deleted – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

S31.5 Open wound of other and unspecified external genital organs

ICD-10-AM Twelfth Edition:

S31.5 Open wound of other and unspecified external genital organs
 S31.51 Open wound of other and unspecified external male genital organs
 S31.52 Open wound of other and unspecified external female genital organs

S31.8 Open wound of other and unspecified parts of abdomen**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S31.8 Open wound of other and unspecified parts of abdomen

ICD-10-AM First Edition:

S31.8 Open wound of other and unspecified parts of abdomen

S31.80 Open wound of other and unspecified parts of abdomen

S31.81 Open wound (of any part of lower back and pelvis) communicating with a fracture

S31.82 Open wound (of any part of lower back and pelvis) communicating with a dislocation

S31.83 Open wound (of any part of abdomen) communicating with an intra-abdominal injury

S31.82 Open wound (of any part of lower back and pelvis) communicating with a dislocation**Status of instructional note(s):****Revised – *Seventh Edition*****ICD-10-AM Sixth Edition:***Code first the dislocation (S33.-).***ICD-10-AM Seventh Edition:***Code first the dislocation (S33.1 – S33.3).***S32 Fracture of lumbar spine and pelvis****Status of code(s):****Revised – *First Edition*****Status of excludes note:****Revised – *Seventh Edition*****Status of instructional note(s):****Revised – *Twelfth Edition*****WHO ICD-10:**

S32 Fracture of lumbar spine and pelvis

Optional fifth character subdivision:

0 Closed

1 Open

ICD-10-AM First Edition:

S32 Fracture of lumbar spine and pelvis

ICD-10-AM Sixth Edition:*Use additional code (S33.-) to describe dislocation associated with lumbar vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.***ICD-10-AM Seventh Edition:***Use additional code (S33.1 – S33.3) to describe dislocation associated with lumbar vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.*

ICD-10-AM Eleventh Edition:

Use additional code (S33.1- -S33.3) to describe dislocation associated with lumbar vertebral fractures. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

Use additional code S34.- to identify any lumbar spinal cord injury.

Use additional open wound code S31.81 with category S32 to identify an open/compound fracture [open wound communicating with a fracture].

ICD-10-AM Twelfth Edition:

Use additional code (S31.81) to identify open/compound fracture [open wound communicating with a fracture].

Use additional code (S33.1- -S33.3) to identify dislocation associated with lumbar vertebral fractures. Where the number of fractured vertebrae is not known, code the fracture at the highest level.

Use additional code (S34.-) to identify lumbar spinal cord injury.

S32.0 Fracture of lumbar vertebra

Status of code(s):

Created – First Edition

WHO ICD-10:

S32.0 Fracture of lumbar vertebra

ICD-10-AM First Edition:

S32.0 Fracture of lumbar vertebra
 S32.00 Fracture of lumbar vertebra, level unspecified
 S32.01 Fracture of lumbar vertebra, L1 level
 S32.02 Fracture of lumbar vertebra, L2 level
 S32.03 Fracture of lumbar vertebra, L3 level
 S32.04 Fracture of lumbar vertebra, L4 level
 S32.05 Fracture of lumbar vertebra, L5 level

S32.7 Multiple fractures of lumbar spine with pelvis

Status of excludes note:

Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Excludes: multiple fractures of specified levels of lumbar vertebra (S32.0-). Code each level separately
 multiple pelvic fractures (S32.89)

ICD-10-AM Eleventh Edition:

Excludes: multiple:
 • pelvic fractures (S32.89)
 • specified levels of lumbar vertebra — code each level separately (S32.0-)

S32.8 Fracture of other and unspecified parts of lumbar spine and pelvis

Status of code(s):

Created – First Edition

WHO ICD-10:

S32.8 Fracture of other and unspecified parts of lumbar spine and pelvis

ICD-10-AM First Edition:

S32.8 Fracture of other and unspecified parts of lumbar spine and pelvis
 S32.81 Fracture of ischium
 S32.82 Fracture of lumbosacral spine, part unspecified
 S32.83 Fracture of pelvis, part unspecified
 S32.89 Other and multiple pelvic fractures

S33 Dislocation, sprain and strain of joints and ligaments of lumbar spine and pelvis

Status of instructional note(s): Revised – **Seventh Edition**
Status of instructional note(s): Deleted – **Twelfth Edition**

ICD-10-AM Sixth Edition:

Use additional code (S32.-) to describe fractures associated with lumbar dislocations. Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

Use additional code S34.- to identify any lumbar spinal cord injury.

Use additional open wound code S31.82 with subcategories S33.0–S33.3 to identify an open dislocation [open wound communicating with a dislocation].

ICD-10-AM Seventh Edition:

Use additional code (S32.-) to describe fractures associated with lumbar dislocations (S33.1– S33.3). Where the number of fractured vertebra associated with the dislocation is not known, code the fracture at the highest level.

Use additional code (S34.-) with S33.1– S33.3 to identify any lumbar spinal cord injury.

Use additional open wound code (S31.82) with S33.1– S33.3 to identify an open dislocation [open wound communicating with a dislocation].

S33.1 Dislocation of lumbar vertebra

Status of code(s): Created – **First Edition**
Status of instructional note(s): Created – **Twelfth Edition**

WHO ICD-10:

S33.1 Dislocation of lumbar vertebra

ICD-10-AM First Edition:

S33.1 Dislocation of lumbar vertebra
 S33.10 Dislocation of lumbar vertebra, level unspecified
 S33.11 Dislocation of L1/L2 lumbar vertebrae
 S33.12 Dislocation of L2/L3 lumbar vertebrae
 S33.13 Dislocation of L3/L4 lumbar vertebrae
 S33.14 Dislocation of L4/L5 lumbar vertebrae
 S33.15 Dislocation of L5/S1 lumbar vertebrae

S33.2 Dislocation of sacroiliac and sacrococcygeal joint

Status of instructional note(s): Created – **Twelfth Edition**

S33.3 Dislocation of other and unspecified parts of lumbar spine and pelvis

Status of instructional note(s): Created – **Twelfth Edition**

S33.5 Sprain and strain of lumbar spine**Status of code(s):****Created – First Edition****Status of code(s):****Deleted – Second Edition****WHO ICD-10:**

S33.5 Sprain and strain of lumbar spine

ICD-10-AM First Edition:

S33.5 Sprain and strain of lumbar spine

S33.50 Sprain and strain of lumbar spine, unspecified

S33.51 Sprain and strain of lumbosacral [joint] [ligament]

ICD-10-AM Second Edition:

S33.5 Sprain and strain of lumbar spine

S33.51 Sprain and strain of lumbosacral [joint] [ligament]

S34.0 Concussion and oedema of lumbar spinal cord [conus medullaris]**Status of code(s):****Revised – First Edition****WHO ICD-10:**

S34.0 Concussion and oedema of lumbar spinal cord

ICD-10-AM First Edition:

S34.0 Concussion and oedema of lumbar spinal cord [conus medullaris]

S34.1 Other injury of lumbar spinal cord [conus medullaris]**Status of code(s):****Revised – First Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S34.1 Other injury of lumbar spinal cord

ICD-10-AM First Edition:

S34.1 Other injury of lumbar spinal cord [conus medullaris]

ICD-10-AM Eleventh Edition:*Code also the functional level of spinal cord injury (S34.7-).***ICD-10-AM Twelfth Edition:***Use additional code (S34.7-) to identify functional level of spinal cord injury.*

S34.7 Functional level of lumbar spinal cord injury**Status of code(s):****Created – First Edition****Status of code(s):****Revised – Third Edition****WHO ICD-10:**

No concept in WHO ICD-10

ICD-10-AM First Edition:

- S34.7 Functional level of lumbar spinal cord injury
- S34.71 Injury of lumbar spinal cord, level unspecified
- S34.71 Injury of spinal cord at L1 level
- S34.72 Injury of spinal cord at L2 level
- S34.73 Injury of spinal cord at L3 level
- S34.74 Injury of spinal cord at L4 level
- S34.75 Injury of spinal cord at L5 level
- S34.76 Injury of spinal cord at sacral level

ICD-10-AM Third Edition:

- S34.7 Functional level of lumbar spinal cord injury
- S34.71 Functional spinal cord injury, lumbar level unspecified
- S34.71 Functional spinal cord injury, L1
- S34.72 Functional spinal cord injury, L2
- S34.73 Functional spinal cord injury, L3
- S34.74 Functional spinal cord injury, L4
- S34.75 Functional spinal cord injury, L5
- S34.76 Functional spinal cord injury, sacrum

S35.5 Injury of iliac blood vessels**Status of term:****Reclassified – First Edition****Term reclassification:**

Injury, hypogastric artery or vein
 Injury, uterine artery or vein

S35.8 Injury of other blood vessels at abdomen, lower back and pelvis level**Status of term:****Reclassified – First Edition****Term reclassification:**

Injury, hypogastric artery or vein
 Injury, uterine artery or vein

S36 Injury of intra-abdominal organs**Status of code(s):****Revised – First Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S36 Injury of intra-abdominal organs

Optional fifth character subdivision:

- 0 Without open wound into cavity
- 1 With open wound into cavity

ICD-10-AM First Edition:

S36 Injury of intra-abdominal organs

ICD-10-AM Eleventh Edition:

Use additional open wound code S31.83 with category S36 to identify an open intra-abdominal wound [open wound communicating with the abdominal cavity].

ICD-10-AM Twelfth Edition:

Use additional code (S31.83) to identify open intra-abdominal wound [open wound communicating with the abdominal cavity].

S36.0 Injury of spleen**Status of code(s):****Created – First Edition****WHO ICD-10:**

S36.0 Injury of spleen

ICD-10-AM First Edition:

S36.0 Injury of spleen
 S36.00 Injury of spleen, unspecified
 S36.01 Haematoma of spleen
 S36.02 Capsule tears of spleen, without major disruption of parenchyma
 S36.03 Laceration of spleen extending into parenchyma
 S36.04 Massive parenchymal disruption of spleen
 S36.08 Other injury of spleen

S36.1 Injury of liver or gallbladder**Status of code(s):****Created – First Edition****WHO ICD-10:**

S36.1 Injury of liver or gallbladder

ICD-10-AM First Edition:

S36.1 Injury of liver or gallbladder
 S36.10 Injury of liver, unspecified
 S36.11 Contusion and haematoma of liver
 S36.12 Laceration of liver, unspecified
 S36.13 Minor laceration of liver
 S36.14 Moderate laceration of liver
 S36.15 Major laceration of liver
 S36.16 Other injury of liver
 S36.17 Injury of gallbladder
 S36.18 Injury of bile duct

S36.2 Injury of pancreas**Status of code(s):****Created – First Edition****WHO ICD-10:**

S36.2 Injury of pancreas

ICD-10-AM First Edition:

S36.2 Injury of pancreas
 S36.20 Injury of pancreas, part unspecified
 S36.21 Injury of head of pancreas
 S36.22 Injury of body of pancreas
 S36.23 Injury of tail of pancreas
 S36.29 Injury of other and multiple parts of pancreas

S36.4 Injury of small intestine**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S36.4 Injury of small intestine

ICD-10-AM First Edition:

S36.4 Injury of small intestine

S36.40 Injury of small intestine, part unspecified

S36.41 Injury of duodenum

S36.49 Injury of other and multiple parts of small intestine

S36.49 Injury of other and multiple parts of small intestine**Status of inclusion term(s):****Revised – *Thirteenth Edition*****ICD-10-AM Twelfth Edition:**

Injury to ileum

Injury to jejunum

ICD-10-AM Thirteenth Edition:

Injury to:

- ileum
- jejunum

S36.5 Injury of colon**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S36.5 Injury of colon

ICD-10-AM First Edition:

S36.5 Injury of colon

S36.50 Injury of colon, part unspecified

S36.51 Injury of ascending [right] colon

S36.52 Injury of transverse colon

S36.53 Injury of descending [left] colon

S36.54 Injury of sigmoid colon

S36.59 Injury of other and multiple parts of colon

S36.59 Injury of other and multiple parts of colon**Status of inclusion term(s):****Revised – *Eleventh Edition*****ICD-10-AM Tenth Edition:**

Injury of appendix

Injury of caecum

ICD-10-AM Eleventh Edition:

Injury of:

- appendix
- caecum

S36.8 Injury of other intra-abdominal organs**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S36.8 Injury of other intra-abdominal organs

ICD-10-AM First Edition:

S36.8 Injury of other intra-abdominal organs

S36.81 Injury of peritoneum

S36.82 Injury of mesentery

S36.83 Injury of retroperitoneum

S36.88 Injury of other intra-abdominal organs

S37 Injury of urinary and pelvic organs**Status of code(s):** Revised – *First Edition***Status of instructional note(s):** Revised – *Twelfth Edition***WHO ICD-10:**

S37 Injury of urinary and pelvic organs

Optional fifth character subdivision:

0 Without open wound into cavity

1 With open wound into cavity

ICD-10-AM First Edition:

S37 Injury of urinary and pelvic organs

ICD-10-AM Eleventh Edition:*Use additional open wound code S31.83 with category S37 to identify an open intra-abdominal wound [open wound communicating with the abdominal cavity].***ICD-10-AM Twelfth Edition:***Use additional code (S31.83) to identify open intra-abdominal wound [open wound communicating with the abdominal cavity].***S37.0 Injury of kidney****Status of code(s):** Created – *First Edition***WHO ICD-10:**

S37.0 Injury of kidney

ICD-10-AM First Edition:

S37.0 Injury of kidney

S37.00 Injury of kidney, unspecified

S37.01 Contusion and haematoma of kidney

S37.02 Laceration of kidney

S37.03 Complete disruption of kidney parenchyma

S37.2 Injury of bladder**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S37.2 Injury of bladder

ICD-10-AM First Edition:

S37.2 Injury of bladder

S37.20 Injury of bladder, unspecified

S37.21 Contusion of bladder

S37.22 Rupture of bladder

S37.28 Other injury of bladder

S37.3 Injury of urethra**Status of code(s):****Created – First Edition****WHO ICD-10:**

S37.3 Injury of urethra

ICD-10-AM First Edition:

S37.3 Injury of urethra
 S37.30 Injury of urethra, part unspecified
 S37.31 Injury of membranous urethra
 S37.32 Injury of penile urethra
 S37.33 Injury of prostatic urethra
 S37.38 Injury of other part of urethra

S37.7 Injury of multiple pelvic organs**Status of code(s):****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

S37.7 Injury of multiple pelvic organs

ICD-10-AM Twelfth Edition:

S37.7 Injury of multiple pelvic organs
 S37.71 Injury of multiple male pelvic organs
 S37.72 Injury of multiple female pelvic organs

S37.8 Injury of other pelvic organs**Status of code(s):****Created – First Edition****Status of excludes note:****Created – Seventh Edition****Status of code(s):****Created – Twelfth Edition****WHO ICD-10:**

S37.8 Injury of other pelvic organs

ICD-10-AM First Edition:

S37.8 Injury of other pelvic organs
 S37.81 Injury of adrenal gland
 S37.82 Injury of prostate
 S37.83 Injury of seminal vesicle
 S37.84 Injury of vas deferens
 S37.88 Injury of other pelvic organ

ICD-10-AM Twelfth Edition:

S37.8 Injury of other pelvic organs
 S37.81 Injury of adrenal gland
 S37.82 Injury of prostate
 S37.83 Injury of seminal vesicle
 S37.84 Injury of vas deferens
 S37.85 Injury of other male pelvic organ
 S37.86 Injury of other female pelvic organ
 S37.88 Injury of other pelvic organ

S37.88 Injury of other pelvic organ**Status of inclusion term(s):****Deleted – Twelfth Edition****Status of excludes note:****Created – Twelfth Edition**

S38 Crushing injury and traumatic amputation of part of abdomen, lower back and pelvis

Status of excludes note: Revised – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Excludes: where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (T79.5) to identify crush syndrome.

S38.0 Crushing injury of external genital organs

Status of code(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

S38.0 Crushing injury of external genital organs

ICD-10-AM Twelfth Edition:

S38.0 Crushing injury of external genital organs

S38.01 Crushing injury of external male genital organs

S38.02 Crushing injury of external female genital organs

S38.2 Traumatic amputation of external genital organs

Status of code(s): Created – [Twelfth Edition](#)
Status of inclusion term(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

S38.2 Traumatic amputation of external genital organs

ICD-10-AM Twelfth Edition:

S38.2 Traumatic amputation of external genital organs

S38.21 Traumatic amputation of external male genital organs

S38.22 Traumatic amputation of external female genital organs

S39.0 Injury of muscle and tendon of abdomen, lower back and pelvis

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: sprains and strains of joint capsule (ligament) (S33.-)

ICD-10-AM Seventh Edition:

Excludes: sprains and strains of joint capsule (ligament) (S33.51–S33.7)

S39.7 Other multiple injuries of abdomen, lower back and pelvis

Status of glossary description: Revised – *Twelfth Edition*
Status of excludes note: Deleted – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Injuries classifiable to more than one of the categories S30–S39.6

ICD-10-AM Twelfth Edition:

Injuries classifiable to more than one of the categories S30–S39

S40.8 Other superficial injuries of shoulder and upper arm

Status of code(s): Created – *First Edition*

WHO ICD-10:

S40.8 Other superficial injuries of shoulder and upper arm

ICD-10-AM First Edition:

S40.8 Other superficial injuries of shoulder and upper arm
 S40.81 Abrasion of shoulder and upper arm
 S40.82 Blister of shoulder and upper arm
 S40.83 Insect bite of shoulder and upper arm
 S40.84 Superficial foreign body (splinter) of shoulder and upper arm
 S40.88 Other superficial injuries of shoulder and upper arm

S41 Open wound of shoulder and upper arm

Status of includes note: Deleted – *Seventh Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S41.0 Open wound of shoulder

Status of term: Reclassified – *First Edition*

Term reclassification:

Open wound of shoulder girdle

S41.8 Open wound of other and unspecified parts of shoulder region**Status of code(s):****Created – First Edition****Status of term:****Reclassified – First Edition****WHO ICD-10:**

S41.8 Open wound of other and unspecified parts of shoulder girdle

ICD-10-AM First Edition:

S41.8 Open wound of other and unspecified parts of shoulder region

S41.80 Unspecified open wound of other and unspecified parts of shoulder region

S41.81 Open wound (of any part of shoulder and upper arm) communicating with a fracture

S41.82 Open wound (of any part of shoulder and upper arm) communicating with a dislocation

Term reclassification:

Open wound of shoulder girdle

S42 Fracture of shoulder and upper arm**Status of code(s):****Revised – First Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S42 Fracture of shoulder and upper arm

Optional fifth character subdivision:

0 Closed

1 Open

ICD-10-AM First Edition:

S42 Fracture of shoulder and upper arm

ICD-10-AM Eleventh Edition:*Use additional open wound code S41.81 with category S42 to identify an open/compound fracture [open wound communicating with a fracture].***ICD-10-AM Twelfth Edition:***Use additional code (S41.81) to identify open/compound fracture [open wound communicating with a fracture].***S42.0 Fracture of clavicle****Status of code(s):****Created – First Edition****WHO ICD-10:**

S42.0 Fracture of clavicle

ICD-10-AM First Edition:

S42.0 Fracture of clavicle

S42.00 Fracture of clavicle, part unspecified

S42.01 Fracture of sternal end of clavicle

S42.02 Fracture of shaft of clavicle

S42.03 Fracture of acromial end of clavicle

S42.09 Multiple fractures of clavicle

S42.1 Fracture of scapula**Status of code(s):****Created – First Edition****WHO ICD-10:**

S42.1 Fracture of scapula

ICD-10-AM First Edition:

S42.1 Fracture of scapula
 S42.10 Fracture of scapula, part unspecified
 S42.11 Fracture of body of scapula
 S42.12 Fracture of acromial process
 S42.13 Fracture of coracoid process
 S42.14 Fracture of glenoid cavity and neck of scapula
 S42.19 Multiple fractures of scapula

S42.2 Fracture of upper end of humerus**Status of code(s):****Created – First Edition****WHO ICD-10:**

S42.2 Fracture of upper end of humerus

ICD-10-AM First Edition:

S42.2 Fracture of upper end of humerus
 S42.20 Fracture of upper end of humerus, part unspecified
 S42.21 Fracture of head of humerus
 S42.22 Fracture of surgical neck of humerus
 S42.23 Fracture of anatomical neck of humerus
 S42.24 Fracture of greater tuberosity of humerus
 S42.29 Fracture of other and multiple parts of upper end of humerus

S42.4 Fracture of lower end of humerus**Status of code(s):****Created – First Edition****WHO ICD-10:**

S42.4 Fracture of lower end of humerus

ICD-10-AM First Edition:

S42.4 Fracture of lower end of humerus
 S42.40 Fracture of lower end of humerus, part unspecified
 S42.41 Supracondylar fracture of humerus
 S42.42 Fracture of lateral condyle of humerus
 S42.43 Fracture of medial condyle of humerus
 S42.44 Fracture of condyle(s) of humerus, unspecified
 S42.45 T-shaped fracture of distal humerus
 S42.49 Other and multiple fractures of lower end of humerus

S43 Dislocation, sprain and strain of joints and ligaments of shoulder girdle**Status of instructional note(s):****Deleted – Twelfth Edition**

S43.0 Dislocation of shoulder joint [glenohumeral joint]

Status of code(s): Created – [First Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

WHO ICD-10:

S43.0 Dislocation of shoulder joint

ICD-10-AM First Edition:

S43.0 Dislocation of shoulder joint [glenohumeral joint]
 S43.00 Dislocation of shoulder, unspecified
 S43.01 Anterior dislocation of humerus
 S43.02 Posterior dislocation of humerus
 S43.03 Inferior dislocation of humerus
 S43.08 Dislocation of other part of shoulder

S43.1 Dislocation of acromioclavicular joint

Status of instructional note(s): Created – [Twelfth Edition](#)

S43.2 Dislocation of sternoclavicular joint

Status of instructional note(s): Created – [Twelfth Edition](#)

S43.4 Sprain and strain of shoulder joint

Status of term: [Reclassified – First Edition](#)
Status of inclusion term(s): [Revised – Eleventh Edition](#)
Status of inclusion term(s): [Revised – Twelfth Edition](#)

Term reclassification:

Traumatic tear of rotator cuff tendon

ICD-10-AM Tenth Edition:

Coracohumeral (ligament)
 Rotator cuff capsule

ICD-10-AM Eleventh Edition:

Coracohumeral (ligament)
 Rotator cuff capsule
 Injury of labrum of the shoulder joint

ICD-10-AM Twelfth Edition:

Coracohumeral (ligament)
 Injury of labrum of the shoulder joint
 Rotator cuff capsule

S46.0 Injury of muscle(s) and tendon(s) of the rotator cuff of shoulder

Status of term: [Reclassified – First Edition](#)
Status of code title: [Revised – Seventh Edition](#)

Term reclassification:

Traumatic tear of rotator cuff tendon

ICD-10-AM Sixth Edition:

S46.0 Injury of tendon of the rotator cuff of shoulder

ICD-10-AM Seventh Edition:

S46.0 Injury of muscle(s) and tendon(s) of the rotator cuff of shoulder

S46.8 Injury of other muscles and tendons at shoulder and upper arm level**Status of inclusion term(s):****Deleted – Eleventh Edition****Status of includes note:****Created – Eleventh Edition****S47 Crushing injury of shoulder and upper arm****Status of excludes note:****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Tenth Edition:**

Excludes: crushing injury of elbow (S57.0) where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: crushing injury of elbow (S57.0) with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (T79.5) to identify crush syndrome.

S50.8 Other superficial injuries of forearm**Status of code(s):****Created – First Edition****WHO ICD-10:**

S50.8 Other superficial injuries of forearm

ICD-10-AM First Edition:

S50.8 Other superficial injuries of forearm
 S50.81 Abrasion of forearm
 S50.82 Blister of forearm
 S50.83 Insect bite of forearm
 S50.84 Superficial foreign body (splinter) of forearm
 S50.88 Other superficial injuries of forearm

S51 Open wound of forearm**Status of includes note:****Deleted – Seventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S51.8 Open wound of other parts of forearm**Status of code(s):****Created – First Edition****Status of code(s):****Created/Deleted – Second Edition****WHO ICD-10:**

S51.8 Open wound of other parts of forearm

ICD-10-AM First Edition:

S51.8 Open wound of other parts of forearm

S51.80 Unspecified open wound of other and unspecified parts of forearm

S51.81 Open wound (of any part of forearm) communicating with a fracture

S51.82 Open wound (of any part of forearm) communicating with a dislocation

ICD-10-AM Second Edition:

S51.8 Open wound of other parts of forearm

S51.81 Open wound (of any part of forearm) communicating with a fracture

S51.82 Open wound (of any part of forearm) communicating with a dislocation

S51.88 Open wound of other parts of forearm

S52 Fracture of forearm**Status of code(s):****Revised – First Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S52 Fracture of forearm

Optional fifth character subdivision:

0 Closed

1 Open

ICD-10-AM First Edition:

S52 Fracture of forearm

ICD-10-AM Eleventh Edition:*Use additional open wound code S51.81 with category S52 to identify an open/compound fracture [open wound communicating with a fracture].***ICD-10-AM Twelfth Edition:***Use additional code (S51.81) to identify an open/compound fracture [open wound communicating with a fracture].***S52.0 Fracture of upper end of ulna****Status of code(s):****Created – First Edition****WHO ICD-10:**

S52.0 Fracture of upper end of ulna

ICD-10-AM First Edition:

S52.0 Fracture of upper end of ulna

S52.00 Fracture of upper end of ulna, part unspecified

S52.01 Fracture of olecranon process of ulna

S52.02 Fracture of coronoid process of ulna

S52.1 Fracture of upper end of radius**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S52.1 Fracture of upper end of radius

ICD-10-AM First Edition:

S52.1 Fracture of upper end of radius
 S52.10 Fracture of upper end of radius, part unspecified
 S52.11 Fracture of head of radius
 S52.12 Fracture of neck of radius
 S52.19 Other and multiple fractures of upper end of radius

S52.2 Fracture of shaft of ulna**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S52.2 Fracture of shaft of ulna

ICD-10-AM First Edition:

S52.2 Fracture of shaft of ulna
 S52.20 Fracture of shaft of ulna, part unspecified
 S52.21 Fracture of proximal shaft of ulna with dislocation of head of radius

S52.3 Fracture of shaft of radius**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S52.3 Fracture of shaft of radius

ICD-10-AM First Edition:

S52.3 Fracture of shaft of radius
 S52.30 Fracture of shaft of radius, part unspecified
 S52.31 Fracture of distal shaft of radius with dislocation of head of ulna

S52.5 Fracture of lower end of radius

Status of code(s): Created – *First Edition*
Status of code(s): Created – *Fourth Edition*

WHO ICD-10:

S52.5 Fracture of lower end of radius

ICD-10-AM First Edition:

S52.5 Fracture of lower end of radius
 S52.50 Fracture of lower end of radius, unspecified
 S52.51 Fracture of lower end of radius with dorsal angulation
 S52.52 Fracture of lower end of radius with volar angulation
 S52.59 Other and multiple fractures of lower end of radius

ICD-10-AM Fourth Edition:

S52.5 Fracture of lower end of radius
 S52.50 Fracture of lower end of radius, unspecified
 S52.51 Fracture of lower end of radius with dorsal angulation
 S52.52 Fracture of lower end of radius with volar angulation
 S52.53 Fracture of lower end of radius with volar angulation and intra-articular fracture
 S52.59 Other and multiple fractures of lower end of radius

S53 Dislocation, sprain and strain of joints and ligaments of elbow*Status of instructional note(s): Deleted – Twelfth Edition***S53.0 Dislocation of radial head***Status of instructional note(s): Created – Twelfth Edition***S53.1 Dislocation of other and unspecified parts of elbow***Status of code(s): Created – First Edition**Status of instructional note(s): Created – Twelfth Edition***WHO ICD-10:**

S53.1 Dislocation of other and unspecified parts of elbow

ICD-10-AM First Edition:

S53.1 Dislocation of other and unspecified parts of elbow

S53.10 Dislocation of elbow, unspecified

S53.11 Anterior dislocation of elbow

S53.12 Posterior dislocation of elbow

S53.13 Medial dislocation of elbow

S53.14 Lateral dislocation of elbow

S53.18 Other dislocation of elbow

S53.4 Sprain and strain of elbow*Status of code(s): Created – First Edition***WHO ICD-10:**

S53.4 Sprain and strain of elbow

ICD-10-AM First Edition:

S53.4 Sprain and strain of elbow

S53.40 Sprain and strain of elbow, part unspecified

S53.41 Sprain and strain of radial collateral ligament

S53.42 Sprain and strain of ulna collateral ligament

S53.43 Sprain and strain radiohumeral (joint)

S53.44 Sprain and strain ulnohumeral (joint)

S53.48 Sprain and strain of other part of elbow

S56.0 Injury of flexor muscle and tendon of thumb at forearm level*Status of code title: Revised – Eighth Edition***ICD-10-AM Seventh Edition:**

S56.0 Injury of long flexor muscle and tendon of thumb at forearm level

ICD-10-AM Eighth Edition:

S56.0 Injury of flexor muscle and tendon of thumb at forearm level

S56.1 Injury of long flexor muscle and tendon of other finger(s) at forearm level*Status of code title: Revised – Eighth Edition***ICD-10-AM Seventh Edition:**

S56.1 Injury of flexor muscle and tendon of other finger(s) at forearm level

ICD-10-AM Eighth Edition:

S56.1 Injury of long flexor muscle and tendon of other finger(s) at forearm level

S57 Crushing injury of forearm**Status of excludes note:** Revised – **Eleventh Edition****Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Tenth Edition:**

Excludes: crushing injury of wrist and hand (S67.-)
where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: crushing injury of wrist and hand (S67.-)
with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (T79.5) to identify crush syndrome.

S60.8 Other superficial injuries of wrist and hand**Status of code(s):** Created – **First Edition****WHO ICD-10:**

S60.8 Other superficial injuries of wrist and hand

ICD-10-AM First Edition:

S60.8 Other superficial injuries of wrist and hand
S60.81 Abrasion of wrist and hand
S60.82 Blister of wrist and hand
S60.83 Insect bite of wrist and hand
S60.84 Superficial foreign body (splinter) of wrist and hand
S60.88 Other superficial injuries of wrist and hand

S61 Open wound of wrist and hand**Status of includes note:** Deleted – **Seventh Edition****Status of instructional note(s):** Revised – **Twelfth Edition****ICD-10-AM Eleventh Edition:**

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S61.0 Open wound of finger(s) without damage to nail**Status of inclusion term(s):** Revised – **Eleventh Edition****ICD-10-AM Tenth Edition:**

Open wound of finger(s) NOS
Open wound of thumb

ICD-10-AM Eleventh Edition:

Open wound of:
• finger(s) NOS
• thumb

S61.8 Open wound of other parts of wrist and hand**Status of code(s):****Created – First Edition****Status of code(s):****Created/Deleted – Second Edition****WHO ICD-10:**

S61.8 Open wound of other parts of wrist and hand

ICD-10-AM First Edition:

S61.8 Open wound of other parts of wrist and hand

S61.80 Unspecified open wound of other parts of wrist and hand

S61.81 Open wound (of any part of wrist and hand) communicating with a fracture

S61.82 Open wound (of any part of wrist and hand) communicating with a dislocation

ICD-10-AM Second Edition:

S61.8 Open wound of other parts of wrist and hand

S61.81 Open wound (of any part of wrist and hand) communicating with a fracture

S61.82 Open wound (of any part of wrist and hand) communicating with a dislocation

S61.88 Open wound of other parts of wrist and hand

S61.9 Open wound of wrist and hand, part unspecified**Status of code title:****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

S61.9 Open wound of wrist and hand part, part unspecified

ICD-10-AM Eighth Edition:

S61.9 Open wound of wrist and hand, part unspecified

S62 Fracture at wrist and hand level**Status of code(s):****Revised – First Edition****Status of instructional note(s):****Revised – Twelfth Edition****WHO ICD-10:**

S62 Fracture at wrist and hand level

Optional fifth character subdivision:

0 Closed

1 Open

ICD-10-AM First Edition:

S62 Fracture at wrist and hand level

ICD-10-AM Eleventh Edition:*Use additional open wound code S61.81 with category S62 to identify an open/compound fracture [open wound communicating with a fracture].***ICD-10-AM Twelfth Edition:***Use additional code (S61.81) to identify an open/compound fracture [open wound communicating with a fracture].*

S62.1 Fracture of other carpal bone(s)**Status of code(s):****Created – First Edition****WHO ICD-10:**

S62.1 Fracture of other carpal bone(s)

ICD-10-AM First Edition:

S62.1 Fracture of other carpal bone(s)
 S62.10 Fracture of carpal bone, unspecified
 S62.11 Fracture of lunate bone of wrist
 S62.12 Fracture of triquetral bone of wrist
 S62.13 Fracture of pisiform
 S62.14 Fracture of trapezium bone
 S62.15 Fracture of trapezoid bone
 S62.16 Fracture of capitate bone
 S62.17 Fracture of hamate bone
 S62.19 Fracture of other and multiple carpal bones

S62.2 Fracture of first metacarpal bone**Status of code(s):****Created – First Edition****WHO ICD-10:**

S62.2 Fracture of first metacarpal bone

ICD-10-AM First Edition:

S62.2 Fracture of first metacarpal bone
 S62.20 Fracture of first metacarpal bone, part unspecified
 S62.21 Fracture of base of first metacarpal bone
 S62.22 Fracture of shaft of first metacarpal bone
 S62.23 Fracture of neck of first metacarpal bone
 S62.24 Fracture of head of first metacarpal bone

S62.3 Fracture of other metacarpal bone**Status of code(s):****Created – First Edition****WHO ICD-10:**

S62.3 Fracture of other metacarpal bone

ICD-10-AM First Edition:

S62.3 Fracture of other metacarpal bone
 S62.30 Fracture of other metacarpal bone(s), part unspecified
 S62.31 Fracture of base of other metacarpal bone(s)
 S62.32 Fracture of shaft of other metacarpal bone(s)
 S62.33 Fracture of neck of other metacarpal bone(s)
 S62.34 Fracture of head of other metacarpal bone(s)

S62.5 Fracture of thumb**Status of code(s):****Created – First Edition****WHO ICD-10:**

S62.5 Fracture of thumb

ICD-10-AM First Edition:

S62.5 Fracture of thumb
 S62.50 Fracture of thumb, part unspecified
 S62.51 Fracture of proximal phalanx of thumb
 S62.52 Fracture of distal phalanx of thumb

S62.6 Fracture of other finger**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S62.6 Fracture of other finger

ICD-10-AM First Edition:

S62.6 Fracture of other finger
 S62.60 Fracture of phalanx, part unspecified
 S62.61 Fracture of proximal phalanx
 S62.62 Fracture of middle phalanx
 S62.63 Fracture of distal phalanx

S63 Dislocation, sprain and strain of joints and ligaments at wrist and hand level**Status of instructional note(s):****Deleted – *Twelfth Edition*****S63.0 Dislocation of wrist****Status of code(s):****Created – *First Edition*****Status of instructional note(s):****Created – *Twelfth Edition*****WHO ICD-10:**

S63.0 Dislocation of wrist

ICD-10-AM First Edition:

S63.0 Dislocation of wrist
 S63.00 Dislocation of wrist, part unspecified
 S63.01 Dislocation of radioulnar (joint), distal
 S63.02 Dislocation of radiocarpal (joint)
 S63.03 Dislocation of midcarpal (joint)
 S63.04 Dislocation of carpometacarpal (joint)
 S63.08 Dislocation of other part of wrist

S63.1 Dislocation of finger**Status of code(s):****Created – *First Edition*****Status of instructional note(s):****Created – *Twelfth Edition*****WHO ICD-10:**

S63.1 Dislocation of finger

ICD-10-AM First Edition:

S63.1 Dislocation of finger
 S63.10 Dislocation of finger, part unspecified
 S63.11 Dislocation of metacarpophalangeal (joint)
 S63.12 Dislocation of interphalangeal (joint), hand

S63.2 Multiple dislocations of fingers**Status of instructional note(s):****Created – *Twelfth Edition***

S63.5 Sprain and strain of wrist**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S63.5 Sprain and strain of wrist

ICD-10-AM First Edition:

S63.5 Sprain and strain of wrist
 S63.50 Sprain and strain of wrist, part unspecified
 S63.51 Sprain and strain of carpal (joint)
 S63.52 Sprain and strain of radiocarpal (joint) (ligament)
 S63.53 Sprain and strain of carpometacarpal (joint)
 S63.58 Sprain and strain of other parts of wrist

S63.6 Sprain and strain of finger(s)**Status of code(s):** Created – *First Edition***WHO ICD-10:**

S63.6 Sprain and strain of finger(s)

ICD-10-AM First Edition:

S63.6 Sprain and strain of finger(s)
 S63.60 Sprain and strain of finger(s), part unspecified
 S63.61 Sprain and strain of metacarpophalangeal (joint)
 S63.62 Sprain and strain of interphalangeal (joint), hand
 S63.68 Sprain and strain of other parts of finger

S67 Crushing injury of wrist and hand**Status of excludes note:** Revised – *Eleventh Edition***Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Tenth Edition:****Excludes:** where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only**ICD-10-AM Eleventh Edition:***Code also crush syndrome (T79.5) if applicable.***Excludes:** with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index**ICD-10-AM Twelfth Edition:***Use additional code (T79.5) to identify crush syndrome.***S70.8 Other superficial injuries of hip and thigh****Status of code(s):** Created – *First Edition***WHO ICD-10:**

S70.8 Other superficial injuries of hip and thigh

ICD-10-AM First Edition:

S70.8 Other superficial injuries of hip and thigh
 S70.81 Abrasion of hip and thigh
 S70.82 Blister of hip and thigh
 S70.83 Insect bite of hip and thigh
 S70.84 Superficial foreign body (splinter) of hip and thigh
 S70.88 Other superficial injuries of hip and thigh

S71 Open wound of hip and thigh

Status of includes note: Deleted – **Seventh Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S71.8 Open wound of other and unspecified parts of pelvic girdle

Status of code(s): Created – **First Edition**

WHO ICD-10:

S71.8 Open wound of other and unspecified parts of pelvic girdle

ICD-10-AM First Edition:

S71.8 Open wound of other and unspecified parts of pelvic girdle
 S71.80 Open wound of other and unspecified parts of pelvic girdle
 S71.81 Open wound (of any part of hip and thigh) communicating with a fracture
 S71.82 Open wound (of any part of hip and thigh) communicating with a dislocation

S72 Fracture of femur

Status of code(s): Revised – **First Edition**
Status of instructional note(s): Revised – **Twelfth Edition**

WHO ICD-10:

S72 Fracture of femur

Optional fifth character subdivision:

0 Closed
 1 Open

ICD-10-AM First Edition:

S72 Fracture of femur

ICD-10-AM Eleventh Edition:

Use additional open wound code S71.81 with category S72 to identify an open/compound fracture [open wound communicating with a fracture].

ICD-10-AM Twelfth Edition:

Use additional code (S71.81) to identify an open/compound fracture [open wound communicating with a fracture].

S72.0 Fracture of neck of femur*Status of code(s):**Created – First Edition***WHO ICD-10:**

S72.0 Fracture of neck of femur

ICD-10-AM First Edition:

S72.0 Fracture of neck of femur
 S72.00 Fracture of neck of femur, part unspecified
 S72.01 Fracture of intracapsular section of femur
 S72.02 Fracture of upper epiphysis (separation) of femur
 S72.03 Fracture of subcapital section of femur
 S72.04 Fracture of midcervical section of femur
 S72.05 Fracture of base of neck of femur
 S72.08 Fracture of other parts of neck of femur

S72.1 Pertrochanteric fracture*Status of code(s):**Created – First Edition***WHO ICD-10:**

S72.1 Pertrochanteric fracture

ICD-10-AM First Edition:

S72.1 Pertrochanteric fracture
 S72.10 Fracture of trochanteric section of femur, unspecified
 S72.11 Fracture of intertrochanteric section of femur

S72.4 Fracture of lower end of femur*Status of code(s):**Created – First Edition***WHO ICD-10:**

S72.4 Fracture of lower end of femur

ICD-10-AM First Edition:

S72.4 Fracture of lower end of femur
 S72.40 Fracture of lower end of femur, part unspecified
 S72.41 Fracture of femoral condyle
 S72.42 Fracture of lower epiphysis (separation) of femur
 S72.43 Supracondylar fracture of femur
 S72.44 Intercondylar fracture of femur

S73 Dislocation, sprain and strain of joint and ligaments of hip*Status of instructional note(s):**Deleted – Twelfth Edition*

S73.0 Dislocation of hip

Status of code(s): Created – *First Edition*
Status of instructional note(s): Created – *Twelfth Edition*

WHO ICD-10:

S73.0 Dislocation of hip

ICD-10-AM First Edition:

S73.0 Dislocation of hip
 S73.00 Dislocation of hip, unspecified
 S73.01 Posterior dislocation of hip
 S73.02 Anterior dislocation of hip
 S73.08 Other dislocation of hip

S73.1 Sprain and strain of hip

Status of code(s): Created – *First Edition*

WHO ICD-10:

S73.1 Sprain and strain of hip

ICD-10-AM First Edition:

S73.1 Sprain and strain of hip
 S73.10 Sprain and strain of hip, part unspecified
 S73.11 Sprain and strain of iliofemoral (ligament)
 S73.12 Sprain and strain of ischiocapsular (ligament)
 S73.18 Sprain and strain of other specified sites of hip

S77 Crushing injury of hip and thigh

Status of excludes note: Revised – *Eleventh Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

ICD-10-AM Tenth Edition:

Excludes: where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (T79.5) to identify crush syndrome.

S79 Other and unspecified injuries of hip and thigh

Status of code title: Revised – *Ninth Edition*

ICD-10-AM Eighth Edition:

S79 Other and specified injuries of hip and thigh

ICD-10-AM Ninth Edition:

S79 Other and unspecified injuries of hip and thigh

S80.8 Other superficial injuries of lower leg**Status of code(s):****Created – First Edition****WHO ICD-10:**

S80.8 Other superficial injuries of lower leg

ICD-10-AM First Edition:

S80.8 Other superficial injuries of lower leg

S80.81 Abrasion of lower leg

S80.82 Blister of lower leg

S80.83 Insect bite of lower leg

S80.84 Superficial foreign body (splinter) of lower leg

S80.88 Other superficial injuries of lower leg

S81 Open wound of lower leg**Status of includes note:****Deleted – Seventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:***Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.***ICD-10-AM Twelfth Edition:***Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.***S81.8 Open wound of other parts of lower leg****Status of code(s):****Created – First Edition****Status of code(s):****Created/Deleted – Second Edition****WHO ICD-10:**

S81.8 Open wound of other parts of lower leg

ICD-10-AM First Edition:

S81.8 Open wound of other parts of lower leg

S81.80 Unspecified open wound of other parts of lower leg

S81.81 Open wound (of any part of lower leg) communicating with a fracture

S81.82 Open wound (of any part of lower leg) communicating with a dislocation

ICD-10-AM Second Edition:

S81.8 Open wound of other parts of lower leg

S81.81 Open wound (of any part of lower leg) communicating with a fracture

S81.82 Open wound (of any part of lower leg) communicating with a dislocation

S81.88 Open wound of other parts of lower leg

S81.82 Open wound (of any part of lower leg) communicating with a dislocation**Status of instructional note(s):****Revised – Fifth Edition****ICD-10-AM Fourth Edition:***Code first the dislocation (S83)***ICD-10-AM Fifth Edition:***Code first the dislocation (S83.0–S83.18)*

S82 Fracture of lower leg, including ankle

Status of code(s): Revised – *First Edition*
Status of instructional note(s): Revised – *Twelfth Edition*

WHO ICD-10:

S82 Fracture of lower leg, including ankle

Optional fifth character subdivision:

0 Closed

1 Open

ICD-10-AM First Edition:

S82 Fracture of lower leg, including ankle

ICD-10-AM Eleventh Edition:

Use additional open wound code S81.81 or S91.81 with category S82 to identify an open/compound fracture [open wound communicating with a fracture].

ICD-10-AM Twelfth Edition:

Use additional code (S81.81, S91.81) to identify open/compound fracture [open wound communicating with a fracture].

S82.1 Fracture of upper end of tibia

Status of code(s): Created – *First Edition*
Status of inclusion term(s): Revised – *Eighth Edition*

WHO ICD-10:

S82.1 Fracture of upper end of tibia

ICD-10-AM First Edition:

S82.1 Fracture of upper end of tibia

S82.11 Fracture of upper end of tibia with fracture of fibula (any part)

S82.18 Other fracture of upper end of tibia

ICD-10-AM Seventh Edition:

Tibial:

- condyles
- head
- proximal end
- tuberosity

ICD-10-AM Eighth Edition:

Tibial:

- condyles
- head
- plateau
- proximal end
- tuberosity

S82.11 Fracture of upper end of tibia with fracture of fibula [any part]

Status of code title: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

S82.11 Fracture of upper end of tibia with fracture of fibula (any part)

ICD-10-AM Thirteenth Edition:

S82.11 Fracture of upper end of tibia with fracture of fibula [any part]

S82.18 Other fracture of upper end of tibia**Status of inclusion term(s):** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**Upper end of tibia, alone
Upper end of tibia, NOS**ICD-10-AM Thirteenth Edition:**Fracture of upper end of tibia:
• alone
• NOS**S82.2 Fracture of shaft of tibia****Status of code(s):** Created – *First Edition***WHO ICD-10:**

S82.2 Fracture of shaft of tibia

ICD-10-AM First Edition:S82.2 Fracture of shaft of tibia
S82.21 Fracture of shaft of tibia with fracture of fibula (any part)
S82.28 Other fracture of shaft of tibia**S82.21 Fracture of shaft of tibia with fracture of fibula [any part]****Status of code title:** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

S82.21 Fracture of shaft of tibia with fracture of fibula (any part)

ICD-10-AM Thirteenth Edition:

S82.21 Fracture of shaft of tibia with fracture of fibula [any part]

S82.28 Other fracture of shaft of tibia**Status of inclusion term(s):** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**Shaft of tibia, alone
Shaft of tibia, NOS
Tibia, NOS**ICD-10-AM Thirteenth Edition:**Fracture of:
• shaft of tibia:
• alone
• NOS
• tibia NOS**S82.3 Fracture of lower end of tibia****Status of code(s):** Created – *First Edition***WHO ICD-10:**

S82.3 Fracture of lower end of tibia

ICD-10-AM First Edition:S82.3 Fracture of lower end of tibia
S82.31 Other fracture of lower end of tibia with fracture of fibula (any part)
S82.38 Other fracture of lower end of tibia

S82.38 Other fracture of lower end of tibia

Status of inclusion term(s): *Revised – Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Fracture of lower end of tibia, alone
Fracture of lower end of tibia, NOS

ICD-10-AM Thirteenth Edition:

Fracture of lower end of tibia:

- alone
- NOS

S82.4 Fracture of fibula alone

Status of code(s): *Created – First Edition*

WHO ICD-10:

S82.4 Fracture of fibula alone

ICD-10-AM First Edition:

S82.4 Fracture of fibula alone
S82.40 Fracture of fibula, part unspecified
S82.41 Fracture of upper end of fibula
S82.42 Fracture of shaft of fibula
S82.49 Multiple fractures of fibula

S82.5 Fracture of medial malleolus

Status of excludes note: *Created – Seventh Edition*
Status of excludes note: *Revised – Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Excludes: that with:

- lateral malleolus fracture (S82.81)
 - and posterior malleolus fracture (S82.82)
- posterior malleolus fracture (S82.81)
 - and lateral malleolus fracture (S82.82)

ICD-10-AM Thirteenth Edition:

Excludes: that with:

- lateral malleolus fracture:
 - and posterior malleolus fracture (S82.82)
 - NOS (S82.81)
- posterior malleolus fracture:
 - and lateral malleolus fracture (S82.82)
 - NOS (S82.81)

S82.6 Fracture of lateral malleolus**Status of inclusion term(s):****Status of excludes note:****Status of excludes note:****Revised – Seventh Edition****Created – Seventh Edition****Revised – Thirteenth Edition****ICD-10-AM Sixth Edition:**

Fibula involving:

- ankle
- malleolus

ICD-10-AM Seventh Edition:

Fibula involving:

- ankle
- malleolus

Weber fracture NOS

ICD-10-AM Twelfth Edition:**Excludes:** that with:

- medial malleolus fracture (S82.81)
 - and posterior malleolus fracture (S82.82)
- posterior malleolus fracture (S82.81)
 - and medial malleolus fracture (S82.82)

ICD-10-AM Thirteenth Edition:**Excludes:** that with:

- medial malleolus fracture:
 - and posterior malleolus fracture (S82.82)
 - NOS (S82.81)
- posterior malleolus fracture:
 - and medial malleolus fracture (S82.82)
 - NOS (S82.81)

S82.7 Multiple fracture of lower leg**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:****Excludes:** fractures of both tibia and fibula:

- lower ends (S82.31)
- shafts (S82.21)
- upper ends (S82.11)

ICD-10-AM Seventh Edition:**Excludes:** bimalleolar fracture, ankle (S82.81)

fractures of both tibia and fibula:

- lower ends (S82.31)
- shafts (S82.21)
- upper ends (S82.11)
- trimalleolar fracture, ankle (S82.82)

S82.8 Fractures of other parts of lower leg**Status of code(s):****Created – [First Edition](#)****WHO ICD-10:**

S82.8 Fractures of other parts of lower leg

ICD-10-AM First Edition:

S82.8 Fractures of other parts of lower leg

[S82.81](#) Bimalleolar fracture, ankle[S82.82](#) Trimalleolar fracture, ankle

S82.88 Fracture of other parts of lower leg

S82.81 Bimalleolar fracture, ankle**Status of inclusion term(s):****Created – [Seventh Edition](#)****S82.82 Trimalleolar fracture, ankle****Status of inclusion term(s):****Created – [Seventh Edition](#)****S83 Dislocation, sprain and strain of joints and ligaments of knee****Status of instructional note(s):****Revised – [Fifth Edition](#)****Status of instructional note(s):****Deleted – [Twelfth Edition](#)****Status of excludes note:****Revised – [Twelfth Edition Errata](#)****ICD-10-AM Fourth Edition:***Use additional open wound code S81.82 with subcategories S83.0–S83.3 to identify an open dislocation [open wound communicating with a dislocation].***ICD-10-AM Fifth Edition:***Use additional open wound code S81.82 with subcategories S83.0–S83.18 to identify an open dislocation [open wound communicating with a dislocation].***ICD-10-AM Twelfth Edition:****Excludes:**

derangement of:

- knee, internal (M23.-)
- patella (M22.0–M22.3)

dislocation of knee:

- old (M24.3-)
- pathological (M24.3-)
- recurrent (M24.4-)

sprain and strain of muscle and tendon at lower leg level (S86)

ICD-10-AM Twelfth Edition errata:**Excludes:**

derangement of:

- knee, internal (M23.-)
- patella (M22.0–M22.3)

dislocation of knee:

- old (M23.8-)
- pathological (M24.3-)
- recurrent (M24.4-)

sprain and strain of muscle and tendon at lower leg level (S86)

S83.0 Dislocation of patella**Status of instructional note(s):****Created – [Twelfth Edition](#)**

S83.1 Dislocation of knee**Status of code(s):****Created – *First Edition*****Status of instructional note(s):****Created – *Twelfth Edition*****WHO ICD-10:**

S83.1 Dislocation of knee

ICD-10-AM First Edition:

S83.1 Dislocation of knee

S83.10 Dislocation of knee, unspecified

S83.11 Anterior dislocation of tibia, proximal end

S83.12 Posterior dislocation of tibia, proximal end

S83.13 Medial dislocation of tibia, proximal end

S83.14 Lateral dislocation of tibia, proximal end

S83.18 Other dislocation of knee

S83.2 Tear of meniscus, current**Status of inclusion term(s):****Revised – *Twelfth Edition*****Status of excludes note:****Revised – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

Bucket-handle tear (of):

- lateral meniscus
- medial meniscus
- NOS

Excludes: old bucket-handle tear (M23.2-)**ICD-10-AM Twelfth Edition:**

Current bucket-handle tear (of):

- lateral meniscus
- medial meniscus

Excludes: bucket-handle tear:

- NOS (M23.2-)
- old (M23.2-)

S83.4 Sprain and strain involving (fibular) (tibial) collateral ligament of knee**Status of code(s):****Created – *First Edition*****WHO ICD-10:**

S83.4 Sprain and strain involving (fibular) (tibial) collateral ligament of knee

ICD-10-AM First Edition:

S83.4 Sprain and strain involving (fibular) (tibial) collateral ligament of knee

S83.40 Sprain and strain of unspecified collateral ligament

S83.41 Sprain and strain of lateral collateral ligament

S83.42 Sprain and strain of medial collateral ligament

S83.43 Rupture of lateral collateral ligament

S83.44 Rupture of medial collateral ligament

S83.5 Sprain and strain involving (anterior) (posterior) cruciate ligament of knee

Status of code(s):

Created – *First Edition*

WHO ICD-10:

S83.5 Sprain and strain involving (anterior) (posterior) cruciate ligament of knee

ICD-10-AM First Edition:

S83.5 Sprain and strain involving (anterior) (posterior) cruciate ligament of knee

S83.50 Sprain and strain of unspecified cruciate ligament

S83.51 Sprain and strain of anterior cruciate ligament

S83.52 Sprain and strain of posterior cruciate ligament

S83.53 Rupture of anterior cruciate ligament

S83.54 Rupture of posterior cruciate ligament

S87 Crushing injury of lower leg

Status of excludes note:

Revised – *Eleventh Edition*

Status of instructional note(s):

Revised – *Twelfth Edition*

ICD-10-AM Tenth Edition:

Excludes: crushing injury of ankle and foot (S97.-)
where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: crushing injury of ankle and foot (S97.-)
with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (T79.5) to identify crush syndrome.

S90.8 Other superficial injuries of ankle and foot

Status of code(s):

Created – *First Edition*

WHO ICD-10:

S90.8 Other superficial injuries of ankle and foot

ICD-10-AM First Edition:

S90.8 Other superficial injuries of ankle and foot

S90.81 Abrasion of ankle and foot

S90.82 Blister of ankle and foot

S90.83 Insect bite of ankle and foot

S90.84 Superficial foreign body (splinter) of ankle and foot

S90.88 Other superficial injuries of ankle and foot

S91 Other wound of ankle and foot

Status of includes note: Deleted – [Sixth Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code T89.0- to indicate open wound with complication of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

S91.8 Other open wounds of ankle and foot

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

No concept in WHO ICD-10

ICD-10-AM First Edition:

S91.8 Other open wounds of ankle and foot
 S91.81 Open wound (of any part of ankle and foot) communicating with a fracture
[S91.82](#) Open wound (of any part of ankle and foot) communicating with a dislocation

S91.82 Open wound (of any part of ankle and foot) communicating with a dislocation

Status of instructional note(s): Revised – [Fifth Edition](#)

ICD-10-AM Fourth Edition:

Code first the dislocation (S83.-, S93.-).

ICD-10-AM Fifth Edition:

Code first the dislocation (S93.0–S93.3-).

S92 Fracture of foot, except ankle

Status of code(s): Revised – [First Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

WHO ICD-10:

S92 Fracture of foot, except ankle

Optional fifth character subdivision:

0 Closed
 1 Open

ICD-10-AM First Edition:

S92 Fracture of foot, except ankle

ICD-10-AM Eleventh Edition:

Use additional open wound code S91.81 with category S92.0–S92.9 to identify an open/compound fracture [open wound communicating with a fracture].

ICD-10-AM Twelfth Edition:

Use additional code (S91.81) to identify open/compound fracture [open wound communicating with a fracture].

S92.2 Fracture of other tarsal bone(s)*Status of code(s):**Created – First Edition***WHO ICD-10:**

S92.2 Fracture of other tarsal bone(s)

ICD-10-AM First Edition:

S92.2 Fracture of other tarsal bone(s)
 S92.20 Fracture of tarsal bone(s), unspecified
 S92.21 Fracture of navicular [scaphoid], foot
 S92.22 Fracture of cuboid, foot
 S92.23 Fracture of cuneiform, foot
 S92.28 Fracture of other part of tarsal bone

S93 Dislocation, sprain and strain of joints and ligaments at ankle and foot level*Status of instructional note(s):**Deleted – Twelfth Edition***S93.0 Dislocation of ankle joint***Status of instructional note(s):**Created – Twelfth Edition***S93.1 Dislocation of toe(s)***Status of code(s):**Created – First Edition**Status of instructional note(s):**Created – Twelfth Edition***WHO ICD-10:**

S93.1 Dislocation of toe(s)

ICD-10-AM First Edition:

S93.1 Dislocation of toe(s)
 S93.10 Dislocation of toe(s), unspecified
 S93.11 Dislocation of metatarsophalangeal (joint)
 S93.12 Dislocation of interphalangeal (joint), foot

S93.3 Dislocation of other and unspecified parts of foot*Status of code(s):**Created – First Edition**Status of instructional note(s):**Created – Twelfth Edition***WHO ICD-10:**

S93.3 Dislocation of other and unspecified parts of foot

ICD-10-AM First Edition:

S93.3 Dislocation of other and unspecified parts of foot
 S93.30 Dislocation of foot, part unspecified
 S93.31 Dislocation of tarsal (bone), joint unspecified
 S93.32 Dislocation of midtarsal (joint)
 S93.33 Dislocation of tarsometatarsal (joint)
 S93.34 Dislocation of metatarsal (bone), joint unspecified
 S93.38 Dislocation of other part of foot

S93.4 Sprain and strain of ankle**Status of code(s):****Created – First Edition****WHO ICD-10:**

S93.4 Sprain and strain of ankle

ICD-10-AM First Edition:

S93.4 Sprain and strain of ankle
 S93.40 Sprain and strain of ankle, part unspecified
 S93.41 Sprain and strain of deltoid (ligament), ankle
 S93.42 Sprain and strain of calcaneofibular (ligament)
 S93.43 Sprain and strain of tibiofibular (ligament)
 S93.48 Sprain and strain of other parts of ankle

S97 Crushing injury of ankle and foot**Status of excludes note:****Revised – Eleventh Edition****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Tenth Edition:**

Excludes: where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Code also crush syndrome (T79.5) if applicable.

Excludes: with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

ICD-10-AM Twelfth Edition:

Use additional code (T79.5) to identify crush syndrome.

T01 Open wounds involving multiple body regions**Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Use additional code T89.- to indicate open wounds with complications of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.-) to identify open wounds with foreign body, infection or delayed healing/treatment or other or unspecified complication.

T02 Fractures involving multiple body regions**Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

The following fifth character subdivisions are provided for use with subcategory T02. A fracture not indicated as closed or open should be classified as closed.

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories T02.0–T02.9. A fracture not indicated as closed or open should be classified as closed.

T08 Fracture of spine, level unspecified**Status of instructional note(s):** Revised – *Eighth Edition***ICD-10-AM Seventh Edition:**

The following fourth character subdivisions are provided for use with subcategory T08. A fracture not indicated as closed or open should be classified as closed.

ICD-10-AM Eighth Edition:

The following fourth character subdivisions are for use with subcategory T08. A fracture not indicated as closed or open should be classified as closed.

T09.0 Superficial injury of trunk, level unspecified**Status of code(s):** Created – *First Edition***WHO ICD-10:**

T09.0 Superficial injury of trunk, level unspecified

ICD-10-AM First Edition:

T09.0 Superficial injury of trunk, level unspecified
 T09.00 Unspecified superficial injury of trunk, level unspecified
 T09.01 Abrasion of trunk, level unspecified
 T09.02 Blister of trunk, level unspecified
 T09.03 Insect bite of trunk, level unspecified
 T09.04 Superficial foreign body (splinter) of trunk, level unspecified
 T09.05 Contusion of trunk, level unspecified
 T09.08 Other superficial injury of trunk, level unspecified

T09.1 Open wound of trunk, level unspecified**Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:**

Use additional code T89.0- to indicate open wounds with complications of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

T10 Fracture of upper limb, level unspecified**Status of instructional note(s):** Revised – *Eighth Edition***ICD-10-AM Seventh Edition:**

The following fourth character subdivisions are provided for use with subcategory T10. A fracture not indicated as closed or open should be classified as closed.

ICD-10-AM Eighth Edition:

The following fourth character subdivisions are for use with subcategory T10. A fracture not indicated as closed or open should be classified as closed.

T11.0 Superficial injury of upper limb, level unspecified**Status of code(s):****Created – First Edition****WHO ICD-10:**

T11.0 Superficial injury of upper limb, level unspecified

ICD-10-AM First Edition:

T11.0 Superficial injury of upper limb, level unspecified
 T11.00 Unspecified superficial injury of upper limb, level unspecified
 T11.01 Abrasion of upper limb, level unspecified
 T11.02 Blister of upper limb, level unspecified
 T11.03 Insect bite of upper limb, level unspecified
 T11.04 Superficial foreign body (splinter) of upper limb, level unspecified
 T11.05 Contusion of upper limb, level unspecified
 T11.08 Other superficial injury of upper limb, level unspecified

T11.1 Open wound of upper limb, level unspecified**Status of instructional note(s):****Created – Seventh Edition Errata 5****Status of instructional note(s):****Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Use additional code T89.0- to indicate open wounds with complications of foreign body, infection and delayed healing/treatment.

ICD-10-AM Twelfth Edition:

Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.

T12 Fracture of lower limb, level unspecified**Status of instructional note(s):****Revised – Eighth Edition****ICD-10-AM Seventh Edition:**

The following fourth character subdivisions are provided for use with subcategory T12. A fracture not indicated as closed or open should be classified as closed.

ICD-10-AM Eighth Edition:

The following fourth character subdivisions are for use with subcategory T12. A fracture not indicated as closed or open should be classified as closed.

T13.0 Superficial injury of lower limb, level unspecified**Status of code(s):****Created – First Edition****WHO ICD-10:**

T13.0 Superficial injury of lower limb, level unspecified

ICD-10-AM First Edition:

T13.0 Superficial injury of lower limb, level unspecified
 T13.00 Unspecified superficial injury of lower limb, level unspecified
 T13.01 Abrasion of lower limb, level unspecified
 T13.02 Blister of lower limb, level unspecified
 T13.03 Insect bite of lower limb, level unspecified
 T13.04 Superficial foreign body (splinter) of lower limb, level unspecified
 T13.05 Contusion of lower limb, level unspecified
 T13.08 Other superficial injury of lower limb, level unspecified

T13.1 Open wound of lower limb, level unspecified**Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:***Use additional code T89.0- to indicate open wounds with complications of foreign body, infection and delayed healing/treatment.***ICD-10-AM Twelfth Edition:***Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.***T14.0 Superficial injury of unspecified body region****Status of code(s):** Created – *First Edition***WHO ICD-10:**

T14.0 Superficial injury of unspecified body region

ICD-10-AM First Edition:

T14.0 Superficial injury of unspecified body region
 T14.00 Unspecified superficial injury of unspecified body region
 T14.01 Abrasion of unspecified body region
 T14.02 Blister of unspecified body region
 T14.03 Insect bite of unspecified body region
 T14.04 Superficial foreign body (splinter) of unspecified body region
 T14.05 Contusion of unspecified body region
 T14.08 Other superficial injury of unspecified body region

T14.1 Open wound of unspecified body region**Status of instructional note(s):** Revised – *Twelfth Edition***ICD-10-AM Eleventh Edition:***Use additional code T89.0- to indicate open wounds with complications of foreign body, infection and delayed healing/treatment.***ICD-10-AM Twelfth Edition:***Use additional code (T89.0-) to identify open wound with foreign body, infection, delayed healing/treatment, or other or unspecified complication.***T14.3 Dislocation, sprain and strain of unspecified body region****Status of inclusion term(s):** Revised – *Eleventh Edition***ICD-10-AM Tenth Edition:**

Avulsion		
Laceration		
Sprain		
Strain		
Traumatic:	of joint (capsule), ligament	NOS
• haemarthrosis		
• rupture		
• subluxation		
• tear		

ICD-10-AM Eleventh Edition:

Avulsion:

- cartilage NOS
- joint (capsule) NOS

Laceration of ligament NOS

Rupture cartilage NOS

Sprain NOS

Strain NOS

Traumatic:

- cartilage tear NOS
- haemarthrosis NOS
- ligament tear NOS
- subluxation of joint (capsule) NOS

T14.7 Crushing injury and traumatic amputation of unspecified body region**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: multiple:

- crushing injuries NOS (T04.9)
- traumatic amputations NOS (T05.9)

where the type of injury is known (eg contusion, fracture, dislocation, internal injury) code to the type of injury only

ICD-10-AM Eleventh Edition:

Excludes: multiple:

- crushing injuries NOS (T04.9)
- traumatic amputations NOS (T05.9)

with specific type of injury (eg contusion, fracture, dislocation, internal injury) — code specific type of injury only — see Alphabetic Index

T15–T19 Effects of foreign body entering through natural orifice**Status of excludes note:****Revised – Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: foreign body:

- accidentally left in operation wound (T81.5)
- in puncture wound — see open wound by body region
- residual, in soft tissue (M79.5)

splinter, without major open wound — see superficial injury by body region

ICD-10-AM Eleventh Edition:

Excludes: foreign body:

- accidentally left in operation wound (T81.5)
- in puncture wound (T89.01)
- residual, in soft tissue (M79.5)

splinter, without major open wound — see Alphabetic Index: *Splinter*

T19.4 Foreign body in ureter**Status of code:****Created – Twelfth Edition**

T19.8 Foreign body in other and multiple parts of genitourinary tract**Status of code(s):****Created – *Twelfth Edition*****ICD-10-AM Eleventh Edition:**

T19.8 Foreign body in other and multiple parts of genitourinary tract

ICD-10-AM Twelfth Edition:

T19.8 Foreign body in other and multiple parts of genitourinary tract

T19.81 Foreign body in other and multiple parts of male genitourinary tract

T19.82 Foreign body in other and multiple parts of female genitourinary tract

T20–T31 Burns**Status of excludes note(s):****Revised – *Eighth Edition*****T20 Burn of head and neck****Status of code(s):****Revised – *First Edition*****WHO ICD-10:**

T20 Burn and corrosion of head and neck

T20.0 Burn of unspecified degree of head and neck

T20.1 Burn of first degree of head and neck

T20.2 Burn of second degree of head and neck

T20.3 Burn of third degree of head and neck

T20.4 Corrosion of unspecified degree of head and neck

T20.5 Corrosion of first degree of head and neck

T20.6 Corrosion of second degree of head and neck

T20.7 Corrosion of third degree of head and neck

ICD-10-AM First Edition:

T20 Burn of head and neck

T20.0 Burn of unspecified thickness of head and neck

T20.1 Erythema of head and neck

T20.2 Partial thickness [blisters, epidermal loss] burn of head and neck

T20.3 Full thickness burn of head and neck

T21 Burn of trunk**Status of code title(s):****Revised – *First Edition*****Status of code(s):****Created – *First Edition*****Status of instructional note(s):****Revised – *Eighth Edition*****Status of inclusion term(s):****Revised – *Ninth Edition*****WHO ICD-10:**

T21 Burn and corrosion of trunk

T21.0 Burn of unspecified degree of trunk

T21.1 Burn of first degree of trunk

T21.2 Burn of second degree of trunk

T21.3 Burn of third degree of trunk

T21.4 Corrosion of unspecified degree of trunk

T21.5 Corrosion of first degree of trunk

T21.6 Corrosion of second degree of trunk

T21.7 Corrosion of third degree of trunk

ICD-10-AM First Edition:

T21	Burn of trunk
T21.0	Burn of unspecified thickness of trunk
T21.00	Burn of unspecified thickness of trunk, unspecified site
T21.01	Burn of unspecified thickness of breast
T21.02	Burn of unspecified thickness of chest wall, excluding breast and nipple thorax [external]
T21.03	Burn of unspecified thickness of abdominal wall
T21.04	Burn of unspecified thickness of back [any part]
T21.05	Burn of unspecified thickness of genitalia [external]
T21.09	Burn of unspecified thickness of other sites of trunk
T21.1	Erythema of trunk
T21.10	Erythema of trunk, unspecified site
T21.11	Erythema of breast
T21.12	Erythema of chest wall, excluding breast and nipple thorax [external]
T21.13	Erythema of abdominal wall
T21.14	Erythema of back [any part]
T21.15	Erythema of genitalia [external]
T21.19	Erythema of other sites of trunk
T21.2	Partial thickness [blisters, epidermal loss] burn of trunk
T21.20	Partial thickness [blisters, epidermal loss] burn of trunk, unspecified site
T21.21	Partial thickness [blisters, epidermal loss] burn of breast
T21.22	Partial thickness [blisters, epidermal loss] burn of chest wall, excluding breast and nipple thorax [external]
T21.23	Partial thickness [blisters, epidermal loss] burn of abdominal wall
T21.24	Partial thickness [blisters, epidermal loss] burn of back [any part]
T21.25	Partial thickness [blisters, epidermal loss] burn of genitalia [external]
T21.29	Partial thickness [blisters, epidermal loss] burn of other sites of trunk
T21.3	Full thickness burn of trunk
T21.30	Full thickness burn of trunk, unspecified site
T21.31	Full thickness burn of breast
T21.32	Full thickness burn of chest wall, excluding breast and nipple thorax [external]
T21.33	Full thickness burn of abdominal wall
T21.34	Full thickness burn of back [any part]
T21.35	Full thickness burn of genitalia [external]
T21.39	Full thickness burn of other sites of trunk

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category T21:

ICD-10-AM Eighth Edition:

Includes:	abdominal wall
	anus
	back [any part]
	breast
	buttock
	chest wall
	flank
	groin
	interscapular region
	labium (majus)(minus)
	penis
	perineum
	scrotum
	testis
	vulva

The following fifth character subdivisions are for use with subcategories T21.0–T21.3: ...

ICD-10-AM Ninth Edition:

Includes:

- abdominal wall
- anus
- back [any part]
- breast
- buttock
- chest wall
- flank
- groin
- interscapular region
- labium (majus)(minus)
- nipple
- penis
- perineum
- scrotum
- testis
- vulva

T21.0 Burn of unspecified thickness of trunk**Status of code(s):****Created – First Edition****WHO ICD-10:**

T21.0 Burn of unspecified degree of trunk

ICD-10-AM First Edition:

T21.0 Burn of unspecified thickness of trunk
 T21.00 Burn of unspecified thickness of trunk, unspecified site
 T21.01 Burn of unspecified thickness of breast
 T21.02 Burn of unspecified thickness of chest wall, excluding breast and nipple thorax [external]
 T21.03 Burn of unspecified thickness of abdominal wall
 T21.04 Burn of unspecified thickness of back [any part]
 T21.05 Burn of unspecified thickness of genitalia [external]
 T21.09 Burn of unspecified thickness of other sites of trunk

T21.01 Burn of unspecified thickness of breast**Status of code(s):****Created – First Edition****Status of instructional note(s):****Created – Ninth Edition****T21.02 Burn of unspecified thickness of chest wall****Status of code(s):****Created – First Edition****Status of code title:****Revised – Ninth Edition****ICD-10-AM Eighth Edition:**

T21.02 Burn of unspecified thickness of chest wall, excluding breast and nipple thorax [external]

ICD-10-AM Ninth Edition:

T21.02 Burn of unspecified thickness of chest wall

T21.1 Erythema of trunk*Status of code(s):**Created – First Edition***WHO ICD-10:**

T21.1 Burn of first degree of trunk

ICD-10-AM First Edition:

T21.1 Erythema of trunk

T21.10 Erythema of trunk, unspecified site

T21.11 Erythema of breast

T21.12 Erythema of chest wall, excluding breast and nipple thorax [external]

T21.13 Erythema of abdominal wall

T21.14 Erythema of back [any part]

T21.15 Erythema of genitalia [external]

T21.19 Erythema of other sites of trunk

T21.11 Erythema of breast*Status of instructional note(s):**Created – Ninth Edition***T21.12 Erythema of chest wall***Status of code title:**Revised – Ninth Edition***ICD-10-AM Eighth Edition:**

T21.12 Erythema of chest wall, excluding breast and nipple thorax [external]

ICD-10-AM Ninth Edition:

T21.12 Erythema of chest wall

T21.2 Partial thickness [blisters, epidermal loss] burn of trunk*Status of code(s):**Created – First Edition***WHO ICD-10:**

T21.2 Burn of second degree of trunk

ICD-10-AM First Edition:

T21.2 Partial thickness [blisters, epidermal loss] burn of trunk

T21.20 Partial thickness [blisters, epidermal loss] burn of trunk, unspecified site

T21.21 Partial thickness [blisters, epidermal loss] burn of breast

T21.22 Partial thickness [blisters, epidermal loss] burn of chest wall, excluding breast and nipple thorax [external]

T21.23 Partial thickness [blisters, epidermal loss] burn of abdominal wall

T21.24 Partial thickness [blisters, epidermal loss] burn of back [any part]

T21.25 Partial thickness [blisters, epidermal loss] burn of genitalia [external]

T21.29 Partial thickness [blisters, epidermal loss] burn of other sites of trunk

T21.21 Partial thickness [blisters, epidermal loss] burn of breast*Status of inclusion term(s):**Created – Ninth Edition*

T21.22 Partial thickness [blisters, epidermal loss] burn of chest wall*Status of code title:**Revised – Ninth Edition***ICD-10-AM Eighth Edition:**

T21.22 Partial thickness [blisters, epidermal loss] burn of chest wall, excluding breast and nipple thorax [external]

ICD-10-AM Ninth Edition:

T21.22 Partial thickness [blisters, epidermal loss] burn of chest wall

T21.3 Full thickness burn of trunk*Status of code(s):**Created – First Edition***WHO ICD-10:**

T21.3 Burn of third degree of trunk

ICD-10-AM First Edition:

T21.3 Full thickness burn of trunk

T21.30 Full thickness burn of trunk, unspecified site

[T21.31](#) Full thickness burn of breast

[T21.32](#) Full thickness burn of chest wall, excluding breast and nipple thorax [external]

T21.33 Full thickness burn of abdominal wall

T21.34 Full thickness burn of back [any part]

T21.35 Full thickness burn of genitalia [external]

T21.39 Full thickness burn of other sites of trunk

T21.31 Full thickness burn of breast*Status of inclusion term(s):**Created – Ninth Edition***T21.32 Full thickness burn of chest wall***Status of code title:**Revised – Ninth Edition***ICD-10-AM Eighth Edition:**

T21.32 Full thickness burn of chest wall, excluding breast and nipple thorax [external]

ICD-10-AM Ninth Edition:

T21.32 Full thickness burn of chest wall

T22 Burn of shoulder and upper limb, except wrist and hand*Status of code title(s):**Revised – First Edition**Status of code(s):**Created – First Edition**Status of instructional note(s):**Revised – Eighth Edition***WHO ICD-10:**

T22 Burn and corrosion of shoulder and upper limb, except wrist and hand

T22.0 Burn of unspecified degree of shoulder and upper limb, except wrist and hand

T22.1 Burn of first degree of shoulder and upper limb, except wrist and hand

T22.2 Burn of second degree of shoulder and upper limb, except wrist and hand

T22.3 Burn of third degree of shoulder and upper limb, except wrist and hand

T22.4 Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand

T22.5 Corrosion of first degree of shoulder and upper limb, except wrist and hand

T22.6 Corrosion of second degree of shoulder and upper limb, except wrist and hand

T22.7 Corrosion of third degree of shoulder and upper limb, except wrist and hand

ICD-10-AM First Edition:

T22	Burn of shoulder and upper limb, except wrist and hand
T22.0	Burn of unspecified thickness of shoulder and upper limb, except wrist and hand
T22.00	Burn of unspecified thickness of shoulder and upper limb, except wrist and hand, unspecified site
T22.01	Burn of unspecified thickness forearm and elbow
T22.02	Burn of unspecified thickness arm (upper) and shoulder region
T22.1	Erythema of shoulder and upper limb, except wrist and hand
T22.10	Erythema of shoulder and upper limb, except wrist and hand, unspecified site
T22.11	Erythema of forearm and elbow
T22.12	Erythema of arm (upper) and shoulder region
T22.2	Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand
T22.20	Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand, unspecified site
T22.21	Partial thickness [blisters, epidermal loss] burn of forearm and elbow
T22.22	Partial thickness [blisters, epidermal loss] burn of arm (upper) and shoulder region
T22.3	Full thickness burn of shoulder and upper limb, except wrist and hand
T22.30	Full thickness burn of shoulder and upper limb, except wrist and hand, upper limb, unspecified site
T22.31	Full thickness burn of forearm and elbow
T22.32	Full thickness burn of arm (upper) and shoulder region

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with category T22:

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories T22.0–T22.3:

T22.0 Burn of unspecified thickness of shoulder and upper limb, except wrist and hand

Status of code(s):

Created – *First Edition*

WHO ICD-10:

T22.0	Burn of unspecified degree of shoulder and upper limb, except wrist and hand
-------	--

ICD-10-AM First Edition:

T22.0	Burn of unspecified thickness of shoulder and upper limb, except wrist and hand
T22.00	Burn of unspecified thickness of shoulder and upper limb, except wrist and hand, unspecified site
T22.01	Burn of unspecified thickness forearm and elbow
T22.02	Burn of unspecified thickness arm (upper) and shoulder region

T22.1 Erythema of shoulder and upper limb, except wrist and hand

Status of code(s):

Created – *First Edition*

WHO ICD-10:

T22.1	Burn of first degree of shoulder and upper limb, except wrist and hand
-------	--

ICD-10-AM First Edition:

T22.1	Erythema of shoulder and upper limb, except wrist and hand
T22.10	Erythema of shoulder and upper limb, except wrist and hand, unspecified site
T22.11	Erythema of forearm and elbow
T22.12	Erythema of arm (upper) and shoulder region

T22.2 Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand

Status of code(s):

Created – First Edition

WHO ICD-10:

T22.2 Burn of second degree of shoulder and upper limb, except wrist and hand

ICD-10-AM First Edition:

T22.2 Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand

T22.20 Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand, unspecified site

T22.21 Partial thickness [blisters, epidermal loss] burn of forearm and elbow

T22.22 Partial thickness [blisters, epidermal loss] burn of arm (upper) and shoulder region

T22.3 Full thickness burn of shoulder and upper limb, except wrist and hand

Status of code(s):

Created – First Edition

WHO ICD-10:

T22.3 Burn of third degree of shoulder and upper limb, except wrist and hand

ICD-10-AM First Edition:

T22.3 Full thickness burn of shoulder and upper limb, except wrist and hand

T22.30 Full thickness burn of shoulder and upper limb, except wrist and hand, upper limb, unspecified site

T22.31 Full thickness burn of forearm and elbow

T22.32 Full thickness burn of arm (upper) and shoulder region

T23 Burn of wrist and hand

Status of code(s):

Revised – First Edition

WHO ICD-10:

T23 Burn and corrosion of wrist and hand

T23.0 Burn of unspecified degree of wrist and hand

T23.1 Burn of first degree of wrist and hand

T23.2 Burn of second degree of wrist and hand

T23.3 Burn of third degree of wrist and hand

T23.4 Corrosion of unspecified degree of wrist and hand

T23.5 Corrosion of first degree of wrist and hand

T23.6 Corrosion of second degree of wrist and hand

T23.7 Corrosion of third degree of wrist and hand

ICD-10-AM First Edition:

T23 Burn of wrist and hand

T23.0 Burn of unspecified thickness of wrist and hand

T23.1 Erythema of wrist and hand

T23.2 Partial thickness [blisters, epidermal loss] burn of wrist and hand

T23.3 Full thickness burn of wrist and hand

T24 Burn of hip and lower limb, except ankle and foot**Status of code(s):****Revised – First Edition****WHO ICD-10:**

T24	Burn and corrosion of hip and lower limb, except ankle and foot
T24.0	Burn of unspecified degree of hip and lower limb, except ankle and foot
T24.1	Burn of first degree of hip and lower limb, except ankle and foot
T24.2	Burn of second degree of hip and lower limb, except ankle and foot
T24.3	Burn of third degree of hip and lower limb, except ankle and foot
T24.4	Corrosion of unspecified degree of hip and lower limb, except ankle and foot
T24.5	Corrosion of first degree of hip and lower limb, except ankle and foot
T24.6	Corrosion of second degree of hip and lower limb, except ankle and foot
T24.7	Corrosion of third degree of hip and lower limb, except ankle and foot

ICD-10-AM First Edition:

T24	Burn of hip and lower limb, except ankle and foot
T24.0	Burn of unspecified thickness of hip and lower limb, except ankle and foot
T24.1	Erythema of hip and lower limb, except ankle and foot
T24.2	Partial thickness [blisters, epidermal loss] burn of hip and lower limb, except ankle and foot
T24.3	Full thickness burn of hip and lower limb, except ankle and foot

T25 Burn of ankle and foot**Status of code(s):****Revised – First Edition****WHO ICD-10:**

T25	Burn and corrosion of ankle and foot
T25.0	Burn of unspecified degree of ankle and foot
T25.1	Burn of first degree of ankle and foot
T25.2	Burn of second degree of ankle and foot
T25.3	Burn of third degree of ankle and foot
T25.4	Corrosion of unspecified degree of ankle and foot
T25.5	Corrosion of first degree of ankle and foot
T25.6	Corrosion of second degree of ankle and foot
T25.7	Corrosion of third degree of ankle and foot

ICD-10-AM First Edition:

T25	Burn of ankle and foot
T25.0	Burn of unspecified thickness of ankle and foot
T25.1	Erythema of ankle and foot
T25.2	Partial thickness [blisters, epidermal loss] burn of ankle and foot
T25.3	Full thickness burn of ankle and foot

T26 Burn of eye and adnexa*Status of code(s):**Revised – First Edition***WHO ICD-10:**

T26	Burn and corrosion of eye and adnexa
T26.0	Burn of eyelid and periocular area
T26.1	Burn of cornea and conjunctival sac
T26.2	Burn with resulting rupture and destruction of eyeball
T26.3	Burn of other parts of eye and adnexa
T26.4	Burn of eye and adnexa, part unspecified
T26.5	Corrosion of eyelid and periocular area
T26.6	Corrosion of cornea and conjunctival sac
T26.7	Corrosion of with resulting rupture and destruction of eyeball
T26.8	Corrosion of other parts of eye and adnexa
T26.9	Corrosion of eye and adnexa, part unspecified

ICD-10-AM First Edition:

T26	Burn of eye and adnexa
T26.0	Burn of eyelid and periocular area
T26.1	Burn of cornea and conjunctival sac
T26.2	Burn with resulting rupture and destruction of eyeball
T26.3	Burn of other parts of eye and adnexa
T26.4	Burn of eye and adnexa, part unspecified

T27 Burn of respiratory tract*Status of code(s):**Revised – First Edition***WHO ICD-10:**

T27	Burn and corrosion of respiratory tract
T27.0	Burn of larynx and trachea
T27.1	Burn involving larynx and trachea with lung
T27.2	Burn of other parts of respiratory tract
T27.3	Burn of respiratory tract, part unspecified
T27.4	Corrosion of larynx and trachea
T27.5	Corrosion involving larynx and trachea with lung
T27.6	Corrosion of other parts of respiratory tract
T27.7	Corrosion of respiratory tract, part unspecified

ICD-10-AM First Edition:

T27	Burn of respiratory tract
T27.0	Burn of larynx and trachea
T27.1	Burn involving larynx and trachea with lung
T27.2	Burn of other parts of respiratory tract
T27.3	Burn of respiratory tract, part unspecified

T28 Burn of other internal organs*Status of code(s):**Revised – First Edition***WHO ICD-10:**

T28	Burn and corrosion of other internal organs
T28.0	Burn of mouth and pharynx
T28.1	Burn of oesophagus
T28.2	Burn of other parts of alimentary tract
T28.3	Burn of internal genitourinary organs
T28.4	Burn of other and unspecified internal organs
T28.5	Corrosion of mouth and pharynx
T28.6	Corrosion of oesophagus
T28.7	Corrosion of other parts of alimentary tract
T28.8	Corrosion of internal genitourinary organs
T28.9	Corrosion of other and unspecified internal organs

ICD-10-AM First Edition:

T28	Burn of other internal organs
T28.0	Burn of mouth and pharynx
T28.1	Burn of oesophagus
T28.2	Burn of other parts of alimentary tract
T28.3	Burn of internal genitourinary organs
T28.4	Burn of other and unspecified internal organs

T29 Burns of multiple body regions*Status of code(s):**Revised – First Edition***WHO ICD-10:**

T29	Burns and corrosions of multiple body regions
T29.0	Burns of multiple regions, unspecified degree
T29.1	Burns of multiple regions, no more than first-degree burns mentioned
T29.2	Burns of multiple regions, no more than second-degree burns mentioned
T29.3	Burns of multiple regions, no more than at least one burn of third-degree mentioned
T29.4	Corrosions of multiple regions, unspecified degree
T29.5	Corrosions of multiple regions, no more than first-degree corrosions mentioned
T29.6	Corrosions of multiple regions, no more than second-degree corrosions mentioned
T29.7	Corrosions of multiple regions, no more than at least one corrosion of third-degree mentioned

ICD-10-AM First Edition:

T29	Burns of multiple body regions
T29.0	Burns of multiple regions, unspecified thickness
T29.1	Burns of multiple regions, no more than erythema burns mentioned
T29.2	Burns of multiple regions, no more than partial thickness burns mentioned
T29.3	Burns of multiple regions, at least one burn of full thickness mentioned

T30 Burn, body region unspecified**Status of code(s):****Revised – First Edition****WHO ICD-10:**

T30	Burn and corrosion, body region unspecified
T30.0	Burn of unspecified body region, unspecified degree
T30.1	Burn of first degree, body region unspecified
T30.2	Burn of second degree, body region unspecified
T30.3	Burn of third degree, body region unspecified
T30.4	Corrosion of unspecified body region, unspecified degree
T30.5	Corrosion of first degree, body region unspecified
T30.6	Corrosion of second degree, body region unspecified
T30.7	Corrosion of third degree, body region unspecified

ICD-10-AM First Edition:

T30	Burn body region unspecified
T30.0	Burn of unspecified body region, unspecified thickness
T30.1	Erythema, body region unspecified
T30.2	Burn of partial thickness, body region unspecified
T30.3	Burn of full thickness, body region unspecified

T31 Burns classified according to extent of body surface involved**Status of instructional note(s):****Revised – Twelfth Edition****Status of instructional note(s):****Revised – Thirteenth Edition****ICD-10-AM Eleventh Edition:**

The following fifth character subdivisions are for use with subcategories T31.0–T31.9 to indicate the percent of body surface with full thickness burn. Valid fifth characters are in [brackets] under each code:

✱	0	less than 10% or unspecified
✱	1	10-19%
✱	2	20-29%
✱	3	30-39%
✱	4	40-49%
✱	5	50-59%
✱	6	60-69%
✱	7	70-79%
✱	8	80-89%
✱	9	90% or more of body surface

ICD-10-AM Twelfth Edition:

The following fifth character subdivisions are for use with subcategories T31.0–T31.9 to indicate the percent of body surface with full thickness burn. Valid fifth characters are in [brackets] under each code:

✱	0	less than 10 per cent or unspecified
✱	1	10-19 per cent
✱	2	20-29 per cent
✱	3	30-39 per cent
✱	4	40-49 per cent
✱	5	50-59 per cent
✱	6	60-69 per cent
✱	7	70-79 per cent
✱	8	80-89 per cent
✱	9	90 per cent or more of body surface

ICD-10-AM Thirteenth Edition:

The following fifth character subdivisions are for use with subcategories T31.0–T31.9 to indicate the per cent of body surface with full thickness burn. Valid fifth characters are in [brackets] under each code:

⊛	0	0–9 per cent or unspecified full thickness burns
⊛	1	10–19 per cent full thickness burns
⊛	2	20–29 per cent full thickness burns
⊛	3	30–39 per cent full thickness burns
⊛	4	40–49 per cent full thickness burns
⊛	5	50–59 per cent full thickness burns
⊛	6	60–69 per cent full thickness burns
⊛	7	70–79 per cent full thickness burns
⊛	8	80–89 per cent full thickness burns
⊛	9	90 per cent or more of body surface full thickness burns

T31.0 Burns involving less than 10 per cent of body surface

Status of code(s): Created – *First Edition*
Status of instructional note(s): Revised – *Eighth Edition*
Status of code title(s): Revised – *Twelfth Edition*

WHO ICD-10:

T31.0 Burns involving less than 10% of body surface

ICD-10-AM First Edition:

T31.0 Burns involving less than 10% of body surface
 T31.00 Burns involving less than 10% of body surface, with less than 10 % or unspecified full thickness burns

ICD-10-AM Seventh Edition:

The following fifth character subdivisions are for use with block T31 to indicate the percent of body surface with full thickness burn; valid digits are in [brackets] under each code: ...

ICD-10-AM Eighth Edition:

The following fifth character subdivisions are for use with subcategories T31.0–T31.9 to indicate the percent of body surface with full thickness burn. Valid fifth characters are in [brackets] under each code: ...

ICD-10-AM Twelfth Edition:

T31.0 Burns involving less than 10 per cent of body surface
 T31.00 Burns involving less than 10 per cent of body surface, less than 10 per cent or unspecified full thickness burns

T31.1 Burns involving 10-19 per cent of body surface

Status of code(s): Created – *First Edition*
Status of code title(s): Revised – *Twelfth Edition*

WHO ICD-10:

T31.1 Burns involving 10-19% of body surface

ICD-10-AM First Edition:

T31.1 Burns involving 10-19% of body surface
 T31.10 Burns involving 10-19% of body surface, with less than 10% or unspecified full thickness burns
 T31.11 Burns involving 10-19% of body surface, with 10-19% full thickness burns

ICD-10-AM Twelfth Edition:

- T31.1 Burns involving 10-19 per cent of body surface
- T31.10 Burns involving 10-19 per cent of body surface, less than 10 per cent or unspecified full thickness burns
- T31.11 Burns involving 10-19 per cent of body surface, 10-19 per cent full thickness burns

T31.2 Burns involving 20-29 per cent of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

- T31.2 Burns involving 20-29% of body surface

ICD-10-AM First Edition:

- T31.2 Burns involving 20-29% of body surface
- T31.20 Burns involving 20-29% of body surface, with less than 10% or unspecified full thickness burns
- T31.21 Burns involving 20-29% of body surface, with 10-19% full thickness burns
- T31.22 Burns involving 20-29% of body surface, with 20-29% full thickness burns

ICD-10-AM Twelfth Edition:

- T31.2 Burns involving 20-29 per cent of body surface
- T31.20 Burns involving 20-29 per cent of body surface, less than 10 per cent or unspecified full thickness burns
- T31.21 Burns involving 20-29 per cent of body surface, 10-19 per cent full thickness burns
- T31.22 Burns involving 20-29 per cent of body surface, 20-29 per cent full thickness burns

T31.3 Burns involving 30-39 per cent of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

- T31.3 Burns involving 30-39% of body surface

ICD-10-AM First Edition:

- T31.3 Burns involving 30-39% of body surface
- T31.30 Burns involving 30-39% of body surface, with less than 10 % or unspecified full thickness burns
- T31.31 Burns involving 30-39% of body surface, with 10-19% full thickness burns
- T31.32 Burns involving 30-39% of body surface, with 20-29% full thickness burns
- T31.33 Burns involving 30-39% of body surface, with 30-39% full thickness burns

ICD-10-AM Twelfth Edition:

- T31.3 Burns involving 30-39 per cent of body surface
- T31.30 Burns involving 30-39 per cent of body surface, less than 10 per cent or unspecified full thickness burns
- T31.31 Burns involving 30-39 per cent of body surface, 10-19 per cent full thickness burns
- T31.32 Burns involving 30-39 per cent of body surface, 20-29 per cent full thickness burns
- T31.33 Burns involving 30-39 per cent of body surface, 30-39 per cent full thickness burns

T31.4 Burns involving 40-49 per cent of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

T31.4 Burns involving 40-49% of body surface

ICD-10-AM First Edition:

T31.4 Burns involving 40-49% of body surface

T31.40 Burns involving 40-49% of body surface, with less than 10 % or unspecified full thickness burns

T31.41 Burns involving 40-49% of body surface, with 10-19% full thickness burns

T31.42 Burns involving 40-49% of body surface, with 20-29% full thickness burns

T31.43 Burns involving 40-49% of body surface, with 30-39% full thickness burns

T31.44 Burns involving 40-49% of body surface, with 40-49% full thickness burns

ICD-10-AM Twelfth Edition:

T31.4 Burns involving 40-49 per cent of body surface

T31.40 Burns involving 40-49 per cent of body surface, less than 10 per cent or unspecified full thickness burns

T31.41 Burns involving 40-49 per cent of body surface, 10-19 per cent full thickness burns

T31.42 Burns involving 40-49 per cent of body surface, 20-29 per cent full thickness burns

T31.43 Burns involving 40-49 per cent of body surface, 30-39 per cent full thickness burns

T31.44 Burns involving 40-49 per cent of body surface, 40-49 per cent full thickness burns

T31.5 Burns involving 50-59 per cent of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

T31.5 Burns involving 50-59% of body surface

ICD-10-AM First Edition:

T31.5 Burns involving 50-59% of body surface

T31.50 Burns involving 50-59% of body surface, with less than 10% or unspecified full thickness burns

T31.51 Burns involving 50-59% of body surface, with 10-19% full thickness burns

T31.52 Burns involving 50-59% of body surface, with 20-29% full thickness burns

T31.53 Burns involving 50-59% of body surface, with 30-39% full thickness burns

T31.54 Burns involving 50-59% of body surface, with 40-49% full thickness burns

T31.55 Burns involving 50-59% of body surface, with 50-59% full thickness burns

ICD-10-AM Twelfth Edition:

T31.5 Burns involving 50-59 per cent of body surface

T31.50 Burns involving 50-59 per cent of body surface, less than 10 per cent or unspecified full thickness burns

T31.51 Burns involving 50-59 per cent of body surface, 10-19 per cent full thickness burns

T31.52 Burns involving 50-59 per cent of body surface, 20-29 per cent full thickness burns

T31.53 Burns involving 50-59 per cent of body surface, 30-39 per cent full thickness burns

T31.54 Burns involving 50-59 per cent of body surface, 40-49 per cent full thickness burns

T31.55 Burns involving 50-59 per cent of body surface, 50-59 per cent full thickness burns

T31.6 Burns involving 60-69 per cent of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

T31.6 Burns involving 60-69% of body surface

ICD-10-AM First Edition:

T31.6 Burns involving 60-69% of body surface

T31.60 Burns involving 60-69% of body surface, with less than 10 % or unspecified full thickness burns

T31.61 Burns involving 60-69% of body surface, with 10-19% full thickness burns

T31.62 Burns involving 60-69% of body surface, with 20-29% full thickness burns

T31.63 Burns involving 60-69% of body surface, with 30-39% full thickness burns

T31.64 Burns involving 60-69% of body surface, with 40-49% full thickness burns

T31.65 Burns involving 60-69% of body surface, with 50-59% full thickness burns

T31.66 Burns involving 60-69% of body surface, with 60-69% full thickness burns

ICD-10-AM Twelfth Edition:

T31.6 Burns involving 60-69 per cent of body surface

T31.60 Burns involving 60-69 per cent of body surface, less than 10 per cent or unspecified full thickness burns

T31.61 Burns involving 60-69 per cent of body surface, 10-19 per cent full thickness burns

T31.62 Burns involving 60-69 per cent of body surface, 20-29 per cent full thickness burns

T31.63 Burns involving 60-69 per cent of body surface, 30-39 per cent full thickness burns

T31.64 Burns involving 60-69 per cent of body surface, 40-49 per cent full thickness burns

T31.65 Burns involving 60-69 per cent of body surface, 50-59 per cent full thickness burns

T31.66 Burns involving 60-69 per cent of body surface, 60-69 per cent full thickness burns

T31.7 Burns involving 70-79 per cent of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

T31.7 Burns involving 70-79% of body surface

ICD-10-AM First Edition:

T31.7 Burns involving 70-79% of body surface

T31.70 Burns involving 70-79% of body surface, with less than 10% or unspecified full thickness burns

T31.71 Burns involving 70-79% of body surface, with 10-19% full thickness burns

T31.72 Burns involving 70-79% of body surface, with 20-29% full thickness burns

T31.73 Burns involving 70-79% of body surface, with 30-39% full thickness burns

T31.74 Burns involving 70-79% of body surface, with 40-49% full thickness burns

T31.75 Burns involving 70-79% of body surface, with 50-59% full thickness burns

T31.76 Burns involving 70-79% of body surface, with 60-69% full thickness burns

T31.77 Burns involving 70-79% of body surface, with 70-79% full thickness burns

ICD-10-AM Twelfth Edition:

T31.7	Burns involving 70-79 per cent of body surface
T31.70	Burns involving 70-79 per cent of body surface, less than 10 per cent or unspecified full thickness burns
T31.71	Burns involving 70-79 per cent of body surface, 10-19 per cent full thickness burns
T31.72	Burns involving 70-79 per cent of body surface, 20-29 per cent full thickness burns
T31.73	Burns involving 70-79 per cent of body surface, 30-39 per cent full thickness burns
T31.74	Burns involving 70-79 per cent of body surface, 40-49 per cent full thickness burns
T31.75	Burns involving 70-79 per cent of body surface, 50-59 per cent full thickness burns
T31.76	Burns involving 70-79 per cent of body surface, 60-69 per cent full thickness burns
T31.77	Burns involving 70-79 per cent of body surface, 70-79 per cent full thickness burns

T31.8 Burns involving 80-89 per cent of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

T31.8	Burns involving 80-89% of body surface
-------	--

ICD-10-AM First Edition:

T31.8	Burns involving 80-89% of body surface
T31.80	Burns involving 80-89% of body surface, with less than 10% or unspecified full thickness burns
T31.81	Burns involving 80-89% of body surface, with 10-19% full thickness burns
T31.82	Burns involving 80-89% of body surface, with 20-29% full thickness burns
T31.83	Burns involving 80-89% of body surface, with 30-39% full thickness burns
T31.84	Burns involving 80-89% of body surface, with 40-49% full thickness burns
T31.85	Burns involving 80-89% of body surface, with 50-59% full thickness burns
T31.86	Burns involving 80-89% of body surface, with 60-69% full thickness burns
T31.87	Burns involving 80-89% of body surface, with 70-79% full thickness burns
T31.88	Burns involving 80-89% of body surface, with 80-89% full thickness burns

ICD-10-AM Twelfth Edition:

T31.8	Burns involving 80-89 per cent of body surface
T31.80	Burns involving 80-89 per cent of body surface, less than 10 per cent or unspecified full thickness burns
T31.81	Burns involving 80-89 per cent of body surface, 10-19 per cent full thickness burns
T31.82	Burns involving 80-89 per cent of body surface, 20-29 per cent full thickness burns
T31.83	Burns involving 80-89 per cent of body surface, 30-39 per cent full thickness burns
T31.84	Burns involving 80-89 per cent of body surface, 40-49 per cent full thickness burns
T31.85	Burns involving 80-89 per cent of body surface, 50-59 per cent full thickness burns
T31.86	Burns involving 80-89 per cent of body surface, 60-69 per cent full thickness burns
T31.87	Burns involving 80-89 per cent of body surface, 70-79 per cent full thickness burns
T31.88	Burns involving 80-89 per cent of body surface, 80-89 per cent full thickness burns

T31.9 Burns involving 90 per cent or more of body surface**Status of code(s):****Created – First Edition****Status of code title(s):****Revised – Twelfth Edition****WHO ICD-10:**

T31.9 Burns involving 90% or more of body surface

ICD-10-AM First Edition:

T31.9 Burns involving 90% or more of body surface

T31.90 Burns involving 90% or more of body surface, with less than 10% or unspecified full thickness burns

T31.91 Burns involving 90% or more of body surface, with 10-19% full thickness burns

T31.92 Burns involving 90% or more of body surface, with 20-29% full thickness burns

T31.93 Burns involving 90% or more of body surface, with 30-39% full thickness burns

T31.94 Burns involving 90% or more of body surface, with 40-49% full thickness burns

T31.95 Burns involving 90% or more of body surface, with 50-59% full thickness burns

T31.96 Burns involving 90% or more of body surface, with 60-69% full thickness burns

T31.97 Burns involving 90% or more of body surface, with 70-79% full thickness burns

T31.98 Burns involving 90% or more of body surface, with 80-89% full thickness burns

T31.99 Burns involving 90% or more of body surface, with 90% or more of body surface full thickness burns

ICD-10-AM Twelfth Edition:

T31.9 Burns involving 90 per cent or more of body surface

T31.90 Burns involving 90 per cent or more of body surface, less than 10 per cent or unspecified full thickness burns

T31.91 Burns involving 90 per cent or more of body surface, 10-19 per cent full thickness burns

T31.92 Burns involving 90 per cent or more of body surface, 20-29 per cent full thickness burns

T31.93 Burns involving 90 per cent or more of body surface, 30-39 per cent full thickness burns

T31.94 Burns involving 90 per cent or more of body surface, 40-49 per cent full thickness burns

T31.95 Burns involving 90 per cent or more of body surface, 50-59 per cent full thickness burns

T31.96 Burns involving 90 per cent or more of body surface, 60-69 per cent full thickness burns

T31.97 Burns involving 90 per cent or more of body surface, 70-79 per cent full thickness burns

T31.98 Burns involving 90 per cent or more of body surface, 80-89 per cent full thickness burns

T31.99 Burns involving 90 per cent or more of body surface, 90 per cent or more of body surface full thickness burns

T36–T50 Poisoning by drugs, medicaments and biological substances

Status of includes note:	Revised – Twelfth Edition
Status of note:	Created – Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Eleventh Edition:

- Includes:** overdose of these substances
wrong substance given or taken in error
- Excludes:** adverse effects [hypersensitivity, reaction, etc] of correct substance properly administered; such cases are to be classified according to the nature of the adverse effect, such as:
- aspirin gastritis - see Alphabetic Index: *Gastritis*
 - blood disorders (D50–D76)
 - dermatitis:
 - contact (L23–L25)
 - due to substances taken internally (L27.-)
 - nephropathy (N14.0–N14.2)
 - unspecified adverse effect of drug (T88.7)
- drug reaction and poisoning affecting the fetus and newborn (P00–P96)
intoxication meaning inebriation (F10–F19)
nondependence-producing substance use disorder (F55)
pathological drug intoxication (F10–F19)

ICD-10-AM Twelfth Edition:

- Includes:** adverse effects of prescribed drugs taken in combination with self-prescribed drugs and intoxication
overdose due to drugs, medicaments and biological substances
suicide or homicide due to poisoning
wrong substance given or taken in error
- Excludes:** adverse effects of correct substance properly administered — code condition — see Alphabetic Index
aspirin gastritis — see Alphabetic Index: *Gastritis*
blood disorders due to adverse effects of drugs (D50–D76)
dermatitis:
 - contact (L23–L25)
 - due to substances taken internally (L27.-)
- drug reaction and poisoning affecting the fetus and newborn (P00–P96)
intoxication meaning inebriation (F10–F19)
nephropathy due to adverse effects of drugs (N14.0–N14.2)
nondependence-producing substance use disorder (F55)
pathological drug intoxication (F10–F19)
unspecified adverse effect of drug (T88.7)

ICD-10-AM Thirteenth Edition:

- Excludes:** adverse effects of correct substance properly administered — code condition — see Alphabetic Index
aspirin gastritis — see Alphabetic Index: *Gastritis*
blood disorders due to adverse effects of drugs (D50–D76)
dermatitis:
 - contact (L23–L25)
 - due to substances taken internally (L27.-)
- drug reaction and poisoning affecting the fetus and newborn (P00–P96)
intoxication meaning inebriation (F10–F19)
nephropathy due to adverse effects of drugs (N14.0–N14.2)
nondependence-producing substance use disorder (F55)
pathological drug intoxication (F10–F19)

T36.0 Penicillins**Status of term:** Classified – *First Edition***Term classification:**Phenethicillin benzathine
Phenethicillin potassium**T36.1 Cephalosporins and other beta-lactam antibiotics****Status of term:** Classified – *First Edition***Term classification:**Cefpirome sulfate (*Cefrom*)
Cefpodoxime proxetil (*Orelax*)
Cephalexin (*Keflex*)
Cephmandole naftat
Cephazolin sodium**T36.3 Macrolides****Status of term:** Classified – *First Edition***Term classification:**

Miocamycin

T36.4 Tetracyclines**Status of term:** Classified – *First Edition***Term classification:**Methacycline hydrochloride (*Randomycin*)**T36.7 Antifungal antibiotics, systemically used****Status of term:** Classified – *First Edition***Term classification:**

Terbinafine hydrochloride oral

T37.4 Anthelmintics**Status of term:** Classified – *First Edition***Term classification:**

Albendazole

T37.5 Antiviral drugs**Status of term:** Classified – *First Edition***Term classification:**Didanosine (*Videx*)
Methisazone**T37.8 Other specified systemic anti-infectives and antiparasitics****Status of term:** Classified – *First Edition***Term classification:**Atovaquone
Hexamine hippurate

T38.4 Oral contraceptives**Status of term:****Classified – *First Edition*****Term classification:**

Gestodine

Gestrinone (*Dimetriose*)

Lynestrenol

Oestrogen, oral contraceptive

T38.5 Other oestrogens and progestogens**Status of term:****Classified – *First Edition*****Term classification:**

Allyloestrinol

Clomiphene citrate (*Clomid*)

Norethynodrel

Oestrogen conjugated

T38.6 Antigonadotrophins, anti-oestrogens, antiandrogens, not elsewhere classified**Status of term:****Classified – *First Edition*****Term classification:**

Finasteride

T38.8 Other and unspecified hormones and their synthetic substitutes**Status of term:****Classified – *First Edition*****Term classification:**

Nafarelin (acetate)

T39.0 Salicylates**Status of term:****Classified – *First Edition*****Term classification:**

Benorylate

T41.0 Inhaled anaesthetics**Status of code(s):****Created – *Thirteenth Edition*****ICD-10-AM Twelfth Edition:**

T41.0 Inhaled anaesthetics

ICD-10-AM Thirteenth Edition:

T41.0 Inhaled anaesthetics

T41.00 Poisoning by unspecified inhaled anaesthetic

T41.01 Poisoning by nitrous oxide

T41.09 Poisoning by other specified inhaled anaesthesia

T41.1 Intravenous anaesthetics**Status of term:** *Classified – First Edition***Term classification:**
Ethoglucid**T41.2 Other and unspecified general anaesthetics****Status of code(s):** *Created – Seventh Edition***ICD-10-AM Sixth Edition:**

T41.2 Other and unspecified general anaesthetics

ICD-10-AM Seventh Edition:

T41.2 Other and unspecified general anaesthetics

T41.20 Unspecified general anaesthetic

T41.21 Gamma hydroxybutyrate

T41.22 Ketamine

T41.29 Other specified general anaesthetic

T42.0 Hydantoin derivatives**Status of term:** *Classified – First Edition***Term classification:**
Lamotrigine (*Lamictal*)**T42.3 Barbiturates****Status of term:** *Classified – First Edition***Term classification:**
Allobarbitone
Methabarbitone**T42.6 Other antiepileptic and sedative-hypnotic drugs****Status of term:** *Reclassified – First Edition***Term reclassification:**
Chlorobutanol**T42.8 Antiparkinsonism drugs and other central muscle-tone depressants****Status of term:** *Classified – First Edition***Term classification:**Benztropine mesylate (*Congentin*)

Lysuride maleate

T43.0 Tricyclic and tetracyclic antidepressants**Status of term:** *Classified – First Edition***Term classification:**
Dimetacrine

T43.2 Other and unspecified antidepressants**Status of term:****Classified – First Edition****Term classification:**

Alaprocolate

Etoferidone

Paroxetine hydrochloride

Sertraline hydrochloride

T43.3 Phenothiazine antipsychotics and neuroleptics**Status of term:****Classified – First Edition****Term classification:**

Pericyazine

Pericyazine maleate

T43.6 Psychostimulants with potential for use disorder**Status of term:****Reclassified – First Edition****Status of code(s):****Created – Sixth Edition****Status of term(s):****Reclassified – Sixth Edition****Status of code(s):****Created – Seventh Edition****Term reclassification:**

Benzphetamine

ICD-10-AM Fifth Edition:

T43.6 Psychostimulants with potential for use disorder

ICD-10-AM Sixth Edition:

T43.6 Psychostimulants with potential for use disorder

T43.60 Unspecified psychostimulants with potential for use disorder

T43.61 Methylamphetamine

T43.69 Other psychostimulants with potential for use disorder

Term reclassification:

Benzylpiperazine (BZP)

Ecstasy (methylenedioxy methamphetamine)

ICD-10-AM Seventh Edition:

T43.6 Psychostimulants with potential for use disorder

T43.60 Unspecified psychostimulants with potential for use disorder

T43.61 Methylamphetamine

T43.62 Methylenedioxy methamphetamine

Ecstasy

MDMA

T43.69 Other psychostimulants with potential for use disorder

T44.0 Anticholinesterase agents**Status of term:****Classified – First Edition****Term classification:**

Galanthamine

T44.3 Other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, not elsewhere classified

Status of term:

Classified – *First Edition*

Term classification:

Hyoscine butylbromide (*Buscopan*)

Hyoscine hydrobromide

T44.9 Other and unspecified drugs primarily affecting the autonomic nervous system

Status of term:

Reclassified – *First Edition*

Term reclassification:

Hydroxyamphetamine

T45.1 Antineoplastic and immunosuppressive drugs

Status of term:

Classified – *First Edition*

Term classification:

Actinomycin

Cladribine (*Leustatin*)

Fludarabine phosphate (*Fludara*)

Fotemustine (*Muphoran*)

Gemcitabine hydrochloride

Mitozantrone hydrochloride

Trimustine

T45.5 Anticoagulants

Status of term:

Classified – *First Edition*

Term classification:

Clorindione

Dalteparin sodium (*Fragmin*)

Danaparoid sodium (*Orgaran*)

T46.0 Cardiac-stimulant glycosides and drugs of similar action

Status of term:

Classified – *First Edition*

Term classification:

Milrinone lactate

T46.1 Calcium-channel blockers

Status of term:

Classified – *First Edition*

Term classification:

Adenosine

Amlodipine (*Norvasc*)

T46.2 Other antidysrhythmic drugs, not elsewhere classified

Status of term:

Classified – *First Edition*

Term classification:

Bretylium tosylate

T46.3 Coronary vasodilators, not elsewhere classified*Status of term:* Classified – [First Edition](#)**Term classification:**
Isosorbide mononitrat**T46.4 Angiotensin-converting-enzyme inhibitors***Status of term:* Classified – [First Edition](#)**Term classification:**
Delapril
Trandolapril**T46.7 Peripheral vasodilators***Status of term:* Classified – [First Edition](#)**Term classification:**
Oxpentifylline**T46.9 Other and unspecified agents primarily affecting the cardiovascular system***Status of term:* Classified – [First Edition](#)**Term classification:**
Rutin**T47.1 Other antacids and anti-gastric-secretion drugs***Status of term:* Classified – [First Edition](#)**Term classification:**
Lansoprazole (*Zoton*)**T47.4 Other laxatives***Status of term:* Classified – [First Edition](#)**Term classification:**
Psyllium hydrophilic mucilloid**T48.4 Expectorants***Status of term:* Classified – [First Edition](#)**Term classification:**
Quillaia**T48.5 Anti-common-cold drugs***Status of term:* Classified – [First Edition](#)**Term classification:**
Amidefrine mesylate

T49.0 Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified

Status of term:

Classified, Reclassified – First Edition

Term classification:

Acriflavine
 Acriflavine hydrochloride
 Aminacrine hydrochloride (*Aminopt*)
 Aminacrine pyruvate
 Beclomethasone dipropionate (*Becloforte*) (*Beconase*) (*Becotide*)
 Betamethasone acetate
 Betamethasone dipropionate
 Betamethasone sodium phosphate
 Betamethasone valerate
 Flumethasone pivalate
 Flurandrenolone
 Hexachlorophane
 Terbinafine hydrochloride, topical

Term reclassification:

Carbaril
 Chloramine
 Chlorobutanol

T49.3 Emollients, demulcents and protectants

Status of term:

Classified – First Edition

Term classification:

Octaphonium chloride
 Octyl methoxycinnamate

T49.4 Keratolytics, keratoplastics and other hair treatment drugs and preparations

Status of term:

Classified – First Edition

Term classification:

Calcipotriol (*Daivonex*)

T49.5 Ophthalmological drugs and preparations

Status of term:

Reclassified – First Edition

Term reclassification:

Hydroxyamphetamine

T49.8 Other topical agents

Status of term:

Classified, Reclassified – First Edition

Term classification:

Nonoxynol 9

Term reclassification:

Chloramine

T50.5 Appetite depressants**Status of term:****Classified, Reclassified – First Edition****Term classification:**

Methylpropionate

Term reclassification:

Benzphetamine

T50.6 Antidotes and chelating agents, not elsewhere classified**Status of term:****Classified – First Edition****Term classification:**Dicobalt edetate (*Kelocyanor*)**T50.7 Analeptics and opioid receptor antagonists****Status of term:****Classified – First Edition****Term classification:**

Flumazenil

T50.9 Other and unspecified drugs, medicaments and biological substances**Status of term:****Classified – First Edition****Status of inclusion term(s):****Revised – Twelfth Edition****Term classification:**

Antithymocyte globulin (equine) (*Atgam*)
 Antivenin, antivenom (sera) box jellyfish
 Antivenin, antivenom (sera) funnelweb spider
 Antivenin, antivenom (sera) redback spider
 Antivenin, antivenom (sera) sea snake
 Antivenin, antivenom (sera) snake
 Antivenin, antivenom (sera) stonefish
 Antivenin, antivenom (sera) tick
 Disodium etidronate
 Disodium pamidronate (*Aredia*)
 Hepatitis A immunoglobulin
 Hepatitis A vaccine
 Lenograstim
 Salcatonin

ICD-10-AM Eleventh Edition:

Acidifying agents
 Alkalisating agents
 Immunoglobulin
 Immunologicals
 Lipotropic drugs
 Parathyroid hormones and derivatives

ICD-10-AM Twelfth Edition:

Acidifying agents
 Alkalisating agents
 Immunoglobulin
 Immunologicals
 Lipotropic drugs
 Parathyroid hormones and derivatives
 Vaccines

T51.0 Ethanol

Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of instructional note(s): Created – [Twelfth Edition](#)

ICD-10-AM Ninth Edition:
 Ethyl alcohol

ICD-10-AM Tenth Edition:
 Ethyl alcohol
 Methylated spirits

T51.2 2-Propanol

Status of term: Reclassified – [First Edition](#)

Term reclassification:
 Ethyl carbinol

T51.3 Fusel oil

Status of term: Reclassified – [First Edition](#)

Term reclassification:
 Ethyl carbinol

T56 Toxic effect of metals

Status of excludes note: Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Excludes: arsenic and its compounds (T57.0)
 manganese and its compounds (T57.2)
 thallium (T60.4)

ICD-10-AM Seventh Edition:

Excludes: arsenic and its compounds (T57.0)
 manganese and its compounds (T57.2)

T56.8 Other metals

Status of inclusion term(s): Reclassified – [Seventh Edition](#)

Term reclassification:
 Thallium

T57.3 Hydrogen cyanide

Status of term: Reclassified – [First Edition](#)

Term reclassification:
 Prussic acid

T60.0 Organophosphate and carbamate insecticides

Status of term: Reclassified – [First Edition](#)

Term reclassification:
 Carbaril

T60.2 Other and unspecified insecticides**Status of code title:** Revised – **Eleventh Edition****ICD-10-AM Tenth Edition:**

T60.2 Other insecticides

ICD-10-AM Eleventh Edition:

T60.2 Other and unspecified insecticides

T60.4 Rodenticides**Status of inclusion term(s):** Revised – **Seventh Edition****ICD-10-AM Sixth Edition:**

Thallium

Vacor

ICD-10-AM Seventh Edition:

Vacor

T61 Toxic effect of noxious substances eaten as seafood**Status of excludes note:** Revised – **Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: allergic reaction to food, such as:

- anaphylactic shock due to adverse food reaction (T78.0)
- dermatitis (L23.6, L25.4, L27.2)
- gastroenteritis (noninfective) (K52.-)

bacterial food-borne intoxications (A05.-)

toxic effect of food contaminants, such as:

- aflatoxin and other mycotoxins (T64)
- cyanides (T65.0)
- hydrogen cyanide (T57.3)
- mercury (T56.1)

ICD-10-AM Eleventh Edition:

Excludes: allergic reaction to food, such as:

- anaphylaxis and anaphylactic shock due to adverse food reaction (T78.0)
- dermatitis (L23.6, L25.4, L27.2)
- gastroenteritis (noninfective) (K52.-)

bacterial food-borne intoxications (A05.-)

toxic effect of food contaminants, such as:

- aflatoxin and other mycotoxins (T64)
- cyanides (T65.0)
- hydrogen cyanide (T57.3)
- mercury (T56.1)

T62 Toxic effect of other noxious substances eaten as food**Status of excludes note:** Revised – **Eleventh Edition****ICD-10-AM Tenth Edition:**

Excludes: allergic reaction to food, such as:

- anaphylactic shock due to adverse food reaction (T78.0)
- dermatitis (L23.6, L25.4, L27.2)
- gastroenteritis (noninfective) (K52.-)

bacterial food-borne intoxications (A05.-)

toxic effect of food contaminants, such as:

- aflatoxin and other mycotoxins (T64)
- cyanides (T65.0)
- hydrogen cyanide (T57.3)
- mercury (T56.1)

ICD-10-AM Eleventh Edition:

- Excludes:** allergic reaction to food, such as:
- anaphylaxis and anaphylactic shock due to adverse food reaction (T78.0)
 - dermatitis (L23.6, L25.4, L27.2)
 - gastroenteritis (noninfective) (K52.-)
- bacterial food-borne intoxications (A05.-)
- toxic effect of food contaminants, such as:
- aflatoxin and other mycotoxins (T64)
 - cyanides (T65.0)
 - hydrogen cyanide (T57.3)
 - mercury (T56.1)

T63 Toxic effect of contact with venomous animals

Status of instructional note(s): Revised – **Eleventh Edition**

Status of instructional note(s): Revised – **Twelfth Edition**

ICD-10-AM Tenth Edition:

Use additional code if applicable, to identify reaction such as:

- allergic reaction NOS (T78.4)
- anaphylaxis (T78.2)
- urticaria (L50.0, T78.3)

ICD-10-AM Eleventh Edition:

Use additional code if applicable, to identify reaction such as:

- allergic reaction NOS (T78.4)
- anaphylaxis and anaphylactic shock (T78.2)
- urticaria (L50.0, T78.3)

ICD-10-AM Twelfth Edition:

Use additional code (T78.2) to identify anaphylaxis and anaphylactic shock.

Use additional code (L50.0, T78.3) to identify urticaria.

Use additional code (T78.4) to identify allergic reaction NOS.

T65.0 Cyanides

Status of term: Reclassified – **First Edition**

Term reclassification:

Prussic acid

T66 Unspecified effects of radiation**Status of excludes note:** Revised – *Sixth Edition***ICD-10-AM Fifth Edition:**

- Excludes:** specified adverse effects of radiation, such as:
- burns (T20–T31)
 - leukaemia (C91–C95)
 - radiation:
 - gastroenteritis and colitis (K52.0)
 - pneumonitis (J70.0)
 - related disorders of the skin and subcutaneous tissue (L55–L59)
 - sunburn (L55.-)

ICD-10-AM Sixth Edition:

- Excludes:** specified adverse effects of radiation, such as:
- burns (T20–T31)
 - leukaemia (C91–C95)
 - radiation:
 - colitis (K52.0)
 - dermatitis (L58.9)
 - gastroenteritis (K52.0)
 - kyphosis (M96.2)
 - pneumonitis (J70.0)
 - proctitis (K62.7)
 - related disorders of the skin and subcutaneous tissue (L55–L59)
 - scoliosis (M96.5)
 - sunburn (L55.-)

T68 Hypothermia**Status of excludes note:** Revised – *Tenth Edition***ICD-10-AM Ninth Edition:**

- Excludes:** frostbite (T33–T35)
hypothermia (of):
- following anaesthesia (T88.5)
 - newborn (P80.-)
 - not associated with low environmental temperature (R68.0)

ICD-10-AM Tenth Edition:

- Excludes:** frostbite (T33–T35)
hypothermia (of):
- following anaesthesia (T88.5-)
 - newborn (P80.-)
 - not associated with low environmental temperature (R68.0)

T70.3 Other effects of decompression and barotrauma**Status of code(s):** Revised – *Fourth Edition***ICD-10-AM Third Edition:**

T70.3 Caisson disease [decompression sickness]

ICD-10-AM Fourth Edition:

T70.3 Other effects of decompression and barotrauma

T71 Asphyxiation

Status of excludes note: *Revised – Eleventh Edition*

ICD-10-AM Tenth Edition:

Excludes: anoxia due to high altitude (T70.2)
 asphyxia from:
 • carbon monoxide (T58)
 • inhalation of food or foreign body (T17.-)
 • other gases, fumes and vapours (T59.-)
 respiratory distress (syndrome) in:
 • adult (J80)
 • newborn (P22.-)

ICD-10-AM Eleventh Edition:

Excludes: acute respiratory distress syndrome (ARDS) in adult or child (J80)
 anoxia due to high altitude (T70.2)
 asphyxia from:
 • carbon monoxide (T58)
 • inhalation of food or foreign body (T17.-)
 • other gases, fumes and vapours (T59.-)
 respiratory distress of newborn (P22.-)

T74 Abuse, neglect and other maltreatment

Status of code title: *Revised – Thirteenth Edition*
Status of glossary description: *Created – Thirteenth Edition*
Status of inclusion term(s): *Created – Thirteenth Edition*
Status of includes note: *Created – Thirteenth Edition*
Status of note: *Created – Thirteenth Edition*
Status of instructional note(s): *Revised – Thirteenth Edition*

ICD-10-AM Twelfth Edition:

T74 Maltreatment syndromes
 ...
Code first the current injury, if applicable.

ICD-10-AM Thirteenth Edition:

T74 Abuse, neglect and other maltreatment
 ...
Code first any current injury or condition due to abuse, neglect or other maltreatment, if applicable.

T74.1 Physical abuse

Status of inclusion term(s): *Revised – Eleventh Edition*
Status of note: *Created – Eleventh Edition*
Status of instructional note(s): *Created – Eleventh Edition*
Status of note: *Revised – Twelfth Edition Errata*
Status of inclusion term(s): *Revised – Thirteenth Edition*
Status of instructional note(s): *Deleted – Thirteenth Edition*

ICD-10-AM Tenth Edition:

Battered:
 • baby or child syndrome NOS
 • spouse syndrome NOS

ICD-10-AM Eleventh Edition:

Battered:

- baby or child syndrome NOS
- spouse syndrome NOS

Munchhausen's (syndrome) by proxy

ICD-10-AM Twelfth Edition:*Note:*

Munchhausen's (syndrome) by proxy is a disorder in which a carer (usually a parent) fabricates symptoms or induces an illness in the patient (usually a child).

ICD-10-AM Thirteenth Edition:

Battered:

- baby or child syndrome NOS
- spouse syndrome NOS

Munchhausen's (syndrome) by proxy

Physical violence

T74.2 Sexual abuse*Status of inclusion term(s):**Created – Thirteenth Edition***T74.3 Psychological abuse***Status of inclusion term(s):**Created – Thirteenth Edition**Status of includes note:**Created – Thirteenth Edition***T74.8 Other forms of abuse, neglect and maltreatment***Status of code title:**Revised – Thirteenth Edition**Status of inclusion term(s):**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**T74.8 Other maltreatment syndromes
Mixed forms**ICD-10-AM Thirteenth Edition:**T74.8 Other forms of abuse, neglect and maltreatment
Intimidation by partner, family member or person with carer responsibilities
Other maltreatment syndromes**T74.9 Abuse, neglect and maltreatment, unspecified***Status of code title:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

T74.9 Maltreatment syndrome, unspecified

ICD-10-AM Thirteenth Edition:

T74.9 Abuse, neglect and maltreatment, unspecified

T75.8 Other specified effects of other external causes*Status of code title:**Revised – Twelfth Edition***ICD-10-AM Eleventh Edition:**

T75.8 Other specified effects of external causes

ICD-10-AM Twelfth Edition:

T75.8 Other specified effects of other external causes

T76 Unspecified effects of external causes*Status of code:**Created – Twelfth Edition***T78 Adverse effects, not elsewhere classified***Status of note:**Deleted – Ninth Edition***T78.0 Anaphylaxis and anaphylactic shock due to adverse food reaction***Status of code title:**Revised – Eleventh Edition**Status of instructional note(s):**Created – Eleventh Edition**Status of instructional note(s):**Revised – Eleventh Edition Errata**Status of instructional note(s):**Revised – Twelfth Edition***ICD-10-AM Tenth Edition:**

T78.0 Anaphylactic shock due to adverse food reaction

ICD-10-AM Eleventh Edition:

T78.0 Anaphylaxis and anaphylactic shock due to adverse food reaction

*Use additional external cause code (Y37.1–Y37.5, Y37.8, Y37.9) to identify allergen, if known.***ICD-10-AM Eleventh Edition Errata:***Use additional external cause code (Y37.0–Y37.5, Y37.8, Y37.9) to identify allergen, if known.***ICD-10-AM Twelfth Edition:***Use additional external cause code (Y37.0–Y37.5, Y37.8, Y37.9) to identify allergen.***T78.2 Anaphylaxis and anaphylactic shock, unspecified***Status of code title:**Revised – Eleventh Edition**Status of inclusion term(s):**Deleted – Eleventh Edition**Status of excludes note:**Revised – Eleventh Edition**Status of instructional note(s):**Created – Eleventh Edition**Status of instructional note(s):**Revised – Twelfth Edition***ICD-10-AM Tenth Edition:**

T78.2 Anaphylactic shock, unspecified

Excludes:

anaphylactic shock due to:

- adverse effect of correct medicinal substance properly administered (T88.6)
- adverse food reaction (T78.0)
- serum (T80.5)

ICD-10-AM Eleventh Edition:

T78.2 Anaphylaxis and anaphylactic shock due to adverse food reaction

*Use additional external cause code (Y37.-) to identify allergen, if known.***Excludes:**

anaphylaxis and anaphylactic shock due to:

- adverse:
- effect of correct medicinal substance properly administered (T88.6)
- food reaction (T78.0)
- serum reaction (T80.5)

ICD-10-AM Twelfth Edition:*Use additional external cause code (Y37.-) to identify allergen.*

T79 Certain early complications of trauma, not elsewhere classified

Status of excludes note: Revised – **Sixth Edition**
Status of excludes note: Revised – **Eleventh Edition**

ICD-10-AM Fifth Edition:

Excludes: complications of surgical and medical care NEC (T80–T88)
 respiratory distress syndrome of:
 • adult (J80)
 • newborn (P22.0)
 when occurring during or following medical procedures (T80–T88)

ICD-10-AM Sixth Edition:

Excludes: complications of surgical and medical care NEC (T80–T88)
 respiratory distress:
 • in newborn (P22.-)
 • syndrome of adult (J80)
 when occurring during or following medical procedures (T80–T88)

ICD-10-AM Eleventh Edition:

Excludes: acute respiratory distress syndrome (ARDS) in adult or child (J80)
 complications of surgical and medical care NEC (T80–T88)
 respiratory distress of newborn (P22.-)
 when occurring during or following medical procedures (T80–T88)

T79.0 Air embolism (traumatic)

Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

Excludes: air embolism complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 • pregnancy, childbirth and the puerperium (O88.0)
 arterial gas embolism due to decompression (T70.3)

ICD-10-AM Tenth Edition:

Excludes: air embolism:
 • complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 • in pregnancy, childbirth and the puerperium NEC (O88.0)
 arterial gas embolism due to decompression (T70.3)

T79.1 Fat embolism (traumatic)

Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

Excludes: fat embolism complicating:
 • abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 • pregnancy, childbirth and the puerperium (O88.8)

ICD-10-AM Tenth Edition:

Excludes: fat embolism:
 • complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 • in pregnancy, childbirth and the puerperium NEC (O88.8)

T79.3 Post traumatic wound infection, not elsewhere classified

Status of inclusion term(s): Created – **Sixth Edition**
Status of excludes note: Created – **Sixth Edition**
Status of instructional note(s): Created – **Tenth Edition**

T79.6 Traumatic ischaemia of muscle

Status of inclusion term(s): Revised – **Fifth Edition**
Status of excludes note: Revised – **Fifth Edition**
Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Fourth Edition:

Compartment syndrome

Excludes: anterior tibial syndrome (M76.8)**ICD-10-AM Fifth Edition:**

Compartment syndrome, traumatic

Excludes: anterior tibial syndrome (M76.8)
 compartment syndrome, nontraumatic (M62.2-)

ICD-10-AM Tenth Edition:

Excludes: abdominal compartment syndrome (R19.81)
 anterior tibial syndrome (M76.8)
 compartment syndrome, nontraumatic (M62.2-)

T79.7 Traumatic subcutaneous emphysema

Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:**Excludes:** emphysema (subcutaneous) resulting from a procedure (T81.8)**ICD-10-AM Tenth Edition:****Excludes:** postprocedural emphysema (subcutaneous) (T81.84)**T80–T88 Complications of surgical and medical care**

Status of excludes note: Revised – **Tenth Edition**
Status of excludes note: Revised – **Twelfth Edition**
Status of block title: Revised – **Thirteenth Edition**
Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Ninth Edition:

Excludes: adverse effects of drugs and medicaments (A00–R99, T78.-)
 any encounters with medical care for postprocedural conditions in which no complications are present, such as:

- artificial opening status (Z93.-)
- closure of external stoma (Z43.-)
- fitting and adjustment of (external) prosthetic device (Z44.-)

burns from local applications and irradiation (T20–T31)
 complications of surgical procedures during pregnancy, childbirth and the puerperium (O00–O99)
 poisoning and toxic effects of drugs and chemicals (T36–T65)
 specified complications classified elsewhere, such as:

- cerebrospinal fluid leak from spinal puncture (G97.0)
- colostomy malfunction (K91.4)
- disorders of fluid and electrolyte balance (E86–E87)
- functional disturbances following cardiac surgery (I97.0–I97.1)
- postgastric surgery syndromes (K91.1)
- postlaminectomy syndrome NEC (M96.1)
- postmastectomy lymphoedema syndrome (I97.2)
- postprocedural blind-loop syndrome (K91.2)

ICD-10-AM Tenth Edition:

Excludes: adverse effects of drugs and medicaments (A00–R99, T78.-)
 any encounters with medical care for postprocedural conditions in which no complications are present, such as:
 • artificial opening status (Z93.-)
 • closure of external stoma (Z43.-)
 • fitting and adjustment of (external) prosthetic device (Z44.-)
 burns from local applications and irradiation (T20–T31)
 poisoning and toxic effects of drugs and chemicals (T36–T65)

ICD-10-AM Twelfth Edition:

T80–T88 Complications of surgical and medical care, not elsewhere classified

Excludes: adverse effects of drugs and medicaments NEC (T78.-)
 any encounters with medical care for postprocedural conditions in which no complications are present, such as:
 • artificial opening status (Z93.-)
 • closure of external stoma (Z43.-)
 • fitting and adjustment of (external) prosthetic device (Z44.-)
 burns from local applications and irradiation (T20–T31)
 poisoning and toxic effects of drugs and chemicals (T36–T65)
 specified adverse effects of drugs and medicaments — see Alphabetic Index

ICD-10-AM Thirteenth Edition:

T80–T88 Complications of surgical and medical care

Excludes: adverse effects of drugs and medicaments NEC (T78.-)
 any encounters with medical care for postprocedural conditions in which no complications are present, such as:
 • artificial opening status (Z93.-)
 • closure of external stoma (Z43.-)
 • fitting and adjustment of [external] prosthetic device (Z44.-)
 burns from local applications and irradiation (T20–T31)
 poisoning and toxic effects of drugs and chemicals (T36–T65)
 specified adverse effects of drugs and medicaments — see Alphabetic Index

T80–T81 Complications due to interventions

Status of block title:

Created – Thirteenth Edition

T80 Complications due to infusion, transfusion and therapeutic injection

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T80 Complications following infusion, transfusion and therapeutic injection

ICD-10-AM Thirteenth Edition:

T80 Complications due to infusion, transfusion and therapeutic injection

T80.0 Air embolism due to infusion, transfusion and therapeutic injection

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T80.0 Air embolism following infusion, transfusion and therapeutic injection

ICD-10-AM Thirteenth Edition:

T80.0 Air embolism due to infusion, transfusion and therapeutic injection

T80.1 Vascular complications due to infusion, transfusion and therapeutic injection

Status of excludes note:	Revised – Tenth Edition
Status of excludes note:	Revised – Twelfth Edition
Status of code title:	Revised – Thirteenth Edition
Status of inclusion term(s):	Revised – Thirteenth Edition
Status of instructional note:	Created – Thirteenth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Excludes: the listed conditions when specified as:

- due to prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)
- postprocedural (T81.7)

ICD-10-AM Tenth Edition:

Excludes: the listed conditions when specified as:

- due to or associated with prosthetic devices, implants and grafts (T82.82, T83.82, T84.82, T85.84)
- postprocedural (T81.7)

ICD-10-AM Twelfth Edition:

T80.1 Vascular complications following infusion, transfusion and therapeutic injection
 Phlebitis following infusion, transfusion and therapeutic injection
 Thromboembolism following infusion, transfusion and therapeutic injection
 Thrombophlebitis following infusion, transfusion and therapeutic injection

Excludes: the listed conditions when specified as:

- due to or associated with prosthetic devices, implants and grafts (T82.82, T83.82, T84.82, T85.84)
- postprocedural (T81.7)

vaccine induced thrombosis with thrombocytopenia syndrome [VITTS] (D69.5)

ICD-10-AM Thirteenth Edition:

T80.1 Vascular complications due to infusion, transfusion and therapeutic injection
 Phlebitis due to infusion, transfusion and therapeutic injection
 Thromboembolism due to infusion, transfusion and therapeutic injection
 Thrombophlebitis due to infusion, transfusion and therapeutic injection

Excludes: phlebitis and thrombophlebitis due to:

- intervention NOS (T81.7)
- intravascular catheter (T82.7-)

thromboembolism due to:

- internal devices, implants and grafts (T82.82, T83.82, T84.82, T85.84)
- intervention NOS (T81.7)

vaccine induced thrombosis with thrombocytopenia syndrome [VITTS] (D69.5)

T80.2 Infections due to infusion, transfusion and therapeutic injection

Status of excludes note:	Revised – Fifth Edition
Status of inclusion term(s):	Revised – Seventh Edition
Status of instructional note(s):	Created – Ninth Edition
Status of inclusion term(s):	Deleted – Ninth Edition
Status of excludes note:	Revised – Ninth Edition
Status of inclusion term(s):	Deleted – Tenth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition/Twelfth Edition
Status of code title:	Revised – Thirteenth Edition
Status of note:	Created – Thirteenth Edition
Status of instructional note(s):	Revised – Thirteenth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Fourth Edition:

- Excludes:** the listed conditions when specified as:
- due to prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
 - postprocedural (T81.4)

ICD-10-AM Fifth Edition:

- Excludes:** the listed conditions when specified as:
- due to prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
 - postprocedural (T81.4-)

ICD-10-AM Sixth Edition:

Infection }
 Sepsis } following infusion, transfusion and therapeutic injection
 Septic shock }
 Septicaemia }

ICD-10-AM Seventh Edition:

Infection }
 Sepsis } following infusion, transfusion and therapeutic injection

ICD-10-AM Eighth Edition:

Infection following infusion, transfusion and therapeutic injection
 Sepsis following infusion, transfusion and therapeutic injection

- Excludes:** the listed conditions when specified as:
- due to prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
 - postprocedural (T81.4-)

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

- Excludes:** hepatitis, post-transfusion (B16–B19)
 the listed conditions when specified as
- due to prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
 - postprocedural (T81.4-)

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36.-, P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

- Excludes:** hepatitis, post-transfusion (B16–B19)
the listed conditions when specified as
- due to or associated with prosthetic devices, implants and grafts (T82.6–T82.7-, T83.5–T83.6, T84.5–T84.7, T85.7-)
 - postprocedural (T81.4)

ICD-10-AM Twelfth Edition:

T80.2 Infections following infusion, transfusion and therapeutic injection

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

- Excludes:** hepatitis, post-transfusion (B16–B19)
when specified as:
- due to or associated with prosthetic devices, implants and grafts (T82.6–T82.7-, T83.5–T83.6-, T84.5–T84.7, T85.7-)
 - postprocedural (T81.4)

ICD-10-AM Thirteenth Edition:

T80.2 Infections due to infusion, transfusion and therapeutic injection

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type

Use additional code to identify specific type of infection.

- Excludes:** hepatitis, post-transfusion (B16–B19)
infection due to immunisation (T88.0)
intravascular catheter infection or sepsis (T82.7-)
when due to internal devices, implants and grafts (T82.6, T83.5–T83.6-, T84.5–T84.7, T85.7-)

T80.5 Anaphylaxis and anaphylactic shock due to serum

Status of code title:	Revised – Eleventh Edition
Status of inclusion term(s):	Created – Eleventh Edition
Status of excludes note:	Revised – Eleventh Edition
Status of excludes note:	Revised – Twelfth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Tenth Edition:

T80.5 Anaphylactic shock due to serum

- Excludes:** shock:
- allergic NOS (T78.2)
 - anaphylactic:
 - due to adverse effect of correct medicinal substance properly administered (T88.6)
 - NOS (T78.2)

ICD-10-AM Eleventh Edition:

T80.5 Anaphylaxis and anaphylactic shock due to serum

- Excludes:** allergic reaction NOS (T78.2)
anaphylaxis and anaphylactic shock:
- due to adverse:
 - effect of correct medicinal substance properly administered (T88.6)
 - food reaction (T78.0)
 - serum reaction (T80.5)
 - NOS (T78.2)

ICD-10-AM Twelfth Edition:

Excludes: allergic reaction NOS (T78.2)
 anaphylaxis and anaphylactic shock:
 • due to adverse:
 • effect of correct medicinal substance properly administered (T88.6)
 • food reaction (T78.0)
 • NOS (T78.2)

ICD-10-AM Thirteenth Edition:

Excludes: allergic reaction NOS (T78.2)
 anaphylaxis and anaphylactic shock:
 • due to adverse:
 • effect of correct medicinal substance (except serum) properly administered (T88.6)
 • food reaction (T78.0)
 • NOS (T78.2)

T80.6 Other serum reactions

Status of excludes note:
Status of inclusion term(s):
Status of excludes note:

Revised – Ninth Edition
Revised – Twelfth Edition
Revised – Twelfth Edition

ICD-10-AM Eighth Edition:

Excludes: serum hepatitis (B16.-)

ICD-10-AM Ninth Edition:

Excludes: serum hepatitis (B16-B19)

ICD-10-AM Eleventh Edition:

Intoxication by serum
 Protein sickness
 Serum:
 • rash
 • sickness
 • urticaria

Excludes: serum hepatitis (B16–B19)

ICD-10-AM Twelfth Edition:

Eczema due to adverse effects of serum
 Intoxication by serum
 Protein sickness
 Rash due to adverse effects of serum
 Serum sickness
 Urticaria due to adverse effects of serum

Excludes: anaphylaxis or anaphylactic shock due to serum (T80.5)
 complication of vaccine (non-serum based) NEC (T88.1)
 serum hepatitis (B16–B19)

T80.8 Other complications due to infusion, transfusion and therapeutic injection

Status of code title:
Status of instructional note(s):
Status of excludes note:

Revised – Thirteenth Edition
Created – Thirteenth Edition
Created – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T80.8 Other complications following infusion, transfusion and therapeutic injection

ICD-10-AM Thirteenth Edition:

T80.8 Other complications due to infusion, transfusion and therapeutic injection

T80.9 Unspecified complication due to infusion, transfusion and therapeutic injection

Status of code title:

Revised – Thirteenth Edition

Status of note:

Created – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T80.9 Unspecified complication following infusion, transfusion and therapeutic injection

ICD-10-AM Thirteenth Edition:

T80.9 Unspecified complication due to infusion, transfusion and therapeutic injection

T81 Complications of procedures, not elsewhere classified

Status of excludes note:

Revised – Seventh Edition

Status of excludes note:

Revised – Tenth Edition

Status of excludes note:

Revised – Thirteenth Edition

ICD-10-AM Sixth Edition:

Excludes: adverse effect of drug NOS (T88.7)
 complication following:
 • immunisation (T88.0–T88.1)
 • infusion, transfusion and therapeutic injection (T80.-)
 specified complications classified elsewhere, such as:
 • complications of prosthetic devices, implants and grafts (T82–T85)
 • dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0–L27.1)
 • poisoning and toxic effects of drugs and chemicals (T36–T65)

ICD-10-AM Seventh Edition:

Excludes: adverse effect of drug NOS (T88.7)
 complication following:
 • immunisation (T88.0–T88.1)
 • infusion, transfusion and therapeutic injection (T80.-)
 specified complications classified elsewhere, such as:
 • complications of prosthetic devices, implants and grafts (T82–T85)
 • dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0–L27.1)
 • failure and rejection of transplanted organs and tissues (T86)
 • poisoning and toxic effects of drugs and chemicals (T36–T65)

ICD-10-AM Tenth Edition:

Excludes: adverse effect of drug NOS (T88.7)
 complication following:
 • immunisation (T88.0–T88.1)
 • infusion, transfusion and therapeutic injection (T80.-)
 specified complications classified elsewhere, such as:
 • dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0–L27.1)
 • failure and rejection of transplanted organs and tissues (T86)
 • poisoning and toxic effects of drugs and chemicals (T36–T65)

ICD-10-AM Thirteenth Edition:

Excludes: complication due to:
 • immunisation (T88.0–T88.1)
 • infusion, transfusion and therapeutic injection (T80.-)
 specified complications classified elsewhere, such as:
 • adverse effect of drugs and medicaments — see Alphabetic Index
 • complications of serum (T80.5–T80.6)
 • dermatitis due to drugs and medicaments, except serum (L23.3, L24.4, L25.1, L27.0–L27.1)
 • failure and rejection of transplanted [grafted] organs and tissues (T86-)
 • poisoning and toxic effects of drugs and chemicals (T36–T65)

T81.0 Haemorrhage and haematoma complicating a procedure, not elsewhere classified

Status of excludes note:
Status of excludes note:
Status of inclusion term(s):
Status of excludes note:
Status of excludes note:
Status of excludes note:

Revised – Sixth Edition
Revised – Seventh Edition Errata 5
Revised – Tenth Edition
Revised – Tenth Edition
Revised – Twelfth Edition
Revised – Thirteenth Edition

ICD-10-AM Fifth Edition:

Excludes: haematoma of obstetric wound (O90.2)
 haemorrhage due to prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)

ICD-10-AM Sixth Edition:

Excludes: haematoma of obstetric wound (O90.2)
 haemorrhage due to or associated with prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)

ICD-10-AM Seventh Edition Errata 5:

Haemorrhage at any site resulting from a procedure

Excludes: haematoma of obstetric wound (O90.2)
 haemorrhage due to or associated with prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8-)

ICD-10-AM Tenth Edition:

Haemorrhage and haematoma at any site resulting from a procedure

Excludes: haemorrhage and haematoma:

- due to or associated with prosthetic devices, implants and grafts (T82.81, T83.81, T84.81, T85.83)
- from:
 - digestive system stoma (K91.41)
 - surgical anastomosis:
 - digestive tract (K91.81)
 - genitourinary tract (N99.81)
 - tracheostomy (J95.01)
 - urinary tract stoma (N99.51)
- obstetric wound (O90.2)
- that with accidental puncture and laceration:
 - NOS (T81.2)
 - of specified organ or structure:
 - circulatory system (I97.3-)
 - digestive system (K91.6-)
 - ear and mastoid process (H95.2)
 - endocrine system (E89.7-)
 - eye and adnexa (H59.1-)
 - genitourinary system (N99.6-)
 - musculoskeletal system (M96.7-)
 - nervous system (G97.3-)
 - respiratory system (J95.6-)

ICD-10-AM Twelfth Edition:

- Excludes:** haemorrhage and haematoma:
- amputation stump (T87.61)
 - due to or associated with prosthetic devices, implants and grafts (T82.81, T83.81, T84.81, T85.83)
 - from:
 - digestive system stoma (K91.41)
 - surgical anastomosis:
 - digestive tract (K91.81)
 - genitourinary tract (N99.81)
 - tracheostomy (J95.01)
 - urinary tract stoma (N99.51)
 - obstetric wound (O90.2)
- that with accidental puncture and laceration:
- NOS (T81.2)
 - of specified organ or structure:
 - circulatory system (I97.3-)
 - digestive system (K91.6-)
 - ear and mastoid process (H95.2)
 - endocrine system (E89.7-)
 - eye and adnexa (H59.1-)
 - genitourinary system (N99.6-)
 - musculoskeletal system (M96.7-)
 - nervous system (G97.3-)
 - respiratory system (J95.6-)

ICD-10-AM Thirteenth Edition:

- Excludes:** haemorrhage and haematoma:
- access site, from percutaneous cardiovascular procedure (I97.84)
 - amputation stump (T87.61)
 - due to internal devices, implants and grafts (T82.81, T83.81, T84.81, T85.83)
- ...

T81.1 Shock during or resulting from a procedure, not elsewhere classified

Status of inclusion term(s):	Revised – Seventh Edition
Status of instructional note(s):	Created – Ninth Edition
Status of inclusion term(s):	Revised – Tenth Edition
Status of instructional note(s):	Deleted – Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Sixth Edition:

Collapse NOS	} during or following a procedure
Shock (endotoxic)(hypovolaemic)(septic)	}
Postprocedural shock NOS	

ICD-10-AM Seventh Edition:

Collapse NOS	} during or following a procedure
Shock (endotoxic)(hypovolaemic)	}
Postprocedural shock NOS	

ICD-10-AM Tenth Edition:

Collapse NOS during or following a procedure

Postprocedural shock NOS

Shock (endotoxic)(hypovolaemic) during or following a procedure

ICD-10-AM Eleventh Edition:

- Excludes:**
- shock:
 - anaesthetic (T88.2)
 - anaphylactic:
 - due to:
 - correct medicinal substance properly administered (T88.6)
 - serum (T80.5)
 - NOS (T78.2)
 - electric (T75.4)
 - following abortion or ectopic or molar pregnancy (O00–O07, O08.3)
 - obstetric (O75.1)
 - traumatic (T79.4)

ICD-10-AM Twelfth Edition:

- Excludes:**
- shock:
 - anaesthetic (T88.2)
 - anaphylactic:
 - due to:
 - correct medicinal substance properly administered (T88.6)
 - serum (T80.5)
 - NOS (T78.2)
 - electric (T75.4)
 - following abortion or ectopic or molar pregnancy (O00–O07, O08.3)
 - obstetric (O75.1)
 - septic (R57.2)
 - traumatic (T79.4)

ICD-10-AM Thirteenth Edition:

- Excludes:**
- shock:
 - anaphylactic:
 - due to:
 - correct medicinal substance (except serum) properly administered (T88.6)
 - serum (T80.5)
 - NOS (T78.2)
 - due to anaesthesia (T88.2)
 - electric (T75.4)
 - following abortion or ectopic or molar pregnancy (O00–O07, O08.3)
 - obstetric (O75.1)
 - septic (R57.2)
 - traumatic (T79.4)

T81.2 Accidental puncture and laceration during a procedure, not elsewhere classified
Status of inclusion term(s):**Deleted – Tenth Edition****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

- Excludes:**
- damage from instruments during delivery (O70–O71)
 - perforation, puncture or laceration caused by device or implant intentionally left in operation wound (T82–T85)
 - specified complications classified elsewhere, such as broad ligament laceration syndrome [Allen-Masters] (N83.8)

ICD-10-AM Tenth Edition:

- Excludes:** damage from instruments during delivery (O70–O71)
 perforation, puncture or laceration caused by device or implant intentionally left in operation wound (T82–T85)
 specified complications classified elsewhere, such as broad ligament laceration syndrome [Allen-Masters] (N83.8)
 that of specified organ or structure:
- circulatory system (I97.3-)
 - digestive system (K91.6-)
 - ear and mastoid process (H95.2)
 - endocrine system (E89.7-)
 - eye and adnexa (H59.1-)
 - genitourinary system (N99.6-)
 - musculoskeletal system (M96.7-)
 - nervous system (G97.3-)
 - respiratory system (J95.6-)

T81.3 Disruption of operation wound, not elsewhere classified

Status of includes note: Created – [Tenth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)
Status of includes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Eleventh Edition:

- Excludes:** disruption of:
- caesarean section wound (O90.0)
 - perineal obstetric wound (O90.1)

ICD-10-AM Twelfth Edition:

- Includes:** that with prosthetic devices, implants and grafts
- Excludes:** disruption (dehiscence) (rupture) of:
- amputation stump wound (T87.62)
 - caesarean section wound (O90.0)
 - perineal obstetric wound (O90.1)

ICD-10-AM Thirteenth Edition:

- Includes:** that with internal devices, implants and grafts

T81.4 Postprocedural wound infection, not elsewhere classified

Status of code(s): Created – [Third Edition](#)
Status of code(s): Deleted – [Ninth Edition](#)
Status of code title: Revised – [Ninth Edition](#)
Status of inclusion term(s): Deleted – [Ninth Edition](#)
Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of instructional note(s): Revised – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition/Twelfth Edition](#)
Status of instructional note(s): Deleted – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition/Twelfth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Second Edition:

T81.4 Infection following a procedure, not elsewhere classified

ICD-10-AM Third Edition:

T81.4 Infection following a procedure, not elsewhere classified
[T81.41](#) Wound infection following a procedure
[T81.42](#) Sepsis following a procedure

ICD-10-AM Ninth Edition:

T81.4 Wound infection following a procedure, not elsewhere classified

Abscess:

- intra-abdominal } postprocedural
- stitch }
- subphrenic }
- wound }

Infection:

- postprocedural NOS
- sternal wires

Excludes: infection due to:

- infusion, transfusion and therapeutic injection (T80.2)
- prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
- obstetric surgical wound infection (O86.0)

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Abscess:

- intra-abdominal | postprocedural
- stitch |
- subphrenic |
- wound |

Postprocedural infection NOS

Wound sepsis

Excludes: infection due to:

- infusion, transfusion and therapeutic injection (T80.2)
- prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
- obstetric surgical wound infection (O86.0)

Use additional code (Chapter 1, P36–, P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Eleventh Edition:

Postprocedural:

- abscess:
 - intra-abdominal
 - stitch
 - subphrenic
 - wound
- infection NOS

Wound sepsis

Excludes: infection due to:

- infusion, transfusion and therapeutic injection (T80.2)
- prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
- obstetric surgical wound infection (O86.0)

ICD-10-AM Twelfth Edition:

T81.4 Wound infection following a procedure, not elsewhere classified

Postprocedural:

- abscess:
 - intra-abdominal
 - stitch
 - subphrenic
 - wound
- infection NOS

Wound sepsis following a procedure

Excludes: amputation stump wound infection (T87.4)

infection due to:

- infusion, transfusion and therapeutic injection (T80.2)
- prosthetic devices, implants and grafts (T82.6–T82.7, T83.5–T83.6, T84.5–T84.7, T85.7)
- obstetric surgical wound infection or wound sepsis (O86.0)

ICD-10-AM Thirteenth Edition:

T81.4 Postprocedural wound infection, not elsewhere classified

Excludes: amputation stump wound infection (T87.4)
infection due to:
• infusion, transfusion and therapeutic injection (T80.2)
• internal devices, implants and grafts (T82.6–T82.7-, T83.5–T83.6, T84.5–T84.7, T85.7-)
obstetric surgical wound infection or wound sepsis (O86.0)

T81.41 Wound infection following a procedure**Status of code:****Deleted – Ninth Edition****T81.42 Sepsis following a procedure****Status of inclusion term(s):****Revised – Seventh Edition****Status of excludes note:****Deleted – Seventh Edition****Status of code:****Deleted – Ninth Edition****ICD-10-AM Sixth Edition:**

Fever due to infection	} postprocedural
Septicaemia	}

ICD-10-AM Seventh Edition:

Fever due to infection	} postprocedural
Sepsis	}

T81.5 Foreign body accidentally left in body cavity or operation wound following a procedure**Status of includes note:****Created – Tenth Edition****Status of excludes note:****Revised – Tenth Edition****Status of excludes note:****Revised – Twelfth Edition****Status of includes note:****Revised – Thirteenth Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Ninth Edition:**

Excludes: obstruction or perforation due to prosthetic devices and implants intentionally left in body (T82.0–T82.5, T83.0–T83.4, T84.0–T84.4, T85.0–T85.6)

ICD-10-AM Tenth Edition:

Excludes: obstruction or perforation due to or associated with prosthetic devices and implants intentionally left in body (T82.0–T82.5-, T83.0–T83.4, T84.0–T84.4, T85.0–T85.6-)

ICD-10-AM Twelfth Edition:

Includes: that with prosthetic devices, implants and grafts

Excludes: obstruction or perforation due to or associated with prosthetic devices and implants intentionally left in body (T82.0–T82.5-, T83.0–T83.4-, T84.0–T84.4, T85.0–T85.6-)

ICD-10-AM Thirteenth Edition:

Includes: foreign body accidentally left during insertion of internal devices, implants and grafts

Excludes: obstruction or perforation due to internal devices and implants intentionally left in body (T82.0–T82.5-, T83.0–T83.4-, T84.0–T84.4, T85.0–T85.6-)

T81.6 Acute reaction to foreign substance accidentally left during a procedure

Status of includes note:

Status of inclusion term(s):

Status of inclusion term(s):

Status of instructional note(s):

Status of includes note:

Created – Tenth Edition

Revised – Eleventh Edition

Deleted – Twelfth Edition

Created – Twelfth Edition

Revised – Thirteenth Edition

ICD-10-AM Tenth Edition:

Peritonitis:

- aseptic
- chemical

ICD-10-AM Eleventh Edition:

Aseptic peritonitis due to foreign substance accidentally left during procedure

ICD-10-AM Twelfth Edition:

Includes: that with prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

Includes: that with internal devices, implants and grafts

T81.7 Circulatory system complications due to a procedure, not elsewhere classified

Status of term:

Status of excludes note:

Status of code title:

Status of inclusion term(s):

Status of instructional note:

Status of excludes note:

Reclassified – Second Edition

Revised – Tenth Edition

Revised – Thirteenth Edition

Revised – Thirteenth Edition

Created – Thirteenth Edition

Revised – Thirteenth Edition

Term reclassification:

Phlebitis during or resulting from a procedure

Postprocedural phlebitis

Thrombophlebitis during or resulting from a procedure

Postprocedural thrombophlebitis

ICD-10-AM Ninth Edition:

Excludes: embolism:

- complicating:
 - abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 - pregnancy, childbirth and the puerperium (O88.-)
- due to prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)
- following infusion, transfusion and therapeutic injection (T80.0)
- traumatic (T79.0)

ICD-10-AM Tenth Edition:

Excludes: deep venous thrombosis (I80.-)

embolism:

- complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)
- due to or associated with prosthetic devices, implants and grafts (T82.82, T83.82, T84.82, T85.84)
- following infusion, transfusion and therapeutic injection (T80.0)
- in pregnancy, childbirth and the puerperium NEC (O88.-)
- pulmonary embolism (I26.-)
- traumatic (T79.0)

ICD-10-AM Twelfth Edition:

T81.7 Vascular complications following a procedure, not elsewhere classified
Air embolism following procedure NEC

- Excludes:**
- deep venous thrombosis (I80.-)
 - embolism:
 - complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 - due to or associated with prosthetic devices, implants and grafts (T82.82, T83.82, T84.82, T85.84)
 - following infusion, transfusion and therapeutic injection (T80.0)
 - in pregnancy, childbirth and the puerperium NEC (O88.-)
 - pulmonary embolism (I26.-)
 - traumatic (T79.0)

ICD-10-AM Thirteenth Edition:

T81.7 Circulatory system complications due to a procedure, not elsewhere classified
Air embolism following procedure NEC
Vascular complications due to a procedure NEC

- Excludes:**
- deep venous thrombosis (I80.-)
 - embolism or thrombosis:
 - complicating abortion or ectopic or molar pregnancy (O00–O07, O08.2)
 - due to:
 - infusion, transfusion and therapeutic injection (T80.0, T80.1)
 - internal devices, implants and grafts (T82.82, T83.82, T84.82, T85.84)
 - in pregnancy, childbirth and the puerperium NEC (O88.-)
 - pulmonary embolism (I26.-)
 - traumatic (T79.0)

T81.8 Other complications of procedures

Status of inclusion term(s):	Deleted – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of code(s):	Created – Tenth Edition
Status of code title:	Revised – Thirteenth Edition
Status of excludes note:	Revised – Thirteenth Edition
Status of code(s):	Created – Thirteenth Edition

ICD-10-AM Ninth Edition:

T81.8 Other complications of procedures, not elsewhere classified

- Excludes:**
- hypothermia following anaesthesia (T88.5)
 - malignant hyperthermia due to anaesthesia (T88.3)

ICD-10-AM Tenth Edition:

T81.8 Other complications of procedures, not elsewhere classified

- Excludes:**
- complications following anaesthesia (T88.5-)
 - malignant hyperthermia due to anaesthesia (T88.3)

T81.81 Complication of inhalation therapy
 T81.82 Persistent postprocedural fistula, not elsewhere classified
 T81.83 Pain following a procedure, not elsewhere classified
 T81.84 Postprocedural emphysema
 T81.89 Other complications following a procedure, not elsewhere classified

ICD-10-AM Thirteenth Edition:

- T81.8 Other complications of procedures
- Excludes:* complications of anaesthesia (T88.5-)
malignant hyperthermia due to anaesthesia (T88.3)
- T81.81 Complication of inhalation therapy
- [T81.82](#) Persistent postprocedural fistula, not elsewhere classified
- [T81.83](#) Pain due to a procedure, not elsewhere classified
- T81.84 Postprocedural emphysema
- T81.85 Nervous system complications due to a procedure, not elsewhere classified
- T81.86 Respiratory system complications due to a procedure, not elsewhere classified
- T81.87 Digestive system complications due to a procedure, not elsewhere classified
- T81.88 Genitourinary system complications due to a procedure, not elsewhere classified
- [T81.89](#) Other complications of a procedure, not elsewhere classified

T81.82 Persistent postprocedural fistula, not elsewhere classified

Status of instructional note: Created – [Thirteenth Edition](#)

T81.83 Pain due to a procedure, not elsewhere classified

Status of excludes note: Created – [Tenth Edition Addenda to Errata 2](#)

Status of code title: Revised – [Thirteenth Edition](#)

Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

- T81.83 Pain following a procedure, not elsewhere classified

Excludes: due to or associated with prosthetic devices, implants and grafts (T82.83, T83.83, T84.83, T85.85)

ICD-10-AM Thirteenth Edition:

- T81.83 Pain due to a procedure, not elsewhere classified

Excludes: pain due to internal devices, implants and grafts (T82.83, T83.83, T84.83, T85.85)

T81.89 Other complications of a procedure, not elsewhere classified

Status of code title: Revised – [Thirteenth Edition](#)

Status of instructional note: Created – [Thirteenth Edition](#)

Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

- T81.89 Other complications following a procedure, not elsewhere classified

ICD-10-AM Thirteenth Edition:

- T81.89 Other complications of a procedure, not elsewhere classified

T82–T86 Complications of devices, implants and grafts

Status of block title: Created – [Thirteenth Edition](#)

Status of includes note: Created – [Thirteenth Edition](#)

Status of excludes note: Created – [Thirteenth Edition](#)

T82 Complications of internal cardiac and vascular devices, implants and grafts

Status of excludes note: Revised – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: failure and rejection of transplanted organs and tissues (T86.-)

ICD-10-AM Tenth Edition:

T82 Complications of cardiac and vascular prosthetic devices, implants and grafts

Excludes: specified complications classified elsewhere, such as:

- acute reaction to foreign substance accidentally left during a procedure (T81.6)
- disruption of operation wound (wound dehiscence) (T81.3)
- failure and rejection of transplanted organs and tissues (T86.-)
- foreign body accidentally left in operation wound or body cavity (T81.5)
- postoperative wound infection NEC (superficial) (T81.4)

ICD-10-AM Thirteenth Edition:

T82 Complications of internal cardiac and vascular devices, implants and grafts

Excludes: specified complications classified elsewhere, such as:

- acute reaction to foreign substance accidentally left during a procedure (T81.6)
- disruption of operation wound (wound dehiscence) (T81.3)
- failure and rejection of transplanted [grafted] organs and tissues (T86.-)
- foreign body accidentally left in operation wound or body cavity (T81.5)
- postoperative wound infection NEC (superficial) (vein donor site) (T81.4)

T82.0 Mechanical complication of prosthetic heart valve

Status of inclusion term(s): Deleted – [Eleventh Edition](#)
Status of includes note: Created – [Eleventh Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of includes note: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T82.0 Mechanical complication of heart valve prosthesis

Includes: breakdown (mechanical)
displacement
leakage
malposition
mechanical obstruction
perforation
protrusion

ICD-10-AM Thirteenth Edition:

T82.0 Mechanical complication of prosthetic heart valve

Includes: breakdown (mechanical)
displacement (migration)
leakage
loosening
malposition
mechanical obstruction
perforation (other than accidental puncture or laceration during a procedure)
protrusion

T82.1 Mechanical complication of electronic cardiac device

Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Eleventh Edition:

T82.1 Mechanical complication of cardiac electronic device
 Conditions listed in T82.0 due to:

- electrodes
- pulse generator (battery)

ICD-10-AM Twelfth Edition:

T82.1 Mechanical complication of electronic cardiac device
 Conditions listed in T82.0 due to cardiac:

- defibrillator
- electrodes
- pacemaker (intracardiac) (subcutaneous)
- pulse generator (battery)

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T82.0 due to cardiac:

- defibrillator
- electrode(s)
- pacemaker (intracardiac) (subcutaneous)
- pulse generator (battery).

T82.2 Mechanical complication of coronary artery bypass and valve grafts

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to coronary artery bypass and valve grafts

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T82.0 due to coronary artery bypass and valve grafts.

T82.3 Mechanical complication of other vascular grafts

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to:

- aortic (bifurcation) graft (replacement)
- arterial (carotid)(femoral) graft (bypass)

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T82.0 due to:

- aortic (bifurcation) graft (replacement)
- arterial (carotid)(femoral) graft (bypass).

T82.4 Mechanical complication of vascular dialysis catheter

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to vascular dialysis catheter

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T82.0 due to vascular dialysis catheter.

T82.5 Mechanical complication of other internal cardiac and vascular devices and implants

Status of inclusion term(s):	Deleted – Tenth Edition
Status of excludes note:	Revised – Tenth Edition
Status of code(s):	Created – Tenth Edition
Status of code title:	Revised – Thirteenth Edition
Status of glossary description:	Created – Thirteenth Edition
Status of instructional note:	Created – Thirteenth Edition

ICD-10-AM Ninth Edition:

T82.5 Mechanical complication of other cardiac and vascular devices and implants

Excludes: mechanical complication of epidural and subdural infusion catheter (T85.6)

ICD-10-AM Tenth Edition:

T82.5 Mechanical complication of other cardiac and vascular devices and implants

Excludes: mechanical complication of epidural or subdural infusion catheter (T85.64)

- T82.51 Mechanical complication of central vascular catheter
- T82.52 Mechanical complication of peripheral vascular catheter
- T82.53 Mechanical complication of surgically created arteriovenous fistula and shunt
- T82.54 Mechanical complication of vascular balloon [counterpulsation] device
- T82.55 Mechanical complication of artificial heart
- T82.56 Mechanical complication of vena cava device
- T82.59 Mechanical complication of other specified cardiac and vascular devices and implants

ICD-10-AM Thirteenth Edition:

T82.5 Mechanical complication of other internal cardiac and vascular devices and implants

T82.6 Infection and inflammatory reaction due to cardiac valve prosthesis

Status of instructional note(s):	Created – Ninth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36–, P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

ICD-10-AM Thirteenth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

T82.7 Infection and inflammatory reaction due to internal cardiac and vascular devices, implants and grafts, not elsewhere classified

Status of instructional note(s):	Created – Ninth Edition
Status of code title:	Revised – Tenth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of code(s):	Created – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of code title:	Revised – Thirteenth Edition
Status of instructional note(s):	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

T82.7 Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

T82.7 Infection and inflammatory reaction due to cardiac and vascular prosthetic devices, implants and grafts

Use additional code for the specific condition, if known (eg cellulitis, sepsis)

T82.71 Infection and inflammatory reaction due to electronic cardiac device

T82.72 Infection and inflammatory reaction due to coronary artery bypass and valve grafts

T82.73 Infection and inflammatory reaction due to other vascular grafts

T82.74 Infection and inflammatory reaction due to central vascular catheter

T82.75 Infection and inflammatory reaction due to peripheral vascular catheter

T82.76 Infection and inflammatory reaction due to surgically created arteriovenous fistula and shunt

T82.77 Infection and inflammatory reaction due to vascular dialysis catheter

T82.79 Infection and inflammatory reaction due to cardiac and vascular devices, implants and grafts, not elsewhere classified

ICD-10-AM Eleventh Edition:

Use additional code for the specific condition, if known (eg cellulitis, sepsis).

ICD-10-AM Twelfth Edition:

T82.7 Infection and inflammatory reaction due to cardiac and vascular prosthetic devices, implants and grafts

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

ICD-10-AM Thirteenth Edition:

T82.7 Infection and inflammatory reaction due to internal cardiac and vascular devices, implants and grafts, not elsewhere classified

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

T82.71 Infection and inflammatory reaction due to electronic cardiac device**Status of inclusion term(s):****Revised – *Twelfth Edition*****Status of inclusion term(s):****Revised – *Thirteenth Edition*****ICD-10-AM Eleventh Edition:**

Infection and inflammatory reaction due to cardiac:

- electrodes
- pulse generator (battery)

ICD-10-AM Twelfth Edition:

Infection and inflammatory reaction due to cardiac:

- defibrillator
- electrodes
- pacemaker (intracardiac) (subcutaneous)
- pulse generator (battery)

ICD-10-AM Thirteenth Edition:

Infection and inflammatory reaction due to cardiac:

- defibrillator
- electrode(s)
- pacemaker (intracardiac) (subcutaneous)
- pulse generator (battery)

T82.74 Infection and inflammatory reaction due to central vascular catheter**Status of inclusion term(s):****Revised – *Thirteenth Edition*****Status of instructional note:****Created – *Thirteenth Edition*****ICD-10-AM Twelfth Edition:**

Infection and inflammation of:

- central vascular line (infusion port) (Port-A-Cath)
- peripherally inserted central catheter (PICC)

ICD-10-AM Thirteenth Edition:

Infection and inflammation of:

- central vascular line (infusion port) (insertion site) (Port-A-Cath)
- peripherally inserted central catheter (PICC)

T82.75 Infection and inflammatory reaction due to peripheral vascular catheter**Status of inclusion term(s):****Revised – *Thirteenth Edition*****Status of instructional note:****Created – *Thirteenth Edition*****ICD-10-AM Twelfth Edition:**

Peripheral line infection

ICD-10-AM Thirteenth Edition:

Localised infection at site of insertion of peripheral intravascular device

Peripheral line infection

T82.8 Other specified complications of internal cardiac and vascular devices, implants and grafts

Status of code title:	Revised – Seventh Edition
Status of inclusion term(s):	Revised – Seventh Edition
Status of inclusion term(s):	Revised – Ninth Edition
Status of code title:	Revised – Tenth Edition
Status of inclusion term(s):	Deleted – Tenth Edition
Status of code(s):	Created – Tenth Edition
Status of code title:	Revised – Thirteenth Edition

ICD-10-AM Sixth Edition:

T82.8 Other complications of cardiac and vascular prosthetic devices, implants and grafts

Complication	}	
Embolism	}	
Fibrosis	}	
Haemorrhage	}	due to cardiac and vascular prosthetic devices, implants and grafts
Pain	}	
Stenosis	}	
Thrombosis	}	

ICD-10-AM Seventh Edition:

T82.8 Other specified complications of cardiac and vascular prosthetic devices, implants and grafts

Embolism	}	
Fibrosis	}	
Haemorrhage	}	due to cardiac and vascular prosthetic devices, implants and grafts
Pain	}	
Stenosis	}	
Thrombosis	}	

ICD-10-AM Ninth Edition:

T82.8 Other specified complications of cardiac and vascular prosthetic devices, implants and grafts

Embolism	}	
Fibrosis	}	
Haemorrhage	}	due to cardiac and vascular prosthetic devices, implants and grafts
Pain	}	
Stenosis	}	
Thrombosis	}	
Vascular dissection	}	

ICD-10-AM Tenth Edition:

T82.8 Other specified complications of cardiac and vascular devices, implants and grafts

T82.81 Haemorrhage and haematoma following insertion of cardiac and vascular prosthetic devices, implants and grafts

T82.82 Embolism and thrombosis following insertion of cardiac and vascular prosthetic devices, implants and grafts

T82.83 Pain following insertion of cardiac and vascular prosthetic devices, implants and grafts

T82.84 Stenosis following insertion of cardiac and vascular prosthetic devices, implants and grafts

T82.85 Vascular dissection following insertion of cardiac and vascular prosthetic devices, implants and grafts

T82.86 Aneurysm following insertion of cardiac and vascular prosthetic devices, implants and grafts

T82.89 Other specified complications of cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.8 Other specified complications of internal cardiac and vascular devices, implants and grafts

T82.81 Haemorrhage and haematoma due to insertion of internal cardiac and vascular devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T82.81 Haemorrhage and haematoma following insertion of cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.81 Haemorrhage and haematoma due to insertion of internal cardiac and vascular devices, implants and grafts

T82.82 Embolism and thrombosis due to insertion of internal cardiac and vascular devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**
Status of instructional note(s): Created – **Thirteenth Edition**
Status of excludes note: Deleted – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T82.82 Embolism and thrombosis following insertion of cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.82 Embolism and thrombosis due to insertion of internal cardiac and vascular devices, implants and grafts

T82.83 Pain due to insertion of internal cardiac and vascular devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T82.83 Pain following insertion of cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.83 Pain due to insertion of internal cardiac and vascular devices, implants and grafts

T82.84 Stenosis due to insertion of internal cardiac and vascular devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T82.84 Stenosis following insertion of cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.84 Stenosis due to insertion of internal cardiac and vascular devices, implants and grafts

T82.85 Vascular dissection due to insertion of internal cardiac and vascular devices, implants and grafts

Status of code title: Revised – [Thirteenth Edition](#)

Status of inclusion term(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T82.85 Vascular dissection following insertion of cardiac and vascular prosthetic devices, implants and grafts
Vascular dissection during insertion of cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.85 Vascular dissection due to insertion of internal cardiac and vascular devices, implants and grafts
Vascular dissection during insertion of internal cardiac and vascular devices, implants and grafts

T82.86 Aneurysm due to insertion of internal cardiac and vascular devices, implants and grafts

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T82.86 Aneurysm following insertion of cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.86 Aneurysm due to insertion of internal cardiac and vascular devices, implants and grafts

T82.89 Other complications of internal cardiac and vascular devices, implants and grafts

Status of code title: Revised – [Thirteenth Edition](#)

Status of inclusion term(s): Revised – [Thirteenth Edition](#)

Status of instructional note: Created – [Thirteenth Edition](#)

Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T82.89 Other specified complications of cardiac and vascular prosthetic devices, implants and grafts
Fibrosis due to cardiac and vascular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T82.89 Other complications of internal cardiac and vascular devices, implants and grafts
Fibrosis due to internal cardiac and vascular devices, implants and grafts

T82.9 Unspecified complication of internal cardiac and vascular device, implant and graft

Status of code title: Revised – [Thirteenth Edition](#)

Status of note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T82.9 Unspecified complication of cardiac and vascular prosthetic device, implant and graft

ICD-10-AM Thirteenth Edition:

T82.9 Unspecified complication of internal cardiac and vascular device, implant and graft

T83 Complications of genitourinary prosthetic devices, implants and grafts

Status of excludes note:

Revised – Tenth Edition

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Excludes: failure and rejection of transplanted organs and tissues (T86.-)

ICD-10-AM Tenth Edition:

Excludes: specified complications classified elsewhere, such as:

- acute reaction to foreign substance accidentally left during a procedure (T81.6)
- disruption of operation wound (wound dehiscence) (T81.3)
- failure and rejection of transplanted organs and tissues (T86.-)
- foreign body accidentally left in operation wound or body cavity (T81.5)
- postoperative wound infection (superficial) NEC (T81.4)

ICD-10-AM Twelfth Edition:

T83 Complications of genitourinary prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T83 Complications of internal genitourinary devices, implants and grafts

T83.0 Mechanical complication of urinary (indwelling) catheter

Status of inclusion term(s):

Revised – Tenth Edition

Status of excludes note:

Created – Tenth Edition

Status of inclusion term(s):

Deleted – Thirteenth Edition

Status of includes note:

Created – Thirteenth Edition

Status of instructional note:

Created – Thirteenth Edition

ICD-10-AM Ninth Edition:

Conditions listed in T82.0 due to:

- catheter:
 - cystostomy
 - urethral, indwelling

ICD-10-AM Tenth Edition:

Conditions listed in T82.0 due to urethral indwelling catheter

T83.1 Mechanical complication of other urinary devices and implants

Status of glossary description:

Revised – Thirteenth Edition

Status of instructional note:

Created – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to :

- urinary:
 - electronic stimulator device
 - sphincter implant
 - stent

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T83.0 due to urinary:

- electronic stimulator device
- sphincter implant
- stent.

T83.2 Mechanical complication of graft of urinary organ

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to graft of urinary organ

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T83.0 due to graft of urinary organ.

T83.3 Mechanical complication of intrauterine device

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Tenth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

T83.3 Mechanical complication of intrauterine contraceptive device
 Conditions listed in T82.0 due to intrauterine contraceptive device

ICD-10-AM Tenth Edition:

T83.3 Mechanical complication of intrauterine device
 Conditions listed in T82.0 due to intrauterine (contraceptive) device

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T83.0 due to intrauterine (contraceptive) device.

T83.4 Mechanical complication of other internal devices, implants and grafts in genital tract

Status of code(s): Created – [Twelfth Edition](#)
Status of glossary description: Deleted – [Twelfth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Created – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)
Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Eleventh Edition:

T83.4 Mechanical complication of other prosthetic devices, implants and grafts in genital tract

ICD-10-AM Twelfth Edition:

T83.4 Mechanical complication of other prosthetic devices, implants and grafts in genital tract
[T83.41](#) Mechanical complication of other prosthetic devices, implants and grafts in male genital tract
[T83.42](#) Mechanical complication of other prosthetic devices, implants and grafts in female genital tract

ICD-10-AM Thirteenth Edition:

T83.4 Mechanical complication of other internal devices, implants and grafts in genital tract

T83.41 Mechanical complication of other internal devices, implants and grafts in male genital tract

Status of code title: Revised – **Thirteenth Edition**
Status of glossary description: Deleted – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.41 Mechanical complication of other prosthetic devices, implants and grafts in male genital tract

ICD-10-AM Thirteenth Edition:

T83.41 Mechanical complication of other internal devices, implants and grafts in male genital tract

T83.42 Mechanical complication of other internal devices, implants and grafts in female genital tract

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.42 Mechanical complication of other prosthetic devices, implants and grafts in female genital tract

ICD-10-AM Thirteenth Edition:

T83.42 Mechanical complication of other internal devices, implants and grafts in female genital tract

T83.5 Infection and inflammatory reaction due to internal device, implant and graft in urinary system

Status of instructional note(s): Created – **Ninth Edition**
Status of instructional note(s): Revised – **Tenth Edition**
Status of instructional note(s): Revised – **Twelfth Edition/Twelfth Edition**
Status of code title: Revised – **Thirteenth Edition**
Status of instructional note(s): Revised – **Thirteenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36.-, P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Twelfth Edition:

T83.5 Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code (K65.2-) to identify secondary peritonitis.

ICD-10-AM Thirteenth Edition:

T83.5 Infection and inflammatory reaction due to internal device, implant and graft in urinary system

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

Use additional code (K65.2-) to identify secondary peritonitis.

T83.6 Infection and inflammatory reaction due to internal device, implant and graft in genital tract

Status of instructional note(s): Created – **Ninth Edition**
Status of instructional note(s): Revised – **Tenth Edition**
Status of code(s): Created – **Twelfth Edition**
Status of instructional note(s): Revised – **Twelfth Edition/Twelfth Edition**
Status of code title: Revised – **Thirteenth Edition**
Status of instructional note(s): Revised – **Thirteenth Edition**

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36., P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Eleventh Edition:

T83.6 Infection and inflammatory reaction due to prosthetic device, implant and graft in genital tract

Use additional code (Chapter 1, P36., P37.52) to identify sepsis, if applicable - see Alphabetic Index: Sepsis.

ICD-10-AM Twelfth Edition:

T83.6 Infection and inflammatory reaction due to prosthetic device, implant and graft in genital tract

Use additional code (Chapter 1) to identify sepsis – see Alphabetic Index: Sepsis/by type.

Use additional code (K65.2-) to identify secondary peritonitis.

T83.61 Infection and inflammatory reaction due to prosthetic device, implant and graft in male genital tract

T83.62 Infection and inflammatory reaction due to prosthetic device, implant and graft in female genital tract

ICD-10-AM Thirteenth Edition:

T83.6 Infection and inflammatory reaction due to internal device, implant and graft in genital tract

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

Use additional code (K65.2-) to identify secondary peritonitis.

T83.61 Infection and inflammatory reaction due to internal device, implant and graft in male genital tract

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.61 Infection and inflammatory reaction due to prosthetic device, implant and graft in male genital tract

ICD-10-AM Thirteenth Edition:

T83.61 Infection and inflammatory reaction due to internal device, implant and graft in male genital tract

T83.62 Infection and inflammatory reaction due to internal device, implant and graft in female genital tract

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T83.62 Infection and inflammatory reaction due to prosthetic device, implant and graft in female genital tract

ICD-10-AM Thirteenth Edition:

T83.62 Infection and inflammatory reaction due to internal device, implant and graft in female genital tract

T83.8 Other complications of genitourinary internal devices, implants and grafts

Status of inclusion term(s):

Deleted – Tenth Edition

Status of code(s):

Created – Tenth Edition

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

T83.8 Other complications of genitourinary prosthetic devices, implants and grafts

ICD-10-AM Tenth Edition:

T83.8 Other complications of genitourinary prosthetic devices, implants and grafts

[T83.81](#) Haemorrhage and haematoma following insertion of genitourinary prosthetic devices, implants and grafts

[T83.82](#) Embolism and thrombosis following insertion of genitourinary prosthetic devices, implants and grafts

[T83.83](#) Pain following insertion of genitourinary prosthetic devices, implants and grafts

[T83.84](#) Stenosis following insertion of genitourinary prosthetic devices, implants and grafts

[T83.85](#) Erosion of genitourinary mesh and other prosthetic materials

[T83.89](#) Other specified complications of genitourinary devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T83.8 Other complications of genitourinary internal devices, implants and grafts

T83.81 Haemorrhage and haematoma due to internal genitourinary devices, implants and grafts

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T83.81 Haemorrhage and haematoma following insertion of genitourinary prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T83.81 Haemorrhage and haematoma due to internal genitourinary devices, implants and grafts

T83.82 Embolism and thrombosis due to internal genitourinary devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**
Status of instructional note(s): Created – **Thirteenth Edition**
Status of excludes note: Deleted – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.82 Embolism and thrombosis following insertion of genitourinary prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T83.82 Embolism and thrombosis due to internal genitourinary devices, implants and grafts

T83.83 Pain due to insertion of internal genitourinary devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.83 Pain following insertion of genitourinary prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T83.83 Pain due to insertion of internal genitourinary devices, implants and grafts

T83.84 Stenosis due to insertion of internal genitourinary devices, implants and grafts

Status of excludes note: Created – **Twelfth Edition**
Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.84 Stenosis following insertion of genitourinary prosthetic devices, implants

ICD-10-AM Thirteenth Edition:

T83.84 Stenosis due to insertion of internal genitourinary devices, implants and grafts

T83.85 Erosion of genitourinary mesh and other implant materials

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.85 Erosion of genitourinary mesh and other prosthetic materials

ICD-10-AM Thirteenth Edition:

T83.85 Erosion of genitourinary mesh and other implant materials

T83.89 Other complications of internal genitourinary devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T83.89 Other specified complications of genitourinary devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T83.89 Other complications of internal genitourinary devices, implants and grafts

T83.9 Unspecified complication of internal genitourinary device, implant and graft

Status of code title: *Revised – Thirteenth Edition*
Status of note: *Created – Thirteenth Edition*

ICD-10-AM Twelfth Edition:

T83.9 Unspecified complication of genitourinary prosthetic device, implant and graft

ICD-10-AM Thirteenth Edition:

T83.9 Unspecified complication of internal genitourinary device, implant and graft

T84 Complications of internal orthopaedic devices, implants and grafts

Status of excludes note: *Revised – Tenth Edition*
Status of code title: *Revised – Thirteenth Edition*
Status of excludes note: *Revised – Thirteenth Edition*

ICD-10-AM Ninth Edition:

Excludes: failure and rejection of transplanted organs and tissues (T86.-)
fracture of bone following insertion of orthopaedic implant, joint prosthesis or bone plate (M96.6)

ICD-10-AM Tenth Edition:

T84 Complications of internal orthopaedic prosthetic devices, implants and grafts

Excludes: specified complications classified elsewhere, such as:

- acute reaction to foreign substance accidentally left during a procedure (T81.6)
- disruption of operation wound (wound dehiscence) (T81.3)
- failure and rejection of transplanted organs and tissues (T86.-)
- foreign body accidentally left in operation wound or body cavity (T81.5)
- fracture of bone following insertion of orthopaedic implant, joint prosthesis or bone plate (M96.6)
- postoperative wound infection (superficial) NEC (T81.4)

ICD-10-AM Thirteenth Edition:

T84 Complications of internal orthopaedic devices, implants and grafts

Excludes: specified complications classified elsewhere, such as:

- acute reaction to foreign substance accidentally left during a procedure (T81.6)
- disruption of operation wound (wound dehiscence) (T81.3)
- failure and rejection of transplanted organs and tissues (T86.-)
- foreign body accidentally left in operation wound or body cavity (T81.5)
- fracture of bone following insertion of orthopaedic implant, joint prosthesis or bone plate (M96.61)
- postoperative wound infection (superficial) NEC (T81.4)
- postprocedural osteolysis (M96.62)

T84.0 Mechanical complication of internal prosthetic joint

Status of code title: *Revised – Thirteenth Edition*
Status of glossary description: *Deleted – Thirteenth Edition*
Status of includes note: *Created – Thirteenth Edition*
Status of instructional note: *Created – Thirteenth Edition*

ICD-10-AM Twelfth Edition:

T84.0 Mechanical complication of internal joint prosthesis

ICD-10-AM Thirteenth Edition:

T84.0 Mechanical complication of internal prosthetic joint

T84.1 Mechanical complication of internal fixation device of bones of limb

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to internal fixation device of bones of limb

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T84.0 due to internal fixation device of bones of limb.

T84.2 Mechanical complication of internal fixation device of other bones

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to internal fixation device of other bones

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T84.0 due to internal fixation device of other bones.

T84.3 Mechanical complication of other internal bone devices, implants and grafts

Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T84.3 Mechanical complication of other bone devices, implants and grafts
 Conditions listed in T82.0 due to:
 • bone graft
 • electronic bone stimulator

ICD-10-AM Thirteenth Edition:

T84.3 Mechanical complication of other internal bone devices, implants and grafts
 Complications listed in *Includes* note at T84.0 due to:
 • bone graft
 • electronic bone stimulator
 • internal components (pins) of external fixator device.

T84.4 Mechanical complication of other internal orthopaedic devices, implants and grafts

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to muscle and tendon graft

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T84.0 due to muscle and tendon graft.

T84.5 Infection and inflammatory reaction due to internal joint prosthesis

Status of instructional note(s):	Created – Ninth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36., P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

ICD-10-AM Thirteenth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

T84.6 Infection and inflammatory reaction due to internal fixation device [any site]

Status of instructional note(s):	Created – Ninth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of instructional note(s):	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36., P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Twelfth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

ICD-10-AM Thirteenth Edition:

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

T84.7 Infection and inflammatory reaction due to other internal orthopaedic devices, implants and grafts

Status of instructional note(s):	Created – Ninth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of code title:	Revised – Thirteenth Edition
Status of inclusion term(s):	Created – Thirteenth Edition
Status of instructional note(s):	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36., P37.52) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.

ICD-10-AM Twelfth Edition:

T84.7 Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices, implants and grafts

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

ICD-10-AM Thirteenth Edition:

T84.7 Infection and inflammatory reaction due to other internal orthopaedic devices, implants and grafts

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

T84.8 Other complications of internal orthopaedic devices, implants and grafts

Status of inclusion term(s):	Deleted – Tenth Edition
Status of code(s):	Created – Tenth Edition
Status of code title:	Revised – Thirteenth Edition
Status of includes note:	Created – Thirteenth Edition

ICD-10-AM Ninth Edition:

T84.8 Other complications of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Tenth Edition:

T84.8 Other complications of internal orthopaedic prosthetic devices, implants and grafts

T84.81 Haemorrhage and haematoma following insertion of internal orthopaedic prosthetic devices, implants and grafts

T84.82 Embolism and thrombosis following insertion of internal orthopaedic prosthetic devices, implants and grafts

T84.83 Pain following insertion of internal orthopaedic prosthetic devices, implants and grafts

T84.84 Stenosis following insertion of internal orthopaedic prosthetic devices, implants and grafts

T84.85 Metallosis following insertion of internal orthopaedic prosthetic devices, implants and grafts

T84.89 Other specified complications following insertion of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T84.8 Other complications of internal orthopaedic devices, implants and grafts

T84.81 Haemorrhage and haematoma due to insertion of internal orthopaedic devices, implants and grafts

Status of code title:

Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T84.81 Haemorrhage and haematoma following insertion of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T84.81 Haemorrhage and haematoma due to insertion of internal orthopaedic devices, implants and grafts

T84.82 Embolism and thrombosis due to insertion of internal orthopaedic devices, implants and grafts

Status of code title:

Revised – [Thirteenth Edition](#)

Status of instructional note(s):

Created – [Thirteenth Edition](#)

Status of excludes note:

Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T84.82 Embolism and thrombosis following insertion of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T84.82 Embolism and thrombosis due to insertion of internal orthopaedic devices, implants and grafts

T84.83 Pain due to insertion of internal orthopaedic devices, implants and grafts

Status of code title:

Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T84.83 Pain following insertion of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T84.83 Pain due to insertion of internal orthopaedic devices, implants and grafts

T84.84 Stenosis due to insertion of internal orthopaedic devices, implants and grafts

Status of code title:

Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T84.84 Stenosis following insertion of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T84.84 Stenosis due to insertion of internal orthopaedic devices, implants and grafts

T84.85 Metallosis due to insertion of internal orthopaedic devices, implants and grafts

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T84.85 Metallosis following insertion of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T84.85 Metallosis due to insertion of internal orthopaedic devices, implants and grafts

T84.89 Other complications of internal orthopaedic devices, implants and grafts

Status of code title:

Revised – Thirteenth Edition

Status of instructional note:

Created – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T84.89 Other specified complications following insertion of internal orthopaedic prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T84.89 Other complications of internal orthopaedic devices, implants and grafts

T84.9 Unspecified complication of internal orthopaedic device, implant and graft

Status of code title:

Revised – Thirteenth Edition

Status of note:

Created – Thirteenth Edition

ICD-10-AM Twelfth Edition:

T84.9 Unspecified complication of internal orthopaedic prosthetic device, implant and graft

ICD-10-AM Thirteenth Edition:

T84.9 Unspecified complication of internal orthopaedic device, implant and graft

T85 Complications of other internal devices, implants and grafts

Status of excludes note:

Revised – Tenth Edition

Status of code title:

Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Excludes: failure and rejection of transplanted organs and tissues (T86.-)

ICD-10-AM Tenth Edition:

T85 Complications of other internal prosthetic devices, implants and grafts

Excludes:

- specified complications classified elsewhere, such as:
 - acute reaction to foreign substance accidentally left during a procedure (T81.6)
 - disruption of operation wound (wound dehiscence) (T81.3)
 - failure and rejection of transplanted organs and tissues (T86.-)
 - foreign body accidentally left in operation wound or body cavity (T81.5)
 - postoperative wound infection (superficial) NEC (T81.4)

ICD-10-AM Thirteenth Edition:

T85 Complications of other internal devices, implants and grafts

T85.0 Mechanical complication of ventricular intracranial (communicating) shunt

Status of glossary description: Deleted – [Thirteenth Edition](#)
Status of includes note: Created – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

T85.1 Mechanical complication of implanted electronic stimulator of nervous system

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to electronic neurostimulator (electrode) of:

- brain
- peripheral nerve
- spinal cord

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T85.0 due to electronic neurostimulator (electrode) of:

- brain
- peripheral nerve
- spinal cord.

T85.2 Mechanical complication of intraocular lens

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Conditions listed in T82.0 due to intraocular lens

ICD-10-AM Thirteenth Edition:

Complications listed in *Includes* note at T85.0 due to intraocular lens.

T85.3 Mechanical complication of other internal ocular devices, implants and grafts

Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T85.3 Mechanical complication of other ocular prosthetic devices, implants and grafts

Conditions listed in T82.0 due to:

- corneal graft
- prosthetic orbit of eye

ICD-10-AM Thirteenth Edition:

T85.3 Mechanical complication of other internal ocular devices, implants and grafts

Complications listed in *Includes* note at T85.0 due to:

- corneal graft
- prosthetic orbit of eye.

T85.4 Mechanical complication of breast implants

Status of code title:	Revised – Tenth Edition
Status of inclusion term(s):	Revised – Tenth Edition
Status of code title:	Revised – Thirteenth Edition
Status of glossary description:	Revised – Thirteenth Edition
Status of instructional note:	Created – Thirteenth Edition

ICD-10-AM Ninth Edition:

T85.4 Mechanical complication of breast prosthesis and implant
Conditions listed in T82.0 due to breast prosthesis and implant

ICD-10-AM Tenth Edition:

T85.4 Mechanical complication of breast prostheses and implants
Conditions listed in T82.0 due to breast prostheses and implants

ICD-10-AM Thirteenth Edition:

T85.4 Mechanical complication of breast implants
Complications listed in *Includes* note at T85.0 due to breast prostheses and implants.

T85.5 Mechanical complication of internal gastrointestinal devices, implants and grafts

Status of inclusion term(s):	Revised – Tenth Edition
Status of code title:	Revised – Thirteenth Edition
Status of glossary description:	Revised – Thirteenth Edition
Status of instructional note:	Created – Thirteenth Edition
Status of excludes note:	Created – Thirteenth Edition

ICD-10-AM Ninth Edition:

Conditions listed in T82.0 due to:

- bile duct prosthesis
- oesophageal antireflux device

ICD-10-AM Tenth Edition:

Conditions listed in T82.0 due to:

- bile duct prosthesis
- gastric band
- oesophageal antireflux device

ICD-10-AM Twelfth Edition:

T85.5 Mechanical complication of gastrointestinal prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.5 Mechanical complication of internal gastrointestinal devices, implants and grafts
Complications listed in *Includes* note at T85.0 due to:

- bile duct prosthesis
- gastric band
- oesophageal antireflux device.

T85.6 Mechanical complication of internal devices, implants and grafts, not elsewhere classified

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Created – [Thirteenth Edition](#)
Status of instructional note: Created – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

T85.6 Mechanical complication of other specified internal prosthetic devices, implants and grafts

ICD-10-AM Tenth Edition:

T85.6 Mechanical complication of internal prosthetic devices, implants and grafts, not elsewhere classified

[T85.61](#) Mechanical complication of respiratory prosthetic devices, implants and grafts

[T85.62](#) Mechanical complication of auditory prosthetic devices, implants and grafts

[T85.63](#) Mechanical complication of intraperitoneal dialysis catheter

[T85.64](#) Mechanical complication of epidural and subdural infusion catheter

[T85.65](#) Mechanical complication of surgical material and sutures

[T85.69](#) Mechanical complication of internal prosthetic devices, implants and grafts, not elsewhere classified

ICD-10-AM Thirteenth Edition:

T85.6 Mechanical complication of internal devices, implants and grafts, not elsewhere classified

T85.61 Mechanical complication of internal respiratory devices, implants and grafts

Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Deleted – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T85.61 Mechanical complication of respiratory prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.61 Mechanical complication of internal respiratory devices, implants and grafts

T85.62 Mechanical complication of internal auditory devices, implants and grafts

Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Deleted – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T85.62 Mechanical complication of auditory prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.62 Mechanical complication of internal auditory devices, implants and grafts

T85.63 Mechanical complication of intraperitoneal dialysis catheter

Status of glossary description: Deleted – [Thirteenth Edition](#)

T85.64 Mechanical complication of epidural and subdural infusion catheter

Status of glossary description: Deleted – [Thirteenth Edition](#)

T85.65 Mechanical complication of surgical material and sutures

Status of glossary description: Deleted – [Thirteenth Edition](#)

T85.69 Mechanical complication of internal devices, implants and grafts, not elsewhere classified

Status of code title: Revised – [Thirteenth Edition](#)

Status of glossary description: Deleted – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T85.69 Mechanical complication of internal prosthetic devices, implants and grafts, not elsewhere classified

ICD-10-AM Thirteenth Edition:

T85.69 Mechanical complication of internal devices, implants and grafts, not elsewhere classified

T85.7 Infection and inflammatory reaction due to other internal devices, implants and grafts

Status of instructional note(s): Created – [Ninth Edition](#)

Status of instructional note(s): Revised – [Tenth Edition](#)

Status of code(s): Created – [Tenth Edition](#)

Status of instructional note(s): Revised – [Twelfth Edition](#)

Status of code title: Revised – [Thirteenth Edition](#)

Status of instructional note(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

T85.7 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

T85.71 Infection and inflammatory reaction due to peritoneal dialysis catheter

T85.72 Infection and inflammatory reaction due to nervous system device, implant and graft

T85.78 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

ICD-10-AM Tenth Edition:

T85.7 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

Use additional code (Chapter 1, P36., P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

[T85.71](#) Infection and inflammatory reaction due to peritoneal dialysis catheter

[T85.72](#) Infection and inflammatory reaction due to nervous system prosthetic devices, implants and grafts

[T85.73](#) Infection and inflammatory reaction due to gastrointestinal prosthetic devices, implants and grafts

[T85.74](#) Infection and inflammatory reaction due to respiratory prosthetic devices, implants and grafts

[T85.75](#) Infection and inflammatory reaction due to breast prostheses and implants

[T85.76](#) Infection and inflammatory reaction due to ocular prosthetic devices, implants and grafts

- T85.77 Infection and inflammatory reaction due to internal hearing devices, implants and grafts
- T85.78 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

ICD-10-AM Eleventh Edition:

Use additional code (Chapter 1, P36.-, P37.52) to identify sepsis, if applicable — see Alphabetic Index: Sepsis.

ICD-10-AM Twelfth Edition:

- T85.7 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

ICD-10-AM Thirteenth Edition:

- T85.7 Infection and inflammatory reaction due to other internal devices, implants and grafts

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

T85.71 Infection and inflammatory reaction due to peritoneal dialysis catheter

Status of instructional note(s):	Created – Twelfth Edition
Status of instructional note(s):	Revised – Twelfth Edition Errata
Status of inclusion term(s):	Created – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Use additional code (K65.2-) to identify secondary peritonitis.

ICD-10-AM Twelfth Edition errata:

Use additional code (K65.29) to identify secondary peritonitis.

T85.72 Infection and inflammatory reaction due to internal nervous system devices, implants and grafts

Status of code:	Created – Sixth Edition
Status of code title:	Revised – Tenth Edition
Status of code title:	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

- T85.72 Infection and inflammatory reaction due to nervous system device, implant and graft

ICD-10-AM Tenth Edition:

- T85.72 Infection and inflammatory reaction due to nervous system prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

- T85.72 Infection and inflammatory reaction due to internal nervous system devices, implants and grafts

T85.73 Infection and inflammatory reaction due to internal gastrointestinal devices, implants and grafts
Status of code title:
Revised – Thirteenth Edition
ICD-10-AM Twelfth Edition:

T85.73 Infection and inflammatory reaction due to gastrointestinal prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.73 Infection and inflammatory reaction due to internal gastrointestinal devices, implants and grafts

T85.74 Infection and inflammatory reaction due to internal respiratory devices, implants and grafts
Status of code title:
Revised – Thirteenth Edition
ICD-10-AM Twelfth Edition:

T85.74 Infection and inflammatory reaction due to respiratory prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.74 Infection and inflammatory reaction due to internal respiratory devices, implants and grafts

T85.75 Infection and inflammatory reaction due to internal breast devices, implants and grafts
Status of code title:
Revised – Thirteenth Edition
ICD-10-AM Twelfth Edition:

T85.75 Infection and inflammatory reaction due to breast prostheses and implants

ICD-10-AM Thirteenth Edition:

T85.75 Infection and inflammatory reaction due to internal breast devices, implants and grafts

T85.76 Infection and inflammatory reaction due to internal ocular devices, implants and grafts
Status of code title:
Revised – Thirteenth Edition
ICD-10-AM Twelfth Edition:

T85.76 Infection and inflammatory reaction due to ocular prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.76 Infection and inflammatory reaction due to internal ocular devices, implants and grafts

T85.78 Infection and inflammatory reaction due to other internal devices, implants and grafts

Status of excludes note:

Status of excludes note:

Status of code title:

Revised – Ninth Edition Errata 4

Deleted – Tenth Edition

Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Excludes: infection of sternal wires (T81.41)

ICD-10-AM Ninth Edition Errata 4:

Excludes: infection of sternal wires (T81.4)

ICD-10-AM Twelfth Edition:

T85.78 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.78 Infection and inflammatory reaction due to other internal devices, implants and grafts

T85.8 Other complications of internal devices, implants and grafts, not elsewhere classified

Status of code(s):

Status of inclusion term(s) (T85.8):

Status of code title(s):

Status of code(s):

Status of inclusion term(s) (T85.88):

Status of code title:

Created – Sixth Edition

Deleted – Tenth Edition

Revised – Tenth Edition

Created – Tenth Edition

Created – Tenth Edition

Revised – Thirteenth Edition

ICD-10-AM Fifth Edition:

T85.8 Other complications of internal prosthetic devices, implants and grafts, not elsewhere classified

ICD-10-AM Sixth Edition:

T85.8 Other complications of internal prosthetic devices, implants and grafts, not elsewhere classified

T85.81 Other complications due to nervous system device, implant and graft

T85.88 Other complications of internal prosthetic device, implant and graft, NEC

ICD-10-AM Tenth Edition:

T85.8 Other complications of internal prosthetic devices, implants and grafts, not elsewhere classified

T85.81 Other complications following insertion of nervous system prosthetic devices, implants and grafts

T85.82 Other complications following insertion of gastrointestinal prostheses and implants

T85.83 Haemorrhage and haematoma following insertion of other prosthetic devices, implants and grafts

T85.84 Embolism and thrombosis following insertion of other prosthetic devices, implants and grafts

T85.85 Pain following insertion of other prosthetic devices, implants and grafts

T85.86 Stenosis following insertion of other prosthetic devices, implants and grafts

T85.88 Other complications of internal prosthetic device, implant and graft, not elsewhere classified

ICD-10-AM Thirteenth Edition:

T85.8 Other complications of internal devices, implants and grafts, not elsewhere classified

T85.81 Other complications of internal nervous system devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**
Status of instructional note: Created – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.81 Other complications following insertion of nervous system prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.81 Other complications of internal nervous system devices, implants and grafts

T85.82 Other complications of internal gastrointestinal devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**
Status of instructional note: Created – **Thirteenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.82 Other complications following insertion of gastrointestinal prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.82 Other complications of internal gastrointestinal devices, implants and grafts

T85.83 Haemorrhage and haematoma due to insertion of other internal devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.83 Haemorrhage and haematoma following insertion of other prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.83 Haemorrhage and haematoma due to insertion of other internal devices, implants and grafts

T85.84 Embolism and thrombosis due to insertion of other internal devices, implants and grafts

Status of code title: Revised – **Thirteenth Edition**
Status of instructional note(s): Created – **Thirteenth Edition**
Status of excludes note: Deleted – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.84 Embolism and thrombosis following insertion of other prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.84 Embolism and thrombosis due to insertion of other internal devices, implants and grafts

T85.85 Pain due to insertion of other internal devices, implants and grafts

Status of code title: **Revised – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.85 Pain following insertion of other prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.85 Pain due to insertion of other internal devices, implants and grafts

T85.86 Stenosis due to insertion of other internal devices, implants and grafts

Status of code title: **Revised – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.86 Stenosis following insertion of other prosthetic devices, implants and grafts

ICD-10-AM Thirteenth Edition:

T85.86 Stenosis due to insertion of other internal devices, implants and grafts

T85.88 Other complications of internal device, implant and graft, not elsewhere classified

Status of code title: **Revised – Thirteenth Edition**

Status of instructional note(s): **Created – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.88 Other complications of internal prosthetic device, implant and graft, not elsewhere classified

ICD-10-AM Thirteenth Edition:

T85.88 Other complications of internal device, implant and graft, not elsewhere classified

T85.9 Unspecified complication of other internal device, implant and graft

Status of code title: **Revised – Thirteenth Edition**

Status of note: **Created – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

T85.9 Unspecified complication of internal prosthetic device, implant and graft

ICD-10-AM Thirteenth Edition:

T85.9 Unspecified complication of other internal device, implant and graft

T86 Failure and rejection of transplanted [grafted] organs and tissues

Status of code title: **Revised – Tenth Edition**

Status of code title: **Revised – Thirteenth Edition**

ICD-10-AM Ninth Edition:

T86 Failure and rejection of transplanted organs and tissues

ICD-10-AM Tenth Edition:

T86 Failure and rejection and other complications of transplanted organs and tissues

ICD-10-AM Thirteenth Edition:

T86 Failure and rejection of transplanted [grafted] organs and tissues

T86.0 Bone marrow transplant rejection

Status of includes note: Created – [Tenth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of excludes note: Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Graft-versus-host reaction or disease

ICD-10-AM Twelfth Edition:

Graft-versus-host reaction or disease following bone marrow transplantation

T86.2 Heart transplant failure and rejection

Status of excludes note: Revised – [Tenth Edition Errata 1](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Tenth Edition:

Excludes: complication of:
 • artificial heart device (T82.5)
 • heart-lung transplant (T86.3)

ICD-10-AM Tenth Edition Errata 1:

Excludes: complication of:
 • artificial heart device (T82.5-)
 • heart-lung transplant (T86.3)

ICD-10-AM Thirteenth Edition:

Excludes: failure and rejection of heart-lung transplant (T86.3)
 mechanical complication of artificial heart device (T82.55)

T86.5 Stem cell transplant failure and rejection, not elsewhere classified

Status of code: Created – [Tenth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of includes note: Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

T86.5 Stem cell transplant failure and rejection
 Transplant failure and rejection of stem cells from:
 • peripheral blood
 • umbilical cord

ICD-10-AM Twelfth Edition:

T86.5 Stem cell transplant failure and rejection, not elsewhere classified
 Graft-versus-host reaction or disease NOS

T86.8 Failure and rejection of other transplanted [grafted] organs and tissues

Status of code title(s): Revised – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

T86.8 Failure and rejection of other transplanted organs and tissues
 T86.81 Lung transplant failure and rejection
 T86.82 Pancreas or pancreatic islet cell transplant failure and rejection
 T86.88 Failure and rejection of other transplanted organs and tissues

ICD-10-AM Tenth Edition:

- T86.8 Failure and rejection and other complications of transplanted organs and tissues, not elsewhere classified
- T86.81 Lung transplant failure and rejection
- [T86.82](#) Pancreas or pancreatic islet cell transplant failure and rejection
- [T86.83](#) Intestinal graft failure and rejection
- [T86.84](#) Bone graft failure and rejection
- [T86.85](#) Corneal graft failure and rejection
- T86.86 Skin graft and flap failure and rejection
- [T86.88](#) Failure and rejection of transplanted organs and tissues, not elsewhere classified
- [T86.89](#) Other complications of transplanted organs and tissues, not elsewhere classified

ICD-10-AM Thirteenth Edition:

- T86.8 Failure and rejection of other transplanted [grafted] organs and tissues

T86.82 Pancreas or pancreatic islet cell transplant failure and rejection

Status of code title: **Revised – [Sixth Edition](#)**

ICD-10-AM Fifth Edition:

- T86.82 Pancreas transplant failure and rejection

ICD-10-AM Sixth Edition:

- T86.82 Pancreas or pancreatic islet cell transplant failure and rejection

T86.83 Intestinal transplant [graft] failure and rejection

Status of code title: **Revised – [Thirteenth Edition](#)**

ICD-10-AM Twelfth Edition:

- T86.83 Intestinal graft failure and rejection

ICD-10-AM Thirteenth Edition:

- T86.83 Intestinal transplant [graft] failure and rejection

T86.84 Bone transplant [graft] failure and rejection

Status of code title: **Revised – [Thirteenth Edition](#)**

ICD-10-AM Twelfth Edition:

- T86.84 Bone graft failure and rejection

ICD-10-AM Thirteenth Edition:

- T86.84 Bone transplant [graft] failure and rejection

T86.85 Corneal transplant [graft] failure and rejection

Status of instructional note(s): Revised – [Twelfth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Eleventh Edition:

Code also any condition associated with corneal graft rejection or failure, for example:

- *other corneal oedema (H18.2)*
- *presence of intraocular lens (Z96.1)*

ICD-10-AM Twelfth Edition:

T86.85 Corneal graft failure and rejection

Use additional code to identify any condition associated with corneal graft rejection or failure.

Use additional code (H18.2) to identify corneal oedema NOS.

Use additional code (Z96.1) to identify presence of intraocular lens.

ICD-10-AM Thirteenth Edition:

T86.85 Corneal transplant [graft] failure and rejection

T86.88 Failure and rejection of other transplanted organs and tissues, not elsewhere classified

Status of code(s) title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

T86.88 Failure and rejection of other transplanted organs and tissues

ICD-10-AM Tenth Edition:

T86.88 Failure and rejection of transplanted organs and tissues, not elsewhere classified

ICD-10-AM Thirteenth Edition:

T86.88 Failure and rejection of other transplanted organs and tissues, not elsewhere classified

T86.89 Other complications of transplanted organs and tissues, not elsewhere classified

Status of code: Deleted – [Thirteenth Edition](#)

T86.9 Failure and rejection of unspecified transplanted organ and tissue

Status of code: Deleted – [Tenth Edition](#)

T87–T88 Other complications of surgical and medical care, not elsewhere classified

Status of block heading: Created – [Thirteenth Edition](#)

T87.4 Infection of amputation stump

Status of inclusion term(s): Created – [Twelfth Edition](#)
Status of excludes note: Created – [Thirteenth Edition](#)

T87.6 Other and unspecified complications of amputation stump**Status of code(s):****Created – Twelfth Edition****ICD-10-AM Eleventh Edition:**

T87.6 Other and unspecified complications of amputation stump

ICD-10-AM Twelfth Edition:

T87.6 Other and unspecified complications of amputation stump

T87.60 Complication of amputation stump, unspecified

T87.61 Haemorrhage and haematoma of amputation stump

T87.62 Disruption of amputation stump

T87.69 Other complications of amputation stump

T87.69 Other complications of amputation stump**Status of instructional note(s):****Created – Thirteenth Edition****T88 Other complications of surgical and medical care, not elsewhere classified****Status of excludes note:****Revised – Tenth Edition****Status of instructional note(s):****Created – Twelfth Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Ninth Edition:**

Excludes: accidental puncture or laceration during a procedure (T81.2) complications following:

- infusion, transfusion and therapeutic injection (T80.-)
- procedure NEC (T81.-)

specified complications classified elsewhere, such as:

- complications of:
 - anaesthesia in:
 - labour and delivery (O74.-)
 - pregnancy (O29.-)
 - puerperium (O89.-)
 - devices, implants and grafts (T82–T85)
 - obstetric surgery and procedures (O75.4)
- dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0–L27.1)
- poisoning and toxic effects of drugs and chemicals (T36–T65)

ICD-10-AM Tenth Edition:

Excludes: accidental puncture or laceration during a procedure — *see Alphabetic Index: Complications/accidental puncture or laceration during procedure* complications following:

- infusion, transfusion and therapeutic injection (T80.-)
- procedure NEC (T81.-)

specified complications classified elsewhere, such as:

- complications of devices, implants and grafts (T82–T85)
- dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0–L27.1)
- poisoning and toxic effects of drugs and chemicals (T36–T65)

ICD-10-AM Thirteenth Edition:

Excludes: accidental puncture or laceration during a procedure — see Alphabetic Index:
 Complication(s)/accidental puncture or laceration during procedure
 adverse effect of drugs and medicaments NEC — see Alphabetic Index
 complication of:
 • infusion, transfusion and therapeutic injection (T80.-)
 • internal devices, implants and grafts (T82–T85)
 • procedure NEC (T81.-)
 • serum (T80.5–T80.6)
 dermatitis due to drugs and medicaments except serum (L23.3, L24.4, L25.1, L27.0–L27.1)
 poisoning and toxic effects of drugs and chemicals (T36–T65)

T88.0 Infection due to immunisation

Status of inclusion term(s):	Revised – Seventh Edition
Status of instructional note(s):	Created – Ninth Edition
Status of inclusion term(s):	Deleted – Ninth Edition
Status of instructional note(s):	Revised – Tenth Edition
Status of instructional note(s):	Revised – Twelfth Edition
Status of code title:	Revised – Thirteenth Edition
Status of instructional note(s):	Revised – Thirteenth Edition

ICD-10-AM Sixth Edition:

Sepsis } following immunisation
 Septicaemia }

ICD-10-AM Seventh Edition:

Sepsis following immunisation

ICD-10-AM Ninth Edition:

Use additional code (Chapter 1, P36–P37) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Tenth Edition:

Use additional code (Chapter 1, P36.-, P37.52) to identify sepsis, if applicable — see Alphabetic Index/Sepsis

ICD-10-AM Twelfth Edition:

T88.0 Infection following immunisation

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

ICD-10-AM Thirteenth Edition:

T88.0 Infection due to immunisation

Use additional code (Chapter 1) to identify sepsis — see Alphabetic Index: Sepsis/by type.

Use additional code to identify specific type of infection.

T88.1 Other complications due to immunisation, not elsewhere classified

Status of excludes note:	Revised – Eleventh Edition
Status of inclusion term(s):	Revised – Twelfth Edition
Status of excludes note:	Revised – Twelfth Edition
Status of code title:	Revised – Thirteenth Edition

ICD-10-AM Tenth Edition:

Excludes: anaphylactic shock due to serum (T80.5)
 other serum reactions (T80.6)
 postimmunisation:
 • arthropathy (M02.2-)
 • encephalitis (G04.0)

ICD-10-AM Eleventh Edition:

Rash following immunisation

Excludes: anaphylaxis and anaphylactic shock due to serum (T80.5)
 other serum reactions (T80.6)
 postimmunisation:
 • arthropathy (M02.2-)
 • encephalitis (G04.0)

ICD-10-AM Twelfth Edition:

T88.1 Other complications following immunisation, not elsewhere classified

Complication NEC due to vaccination NOS
 Eczema due to adverse effects of vaccine
 Rash due to adverse effects of vaccine
 Urticaria due to adverse effects of vaccine

Excludes: anaphylaxis and anaphylactic shock due to serum (T80.5)
 other serum reactions (T80.6)
 postimmunisation:
 • arthropathy (M02.2-)
 • encephalitis (G04.0)
 vaccine induced thrombosis with thrombocytopenia syndrome [VITTS] (D69.5)

ICD-10-AM Thirteenth Edition:

T88.1 Other complications due to immunisation, not elsewhere classified

T88.2 Shock due to anaesthesia

Status of excludes note:	Revised – Tenth Edition
Status of inclusion term(s):	Deleted – Thirteenth Edition
Status of note:	Created – Thirteenth Edition
Status of excludes note:	Revised – Thirteenth Edition

ICD-10-AM Ninth Edition:

Excludes: complications of anaesthesia (in):
 • from overdose or wrong substance given (T36–T50)
 • labour and delivery (O74.-)
 • pregnancy (O29.-)
 • puerperium (O89.-)
 postprocedural shock NOS (T81.1)

ICD-10-AM Tenth Edition:

Excludes: complications of anaesthesia (in) from overdose or wrong substance given (T36–T50)
 postprocedural shock NOS (T81.1)

ICD-10-AM Thirteenth Edition:

Excludes: complications of anaesthesia from overdose or wrong substance given (T36–T50)

T88.3 Malignant hyperthermia due to anaesthesia

Status of note:	Created – Thirteenth Edition
------------------------	-------------------------------------

T88.4 Failed or difficult intubation

Status of code(s):	Created – Ninth Edition
---------------------------	--------------------------------

ICD-10-AM Eighth Edition:

T88.4 Failed or difficult intubation

ICD-10-AM Ninth Edition:

T88.4 Failed or difficult intubation

T88.41 Failed intubation

T88.42 Difficult intubation

T88.41 Failed intubation

Status of excludes note: Deleted – [Tenth Edition](#)

T88.42 Complications due to difficult intubation

Status of inclusion term(s): Created – [Tenth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Revised – [Thirteenth Edition](#)
Status of includes note: Created – [Thirteenth Edition](#)
Status of instructional note(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T88.42 Difficult intubation
 Difficult airway

ICD-10-AM Thirteenth Edition:

T88.42 Complications due to difficult intubation
 Difficult airway complications

T88.5 Complications of anaesthesia, not elsewhere classified

Status of code title: Revised – [Tenth Edition](#)
Status of inclusion term(s): Deleted – [Tenth Edition](#)
Status of code(s): Created – [Tenth Edition](#)
Status of note: Created – [Thirteenth Edition](#)
Status of code(s): Created – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

T88.5 Other complications of anaesthesia

ICD-10-AM Tenth Edition:

T88.5 Complications of anaesthesia, not elsewhere classified
 T88.51 Hypothermia following anaesthesia
 T88.52 Headache due to anaesthesia
 T88.53 Failed anaesthesia
 T88.59 Complications of anaesthesia, not elsewhere classified

ICD-10-AM Thirteenth Edition:

T88.5 Complications of anaesthesia, not elsewhere classified
[T88.51](#) Hypothermia due to anaesthesia
[T88.52](#) Headache due to anaesthesia
 T88.53 Failed anaesthesia
 T88.54 Hypotension due to anaesthesia, not elsewhere classified
 T88.59 Complications of anaesthesia, not elsewhere classified

T88.51 Hypothermia due to anaesthesia

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

T88.51 Hypothermia following anaesthesia

ICD-10-AM Thirteenth Edition:

T88.51 Hypothermia due to anaesthesia

T88.52 Headache due to anaesthesia

Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Excludes: headache following spinal and lumbar puncture (G97.11)

ICD-10-AM Thirteenth Edition:

Excludes: spinal [lumbar] puncture headache (G97.11)

T88.6 Anaphylaxis and anaphylactic shock due to adverse effect of correct drug or medicament properly administered

Status of code title: Revised – **Eleventh Edition**
Status of excludes note: Revised – **Eleventh Edition**
Status of instructional note(s): Created – **Eleventh Edition**
Status of inclusion term(s): Created – **Twelfth Edition**
Status of instructional note(s): Revised – **Twelfth Edition**
Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Tenth Edition:

T88.6 Anaphylactic shock due to adverse effect of correct drug or medicament properly administered

Excludes: anaphylactic shock due to serum (T80.5)

ICD-10-AM Eleventh Edition:

T88.6 Anaphylaxis and anaphylactic shock due to adverse effect of correct drug or medicament properly administered

Use additional external cause code (Chapter 20) to identify drug or medicament, if known.

Excludes: anaphylaxis and anaphylactic shock due to serum (T80.5)

ICD-10-AM Twelfth Edition:

Use additional external cause code (Chapter 20) to identify cause.

ICD-10-AM Thirteenth Edition:

Excludes: anaphylaxis and anaphylactic shock due to serum reaction (T80.5)

T88.7 Unspecified adverse effect of drug or medicament

Status of inclusion term(s): Revised – **Eleventh Edition**
Status of excludes note: Revised – **Twelfth Edition**
Status of note: Created – **Thirteenth Edition**

ICD-10-AM Tenth Edition:

Adverse effect	(of)(to) correct drug or medicament properly administered
Allergic reaction	
Hypersensitivity	
Idiosyncrasy	
Drug:	
• hypersensitivity NOS	
• reaction NOS	

ICD-10-AM Eleventh Edition:

Drug:

- allergic reaction NOS
- hypersensitivity NOS
- idiosyncratic reaction NOS
- reaction NOS

Excludes: specified adverse effects of drugs and medicaments (A00–R99, T80–T88.6, T88.8)

ICD-10-AM Twelfth Edition:

Excludes: specified adverse effects of drugs and medicaments — see Alphabetic Index

T88.8 Other specified complications of surgical and medical care, not elsewhere classified

Status of instructional note(s): Created – [Thirteenth Edition](#)

T89 Other specified complications of trauma

Status of code(s): Created – [First Edition](#)

WHO ICD-10:

No concept in WHO ICD-10

ICD-10-AM First Edition:

- T89 Other specified complications of trauma
- T89.0 Complications of open wound
- T89.00 Complications of open wounds, unspecified
- T89.01 Open wound with foreign body (with or without infection)
- [T89.02](#) Open wound with infection
- T89.03 Other complications of open wounds

T89.02 Other wound with infection

Status of excludes note: Created – [Sixth Edition](#)

T89.03 Other complications of open wounds

Status of inclusion term(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Delayed healing
Delayed treatment

ICD-10-AM Thirteenth Edition:

Delayed:

- healing
- treatment

T90–T98 Sequelae of injuries, of poisoning and of other consequences of external causes

Status of code(s):

Revised – Second Edition

Status of note:

Revised – Seventh Edition

WHO ICD-10:

Note: ...The principle of multiple coding of injuries should be followed wherever possible. Combination categories for multiple injuries are provided for use when there is insufficient detail as to the nature of the individual conditions, or for primary tabulation purposes when it is more convenient to record a single code; otherwise, the component injuries should be coded separately.

ICD-10-AM Second Edition:

Note: ...The principle of multiple coding of injuries should be followed wherever possible. Combination categories for multiple injuries are provided for use when there is insufficient detail as to the nature of the individual conditions, otherwise, the component injuries should be coded separately.

ICD-10-AM Sixth Edition:

Note: These categories are to be used to indicate conditions in S00–S99 and T00–T88 as the cause of late effects, which are themselves classified elsewhere. The sequelae include those specified as such, or as late effects, and those present one year or more after the acute injury.

ICD-10-AM Seventh Edition:

Note: Categories T90–T98 are to be used to indicate conditions in S00–S99 and T00–T88 as the cause of late effects, which are themselves classified elsewhere. The sequelae include those specified as such, or as late effects, and those present one year or more after the acute injury.

T95 Sequelae of burns and frostbite

Status of code(s):

Revised – First Edition

WHO ICD-10:

T95 Sequelae of burns, corrosions and frostbite
 T95.0 Sequelae of burn, corrosion and frostbite of head and neck
 T95.1 Sequelae of burn, corrosion and frostbite of trunk
 T95.2 Sequelae of burn, corrosion and frostbite of upper limb
 T95.3 Sequelae of burn, corrosion and frostbite of lower limb
 T95.4 Sequelae of burn, corrosion classifiable only according to extent of body surface involved
 T95.8 Sequelae of other specified burn, corrosion and frostbite
 T95.9 Sequelae of unspecified burn, corrosion and frostbite

ICD-10-AM First Edition:

T95 Sequelae of burns and frostbite
 T95.0 Sequelae of burn and frostbite of head and neck
 T95.1 Sequelae of burn and frostbite of trunk
 T95.2 Sequelae of burn and frostbite of upper limb
 T95.3 Sequelae of burn and frostbite of lower limb
 T95.4 Sequelae of burn classifiable only according to extent of body surface involved
 T95.8 Sequelae of other specified burn and frostbite
 T95.9 Sequelae of unspecified burn and frostbite

Z00.1 Routine child health examination**Status of excludes note:** Revised – [Tenth Edition](#)**ICD-10-AM Ninth Edition:****Excludes:** health supervision of foundling or other healthy infant or child (Z76.1–Z76.2)**ICD-10-AM Tenth Edition:****Excludes:** health supervision and care of infant or child (Z76.1–Z76.22)**Z00.4 General psychiatric examination, not elsewhere classified****Status of glossary description:** Created – [Twelfth Edition](#)**Status of instructional note(s):** Created – [Twelfth Edition](#)**Z00.5 Examination of potential donor of organ and tissue****Status of includes note:** Created – [Eighth Edition](#)**Z01 Other special examinations and investigations of persons without complaint or reported diagnosis****Status of excludes note:** Revised – [Eleventh Edition](#)**ICD-10-AM Tenth Edition:****Excludes:** examination for:
• administrative purposes (Z02.-)
• suspected conditions, not proven (Z03.-)
special screening examinations (Z11–Z13)**ICD-10-AM Eleventh Edition:****Excludes:** examination for:
• administrative purposes (Z02.-)
• suspected conditions, ruled out (Z03.-)
special screening examinations (Z11–Z13)**Z01.5 Diagnostic skin and sensitisation tests****Status of excludes note:** Created – [Ninth Edition](#)**Z02.8 Other examinations for administrative purposes****Status of excludes note:** Revised – [Tenth Edition](#)**ICD-10-AM Ninth Edition:****Excludes:** health supervision of foundling or other healthy infant or child (Z76.1–Z76.2)**ICD-10-AM Tenth Edition:****Excludes:** health supervision and care of infant or child (Z76.1–Z76.22)

Z03 Medical observation and evaluation for suspected diseases and conditions, ruled out

Status of code title: Revised – [Eleventh Edition](#)
Status of inclusion term(s): Created – [Eleventh Edition](#)
Status of includes note: Deleted – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Z03 Medical observation and evaluation for suspected diseases and conditions

ICD-10-AM Eleventh Edition:

Z03 Medical observation and evaluation for suspected diseases and conditions, ruled out

Z03.6 Observation for suspected toxic effect from ingested substance

Status of excludes note: Created – [Ninth Edition](#)

Z03.7 Observation and evaluation of newborn for suspected condition not found

Status of code(s): Created – [Third Edition](#)
Status of code title(s): Revised – [Sixth Edition](#)
Status of note: Revised – [Eleventh Edition](#)
Status of instructional note(s): Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)
Status of note: Revised – [Thirteenth Edition](#)

WHO ICD-10:

No concept in WHO ICD-10

ICD-10-AM Third Edition:

Z03.7 Observation and evaluation of newborn for suspected condition not found

Z03.70 Observation for unspecified suspected newborn condition
 Z03.71 Observation for suspected newborn infectious condition
 Z03.72 Observation for suspected newborn neurological condition
 Z03.73 Observation for suspected newborn respiratory condition
 Z03.79 Observation for other suspected newborn condition

ICD-10-AM Sixth Edition:

Z03.7 Observation and evaluation of newborn for suspected condition not found

Z03.70 Observation of newborn for unspecified suspected condition
 Z03.71 Observation of newborn for suspected infectious condition
 Z03.72 Observation of newborn for suspected neurological condition
 Z03.73 Observation of newborn for suspected respiratory condition
 Z03.79 Observation of newborn for other suspected condition

ICD-10-AM Tenth Edition:

Note: This category is to be used for newborns, within the neonatal period (the first 28 days of life), who are suspected of having an abnormal condition resulting from exposure from mother or birth process, but without signs or symptoms, and which after examination and observation, is found not to exist.

ICD-10-AM Eleventh Edition:

Use additional code (Z38.-) to identify liveborn infant according to place of birth, if applicable.

Note: Assign code(s) from this category for newborns (infants less than 28 days old) without signs or symptoms, who are suspected of having an abnormal condition that is ruled out after examination and observation.

ICD-10-AM Twelfth Edition:

Note: Assign code(s) from this category for newborns (infants less than 28 days old) without signs or symptoms, who are suspected of having an abnormal condition that is ruled out after examination and observation.

Use additional code (Z38.-) to identify liveborn infant according to place of birth.

ICD-10-AM Thirteenth Edition:

Note: Assign code(s) from this subcategory for newborns (infants less than 28 days old) (without signs or symptoms), who are suspected of having an abnormal condition that is ruled out after examination and observation.

Z03.71 Observation of newborn for suspected infectious condition

Status of excludes note:

Created – Twelfth Edition

Status of note:

Created – Thirteenth Edition

Z03.8 Observation for other suspected diseases and conditions

Status of code(s):

Created – Twelfth Edition

Status of excludes note:

Deleted – Twelfth Edition

ICD-10-AM Eleventh Edition:

Z03.8 Observation for other suspected diseases and conditions

ICD-10-AM Twelfth Edition:

Z03.8 Observation for other suspected diseases and conditions

Z03.81 Observation for suspected coronavirus disease 2019 [COVID-19], ruled out

Z03.82 Observation for suspected virus, ruled out

Z03.89 Observation for other suspected diseases and conditions

Z03.81 Observation for suspected coronavirus disease 2019 [COVID-19], ruled out

Status of inclusion term(s):

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Coronavirus disease 2019 ruled out on laboratory testing

ICD-10-AM Thirteenth Edition:

Coronavirus disease 2019 [COVID-19] ruled out by negative polymerase chain reaction [PCR] or rapid antigen test [RAT]

Z04.1 Examination and observation following transport accident

Status of inclusion term(s):

Created – Ninth Edition

Status of instructional note(s):

Created – Twelfth Edition

Z04.2 Examination and observation following work accident

Status of inclusion term(s):

Created – Ninth Edition

Status of instructional note(s):

Created – Twelfth Edition

Z04.3 Examination and observation following other accident

Status of inclusion term(s):

Created – Ninth Edition

Status of instructional note(s):

Created – Twelfth Edition

Z04.4 Examination and observation following alleged rape and seduction

Status of instructional note(s): Created – [Twelfth Edition](#)

Z04.5 Examination and observation following other inflicted injury

Status of instructional note(s): Created – [Twelfth Edition](#)

Z06 Resistance to antimicrobial drugs

Status of code(s): Created – [Second Edition](#)
Status of code(s): Revised – [Third Edition](#)
Status of code title(s): Revised – [Fourth Edition](#)
Status of code(s): Created/Deleted – [Fourth Edition](#)
Status of code title: Revised – [Eighth Edition](#)
Status of instructional note(s): Revised – [Eighth Edition](#)
Status of code(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Second Edition:

Z06 Infection with drug-resistant microorganism

ICD-10-AM Third Edition:

Z06 Infection with drug-resistant microorganism
 Z06.1 Infection with multidrug resistant *Staphylococcus aureus*
 Z06.2 Infection with Vancomycin resistant enterococci
 Z06.8 Infection with other drug-resistant microorganism
 Z06.9 Infection with drug-resistant microorganism, unspecified

ICD-10-AM Fourth Edition:

Z06 Bacterial agents resistant to antibiotics
 Z06.3 Agent resistant to penicillin and related antibiotics
 Z06.31 Penicillin resistant agent
 Z06.32 Methicillin resistant agent
 Z06.39 Agent resistant to other penicillin-related antibiotic
 Z06.4 Agent resistant to vancomycin and related antibiotics
 Z06.41 Vancomycin resistant agent
 Z06.49 Agent resistant to vancomycin-related antibiotic
 Z06.8 Agent resistant to multiple antibiotics
 Z06.9 Agent resistant to other and unspecified antibiotics
 Z06.90 Agent resistant to unspecified antibiotic
 Z06.99 Agent resistant to other single specified antibiotic

ICD-10-AM Seventh Edition:

Z06 Bacterial agents resistant to antibiotics

Note: This category is intended for use as an additional code to identify the antibiotic to which a bacterial agent is resistant, in bacterial infection classified elsewhere.

ICD-10-AM Eighth Edition:

Z06 Resistance to antimicrobial drugs

Note: This category is intended for use as an additional code to identify the resistant properties of infectious agent(s) in infections classified elsewhere.

Z06.3 Agent resistant to penicillin and related antibiotics

Status of code: Deleted – [Eighth Edition](#)

Z06.31 Penicillin resistant agent

Status of code: Deleted – [Eighth Edition](#)

Z06.32 Methicillin resistant agent

Status of inclusion term(s): Revised – [Sixth Edition](#)
Status of code: Deleted – [Eighth Edition](#)

ICD-10-AM Fifth Edition

Z06.32 Methicillin resistant agent

ICD-10-AM Sixth Edition

Z06.32 Methicillin resistant agent
 Agent resistant to multiple antibiotics including methicillin

Z06.39 Agent resistant to other penicillin related antibiotics

Status of code: Deleted – [Eighth Edition](#)

Z06.4 Agent resistant to vancomycin and related antibiotics

Status of code: Deleted – [Eighth Edition](#)

Z06.41 Vancomycin resistant agent

Status of code: Deleted – [Eighth Edition](#)

Z06.49 Agent resistant to other vancomycin related antibiotics

Status of code: Deleted – [Eighth Edition](#)

Z06.5 Resistance to beta-lactam antibiotics

Status of category: Created – [Eighth Edition](#)
Status of instructional note(s): Created – [Eighth Edition](#)
Status of code(s): Created – [Eighth Edition](#)
Status of code(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Eighth Edition:

Z06.50 Resistance to beta-lactam antibiotics, unspecified
 Z06.51 Resistance to penicillin
[Z06.52](#) Resistance to methicillin
 Z06.53 Extended spectrum beta-lactamase (ESBL) resistance
 Z06.58 Resistance to other beta-lactam antibiotics

Z06.52 Resistance to methicillin

Status of inclusion term(s): Revised – [Ninth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Eighth Edition:

Resistance to:
 • cloxacillin
 • dicloxacillin
 • flucloxacillin
 • multiple antibiotics including methicillin
 • oxacillin

ICD-10-AM Ninth Edition:

Resistance to:
 • cloxacillin
 • dicloxacillin
 • flucloxacillin
 • oxacillin

Z06.6 Resistance to other antibiotics

<i>Status of category:</i>	<i>Created – Eighth Edition</i>
<i>Status of instructional note(s):</i>	<i>Created – Eighth Edition</i>
<i>Status of code(s):</i>	<i>Created – Eighth Edition</i>
<i>Status of code(s):</i>	<i>Revised – Ninth Edition</i>
<i>Status of code(s):</i>	<i>Deleted – Twelfth Edition</i>

ICD-10-AM Eighth Edition:

Z06.60	Resistance to unspecified antibiotics
Z06.61	Resistance to vancomycin
Z06.62	Resistance to other vancomycin related antibiotics
Z06.63	Resistance to quinolones
Z06.67	Resistance to multiple antibiotics
Z06.68	Resistance to other single specified antibiotic

ICD-10-AM Ninth Edition:

Z06.60	Resistance to unspecified antibiotics
Z06.61	Resistance to vancomycin
Z06.62	Resistance to other vancomycin related antibiotics
Z06.63	Resistance to quinolones
Z06.67	Resistance to multiple antibiotics
Z06.69	Resistance to other specified antibiotic

Z06.67 Resistance to multiple antibiotics

<i>Status of inclusion term(s):</i>	<i>Created – Ninth Edition</i>
<i>Status of excludes note:</i>	<i>Deleted – Ninth Edition</i>
<i>Status of code:</i>	<i>Deleted – Twelfth Edition</i>

Z06.68 Resistance to other single specified antibiotic

<i>Status of code:</i>	<i>Deleted – Ninth Edition</i>
------------------------	--------------------------------

Z06.69 Resistance to other specified antibiotics

<i>Status of code:</i>	<i>Created – Ninth Edition</i>
<i>Status of inclusion term(s):</i>	<i>Revised – Tenth Edition</i>
<i>Status of code:</i>	<i>Deleted – Twelfth Edition</i>

ICD-10-AM Ninth Edition:

- Resistance to:
- aminoglycosides (gentamycin) (tobramycin)
 - cephalosporins
 - macrolides (erythromycin)
 - metronidazole
 - sulphonamides
 - tetracyclines

ICD-10-AM Tenth Edition:

- Resistance to:
- aminoglycosides (gentamicin) (tobramycin)
 - macrolides (erythromycin)
 - metronidazole
 - sulfonamides
 - tetracyclines

Z06.7 Resistance to other antimicrobial drugs

Status of category: Created – [Eighth Edition](#)
Status of excludes note: Created – [Eighth Edition](#)
Status of code(s): Created – [Eighth Edition](#)
Status of code(s): Deleted – [Twelfth Edition](#)

ICD-10-AM Eighth Edition:

Z06.7 Resistance to other antimicrobial drugs
 Z06.70 Resistance to unspecified antimicrobial drug(s)
 Z06.71 Resistance to antiparasitic drug(s)
 Z06.72 Resistance to antifungal drug(s)
 Z06.73 Resistance to antiviral drug(s)
 Z06.74 Resistance to tuberculostatic drug(s)
 Z06.77 Resistance to multiple antimicrobial drug(s)
 Z06.78 Resistance to other specified antimicrobial drug

Z06.8 Agent resistant to multiple antibiotics

Status of inclusion term(s): Revised – [Sixth Edition](#)
Status of code: Deleted – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Fifth Edition

Note: This category is used to identify multiple-drug-resistant microorganisms such as multidrug resistant *Staphylococcus aureus*

ICD-10-AM Sixth Edition

Note: This category is used to identify agents resistant to multiple antibiotics excluding those involving methicillin (Z06.32)

Z06.9 Agent resistant to other and unspecified antibiotics

Status of code: Deleted – [Eighth Edition](#)

Z06.90 Agent resistant to unspecified antibiotics

Status of code: Deleted – [Eighth Edition](#)

Z06.99 Agent resistant to other single specified antibiotics

Status of code: Deleted – [Eighth Edition](#)

Z07 Resistance to antineoplastic drugs

Status of code: Created – [Eighth Edition](#)

Z08.2 Follow-up examination after pharmacotherapy for malignant neoplasm

Status of code(s): Revised – [Fourth Edition](#)

ICD-10-AM Third Edition:

Z08.2 Follow-up examination after chemotherapy for malignant neoplasm

ICD-10-AM Fourth Edition:

Z08.2 Follow-up examination after pharmacotherapy for malignant neoplasm

Z08.7 Follow-up examination after combined treatment for malignant neoplasm

Status of inclusion term(s): Created – **Fifth Edition**

Z09.2 Follow-up examination after pharmacotherapy for other conditions

Status of code(s): Revised – **Fourth Edition**

ICD-10-AM Third Edition:

Z09.2 Follow-up examination after chemotherapy for other conditions

ICD-10-AM Fourth Edition:

Z09.2 Follow-up examination after pharmacotherapy for other conditions

Z11.5 Special screening examination for other viral diseases

Status of includes note: Created – **Twelfth Edition**

Status of excludes note: Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Excludes: viral intestinal disease (Z11.0)

ICD-10-AM Twelfth Edition:

Excludes: observation for suspected coronavirus disease 2019 [COVID-19], ruled out (Z03.81)
viral intestinal disease (Z11.0)

Z13.1 Special screening examination for intermediate hyperglycaemia and diabetes mellitus

Status of code title: Revised – **Sixth Edition**

Status of code title: Revised – **Eighth Edition**

ICD-10-AM Fifth Edition:

Z13.1 Special screening examination for diabetes mellitus

ICD-10-AM Sixth Edition:

Z13.1 Special screening examination for impaired glucose regulation and diabetes mellitus

ICD-10-AM Eighth Edition:

Z13.1 Special screening examination for intermediate hyperglycaemia and diabetes mellitus

Z13.3 Special screening examination for mental and behavioural disorders

Status of inclusion term(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Alcoholism
Depression
Mental retardation

ICD-10-AM Twelfth Edition:

Alcoholism
Depression
Intellectual development disorder

Z13.8 Special screening examination for other specified diseases and disorders
Status of code(s):
*Created – **Second Edition***
ICD-10-AM First Edition:

Z13.8 Special screening examination for other specified diseases and disorders

ICD-10-AM Second Edition:

Z13.8 Special screening examination for other specified diseases and disorders

Z13.81 Special screening examination for nervous system disorder

Z13.82 Special screening examination for respiratory disorder

Z13.83 Special screening examination for digestive tract disorder

Z13.84 Special screening examination for musculoskeletal disorder

Z13.85 Special screening examination for genitourinary disorder

Z13.86 Special screening examination for endocrine and metabolic disorder

Z13.88 Special screening examination for other specified diseases and disorders

Z14–Z16 Resistance to antimicrobial drugs**Status of block:****Created – Twelfth Edition****Status of code(s):****Created – Twelfth Edition****ICD-10-AM Twelfth Edition:**

Z14–Z16	Resistance to antimicrobial drugs
Z14	Resistance to beta-lactam antibiotics
Z14.0	Resistance to narrow spectrum penicillins
Z14.01	Resistance to beta-lactamase sensitive [first generation] penicillins
Z14.02	Resistance to beta-lactamase resistant [second generation] penicillins
Z14.1	Resistance to extended spectrum penicillins
Z14.11	Resistance to aminopenicillins
Z14.12	Resistance to carboxypenicillins
Z14.13	Resistance to ureidopenicillins
Z14.2	Resistance to cephalosporins
Z14.21	Resistance to first generation cephalosporins
Z14.22	Resistance to second generation cephalosporins
Z14.23	Resistance to third generation cephalosporins
Z14.24	Resistance to fourth generation cephalosporins
Z14.25	Resistance to fifth generation cephalosporins
Z14.3	Resistance to carbapenems, penems and monobactams
Z14.31	Resistance to carbapenems
Z14.32	Resistance to penems
Z14.33	Resistance to monobactams
Z14.4	Resistance to penicillin-based antibiotic with beta lactamase inhibitor
Z14.8	Resistance to other beta-lactam antibiotics
Z14.9	Resistance to beta-lactam antibiotic, unspecified
Z15	Resistance to other antibiotics
Z15.0	Resistance to sulphonamides and trimethoprim
Z15.1	Resistance to macrolides, lincosamides and streptogramins
Z15.2	Resistance to aminoglycosides
Z15.3	Resistance to quinolones
Z15.30	Resistance to quinolones, unspecified
Z15.31	Resistance to fluoroquinolones
Z15.39	Resistance to other specified quinolones
Z15.4	Resistance to glycopeptides
Z15.41	Resistance to vancomycin
Z15.49	Resistance to other specified glycopeptides
Z15.7	Resistance to multiple antibiotics
Z15.8	Resistance to other specified antibiotic
Z15.81	Resistance to polymyxins
Z15.82	Resistance to tetracyclines
Z15.83	Resistance to imidazole derivatives
Z15.84	Resistance to oxazolidinones
Z15.89	Resistance to other specified antibiotics
Z15.9	Resistance to antibiotic, unspecified
Z16	Resistance to other antimicrobials
Z16.0	Resistance to antimycotics
Z16.1	Resistance to antimycobacterials
Z16.2	Resistance to antivirals
Z16.3	Resistance to antiparasitic drugs
Z16.30	Resistance to antiparasitic drugs, unspecified
Z16.31	Resistance to anthelmintic drugs
Z16.32	Resistance to antimalarial drugs
Z16.39	Resistance to other specified antiparasitic drugs
Z16.7	Resistance to multiple antimicrobials
Z16.8	Resistance to other specified antimicrobials
Z16.9	Resistance to antimicrobial, unspecified

Z20.8 Contact with and exposure to other communicable diseases**Status of code(s):****Created – [Twelfth Edition](#)****ICD-10-AM Eleventh Edition:**

Z20.8 Contact with and exposure to other communicable diseases

ICD-10-AM Twelfth Edition:

Z20.8 Contact with and exposure to other communicable diseases

Z20.81 Contact with and exposure to zoonotic disease

Z20.89 Contact with and exposure to other communicable diseases

Z22 Carrier of infectious disease**Status of instructional note(s):****Created – [Eighth Edition](#)****Status of instructional note(s):****Revised – [Twelfth Edition](#)****Status of note:****Created – [Thirteenth Edition](#)****Status of instructional note(s):****Revised – [Thirteenth Edition](#)****ICD-10-AM Eleventh Edition:***Use additional code to identify resistance to antimicrobial drugs (Z06.5- - Z06.7-).***ICD-10-AM Twelfth Edition:***Use additional code (Z14–Z16) to identify resistance to antimicrobial drugs.***ICD-10-AM Thirteenth Edition:***Use additional code (Z14–Z16) to identify resistance to antimicrobial drugs.**Use additional code (Z29.29) to identify administration of prophylactic pharmacotherapy for carrier of group B Streptococcus [GBS] in a pregnant patient.***Z22.5 Carrier of viral hepatitis****Status of code(s):****Created – [Second Edition](#)****Status of code(s):****Deleted – [Ninth Edition](#)****Status of code:****Deleted – [Tenth Edition](#)****ICD-10-AM First Edition:**

Z22.5 Carrier of viral hepatitis

ICD-10-AM Second Edition:

Z22.5 Carrier of viral hepatitis

Z22.51 Carrier of viral hepatitis B

Z22.52 Carrier of viral hepatitis C

Z22.59 Carrier of other specified viral hepatitis

ICD-10-AM Ninth Edition:

Z22.5 Carrier of viral hepatitis

Z22.7 Latent tuberculosis**Status of code:****Created – [Tenth Edition](#)****Status of code title:****Revised – [Eleventh Edition](#)****Status of inclusion term(s):****Deleted – [Eleventh Edition](#)****ICD-10-AM Tenth Edition:**[Z22.7](#) Carrier of tuberculosis**ICD-10-AM Eleventh Edition:**[Z22.7](#) Latent tuberculosis

Z25.2 Need for immunisation against coronavirus disease 2019 [COVID-19]*Status of code:**Created – Twelfth Edition***Z29.1 Prophylactic immunotherapy***Status of inclusion term(s):**Revised – Seventh Edition***ICD-10-AM Sixth Edition:**

Administration of immunoglobulin

ICD-10-AM Seventh Edition:

Administration of immunoglobulin

Plasmapheresis for incompatible organ transplant

Z29.2 Prophylactic pharmacotherapy*Status of code(s):**Revised – Fourth Edition**Status of code(s):**Created – Twelfth Edition**Status of code title:**Revised – Twelfth Edition**Status of inclusion term(s):**Deleted – Twelfth Edition***ICD-10-AM Third Edition:**

Z29.2 Other prophylactic chemotherapy

ICD-10-AM Fourth Edition:

Z29.2 Other prophylactic pharmacotherapy

ICD-10-AM Twelfth Edition:

Z29.2 Prophylactic pharmacotherapy

Z29.21 Prophylactic pharmacotherapy for neoplasm

Z29.29 Prophylactic pharmacotherapy, not elsewhere classified

Z30.1 Insertion of contraceptive device*Status of code title:**Revised – Seventh Edition**Status of inclusion term(s):**Created – Seventh Edition***ICD-10-AM Sixth Edition:**

Z30.1 Insertion of (intrauterine) contraceptive device

ICD-10-AM Seventh Edition:

Z30.1 Insertion of contraceptive device

Z30.2 Sterilisation intervention*Status of code title:**Revised – Twelfth Edition**Status of code(s):**Created – Twelfth Edition**Status of inclusion term(s):**Deleted – Twelfth Edition***ICD-10-AM Eleventh Edition:**

Z30.2 Sterilisation

ICD-10-AM Twelfth Edition:

Z30.2 Sterilisation intervention

Z30.21 Male sterilisation intervention

Z30.22 Female sterilisation intervention

Z30.5 Surveillance of contraceptive device**Status of code title:** Revised – [Seventh Edition](#)**Status of inclusion term(s):** Created – [Seventh Edition](#)**ICD-10-AM Sixth Edition:**

Z30.5 Surveillance of (intrauterine) contraceptive device
 Checking, reinsertion or removal of (intrauterine) contraceptive device

ICD-10-AM Seventh Edition:

Z30.5 Surveillance of contraceptive device
 Checking, reinsertion or removal of:
 • intrauterine contraceptive device (IUCD)
 • subdermal:
 • contraceptive } implant
 • hormone }

Z31.0 Admission for reversal of sterilisation intervention**Status of code title:** Revised – [Twelfth Edition](#)**Status of code(s):** Created – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:**

Z31.0 Tuboplasty or vasoplasty after previous sterilisation

ICD-10-AM Twelfth Edition:

Z31.0 Admission for reversal of sterilisation intervention
 Z31.01 Admission for reversal of male sterilisation intervention
 Z31.02 Admission for reversal of female sterilisation intervention

Z31.2 In vitro fertilisation**Status of excludes note:** Created – [Sixth Edition](#)**Status of instructional note(s):** Created – [Twelfth Edition/Twelfth Edition](#)**Status of excludes note:** Revised – [Twelfth Edition/Twelfth Edition](#)**ICD-10-AM Eleventh Edition:**

Excludes: sperm aspiration associated with in vitro fertilisation (IVF) (Z31.3)

ICD-10-AM Twelfth Edition:

Excludes: sperm aspiration associated with in vitro fertilisation (IVF) (Z31.31)

Z31.3 Other assisted fertilisation methods**Status of inclusion term(s):** Created – [Sixth Edition](#)**Status of code(s):** Created – [Twelfth Edition](#)**Status of inclusion term(s):** Revised – [Twelfth Edition](#)**ICD-10-AM Eleventh Edition:**

Z31.3 Other assisted fertilisation methods
 Admission for:
 • aspiration of sperm
 • assisted fertilisation method/procedure
 • procedure associated with in vitro fertilisation NOS

ICD-10-AM Twelfth Edition:

- Z31.3 Other assisted fertilisation methods
Admission for:
- assisted fertilisation method/intervention
 - intervention associated with in vitro fertilisation NOS
- Z31.31 Other assisted fertilisation methods associated with male reproductive system
- Z31.32 Other assisted fertilisation methods associated with female reproductive system

Z31.32 Other assisted fertilisation methods associated with female reproductive system

Status of instructional note: Revised – [Twelfth Edition Errata](#)

ICD-10-AM Twelfth Edition:

Use additional code (N46) to identify infertility.

ICD-10-AM Twelfth Edition errata:

Use additional code (N97.-) to identify infertility.

Z31.4 Procreative investigation and testing

Status of code(s): Created – [Twelfth Edition](#)

Status of inclusion term(s): Deleted – [Twelfth Edition](#)

Status of excludes note: Deleted – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

- Z31.4 Procreative investigation and testing

ICD-10-AM Twelfth Edition:

- Z31.4 Procreative investigation and testing
- Z31.41 Procreative investigation and testing of male reproductive system
- Z31.42 Procreative investigation and testing of female reproductive system

Z31.8 Other procreative management

Status of code(s): Created – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

- Z31.8 Other procreative management

ICD-10-AM Twelfth Edition:

- Z31.8 Other procreative management
- Z31.81 Other procreative management associated with male reproductive system
- Z31.82 Other procreative management associated with female reproductive system

Z32 Pregnancy supervision, examination and test, not elsewhere classified

Status of code title: Revised – [Eleventh Edition](#)

Status of code(s): Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

- Z32 Pregnancy examination and test
- Z32.0 Pregnancy, not (yet) confirmed
- Z32.1 Pregnancy confirmed

ICD-10-AM Eleventh Edition:

- Z32 Pregnancy supervision, examination and test, not elsewhere classified
- Z32.0 Pregnancy, not (yet) confirmed
- Z32.1 Pregnancy confirmed
- [Z32.2](#) Initiation of medical abortion

Z32.2 Initiation of medical abortion

Status of code: Created – [Eleventh Edition](#)
Status of instructional note(s): Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

Use additional code from category O09.- to identify duration of pregnancy.

ICD-10-AM Twelfth Edition:

Use additional code (O09.-) to identify duration of pregnancy.

Z33 Pregnant state, incidental

Status of excludes note: Created – [Tenth Edition](#)

Z34 Supervision of normal pregnancy

Status of excludes note: Revised – [Fifth Edition](#)
Status of includes note: Deleted – [Tenth Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)

ICD-10-AM Fourth Edition:

Excludes: false labour (O47.-)
 preterm contractions without delivery (O60)

ICD-10-AM Fifth Edition:

Excludes: false labour (O47.-)
 preterm contractions without delivery (O60.0)

ICD-10-AM Tenth Edition:

Excludes: false labour (O47.-)
 incidental pregnant state (Z33)
 preterm contractions without delivery (O60.0)
 with any condition classified to Chapter 15 — see Alphabetic Index

ICD-10-AM Eleventh Edition:

Excludes: false labour (O47.0, O47.1, O47.9)
 incidental pregnant state (Z33)
 labour without delivery (O47.2)
 preterm contractions without delivery (O60.0)
 with any condition classified to Chapter 15 — see Alphabetic Index

Z35 Supervision of high-risk pregnancy

Status of inclusion term(s): Created – [Eleventh Edition](#)

Z35.4 Supervision of pregnancy with grand multiparity

Status of inclusion term(s): Created – [Seventh Edition](#)

Z35.5 Supervision of pregnancy with advanced maternal age

Status of code(s): Created – **Fourth Edition**
Status of inclusion term(s): Revised – **Twelfth Edition**

ICD-10-AM Third Edition:

Z35.5 Supervision of elderly primigravida

ICD-10-AM Fourth Edition:

Z35.5 Supervision of pregnancy with advanced maternal age
 Z35.51 Supervision of primigravida with advanced maternal age
 Z35.52 Supervision of multigravida with advanced maternal age

ICD-10-AM Eleventh Edition:

Supervision of pregnancy in patient aged ≥ 35 years

ICD-10-AM Twelfth Edition:

Supervision of pregnancy in patient aged 35 years or older

Z35.6 Supervision of (very) young primigravida

Status of inclusion term(s): Revised – **Twelfth Edition**

ICD-10-AM Eleventh Edition:

Supervision of primigravida age < 16 years

ICD-10-AM Twelfth Edition:

Supervision of primigravida age less than 16 years

Z37 Outcome of delivery

Status of instructional note(s): Created – **Seventh Edition**
Status of note: Revised – **Eleventh Edition**

ICD-10-AM Tenth Edition:

Note: This category is intended for use as an additional code to identify the outcome of delivery on the mother's record.

ICD-10-AM Eleventh Edition:

Note: A code from this category is assigned on the patient's (ie mother's) record to identify the outcome of delivery.

Z38 Liveborn infants according to place of birth

Status of instructional note(s): Created – **Eleventh Edition**
Status of excludes note: Created – **Eleventh Edition**

Z39.0 Postpartum care and examination immediately after delivery

Status of code(s): Created – **First Edition**
Status of code(s): Revised – **Second Edition**
Status of glossary description: Revised – **Tenth Edition**
Status of excludes note: Revised – **Tenth Edition**

WHO ICD-10:

Z39.0 Care and examination immediately after delivery

ICD-10-AM First Edition:

Z39.0 Care and examination immediately after delivery
 Z39.00 Postpartum care and examination after delivery, unspecified
 Z39.01 Postpartum care after hospital delivery
 Z39.02 Postpartum care after planned, out of hospital delivery
 Z39.03 Postpartum care after unplanned, out of hospital delivery

ICD-10-AM Second Edition:

Z39.0	Postpartum care and examination immediately after delivery
Z39.00	Postpartum care and examination after delivery, unspecified
Z39.01	Postpartum care after hospital delivery
Z39.02	Postpartum care after planned, out of hospital delivery
Z39.03	Postpartum care after unplanned, out of hospital delivery

ICD-10-AM Ninth Edition:

Care and observation in uncomplicated cases

Excludes: care for postpartum complications — see Alphabetic Index

ICD-10-AM Tenth Edition:

Care and observation in the period of 42 days following delivery (including delivery of placenta)

Excludes: admission for postpartum complications after the puerperal period — see Alphabetic Index

Z39.1 Care and examination of lactating mother

Status of inclusion term(s): Created – [Tenth Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Excludes: disorders of lactation (O92.-)

ICD-10-AM Eleventh Edition:

Excludes: breast infections associated with lactation (O91.-)
disorders of lactation (O92.-)
noninfective disorders of breast associated with lactation (O92.-)

Z40.0 Prophylactic surgery for risk-factors related to malignant neoplasms

Status of code(s): Created – [First Edition](#)
Status of inclusion term(s): Created – [Eighth Edition](#)

WHO ICD-10:

Z40.0 Prophylactic surgery for risk-factors related to malignant neoplasms

ICD-10-AM First Edition:

Z40.0	Prophylactic surgery for risk-factors related to malignant neoplasms
Z40.00	Prophylactic surgery for risk-factors related to malignant neoplasms, Breast
Z40.01	Prophylactic surgery for risk-factors related to malignant neoplasms, Ovary
Z40.08	Prophylactic surgery for risk-factors related to malignant neoplasms, Other

Z40.00 Prophylactic surgery for risk-factors related to malignant neoplasms, breast

Status of inclusion term(s): Created – [Eighth Edition](#)

Z40.01 Prophylactic surgery for risk-factors related to malignant neoplasms, ovary

Status of inclusion term(s): Created – [Eighth Edition](#)

Z41.1 Other plastic surgery for unacceptable cosmetic appearance**Status of note:****Created – Twelfth Edition****Status of note:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Note: Assign Z41.1 where the condition is not specified or a term is not recognised by ICD-10-AM (eg aging face). Where the reason for cosmetic or constructive plastic surgery is specified, assign a code for the condition, current disease or injury.

ICD-10-AM Thirteenth Edition:

Note: Assign Z41.1 where the condition is not specified or a term is not recognised by ICD-10-AM (eg ageing face). Where the reason for cosmetic or constructive plastic surgery is specified, assign a code for the condition, current disease or injury.

Z41.2 Routine and ritual circumcision**Status of instructional term:****Created – Eleventh Edition****Z41.8 Other procedures for purposes other than remedying health state****Status of code(s):****Created – Ninth Edition****ICD-10-AM Eighth Edition:**

Z41.8 Other procedures for purposes other than remedying health state

ICD-10-AM Ninth Edition:

Z41.8 Other procedures for purposes other than remedying health state

Z41.81 Drug challenge

Z41.82 Food challenge

Z41.89 Other procedures for purposes other than remedying health state

Z43 Attention to artificial openings**Status of excludes note:****Revised – Seventh Edition****ICD-10-AM Sixth Edition:**

Excludes: artificial opening status only, without need for care (Z93.-)
complications of external stoma (J95.0, K91.4, N99.5)
fitting and adjustment of prosthetic and other devices (Z44–Z46)

ICD-10-AM Seventh Edition:

Excludes: artificial opening status only, without need for care (Z93.-)
fitting and adjustment of prosthetic and other devices (Z44–Z46)
malfunction or other complication of device – see Alphabetic Index

Z43.0 Attention to tracheostomy**Status of excludes note:****Created – Seventh Edition****Status of excludes note:****Revised – Tenth Edition****ICD-10-AM Ninth Edition:**

Excludes: malfunction or complication (J95.0)

ICD-10-AM Tenth Edition:

Excludes: malfunction or complication (J95.0-)

Z43.1 Attention to gastrostomy

Status of excludes note: Created – [Seventh Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: malfunction or complication (K91.4)

ICD-10-AM Tenth Edition:

Excludes: malfunction or complication (K91.4-)

Z43.2 Attention to ileostomy

Status of excludes note: Created – [Seventh Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: malfunction or complication (K91.4)

ICD-10-AM Tenth Edition:

Excludes: malfunction or complication (K91.4-)

Z43.3 Attention to colostomy

Status of excludes note: Created – [Seventh Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: malfunction or complication (K91.4)

ICD-10-AM Tenth Edition:

Excludes: malfunction or complication (K91.4-)

Z43.5 Attention to cystostomy

Status of excludes note: Created – [Seventh Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: malfunction or complication (N99.5)

ICD-10-AM Tenth Edition:

Excludes: malfunction or complication (N99.5-)

Z43.6 Attention to other artificial openings of urinary tract

Status of excludes note: Created – [Seventh Edition](#)
Status of excludes note: Revised – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Excludes: malfunction or complication (N99.5)

ICD-10-AM Tenth Edition:

Excludes: malfunction or complication (N99.5-)

Z44 Fitting and adjustment of [external] prosthetic device

Status of excludes note: Revised – [Seventh Edition](#)
Status of code title: Revised – [Ninth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Sixth Edition:

Excludes: presence of prosthetic device (Z97.-)

ICD-10-AM Seventh Edition:

Excludes: malfunction or other complication of device – see Alphabetic Index
 presence of prosthetic device (Z97.-)

ICD-10-AM Eighth Edition:

Z44 Fitting and adjustment of external prosthetic device

ICD-10-AM Ninth Edition:

Z44 Fitting and adjustment of (external) prosthetic device

ICD-10-AM Thirteenth Edition:

Z44 Fitting and adjustment of [external] prosthetic device

Z44.0 Fitting and adjustment of artificial arm [complete] [partial]

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z44.0 Fitting and adjustment of artificial arm (complete) (partial)

ICD-10-AM Thirteenth Edition:

Z44.0 Fitting and adjustment of artificial arm [complete] [partial]

Z44.1 Fitting and adjustment of artificial leg [complete] [partial]

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z44.1 Fitting and adjustment of artificial leg (complete) (partial)

ICD-10-AM Thirteenth Edition:

Z44.1 Fitting and adjustment of artificial leg [complete] [partial]

Z44.3 Fitting and adjustment of [external] breast prosthesis

Status of code title: Revised – [Ninth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Eighth Edition:

Z44.3 Fitting and adjustment of external breast prosthesis

ICD-10-AM Ninth Edition:

Z44.3 Fitting and adjustment of (external) breast prosthesis

ICD-10-AM Thirteenth Edition:

Z44.3 Fitting and adjustment of [external] breast prosthesis

Z44.8 Fitting and adjustment of other [external] prosthetic devices*Status of code title:**Revised – Ninth Edition**Status of code title:**Revised – Thirteenth Edition***ICD-10-AM Eighth Edition:**

Z44.8 Fitting and adjustment of other external prosthetic devices

ICD-10-AM Ninth Edition:

Z44.8 Fitting and adjustment of other (external) prosthetic devices

ICD-10-AM Thirteenth Edition:

Z44.8 Fitting and adjustment of other [external] prosthetic devices

Z44.9 Fitting and adjustment of unspecified [external] prosthetic device*Status of code title:**Revised – Ninth Edition**Status of code title:**Revised – Thirteenth Edition***ICD-10-AM Eighth Edition:**

Z44.9 Fitting and adjustment of unspecified external prosthetic device

ICD-10-AM Ninth Edition:

Z44.9 Fitting and adjustment of unspecified (external) prosthetic device

ICD-10-AM Thirteenth Edition:

Z44.9 Fitting and adjustment of unspecified [external] prosthetic device

Z45 Adjustment and management of drug delivery or implanted device*Status of code title:**Revised – Sixth Edition Errata 1***ICD-10-AM Fifth Edition:**

Z45 Adjustment and management of implanted device

ICD-10-AM Sixth Errata 1:

Z45 Adjustment and management of drug delivery or implanted device

Z45.0 Adjustment and management of cardiac device*Status of code(s):**Revised – Second Edition**Status of inclusion terms(s):**Revised – Eighth Edition**Status of inclusion terms(s):**Revised – Eleventh Edition**Status of inclusion term(s):**Revised – Twelfth Edition***ICD-10-AM First Edition:**

Z45.0 Adjustment and management of cardiac pacemaker

ICD-10-AM Second Edition:

Z45.0 Adjustment and management of cardiac device

ICD-10-AM Seventh Edition:

Checking and testing of:

- automatic implantable cardiac defibrillator [AICD]
- cardiac pacemaker
- pulse generator [battery]

ICD-10-AM Eighth Edition:

Checking and testing of:

- automatic implantable cardiac defibrillator [AICD]
- cardiac:
 - pacemaker
 - resynchronisation therapy (CRT) pacemaker
 - resynchronisation therapy defibrillator (CRT-D)
- pulse generator [battery]

ICD-10-AM Eleventh Edition:

Checking and testing of:

- automatic implantable cardiac defibrillator [AICD]
- cardiac:
 - pacemaker
 - resynchronisation therapy (CRT):
 - pacemaker
 - defibrillator (CRT-D)
- pulse generator [battery]

ICD-10-AM Twelfth Edition:

Checking, testing and/or deactivation of:

- automatic implantable cardiac defibrillator [AICD]
- cardiac:
 - pacemaker (intracardiac) (subcutaneous)
 - resynchronisation therapy (CRT) (defibrillator (CRT-D)) (pacemaker (CRT-P))
- pulse generator [battery]

Z45.1 Adjustment and management of drug delivery device

Status of code(s):	Revised – Second Edition
Status of code title:	Revised – Sixth Edition
Status of inclusion term(s):	Created – Sixth Edition
Status of note:	Created – Sixth Edition
Status of inclusion term(s):	Revised – Sixth Edition Errata 1
Status of note:	Revised – Sixth Edition Errata 1
Status of excludes note:	Created – Sixth Edition Errata 1
Status of excludes note:	Reinstated – Seventh Edition Errata 5

ICD-10-AM First Edition:

Z45.1 Adjustment and management of infusion pump

ICD-10-AM Second Edition:

Z45.1 Adjustment and management of implantable infusion device or pump

ICD-10-AM Fifth Edition:

Z45.1 Adjustment and management of implantable infusion device or pump

ICD-10-AM Sixth Edition:

Z45.1 Adjustment and management of drug delivery device
Adjustment and management of infusion device or pump (external)

Note: A drug delivery device is an ambulatory, external infusion pump that is attached to a (vascular) access device to infuse substances over long periods of time.

ICD-10-AM Sixth Edition Errata 1:

Adjustment and management of:

- external }
- implantable spinal } infusion device or pump

Note: A drug delivery device is an (external) infusion pump that is attached to a vascular access device or venous, spinal or other catheter to infuse substances over long periods of time.

Z45.2 Adjustment and management of vascular access device

Status of inclusion term(s):	Revised – Sixth Edition
Status of note:	Created – Sixth Edition
Status of inclusion term(s):	Revised – Sixth Edition Errata 1
Status of excludes note:	Created – Sixth Edition Errata 1
Status of excludes note:	Revised – Seventh Edition

ICD-10-AM Fifth Edition:

Adjustment and management of vascular catheter

ICD-10-AM Sixth Edition:

Adjustment and management of:

- infusion port
- port-A-Cath
- reservoir (subcutaneous)
- vascular catheter

ICD-10-AM Sixth Edition Errata 1:

Adjustment and management of:

- infusion port
- Port-A-Cath
- reservoir (subcutaneous)

Excludes: adjustment and management of vascular catheter without reservoir attached (Z45.8) that for pharmacotherapy for neoplasm (Z51.1)

ICD-10-AM Seventh Edition:

Excludes: adjustment and management of vascular catheter without reservoir attached (Z45.81) that for pharmacotherapy for neoplasm (Z51.1)

Z45.8 Adjustment and management of other implanted devices

Status of code(s):	Created – Seventh Edition
---------------------------	----------------------------------

ICD-10-AM Sixth Edition:

Z45.8 Adjustment and management of other implanted devices

ICD-10-AM Seventh Edition:

Z45.8	Adjustment and management of other implanted devices
Z45.81	Adjustment and management of venous catheter
Z45.82	Adjustment and management of peritoneal access device
Z45.89	Adjustment and management of other implanted devices

Z45.83 Adjustment and management of myringotomy tube

Status of code:	Created – Eleventh Edition
------------------------	-----------------------------------

Z46.6 Fitting and adjustment of urinary device

Status of inclusion term(s):	Created – Tenth Edition
-------------------------------------	--------------------------------

Z47 Other orthopaedic follow-up care**Status of excludes note:** *Revised – Ninth Edition***ICD-10-AM Eighth Edition:**

Excludes: care involving rehabilitation procedures (Z50.-)
 complication of internal orthopaedic devices, implants and grafts (T84.-)
 follow-up examination after treatment of fracture (Z09.4)

ICD-10-AM Ninth Edition:

Excludes: care involving rehabilitation procedures (Z50.9)
 complication of internal orthopaedic devices, implants and grafts (T84.-)
 follow-up examination after treatment of fracture (Z09.4)

Z48.8 Attention to surgical dressings and sutures**Status of inclusion term(s):** *Created – Thirteenth Edition***Z49 Care involving dialysis**

Status of excludes note: *Revised – Sixth Edition*
Status of includes note: *Deleted – Seventh Edition*
Status of excludes note: *Revised – Seventh Edition*
Status of excludes note: *Revised – Thirteenth Edition*

ICD-10-AM Fifth Edition:

Excludes: renal dialysis status (Z99.2)

ICD-10-AM Sixth Edition:

Excludes: kidney dialysis status (Z99.2)

ICD-10-AM Seventh Edition:

Excludes: kidney dialysis status (Z99.2)
 malfunction or other complication of device — see Alphabetic Index

ICD-10-AM Thirteenth Edition:

Excludes: kidney dialysis status (Z99.2)
 malfunction or other complication of device or arteriovenous fistula — see Alphabetic Index

Z49.0 Preparatory care for dialysis

Status of inclusion term(s): *Revised – Seventh Edition*
Status of excludes note: *Created – Seventh Edition*
Status of excludes note: *Revised – Thirteenth Edition*

ICD-10-AM Sixth Edition:

Admission for creation of arteriovenous fistula [graft]

ICD-10-AM Seventh Edition:

Admission for:
 • creation of arteriovenous fistula [graft]
 • insertion of peritoneal dialysis catheter

ICD-10-AM Twelfth Edition:

Excludes: admission for creation of new fistula due to complication of existing fistula (even when new fistula is created at different site) — see Alphabetic Index: *Complication(s)/dialysis/catheter*

ICD-10-AM Thirteenth Edition:

Excludes: admission for creation of new fistula due to complication of existing fistula (even when new fistula is created at different site) — see Alphabetic Index: *Complication(s)/dialysis*

Z49.1 Extracorporeal dialysis

Status of inclusion term(s): Revised – [Sixth Edition Errata 1](#)

ICD-10-AM Fifth Edition:

Dialysis (renal) NOS

ICD-10-AM Sixth Edition Errata 1:

Dialysis (kidney) NOS

Z49.3 Dialysis follow-up care

Status of code(s): Created – [Thirteenth Edition](#)

Z50.9 Care involving use of rehabilitation procedure, unspecified

Status of inclusion term(s): Revised – [Ninth Edition](#)

ICD-10-AM Eighth Edition:

Rehabilitation NOS

ICD-10-AM Ninth Edition:

Rehabilitation care

Z51.1 Pharmacotherapy session for neoplasm

Status of code(s): Revised – [Fourth Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)
Status of ACS symbol: Revised – [Twelfth Edition Errata](#)

ICD-10-AM Third Edition:

Z51.1 Chemotherapy session for neoplasm

ICD-10-AM Fourth Edition:

Z51.1 Pharmacotherapy session for neoplasm

ICD-10-AM Eleventh Edition:

Maintenance chemotherapy NOS

Excludes: prophylactic chemotherapy (Z29.2)

ICD-10-AM Twelfth Edition:

Z51.1 Pharmacotherapy session for neoplasm

▼0044

Maintenance chemotherapy for neoplasm

Excludes: pharmacotherapy session for neoplasm:
 • related condition — code condition — see Alphabetic Index
 • treatment related condition — code condition — see Alphabetic Index
 prophylactic chemotherapy for neoplasm (Z29.21)

ICD-10-AM Twelfth Edition errata:

Z51.1 Pharmacotherapy session for neoplasm

▼0206

Z51.2 Other chemotherapy

Status of code(s): Deleted – [Fourth Edition](#)

Z51.6 Desensitisation to allergens

Status of code(s): Created – **Fourth Edition**
Status of excludes note: Created – **Ninth Edition**

ICD-10-AM Third Edition:

Z51.6 Desensitisation to allergens

ICD-10-AM Fourth Edition:

Z51.6 Desensitisation to allergens
 Z51.60 Allergen, unspecified
 Z51.61 Stinging insect
 Z51.62 Pollen
 Z51.63 Dust mite
 Z51.64 Animal
 Z51.69 Other specified allergen

Z51.7 Supervision of voluntary assisted dying [VAD] substance administration

Status of code(s): Created – **Thirteenth Edition**

Z51.8 Other specified medical care

Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

Excludes: holiday relief care (Z75.5)

ICD-10-AM Tenth Edition:

Excludes: respite care (Z75.5)

Z51.81 Apheresis

Status of glossary description: Created – **Seventh Edition**
Status of inclusion term(s): Created – **Seventh Edition**
Status of excludes note: Created – **Seventh Edition**
Status of excludes note: Revised – **Tenth Edition**

ICD-10-AM Ninth Edition:

Excludes: prophylactic therapy (plasmapheresis) for incompatible organ transplant (Z29.1)

ICD-10-AM Tenth Edition:

Excludes: autologous apheresis – code to condition (see Alphabetic Index)
 prophylactic therapy (plasmapheresis) for incompatible organ transplant (Z29.1)

Z51.88 Other specified medical care

Status of inclusion term(s): Created – **Thirteenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

Z52 Donors of organs and tissues

Status of code(s):	Created – First Edition
Status of includes note:	Deleted – Seventh Edition
Status of inclusion term(s):	Created – Seventh Edition
Status of inclusion term(s):	Revised – Thirteenth Edition
Status of note:	Created – Thirteenth Edition
Status of excludes note:	Revised – Thirteenth Edition

WHO ICD-10:

Z52 Donors of organs and tissues
 Z52.0 Blood donor
 Z52.1 Skin donor
 Z52.2 Bone donor
 Z52.3 Bone marrow donor
 Z52.4 Kidney donor
 Z52.5 Cornea donor
 Z52.8 Donor of other organs and tissues
 Z52.9 Donor of unspecified organ or tissue

ICD-10-AM First Edition:

Z52 Donors of organs and tissues
 Z52.0 Blood donor
 Z52.00 Whole blood donor
 Z52.01 Stem cell donor
 Z52.08 Other blood products donor
 Z52.1 Skin donor
 Z52.2 Bone donor
 Z52.3 Bone marrow donor
 Z52.4 Kidney donor
 Z52.5 Cornea donor
 Z52.6 Liver donor
 Z52.8 Donor of other organs and tissues
 Z52.9 Donor of unspecified organ or tissue

ICD-10-AM Twelfth Edition:

Allogeneic donors of organs and tissues

Excludes: examination of potential donor (Z00.5)

ICD-10-AM Thirteenth Edition:

Allogeneic donors of organs, tissues, biological products and cells

Excludes: examination of potential donor (Z00.5)
 ova for in vitro fertilisation (Z31.2)
 sperm for in vitro fertilisation (Z31.31)

Z52.0 Blood donor

Status of code(s):	Created – First Edition
Status of code(s):	Deleted – Third Edition
Status of excludes note:	Created – Thirteenth Edition

WHO ICD-10:

Z52.0 Blood donor

ICD-10-AM First Edition:

Z52.0 Blood donor
 Z52.00 Whole blood donor
 Z52.01 Stem cell donor
 Z52.08 Other blood product donor

ICD-10-AM Third Edition:

Z52.0 Blood donor
 Z52.00 Whole blood donor
 Z52.08 Other blood product donor

Z52.08 Other blood product donor*Status of excludes note:**Created – Sixth Edition**Status of excludes note:**Deleted – Thirteenth Edition***Z52.7 Heart donor***Status of code:**Created – Second Edition**Status of excludes note:**Created – Thirteenth Edition***Z52.8 Donor of other organs and tissues***Status of term:**Reclassified – Second Edition**Status of code(s):**Created – Thirteenth Edition***Term reclassification:**

Donor lymphocyte

ICD-10-AM Twelfth Edition:

Z52.8 Donor of other organs and tissues

ICD-10-AM Thirteenth Edition:

Z52.8 Donor of other organs and tissues

Z52.81 Chondrocyte [cartilage] donor

Z52.82 Limbal stem cell donor

Z52.83 Lung donor

Z52.84 Heart and lungs donor

Z52.85 Intestine donor

Z52.86 Pancreas donor

Z52.88 Donor of multiple organs and tissues

Z52.89 Donor of other organ and tissue

Z53 Persons encountering health services for specific procedures, not carried out*Status of code(s):**Created – Eleventh Edition***ICD-10-AM Tenth Edition:**

Z53 Persons encountering health services for specific procedures, not carried out

Z53.0 Procedure not carried out because of contraindication

Z53.1 Procedure not carried out because of patient's decision for reasons of belief or group pressure

Z53.2 Procedure not carried out because of patient's decision for other and unspecified reasons

Z53.8 Procedure not carried out for other reasons

Z53.9 Procedure not carried out, unspecified reason

ICD-10-AM Eleventh Edition:

Z53 Persons encountering health services for specific procedures, not carried out

Z53.0 Procedure not carried out because of contraindication

Z53.1 Procedure not carried out because of patient's decision for reasons of belief or group pressure

Z53.2 Procedure not carried out because of patient's decision for other and unspecified reasons

Z53.3 Procedure abandoned after initiation

Z53.8 Procedure not carried out for other reasons

Z53.9 Procedure not carried out, unspecified reason

Z53.0 Procedure not carried out because of contraindication

Status of excludes note: Created – [Eleventh Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Excludes: procedure abandoned after initiation (Z53.3)

ICD-10-AM Thirteenth Edition:

Excludes: procedure abandoned after initiation (Z53.3-)

Z53.1 Procedure not carried out because of patient's decision for reasons of belief or group pressure

Status of excludes note: Created – [Eleventh Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Excludes: procedure abandoned after initiation (Z53.3)

ICD-10-AM Thirteenth Edition:

Excludes: procedure abandoned after initiation (Z53.3-)

Z53.2 Procedure not carried out because of patient's decision for other and unspecified reasons

Status of excludes note: Created – [Eleventh Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Excludes: procedure abandoned after initiation (Z53.3)

ICD-10-AM Thirteenth Edition:

Excludes: procedure abandoned after initiation (Z53.3-)

Z53.3 Procedure abandoned after initiation

Status of code(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z53.3 Procedure abandoned after initiation

ICD-10-AM Thirteenth Edition:

Z53.3 Procedure abandoned after initiation
 Z53.30 Procedure abandoned after initiation, not elsewhere classified
 Z53.31 Living donor organ procurement attempted but not completed
 Z53.32 Posthumous organ procurement attempted but not completed

Z53.8 Procedure not carried out for other reasons

Status of excludes note: Created – [Eleventh Edition](#)

Z53.9 Procedure not carried out, unspecified reason

Status of excludes note: Created – [Eleventh Edition](#)

Z54 Convalescence

Status of glossary description: Created – [Thirteenth Edition](#)

Z54.0 Convalescence following surgery

Status of excludes note: Created – [Thirteenth Edition](#)

Z54.2 Convalescence following pharmacotherapy

Status of code title: Revised – [Eleventh Edition](#)

Status of inclusion term(s): Created – [Eleventh Edition](#)

ICD-10-AM Tenth Edition:

Z54.2 Convalescence following chemotherapy

ICD-10-AM Eleventh Edition:

Z54.2 Convalescence following pharmacotherapy

Z55–Z65 Persons with potential health hazards related to socioeconomic and psychosocial circumstances

Status of note: Created – [Thirteenth Edition](#)

Z55.0 Problem related to literacy

Status of code title: Revised – [Thirteenth Edition](#)

Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z55.0 Illiteracy and low-level literacy

ICD-10-AM Thirteenth Edition:

Z55.0 Problem related to literacy

Z55.1 Problem related to access to education

Status of code title: Revised – [Thirteenth Edition](#)

Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z55.1 Schooling unavailable and unattainable

ICD-10-AM Thirteenth Edition:

Z55.1 Problem related to access to education

Z55.2 Failed examinations

Status of code: Deleted – [Thirteenth Edition](#)

Z55.3 Problem related to achievement in education

Status of code title: Revised – [Thirteenth Edition](#)

Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z55.3 Underachievement in school

ICD-10-AM Thirteenth Edition:

Z55.3 Problem related to achievement in education

Z55.4 Problem in relationships with teacher and other students

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)
Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z55.4 Educational maladjustment and discord with teachers and classmates

ICD-10-AM Thirteenth Edition:

Z55.4 Problem in relationships with teacher and other students

Z55.5 Problem related to level of health knowledge

Status of code(s): Created – [Thirteenth Edition](#)

Z55.8 Other problem related to education and literacy

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z55.8 Other problems related to education and literacy
 Inadequate teaching

ICD-10-AM Thirteenth Edition:

Z55.8 Other problem related to education and literacy
 Inadequate teaching
 School refusal

Z55.9 Problems related to education and literacy, unspecified

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z55.9 Problem related to education and literacy, unspecified

ICD-10-AM Thirteenth Edition:

Z55.9 Problems related to education and literacy, unspecified

Z56.0 Problem related to unemployment

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z56.0 Unemployment, unspecified

ICD-10-AM Thirteenth Edition:

Z56.0 Problem related to unemployment

Z56.1 Problem related to change of job

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z56.1 Change of job

ICD-10-AM Thirteenth Edition:

Z56.1 Problem related to change of job

Z56.2 Problem related to threat of job loss

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:
 Z56.2 Threat of job loss

ICD-10-AM Thirteenth Edition:
 Z56.2 Problem related to threat of job loss

Z56.3 Problem related to stressful work schedule

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:
 Z56.3 Stressful work schedule

ICD-10-AM Thirteenth Edition:
 Z56.3 Problem related to stressful work schedule

Z56.4 Problem related to workplace relationships and culture

Status of code title: Revised – [Thirteenth Edition](#)
Status of code(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:
 Z56.4 Discord with boss and workmates

ICD-10-AM Thirteenth Edition:
 Z56.4 Problem related to workplace relationships and culture
 Z56.41 Problem related to specified workplace relationships
 Z56.42 Problem related to workplace culture

Z56.5 Problem related to difficult employment environment, not elsewhere classified

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:
 Z56.5 Uncongenial work
 Difficult conditions at work

ICD-10-AM Thirteenth Edition:
 Z56.5 Problem related to difficult employment environment, not elsewhere classified
 Difficult employment:
 • physical environment
 • tasks and requirements
 • terms and conditions
 Uncongenial (unpleasant) work environment NOS

Z56.6 Other physical and mental strain related to employment

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:
 Z56.6 Other physical and mental strain related to work

ICD-10-AM Thirteenth Edition:
 Z56.6 Other physical and mental strain related to employment

Z57.2 Occupational exposure to dust

Status of inclusion term(s): Created – [Thirteenth Edition](#)

Z57.3 Occupational exposure to other air contaminants

Status of inclusion term(s): Created – [Thirteenth Edition](#)

Status of excludes note: Created – [Thirteenth Edition](#)

Z57.9 Occupational exposure to unspecified risk-factors

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z57.9 Occupational exposure to unspecified risk-factor

ICD-10-AM Thirteenth Edition:

Z57.9 Occupational exposure to unspecified risk-factors

Z58.1 Exposure to air pollution

Status of excludes note: Created – [Fifth Edition](#)

Status of inclusion term(s): Created – [Thirteenth Edition](#)

Z58.7 Exposure to tobacco smoke

Status of excludes note: Created – [Fifth Edition](#)

Status of inclusion term(s): Revised – [Tenth Edition](#)

Status of includes note: Created – [Tenth Edition](#)

Status of excludes note: Revised – [Tenth Edition](#)

Status of excludes note: Revised – [Twelfth Edition](#)

Status of glossary description: Created – [Thirteenth Edition](#)

Status of includes note: Revised – [Thirteenth Edition](#)

Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Ninth Edition:

Passive smoking

Excludes: mental and behavioural disorders due to the use of tobacco (F17.-)
personal history of tobacco use disorder (Z86.43)
tobacco use (Z72.0)

ICD-10-AM Tenth Edition:

Passive (involuntary) smoking

Excludes: mental and behavioural disorders due to the use of tobacco (F17.-)
newborn affected by maternal use of tobacco (P04.2)
personal history of tobacco use disorder (Z86.43)
tobacco use (Z72.0)

ICD-10-AM Twelfth Edition:

Includes: exposure to secondhand tobacco smoke (from):
• cigarette
• pipe
• waterpipe

Excludes: electronic nicotine delivery systems (e-cigarettes) — omit code
mental and behavioural disorders due to the use of tobacco (F17.-)
newborn affected by maternal use of tobacco (P04.2)
personal history of tobacco use disorder (Z86.43)
tobacco use (Z72.0)

ICD-10-AM Thirteenth Edition:

- Includes:** exposure to secondhand tobacco smoke (from):
- cigarette
 - cigars
 - pipe
 - waterpipe (hooka) (narghile) (shisha)
- Excludes:** electronic nicotine delivery systems (e-cigarettes) (vapes) — omit code
 mental and behavioural disorders due to the use of tobacco (F17.-)
 newborn affected by maternal use of tobacco (P04.2)
 personal history of tobacco use disorder (Z86.43)
 tobacco use (Z72.0)

Z58.8 Other problem related to physical environment

Status of code title: Revised – *Thirteenth Edition*
Status of inclusion term(s): Created – *Thirteenth Edition*
Status of excludes note: Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z58.8 Other problems related to physical environment

ICD-10-AM Thirteenth Edition:

Z58.8 Other problem related to physical environment

Z58.9 Problems related to physical environment, unspecified

Status of code title: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z58.9 Problem related to physical environment, unspecified

ICD-10-AM Thirteenth Edition:

Z58.9 Problems related to physical environment, unspecified

Z59 Problems related to housing and financial circumstances

Status of code title: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z59 Problems related to housing and economic circumstances

ICD-10-AM Thirteenth Edition:

Z59 Problems related to housing and financial circumstances

Z59.0 Homelessness

Status of code(s): Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z59.0 Homelessness

ICD-10-AM Thirteenth Edition:

Z59.0 Homelessness
 Z59.00 Homelessness, not elsewhere classified
 Z59.01 Sheltered homelessness
 Z59.02 Unsheltered homelessness

Z59.1 Problem related to living conditions

Status of code title: Revised – *Thirteenth Edition*
Status of inclusion term(s): Revised – *Thirteenth Edition*
Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z59.1 Inadequate housing
 Lack of heating
 Restriction of space
 Technical defects in home preventing adequate care
 Unsatisfactory surroundings

Excludes: problems related to physical environment (Z58.-)

ICD-10-AM Thirteenth Edition:

Z59.1 Problem related to living conditions
 Lack of:
 • ability to regulate household temperature (heating, cooling, air conditioning)
 • utilities (electricity, gas, water services)
 Restriction (overcrowding) of living space
 Technical defects preventing adequate care
 Unsatisfactory [uninhabitable] living conditions

Excludes: homelessness (Z59.0-)
 housing instability (Z59.81)

Z59.2 Problem related to relationship with neighbours, lodgers and landlord

Status of code title: Revised – *Thirteenth Edition*
Status of inclusion term(s): Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z59.2 Discord with neighbours, lodgers and landlord

ICD-10-AM Thirteenth Edition:

Z59.2 Problem related to relationship with neighbours, lodgers and landlord

Z59.3 Problem related to living in residential institution

Status of code title: Revised – *Thirteenth Edition*
Status of inclusion term(s): Deleted – *Thirteenth Edition*
Status of includes note: Created – *Thirteenth Edition*
Status of excludes note: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z59.3 Problems related to living in residential institution

...

Excludes: institutional upbringing (Z62.2)

ICD-10-AM Thirteenth Edition:

Z59.3 Problem related to living in residential institution

...

Excludes: correctional institution (Z65.1)
 institutional upbringing (Z62.2)

Z59.4 Lack of access to adequate food

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z59.4 Lack of adequate food

ICD-10-AM Thirteenth Edition:

Z59.4 Lack of access to adequate food

Z59.5 Problem related to poverty

Status of code title: Revised – [Thirteenth Edition](#)

Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z59.5 Extreme poverty

ICD-10-AM Thirteenth Edition:

Z59.5 Problem related to poverty

Z59.6 Problem related to low income

Status of code title: Revised – [Thirteenth Edition](#)

Status of includes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z59.6 Low income

ICD-10-AM Thirteenth Edition:

Z59.6 Problem related to low income

Z59.7 Insufficient welfare support

Status of code title: Revised – [Thirteenth Edition](#)

Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z59.7 Insufficient social insurance and welfare support

ICD-10-AM Thirteenth Edition:

Z59.7 Insufficient welfare support

Z59.8 Other problem related to housing and financial circumstances

Status of code title: Revised – [Thirteenth Edition](#)

Status of inclusion term(s): Deleted – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z59.8 Other problems related to housing and economic circumstances

ICD-10-AM Thirteenth Edition:

Z59.8 Other problem related to housing and financial circumstances

Z59.81 Other problem related to housing circumstances

Z59.82 Other problem related to financial circumstances

Z59.9 Problems related to housing and financial circumstances, unspecified

Status of code title: **Revised – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z59.9 Problem related to housing and economic circumstances, unspecified

ICD-10-AM Thirteenth Edition:

Z59.9 Problems related to housing and financial circumstances, unspecified

Z60 Problems related to social and cultural environment

Status of code title: **Revised – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z60 Problems related to social environment

ICD-10-AM Thirteenth Edition:

Z60 Problems related to social and cultural environment

Z60.0 Problem of adjustment to life-cycle transitions

Status of code title: **Revised – Thirteenth Edition**

Status of inclusion term(s): **Revised – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z60.0 Problems of adjustment to life-cycle transitions
Adjustment to retirement [pension]
Empty nest syndrome

ICD-10-AM Thirteenth Edition:

Z60.0 Problem of adjustment to life-cycle transitions
Difficulty dealing with life change
Empty nest syndrome
Problem with adjustment to:
• chronic health condition
• life phases NOS
• moving into new community (relocation)
• parenting (foster)
• retirement (pension)

Z60.1 Atypical parenting situation

Status of code: **Deleted – Thirteenth Edition**

Z60.2 Living alone

Status of code: **Deleted – Thirteenth Edition**

Z60.3 Problem related to cultural environment

Status of code title: **Revised – Thirteenth Edition**

Status of inclusion term(s): **Deleted – Thirteenth Edition**

Status of code(s): **Created – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z60.3 Acculturation difficulty

ICD-10-AM Thirteenth Edition:

Z60.3 Problem related to cultural environment
Z60.31 Problem related to migration culture
Z60.32 Problem related to Indigenous culture

Z60.4 Social exclusion and rejection

Status of glossary description: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)
Status of excludes note: Deleted – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Exclusion and rejection on the basis of personal characteristics, such as unusual physical appearance, illness or behaviour.

ICD-10-AM Thirteenth Edition:

Exclusion and rejection on the basis of personal characteristics, such as unusual physical appearance, illness or behaviour, gender identity or expression.

Z60.5 Target of [perceived] adverse discrimination and persecution

Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)
Status of includes note: Created – [Thirteenth Edition](#)
Status of excludes note: Deleted – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z60.5 Target of perceived adverse discrimination and persecution
 Persecution or discrimination, perceived or real, on the basis of membership of some group (as defined by skin colour, religion, ethnic origin, etc) rather than personal characteristics.

ICD-10-AM Thirteenth Edition:

Z60.5 Target of [perceived] adverse discrimination and persecution
 Persecution or discrimination, perceived or real, on the basis of membership of some group (as defined by skin colour, religion, ethnic origin, sexual orientation, gender) rather than personal characteristics.

Z60.8 Other problem related to social or cultural environment

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z60.8 Other problems related to social environment

ICD-10-AM Thirteenth Edition:

Z60.8 Other problem related to social or cultural environment

Z60.9 Problems related to social or cultural environment, unspecified

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z60.9 Problem related to social environment, unspecified

ICD-10-AM Thirteenth Edition:

Z60.9 Problems related to social or cultural environment, unspecified

Z61 Problems related to specified negative life events in childhood

Status of code title: Revised – [Thirteenth Edition](#)
Status of note: Created – [Thirteenth Edition](#)
Status of excludes note: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z61 Problems related to negative life events in childhood

Excludes: maltreatment syndromes (T74.-)

ICD-10-AM Thirteenth Edition:

Z61 Problems related to specified negative life events in childhood

Excludes: current abuse, neglect or maltreatment (T74.-)

Z61.0 Loss of love relationship [event] in childhood

Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)
Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z61.0 Loss of love relationship in childhood

Loss of an emotionally close relationship, such as of a parent, a sibling, a very special friend or a loved pet, by death or permanent departure or rejection.

ICD-10-AM Thirteenth Edition:

Z61.0 Loss of love relationship [event] in childhood

Loss of an emotionally close relationship, such as that of a parent, a sibling, a friend or a pet, by death or permanent departure or rejection.

Z61.1 Removal from home [event] in childhood

Status of code title: Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z61.1 Removal from home in childhood

ICD-10-AM Thirteenth Edition:

Z61.1 Removal from home [event] in childhood

Z61.2 Altered pattern of family relationships [event] in childhood

Status of code title: Revised – [Thirteenth Edition](#)
Status of glossary description: Revised – [Thirteenth Edition](#)
Status of includes note: Created – [Thirteenth Edition](#)
Status of excludes note: Created – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z61.2 Altered pattern of family relationships in childhood

Arrival of a new person into a family resulting in adverse change in child's relationships. May include new marriage by a parent or birth of a sibling.

ICD-10-AM Thirteenth Edition:

Z61.2 Altered pattern of family relationships [event] in childhood

Departure of a family member or arrival of a new person into a family resulting in adverse change in child's relationships.

Z61.7 Problems related to personal frightening experience in childhood

Status of code title: Revised – **Thirteenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z61.7 Personal frightening experience in childhood

ICD-10-AM Thirteenth Edition:

Z61.7 Problems related to personal frightening experience in childhood

Z61.9 Negative life event in childhood, unspecified

Status of code: Deleted – **Thirteenth Edition**

Z62 Other problems related to upbringing

Status of note: Created – **Thirteenth Edition**
Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Excludes: maltreatment syndromes (T74.-)

ICD-10-AM Thirteenth Edition:

Excludes: current abuse, neglect or other maltreatment (T74.-)

Z62.1 Parental overprotection

Status of inclusion term(s): Created – **Thirteenth Edition**

Z62.2 Institutional upbringing

Status of excludes note: Created – **Thirteenth Edition**

Z62.5 Other problem related to neglect in upbringing

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z62.5 Other problems related to neglect in upbringing

ICD-10-AM Thirteenth Edition:

Z62.5 Other problem related to neglect in upbringing

Z62.6 Inappropriate parental pressure and other abnormal qualities of upbringing

Status of glossary description: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Parents forcing the child to be different from the local norm, either sex-inappropriate (eg dressing a boy in girl's clothes), age-inappropriate (eg forcing a child to take on responsibilities above her or his own age) or otherwise inappropriate (eg pressing the child to engage in unwanted or too difficult activities).

ICD-10-AM Thirteenth Edition:

Parents forcing the child to be different from the local norm (eg forcing a child to take on responsibilities above their own age, pressing the child to engage in unwanted or too difficult activities).

Z62.8 Other specified problem related to upbringing

Status of code title: Revised – **Thirteenth Edition**
Status of inclusion term(s): Created – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z62.8 Other specified problems related to upbringing

ICD-10-AM Thirteenth Edition:

Z62.8 Other specified problem related to upbringing

Z62.9 Problems related to upbringing, unspecified

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z62.9 Problem related to upbringing, unspecified

ICD-10-AM Thirteenth Edition:

Z62.9 Problems related to upbringing, unspecified

Z63 Relationships and other problems related to primary support group, including family circumstances

Status of code title: Revised – **Thirteenth Edition**
Status of excludes note: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z63 Other problems related to primary support group, including family circumstances

Excludes: maltreatment syndromes (T74.-)
 problems related to:
 • negative life events in childhood (Z61.-)
 • upbringing (Z62.-)

ICD-10-AM Thirteenth Edition:

Z63 Relationships and other problems related to primary support group, including family circumstances

Excludes: current abuse, neglect or maltreatment (T74.-)
 problems related to:
 • negative life events in childhood (Z61.-)
 • upbringing (Z62.-)

Z63.0 Problem in relationship with spouse or partner

Status of code title: Revised – **Thirteenth Edition**
Status of inclusion term(s): Created – **Thirteenth Edition**
Status of excludes note: Created – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z63.0 Problems in relationship with spouse or partner

ICD-10-AM Thirteenth Edition:

Z63.0 Problem in relationship with spouse or partner

Z63.1 Problem in relationship with parents or partner's parents*Status of code title:* Revised – **Thirteenth Edition***Status of inclusion term(s):* Created – **Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Z63.1 Problems in relationship with parents and in-laws

ICD-10-AM Thirteenth Edition:

Z63.1 Problem in relationship with parents or partner's parents

Z63.2 Problem with family support*Status of code title:* Revised – **Thirteenth Edition***Status of inclusion term(s):* Created – **Thirteenth Edition***Status of excludes note:* Created – **Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Z63.2 Inadequate family support

ICD-10-AM Thirteenth Edition:

Z63.2 Problem with family support

Z63.4 Disappearance and death of family member*Status of includes note:* Created – **Thirteenth Edition****Z63.6 Dependent family member needing care at home***Status of code title:* Revised – **Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Z63.6 Dependent relative needing care at home

ICD-10-AM Thirteenth Edition:

Z63.6 Dependent family member needing care at home

Z63.7 Stressful life events affecting family and household*Status of code(s):* Revised, Created – **Fourth Edition***Status of inclusion term(s):* Deleted – **Thirteenth Edition***Status of code(s):* Created – **Thirteenth Edition***Status of code title(s):* Revised – **Thirteenth Edition****ICD-10-AM Third Edition:**

Z63.7 Other stressful life events affecting family and household

ICD-10-AM Fourth Edition:

Z63.7 Stressful life events affecting family and household

Z63.70 Stressful life events affecting family and household, unspecified

Z63.71 Alcoholism in family

Z63.72 Gambling in family

Z63.79 Other stressful life events affecting family and household

ICD-10-AM Thirteenth Edition:

Z63.7 Stressful life events affecting family and household

Z63.70 Unspecified stressful life events affecting family and household

Z63.71 Problem with alcohol misuse in family and household

Z63.72 Problem with gambling in family and household

Z63.73 Problem with other substance misuse in family and household

Z63.79 Other stressful life events affecting family and household

Z63.79 Other stressful life events affecting family and household**Status of inclusion term(s):****Status of excludes note:****Revised – [Thirteenth Edition](#)****Created – [Thirteenth Edition](#)****ICD-10-AM Twelfth Edition:**

Health problems within family

Ill or disturbed family member

Isolated family

ICD-10-AM Thirteenth Edition:

Anxiety about sick person in family

Health problems within family

Ill family member

Isolated family or family member

Z63.8 Other specified problems related to primary support group including family circumstances**Status of code title:****Status of inclusion term(s):****Status of code(s):****Revised – [Thirteenth Edition](#)****Deleted – [Thirteenth Edition](#)****Created – [Thirteenth Edition](#)****ICD-10-AM Twelfth Edition:**

Z63.8 Other specified problems related to primary support group

ICD-10-AM Thirteenth Edition:

Z63.8 Other specified problems related to primary support group including family circumstances

Z63.81 Other specified problem related to family and household

Z63.82 Other specified problem related to other primary support group

Z63.9 Problems related to primary support group, unspecified**Status of code title:****Revised – [Thirteenth Edition](#)****ICD-10-AM Twelfth Edition:**

Z63.9 Problem related to primary support group, unspecified

ICD-10-AM Thirteenth Edition:

Z63.9 Problems related to primary support group, unspecified

Z64.0 Problem related to unwanted pregnancy**Status of code title:****Revised – [Thirteenth Edition](#)****ICD-10-AM Twelfth Edition:**

Z64.0 Problems related to unwanted pregnancy

ICD-10-AM Thirteenth Edition:

Z64.0 Problem related to unwanted pregnancy

Z64.1 Problem related to multiparity**Status of code title:** Revised – *Thirteenth Edition***Status of excludes note:** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Z64.1 Problems related to multiparity

Excludes: supervision of pregnancy with grand multiparity (Z35.4)**ICD-10-AM Thirteenth Edition:**

Z64.1 Problem related to multiparity

Excludes: problem related to child-rearing (Z64.5)
supervision of pregnancy with grand multiparity (Z35.4)**Z64.2 Seeking and accepting physical, nutritional and chemical interventions known to be hazardous and harmful****Status of excludes note:** Revised – *Twelfth Edition***Status of code:** Deleted – *Thirteenth Edition***ICD-10-AM Eleventh Edition:***Excludes:* substance dependence — see Alphabetic Index**ICD-10-AM Twelfth Edition:***Excludes:* substance dependence — see Alphabetic Index: *Dependence/due to***Z64.3 Seeking and accepting behavioural and psychological interventions known to be hazardous and harmful****Status of code:** Deleted – *Thirteenth Edition***Z64.4 Problem related to relationship with counsellor****Status of code title:** Revised – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Z64.4 Discord with counsellors

ICD-10-AM Thirteenth Edition:

Z64.4 Problem related to relationship with counsellor

Z64.5 Problem related to child-rearing responsibilities**Status of code(s):** Created – *Thirteenth Edition***Z65 Problems related to other psychosocial circumstances****Status of includes note:** Created – *Thirteenth Edition***Z65.1 Problem related to contact with correctional services****Status of code title:** Revised – *Thirteenth Edition***Status of includes note:** Created – *Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Z65.1 Imprisonment and other incarceration

ICD-10-AM Thirteenth Edition:

Z65.1 Problem related to contact with correctional services

Z65.2 Problem related to release from prison

Status of code title: Revised – *Thirteenth Edition*
Status of includes note: Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z65.2 Problems related to release from prison

ICD-10-AM Thirteenth Edition:

Z65.2 Problem related to release from prison

Z65.3 Problem related to other legal circumstances

Status of code title: Revised – *Thirteenth Edition*
Status of inclusion term(s): Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z65.3 Problems related to other legal circumstances
 Child custody or support proceedings
 Litigation
 Prosecution

ICD-10-AM Thirteenth Edition:

Z65.3 Problem related to other legal circumstances
 Litigation
 Proceedings:
 • child custody
 • guardianship (adult) (child)
 Prosecution

Z65.5 Exposure to disaster, war and other hostilities

Status of excludes note: Revised – *Thirteenth Edition*
Status of code(s): Created – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z65.5 Exposure to disaster, war and other hostilities
Excludes: target of perceived discrimination or persecution (Z60.5)

ICD-10-AM Thirteenth Edition:

Z65.5 Exposure to disaster, war and other hostilities
Excludes: current injuries (S00–T98) related to:
 • exposure to forces of nature — see Alphabetic Index
 • other disasters — see Alphabetic Index
 • war or hostilities — see Alphabetic Index
 Z65.51 Exposure to natural disaster
 Z65.52 Exposure to war
 Z65.59 Exposure to other disasters or hostilities

Z65.8 Other specified problem related to psychosocial circumstances

Status of code title: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z65.8 Other specified problems related to psychosocial circumstances

ICD-10-AM Thirteenth Edition:

Z65.8 Other specified problem related to psychosocial circumstances

Z65.9 Problems related to unspecified psychosocial circumstances*Status of code title:* **Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Z65.9 Problem related to unspecified psychosocial circumstances

ICD-10-AM Thirteenth Edition:

Z65.9 Problems related to unspecified psychosocial circumstances

Z70.8 Other counselling related to sexual attitude, behaviour and orientation*Status of code title:* **Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Z70.8 Other sex counselling

ICD-10-AM Twelfth Edition:

Z70.8 Other counselling related to sexual attitude, behaviour and orientation

Z70.9 Counselling related to sexual attitude, behaviour and orientation, unspecified*Status of code title:* **Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Z70.9 Sex counselling, unspecified

ICD-10-AM Twelfth Edition:

Z70.9 Counselling related to sexual attitude, behaviour and orientation, unspecified

Z71.1 Person with feared complaint in whom no diagnosis is made*Status of excludes:* **Revised – Eleventh Edition****ICD-10-AM Tenth Edition:***Excludes:* medical observation and evaluation for suspected diseases and conditions (Z03.-)**ICD-10-AM Eleventh Edition:***Excludes:* medical observation and evaluation for suspected diseases and conditions, ruled out (Z03.-)**Z71.4 Counselling and surveillance for alcohol use disorder***Status of code(s):* **Revised – First Edition****WHO ICD-10:**

Z71.4 Alcohol abuse counselling and surveillance

ICD-10-AM First Edition:

Z71.4 Counselling and surveillance for alcohol use disorder

Z71.5 Counselling and surveillance for drug use disorder*Status of code(s):* **Revised – First Edition****WHO ICD-10:**

Z71.5 Drug abuse counselling and surveillance

ICD-10-AM First Edition:

Z71.5 Counselling and surveillance for drug use disorder

Z71.6 Counselling for tobacco use disorder

Status of code(s): *Revised – First Edition*

WHO ICD-10:

Z71.6 Tobacco abuse counselling

ICD-10-AM First Edition:

Z71.6 Counselling for tobacco use disorder

Z72 Problems related to lifestyle and health behaviours

Status of code title: *Revised – Thirteenth Edition*

Status of includes: *Created – Thirteenth Edition*

Status of note: *Revised – Thirteenth Edition*

Status of excludes note: *Revised – Thirteenth Edition*

ICD-10-AM Twelfth Edition:

Z72 Problems related to lifestyle

...

Note: Hazardous use is a pattern of substance use that increases the risk of harmful consequences for the user. In contrast to harmful use, hazardous use refers to patterns of use that are of public health significance despite the absence of any current disorder in the individual user.

Excludes: problems related to:
 • life-management difficulty (Z73.-)
 • socioeconomic and psychosocial circumstances (Z55–Z65)

ICD-10-AM Thirteenth Edition:

Z72 Problems related to lifestyle and health behaviours

...

Note: Hazardous use is a pattern of substance use that increases the risk of harmful consequences for the user. In contrast to harmful use, hazardous use refers to patterns of use that are of public health significance despite there being no current disorder in the individual.

Excludes: problem related to life-management difficulty (Z73.-)

Z72.0 Tobacco use, current

Status of term: *Classified – Second Edition*

Status of excludes note: *Revised – Twelfth Edition*

Status of excludes note: *Revised – Thirteenth Edition*

Term classification:

Hazardous use

ICD-10-AM Eleventh Edition:

Excludes: harmful use of tobacco (F17.1)
 tobacco dependence (F17.2)

ICD-10-AM Twelfth Edition:

Excludes: harmful use of tobacco (F17.1)
 tobacco dependence (F17.2)
 withdrawal from tobacco (nicotine) NOS (F17.3)

ICD-10-AM Thirteenth Edition:

Excludes: mental and behavioural disorders due to use of tobacco (F17.-)

Z72.1 Alcohol use**Status of term:****Classified – Second Edition****Status of excludes note:****Revised – Thirteenth Edition****Term classification:**

Hazardous use of alcohol

ICD-10-AM Twelfth Edition:

Excludes: acute intoxication (F10.0)
dependence (F10.2)
harmful use (F10.1)

ICD-10-AM Thirteenth Edition:

Excludes: mental and behavioural disorders due to use of alcohol (F10.-)

Z72.2 Drug use**Status of term:****Classified – Second Edition****Status of note:****Created – Thirteenth Edition****Status of excludes note:****Revised – Thirteenth Edition****Term classification:**

Hazardous use of drug(s)

ICD-10-AM Twelfth Edition:

Excludes: acute intoxication (F11–F16 with common fourth character .0 and F19.0)
dependence (F11–F16 with common fourth character .2 and F19.2)
harmful use (F11–F16 with common fourth character .1 and F19.1)
nondependence-producing substance use disorder (F55.-)

ICD-10-AM Thirteenth Edition:

Excludes: mental and behavioural disorders due to use of:
• cannabinoids (F12.-)
• cocaine (F14.-)
• drug(s) NOS (F19.-)
• hallucinogens (F16.-)
• opioids (F11.-)
• sedatives or hypnotics (F13.-)
• stimulants, including caffeine (F15.-)
• volatile solvents (glue) (petrol) (F18.-)
nondependence-producing substance use disorder (F55.-)

Z72.4 Problem with inappropriate diet and eating habits**Status of code title:****Revised – Thirteenth Edition****Status of excludes note:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Z72.4 Inappropriate diet and eating habits

Excludes: behavioural eating disorders of infancy or childhood (F98.2–F98.3)
eating disorders (F50.-)
lack of adequate food (Z59.4)
malnutrition and other nutritional deficiencies (E40–E64)

ICD-10-AM Thirteenth Edition:

Z72.4 Problem with inappropriate diet and eating habits

Excludes: behavioural eating disorders of infancy or childhood (F98.2–F98.3)
eating disorders (F50.-)
lack of access to adequate food (Z59.4)
malnutrition and other nutritional deficiencies (E40–E64)

Z72.5 High-risk sexual behaviour*Status of includes:**Created – Thirteenth Edition***Z72.6 Gambling and betting***Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:***Excludes:* compulsive or pathological gambling (F63.0)**ICD-10-AM Thirteenth Edition:**

Excludes: compulsive or pathological gambling (F63.0)
 excessive gambling in manic episode (F30.-)
 gambling in dissocial personality disorder (F60.2)
 problem with gambling in family (household) (Z63.72)

Z72.7 Use of vaping device, current*Status of code(s):**Created – Thirteenth Edition***Z72.8 Other problem related to health or lifestyle behaviours***Status of code title:**Revised – Thirteenth Edition**Status of excludes note:**Created – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Z72.8 Other problems related to lifestyle

ICD-10-AM Thirteenth Edition:

Z72.8 Other problem related to health or lifestyle behaviours

Z72.9 Problems related to health or lifestyle behaviours, unspecified*Status of code title:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Z72.9 Problem related to lifestyle, unspecified

ICD-10-AM Thirteenth Edition:

Z72.9 Problems related to health or lifestyle behaviours, unspecified

Z73 Problems related to life-management difficulty*Status of excludes note:**Deleted – Thirteenth Edition***Z74 Problems related to care-provider dependency***Status of excludes note:**Revised – Tenth Edition**Status of instructional note:**Created – Thirteenth Edition***ICD-10-AM Ninth Edition:***Excludes:* dependence on enabling machines or devices NEC (Z99.-)**ICD-10-AM Tenth Edition:**

Excludes: dependence on enabling machines or devices NEC (Z99.-)
 respite care (Z75.5)

Z74.0 Need for assistance with mobility

Status of code title: Revised – [Sixth Edition](#)
Status of inclusion term(s): Deleted – [Sixth Edition](#)
Status of excludes note: Created – [Sixth Edition](#)
Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)
Status of excludes note: Deleted – [Thirteenth Edition](#)
ICD-10-AM Fifth Edition:
 Z74.0 Reduced mobility
ICD-10-AM Sixth Edition:
 Z74.0 Need for assistance due to reduced mobility
ICD-10-AM Thirteenth Edition:
 Z74.0 Need for assistance with mobility

Z74.1 Need for assistance with personal care

Status of inclusion term(s): Created – [Thirteenth Edition](#)

Z74.2 Need for assistance at home and no other household member able to render care

Status of inclusion term(s): Created – [Thirteenth Edition](#)
Status of includes note: Created – [Thirteenth Edition](#)

Z74.3 Need for continuous supervision

Status of inclusion term(s): Created – [Thirteenth Edition](#)

Z74.8 Other problem related to care-provider dependency

Status of code title: Revised – [Thirteenth Edition](#)
ICD-10-AM Twelfth Edition:
 Z74.8 Other problems related to care-provider dependency
ICD-10-AM Thirteenth Edition:
 Z74.8 Other problem related to care-provider dependency

Z74.9 Problems related to care-provider dependency, unspecified

Status of code title: Revised – [Thirteenth Edition](#)
Status of inclusion term(s): Created – [Thirteenth Edition](#)
ICD-10-AM Twelfth Edition:
 Z74.9 Problem related to care-provider dependency, unspecified
ICD-10-AM Thirteenth Edition:
 Z74.9 Problems related to care-provider dependency, unspecified

Z75.0 Medical services not available in home

Status of excludes note: Revised – [Tenth Edition](#)
ICD-10-AM Ninth Edition:
Excludes: no other household member able to render care (Z74.2)
ICD-10-AM Tenth Edition:
Excludes: no other household member able to render care (Z74.2)
 respite care (Z75.5)

Z75.1 Person awaiting admission to adequate facility elsewhere

Status of code(s): Created – **Third Edition**
Status of includes note: Created – **Thirteenth Edition**
Status of instructional note: Created – **Thirteenth Edition**
Status of code(s): Created – **Thirteenth Edition**

ICD-10-AM Second Edition:

Z75.1 Person awaiting admission to adequate facility elsewhere

ICD-10-AM Third Edition:

Z75.1 Person awaiting admission to adequate facility elsewhere
 Z75.10 Person awaiting admission to acute hospital
 Z75.11 Person awaiting admission to residential aged care service
 Z75.12 Person awaiting admission to psychiatric facility/unit
 Z75.13 Person awaiting admission to rehabilitation facility/unit
 Z75.14 Person awaiting admission to palliative care facility/unit
 Z75.18 Person awaiting admission to other health care facility
 Z75.19 Person awaiting admission to adequate facility elsewhere, unspecified

ICD-10-AM Thirteenth Edition:

Z75.1 Person awaiting admission to adequate facility elsewhere
 Z75.10 Person awaiting admission to acute hospital
 Z75.11 Person awaiting admission to residential aged care service
 Z75.12 Person awaiting admission to psychiatric facility/unit
 Z75.13 Person awaiting admission to rehabilitation facility/unit
 Z75.14 Person awaiting admission to palliative care facility/unit
 Z75.15 Person awaiting admission to specialist disability accommodation facility/unit
 Z75.18 Person awaiting admission to health care facility, not elsewhere classified
 Z75.19 Person awaiting admission to adequate facility elsewhere, unspecified

Z75.18 Person awaiting admission to health care facility, not elsewhere classified

Status of code title: Revised – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z75.18 Person awaiting admission to other health care facility

ICD-10-AM Thirteenth Edition:

Z75.18 Person awaiting admission to health care facility, not elsewhere classified

Z75.2 Other waiting period for investigation and treatment

Status of code(s): Created – **Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Z75.2 Other waiting period for investigation and treatment

ICD-10-AM Thirteenth Edition:

Z75.2 Other waiting period for investigation and treatment
 Z75.21 Waiting period for disability support services
 Z75.22 Waiting period for aged care support services
 Z75.29 Waiting period for investigation and treatment, not elsewhere classified

Z75.4 Unavailability and inaccessibility of other helping agencies**Status of code(s):****Created – Ninth Edition****ICD-10-AM Eighth Edition:**

Z75.4 Unavailability and inaccessibility of other helping agencies

ICD-10-AM Ninth Edition:

Z75.4 Unavailability and inaccessibility of other helping agencies

Z75.40 Unavailability and inaccessibility of helping agency, unspecified

Z75.41 Unavailability and inaccessibility of residential aged care service

Z75.49 Unavailability and inaccessibility of other specified helping agency

Z75.41 Unavailability and inaccessibility of residential aged care service**Status of inclusion term(s):****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Long term nursing home resident

ICD-10-AM Thirteenth Edition:

Admission as long term:

- aged care facility resident
- nursing home resident

Z75.5 Respite care**Status of code title:****Revised – Tenth Edition****Status of glossary description:****Revised – Tenth Edition****Status of inclusion term(s):****Deleted – Tenth Edition****Status of glossary description:****Revised – Thirteenth Edition****Status of instructional notes:****Created – Thirteenth Edition****ICD-10-AM Ninth Edition:**

Z75.5 Holiday relief care

Provision of health care facilities to a person normally cared for at home, in order to enable relatives to take a vacation

Respite care

ICD-10-AM Tenth Edition:

Z75.5 Respite care

Provision of health care facilities to a person normally cared for at home, in order to enable relatives/carers to take a break or vacation

ICD-10-AM Thirteenth Edition:

Respite care is an episode where the primary reason for admission is the short-term unavailability of the usual carer. The most common reason for respite care is to enable a carer to have 'respite' from the caring role, or for respite for the patient.

Z75.6 Transfer for suspected condition**Status of code:****Created – Tenth Edition****Z75.8 Other problem related to medical facilities and other health care****Status of code title:****Revised – Thirteenth Edition****ICD-10-AM Twelfth Edition:**

Z75.8 Other problems related to medical facilities and other health care

ICD-10-AM Thirteenth Edition:

Z75.8 Other problem related to medical facilities and other health care

Z75.9 Unspecified problems related to medical facilities and other health care

Status of code title:

Revised – [Thirteenth Edition](#)

ICD-10-AM Twelfth Edition:

Z75.9 Unspecified problem related to medical facilities and other health care

ICD-10-AM Thirteenth Edition:

Z75.9 Unspecified problems related to medical facilities and other health care

Z76.1 Health supervision and care of abandoned infant

Status of code title:

Revised – [Tenth Edition](#)

Status of inclusion term(s):

Created – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Z76.1 Health supervision and care of foundling

ICD-10-AM Tenth Edition:

Z76.1 Health supervision and care of abandoned infant

Z76.2 Health supervision and care of other infant and child

Status of code title:

Revised – [Tenth Edition](#)

Status of code(s):

Created – [Tenth Edition](#)

Status of inclusion term(s):

Deleted – [Tenth Edition](#)

ICD-10-AM Ninth Edition:

Z76.2 Health supervision and care of other healthy infant and child

ICD-10-AM Tenth Edition:

Z76.2 Health supervision and care of other infant and child

Z76.21 Health supervision and care of infant and child awaiting adoption or foster placement

Z76.22 Health supervision and care of infant and child, not elsewhere classified

Z80–Z99 Persons with potential health hazards related to family and personal history and certain conditions influencing health status

Status of excludes note:

Deleted – [Tenth Edition](#)

Status of note:

Created – [Twelfth Edition](#)

Z80.9 Family history of malignant neoplasm, unspecified

Status of inclusion term(s):

Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Conditions classifiable to C80

ICD-10-AM Seventh Edition:

Conditions classifiable to C80.-

Z81.0 Family history of disorder of intellectual development*Status of code title:* **Revised – Twelfth Edition****ICD-10-AM Eleventh Edition:**

Z81.0 Family history of mental retardation

ICD-10-AM Twelfth Edition:

Z81.0 Family history of disorder of intellectual development

Z81.1 Family history of alcohol use disorder*Status of code(s):* **Revised – First Edition****WHO ICD-10:**

Z81.1 Family history of alcohol abuse

ICD-10-AM First Edition:

Z81.1 Family history of alcohol use disorder

Z81.2 Family history of tobacco use disorder*Status of code(s):* **Revised – First Edition****WHO ICD-10:**

Z81.2 Family history of tobacco abuse

ICD-10-AM First Edition:

Z81.2 Family history of tobacco use disorder

Z81.3 Family history of other psychoactive substance use disorder*Status of code(s):* **Revised – First Edition****WHO ICD-10:**

Z81.3 Family history of other psychoactive substance abuse

ICD-10-AM First Edition:

Z81.3 Family history of other psychoactive substance use disorder

Z81.4 Family history of other substance use disorder*Status of code(s):* **Revised – First Edition****WHO ICD-10:**

Z81.4 Family history of other substance abuse

ICD-10-AM First Edition:

Z81.4 Family history of other substance use disorder

Z83.3 Family history of diabetes mellitus*Status of inclusion term(s):* **Revised – Seventh Edition****ICD-10-Am Sixth Edition:**

Conditions classifiable to E10–E14

ICD-10-Am Seventh Edition:

Conditions classifiable to E10–E14, O24.-

Z85 Personal history of malignant neoplasm

Status of note: Created – [Eleventh Edition](#)
Status of excludes note: Revised – [Eleventh Edition](#)
Status of note: Deleted – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

Excludes: follow-up examination after treatment of malignant neoplasm (Z08.-)
 follow-up medical care and convalescence (Z42–Z51, Z54.-)

ICD-10-AM Eleventh Edition:

Excludes: follow-up:
 • examination after treatment of malignant neoplasm (Z08.-)
 • medical care and convalescence (Z42–Z51, Z54.-)

Z85.9 Personal history of malignant neoplasm, unspecified

Status of instructional note(s): Revised – [Seventh Edition](#)

ICD-10-AM Sixth Edition:

Conditions classifiable to C80

ICD-10-AM Seventh Edition:

Conditions classifiable to C80.-

Z86 Personal history of certain other diseases

Status of note: Created – [Eleventh Edition](#)
Status of note: Deleted – [Twelfth Edition](#)

Z86.1 Personal history of infectious and parasitic diseases

Status of code(s): Created – [First Edition](#)
Status of excludes note: Revised – [Twelfth Edition](#)

WHO ICD-10:

Z86.1 Personal history of infectious and parasitic diseases

ICD-10-AM First Edition:

Z86.1 Personal history of infectious and parasitic diseases
 Z86.10 Personal history of unspecified infectious and parasitic disease
 Z86.11 Personal history of tuberculosis
 Z86.12 Personal history of poliomyelitis
 Z86.13 Personal history of malaria
 Z86.18 Personal history of other infectious and parasitic disease

ICD-10-AM Eleventh Edition:

Excludes: HIV positive status (Z21)
 sequelae of infectious and parasitic diseases (B90–B94)

ICD-10-AM Twelfth Edition:

Excludes: HIV positive status (Z21)
 personal history of coronavirus disease 2019 [COVID-19] (U07.3)
 post coronavirus disease 2019 [COVID-19] condition (U07.4)
 sequelae of infectious and parasitic diseases (B90–B94)

Z86.4 Personal history of psychoactive substance use disorder

Status of code(s): Created, Revised – *First Edition*
Status of inclusion term(s): Deleted – *Eleventh Edition*
Status of excludes note: Deleted – *Twelfth Edition*

WHO ICD-10:

Z86.4 Personal history of psychoactive substance abuse

ICD-10-AM First Edition:

Z86.4 Personal history of psychoactive substance use disorder
 Z86.41 Personal history of alcohol use disorder
 Z86.42 Personal history of drug use disorder
 Z86.43 Personal history of tobacco use disorder

Z86.41 Personal history of alcohol use disorder

Status of inclusion term(s): Created – *Eleventh Edition*
Status of glossary description: Revised – *Twelfth Edition*
Status of excludes note: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Conditions classifiable to F10

Excludes: current alcohol dependence (F10.2)

ICD-10-AM Twelfth Edition:

Conditions classifiable to category F10

Excludes: current alcohol dependence (F10.2)
 problems related to the use of alcohol (Z72.1)

Z86.42 Personal history of drug use disorder

Status of inclusion term(s): Created – *Eleventh Edition*
Status of excludes note: Revised – *Eleventh Edition*
Status of glossary description: Revised – *Twelfth Edition*
Status of excludes note: Revised – *Twelfth Edition*

ICD-10-AM Tenth Edition:

Excludes: current drug dependence (F11–F16 with common fourth character .2 and F18–F19 with common fourth character .2)

ICD-10-AM Eleventh Edition:

Conditions classifiable to F11–F16 and F18–F19

History of:

- psychoactive substance abuse NOS
- unsanctioned drug use, ever, but excluding the last three months

Excludes: current drug dependence (F11–F16 and F18–F19 with common fourth character .2)

ICD-10-AM Twelfth Edition:

Conditions classifiable to categories F11–F16 and F18–F19

History of:

- psychoactive substance abuse NOS
- unsanctioned drug use, ever, but excluding the last three months

Excludes: current drug dependence (F11–F16 and F18–F19 with common fourth character .2)
 problems related to the use of drug(s) (Z72.2)

Z86.43 Personal history of tobacco use disorder

Status of inclusion term(s): Created – *Eleventh Edition*
Status of glossary description: Revised – *Twelfth Edition*
Status of excludes note: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Conditions classifiable to F17

Excludes: harmful use of tobacco (F17.1)
 tobacco dependence (F17.2)

ICD-10-AM Twelfth Edition:

Conditions classifiable to category F17

Excludes: harmful use of tobacco (F17.1)
 problems related to the use of tobacco (Z72.0)
 tobacco dependence (F17.2)

Z86.5 Personal history of other mental and behavioural disorders

Status of glossary description: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Conditions classifiable to F00–F09, F20–F99

ICD-10-AM Twelfth Edition:

Conditions classifiable to categories F00–F09, F20–F99

Z86.6 Personal history of diseases of the nervous system and sense organs

Status of code(s): Created – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Z86.6 Personal history of diseases of the nervous system and sense organs

ICD-10-AM Eleventh Edition:

Z86.6 Personal history of diseases of the nervous system and sense organs
 Z86.61 Personal history of transient ischaemic attack [TIA]
 Z86.69 Personal history of diseases of the nervous system and sense organs, not elsewhere classified

Z86.7 Personal history of diseases of the circulatory system

Status of excludes note: Revised – *Eleventh Edition*
Status of code(s): Created – *Eleventh Edition*

ICD-10-AM Tenth Edition:

Z86.7 Personal history of diseases of the circulatory system

Excludes: old myocardial infarction (I25.2)
 postmyocardial infarction syndrome (I24.1)
 sequelae of cerebrovascular disease (I69.-)

ICD-10-AM Eleventh Edition:

Z86.7 Personal history of diseases of the circulatory system

Excludes: old myocardial infarction (I25.2)
 postmyocardial infarction syndrome (I24.1)

Z86.71 Personal history of cerebrovascular disease
 Z86.72 Personal history of thrombosis and embolism
 Z86.79 Personal history of diseases of the circulatory system, not elsewhere classified

Z87 Personal history of other diseases and conditions*Status of note:**Created – Eleventh Edition**Status of note:**Deleted – Twelfth Edition***Z87.1 Personal history of diseases of the digestive system***Status of code(s):**Created – First Edition***WHO ICD-10:**

Z87.1 Personal history of diseases of the digestive system

ICD-10-AM First Edition:

Z87.1 Personal history of diseases of the digestive system

Z87.10 Personal history of unspecified digestive disease

Z87.11 Personal history of peptic ulcer disease

Z87.12 Personal history of colonic polyps

Z87.18 Personal history of other digestive system disease

Z87.8 Personal history of other specified conditions*Status of excludes note:**Created – Fifth Edition***Z91.1 Personal history of noncompliance with medical treatment and regimen***Status of note:**Deleted – Eleventh Edition**Status of inclusion term(s):**Created – Twelfth Edition***Z91.7 Personal history of female genital mutilation***Status of code:**Created – Ninth Edition**Status of inclusion term(s):**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Personal history of female:

- circumcision
- genital cutting
- genital mutilation [FGM] types 1-4

ICD-10-AM Thirteenth Edition:

Personal history of female:

- circumcision
- genital:
 - cutting
 - mutilation [FGM] types 1-4

Z91.8 Personal history of other specified risk-factors, not elsewhere classified*Status of inclusion term(s):**Deleted – Thirteenth Edition**Status of code(s):**Created – Thirteenth Edition / Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Z91.8 Personal history of other specified risk-factors, not elsewhere classified

ICD-10-AM Thirteenth Edition:

Z91.8 Personal history of other specified risk-factors, not elsewhere classified

Z91.81 Personal history of use of vaping device

Z91.89 Personal history of other specified risk-factors, not elsewhere classified

Z92.2 Personal history of long term [current] use of other medicaments

Status of code(s):
Status of code title:

Created – Fourth Edition
Revised – Twelfth Edition

WHO ICD-10:

Z92.2 Personal history of long-term (current) use of other medicaments

ICD-10-AM Fourth Edition:

Z92.2 Personal history of long-term (current) use of other medicaments
 Z92.21 Personal history of long-term (current) use of medicaments, aspirin
 Z92.22 Personal history of long-term (current) use of medicaments, insulin
 Z92.28 Personal history of long-term (current) use of medicaments, other medicaments

ICD-10-AM Eleventh Edition:

Z92.2 Personal history of long term (current) use of other medicaments

ICD-10-AM Twelfth Edition:

Z92.2 Personal history of long term [current] use of other medicaments

Z92.6 Personal history of pharmacotherapy for neoplastic disease

Status of code(s):
Status of code title:

Created – Fifth Edition
Revised – Eleventh Edition

ICD-10-AM Tenth Edition:

Z92.6 Personal history of chemotherapy for neoplastic disease

ICD-10-AM Eleventh Edition:

Z92.6 Personal history of pharmacotherapy for neoplastic disease

Z93 Artificial opening status

Status of excludes note:

Revised – Tenth Edition

ICD-10-AM Ninth Edition:

Excludes: artificial openings requiring attention or management (Z43.-)
 complications of external stoma (J95.0, K91.4, N99.5)

ICD-10-AM Tenth Edition:

Excludes: artificial openings requiring attention or management (Z43.-)
 complications of external stoma (J95.0-, K91.4-, N99.5-)

Z94 Transplanted organ and tissue status

Status of includes note:

Revised – Thirteenth Edition

ICD-10-AM Twelfth Edition:

Includes: organ or tissue replaced by heterogenous or homogenous transplant

ICD-10-AM Thirteenth Edition:

Includes: organ, tissue, biological product and cell replaced by heterogenous or homogenous transplant

Z94.0 Kidney transplant status

Status of instructional note(s):
Status of instructional note(s):

Created – Sixth Edition Errata 2
Deleted – Thirteenth Edition

Z94.8 Other transplanted organ and tissue status

Status of inclusion term(s): Revised – [Seventh Edition](#)
Status of inclusion term(s): Deleted – [Thirteenth Edition](#)
Status of code(s): Created – [Thirteenth Edition](#)

ICD-10-AM Sixth Edition:

Bone marrow
 Intestine
 Pancreas (beta-cells) (islets)

ICD-10-AM Seventh Edition:

Bone marrow
 Intestine
 Pancreas (beta-cells) (islets)
 Stem cells

ICD-10-AM Twelfth Edition:

Z94.8 Other transplanted organ and tissue status

ICD-10-AM Thirteenth Edition:

Z94.8 Other transplanted organ and tissue status
 Z94.81 Bone marrow transplant status
 Z94.82 Intestine transplant status
 Z94.83 Pancreas transplant status
 Z94.84 Islet cell transplant status
 Z94.85 Stem cell transplant status, not elsewhere classified
 Z94.89 Other specified transplanted organ and tissue status

Z95.0 Presence of cardiac device

Status of code(s): Revised – [Second Edition](#)
Status of inclusion term(s): Revised – [Eighth Edition](#)
Status of excludes note: Revised – [Ninth Edition](#)
Status of inclusion term(s): Revised – [Eleventh Edition](#)
Status of inclusion term(s): Revised – [Twelfth Edition](#)

ICD-10-AM First Edition:

Z95.0 Presence of cardiac pacemaker

ICD-10-AM Second Edition:

Z95.0 Presence of cardiac device

ICD-10-AM Seventh Edition:

Presence of:
 • automatic implantable cardiac defibrillator [AICD]
 • cardiac pacemaker

ICD-10-AM Eighth Edition:

Presence of:
 • automatic implantable cardiac defibrillator [AICD]
 • cardiac:
 • pacemaker
 • resynchronisation therapy (CRT) pacemaker
 • resynchronisation therapy defibrillator (CRT-D)

Excludes: adjustment or management of cardiac device (Z45.0)

ICD-10-AM Ninth Edition:

Excludes: adjustment or management of cardiac device (Z45.0)
 dependence on artificial heart (Z99.4)

ICD-10-AM Tenth Edition:

Presence of:

- automatic implantable cardiac defibrillator [AICD]
- cardiac:
 - pacemaker
 - resynchronisation therapy (CRT) pacemaker
 - resynchronisation therapy defibrillator (CRT-D)

ICD-10-AM Eleventh Edition:

Presence of:

- automatic implantable cardiac defibrillator [AICD]
- cardiac:
 - pacemaker
 - resynchronisation therapy (CRT):
 - pacemaker
 - defibrillator (CRT-D)

ICD-10-AM Twelfth Edition:

Presence of:

- automatic implantable cardiac defibrillator [AICD]
- cardiac:
 - pacemaker (intracardiac) (subcutaneous)
 - resynchronisation therapy (CRT):
 - pacemaker (CRT-P)
 - defibrillator (CRT-D)

Z95.8 Presence of other cardiac and vascular implants and grafts*Status of excludes note:**Created – Ninth Edition***Z96 Presence of other functional implants***Status of excludes note:**Revised – Thirteenth Edition***ICD-10-AM Twelfth Edition:**

Excludes: complications of internal prosthetic devices, implants and grafts (T82–T85)
fitting and adjustment of prosthetic and other devices (Z44–Z46)

ICD-10-AM Thirteenth Edition:

Excludes: complications of internal devices, implants and grafts (T82–T85)
fitting and adjustment of prosthetic and other devices (Z44–Z46)

Z96.6 Presence of orthopaedic joint implants*Status of code(s):**Created – First Edition***WHO ICD-10:**

Z96.6 Presence of orthopaedic joint implants

ICD-10-AM First Edition:

Z96.6 Presence of orthopaedic joint implants
 Z96.60 Presence of unspecified joint implant
 Z96.61 Presence of shoulder implant
 Z96.62 Presence of elbow implant
 Z96.63 Presence of wrist implant
 Z96.64 Presence of hip implant
 Z96.65 Presence of knee implant
 Z96.66 Presence of ankle implant
 Z96.68 Presence of other orthopaedic joint implant

Z97 Presence of other devices

Status of excludes note: **Revised – Thirteenth Edition**

ICD-10-AM Twelfth Edition:

Excludes: complications of internal prosthetic devices, implants and grafts (T82–T85)
fitting and adjustment of prosthetic and other devices (Z44–Z46)
presence of cerebrospinal fluid drainage device (Z98.2)

ICD-10-AM Thirteenth Edition:

Excludes: complications of internal devices, implants and grafts (T82–T85)
fitting and adjustment of prosthetic and other devices (Z44–Z46)
presence of cerebrospinal fluid drainage device (Z98.2)

Z97.5 Presence of contraceptive device

Status of code title: **Revised – Seventh Edition**

Status of inclusion term(s): **Created – Seventh Edition**

ICD-10-AM Sixth Edition:

Z97.5 Presence of (intrauterine) contraceptive device

ICD-10-AM Seventh Edition:

Z97.5 Presence of contraceptive device

Z98 Other postprocedural states

Status of code(s): **Revised – Second Edition**

Status of excludes note: **Revised – Thirteenth Edition**

ICD-10-AM First Edition:

Z98 Other postsurgical states

ICD-10-AM Second Edition:

Z98 Other postprocedural states

ICD-10-AM Twelfth Edition:

Excludes: follow-up medical care and convalescence (Z42–Z51, Z54.-)
postprocedural complication — see Alphabetic Index

ICD-10-AM Thirteenth Edition:

Excludes: complication of surgical and medical care — see Alphabetic Index
follow-up medical care and convalescence (Z42–Z51, Z54.-)

Z98.3 Difficult airway for intubation status

Status of code(s): **Created – Thirteenth Edition**

Z98.8 Other specified postprocedural states

Status of code(s): **Revised – Second Edition**

ICD-10-AM First Edition:

Z98.8 Other specified postsurgical states

ICD-10-AM Second Edition:

Z98.8 Other specified postprocedural states

Z99.1 Dependence on respirator

Status of inclusion term(s): Created – *Eighth Edition*

Z99.2 Dependence on kidney dialysis

Status of code title: Revised – *Sixth Edition*

ICD-10-AM Fifth Edition:

Z99.2 Dependence on renal dialysis

ICD-10-AM Sixth Edition:

Z99.2 Dependence on kidney dialysis

Z99.4 Dependence on artificial heart

Status of code: Created – *Ninth Edition*

Appendices

Status of appendices: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

Appendix A: Morphology of neoplasms

Appendix B: Special tabulation lists for mortality and morbidity

Appendix C: Unacceptable Principal Diagnosis Codes

Appendix D: Classification of Hospital Acquired Diagnoses (CHADx)

ICD-10-AM Twelfth Edition:

Appendix A: Morphology of neoplasms

Appendix A Morphology of neoplasms

Status of appendix: Revised – *Thirteenth Edition*

ICD-10-AM Twelfth Edition:

The International Classification of Diseases for Oncology Third Edition (ICD-O-3) was published in 2000. It is a coded nomenclature for the morphology of neoplasms, and is reproduced in ICD-10-AM to use in conjunction with Chapter 2. The morphology codes in Appendix A were updated for consistency with ICD-O-3.2 (ICD-O-3 Second Revision), which was implemented internationally in January 2020.

ICD-10-AM morphology codes consist of the letter ‘M’, followed by five digits. The first four digits identify the neoplasm’s histological type, and the fifth digit, following a slash (or solidus), indicates the neoplasm’s behaviour. The fifth digit behaviour codes are as follows:

- | | |
|---|---|
| 0 | Benign |
| 1 | Uncertain whether benign or malignant |
| | Borderline malignancy |
| | Low malignant potential |
| | Uncertain malignant potential |
| 2 | Carcinoma in situ |
| | Intraepithelial |
| | Noninfiltrating |
| | Noninvasive |
| 3 | Malignant, primary site |
| 6 | Malignant, metastatic site |
| | Malignant, secondary site |
| 9 | Malignant, uncertain whether primary or metastatic site |

In the nomenclature listed here, the morphology codes include the behaviour code appropriate to the histological type of neoplasm; it is appropriate to assign a different behaviour code if supported by documentation in the clinical record. For example, chordoma is assumed to be malignant and is therefore indexed to the default morphology code M9370/3; ‘benign chordoma’, however, is classified to M9370/0. Similarly, superficial spreading adenocarcinoma (M8143/3) is classified to M8143/2 when documented as ‘noninvasive’.

The following table shows the correspondence between the behaviour code and the different sections of Chapter 2:

Behaviour code	Chapter 2 categories
/0 Benign neoplasms	D10–D36
/1 Neoplasms of uncertain and unknown behaviour	D37–D48
/2 In situ neoplasms	D00–D09
/3 Malignant neoplasms, stated or presumed to be primary	C00–C76 C80–C96
/6 Malignant neoplasms, stated or presumed to be secondary	C77–C79

A documented neoplasm site may differ from the default site listed in the Alphabetic Index. In such instances, the listed default Chapter 2 code in the Alphabetic Index should not be assigned, and the more appropriate site specific code should be assigned from the Neoplasm table. For example, *C69.9 Malignant neoplasm of eye, unspecified* is the default site code listed in the Alphabetic Index with type A spindle cell melanoma (M8773/3). However, if the site of the neoplasm documented in the clinical record is specified as the choroid, assign *C69.3 Malignant neoplasm of choroid*. Similarly, infiltrating duct carcinoma (M8500/3) usually arises in the breast (classified to category *C50 Malignant neoplasm of breast*). However, if primary infiltrating duct carcinoma of the pancreas is documented in the clinical record, assign a site code from category *C25 Malignant neoplasm of pancreas*.

Where a documented morphology contains more than one qualifying term classifiable to different morphology codes, assign the morphology code with the higher number. An example is ‘transitional cell epidermoid carcinoma’. ‘Transitional cell carcinoma NOS’ is classified to M8120/3 and ‘epidermoid carcinoma NOS’ is classified to M8070/3. In such circumstances, the higher number (M8120/3 in this example) is assigned, as it is usually more specific. For further information regarding the coding of morphology, see the *Australian Coding Standards*.

ICD-10-AM Thirteenth Edition:

The International Classification of Diseases for Oncology Third Edition (ICD-O-3) was published in 2000. It is a coded nomenclature for the morphology of neoplasms, and is reproduced in ICD-10-AM to use in conjunction with Chapter 2. The morphology codes in Appendix A were updated for consistency with ICD-O-3.2 (ICD-O-3 Second Revision), which was implemented internationally in January 2020. Morphology codes in Appendix A identified with the Australian code symbol  are not included in ICD-O-3.2.

ICD-10-AM morphology codes consist of the letter ‘M’, followed by five digits. The first four digits identify the neoplasm’s histological type, and the fifth digit, following a slash (or solidus), indicates the neoplasm’s behaviour. The following table shows the fifth digit behaviour codes:

Table 1. Behaviour codes and descriptors

Behaviour code	Descriptor
/0	Benign
/1	Uncertain whether benign or malignant Borderline malignancy Low malignant potential Uncertain malignant potential
/2	In situ Carcinoma in situ Intraepithelial Noninfiltrating Noninvasive
/3	Malignant, primary Carcinoma NOS Malignant: • primary site • stated or presumed to be primary
/6	Malignant, metastatic Malignant, stated or presumed to be secondary Metastatic
/9	Malignant, uncertain whether primary or metastatic

In Appendix A *Morphology of neoplasms*, the morphology codes include a behaviour code appropriate to the neoplasm histological type. The Alphabetic Index provides a default morphology and behaviour code, however it is appropriate to assign a different behaviour code if supported by documentation in the health care record, provided that the code is listed in Appendix A (see Examples 1 and 2).

Example 1:

Benign chordoma.

Index: **Chordoma** (M9370/3) — *see also Neoplasm/malignant*

Tabular List: M9370/0 Benign notochordal cell tumour
M9370/3 Chordoma NOS

Assign: M9370/0 *Benign notochordal cell tumour*

Rationale: Chordoma classification defaults to malignant as per the Alphabetic Index. Benign chordoma is classified to M9370/0 (M9370 with a behaviour code /0 *benign*) which is listed in the Tabular List Appendix A.

Example 2:

Noninvasive superficial spreading adenocarcinoma.

Index:	Adenocarcinoma - superficial spreading (M8143/3)
Tabular List:	M8143/2 Superficial spreading adenocarcinoma, in situ M8143/3 Superficial spreading adenocarcinoma
Assign:	M8143/2 <i>Superficial spreading adenocarcinoma, in situ</i>
Rationale:	Superficial spreading adenocarcinoma classification defaults to malignant as per the Alphabetic Index. Noninvasive superficial spreading adenocarcinoma is classified to M8143/2 (M8143 with behaviour code /2 <i>in situ</i>) (see Table 1) which is listed in the Tabular List Appendix A.

The following table shows behaviour codes and corresponding ICD-10-AM Chapter 2 *Neoplasms* blocks and categories:

Table 2. Behaviour codes and corresponding blocks and categories in ICD-10-AM Chapter 2 *Neoplasms*.

Behaviour code	Chapter 2 blocks and categories
/0	D10–D36 <i>Benign neoplasms</i>
/1	D37–D44, D48 <i>Neoplasms of uncertain or unknown behaviour</i>
/2	D00–D09 <i>In situ neoplasms</i>
/3	C00–C75 <i>Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue</i> C76 <i>Malignant neoplasm of other and ill-defined sites</i> C80 <i>Malignant neoplasm without specification of site</i> C81–C96 <i>Malignant neoplasms of lymphoid, haematopoietic and related tissue</i> D45 <i>Polycythaemia vera</i> D46 <i>Myelodysplastic syndromes</i>
/6	C77 <i>Secondary and unspecified malignant neoplasm of lymph nodes</i> C78 <i>Secondary malignant neoplasm of respiratory and digestive organs</i> C79 <i>Secondary malignant neoplasm of other and unspecified sites</i>

Exception(s)

- Codes in category D47 *Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue* are assigned morphology codes with behaviour /1 **or** /3 in accordance with the Alphabetic Index (regardless of category D47 being located in the Chapter 2 block for *Neoplasms of uncertain and unknown behaviour*).

A neoplasm site specified in the health care record may differ from the default site listed in the Alphabetic Index. In such instances, the default Chapter 2 code in the Alphabetic Index is not assigned, but a more appropriate site specific code is assigned, usually in accordance with the *Table of neoplasms* (see Alphabetic Index: *Neoplasm, neoplastic*) (see Examples 3 and 4).

Example 3:

Duodenal gastrinoma.

Index: **Gastrinoma (M8153/3) C25.4**

Neoplasm, neoplastic	Malignant Primary
- duodenum.....	C17.0

Tabular List: C25.4 Malignant neoplasm of endocrine pancreas
C17.0 Malignant neoplasm of duodenum

Assign: C17.0 *Malignant neoplasm of duodenum*
Morphology code

Rationale: Gastrinoma is indexed with a default Chapter 2 code (C25.4). However, the site of the gastrinoma is the duodenum, therefore C17.0 is assigned by following the Alphabetic Index: *Neoplasm, neoplastic/duodenum*.

Example 4:

Infiltrating duct carcinoma of the pancreas.

Index: **Carcinoma**
- infiltrating
- - duct ... — *see also Neoplasm/breast/malignant*

Neoplasm, neoplastic	Malignant Primary
- pancreas.....	C25.9
- - body.....	C25.1
- - duct.....	C25.3
- - head.....	C25.0
- - islet cells.....	C25.4
- - neck.....	C25.7
- - tail.....	C25.2

Assign: C25.9 *Malignant neoplasm of pancreas, part unspecified*
Morphology code

Rationale: Infiltrating duct carcinoma usually arises in the breast, as per the cross reference to *Neoplasm/breast/malignant*. However, where the site of the infiltrating duct carcinoma is the pancreas, a code from category C25 *Malignant neoplasm of pancreas* is assigned by following the Alphabetic Index: *Neoplasm, neoplastic/pancreas*.

Where the morphology contains more than one qualifying term classifiable to different morphology codes, assign the morphology code with the higher number, as it is usually more specific (see Example 5).

For further information regarding the coding of morphology, see ACS 0233 *Morphology*.

Example 5:

Transitional cell epidermoid carcinoma.

Index: **Carcinoma**
 - epidermoid (M8070/3) ...
 - transitional (cell) (M8120/3) ...

Assign: Topography (site) code
 M8120/3 *Transitional cell carcinoma NOS*

Rationale: Transitional cell carcinoma NOS is classified to M8120/3 and epidermoid carcinoma NOS is classified to M8070/3. Transitional cell epidermoid carcinoma is assigned M8120/3, as this is the higher number.

...

Chronicle of changes to ICD-10-AM codes A00–T98, Z00–Z99

Anaphylaxis and anaphylactic shock

ELEVENTH EDITION

Background:

A number of amendments were made following a review of the classification of 'anaphylaxis and anaphylactic shock':

- Creation of a category and codes in Chapter 20 *External causes of morbidity and mortality* to classify 'exposure to or contact with allergens'
- Addition of the term 'anaphylaxis' to codes for 'anaphylactic shock'
- Minor amendments to support the changes highlighted above

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1923 *Contact with venomous/nonvenomous creatures*

2004 *Allergic reaction NOS*

2115 *Admission for allergen challenge*

Dagger and Asterisk Codes

THIRD EDITION

Background:

Following a review of the dagger (aetiology) and asterisk (manifestation) codes, Type 1 and Type 2 duplications were removed from within the dagger and asterisk system.

Definitions of Type 1 and Type 2 duplications are:

- Type 1 – Exact duplication between dagger and asterisk code
This occurs when both the dagger and asterisk code describe the aetiology and manifestation. In these instances only the dagger code needs to be assigned.
- Type 2 – Redundant asterisk code
This occurs when the dagger code sufficiently describes both the aetiology and manifestation, and the asterisk code is redundant. In these instances only the dagger code needs to be assigned.

Source of recommended change:

NCCH

CSAC

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION**Background:**

A number of changes have been made to dagger and asterisk codes for consistency with changes to WHO ICD-10.

If a dagger symbol appears in a code title but there is no associated asterisk code in the code title, then all terms classifiable to that rubric are subject to dual classification, but they may have different asterisk codes assigned. Daggers have been placed adjacent to some inclusion terms, effectively changing the application of these rubrics from rule b) to rule c) of the aetiology/manifestation convention.

It is important to note that while some dagger and asterisk codes have been revised, deleted or created, specific concepts may not have been changed.

Source of recommended change:

Update Reference Committee (URC) 2001
NCCH

Relevant Australian Coding Standard:

Not applicable

Complex regional pain syndrome**FOURTH EDITION****Background:**

Complex regional pain syndrome (CRPS) type I is described as a disproportionate consequence of a trauma without nerve injury. CRPS type II is described as a disproportionate consequence of a trauma with nerve injury. *Causalgia* was reclassified as per CRPS type II. Codes for CRPS type I were also created.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

Postnatal depression**THIRD EDITION****Background:**

In response to a public submission and queries, fifth character codes were created at F32 *Depressive episode* to classify depression *not specified as arising in the postnatal period* and *arising in the postnatal period*. That is, *postnatal depression*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

ACS 0505

Pregnancy complicated by conditions in...

SEVENTH EDITION

Background:

A proposal for improving the indexing of maternal conditions (URC 0158) was agreed to by the Update and Revision Committee (URC) of WHO Family of International Classifications, for implementation in 2005. The NCCH did not include these changes in ICD-10-AM Fifth Edition, as there were some ongoing concerns over some of the code ranges and the effect on ICD-10-AM Tabular List. Inconsistencies between the code ranges in the Tabular List and the Alphabetic Index were highlighted by clinical coders, through general correspondence and queries. NCCH decided to implement the changes in URC 0158 for ICD-10-AM Alphabetic Index, where applicable to ICD-10-AM, and to delete the code ranges in the Tabular List.

Changes to ICD-10-AM Seventh Edition include:

- inclusion of notes at Categories O98 and O99, guiding users to the Alphabetic Index for specific code ranges
- deletion of the code ranges (inclusion terms) at the codes in categories O98 and O99
- addition of code ranges as per URC 0158 to the Alphabetic Index under *Pregnancy, complicated by, conditions in* and *Pregnancy, complicated by, diseases of*.

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting

Relevant Australian Coding Standard:

Not applicable

SIRS, sepsis, severe sepsis and septic shock

SEVENTH EDITION

Background:

The NCCH made changes to the classification of sepsis and septicaemia in ICD-10-AM Third Edition. Code descriptors were changed, where possible, from *septicaemia* to *sepsis*. The changes related to clarifying and standardising the definition of the terms *sepsis* and *septicaemia* and their relationship to *infection*. The Alphabetic Index was modified to ensure that *infection* classifies *localised* conditions and *sepsis* classifies *generalised* (or *systemic*) conditions. The emphasis in these changes was on the understanding of the interrelationships among systemic inflammatory response syndrome (SIRS), sepsis and infection and what clinicians meant when they used these terms.

In 2005, the Update and Revision Committee of WHOIFC, accepted a proposal from Germany for new codes for SIRS (URC 0332). As there were three more draft proposals for change at that time; changing terminology from *septicaemia* to *sepsis*, *severe sepsis* and *septic shock*, the NCCH decided to withhold making any changes to ICD-10-AM and the ACS until all changes had been approved by the URC. These proposals were accepted in 2008 and included for updates to ICD-10-AM Seventh edition.

Changes made to Seventh Edition included:

- amendments to ICD-10-AM Tabular List and Alphabetic Index as per URC updates (0332, 1238, 1239 and 1240) with the exception of R65.9 *Systemic inflammatory response syndrome, unspecified*
- addition of the term *acute* to the concept of *organ failure* to the codes in category R65 *Systemic Inflammatory response syndrome* [SIRS] together with *use additional code* notes at the appropriate codes in this category to identify the type of acute organ failure
- amendment of the title of ACS 0110 to *Sepsis, severe sepsis and septic shock* and the addition and updating of clinical and classification advice for these concepts
- addition of *use additional code* notes at R65.1 and R65.3 to identify the type of acute organ failure, when present
- Addition of *use additional code* note to relevant codes in category O00–O08 *Pregnancy with abortive outcome* to identify *shock*, when present

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Delhi, India 2008

Relevant Australian Coding Standard:

0110 *Sepsis, severe sepsis and septic shock*

NINTH EDITION

Background:

Numerous queries and public submissions were received in relation to the classification of SIRS and sepsis, which highlighted the advice in ACS 0110 *Sepsis, severe sepsis and septic shock* is ambiguous and inconsistent. Consequently, the standard and ICD-10-AM codes for SIRS, sepsis, severe sepsis and septic shock were reviewed for the Ninth Edition. The review was conducted in consultation with clinicians to confirm clinical currency and with the ICD Technique Group to ensure the accuracy and usefulness of coding guidelines.

The major changes to Ninth Edition included:

- Added R65.0 *Systemic inflammatory response syndrome [SIRS] of infectious origin without acute organ failure* to the list of '**Disease codes that must never be assigned**' as the concept of SIRS due to infectious origin is the same as sepsis, a condition already classifiable in ICD-10-AM across different chapters.
- Amended code title R65.1 to **Severe sepsis** for clarity
- Combined T81.41 *Wound infection following a procedure* and T81.42 *Sepsis following a procedure* to the fourth character level and amended the code title of T81.4 to *Wound infection following a procedure, not elsewhere classified*
- Added 'use additional code' notes at the following codes, to be consistent with classification advice in ACS 0110 *SIRS, sepsis, severe sepsis and septic shock*, which advises that sepsis classifiable to the following codes should have an additional code from A40–A41 assigned to identify the type of sepsis:
 - O03–O07 *Pregnancy with abortive outcome*
 - O08.0 *Genital tract and pelvic infection following abortion and ectopic and molar pregnancy*
 - O75.3 *Other infection during labour*
 - O85 *Puerperal sepsis*
 - T80.2 *Infections following infusion, transfusion and therapeutic injection*
 - T81.4 *Wound infection following a procedure, not elsewhere classified*
 - T82.6 *Infection and inflammatory reaction due to cardiac valve prosthesis*
 - T82.7 *Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts*
 - T83.5 *Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system*
 - T83.6 *Infection and inflammatory reaction due to prosthetic device, implant and graft in genital tract*
 - T84.5 *Infection and inflammatory reaction due to internal joint prosthesis*

- T84.6 *Infection and inflammatory reaction due to internal fixation device [any site]*
- T84.7 *Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices, implants and grafts*
- T85.7 *Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts*

- Added 'use additional code' notes to relevant codes to identify severe sepsis or septic shock, when present
- Added a note at B95–B97 *Bacterial, viral and other infectious agents* to indicate that it is not necessary to assign a code from B95–B97 *Bacterial, viral and other infectious agents* if the same agent has been identified in the infection code (e.g. streptococcal sepsis in A40.-)
- Added an ACS 0110 symbol at Chapter 1 *Certain infectious and parasitic diseases (A00–B99)* and at P36.- *Bacterial sepsis of newborn due to Staphylococcus aureus*
- Added *sepsis* as a subterm to relevant entries in the Alphabetic Index where septicaemia is present
- Amended the Alphabetic Index for the classification of the terms urosepsis and SIRS
- Amended the title of ACS 0110 to specify **SIRS, sepsis, severe sepsis and septic shock** and updated clinical and classification advice for these concepts
- Revised advice in ACS 1904 *Procedural complications* regarding to the classification of vascular catheter related infection OR infusion/transfusion related infection

Source of recommended change:

Coding queries (Q2812, Q2826)

Public submissions (187, 220, 214)

ACCD (TN698)

Relevant Australian Coding Standard:

0110 *SIRS, sepsis, severe sepsis and septic shock*

Sepsis and related conditions

TWELFTH EDITION

Background:

The Third International Consensus Definitions for Sepsis and Septic Shock (Singer et al. 2016) provided updated definitions and clinical criteria for sepsis and septic shock (known as Sepsis-3).

Amendments were made to:

- create specific sepsis codes in Chapter 1 *Certain infectious and parasitic diseases*, to separate the entity of sepsis from infection
- validate and rename P36 *Sepsis of newborn* to classify neonatal sepsis due to any organism
- create subcategories and codes, and amend category, subcategory and code titles to support classification of sepsis
- add the term sepsis to code titles where there was no capacity for expansion to specify that sepsis is a separate entity to infection
- disaggregate the concepts of streptococcal and enterococcal sepsis and infection
- amend U92 *Healthcare associated Staphylococcus aureus bloodstream infection [HA-SABS!]* for consistency with the Australian Commission on Safety and Quality in Health Care Implementation guide for the surveillance of *Staphylococcus aureus* bloodstream infection (ACSQHC 2021).

Source of recommended change:

IHACPA (TN1518)

Public submissions (P85, P321, P408, P439)

Relevant Australian Coding Standard:ACS 0049 *Disease codes that must never be assigned*ACS 0109 *Neutropenia*ACS 0110 *Sepsis and septic shock*ACS 0111 *Healthcare associated Staphylococcus aureus bloodstream infection*ACS 0112 *Infection with drug resistant microorganisms*ACS 1544 *Complications following pregnancy with abortive outcome*ACS 1615 *Specific diseases and interventions related to the sick neonate*ACS 1904 *Procedural complications***Social factors****THIRTEENTH EDITION****Background:**

Prior to Thirteenth Edition, there had been only minimal classification development in the ICD-10-AM code range for social factors. As a priority area for classification and health care generally, there was benefit in creating and amending codes for social factors to align with ICD-11.

An ACHI code was also created to to classify child protection assessment activity.

Source of recommended change:

IHACPA (TN1594)

Relevant Australian Coding Standard:ACS 1909 *Adult and child abuse (neglect or maltreatment)*ACS 2119 *Socioeconomic and psychosocial circumstances***Type 1 and type 2 Excludes notes****TENTH EDITION****Background:**

Many of the *Excludes* notes in ICD-10 were included to support navigation of the Tabular List prior to the development of the Alphabetic Index. Others support ICD-10's original purpose of mortality coding. It was never the intent in ICD-10 that *Excludes* notes be universally disregarded. The concept of type 1 and type 2 *Excludes* notes was an ICD-9-CM convention which was difficult to understand and apply in ICD-10-AM.

A revision was made to the coding conventions with respect to *Excludes* notes and the principle of 'translating medical statements' into code.

There was also a review of *Excludes* notes at the chapter level with removal of unnecessary or redundant *Excludes* notes.

Source of recommended change:

ACCD (TN917)

Relevant Australian Coding Standard:2001 *External cause code use and sequencing*2115 *Admission for allergen challenge***WHO ICD-10 Updates 2003****FIFTH EDITION****Background:**

The WHO approved a number of changes for ICD-10 at the annual meeting in Cologne in 2003. The changes ratified at that meeting were included in ICD-10-AM Fifth Edition, with some modifications.

The main changes include:

New chapter:

[Chapter 22](#) *Codes for special purposes* (U00-U99)

New codes:

[G90.4](#) *Autonomic dysreflexia*

[P91.6](#) *Hypoxic ischaemic encephalopathy [HIE] of newborn*

[U04.9](#) *Severe acute respiratory syndrome [SARS]*

Inactivated codes:

[P91.81](#) *Neonatal encephalopathy*

[P91.89](#) *Other specified disturbances of cerebral status of newborn*

A number of other changes were made to inclusion and excludes notes and instructional notes in ICD-10-AM Tabular List and improvements made to the Alphabetic Index for a number of conditions.

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Cologne, Germany 2003

Relevant Australian Coding Standard(s):

0624 *Autonomic dysreflexia*

1616 *Hypoxic ischaemic encephalopathy [HIE]*

WHO ICD-10 Updates 2004

FIFTH EDITION

Background:

The WHO approved a number of changes for ICD-10 at the annual meeting in Reykjavik in 2004. The changes ratified at that meeting have been included in ICD-10-AM Fifth Edition, with some modifications.

The main changes include:

New codes:

[K22.7](#) *Barrett's oesophagus*

[K85](#) *Acute pancreatitis* (by aetiology)

[M79.7](#) *Fibromyalgia* (by site)

[R29.6](#) *Tendency to fall*

[R50.2](#) *Drug induced fever*

[R50.8](#) *Other specified fever*

[Z58.7](#) *Exposure to tobacco smoke*

[M31.7](#) *Microscopic polyangiitis*

[Z92.6](#) *Personal history of chemotherapy for neoplastic disease*

[O60](#) *Preterm labour with/without delivery*

[W46](#) *Contact with hypodermic needle*

Inactivated codes:

[R50.0](#) *Fever with chills*

[R50.1](#) *Persistent fever*

A number of changes were also made to inclusion terms, includes and excludes notes and instructional notes in ICD-10-AM Tabular List and improvements made to the Alphabetic Index for a number of conditions.

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Reykjavik 2004

Relevant Australian Coding Standard(s):

0001 *Principal diagnosis*
 1511 *Termination of pregnancy*
 1518 *Duration of pregnancy*
 1520 *Multiple births*
 1530 *Premature delivery*
 1550 *Discharge/transfer in labour*
 1806 *Falls*

WHO ICD-10 Updates 2005**SIXTH EDITION****Background:**

The WHO approved a number of changes for ICD-10 at the annual meeting in Tokyo in 2005. The changes ratified at that meeting have been included in ICD-10-AM/ACS Sixth Edition, with some modifications.

The main changes include:

New codes:

- [A09.0](#) *Other gastroenteritis and colitis of infectious origin*
- [A09.9](#) *Gastroenteritis and colitis of unspecified origin*
- [B17.9](#) *Acute viral hepatitis, unspecified*
- [D68.5](#) *Primary thrombophilia*
- [D68.6](#) *Other thrombophilia*
- [G21.4](#) *Vascular parkinsonism*
- [K52.3](#) *Indeterminate colitis*

Inactivated codes:

- [K51.1](#) *Ulcerative (chronic) ileocolitis*

****Note:** new ICD-10 codes for systemic inflammatory response syndrome have not been included in ICD-10-AM Sixth Edition. Further work on sepsis is underway in the Morbidity Reference Group and as refinement of the codes is expected, NCCH agreed to wait for these changes.

New terminology:

- [decubitus ulcer and pressure area](#)
- keratopathy following cataract surgery
- ulcerative colitis

Changed classification:

- benign neoplasms of prostate (adenoma, fibroma, fibroadenoma and myoma).

Amendments to the [Drugs_Chemicals](#):

- phenazopyridine (reclassified)
- wood preservative (added)

A number of changes have also been made to inclusion terms, includes and excludes notes and instructional notes in ICD-10-AM Tabular List and improvements have been made to the Alphabetic Index for a number of conditions, including improved indexing for:

- complications following myocardial infarction
- glucagonoma and insulinioma
- sniffing of potentially addictive substances (glue, petrol)

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Tokyo 2005

Relevant Australian Coding Standard(s):

0401 *Diabetes mellitus and impaired glucose regulation*
 1120 *Dehydration with gastroenteritis*
 1221 *Decubitus ulcer and pressure area*

WHO ICD-10 Updates 2006**SIXTH EDITION****Background:**

The WHO approved a number of changes for ICD-10 at the annual meeting in Tunis in 2006. The changes ratified at that meeting were included in ICD-10-AM/ACS Sixth Edition, with some modifications.

The main changes include:

New codes:

- [H54.9](#) *Unspecified visual impairment*
- [I98.2*](#) *Oesophageal varices without mention of bleeding in diseases classified elsewhere*
- [I98.3*](#) *Oesophageal varices with bleeding in diseases classified elsewhere*
- [O60.3](#) *Preterm delivery without spontaneous labour*
- [R26.3](#) *Immobility*

New terminology:

- visual impairment, binocular and monocular ([H54](#))
- *pneumocystis jirvecii* ([B59†](#))

Changed classification:

- Stransky-Regalia type anaemia (D58.2)

Amendments to the [Drugs_Chemicals](#):

- deoxybarbiturates
- IV methylprednisolone
- protozoal vaccine
- sodium warfarin

A number of changes have also been made to inclusion terms, includes and excludes notes and instructional notes in ICD-10-AM Tabular List and improvements have been made to the Alphabetic Index for a number of conditions, including improved indexing for:

- viral and bacterial diseases of unknown type and site
- acute and chronic mesenteric insufficiency
- inclusion body myositis
- long QT syndrome

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Tunis 2006

Relevant Australian Coding Standard(s):

Not applicable

WHO ICD-10 Updates 2007

SEVENTH EDITION

Background:

The WHO approved a number of changes for ICD-10 at the annual meeting in Trieste in 2007. The changes ratified at that meeting were included in ICD-10-AM/ACS Seventh Edition, with some modifications.

The main changes include:

New codes:

C79.9	<i>Secondary malignant neoplasm, unspecified site</i>
C80.0	<i>Malignant neoplasm, primary site unknown, so stated</i>
C80.9	<i>Malignant neoplasm, unspecified</i>
E88.3	<i>Tumour lysis syndrome</i>
I72.5	<i>Aneurysm and dissection of other precerebral arteries</i>
N42.3	<i>Dysplasia of prostate</i>

Expansion of categories:

Deaths from obstetric causes and sequelae of obstetric causes (O97)

Victim of earthquake, to uniquely identify victims of tsunami (X34)

New terminology in the area of:

Aneurysms, to include the concept of dissection

Maltreatment

Subsequent myocardial infarction

Change of classification for:

K35 *Acute appendicitis*:

- K35.0, K35.1 and K35.9 inactivated
- K35.2, K35.3 and K35.8 created to replace inactivated codes
- to separate and clarify the concepts of acute appendicitis with *generalised* and *localised peritonitis*.

A *use additional codes* note was added to the fourth character .6 *amnesic syndrome* at F10--19 to clarify that E51.2+ and G32.8* should be assigned as additional codes when these conditions are *associated with Wernicke's disease or syndrome*.

The code title of G73.1* was amended and the dagger code range extended to clarify that this code should be assigned with any relevant neoplasm code from C00-D48.

The code title of category I72 was amended to include the concept of *dissection*, however, the excludes note was amended to clarify that *congenital dissection of precerebral artery* is classified to Q28.1. The code titles of I72.0-I72.9 were also amended to include the term *dissection* and a code was created; I72.5 *Aneurysm and dissection of other precerebral arteries*.

The code title of L91.0 was changed to *Hypertrophic scar* (previously the inclusion term) and the inclusion term was changed to *keloid scar* (previously the code title). L91.00, L91.01 and L91.09 had the term *hypertrophic scar* added to their code titles, for consistency with the amended category title.

The term *irritable hip* was reclassified from M24.8 *Other specific joint derangements, not elsewhere classified* to M65.8 *Other synovitis and tenosynovitis*.

Fourth character codes were created at O96 *Death from any obstetric cause occurring more than 42 days but less than one year after delivery* to specify death from *direct*, *indirect* and *unspecified* obstetric cause.

The code title of O97 *Death from sequelae of obstetric causes* was amended to remove the term *direct* and fourth character codes were created to specify death from sequelae of *direct*, *indirect* and *unspecified* obstetric cause. A *use additional code* note was also added at the category level to identify (direct or indirect) *obstetric cause of death*.

A definition and excludes note was added to P08.1 to clarify when this code should be assigned.

The term *syndromes* was removed from code and category titles at Y07.

Amendments to the [Drugs_Chemicals](#) Reference Committee
WHO Family of International Classifications meeting, Trieste 2007

Relevant Australian Coding Standard(s):

0218 *Lymphangitis carcinomatosis*
0236 *Neoplasm coding and sequencing*
0242 *Disseminated carcinomatosis*
0913 *Hypertensive kidney disease*
1438 *Chronic kidney disease*
1511 *Termination of pregnancy*
1909 *Adult and child abuse*

WHO ICD-10 Updates 2008

SEVENTH EDITION

Background:

The WHO approved a number of changes for ICD-10 at the annual meeting in Delhi in 2008. The changes ratified at that meeting were included in ICD-10-AM/ACS Seventh Edition, with some modifications.

The main changes include:

New codes for:

Postpolio syndrome

Vibrio vulnificus

Immune reconstitution syndrome

Human metapneumovirus pneumonia

Acute bronchiolitis due to human metapneumovirus

Oral mucositis

HELLP syndrome

HIV complicating pregnancy, childbirth and the puerperium

Osteomyelofibrosis

Refractory anaemia with multi-lineage dysplasia

Leukaemia and lymphoma, with changes to existing code titles in line with current terminology

Improved indexing for:

Tertiary hyperparathyroidism

Collagenous colitis

Lymphocytic colitis

Microscopic colitis

Nonalcoholic steatohepatitis (NASH)

Nonalcoholic fatty liver disease (NAFLD)

Neonatal abstinence

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Delhi 2008

Relevant Australian Coding Standard(s):

0222 *Lymphoma*

0233 *Morphology*

0245 *Remission in malignant immunoproliferative diseases and leukaemia*

WHO ICD-10 Updates 2009

EIGHTH EDITION

Background:**HERNIA UPDATE**

In 2009, the Update and Revision Committee of WHO-FIC accepted a proposal from Sweden for changes to the classification of hernia. The proposal recommended a distinction should be made between secondary hernias (such as incisional hernia, parastomal hernia) and primary hernias, as the mechanism and the optimum management of these two types of hernia may differ. The modification to the classification would facilitate a more comprehensive evaluation of the risks and prognosis of diverse new surgical techniques and methods of treatment of hernia.

The WHO approved a number of changes for ICD-10 at the annual meeting in Seoul in 2009. The changes ratified at that meeting were included in ICD-10-AM Eighth Edition.

New codes for:

- K43.2 *Incisional hernia without obstruction or gangrene*
- K43.3 *Parastomal hernia with obstruction, without gangrene*
- K43.4 *Parastomal hernia with gangrene*
- K43.5 *Parastomal hernia without obstruction or gangrene*
- K43.6 *Other and unspecified ventral hernia with obstruction, without gangrene*
- K43.7 *Other and unspecified ventral hernia with gangrene*

Revised code title descriptions:

- K43.0 *Incisional hernia with obstruction, without gangrene*
- K43.1 *Incisional hernia with gangrene*
- K43.9 *Other and unspecified ventral hernia without obstruction or gangrene*

RESISTANCE TO ANTIMICROBIAL AND ANTINEOPLASTIC DRUGS UPDATE

In 2009, the Update and Revision Committee of WHO-FIC accepted a proposal from Canada and updated ICD-10 to include resistance to a wide variety of antimicrobial drugs and antineoplastic agents.

With widespread resistance due to indiscriminate usage of antimicrobial drugs especially for the treatment of malaria, tuberculosis and HIV viruses it is timely that the classification is updated. The update will provide codes to specify resistance to the various antimicrobial and antineoplastic drugs.

Please note that WHO ICD-10 classifies bacterial agents resistant to antibiotics in U80-U89 of Chapter XXII *Codes for special purposes* while ICD-10-AM classifies them to category Z06.- *Bacterial agents resistant to antibiotics*.

- ICD-10-AM Tabular List
 - Amended the title of Z06 to *Resistance to antimicrobial drugs*
 - Deleted fourth character level category codes Z06.3 *Agent resistant to penicillin and related antibiotics*, Z06.4 *Agent resistant to vancomycin and related antibiotics* and Z06.9 *Agent resistant to other and unspecified antibiotics* and their related fifth character level codes:
 - Z06.31 *Penicillin resistant agent*
 - Z06.32 *Methicillin resistant agent*
 - Z06.39 *Agent resistant to other penicillin related antibiotic*
 - Z06.41 *Vancomycin resistant agent*
 - Z06.42 *Agent resistant to other vancomycin related antibiotic*
 - Z06.90 *Agent resistant to unspecified antibiotic*
 - Z06.99 *Agent resistant to other single specified antibiotic*
 - Created fourth character level category code Z06.5 *Resistance to beta-lactam antibiotics* with the following fifth character level codes:
 - Z06.50 *Resistance to beta-lactam antibiotics, unspecified*

- Z06.51 *Resistance to penicillin*
- Z06.52 *Resistance to methicillin*
- Z06.53 *Extended spectrum beta-lactamase (ESBL) resistance*
- Z06.58 *Resistance to other beta-lactam antibiotics*
- Created fourth character level category code Z06.6 *Resistance to other antibiotics* with the following fifth character level codes:
 - Z06.60 *Resistance to unspecified antibiotics*
 - Z06.61 *Resistance to vancomycin*
 - Z06.62 *Resistance to other vancomycin related antibiotics*
 - Z06.63 *Resistance to quinolones*
 - Z06.67 *Resistance to multiple antibiotics*
 - Z06.68 *Resistance to other single specified antibiotic*
- Created fourth character level category code Z06.7 *Resistance to other antimicrobial drugs* with the following fifth character level codes:
 - Z06.70 *Resistance to unspecified antimicrobial drug(s)*
 - Z06.71 *Resistance to antiparasitic drug(s)*
 - Z06.72 *Resistance to antifungal drug(s)*
 - Z06.73 *Resistance to antiviral drug(s)*
 - Z06.74 *Resistance to tuberculostatic drug(s)*
 - Z06.77 *Resistance to multiple antimicrobial drugs*
 - Z06.78 *Resistance to other specified antimicrobial drug*
- Deleted Z06.8 *Agent resistant to multiple antibiotics*
- Created Z07 *Resistance to antineoplastic drugs*
- Amended “*Use additional code...*” instructional note to be consistent with the above changes

ACS

Amended ACS 0112 *Infection with drug resistance microorganisms* with appropriate changes to support the above amendments

OTHER UPDATES

The WHO also approved a number of changes for inclusion into ICD-10 at the annual meeting in Seoul, 2009. The changes ratified at the meeting were incorporated in ICD-10-AM Eighth Edition, with some modifications.

The main changes include:

New codes for:

Aneurysm and dissection of vertebral artery
Dental caries with pulp exposure

Expansion of category:

Sudden infant death syndrome
Type I and type II respiratory failure

New terminology in the area of:

Immune reconstitution inflammatory syndrome [IRIS]
Coronary slow flow syndrome
Malignant immunoproliferative diseases
Influenza due to certain identified influenza virus
Pre-eclampsia and pre-eclampsia superimposed on chronic hypertension

Change of classification for:

Functional dyspepsia
Poisoning by helium, nonmedicinal
Obstetric laceration of mid or upper third of vaginal wall

Improved indexing for:

Cat eye syndrome
 Rasmussen encephalitis or syndrome
 March fracture
 Nasoalveolar/Nasolabial cyst
 Hydrocele
 Monoclonal macroglobulinaemia
 Apocrine metaplasia
 Schuller-Christian disease or syndrome
 Telangiectasia

Source of recommended change:

WHO Update Reference Committee
 WHO Family of International Classifications meeting, Seoul 2009
 NCCC (TN170, TN172 and TN173)

Relevant Australian Coding Standard(s):

0112 *Infection with drug resistance microorganisms*

WHO ICD-10 Updates 2010

EIGHTH EDITION

Background:

In 2010, the Update of Revision Committee (URC) of WHO-FIC (WHO Family of International Classification) approved a number of changes to the ICD-10 Tabular List and Alphabetic Index at the annual meeting in Toronto. These changes have been incorporated into ICD-10-AM Eighth Edition, with some modifications.

The main changes include:

Expansion of categories:

- I48 *Atrial fibrillation and flutter* for increased specificity to reflect current terminology

Creation of new reserve codes for immediate international use:

- U06.- *Emergency use of U06.-*
 - U07.- *Emergency use of U07.-*
- (see tabular changes below for WHO definition of these codes)

Addition of new codes for:

- I48.0 *Paroxysmal atrial fibrillation*
- I48.1 *Persistent atrial fibrillation*
- I48.2 *Chronic atrial fibrillation*
- I48.3 *Typical atrial flutter*
- I48.4 *Atypical atrial flutter*
- I48.9 *Atrial fibrillation and atrial flutter, unspecified*
- W17.5 *Fall from mobile elevated work platform [MEWP]*

New terminology in the area of:

- C88 *Malignant immunoproliferative diseases*

Change of classification for:

- progressive supranuclear palsy (G23.1)
- lupoid hepatitis (K75.4)
- dermatitis gangrenosa
- Mediterranean fever (A23.9)
- Lymphomatoid papulosis to C86.6 (previously classified to L41.2)

Improved indexing for:

- IIAC (idiopathic infantile arterial calcification)
- diarrhoea due to *Clostridium difficile*
- drug induced gastroenteritis and colitis
- AV nodal re-entrant tachycardia (AVNRT)
- Hepatogenous diabetes
- Infection due to internal joint prosthesis
- Infection of skin
- Neoplasm of urethrovaginal septum
- Fall, from, stationary machinery
- Contact, with, machinery

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Toronto 2010

NCCC (TN171)

Relevant Australian Coding Standard(s):

0245 *Remission in malignant immunoproliferative diseases and leukaemia*

WHO ICD-10 Updates 2010: Haemorrhoids

EIGHTH EDITION

Background:

In 2010, the Update and Revision Committee of WHO-FIC accepted a proposal from Sweden for changes to the classification of haemorrhoids. The proposal recommended that in order to reflect a change in clinical terminology, *haemorrhoids* are more appropriately classified to Chapter 11 *Diseases of the digestive system* rather than its current classification to Chapter 9 *Diseases of the circulatory system*.

The following amendments were made to ICD-10-AM for Eighth Edition:

- Tabular List
 - Deleted block I84 *Haemorrhoids*
 - Created block K64 *Haemorrhoids and perianal venous thrombosis* with codes:
 - K64.0 *First degree haemorrhoids*
 - K64.1 *Second degree haemorrhoids*
 - K64.2 *Third degree haemorrhoids*
 - K64.3 *Fourth degree haemorrhoids*
 - K64.4 *Residual haemorrhoidal skin tags*
 - K64.5 *Perianal venous thrombosis*
 - K64.8 *Other specified haemorrhoids*
 - K64.9 *Haemorrhoids, unspecified*
 - Amended three character categories to "(K55–K64)"
 - Amended excludes note at K62 for haemorrhoids from "I84.-" to "K64.-"
 - Amend category code titles of O22 and O87 to include "...complications and haemorrhoids in..."
 - Amended excludes note code ranges at O99.4 for "venous complications and cerebrovenous sinus thrombosis in labour, childbirth and puerperium" from "O87.-" to "O87.0–O87.1, O87.3–O87.9" and "venous complications and cerebrovenous sinus thrombosis in pregnancy" from "O22.-" to "O22.0–O22.3, O22.5–O22.9"
 - Amend excludes note at O99.6 to include "haemorrhoids in labour, childbirth and puerperium (O87.2)" and "haemorrhoids in pregnancy (O22.4)"
 - Tabulation List for Morbidity: amended for Haemorrhoids: I84 to K64
- Alphabetic Index: appropriate changes made to support the above amendments

Source of recommended change:

WHO URC Toronto Meeting 2010

NCCC (TN176)

WHO ICD-10 Updates 2011

EIGHTH EDITION

Background:

The WHO approved a number of changes for inclusion into ICD-10 at the annual meeting in Cape Town 2011. The changes ratified at the meeting were incorporated in ICD-10-AM Eighth Edition, with some modification.

The main changes that have been made to ICD-10-AM Eighth Edition include:

New terminology in the area of:

- Kimura disease
- Acute non-viral hepatitis
- Overactive bladder
- Reticular erythematous mucinosis

Change of classification for:

- Acute appendicitis with peritonitis
- Klatzkin's tumour
- Angiocentric immunoproliferative lesion
- Coccyeal body or glomus neoplasm
- Eyeball/intraocular neoplasm

Improved indexing for:

- Neuritis complicating puerperium
- Hepatobiliary disease
- Cardiac resynchronisation therapy pacemaker/defibrillator
- Xanthoma, Xanthomatosis, bone (generalisata)

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Cape Town 2011

NCCC (TN172)

Relevant Australian Coding Standard(s):

Not applicable

WHO ICD-10 Updates 2012

NINTH EDITION

Background:

The WHO approved a number of changes for inclusion into ICD-10 at the annual meeting in Brasilia 2012. The changes ratified at the meeting were incorporated into ICD-10-AM Ninth Edition, with some modification.

WHO URC updates (2011 & 2012) also revised the classification of neoplasms of eyeball, which highlighted the need to correct anomalies in the classification of neoplasms of iris, lens, and sclera (e.g. naevus of iris, melanoma of iris). Currently both benign and malignant neoplasms of iris, lens and sclera are classified to neoplasm of ciliary body. This classification is anatomically incorrect. New codes were created for other specified parts of the eye to classify neoplasms that originate in the sites specified above.

The following changes have been included for ICD-10-AM Ninth Edition:

Change of classification for:

- Subdural haemorrhage
- Acute infectious hepatitis NOS
- Histiocytic medullary reticulosis
- Transient hypertension of pregnancy
- Microcystic adenoma of pancreas
- External cause code for 'aspiration NOS'
- Neoplasms of iris, lens, and sclera

Improved indexing for:

- Osteonecrosis of jaw (drug-induced) (radiation-induced)
- Necrosis of cornea
- Cervical lateral cyst
- Melanocytoma of eyeball
- Status of cardiac resynchronisation therapy defibrillator (CRT-D)
- Status of cardiac resynchronisation therapy pacemaker (CRT)

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Cape Town 2011

NCCC (TN172)

Relevant Australian Coding Standard(s):

Not applicable

WHO ICD-10 Updates 2013

NINTH EDITION

Background:

The WHO approved a number of changes for inclusion into ICD-10 at the annual meeting in Beijing 2013. These changes have been incorporated into ICD-10-AM Ninth Edition, with some modifications.

The following changes were made:

Expansion of categories:

- Creation of fourth character subdivisions at W26 *Contact with other sharp object(s)*

Addition of new codes for:

- Excessive and redundant skin and subcutaneous tissue
- Personal history of female genital mutilation
- Locked-in syndrome

Change of classification for:

- Dengue fever
- Coronary artery dissection
- Long QT syndrome
- Systolic murmur NOS
- Endometrial thickening
- Castleman's disease
- Meige's syndrome
- Ogilvie syndrome
- Laennec's cirrhosis
- Post-immunisation, post-transfusion hepatitis

New terminology:

- Apparent life threatening event
- Basal cell papilloma
- Levator ani syndrome
- Thoracic endometriosis syndrome
- Meige disease
- Meige-Milroy disease (chronic hereditary oedema)
- Very long chain acyl-CoA dehydrogenase (VLCAD) deficiency
- Manic depression
- Redundant colon

Index improvements for:

- Syphilitic arthropathy
- Calculus with cystitis
- Sudden adult death syndrome
- Telangiectatic focal nodular hyperplasia of liver
- SSRI (selective serotonin reuptake inhibitor) in the drug and chemical table

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Beijing 2013

ACCD (TN609)

Relevant Australian Coding Standard(s):

Not applicable

TENTH EDITION

Background:

In 2013, the URC of WHO-FIC approved an update to ICD-10 at the annual meeting in Beijing to classify unstable INR, abnormal coagulation and prothrombin time. Additionally, Australia published coding rules regarding admission for subtherapeutic INR and bridging therapy for temporary cessation of an anticoagulant. These changes have been included into:

- the Tabular List with creation of five character codes at R79.8 *Other specified abnormal findings of blood chemistry*
- a revision of ACS 0303 *Abnormal coagulation profile due to anticoagulants*
- minor amendments to support the above.

Source of recommended change:

WHO Update Reference Committee

WHO Family of International Classifications meeting, Beijing 2013

ACCD (TN893)

Relevant Australian Coding Standard:

0303 *Abnormal coagulation profile due to anticoagulants*

WHO ICD-10 Updates 2014

TENTH EDITION

Background:

In 2014, the URC of WHO-FIC approved a number of changes to the Tabular List and Alphabetical Index of ICD-10 at the annual meeting in Barcelona. These changes were incorporated into ICD-10-AM Tenth Edition, with some modifications.

- Neonatal diarrhoea NOS – Classified to A09.9 *Gastroenteritis and colitis of unspecified origin*
- Sepsis due to enterococcus – The term 'enterococcus' was added to A40.2; A49.1; B95.2
- *Neorickettsia sennetsu* [*Ehrlichia sennetsu*] – New terminology added
- Severe fever with thrombocytopenia syndrome [SFTS] – New terminology added
- Acute hepatitis B (viral) NOS – Classified to B16.9 *Acute hepatitis B without delta-agent and without hepatic coma*
- Carrier of viral hepatitis – Z22.5 *Carrier of viral hepatitis status* inactivated; B17.0 *Acute delta-(super) infection of hepatitis B carrier* was also inactivated as it contained the concept of 'carrier'.
- Hepatitis B (viral) NOS – Classified to B18.1 *Chronic viral hepatitis B without delta-agent*
- Tinea inguinalis [Tinea cruris] – New terminology added
- Malignant neoplasms of ectopic tissue – Amendment of the definition in the Note (point 6) at the beginning of Chapter 2 *Neoplasms*
- Multiple system atrophy – code created to classify G23.3 *Multiple system atrophy, cerebellar type [MSA-C]* with the title of G23.2 amended to classify *Multiple system atrophy, parkinsonian type [MSA-P]*. G90.3 *Multi system degeneration* was inactivated as the concept has been expanded in G23.3 and G23.2
- Neurogenic orthostatic hypotension – The URC update to this area of the classification proposed adding the inclusion term Neurogenic orthostatic hypotension [Shy-Drager] and an excludes note for orthostatic hypotension NOS (I95.1) at G23.8 *Other specified degenerative diseases of basal ganglia*. However upon review it was highlighted that Shy-Drager syndrome is outdated terminology. In 2007 the Consensus Committee representing the American Autonomic Society and the American Academy of Neurology redefined it as multiple system atrophy with autonomic phenomena. Further review of neurogenic orthostatic hypotension (NOH) revealed that it is a subtype of orthostatic hypotension caused by underlying neurologic disorders that affect a specific part of the autonomic nervous system. Therefore, ACCD retained G23.8 without the proposed URC changes and indexed the legacy term *Shy-Drager*

syndrome with a cross reference to multiple system atrophy. *Orthostatic hypotension* was expanded as I95.10, I95.11, I95.12 and I95.19 for specificity after review of the ICD-11-beta draft.

- Haddad syndrome
 - an index entry was added for Haddad syndrome (a rare congenital disorder in which congenital central hypoventilation syndrome (CCHS) or Ondine syndrome, which occurs concurrently with Hirschsprung disease)
 - congenital central hypoventilation syndrome is classifiable to P28.3 *Primary sleep apnoea of newborn* (as it is predominantly seen in newborns), and codes for both CCHS and Hirschsprung's disease if present may be assigned in accordance with ACS 0001 *Principal diagnosis*, ACS 0002 *Additional diagnoses* and ACS 0005 *Syndromes*.
- Binocular blindness – Minor amendment to the inclusion term at H54.0 *Blindness, binocular*
- Ischaemic cerebral infarction (stroke) (accident) and tachyarrhythmia – Indexing amendments
- Cerebral infarction – Minor amendment to the inclusion term at I63 *Cerebral infarction*
- Influenza due to identified zoonotic or pandemic influenza virus
 - The titles of J09 was amended to add new terminology
 - The title of J10 was retained, but an inclusion term was added for new terminology
 - To assist clinical coders with classification of zoonotic and pandemic influenza viruses, an ACS was created with definitions and classification advice for J09. However, as virus strains change from pandemic to seasonal and a pandemic can emerge quickly, the classification must be able to react to instructions from WHO swiftly. Therefore, ACCD proposes managing the classification of specific virus strains for J09 *Influenza due to identified zoonotic or pandemic influenza virus* through Coding Rules (and possibly errata) which can be published as required.
- Psychological and behavioural factors associated with irritable bowel syndrome – The Glossary description at F54 *Psychological and behavioural factors associated with disorders or diseases classified elsewhere* was amended to replace the term 'mucous colitis' with 'irritable bowel syndrome'
- Obstetric death
 - Amendments were made to O94, O96 and O97 to clarify:
 - O95 *Obstetric death of unspecified cause*; is assigned when a woman dies during pregnancy, childbirth or the puerperium, and the cause is not specified
 - O96 *Death from any obstetric cause occurring more than 42 days but less than one year after delivery*; is assigned for death from an obstetric cause that occurs after 42 days but less than one year from the delivery
 - O97 *Death from obstetric causes, one year or more after delivery*; is assigned for death from any obstetric cause that occurs one year or more from the delivery.
 - O94 *Sequelae of complication of pregnancy, childbirth and the puerperium*; minor amendments were made to the *Note* and *Excludes* note
- Renal vein thrombosis – Code created to classify P29.83 *Embolism and thrombosis of renal vein in newborn*
- Acquired hydrocephalus of newborn – Code created to differentiate acquired (P91.7) and congenital (Q03.-) hydrocephalus of newborn
- Abdominal compartment syndrome – Code created to classify R19.81 *Abdominal compartment syndrome*
- Superficial injury to epiglottis – reclassified from 'superficial injury to other part of neck' to 'superficial injury to larynx'
- Smoke inhalation NOS – Classified to X09 *Exposure to unspecified smoke, fire and flames*

Source of recommended change:

WHO Update Reference Committee
ACCD

Relevant Australian Coding Standard:0008 *Sequelae*0049 *Disease codes that must never be assigned*0104 *Viral hepatitis*0112 *Infection with drug resistant microorganisms***WHO ICD-10 Updates 2015 and 2016****ELEVENTH EDITION****Background:**

In 2015 and 2016, the URC of WHO-FIC approved a number of changes to the Tabular List and Alphabetical Index of ICD-10 at the annual meetings in Manchester (2015) and Tokyo (2016). These changes were incorporated into ICD-10-AM Eleventh Edition, with some modifications:

- Creation of B48.5† *Pneumocystosis* (J17.2*) to replace B59† *Pneumocystosis* (J17.3*)
- Creation of G94.3* *Encephalopathy in diseases classified elsewhere*
- Removal of the terms (site) 'and duodenum' from K31.81 *Angiodysplasia of stomach without mention of haemorrhage* and K31.82 *Angiodysplasia of stomach with haemorrhage* (concept reclassified to category K55.3 *Angiodysplasia of small intestine*)
- Creation of K55.3 *Angiodysplasia of small intestine*
- Deletion of M31.2 *Lethal midline granuloma*
- Creation of M75.6 *Tear of labrum of degenerative shoulder joint*
- Creation of P76.3 *Volvulus of newborn*
- Creation of R00.3 *Pulseless electrical activity, not elsewhere classified*
- Creation of M8246/0 *Neuroendocrine tumour, benign* (Australian code) for consistency with WHO ICD-10 Alphabetic Index addition: *Tumour/neuroendocrine/benign*
- Removal of the terms 'due to self neglect' from R63.6 *Insufficient intake of food and water*
- Separation of the concepts of amoebic 'brain', 'liver' and 'lung' abscesses in category A06 *Amoebiasis*; assign multiple codes from this category where amoebiasis is documented in multiple sites
- Replacement of the term 'Norwalk agent' with 'Norovirus' in A08.1 *Acute gastroenteropathy due to Norovirus*
- Addition of (s) to a number of code titles, and other minor code amendments
- Amendments to the Table of drugs and chemicals (for the classification of gases/fumes/carbon monoxide related substances)
- Amendment of the following category/code titles to include the concept of 'carbon monoxide':
 - X47 *Accidental poisoning by and exposure to carbon monoxide and other gases and vapours*
 - X67 *Intentional self-poisoning by and exposure to carbon monoxide and other gases and vapours*
 - X88 *Assault by poisoning and exposure to carbon monoxide and other gases and vapours*
 - Y17 *Poisoning by and exposure to carbon monoxide and other gases and vapours, undetermined intent*

Note: Some of the amendments to ICD-10-AM required the reactivation of codes that were deleted in [Second Edition](#) (due to changes to the place of occurrence and activity codes).

Source of recommended change:

WHO Update Reference Committee
ACCD

Relevant Australian Coding Standard:2008 *Perpetrator of assault, abuse and neglect*

WHO ICD-10 Updates 2017

TWELFTH EDITION

Background:

In 2017, the Heads of Collaborating Centres approved a number of changes to the Tabular List and Alphabetical Index of ICD-10 at the World Health Organization Family of International Classifications (WHO-FIC) network meeting in Mexico City 2017. These changes were incorporated into ICD-10-AM Twelfth Edition, with some modifications:

- New terminology:
 - o upper motor neuron facial paralysis
 - o respiratory infection NOS
 - o victim of cataclysmic storm
 - o victim of flood
 - o Zika virus disease.
- Reclassification:
 - o Charcot arthropathy
 - o complex regional pain syndrome
 - o irritable bowel syndrome
 - o unspecified jaundice.

Source of recommended change:

IHACPA (TN1403)

World Health Organization (WHO)

Relevant Australian Coding Standard:

ACS 0049 *Disease codes that must never be assigned*

ACS 1610 *Sudden infant death syndrome/apparent life threatening event*

Standardisation of terms 'category', 'subcategory' and 'digit'

EIGHTH EDITION

Background:

In the process of preparation of printing, inconsistencies were identified with the use of terminology at the instruction notes on code subdivisions in ICD-10-AM Tabular List. The terms category, subcategory, block, character and digit have been used interchangeably at fourth and fifth character subdivision notes. To be consistent with the terminology used in other sections of the Tabular List and ICD-10-AM database, it was decided that the term 'category' should be used for three character codes and the term 'subcategory' should be used for fourth character codes. The term 'digit' will be replaced with the term 'character'.

Source of recommended change:

NCCC (TN451)

Relevant Australian Coding Standard(s):

Not applicable

Fifth Edition minor addenda

FIFTH EDITION

Background:

A number of minor amendments were made to ICD-10-AM to correct anomalies and deficiencies in the Tabular List. Minor addenda include changes to the classification that do not require research, clinical advice or review from the Coding Standards Advisory committee (CSAC).

Source of recommended change:

NCCH
Coding queries and emails
PICQ updates/review

Relevant Australian Coding Standard:

Not applicable

Sixth Edition minor addenda – workshop issues

SIXTH EDITION

Background:

Minor amendments (inclusion terms, includes and excludes notes) were made to a number of external cause codes, following identification of issues at the Fifth Edition workshops.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Tenth Edition minor addenda

TENTH EDITION

Background:

Amendments were made to ICD-10-AM for a number of minor issues.

Source of recommended change:

ACCD (TN1003)

Relevant Australian Coding Standard:

0049 *Disease codes that must never be assigned*
0804 *Tonsillitis*

Eleventh Edition minor addenda

ELEVENTH EDITION

Background:

Amendments were made to ICD-10-AM for a number of minor issues including:

- addition of *Excludes* notes to E1-.69 **diabetes mellitus with other specified complication*, to clarify that 'pressure injury (ulcer) not meeting the criteria for diabetic foot' is classified to category L89 *Pressure injury*
- relocation of *Excludes* notes from the category level at I51 *Complications and ill-defined descriptions of heart disease*, to the specific codes to which it is applicable (ie I51.4-I51.9)
- amendment of the *Inclusion* term at T81.6 *Acute reaction to foreign substance accidentally left during a procedure* for chemical peritonitis NOS (ie not documented as due to a foreign substance accidentally left in the peritoneal cavity during a procedure)
- expansion of abbreviation ACTH (adrenocorticotrophic hormone)
- amendment to *Excludes* note at T15-T19 *Effects of foreign body entering through natural orifice*
- addition of the term *Duloxetine* to the Table of Drugs and Chemicals, classified as per antidepressant NEC
- formatting and wording amendments

Source of recommended change:

ACCD (TN1266, TN1275)

Relevant Australian Coding Standard:

N/A

Twelfth Edition minor addenda

TWELFTH EDITION

Background:

Amendments were made to:

- incorporate published Coding Rules
- include content previously located in the Australian Coding Standards (ACS)
- rectify incidental issues identified during classification development
- replace symbols with text
- replace Inclusion terms in block U78–U88 *Supplementary codes for chronic conditions* with *Includes* notes
- remove appendices from the ICD-10-AM Tabular List.

Source of recommended change:

IHACPA (TN1437, TN1455, TN1524, TN1552, TN1557)

Relevant Australian Coding Standard:

ACS 0030 Organ, tissue and cell procurement and transplantation
 ACS 1353 *Bankart lesion*
 ACS 1354 *SLAP lesion*
 ACS 1902 Adverse effects
 ACS 1905 Closed head injury/loss of consciousness/concussion

Thirteenth Edition minor addenda

THIRTEENTH EDITION

Background:

Amendments include:

- correction of issues identified via email and during proofing for Twelfth Edition (such as convention errors / inconsistencies / irregularities)
- addition of 's' to the title of A04 *Other bacterial intestinal infections*, for consistency with ICD-10 WHO
- correction of the spelling of Mullerian – to remove the accents (Müllerian) which are not compatible in an electronic environment
- replacement of parentheses with square brackets, in accordance with the *Conventions for the use of ICD-10-AM*
- correction of inconsistencies in the Electronic code list (ECL).

Restructuring of the Australian Coding Standards (ACS)

Amendments were also made to ICD-10-AM in accordance with global restructuring of the ACS, such as creation/revision/deletion of:

- Z49.3 *Dialysis follow-up care*
- Z51.7 *Supervision of voluntary assisted dying [VAD] substance administration*
- Z72.7 *Use of vaping device, current*
- Z75.15 *Person awaiting admission to specialist disability accommodation facility/unit*
- Z75.21 *Waiting period for disability support services*
- Z75.22 *Waiting period for aged care support services*
- Z75.29 *Waiting period for investigation and treatment, not elsewhere classified*
- Z91.81 *Personal history of use of vaping device*
- ACS annotations
- *Glossary descriptions*
- *Notes, Inclusion terms, Includes and Excludes notes, Instructional notes.*

Source of recommended change:

IHACPA (TN1559, TN1603, TN1610, TN1611, TN1612, TN1613, TN1614, TN1615, TN1616, TN1617, TN1619, TN1626)

Relevant Australian Coding Standard:

Not applicable

Chronic kidney disease

SIXTH EDITION

Background:

The US National Kidney Foundation developed a new definition and classification structure for chronic kidney disease (CKD) via its Kidney Disease Outcomes Quality Initiative (K/DOQI), making it possible to identify the presence of chronic kidney disease earlier. NCCH adopted the US model to specify the stages of CKD for ICD-10-AM Sixth Edition.

The main amendments included:

- **N18** was changed to *Chronic kidney disease* and fourth character codes created (N18.1–N18.5) to specify the five stages of the disease process.
- The term *renal* was replaced by the *kidney* throughout the classification and ACS, with the exception of conditions described in Latin. Amendments were made to *use additional code* notes, and *code also* notes were added to categories N00–N08 *Glomerular Diseases* and N10–N16 *Renal tubulo-interstitial diseases*.
- A number of codes were deleted and the inclusion terms listed under the deleted codes redistributed to appropriate codes. Other inclusion term entries were added to correspond with current indexing entries.

Source of recommended change:

NCCH
Kidney Australia
AIHW

Relevant Australian Coding Standard:

1430 Chronic renal impairment
1438 Chronic kidney disease

Chronic pain**TENTH EDITION****Background:**

ACS 1807 Pain diagnoses and pain management procedures previously contained guidelines stating that chronic pain codes could only be assigned as principal diagnosis if the site of the pain was unspecified and met the criteria in ACS 0001 Principal diagnosis. Hence, identification of chronic pain patients in acute care settings may have been under reported, as the pain was classified to the aetiological condition or site, when documented, rather than the chronicity of the pain.

To address, this a decision was made to assign R52.2 Other chronic pain to classify all types of chronic pain (neuropathic, neoplastic, nociceptive etc) and ACS 1807 Pain diagnoses and pain management procedures revised to support the classification of chronic pain in its own right.

An Instructional note was created at R52.2 Chronic pain to allow the code to be assigned as either principal diagnosis or additional diagnosis (ie a flag code for chronicity of pain to be assigned in addition to the site/underlying cause).

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1807 *Acute and chronic pain*

Complications of surgical and medical care**THIRTEENTH EDITION****Background:**

Codes were created, deleted and amended to:

- clarify and simplify code assignment for complications of surgical and medical care
- remove redundant end-of chapter residual codes
- expand certain external cause codes for health care intervention complications, to improve specificity
- create consistent terminology and support the *Directives* in ACS 1904 *Complications of surgical or medical care*.

IHACPA also sought advice on specific scenarios:

- catheter associated urinary tract infection (UTI)/UTI post insertion of indwelling catheter – CCAG advice was that this documentation was not sufficient to imply a causal relationship
- leaking gastrostomy tube (with no further information) – CCAG advice was that this would be indicative of a stoma complication and agreed this logic could be used for all stoma complications
- acute peritonitis occurring in a patient undergoing continuous ambulatory peritoneal dialysis – CCAG advice was that this would be indicative of a causal relationship.

See also [Procedural complications](#).

Source of recommended change:

IHACPA (TN1636)

Relevant Australian Coding Standard:

1904 *Complications of surgical or medical care*

Discharge from paintball gun

FIFTH EDITION

Background:

A public submission was received by NCCH regarding injuries due to discharge from paintball gun. The term *(gun) paintball* was added as an inclusion term to W34.1, X74.1, X95.1 and Y24.1 – as a type of 'air rifle'. The term was also added to the Table of Discharges of Firearm in the External Causes of Injury Alphabetic Index.

Source of recommended change:

NCCH
Research Centre for Injury Studies (RCIS)

Relevant Australian Coding Standard:

Not applicable

DVT and venous thromboembolism

TENTH EDITION

Background:

Following receipt of a public submission, it was identified that there was a need for improvements to ICD-10-AM to ensure accurate classification of deep venous thrombosis (DVT) and venous thromboembolism (VTE) as VTE has been shown to be 100 times greater among hospitalised patients than those in the community and as such is an important safety and quality issue.

Source of recommended change:

Public submission (P110)
ACCD (TN675)

Relevant Australian Coding Standard:

0604 *Stroke*

Diabetes with arthropathy

TENTH EDITION

Background:

Following publication of advice, the classification was amended for the coding of diabetes with arthropathy, sometimes described as neuropathic arthropathy. This amendment allows arthropathy NOS to be distinguished from arthritis NOS.

During development, an inconsistency was also identified in the Tabular List at E10.61, E11.61 and E13.61 for the inclusion term peri arthritis of shoulder.

Source of recommended change:

ACCD (TN719)
Coding Query (Q2871)

Relevant Australian Coding Standard:

Not applicable

Kite surfing

FIFTH EDITION

Background:

A public submission was received by NCCH regarding the activity of *kite surfing*. The concept was classified to U54.7 *Wind surfing*.

Source of recommended change:

NCCH

Research Centre for Injury Studies (RCIS)

Relevant Australian Coding Standard:

Not applicable

Methylamphetamine

SIXTH EDITION

Background:

NCCH received a public submission regarding *methylamphetamine*. In ICD-10-AM Fifth Edition, *Mental and behavioural disorders due to use of methylamphetamine* is classified to F15. *Poisoning due to methylamphetamine* is classified to T43.6.

As a consequence of the public submission, fifth characters were created as follows:

- F15.0 – F15.9:
 - 0 *Unspecified stimulant*
 - 1 *Methylamphetamine*
 - 9 *Other specified stimulant*
- T43.6:
 - T43.60 *Unspecified psychostimulants with potential for use disorder*
 - T43.61 *Methylamphetamine*
 - T43.69 *Other psychostimulants with potential for use disorder*

Benzylpiperazine (BZP) was classified to T43.69. *Ecstasy (methylenedioxy methamphetamine)* was reclassified from T40.9 to T43.69. The following drugs, previously classified to T43.6 were reclassified to one of the new fifth character codes listed above:

- *Psychostimulant NEC* – reclassified to T43.60
- *Metamphetamine* – reclassified to T43.61
- *Methamphetamine* – reclassified to T43.61
- *Methylamphetamine* – reclassified to T43.61
- *Amfetaminil* – reclassified to T43.69
- *Amphetamine NEC* – reclassified to T43.69
- *Caffeine* – reclassified to T43.69
- *Catha (tea)* – reclassified to T43.69
- *Desoxyephedrine* – reclassified to T43.69
- *Dexamphetamine* – reclassified to T43.69
- *Dextroamphetamine* – reclassified to T43.69
- *Fenetylline, fenethylline* – reclassified to T43.69
- *Khat* – reclassified to T43.69
- *Meclofenoxate* – reclassified to T43.69
- *Methylenedioxymethamphetamine* – reclassified to T43.69
- *Methylphenidate* – reclassified to T43.69
- *Modafinil* – reclassified to T43.69
- *Pipradrol* – reclassified to T43.69
- *Prolintane* – reclassified to T43.69
- *Tenamphetamine* – reclassified to T43.69

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

New clinical concepts (classification gaps)

THIRTEENTH EDITION

Background:

The Independent Health and Aged Care Pricing Authority (IHACPA) received public submissions requesting the addition of clinical concepts that were not adequately distinguished in ICD-10-AM. Development principles prioritise submissions that identify significant gaps in the classification, reflecting contemporary clinical knowledge or practice.

IHACPA reviewed and prioritised public submissions by considering whether they support:

- initiatives under the National Health Reform Agreement (NHRA)
- national strategies or significant public health issues
- current evidence in the medical literature in the use of terms
- alignment with concepts from ICD-11
- alignment with concepts in other modifications of ICD-10, such as the USA Clinical Modification (ICD-10-CM), Canadian Modification (ICD-10-CA) or German Modification (ICD-10-GM) and intervention classifications such as the United Kingdom (OPCS-4).

Organ procurement and transplantation

As a result of the Department of Health and Aged Care's draft National Strategy for Organ Donation, Retrieval and Transplantation and Transition Action Plan, a review was conducted into the ICD-10-AM and ACHI codes related to the classification of organ donation, procurement and transplantation.

The review demonstrated an opportunity to improve classification for organ and tissue procurement and transplantation.

Nitrous oxide poisoning

Codes were created to classify nitrous oxide poisoning.

Source of recommended change:

IHACPA (TN1635)

Relevant Australian Coding Standard:

0030 *Organ, tissue and cell procurement and transplantation*

Pedestrian conveyance

FIFTH EDITION

Background:

A public submission was received by NCCH regarding injuries involving *pedestrian conveyances*. As a result, a category was created: V00 *Pedestrian injured in collision with pedestrian conveyance*. Fifth characters were created in this category to identify the mode of pedestrian conveyance used by the counterpart involved in a collision (fourth characters are consistent with codes V01-V09).

Codes were created at W02 (W02.6, W02.7, W02.8 and W02.9). These codes were inactivated in [Second Edition](#) in response to the creation of specific codes for place of occurrence and activity ICD-10-AM. They were reactivated in Fifth Edition with concept changes.

Minor amendments were also made to a number of other codes to support the new codes.

A standard was also created; ACS 2009 *Mode of pedestrian conveyance*.

Source of recommended change:

NCCH

Research Centre for Injury Studies (RCIS)

Relevant Australian Coding Standard:2009 *Mode of pedestrian conveyance***Procedural complications****TENTH EDITION****Background:**

Major amendments were made to the classification for consistency with the updates to ACS 1904 *Procedural complications*:

- Expansion of complication codes to classify additional detail in the following areas:
 - complications related to body systems
 - complications related to mechanical complications
 - complications related to devices, implants and grafts
 - complications of organ transplants
 - complications of anaesthesia
 - complications related to accidental puncture and laceration
- Inactivation of the following codes:
 - I97.1 *Other functional disturbances following cardiac surgery*
 - J95.1 *Acute pulmonary insufficiency following thoracic surgery*
 - J95.2 *Acute pulmonary insufficiency following nonthoracic surgery*
 - J95.3 *Chronic pulmonary insufficiency following surgery*
 - K91.0 *Vomiting following gastrointestinal surgery*
 - K91.3 *Postprocedural intestinal obstruction*
 - N99.0 *Postprocedural kidney failure*
 - T86.9 *Failure and rejection of unspecified transplanted organ and tissue*
- Modification of relevant code titles by including 'intraoperative' as well as 'postprocedural'
- Modification of relevant code titles by replacing the terminology 'misadventure' with 'unintentional event'

See also [Complications of surgical and medical care](#).

Source of recommended change:

ACCD (TN736)

Relevant Australian Coding Standard:1904 *Procedural complications***Obesity and body mass index (BMI)****TENTH EDITION****Background:**

Following receipt of a public submission, E66 *Obesity* was expanded to distinguish overweight and obesity, and classify degrees of obesity (for adults) based on clinically documented BMI values.

Source of recommended change:

Public submission (P239)

ACCD (TN1013)

Relevant Australian Coding Standard:0401 *Diabetes mellitus and intermediate hyperglycaemia*

Cachexia

TENTH EDITION

Background:

Following receipt of a public submission and a consensus document noted by the Cancer Institute of NSW, it was agreed that cachexia be considered a 'discrete clinical entity' rather than a symptom of malignancy and should therefore be classified as a condition in its own right.

Further to this concept, cachexia in other conditions may also be classified in its own right.

However, in certain conditions such as cachexia due to malnutrition, pituitary cachexia and diabetic neuropathic cachexia where cachexia is integral to the disease, cachexia will remain classified to the underlying condition.

In addition, the concept of 'adult failure to thrive' has been classified to R64 *Cachexia*.

Source of recommended change:

ACCD (TN1020)

Cancer Institute of New South Wales

Relevant Australian Coding Standard:

Not applicable

Eleventh Edition Errata

ELEVENTH EDITION ERRATA

Background:

Minor amendments were made to incorporate Eleventh Edition errata.

Source of recommended change:

IHACPA

NCCH/ACCD

Relevant Australian Coding Standard:

Not applicable

Twelfth Edition Errata

TWELFTH EDITION ERRATA

Background:

Amendments were made to ICD-10-AM Tabular List and Alphabetic Index to incorporate Twelfth Edition errata.

Source of recommended change:

IHACPA (TN1559)

Relevant Australian Coding Standard:

Not applicable

Antimicrobial resistance (AMR) and related concepts

TWELFTH EDITION

Background:

The Antimicrobial Use and Resistance in Australia (AURA) Surveillance System was established by the Australian Commission on Safety and Quality in Health Care (ACSQHC) to prevent and contain antimicrobial resistance (AMR) in humans. Reporting identified that there was a gap in uniquely identifying certain microbial species in ICD-10-AM.

Amendments were made to:

- create block Z14–Z16 *Resistance to antimicrobial drugs* and codes to classify antimicrobial resistance, to replace the concepts previously classified to category Z06 *Resistance to antimicrobial drugs*, due to the limited capacity for expansion
- create U93 *Extended spectrum beta lactamase [ESBL] producing organism* as flag code, to identify resistance due to extended spectrum beta-lactamase (ESBL) production
- create or amend related codes, to support data collection.

Source of recommended change:

IHACPA (TN1532)

Relevant Australian Coding Standard:

ACS 0112 *Infection with drug resistant microorganisms*

ACS 1911 *Burns*

Coronavirus disease 2019 (COVID-19)

TWELFTH EDITION

Background:

In response to the coronavirus disease 2019 (COVID-19) pandemic, emergency use codes were activated in ICD-10 by the World Health Organization (WHO) to identify COVID-19. The emergency use codes were retained in ICD-10-AM Twelfth Edition, with updated code titles and some codes were expanded for additional specificity (see details in ICD-10-AM Chronicle Part 2 U–Y).

Related amendments to ICD-10-AM include Z25.2 *Need for immunisation against coronavirus disease 2019 [COVID-19]* has been created for alignment with the parent classification (ICD-10). However, there are no guidelines mandating its use in the Australian Coding Standards as its use is not necessary in admitted episodes of care.

Amendments were also made throughout ICD-10-AM to support the classification of COVID-19.

Source of recommended change:

IHACPA (TN1536)

Relevant Australian Coding Standard:

ACS 0002 *Additional diagnoses*

ACS 0012 *Suspected conditions*

ACS 0050 *Unacceptable principal diagnosis codes*

ACS 0113 *Coronavirus disease 2019 (COVID-19)*

Eponyms

TWELFTH EDITION

Background:

Amendments were made to ICD-10-AM codes titles identified as containing eponyms derived from persons associated with crimes against humanity, by using acceptable clinical synonyms where one exists and by adapting terminology used in ICD-11 where possible.

Minor amendments were also made to support the above changes.

Source of recommended change:

IHACPA (TN1546)

Relevant Australian Coding Standard:

Not applicable

Legacy terminology

TWELFTH EDITION

Background:

Amendments were made to contemporise the legacy terminology in ICD-10-AM, with a particular focus on Chapter 5 *Mental and behavioural disorders*, to minimise stigmatising terms and more closely align with terminology in ICD-11.

Source of recommended change:

IHACPA (TN1510)

ICD-11 Mortality and Morbidity Statistics (MMS)

Relevant Australian Coding Standard:

ACS 0049 *Disease codes that must never be assigned*

Male and female codes

TWELFTH EDITION

Background:

A patient's self-reported sex does not always correspond to their biological characteristics due to conflicting biological characteristics that they are unaware of (eg internal organ or chromosomal abnormality) or the patient's preference to respond with gender rather than sex.

For Twelfth Edition, subterms in the index and code titles use 'male' and 'female' to correspond to sex characteristics of a particular reproductive system which include those that have been surgically created.

The amendments incorporate definitions from the Australian Bureau of Statistics (ABS) Standard for Sex, Gender, Variations of Sex Characteristics and Sexual Orientation Variables, 2020 to guide clinical coders in the use of 'male' and 'female' used in the Tabular List and Alphabetic Index.

Source of recommended change:

IHACPA (TN1549)

Relevant Australian Coding Standard:

ACS 0049 *Disease codes that must never be assigned*

ACS 0110 *Sepsis and septic shock*

ACS 1437 *Infertility*

Musculoskeletal and related conditions

TWELFTH EDITION

Background:

Amendments were made relating to coding queries, associated tasks and public submissions regarding the musculoskeletal system in ICD-10-AM including:

- add an *Excludes* note at the beginning of Chapter 13 *Diseases of the musculoskeletal system and connective tissue* to clarify that musculoskeletal conditions due to current injury are classified to an injury code from chapter 19 *Injury, poisoning and certain other consequences of external causes*, rather than a code from Chapter 13. The addition of the *Excludes* note is consistent with the *Exclusions* in the equivalent chapter of The International Classification of Diseases Eleventh Revision Mortality and Morbidity Statistics (ICD-11 MMS)
- delete the *Includes* note at M08 *Juvenile arthritis*, following review of ACS 1352 *Juvenile arthritis*. The definition of juvenile arthritis (JA) at M08 was outdated. The ICD-11 MMS describes juvenile idiopathic arthritis (JIA) as “*the term used to describe a group of inflammatory articular disorders of unknown cause that begin before the age of 16 and last over 6 weeks*” (ICD-11 2020). As the definition of JA in ICD-10-AM was provided as a guide only and the age edit is built into M08 codes in the Electronic Code List (ECL) as well as an age conflict check in the grouping process, the *Includes* note at M08 was redundant.
- amend *Inclusion* terms and *Excludes* notes at M23.2 *Derangement of meniscus due to old tear or injury*, M23.5 *Chronic instability of knee* and S83.2 *Tear of meniscus, current*, to support the retirement of ACS 1319 *Meniscus/ligament tear of knee, NOS*
- expand T87.6 *Other and unspecified complications of amputation stump* to five characters, to classify of dehiscence, haemorrhage and haematoma of an amputation stump
- delete the dagger and asterisk symbols at M51.1 *Lumbar and other intervertebral disc disorders with radiculopathy* for consistency with the dual classification convention applied to cervical and other disc disorders with myelopathy or radiculopathy
- add the terms avulsion, burst, crush, compression, wedge and transverse to the *Includes* note at the beginning of Chapter 19 *Injury, poisoning and certain other consequences of external causes* to incorporate published classification advice for crush and compression fractures that are not specified as traumatic or pathological
- incorporate content previously located in the Australian Coding Standards (ACS)

Source of recommended change:

IHACPA (TN1354)

Public submissions (P2/10, P82, P316)

Coding queries (Q2986, Q3120, Q3172, Q3217, Q3567, Q3284)

Associated tasks (TN199, TN196, TN208)

Relevant Australian Coding Standard:

ACS 1204 *Plastic surgery*

ACS 1319 *Meniscus/ligament tear of knee, NOS*

ACS 1330 *Slipped disc*

ACS 1343 *Erosion of knee*

ACS 1352 *Juvenile arthritis*

ACS 1904 *Procedural complications*

Neonatal gestational age

TWELFTH EDITION

Background:

A public submission suggested that gestational age is a better predictor of neonatal clinical complexity than admission weight. Preliminary analysis concurred that there may be value in adding granularity to codes that capture gestational age in ICD-10-AM.

Amendments were made to replace subcategories and codes with new subcategories and codes that classify prematurity between 22 completed weeks and 36 completed weeks, to identify an infant's gestational age at the time of birth. The age ranges are consistent with those in ICD-11.

Source of recommended change:

IHACPA (TN1542)

Relevant Australian Coding Standard:

ACS 1605 *Conditions originating in the perinatal period*

New/missing clinical concepts

TWELFTH EDITION

Background:

Multiple public submissions were received requesting inclusion of several new clinical terms or concepts into ICD-10-AM. These new terms or concepts have been in clinical use in Australian hospitals, but were not uniquely recognised in ICD-10-AM.

Amendments were made to:

- create codes in category D89 *Other disorders involving the immune mechanism, not elsewhere classified* to distinguish cytokine release syndrome (CRS) and immunocompromised status
- create a code in subcategory E85.0 *Non-neuropathic hereditary familial amyloidosis* to distinguish the classification of familial Mediterranean fever
- create a code for lipoedema in category E88 *Other metabolic disorders*
- create subdivisions in block F00-F03 *Dementia* to differentiate *with or without behavioural and psychological symptoms of dementia (BPSD)*
- create codes in category G92 *Toxic encephalopathy* to distinguish the classification of immune effector cell-associated neurotoxicity syndrome (chimeric antigen receptor [CAR] T-cell related encephalopathy or neurotoxicity, cytokine release encephalopathy syndrome [CRES])
- create codes in category K65 *Peritonitis* to distinguish peritoneal abscess, primary peritonitis, secondary peritonitis, and other peritonitis and unspecified peritonitis
- clarify the classification of:
 - limbal stem cell deficiency
 - telangiectasia of the colon, stomach, duodenum and small intestine
 - cryptogenic organising pneumonitis (COP)
 - fetal valproate spectrum disorder (FVSD)
 - protracted bacterial bronchitis (PBB)
 - May-Thurner syndrome (MTS)
 - heparin induced thrombosis with thrombocytopenia syndrome (HITTS) and vaccine induced thrombosis with thrombocytopenia syndrome (VITTS)
 - certain viral diseases.

Source of recommended change:

IHACPA (TN1543)

Public submissions (P1/10, P100, P101, P122, P261, P287, P305, P323, P409, P412, P416, P419, P444, P485, P498, TN1509)

Relevant Australian Coding Standard:

ACS 1904 *Procedural complications*

Pacemakers

TWELFTH EDITION

Background:

Minor amendments were made to amend terminology relating to cardiac pacemakers.

Source of recommended change:

IHACPA (TN1508)

Relevant Australian Coding Standard:

ACS 0936 *Cardiac pacemakers and implanted defibrillators*

Pharmacotherapy

TWELFTH EDITION

Background:

Amendments were made to:

- differentiate prophylactic pharmacotherapy for neoplasm from prophylactic pharmacotherapy for nonneoplastic conditions
- clarify that Z51.1 *Pharmacotherapy session for neoplasm* is not assigned for a neoplasm related condition or neoplasm treatment related condition, or prophylactic chemotherapy for neoplasm.

Source of recommended change:

IHACPA (TN1526)

Relevant Australian Coding Standard:

ACS 0102 *HIV/AIDS (human immunodeficiency virus/acquired immune deficiency syndrome)*

ACS 0206 *Pharmacotherapy for neoplasms*

ACS 1549 *Streptococcal group B infection/carrier in pregnancy*

ACS 1617 *Neonatal sepsis/risk of sepsis*

Socioeconomic and psychosocial circumstances

TWELFTH EDITION

Background:

Amendments were made to promote assignment of codes for socioeconomic and psychosocial circumstances, in accordance with ACS 2119 *Socioeconomic and psychosocial circumstances*.

Source of recommended change:

IHACPA (TN1521)

Relevant Australian Coding Standard:

ACS 0002 *Additional diagnoses*

ACS 2119 *Socioeconomic and psychosocial circumstances*

Stem cell transplant failure and rejection

TWELFTH EDITION

Background:

Minor amendments were made to differentiate transplant failure or rejection of stem cells from blood, and stem cells from bone marrow.

Source of recommended change:

IHACPA (TN1371)

Relevant Australian Coding Standard:

Not applicable

A00–B99 Certain infectious and parasitic diseases

TENTH EDITION

Background:

Amendments were made to the excludes note as part of a review of:

- Obstetric conditions – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

A07.8 Other specified protozoal intestinal diseases

FIRST EDITION

Background:

Microsporidiosis is a protozoal infection that most commonly causes enteritis and less frequently extra-intestinal manifestations. The term was classified to A07.8 in First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. The existing listing of B60.8 *Other specified protozoal diseases* has been maintained for extra-intestinal manifestations.

Source of recommended change:

Infectious and Immunology CCG

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

A09 Other gastroenteritis and colitis of infectious and unspecified origin

SECOND EDITION

Background:

The note in category A09 was deleted due to conflict with ACS 1120 *Gastroenteritis*. If gastroenteritis is not stated as infectious in children (15 years and under), then it should be coded to category A09. This instruction reflects the probable infectious cause in children.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1120 Gastroenteritis

A24.0 Glanders**FIFTH EDITION****Background:**

The term *Burkholderia pseudomallei* was added to the code title of B96.5 for ICD-10-AM Third Edition. This change was incorrect. *Pseudomonas* and *Burkholderia* are different genera and should not be classified to the same code. Hence, the term *Burkholderia mallei* was removed from B96.5 and reclassified to A24.0.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

A24.4 Melioidosis, unspecified**SECOND EDITION****Background:**

The inclusion term *pseudomonas pseudomallei* at A24.4 was changed to *Burkholderia pseudomallei* to reflect the transfer of seven species of the genus *Pseudomonas* to the new genus *Burkholderia*.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

A41.5 Sepsis due to other and unspecified Gram-negative organisms**FIRST EDITION****Background:**

On the recommendation of the CCCG, three new Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the most common gram-negative organisms that cause *septicaemia*.

Source of recommended change:

NCCH

Infectious and Immunology CCCG

Relevant Australian Coding Standard:

0110 *Septicaemia*

SECOND EDITION**Background:**

A new Australian code (A41.50) was included in Second Edition to classify *gram-negative septicaemia NOS* (unspecified).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0110 *Septicaemia*

THIRD EDITION

Background:

Code descriptors were changed from *septicaemia* to *sepsis* to clarify and standardise the meaning of these terms and their relationship to *infection*.

Clinical use of the terms *sepsis* and *septicaemia* varies and is often interchanged with *infection*. Extensive research showed that the term *sepsis* is the more correct, up-to-date term for serious localised or bacteraemic infection, which is accompanied by systemic manifestations. The term *septicaemia* is an imprecise and out-of-date term and its use in ICD-10-AM has been discouraged, as it adds to confusion and difficulties in data interpretation.

Where possible, the term *septicaemia* in ICD-10-AM Third Edition was changed to *sepsis*. The index was modified to ensure that *infection* refers to *localised conditions* and *sepsis* refers to *generalised* (or *systemic*) conditions. The emphasis in these changes is on the understanding of the interrelationships between *systemic inflammatory response syndrome* (SIRS), *sepsis* and *infection* and what clinicians mean when they use these terms.

These changes may have impacted on coding practice. Clinical coders should take care when interpreting documentation of *sepsis*, as the terminology and meaning may have changed. If *sepsis* is used to infer a *localised* infection, then the index main term *Infection* should be referred to, rather than *Sepsis*.

Source of recommended change:

NCCH

Immunology, Rheumatology and Infectious Diseases CCGG

Relevant Australian Coding Standard:

0110 *Septicaemia*

FIFTH EDITION

Background:

This code was originally a valid ICD-10 code, but was made invalid in ICD-10-AM First Edition with the introduction of fifth character codes. The correct code title should be *Sepsis due to other and unspecified Gram-negative organisms* because as well as containing fifth character codes for *other* gram-negative organisms, A41.5 contains a fifth character code for unspecified gram-negative organisms.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

N/A

A49.0 Staphylococcal infection, unspecified site

SEVENTH EDITION

Background:

Fifth character codes (A49.00 and A49.01) were created in conjunction with the creation of [U90.0](#) *Healthcare associated Staphylococcus aureus bacteraemia*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0111 *Healthcare associated Staphylococcus aureus bacteraemia*

A49.8 Other bacterial infections of unspecified site**SEVENTH EDITION****Background:**

Inclusion terms – *Campylobacter infection of gallbladder, meninges* – was added to this code to support the classification of campylobacter infection outside the gastrointestinal tract. This advice was previously included in ACS 1122.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

A49.9 Bacterial infection, unspecified**SEVENTH EDITION****Background:**

A *use additional code* note was added to this code to prompt coders to assign Y95 *Nosocomial condition* to identify hospital acquired infection.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0111 *Bacteraemia*

A60.0 Herpesviral infection of genitalia and urogenital tract**SEVENTH EDITION ERRATA 5****Background:**

The code for the inclusion term *Herpesviral infection of genital tract, male* was revised from N51.-* to N51.8*.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

A63.0 Anogenital (venereal) warts**SEVENTH EDITION****Background:**

Fifth character codes were created to identify specific *sites* of *anogenital warts*. Previously, these conditions were multicoded using an *other specified* chapter code with A63.0 as an additional diagnosis code, as per the guidelines in ACS 1408. An inclusion term was also added at the category level to clarify that anogenital warts are due to *human papillomavirus* (HPV).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1408 *Human papillomavirus (HPV)*

A81 Atypical virus infections of central nervous system

FIRST EDITION

Background:

The terminology used in category A81 was changed from *slow virus* to *atypical virus* to reflect contemporary clinical knowledge. Prion diseases of the central nervous system have been included in this category. This decision was based on a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to include these changes was issued with the First Errata (April 1998) to the First Edition. The changes became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10.

Relevant Australian Coding Standard:

Not applicable

A92.8 Other specified mosquito-borne viral fevers

FIRST EDITION

Background:

Barmah Forest fever is a recently recognised alphavirus similar to *Ross River virus*. The term was classified to A92.8 in First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Paris, 1998.

Source of recommended change:

Infectious and Immunology CCGG

WHO 1999 decision/2001 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

B00.1 Herpesviral vesicular dermatitis

FIRST EDITION

Background:

The term *herpetic fever* was reclassified to B00.1 from B00.9 *Herpesviral infection, unspecified* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

B00.5 Herpesviral ocular disease**FIRST EDITION****Background:**

The term *ocular herpesviral disease* was reclassified to B00.5 from B02.3 *Zoster ocular disease*. The term *ocular zoster disease* was reclassified to B02.3 *Zoster ocular disease, unspecified*. These changes followed a recommendation from the Australian Collaborating Centre (NCCH/AIHW) at the WHO Meeting of the Heads of Collaborating Centres for the Family of International Classifications in Bethesda USA, 2001.

The advice to reclassify this term was issued with the Third Errata (October 1998) to the First Edition. The change became effective from October 1998.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION

REFER TO DAGGER & ASTERISK

B00.9 Herpesviral infection, unspecified**FIRST EDITION****Background:**

The term *herpetic fever* was reclassified to B00.1 *Eczema herpeticum* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

B02.3 Zoster ocular disease**FIRST EDITION****Background:**

The term *ocular herpesviral disease* was reclassified to B00.5 *Herpesviral ocular disease*. The term *ocular zoster disease* was reclassified to B02.3 from B00.5 *Herpesviral ocular disease*. These changes followed a recommendation from the Australian Collaborating Centre (NCCH/AIHW) at the WHO Meeting of the Heads of Collaborating Centres for the Family of International Classifications in Bethesda USA, 2001.

The advice to reclassify this term was issued with the Third Errata (October 1998) to the First Edition. The change became effective from October 1998.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION

Background:

REFER TO DAGGER & ASTERISK

B07 Viral warts

SEVENTH EDITION

Background:

An inclusion term was added to clarify that *viral warts not otherwise stated due to human papillomavirus (HPV)* are classified to this code. Advice was previously contained in ACS 1408; assign B07 Viral warts alone when coding warts other than anogenital.

The excludes note was amended to alert coders that a fifth character should be assigned with [A63.0 Anogenital \(venereal\) warts](#).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1408 Human papillomavirus (HPV)

B16.9 Acute hepatitis B without delta-agent and without hepatic coma

EIGHTH EDITION

Background:

Inclusion term 'Hepatitis B (acute)(viral) NOS' was deleted as part of the review of ACS 0104 *Viral hepatitis*.

Source of recommended change:

Public submission (P118)

NCCC (TN393)

Relevant Australian Coding Standard:0104 *Viral hepatitis***B20-B24 Human immunodeficiency virus [HIV] disease**

FIRST EDITION

Background:

The WHO ICD-10 fourth character codes for categories B20, B21, B22 and B23 are provided for optional use where it is not possible or not desired to use multiple coding to identify the specific conditions.

Australia applies the multiple conditions coding rule and additional codes are assigned to identify the specific manifestations of HIV infection. On this basis, the majority of the WHO fourth character codes were not included in the First Edition. The note to block B20-B24 was changed to reflect the modification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0102 HIV/AIDS

SEVENTH EDITION**Background:**

The excludes note was modified to specify that O98.7 should be assigned for HIV complicating pregnancy.

Source of recommended change:

WHO Update Reference Committee (URC) 2008

Relevant Australian Coding Standard:

Not applicable

B33.4† Hantavirus (cardio-) pulmonary syndrome [HPS] [HCPS] (J17.1*)**FOURTH EDITION****Background:**

A code for *Hantavirus* was added to ICD-10-AM for consistency with changes to WHO ICD-10.

Source of recommended change:

WHO Update Reference Committee (URC)
NCCH

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION ERRATA 1**Background:**

The word “renal” in the instructional notes (Use additional and excludes note) has been amended to “kidney” in line with clinical advice

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

B37.8 Candidiasis of other sites**FIRST EDITION****Background:**

On the recommendation of the CCCG, two new Australian codes were incorporated in First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Infectious and Immunology CCCG

Relevant Australian Coding Standard:

Not applicable

B59† Pneumocystosis (J17.3*)**THIRD EDITION****Background:**

Pneumocystosis is a type of interstitial cell pneumonitis caused by the microorganism *Pneumocystis carinii*. In earlier editions of ICD-10-AM there were inconsistencies in the indexing of pneumocystosis in relation to the aetiology/manifestation relationship. In order to correct this, a dagger and manifestation code were added to the code, following a recommendation by the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/ 2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

B91 Sequelae of poliomyelitis**SEVENTH EDITION****Background:**

An excludes note was added to clarify that postpolio syndrome is classified to G14, following creation of a code for this condition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

B95–B97 Bacterial, viral and other infectious agents**SECOND EDITION****Background:**

All notes relating to the ICD-10 primary coding guideline were deleted in Second Edition to avoid confusion for the Australian user. Primary coding refers to situations where the codes are used in single condition morbidity analysis (only one diagnosis code is used to classify an entire episode of care). In Australia, the multiple coding rule is applied and all conditions relevant to an episode of care are coded.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

B95.4 Other streptococcus as the cause of diseases classified to other chapters

FIRST EDITION

Background:

On the recommendation of the CCCG, three new Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *Streptococcus groups C and G*.

Source of recommended change:

NCCH
Infectious and Immunology CCCG

Relevant Australian Coding Standard:

Not applicable

B96.3 *Haemophilus influenzae* [*H. influenzae*] as the cause of diseases classified to other chapters

SECOND EDITION

Background:

On the recommendation of the CCCG, three new Australian codes were incorporated into Second Edition to distinguish *Haemophilus influenzae, type B* as the cause of diseases classified to other chapters.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

B96.5 *Pseudomonas (aeruginosa)* as the cause of diseases classified to other chapters

SECOND EDITION

Background:

The term *pseudomallei* was deleted from the code title in Second Edition. The term *pseudomonas pseudomallei as the cause of diseases classified to other chapters* was reclassified to B96.88 Other and unspecified bacterial agents as the cause of diseases classified to other chapters to reflect the transfer of seven species of the genus *Pseudomonas* to the new genus *Burkholderia*.

Source of recommended change:

Public submission
Infectious and Immunology CCCG

Relevant Australian Coding Standard:

Not applicable

THIRD EDITION**Background:**

The term *Burkholderia pseudomallei* was added to the code title in the Third edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

FIFTH EDITION**Background:**

The term *Burkholderia pseudomallei* was added to the code title of B96.5 for ICD-10-AM Third Edition. This change was incorrect. *Pseudomonas* and *Burkholderia* are different genera and cannot be classified to the same code. Hence, the term *Burkholderia mallei* was removed from B96.5 and reclassified to A24.0.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

B96.8 Other specified bacterial agents as the cause of diseases classified to other chapters
FIRST EDITION**Background:**

On the recommendation of the CCCG, two new Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *Helicobacter pylori* as the cause of diseases classified to other chapters.

Source of recommended change:

NCCH

Infectious and Immunology CCCG

Relevant Australian Coding Standard:

1122 *Helicobacter/campylobacter*

SECOND EDITION**Background:**

The term *pseudomonas pseudomallei* as the cause of diseases classified to other chapters was reclassified from B96.5 to B96.88 Other and unspecified bacterial agents as the cause of diseases classified to other chapters to reflect the transfer of seven species of the genus *Pseudomonas* to the new genus *Burkholderia*.

Source of recommended change:

Public submission

Immunology, Rheumatology and Infectious Diseases CCCG

Relevant Australian Coding Standard:

Not applicable

B96.81 *Helicobacter pylori* [*H. pylori*] as the cause of diseases classified to other chapters

SEVENTH EDITION

Background:

An instructional note was added to advise coders to *code first any documented condition stated as due to Helicobacter pylori*, as per the guidelines in ACS 1122.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

B96.82 *Vibrio vulnificus* as the cause of diseases classified to other chapters

SEVENTH EDITION

Background:

This code was created as part of the WHO updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

B96.88 Other and unspecified bacterial agents as the cause of diseases classified to other chapters

FIFTH EDITION

Background:

The terms *Burkholderia pseudomallei* and *mallei* were incorrectly classified in previous editions of ICD-10-AM to [B96.5](#). The terms were removed from B96.5 and reclassified to B96.88

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

B97.7 Papillomavirus as the cause of diseases classified to other chapters

SEVENTH EDITION

Background:

An excludes note was added to clarify that *anogenital warts due to HPV* are classified to [A63.0-](#) and *viral warts not otherwise stated due to HPV* are classified to [B07](#).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1408 *Human papillomavirus (HPV)*

B97.8 Other viral agents as the cause of diseases classified to other chapters

SEVENTH EDITION

Background:

An inclusion term was added to clarify that *human metapneumovirus* is classified to this code.

Source of recommended change:

WHO Update Reference Committee (URC) 2008

Relevant Australian Coding Standard:

Not applicable

C00–D48 Neoplasms

ELEVENTH EDITION

Background:

Following receipt of a number of public submissions and coding queries, a review was performed on Chapter 2 *Neoplasms*. Amendments included:

- rewording of the glossary description/definition at the beginning of Chapter 2 and ICD-10-AM Tabular List Appendix A
- reclassification of vulval intraepithelial neoplasia (VIN) (P206):
 - deletion of N90.0 *Mild vulvar dysplasia*
 - deletion of N90.1 *Moderate vulvar dysplasia*
 - deletion of N90.2 *Severe vulvar dysplasia, not elsewhere classified*
 - NOS – classified to N90.3 *Dysplasia of vulva, unspecified*
 - grade I – classified to D28.0 *Benign neoplasm of vulva*
 - grade II and III, basaloid, classical, differentiated, mixed, undifferentiated and warty types – classified to D07.1 *Carcinoma in situ of vulva*
- classification of atypical small acinar proliferation of the prostate (ASAP) to D40.0 *Neoplasm of uncertain or unknown behaviour, prostate*
- additions to the Tabular List following the deletion of ACS 0218 *Lymphangitis carcinomatosa*
- creation of M8622/0 *Granulosa cell tumour, juvenile, benign* and amendment to the code title of M8622/1 *Granulosa cell tumour, juvenile, NOS*
- replacement of the term ‘chemotherapy’ with ‘pharmacotherapy’

Source of recommended change:

ACCD (TN1342)

Relevant Australian Coding Standard:

0218 *Lymphangitis carcinomatosa*

0245 *Remission in malignant immunoproliferative diseases and leukaemia*

TWELFTH EDITION

Background:

The International Agency for Research on Cancer/World Health Organization (IARC/WHO) International Classification of Diseases for Oncology (ICD-O) Committee updated ICD-O-3.1 with new morphology codes and terms from the 4th series of WHO Classification of Tumours. The new version, ICD-O-3.2, was available for use from 2020.

Amendments were made to ICD-10-AM Tabular List for consistency with ICD-O-3.2, including:

- renaming of code titles in category D46 *Myelodysplastic syndromes*
- reclassification of actinic keratosis (to *Neoplasm/skin/uncertain behaviour*) and renaming of L57.0 *Keratosis, not elsewhere classified*
- reclassification of pigmented villonodular synovitis (to *Neoplasm/connective tissue/uncertain behaviour*) and inactivation of subcategory M12.2 *Villonodular synovitis (pigmented)*
- reclassification of aneurysmal bone cyst (to *Neoplasm/bone/benign*) and inactivation of subcategory M85.5 *Aneurysmal bone cyst*

Source of recommended change:

IHACPA (TN1503)

ICD-O-3.2

Relevant Australian Coding Standard:

Not applicable

C26.1 Malignant neoplasm of spleen

SEVENTH EDITION

Background:

The excludes note was amended for consistency with changes to the classification of *lymphoma* for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C41.0 Malignant neoplasm of bones of skull and face

FIRST EDITION

Background:

On the recommendation of the CCCG, two new Australian codes were incorporated in the First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

FIFTH EDITION**Background:**

The inclusion terms *orbital bone* and *maxilla (superior)* were deleted in Errata 4 June 2007. These terms were incorrectly retained at the fourth character level when the fifth characters (C41.01 and C41.02) were created.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

C46 Kaposi sarcoma**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The term *Kaposi's sarcoma* has been changed to *Kaposi sarcoma* to align with the terminology used in ICD-O-3.

Source of recommended change:

NCCH

ICD-O-3

Relevant Australian Coding Standard:

Not applicable

C46.0 Kaposi sarcoma of skin**SEVENTH EDITION****Background:**

An inclusion term was added to clarify that *Kaposi sarcoma of skin of genitals* is classified to this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

C46.7 Kaposi sarcoma of other sites**SEVENTH EDITION****Background:**

An inclusion term was added to clarify that *Kaposi sarcoma of genitals, not otherwise stated* is classified to this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

C53.1 Malignant neoplasm of exocervix**NINTH EDITION****Background:**

The inclusion term was created to classify malignant neoplasm of the ectocervix to C53.1

Source of recommended change:

ACCD (TN637)

Relevant Australian Coding Standard:

Not applicable

C79.8 Secondary malignant neoplasm of other specified sites**FIRST EDITION****Background:**

On the recommendation of the CCCG, three new Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

C80 Malignant neoplasm without specification of site**SEVENTH EDITION****Background:**

An excludes note was added to clarify that:

- 'Kaposi sarcoma of unspecified site' is classified to C46.9 *Kaposi sarcoma, unspecified*
- 'Mesothelioma of unspecified site' is classified to C45.9 *Mesothelioma, unspecified*

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

C81–C96 Malignant neoplasms of lymphoid, haematopoietic and related tissue**SEVENTH EDITION****Background:**

The includes note and note were deleted at the category level, as part of a major review of *leukaemia* and *lymphoma* for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C81 Hodgkin lymphoma**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The term *Hodgkin's disease* has been changed to *Hodgkin lymphoma* to align with the terminology used in ICD-O-3.

Source of recommended change:

NCCH
ICD-O-3

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was deleted, as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C81.0 Nodular lymphocyte predominant Hodgkin lymphoma**SEVENTH EDITION****Background:**

The code title was amended and the inclusion term deleted as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C81.1 Nodular sclerosis (classical) Hodgkin lymphoma**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The code title was amended as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)

NCCC (TN416)

Relevant Australian Coding Standard:

Not applicable

C81.2 Mixed cellularity (classical) Hodgkin lymphoma**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The code title was amended ('(classical)') as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)

NCCC (TN416)

Relevant Australian Coding Standard:

Not applicable

C81.3 Lymphocytic depletion (classical) Hodgkin lymphoma**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The code title was amended as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)

NCCC (TN416)

Relevant Australian Coding Standard:

Not applicable

C81.4 Lymphocyte-rich (classical) Hodgkin lymphoma**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma* codes for Seventh Edition. An excludes note was also added to indicate that *nodular lymphocyte predominant Hodgkin lymphoma* is classified to C81.0.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The code title was amended as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)
NCCC (TN416)

Relevant Australian Coding Standard:

Not applicable

C81.7 Other (classical) Hodgkin lymphoma**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition. An inclusion term was also added to clarify that *classical Hodgkin lymphoma, type not specified* is classified to this code.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The code title was amended as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)
NCCC (TN416)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

The inclusion term was deleted as part of the WHO URC updates Beijing 2013.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2013](#)
ACCD (TN609)

Relevant Australian Coding Standard:

Not applicable

C81.9 Hodgkin lymphoma, unspecified**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

The inclusion term was created as part of the WHO URC updates Beijing 2013.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2013](#)

ACCD (TN609)

Relevant Australian Coding Standard:

Not applicable

C82 Follicular lymphoma**SEVENTH EDITION****Background:**

The code title at the third category level was amended and the includes note was deleted as part of a major review of *lymphoma* codes for Seventh Edition. An excludes note was added to clarify that *T-cell non-Hodgkin lymphoma* is classified to C84.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.0 Follicular lymphoma grade 1**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.1 Follicular lymphoma grade 2**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.2 Follicular lymphoma grade 3, unspecified**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.3 Follicular lymphoma grade 3a**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.4 Follicular lymphoma grade 3b**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.5 Diffuse follicle centre lymphoma**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.6 Cutaneous follicle centre lymphoma**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.7 Other types of follicular lymphoma**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C82.9 Follicular lymphoma, unspecified**SEVENTH EDITION****Background:**

The code title and an inclusion term were amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83 Non-follicular lymphoma**SEVENTH EDITION****Background:**

The code title at the third category level was amended and inclusion term deleted as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.0 Small cell B-cell lymphoma**SEVENTH EDITION****Background:**

The code title was amended, and inclusion term and excludes note created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.1 Mantle cell lymphoma**SEVENTH EDITION****Background:**

The code title was amended and an inclusion term created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.2 Mixed small and large cell (diffuse) non-Hodgkin lymphoma**SEVENTH EDITION****Background:**

The code was inactivated as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.3 Diffuse large B-cell lymphoma**FIRST EDITION****Background:**

The terms *reticulosarcoma (diffuse)* and *reticulosarcoma, pleomorphic cell type* were reclassified to C83.3 from C83.9 *Diffuse non-Hodgkin lymphoma, unspecified* to correct inconsistent classification in ICD-10 and align with ICD-O-2. The advice to reclassify these terms was issued with the Fifth Errata (April 1999) to the First Edition. The changes became effective from April 1999.

A recommendation from the Australian Collaborating Centre (AIHW/NCCH) to correct the inconsistencies was tabled at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Rio de Janeiro, 2000.

Source of recommended change:

Coding query/NCCH
ICD-O-2

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The code title and inclusion term were amended and an excludes note was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.4 Immunoblastic (diffuse) non-Hodgkin lymphoma**SEVENTH EDITION****Background:**

This code was inactivated as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.5 Lymphoblastic (diffuse) lymphoma**SEVENTH EDITION****Background:**

The code title was amended and inclusion terms added as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.6 Undifferentiated (diffuse) non-Hodgkin lymphoma**SEVENTH EDITION****Background:**

This code was inactivated as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.7 Burkitt lymphoma**SEVENTH EDITION****Background:**

The code title was amended, and inclusion terms and excludes note were added as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C83.8 Other non-follicular lymphoma**SEVENTH EDITION****Background:**

The code title was amended, and inclusion terms and excludes note were added as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

C83.9 Non-follicular (diffuse) lymphoma, unspecified**FIRST EDITION****Background:**

The terms *reticulosarcoma (diffuse)* and *reticulosarcoma, pleomorphic cell type* were reclassified to C83.3 *Large cell (diffuse) non-Hodgkin lymphoma* to correct inconsistent classification in ICD-10 and align with ICD-O-2. The advice to reclassify these terms was issued with the Fifth Errata (April 1999) to the First Edition. The changes became effective from April 1999.

A recommendation from the Australian Collaborating Centre (AIHW/NCCH) to correct the inconsistencies was tabled at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Rio de Janeiro, 2000.

Source of recommended change:

Coding query/NCCH
ICD-O-2

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The code title was amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84 Mature T/NK-cell lymphomas**SEVENTH EDITION****Background:**

The code title at the third category level was amended and the includes note deleted as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.2 T-zone lymphoma**SEVENTH EDITION****Background:**

This code was inactivated as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.3 Lymphoepithelioid lymphoma**SEVENTH EDITION****Background:**

This code was inactivated as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.4 Peripheral T-cell lymphoma, not elsewhere classified**SEVENTH EDITION****Background:**

The code title was amended and inclusion terms added as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.5 Other mature T/NK-cell lymphomas**SEVENTH EDITION****Background:**

The code title was amended and exclusion terms added as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.6 Anaplastic large cell lymphoma, ALK-positive**SEVENTH EDITION****Background:**

This new code and an inclusion term were added as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.7 Anaplastic large cell lymphoma, ALK-negative**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.8 Cutaneous T-cell lymphoma, unspecified**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C84.9 Mature T/NK-cell lymphoma, unspecified**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C85 Other and unspecified types of non-Hodgkin lymphoma**SEVENTH EDITION****Background:**

The includes note was deleted as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C85.0 Lymphosarcoma**SEVENTH EDITION****Background:**

This code was inactivated as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C85.1 B-cell lymphoma, unspecified**SEVENTH EDITION****Background:**

An instructional note(s): *use additional code to identify Helicobacter pylori (B96.81), if applicable* was added to this code, as ACS 1122 advises that H.pylori is associated with and should be classified when found in the presence of MALT lymphoma (classified to C85.1).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

C85.2 Mediastinal (thymic) large B-cell lymphoma**SEVENTH EDITION****Background:**

This code was created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C85.7 Other specified types of non-Hodgkin lymphoma**SEVENTH EDITION****Background:**

The inclusion terms were deleted as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C86 Other specified types of T/NK-cell lymphoma**SEVENTH EDITION****Background:**

This category and its four character codes (C86.0-C86.6) were created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C86.6 Primary cutaneous CD30-positive T-cell proliferations**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

C88–C95**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for categories C88, C90, C91, C92, C93, C94 and C95 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character subdivision distinguishes *leukaemias*, *myelomas* and *malignant immunoproliferative diseases* that are *in remission*.

Source of recommended change:

NCCH

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

C88 Malignant immunoproliferative diseases**SEVENTH EDITION****Background:**

The code title at the third category level was amended and includes note deleted as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The code title at the third category level was amended as part of the WHO URC updates Seoul 2009.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2009](#)
NCCC (TN170)

Relevant Australian Coding Standard:

Not applicable

C88.0 Waldenström macroglobulinaemia**SEVENTH EDITION****Background:**

The code title was amended, and inclusion terms and excludes note added as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C88.1 Alpha heavy chain disease**SEVENTH EDITION****Background:**

These codes (C88.1 plus C88.10 and C88.11) were inactivated as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C88.2 Other heavy chain disease**SEVENTH EDITION****Background:**

The code titles (C88.2 plus C88.20 and C88.21) and the inclusion terms were amended as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C88.3 Immunoproliferative small intestinal disease**SEVENTH EDITION****Background:**

The term *alpha heavy chain disease* was added to this code following the inactivation of [C88.1](#) – as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C88.4 Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]**SEVENTH EDITION****Background:**

These codes (C88.4 plus C88.40 and C88.41) were created as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C90 Multiple myeloma and malignant plasma cell neoplasms**SEVENTH EDITION****Background:**

The includes note was deleted as part of a major review of *lymphoma* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C90.0 Multiple myeloma**SEVENTH EDITION****Background:**

The inclusion term and excludes note were amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C90.1 Plasma cell leukaemia**SEVENTH EDITION****Background:**

The inclusion term *plasmacytic leukaemia* was added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C90.2 Extramedullary plasmacytoma**SEVENTH EDITION****Background:**

The code titles (C90.2 plus C90.20 and C90.21) were amended and the inclusion terms deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C90.3 Solitary plasmacytoma**SEVENTH EDITION****Background:**

These codes (C90.3 plus C90.30 and C90.31) were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91 Lymphoid leukaemia**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The regrouping of morphologies, particularly in the area of *lymphoid* and *haematopoietic and related tissue*, do not always match the existing categories in the neoplasms chapter (C81-C96). The includes notes have been altered to reflect the morphologies classified to each code.

The morphological classification of lymphoid leukaemia was expanded from one category (M982) to two categories (M982-M983). M9940 was deleted.

Source of recommended change:

NCCH
ICD-O-3

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91.0 Acute lymphoblastic leukaemia [ALL]**SEVENTH EDITION****Background:**

The code titles (C91.0 plus C91.00 and C91.01) were amended, the excludes note was deleted and a note was added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91.1 Chronic lymphocytic leukaemia of B-cell type**SEVENTH EDITION****Background:**

The code titles (C91.1 plus C91.10 and C91.11) were amended, and inclusion terms and an excludes note created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91.2 Subacute lymphocytic leukaemia**SEVENTH EDITION****Background:**

The codes (C91.2 plus C91.20 and C91.21) were inactivated as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91.3 Polymphocytic leukaemia of B-cell type**SEVENTH EDITION****Background:**

The code titles (C91.3 plus C91.30 and C91.31) were amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91.5 Adult T-cell leukaemia/lymphoma (HTLV-1-associated)**SEVENTH EDITION****Background:**

The code titles (C91.5 plus C91.50 and C91.51) were amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The code titles (C91.5 plus C91.50 and C91.51) were amended as part of the updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

C91.6 Polymphocytic leukaemia of T-cell type**SEVENTH EDITION****Background:**

The codes (C91.6 plus C91.60 and C91.61) were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91.7 Other lymphoid leukaemia**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

In ICD-O Second Edition, there was a category M985 *Lymphosarcoma cell leukaemia*. In ICD-O Third Edition, this concept has been reclassified to M982-983 *Lymphoid leukaemia*.

The term was previously classified to C94.7 *Other specified leukaemia* (with an inclusional term under this code). The term was re-classified to C91.7 *Other lymphoid leukaemia* (with the inclusional term relocated to this code).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The inclusion term *lymphosarcoma cell leukaemia* was deleted and the term *T-cell large granular lymphocytic leukaemia (associated with rheumatoid arthritis)* was added as part of a major review of lymphoma and leukaemia codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C91.8 Mature B-cell leukaemia Burkitt-type**SEVENTH EDITION****Background:**

The codes (C91.8 plus C91.80 and C91.81) were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition. The excludes note was also added to clarify that *Burkitt Lymphoma with little or no bone marrow filtration* should be classified to C83.7.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The excludes note was amended as part of the updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

C92 Myeloid leukaemia**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

In ICD-O Second Edition there was one category M986 *Myeloid leukaemia*, whereas in ICD-O Third Edition there has been significant expansion and reclassification and the category now spans the morphology codes M984-993 *Myeloid leukaemia*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.0 Acute myeloblastic leukaemia [AML]**SEVENTH EDITION****Background:**

The code titles (C92.0 plus C92.00 and C92.01) were amended and inclusion terms added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.1 Chronic myeloid leukaemia [CML], BCR/ABL-positive**SEVENTH EDITION****Background:**

The code titles (C92.1 plus C92.10 and C92.11) were amended and inclusion terms and excludes note added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The excludes note was amended as part of the WHO URC updates Seoul 2009.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2009](#)
NCCC (TN170)

Relevant Australian Coding Standard:

Not applicable

C92.2 Atypical chronic myeloid leukaemia, BCR/ABL-negative**SEVENTH EDITION****Background:**

The code titles (C92.2 plus C92.20 and C92.21) were amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.3 Myeloid sarcoma**SEVENTH EDITION****Background:**

A glossary description was added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.4 Acute promyelocytic leukaemia [PML]**SEVENTH EDITION****Background:**

The code titles (C92.4 plus C92.40 and C92.41) were amended and inclusion terms added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.5 Acute myelomonocytic leukaemia**SEVENTH EDITION****Background:**

Inclusion terms were added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.6 Acute myeloid leukaemia with 11q23-abnormality**SEVENTH EDITION****Background:**

The codes (C92.6 plus C92.60 and C92.61) and an inclusion term were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.7 Other myeloid leukaemia**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

Chronic myelomonocytic leukaemia previously classified to C92.7 (M9869/3) as a myeloid leukaemia, was reclassified to C94.7 (M9945/3) as an *other specified leukaemia*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

An excludes note was added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C92.8 Acute myeloid leukaemia with multilineage dysplasia**SEVENTH EDITION****Background:**

The codes (C92.8 plus C92.81 and C92.81) and an inclusion term were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C93 Monocytic leukaemia**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

Monocytic leukaemia is classified in ICD-O-3 as a *myeloid leukaemia*, yet its classification to C93 (rather than C92) has been retained. The morphologies listed in the includes note were updated to reflect this.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was revised as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C93.0 Acute monoblastic/monocytic leukaemia**SEVENTH EDITION****Background:**

The code titles (C93.0 plus C93.00 and C93.01) were revised, and inclusion terms added and the excludes note deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C93.1 Chronic myelomonocytic leukaemia [CMML]**SEVENTH EDITION****Background:**

The code titles (C93.1 plus C93.10 and C93.11) were revised, and inclusion terms added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C93.2 Subacute monocytic leukaemia**SEVENTH EDITION****Background:**

The codes (C93.2 plus C93.20 and C93.21) were inactivated as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C93.3 Juvenile myelomonocytic leukaemia**SEVENTH EDITION****Background:**

The codes (C93.3 plus C93.30 and C93.31) were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94 Other leukaemias of specified cell type**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

Significant changes were made in ICD-O-3 to the grouping of morphologies, particularly in the area of *lymphoid and haematopoietic and related tissue*. The includes notes were altered to reflect the morphologies classified to each code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94.0 Acute erythroid leukaemia**SEVENTH EDITION****Background:**

The inclusion terms were revised as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94.1 Chronic erythraemia**SEVENTH EDITION****Background:**

The codes (C94.1 plus C94.10 and C94.11) were inactivated as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94.2 Acute megakaryoblastic leukaemia**SEVENTH EDITION****Background:**

The inclusion terms were revised as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94.4 Acute panmyelosis with myelofibrosis**SEVENTH EDITION****Background:**

The code titles (C94.4 plus C94.40 and C94.41) were revised and an inclusion term added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94.5 Acute myelofibrosis**SEVENTH EDITION****Background:**

The codes (C94.5 plus C94.50 and C94.51) were inactivated as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94.6 Myelodysplastic and myeloproliferative disease, not elsewhere classified**SEVENTH EDITION****Background:**

The codes (C94.6 plus C94.60 and C94.61) were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C94.7 Other specified leukaemias**SEVENTH EDITION****Background:**

Inclusion terms were added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C95 Leukaemia of unspecified cell type**SEVENTH EDITION****Background:**

The includes note was deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C95.0 Acute leukaemia of unspecified cell type**SEVENTH EDITION****Background:**

The inclusion term was amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C95.2 Subacute leukaemia of unspecified cell type**SEVENTH EDITION****Background:**

The codes (C95.2 plus C95.20 and C95.21) were inactivated as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C96 Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

Significant changes were made in ICD-O-3 to the grouping of morphologies, particularly in the area of *lymphoid and haematopoietic and related tissue*. The includes notes were altered to reflect the morphologies classified to each code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

The includes note was deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C96.0 Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis [Letterer-Siwe disease]

SEVENTH EDITION

Background:

The code title was amended and the inclusion terms revised as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C96.1 Malignant histiocytosis

SEVENTH EDITION

Background:

The code was deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C96.2 Malignant mast cell tumour

SEVENTH EDITION

Background:

The inclusion terms and excludes notes were amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C96.3 True histiocytic lymphoma**SEVENTH EDITION****Background:**

The code was inactivated as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C96.4 Sarcoma of dendritic cells (accessory cells)**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION ERRATA 5**Background:**

Typographical error corrected from *interdigitating* to *interdigitating*.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

C96.5 Multifocal and unisystemic Langerhans-cell histiocytosis**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C96.6 Unifocal Langerhans-cell histiocytosis**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

C96.8 Histiocytosis sarcoma**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

C97 Malignant neoplasms of independent (primary) multiple sites**SECOND EDITION****Background:**

This code was considered redundant and deleted in Second Edition as Australia applies the multiple conditions coding rule and each primary site would be coded.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0244 *Malignant neoplasms of independent multiple sites*

D06 Carcinoma in situ of cervix uteri**EIGHTH EDITION****Background:**

The WHO ICD-O morphology update (for implementation 1 January 2012) introduced new morphology codes for squamous intraepithelial neoplasia, low grade (M8077/0) and squamous intraepithelial neoplasia, high grade (M8077/2) relating to cervix, anus and oesophagus. These new concepts need to be included in ICD-10-AM to maintain the clinical currency of the classification. 'High grade squamous intraepithelial lesion(HGSIL)' was added as an inclusion term at D06 *Carcinoma in situ of cervix uteri*.

Source of recommended change:

WHO ICD-O morphology update (1 January 2012)
NCCC (TN406, TN361)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

The inclusion terms were deleted at the category level, as CIN grade III and HGSIL only apply to squamous intraepithelial lesions (D06.1-D06.9); D06.0 *Endocervix* should only be assigned for adenocarcinoma in situ of the cervix (aka high grade cervical glandular intraepithelial neoplasia (HGCGIN)).

Source of recommended change:

ACCD (TN637)

Relevant Australian Coding Standard:

Not applicable

D07.1 Carcinoma in situ of vulva**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)
[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D07.5 Carcinoma in situ of prostate**SEVENTH EDITION****Background:**

An excludes note was added at D07.5 in 2007 URC updates.

Source of recommended change:

WHO URC Trieste 2007 updates
NCCH (7TN828)

Relevant Australian Coding Standard:

Not applicable

D11 Benign neoplasm of major salivary glands**ELEVENTH EDITION****Background:**

Amendments were made to the *Excludes* note to correct formatting issues.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

Not applicable

D16 Benign neoplasm of bone and articular cartilage**SEVENTH EDITION****Background:**

The inclusion term was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The inclusion term was deleted as part of the updates to WHO ICD-10 updates.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

D16.4 Benign neoplasm of bones of skull and face**FIRST EDITION****Background:**

On the recommendation of the CCCG, two new Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

D18.0 Haemangioma**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for category D18.0 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The subdivision specifies the site of the haemangioma.

Source of recommended change:

NCCH

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION**Background:**

Following receipt of a public submission, ICD-10-AM was updated to support classification of angioma occurring in structures of the eye and adnexa.

Source of recommended change:

ACCD (TN1074)

Public submission (DP69)

Relevant Australian Coding Standard:

Not applicable

D28.0 Benign neoplasm of vulva**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D37.7 Neoplasm of uncertain or unknown behaviour of other digestive organs

EIGHTH EDITION

Background:

The NCCC ICD team was requested to create a code for neoplasm of uncertain or unknown behaviour of pancreas by the NCCC DRG team as a response to a public submission which stated that it is unsatisfactory for a neoplasm of uncertain or unknown behaviour of the pancreas to be assigned to MDC 06 *Diseases and disorders of the digestive system* while benign and malignant tumours of the pancreas are correctly assigned to MDC 07 *Diseases and disorder of the hepatobiliary system and pancreas*.

Currently the ICD-10-AM Alphabetic Index classifies neoplasm of uncertain or unknown behaviour of pancreas to D37.7 *Neoplasm of uncertain or unknown behaviour of other digestive organs* together with neoplasms of uncertain or unknown behaviour of oesophagus, intestine and anal canal and is assigned to MDC 06 in AR-DRG versions 5.1, 5.2 and 6.0.

To ensure that neoplasm of uncertain and unknown behaviour of pancreas is assigned to MDC 07 *Diseases and disorder of the hepatobiliary system and pancreas*, the following changes were made:

- Changed D37.7 *Neoplasm of uncertain or unknown behaviour of other digestive organs* to a non valid code
- Created code D37.71 *Neoplasm of uncertain or unknown behaviour of pancreas*
- Created code D37.79 *Neoplasm of uncertain or unknown behaviour of other specified digestive organs*

Source of recommended change:

DRG Public submission (DP17)
NCCC (TN193)

Relevant Australian Coding Standard:

Not applicable

D44 Neoplasm of uncertain or unknown behaviour of endocrine glands

EIGHTH EDITION

Background:

The excludes note was amended as part of changes to D37.7 – see [D37.7 Other digestive organs](#) for detail.

Source of recommended change:

DRG Public submission (DP17)
NCCC (TN193)

Relevant Australian Coding Standard:

Not applicable

D45 Polycythaemia vera**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The includes note was updated to reflect that *Polycythaemia vera* is classified with a malignant morphology code (although the existing D45 code remains in use).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was deleted and the note amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46 Myelodysplastic syndromes**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The includes note was updated to reflect that *Myelodysplastic syndromes* are classified with a malignant morphology code (although the existing D46 code remains in use).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was deleted and an excludes note added as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46.0 Refractory anaemia without ring sideroblasts, so stated**SEVENTH EDITION****Background:**

The code title was amended and an includes note was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46.1 Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia**SEVENTH EDITION****Background:**

The code title was amended and the includes note was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46.2 Myelodysplastic syndrome with excess blasts**SEVENTH EDITION****Background:**

The inclusion terms were created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46.3 Refractory anaemia with excess of blasts with transformation**SEVENTH EDITION****Background:**

The code was inactivated as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D46.4 Myelodysplastic syndrome with single lineage dysplasia**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46.5 Myelodysplastic syndrome with multilineage dysplasia**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46.6 Myelodysplastic syndrome with isolated del (5q)**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D46.7 Other myelodysplasia syndromes**SEVENTH EDITION****Background:**

The excludes note was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D47 Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The includes note was updated to reflect that *chronic myeloproliferative disorders* classified with a malignant morphology code (although the existing D47 category remains in use).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION ERRATA 2**Background:**

A minor amendment was made to the code in Errata 2 September 2004. The includes note was changed to correctly indicate that M997 should be assigned a behaviour code of /1 (not /3).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The includes note was deleted as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour**SEVENTH EDITION****Background:**

The inclusion terms and excludes note were amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D47.1 Chronic myeloproliferative disease**FOURTH EDITION****Background:**

In Errata 1 June 2004, the term *myeloproliferative disease, unspecified* was reclassified from D47.9.

In Errata 2 September 2004, the term *myeloproliferative disease, unspecified* was deleted and reclassified to [D47.9](#).

Source of recommended change:

NCCH

WHO

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The inclusion terms were amended and excludes notes created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D47.2 Monoclonal gammopathy of undetermined significance (MGUS)**SEVENTH EDITION****Background:**

The code title was amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D47.4 Osteomyelofibrosis**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D47.5 Chronic eosinophilic leukaemic [hypereosinophilic syndrome]**SEVENTH EDITION****Background:**

The code was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

Spelling errors of book, ECL full and abbreviated descriptors of D47.5 *Chronic eosinophilic leukaemia [hypereosinophilic syndrome]* in ICD-10-AM Tabular List were reported by EIS. On review, there is transposition of 'o' and 'e' in the terms 'eosinophilic' and 'hypereosinophilic' at the book title, ECL full and abbreviated descriptors at D47.5. Index entries of these terms were not affected.

Spelling errors in the book title, ECL full and abbreviated descriptors of D47.5 *Chronic eosinophilic leukaemia [hypereosinophilic syndrome]* have been corrected.

Source of recommended change:

ACCD (TN602)

Relevant Australian Coding Standard:

Not applicable

D47.7 Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue

THIRD EDITION

Background:

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The term *primary amyloidosis* was reclassified in ICD-O-3 to M976 *Immunoproliferative disease* (M9769/1). To reflect this change, it has been reclassified in ICD-10-AM from E85.9 *Amyloidosis, unspecified* to D47.7 *Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

The includes note was created as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D47.9 Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified

FOURTH EDITION ERRATA

Background:

In Errata 1 June 2004, the term *myeloproliferative disease, unspecified* was deleted and reclassified to D47.1.

In Errata 2 September 2004, the term *myeloproliferative disease, unspecified* was deleted at [D47.1](#) and reclassified to D47.9.

Source of recommended change:

NCCH

WHO

Relevant Australian Coding Standard:

Not applicable

D48.5 Neoplasm of uncertain or unknown behaviour of skin**FIRST EDITION****Background:**

Advice from the American Academy of Dermatology, Australian dermatologists and the Royal College of Pathologists of Australasia is that *keratoacanthoma* should be classified as a neoplasm of uncertain behaviour, rather than a skin lesion.

The term was reclassified from L85.8 *Other specified epidermal thickening* to D48.5 in the First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH
Oncology and Haematology CCCG
Dermatology CCCG

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The excludes note was amended as part of changes to D37.7 – see [D37.7 Other digestive organs](#) for detail.

Source of recommended change:

DRG Public submission (DP17)
NCCC (TN193)

Relevant Australian Coding Standard:

Not applicable

D50–D89 Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism**TENTH EDITION****Background:**

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

D56.1 Beta thalassaemia**FIRST EDITION****Background:**

Sickle cell beta thalassaemia occurs in a child who has one parent with thalassaemia or trait and one with sickle cell anaemia or trait. The term was reclassified from D56.1 *Beta thalassaemia* to D57.2 *Double heterozygous sickling disorders* in First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. This change was not adopted by WHO and so the classification of sickle cell beta thalassaemia to D56.1 in ICD-10 remains.

Source of recommended change:

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

D57.2 Double heterozygous sickling disorders**FIRST EDITION****Background:**

Sickle cell beta thalassaemia occurs in a child who has one parent with thalassaemia or trait and one with sickle cell anaemia or trait. The term was reclassified from D56.1 *Beta thalassaemia* to D57.2 *Double heterozygous sickling disorders* in First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. This change was not adopted by WHO and so the classification of sickle cell beta thalassaemia to D56.1 in ICD-10 remains.

Source of recommended change:

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

D61.9 Aplastic anaemia, unspecified**ELEVENTH EDITION****Background:**

Pancytopenia NOS was added to the *Inclusion* terms for consistency with the guidelines in ACS 0304 *Pancytopenia*.

Source of recommended change:

ACCD (TN1342)

Relevant Australian Coding Standard:

ACS 0304 *Pancytopenia*

D63* Anaemia in chronic diseases classified elsewhere**SEVENTH EDITION****Background:**

This code was validated due to the deletion of D63.0* and D63.8*. Coders should assign a code for *anaemia* from the lead term *Anaemia* in ICD-10-AM Alphabetic Index. An additional code should also be assigned for any documented *underlying cause* of the anaemia.

This asterisk code should only be assigned with the specific dagger codes that it is listed with in the Alphabetic Index (in the same sequence in which it appears – that is, the aetiology followed by the manifestation code).

Source of recommended change:

NCCH

Relevant Australian Coding Standard(s):

0002 *Additional diagnoses*

0027 *Multiple coding*

D63.0* Anaemia in neoplastic disease**SEVENTH EDITION****Background:**

This code was deleted following receipt of a number of coding queries. Coders should assign a code for *anaemia* from the lead term *Anaemia* in ICD-10-AM Alphabetic Index. An additional code should also be assigned where documentation indicates that the underlying cause of the anaemia is a *neoplasm*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0002 *Additional diagnoses*

0027 *Multiple coding*

D63.8* Anaemia in other chronic diseases classified elsewhere**SIXTH EDITION****Background:**

The inclusion term *Anaemia in chronic kidney disease ≥ stage 3 (N18.3 – N18.9†)* was added to reflect its importance in describing advanced chronic kidney disease.

Source of recommended change:

NCCH

AIHW

Kidney Australia

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

0002 *Additional diagnoses*

0027 *Multiple coding*

SIXTH EDITION ERRATA 1**Background:**

The inclusion term was amended to incorporate an NEC option.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

This code was deleted following receipt of a number of coding queries. Coders should assign a code for *anaemia* from the lead term *Anaemia* in ICD-10-AM Alphabetic Index. An additional code should also be assigned for any documented *underlying cause* of the anaemia.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0002 *Additional diagnoses*

0027 *Multiple coding*

1438 *Chronic kidney disease*

D64 Other anaemias**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D68.3 Haemorrhagic disorder due to circulating anticoagulants**SIXTH EDITION****Background:**

The excludes note was revised to *long term use of anticoagulants with haemorrhagic disorder* for consistency with the advice of ACS 0303.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0303 *Abnormal coagulation profile*

D68.8 Other specified coagulation defects**FIFTH EDITIONS****Background:**

The term *factor V Leiden [APC resistance]* was added to D68.8 following receipt of a query regarding classification of this condition.

Source of recommended change:

NCCH

Queries database

Relevant Australian Coding Standard:

Not applicable

D69.2 Other nonthrombocytopenic purpura**FIRST EDITION****Background:**

The terms *annularis telangiectodes purpura* and *Majocchi's disease* were reclassified to L81.7 *Pigmented purpuric dermatosis* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

D70 Agranulocytosis**SEVENTH EDITION****Background:**

The inclusion term was amended for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D72 Other disorders of white blood cells**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

The excludes note was amended to include the five character code D75.89 *Other specified diseases of blood and blood forming organs*.

Source of recommended change:

ACCD (TN656)

Relevant Australian Coding Standard:

Not applicable

D75.1 Secondary polycythaemia**SEVENTH EDITION****Background:**

The inclusion term was amended as part of a major review of *lymphoma and leukaemia* codes for Seventh Edition.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D75.2 Essential thrombocytosis**SEVENTH EDITION****Background:**

The code was deleted for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D75.8 Other specified diseases of blood and blood-forming organs**NINTH EDITION****Background:**

This code was invalidated and five character codes created to enable classification of *secondary thrombocytosis*:

D75.81 Secondary thrombocytosis

D75.89 Other specified diseases of blood and blood-forming organs

Source of recommended change:

[ACCD \(TN656\)](#)

Relevant Australian Coding Standard:

Not applicable

D76 Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue**SEVENTH EDITION****Background:**

The code title was amended and excludes note amended for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION**Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

D76.0 Langerhans' cell histiocytosis, not elsewhere classified**SEVENTH EDITION****Background:**

The code was deleted for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D89 Other disorders involving the immune mechanism, not elsewhere classified

SEVENTH EDITION

Background:

The excludes note was amended for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

D89.3 Immune reconstitution syndrome

SEVENTH EDITION

Background:

The code was created for consistency with the URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION

Background:

The inclusion term 'Immune reconstitution inflammatory syndrome [IRIS]' was created as part of the WHO URC updates Seoul 2009.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2009](#)

Relevant Australian Coding Standard:

Not applicable

D89.8 Other specified disorders involving the immune mechanism, not elsewhere classified

ELEVENTH EDITION

Background:

The term *hyperimmunoglobulin D [IgD] syndrome* was added following receipt of a public submission (P310).

Source of recommended change:

ACCD (TN1342)

Relevant Australian Coding Standard:

Not applicable

E05 Thyrotoxicosis [hyperthyroidism]**TENTH EDITION****Background:**

Following receipt of a public submission for thyroid eye disease and publication of advice regarding Graves' cardiomyopathy, improvements were made to the Tabular List and Alphabetic Index for both of these conditions.

Source of recommended change:

Public submission (P37)
ACCD (TN168)

Relevant Australian Coding Standard:

Not applicable

E05.9 Thyrotoxicosis, unspecified**TENTH EDITION****Background:**

Following receipt of a public submission for thyroid eye disease and publication of advice regarding Graves' cardiomyopathy, improvements were made to the Tabular List and Alphabetic Index for both of these conditions.

Source of recommended change:

Public submission (P37)
ACCD (TN168)

Relevant Australian Coding Standard:

Not applicable

E06.1 Subacute thyroiditis**FIRST EDITION****Background:**

The ICD-9-CM term *viral thyroiditis* was incorporated into First Edition on the recommendation of the CCCG.

Source of recommended change:

NCCH
Endocrinology CCCG

Relevant Australian Coding Standard:

Not applicable

E07.1 Dyshormogenetic goitre**FIRST EDITION****Background:**

The ICD-9-CM term *goitrous cretin* was incorporated into First Edition on the recommendation of the CCCG.

Source of recommended change:

NCCH
Endocrinology CCCG

Relevant Australian Coding Standard:

Not applicable

E09–E14 Impaired glucose regulation and diabetes mellitus**FIRST EDITION****Background:**

On the recommendation of the CCGG, a fifth character subdivision for the codes within block E10–E14 *Diabetes mellitus* was incorporated into First Edition. The subdivision distinguishes cases of *diabetes mellitus* that are stated to be *uncontrolled* and reflects the same level of specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

SECOND EDITION**Background:**

Diabetes mellitus was previously considered a single disease because the common diagnostic feature of diabetes is an elevated blood glucose concentration. More recent evidence suggests that diabetes mellitus is a heterogeneous group of metabolic abnormalities caused by many different mechanisms.

The codes within block E10–E14 *Diabetes mellitus* were extensively revised in the Second Edition. The index was also improved. The intention of the revision was to align the classification of *diabetes mellitus* in ICD-10-AM with the most contemporary knowledge in this most important national health area (see [Source of recommended change](#)).

Significant differences in ICD-10-AM Second Edition include:

- A change in terminology for E10 and E11 (Insulin-dependent to Type 1; Non-insulin dependent to Type 2);
- Inclusion of fifth character codes and the removal of the aetiology/manifestation convention for all codes from block E10–E14.
- Concepts were represented systematically throughout the categories in block E10–E14.
- E12 *Malnutrition-related diabetes mellitus* was deleted following clinical advice, as the concept was outdated and not seen in Australia.
- The concepts of *controlled* and *uncontrolled* were deleted.
- Introduction of codes for diabetes with features of insulin resistance.

ICD-10-AM Second Edition contains four categories for diabetes:

E10	<i>Type 1 diabetes mellitus</i>
E11	<i>Type 2 diabetes mellitus</i>
E13	<i>Other specified diabetes mellitus</i>
E14	<i>Unspecified diabetes mellitus</i>

Each category is split at the fourth character level into complication groups:

- .1 *with acidosis*
- .2 *with renal complication*
- .3 *with ophthalmic complication*
- .4 *with neurological complication*
- .5 *with circulatory complication*
- .6 *with other specified complication*
- .7 *with multiple complications*
- .8 *with unspecified complication*
- .9 *without complication*

The fifth characters further specify the type of complication.

For example:

E1-.3 ...with ophthalmic complication

E1-.33 ...with proliferative retinopathy

The codes in the diabetes mellitus section reflect a *with* relationship between diabetes and its recognised complications rather than, exclusively, a *cause and effect* relationship.

Because diabetes mellitus is regarded as a complex of conditions rather than a single disease entity, the ICD-10-AM classification is designed to capture this complexity by classifying complications that occur commonly *with* diabetes mellitus. This *with* relationship does not exclude cause and effect but rather, relieves the clinical coder of the need to establish if the complication is caused *by* diabetes in order to assign a code.

To effect such major change in the classification and maintain WHO classification principles, it was necessary to introduce concept changes into ICD-10-AM. A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. Researchers and data analysts need to be aware when searching for data relating to the codes in block E10–E14, that the meaning of some of the codes has changed between First and Second Editions. For a complete list of the new codes, deleted codes and concept changes in each category please refer to the '[Supplementary Listing](#)'.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

Definition, diagnosis and classification of diabetes mellitus and its complications. Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCCG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

THIRD EDITION

Background:

A review of diabetes was undertaken in line with WHO recommendations and changes. WHO criteria for *impaired glucose regulation* (revised 1999) was based on correctly conducted oral glucose tolerance testing. Changes to Third Edition include the creation of codes and deletion of codes:

New codes:

- E10.53 *Type 1 diabetes mellitus with diabetic ischaemic cardiomyopathy*
- E10.65 *Type 1 diabetes mellitus with poor control*
- E11.53 *Type 2 diabetes mellitus with diabetic ischaemic cardiomyopathy*
- E11.65 *Type 2 diabetes mellitus with poor control*
- E13.53 *Other specified diabetes mellitus with diabetic ischaemic cardiomyopathy*
- E13.65 *Other specified diabetes mellitus with poor control*
- E14.53 *Unspecified diabetes mellitus with diabetic ischaemic cardiomyopathy*
- E14.65 *Unspecified diabetes mellitus with poor control*

Inactivated codes:

- E10.20 *Type 1 diabetes mellitus with renal complication, unspecified*
- E10.30 *Type 1 diabetes mellitus with ophthalmic complication, unspecified*
- E10.50 *Type 1 diabetes mellitus with circulatory complication, unspecified*
- E10.59 *Type 1 diabetes mellitus with other specified circulatory complication*
- E11.20 *Type 2 diabetes mellitus with renal complication, unspecified*
- E11.30 *Type 2 diabetes mellitus with ophthalmic complication, unspecified*
- E11.50 *Type 2 diabetes mellitus with circulatory complication, unspecified*
- E11.59 *Type 2 diabetes mellitus with other specified circulatory complication*
- E13.20 *Other specified diabetes mellitus with renal complication, unspecified*
- E13.30 *Other specified diabetes mellitus with ophthalmic complication, unspecified*
- E13.50 *Other specified diabetes mellitus with circulatory complication, unspecified*
- E13.59 *Other specified diabetes mellitus with other specified circulatory complication*
- E14.20 *Unspecified diabetes mellitus with renal complication, unspecified*

- E14.30 *Unspecified diabetes mellitus with ophthalmic complication, unspecified*
 E14.50 *Unspecified diabetes mellitus with circulatory complication, unspecified*
 E14.59 *Unspecified diabetes mellitus with other specified circulatory complication*

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

[Definition, diagnosis and classification of diabetes mellitus and its complications](#). Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

[0401 Diabetes mellitus and impaired glucose regulation](#)

FOURTH EDITION**Background:**

Multiple queries received by the NCCH identified minor changes and enhancements were needed to reflect updated terminology relating to diabetes mellitus.

Changes:

- E1-.23 – Change of code title from with end-stage renal disease to with advanced renal disease

Addition of the following inclusion terms:

- Acute renal impairment at E1-.29
- Diabetic fibrous breast disease (mastopathy) (sclerosing lymphocytic lobulitis) at E1-.69
- Diabetic muscle infarction (aseptic myonecrosis) (ischaemic myonecrosis) (tumourform focal muscular degeneration) at E1-.69
- Non-alcoholic fatty (change of) liver at E1-.72
- Personal history of gestational diabetes at Z87.5
- Artificial pancreas at Z96.4
- Addition of *Use additional code* note at categories E11, E13 and E14 to indicate *insulin treatment*
- Expansion of Z92.2 *Personal history of long-term (current) use of other medicaments* to include fifth character subdivisions for *aspirin* (Z92.21), *insulin* (Z92.22) and *other medicaments* (Z92.28). The use of Z92.22 is for patients whose non Type I diabetes is being controlled by insulin therapy. It is not assigned in situations of limited insulin therapy (eg post surgery) and will not be assigned at the first admission that ongoing insulin treatment is initiated.
- New category O24.5- Pre-existing impaired glucose regulation, in pregnancy
- New fifth character for *unspecified insulin treatment* for use with categories O24.1 – O24.9

Source of recommended change:

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

[0401 Diabetes mellitus and impaired glucose regulation](#)

SIXTH EDITION

Background:

An extensive review of *impaired glucose regulation* (IGR) and *diabetes mellitus* was undertaken for ICD-10-AM Sixth Edition. These changes were initiated following:

- advice received from a number of associations involved in research and study on IGR and diabetes (eg Ausdiab, National Cholesterol Education Program).
- changes to the classification and terminology of *chronic kidney disease* (CKD)
- coding queries received by the NCCH.

Changes:

Codes were created, including:

- fourth and fifth character codes in category E09 *Impaired glucose regulation*
- fourth and fifth character codes in category E10 *Type 1 diabetes mellitus*
- fifth character codes were created in [O24.1-O24.9](#) for *oral hypoglycaemic therapy and other* (therapies)

Codes were inactivated, including:

- fourth and fifth character codes in category E09 *Impaired glucose regulation*
- fifth character codes E1-.23 **Diabetes mellitus with advanced renal disease* in E11-E14
- fifth character *1 non-insulin treated* in [O24.1-O24.9](#)

A number of code titles, inclusion terms, includes and excludes notes were modified.

A minor amendment was made to the [Table of Drugs and Chemicals](#).

Amendments were made to the Australian Coding Standards listed below.

Source of recommended change:

NCCH

Ausdiab

National Cholesterol Education Program

Coding Queries

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

0032 *Allied health interventions*

0403 *Hyperglycaemia*

0402 *Cystic fibrosis*

SEVENTH EDITION ERRATA 5

Background:

Significant changes were made to the diabetes mellitus (DM) coding standard (ACS 0401) for the Seventh Edition of ICD-10-AM – implemented across Australia from 1 July 2010. During the development of the Seventh Edition (by the National Centre for Classification in Health (NCCH), University of Sydney), it was recommended that a workshop of interested parties be convened to facilitate comprehensive commentary and advice for the NCCH in regard to diabetes mellitus classification. This suggestion emanated from concerns expressed by the Australian Institute of Health and Welfare (AIHW) around the quality of the DM morbidity data. Unfortunately, the changes to the Seventh Edition DM coding standards were implemented before such a workshop was convened.

The NCCC consulted widely with expert DM clinicians and conducted a workshop of interested parties on 4 March 2011, which focused on the clinical appropriateness of Seventh Edition ACS 0401 and the impact on statistical data given the significant changes made to the standard.

The main recommendation made during the workshop was that ‘when documented, diabetes mellitus should always be coded.’

However, while trying to action this recommendation the NCCC and ITG agreed that a thorough review of ACS 0401 *Diabetes mellitus and impaired glucose regulation* and the remaining sixteen recommendations from the diabetes workshop was necessary given:

- the classification (ACS) changes to affect this recommendation would impact on all the other rules and narrative in ACS 0401
- the negative impact that multiple rounds of classification changes would have on the longitudinal data – there could potentially be changes implemented in July 2012 (to affect the rule ‘when documented, diabetes mellitus should always be coded’) and then further changes in July 2013 to affect the remaining recommendations
- there was anecdotal evidence that there is some inconsistency in the application of Seventh Edition diabetes coding rules due to coder interpretation/application of the revised Seventh Edition ACS 0401 and some concern about “under coding” DM when documented.

The NCCC and ITG undertook a thorough review of ACS 0401 and the following general recommendations were made:

- A revised version of ACS 0401 would be released for implementation for use with Seventh Edition ICD-10-AM on 1 July 2012. The ITG recommended that this be made available in two versions:
 - one which focuses on the classification rules – this replaced the current ACS 0401.
 - one which contains all the relevant updated clinical detail and the classification rules – this is essentially an update, review and reformat of the content of Seventh Edition ACS 0401. This is referred to as ‘ACS 0401 – *Extended clinical version*’
- the revisions are limited, as far as possible, to the standard with changes to the Tabular List and Alphabetic Index only made where necessary to support the ACS 0401 revisions.
- the changes recommended by ITG are for both Seventh Edition (from 1 July 2012) and Eighth edition so as to limit the burden on coders and maintain consistency in DM coding for the remaining life of ICD-10-AM.

The following amendments were made for DM coding in ICD-10-AM Tabular List and Alphabetic Index and released and published as Seventh Edition Errata (June 2012, Seventh Edition) for implementation 1 July 2012:

- ICD-10-AM Tabular List:
 - revised inclusion terms at E09.72, E11.72, E13.72 and E14.72:
 - deleted inclusion term ‘hypertension’
 - revised inclusion term ‘dyslipidaemia’

from: dyslipidaemia (elevated fasting triglycerides and depressed HDL-cholesterol)
to: dyslipidaemia characterised by elevated fasting triglycerides or depressed HDL-cholesterol

 - added inclusion terms: ‘nonalcoholic steatohepatitis (NASH)’ and ‘overweight’
 - revised inclusion term ‘nonalcoholic fatty (change of) liver’, added term and abbreviation ‘disease (NAFLD)’
 - revised inclusion term ‘obesity’: deleted (meeting WHO or other recognised criteria), added NEM (morbid)
 - added the following note to E09.72, E11.72, E13.72 and E14.72
Note: Hypertension is a common disorder with a variety of causes and its attribution to insulin resistance is only accepted if accompanied with at least one of the features listed above.
 - revised inclusion terms at E1-.71 to include all codes from E1-.3-
 - removed the excludes notes at:
 - E1-.51 **Diabetes mellitus with peripheral angiopathy, without gangrene*

- E1-.52 **Diabetes mellitus with peripheral angiopathy, with gangrene*
- removed ACS 0401 symbol reference from:
 - P70.0 *Syndrome of infant of mother with gestational diabetes*
 - P70.1 *Syndrome of infant of a diabetic mother*
 - Z87.5 *Personal history of complications of pregnancy, childbirth and the puerperium*
 - Z92.22 *Insulin*
- ICD-10-AM Alphabetic Index:
 - deleted NEM 'with gangrene' from *Diabetes/with/angiopathy, peripheral/with/foot ulcer*
 - deleted code 'E1-.73' and added 'see ACS 0401 Diabetes mellitus and intermediate hyperglycaemia, 6 Diabetic foot' at the following index pathways:
 - *Diabetes/with/angiopathy, peripheral/with/foot ulcer*
 - *Diabetes/with/angiopathy, peripheral/with/gangrene/and foot ulcer*
 - *Diabetes/with/gangrene/with peripheral angiopathy/and foot ulcer*
 - *Diabetes/with/neuropathy/with foot ulcer*
 - added sub-term and see reference 'with foot ulcer — see ACS 0401 Diabetes mellitus and intermediate hyperglycaemia, 6 Diabetic foot' at the following index pathways:
 - *Diabetes/with/Charcot's arthropathy*
 - *Diabetes/with/arthropathy*
 - replaced 'and' with 'with' at *Diabetes/with/gangrene/and with peripheral angiopathy*
 - added the following at pathway '*Diabetes/with*':
 - 'arterial disease, peripheral — see *Diabetes/with/angiopathy, peripheral*'
 - made the following revisions at '*Diabetes/with/arthropathy*':
 - deleted index entry 'neuropathic E1-.61', and
 - added NEM (neuropathic)
 - revised see references at:
 - *Diabetes/with/dyslipidaemia*
 - *Diabetes/with/hypertension*
 - *Impaired/glucose regulation/with/dyslipidaemia*
 - *Impaired/glucose regulation/with/hypertension*
 from 'see ACS 0401 Diabetes mellitus and impaired glucose regulation, dyslipidaemia'
 to 'see ACS 0401 Diabetes mellitus and intermediate hyperglycaemia, 3 DM and IH with features of insulin resistance'
 - added 'NEC' and default code 'E1-.42' at *Diabetes/with/neuropathy/peripheral*
 - added index sub-term and code 'peripheral NEC E1-.42' at *Diabetes/with/neuropathy/polyneuropathy*
 - made the following changes at *Diabetes/with/obesity* and *Diabetes/with/overweight*:
 - added code 'E1-.72'
 - deleted *see reference* to ACS 0401
 - added NEM (morbid) to *Diabetes/with/obesity*
 - made the following changes at *Diabetes/with/peripheral vascular disease*:
 - deleted NEM (without gangrene)
 - deleted code (E1-.5-)
 - added 'see *Diabetes/with/angiopathy, peripheral*'
 - deleted sub-term and code 'with gangrene E1-.52'
 - made the following changes at *Diabetes/with/ulcer*
 - added essential modifier 'skin'
 - at sub-term 'foot'
 1. added 'see also ACS 0401 Diabetes mellitus and intermediate hyperglycaemia, 6 Diabetic foot'
 2. deleted all index sub-terms
 - added index sub-term 'intermediate — see Impaired, impairment/glucose regulation' to *Hyperglycaemia*
 - added default code 'E09.42' at *Impaired/glucose regulation/with/neuropathy/peripheral*

- made the following changes at *Impaired/glucose regulation/with/obesity*:
 - added NEM (morbid)
 - added code 'E09.72'
 - deleted *see reference* to ACS 0401
- added the following index sub-terms and codes to *Neuropathy*:
 - '*cachexia, diabetic* E1-.42'
 - '*diabetic*', with sub-terms and codes
 1. '*cachexia* E1-.42'
 2. '*early onset* E1-.42'
 3. '*ischaemic optic* E1-.39'
- made the following changes at *Obesity*:
 - deleted *see reference* to ACS 0401
 - added code 'E1-.72'.

Source of recommended change:

Diabetes workshop
 Endocrinology Clinical Technical Group
 ICD Technical Group
 NCCC (TN108)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*
 0701 *Cataract*
 1438 *Chronic kidney disease*

EIGHTH EDITION**Background:**

ACS 0401 *Intermediate hyperglycaemia and diabetes mellitus* was reviewed and re-released by the NCCC for implementation 1 July 2012. That review highlighted minor revisions that needed to be made for intermediate hyperglycaemia (IH) and diabetes mellitus (DM) in Eighth Edition. These were mostly changes to the ICD-10-AM Tabular List and Alphabetic Index. There were also a number of public submissions and queries submitted to NCCC which have highlighted areas requiring revision to the diabetes mellitus classification for Eighth Edition.

1. Update terminology of *impaired glucose regulation (IGR)* to *intermediate hyperglycaemia***Background:**

A joint WHO and International Diabetes Federation Technical Advisory Group was commissioned to review the WHO 1998 diagnosis and classification of diabetes mellitus. The report from this group does not use the term *impaired glucose regulation* (IGR) but rather *intermediate hyperglycaemia* (2006).

http://www.who.int/diabetes/publications/Definition%20and%20diagnosis%20of%20diabetes_new.pdf

The terminology was updated from 'IGR' to 'intermediate hyperglycaemia (IH)' in the 1 July 2012 release of ACS 0401. However, the change in terminology in the Tabular List and Alphabetic Index was not updated until Eighth Edition.

Changes:

Updated terminology of 'impaired glucose regulation' to 'intermediate hyperglycaemia' throughout the ICD-10-AM/ACS:

- Tabular List:
 - revised terminology in the code titles in the Tabular List for E09.-
 - revised terminology in other references in the Tabular List eg excludes notes
- Alphabetic Index:
 - at *Impaired/glucose regulation*: deleted all sub-terms and added 'see Hyperglycaemia/intermediate'
 - created new sub term 'intermediate' under lead term 'Hyperglycaemia'

- added all new pathways for codes in category E09.- under *Hyperglycaemia, intermediate*; essentially moved all entries which were previously under *Impaired/glucose regulation* to *Hyperglycaemia/intermediate*
- revised terminology in outstanding cross references to ACS 0401 in ACS:
 - ACS 0002 *Additional diagnoses*
 - ACS 1602 *Neonatal complications of maternal diabetes*
 - ACS 1438 *Chronic kidney disease*

2. Review Tabular List Note: *Diagnostic criteria* at E09-E14 and O24.2

Background:

The diagnostic criteria for diabetes mellitus and IGR/IH have been revised by WHO and the IDF (2006) and they have been reviewed by the CTG clinicians.

http://www.who.int/diabetes/publications/Definition%20and%20diagnosis%20of%20diabetes_new.pdf

The NCCC sought ITG advice about the usefulness of these criteria for coders in the classification and suggested the criteria be deleted rather than updated in Eighth Edition. After discussion during the ITG diabetes teleconference on 16 October 2011, it was recommended that the criteria be deleted from the Tabular List.

Changes:

Deleted diagnostic criteria in Tabular List at block E09-E14 and code O24.4 *Diabetes mellitus arising during pregnancy*.

3. Add index entries for *latent diabetes mellitus in adults (LADA)*

Background:

Following ITG feedback that LADA was infrequently documented, the NCCC agreed that the references to LADA/Type 1.5 diabetes mellitus be deleted in ACS 0401 (1 July 2012 revision) and that the condition be indexed appropriately in Eighth Edition.

The NCCC added index entries for LADA/Type 1.5 diabetes mellitus to guide coders to the correct code as was previously instructed in ACS 0401 (Seventh Edition).

Changes:

Alphabetic Index revised:

- at index pathway Diabetes/with added term 'autoimmune, in adults (LADA) (Type 1.5) E14.-' and sub-term 'with positive auto-antibodies (GAD) (IA2) E10.-'
- at index lead-term Diabetes added term 'Type 1.5 E14.-' and sub-term 'with positive auto-antibodies (GAD) (IA2) E10.-'

4. Additional clinical updates

Background:

Clinical review of the classification has highlighted some terms that should be added to the index at lead terms *Diabetes* and *Hyperglycaemia, intermediate*.

Changes:

The following revisions have been made in the Tabular List for Eighth Edition:

- added inclusion term:
 - 'diabetes mellitus with left ventricular diastolic dysfunction' to E1-.53

The following revisions have been made in the Alphabetic Index for Eighth Edition:

- revised classification of DM with Ebstein's changes from E1-.29 to E1-.22. Also revised terminology to Ebstein(-Armani)
- added the following to *Diabetes/with*:
 - 'arterial disease, peripheral – see Diabetes/with/angiopathy, peripheral'
 - 'claudication, intermittent – see Diabetes/with/angiopathy, peripheral'
 - 'high albuminuria E1-.21'
 - 'iridocyclitis E1-.39'
 - 'left ventricular diastolic dysfunction E1-.53'
 - 'metabolic syndrome E1-.72'
- added the following 'diabetic terms' to *Diabetes, diabetic* (see also point 5 below)

- 'Charcot's arthropathy E1-.61'
- 'frozen shoulder E1-.61'
- 'neuropathy, neuropathic', with sub-terms
 - 'cachexia E1-.42'
 - 'early onset E1-.42'
 - 'ischaemic optic E1-.39'
- 'neurophthisis, peripheral E1-.49'
- 'periarthritis, shoulder E1-.61'
- 'periungual telangiectasia E1-.62'
- 'rotator cuff syndrome E1-.61'
- added the following to *Hyperglycaemia/intermediate/with*
 - 'high albuminuria E09.21'
 - 'metabolic syndrome E09.72'
 - 'overweight E09.72'
- added NEMs (*acute*) (*chronic*) to *Diabetes/with/periodontitis*
- added default code 'E1-.42' to *Diabetes/with/neuropathy, peripheral*
- added default code 'E09.42' to *Hyperglycaemia/intermediate/with/neuropathy, peripheral*

5. Cross references for terms indexed as “diabetic”

Background:

At the ITG Diabetes Workshop (19 October 2011) the distinction between terms described/documented as 'diabetic' and 'diabetes with' and the classification of such terms was discussed. It was agreed that the NCCC should check the Alphabetic Index to ensure that diabetic terms were indexed not only under *Diabetes, diabetic* but also under the lead terms for the other conditions which were 'caused by' diabetes mellitus.

Terms indexed under both *Diabetes, diabetic* and *Diabetes/with* were also reviewed.

Changes:

The Alphabetic Index references for the following conditions have been revised so that there is either an additional sub term for *diabetic* or a cross reference *see Diabetes/with, . .*

- *Acetonaemia*
- *Dermopathy*
- *Diarrhoea*
- *Erythema*
- *Frozen shoulder*
- *Hyperosmolality*
- *Neuropathy: cachexia; early onset; ischaemic optic*
- *Periarthritis, shoulder*
- *Rotator cuff syndrome*
- *Scleroderma*
- *Shin spots*

Additional index entries were added for the following terms at *Diabetes, diabetic*:

- 'neuropathy/ischaemic optic E1-.39'
- 'neurophthisis, peripheral E1-.49'
- 'periungual telangiectasia E1-.62'
- 'periarthritis, shoulder E1-.61'
- 'rotator cuff syndrome E1-.61'

Index entry and sub-terms for *Diabetes, diabetic/gangrene* were deleted as these terms are sufficiently indexed at *Diabetes/with*.

6. Correction of inconsistencies between and within the Tabular and Index

a. Diabetes mellitus with fixed or persistent proteinuria

Background:

A query received by NCCC (Q2756) highlighted that the Tabular List and Alphabetic Index were inconsistent in the way terms 'fixed' and 'persistent' were depicted in the inclusion term 'proteinuria' for codes E09.21 and E1-.22; in the Index the terms were essential modifiers whereas in the Tabular they were NEMs. Clinical advice confirmed that the terms 'fixed' and 'persistent' should be essential modifiers for the allocation of E09.21 and E1-.22.

The NCCC also sought clinical advice regarding the classification of 'fixed' proteinuria, given that 'fixed' is not specified in the Index under the lead term *Proteinuria*. Clinicians' advice indicated that while the term 'fixed proteinuria' was not in common use, it should be classified to N39.1 *Persistent proteinuria, unspecified*.

Changes:

The following changes were made to the Tabular List:

- terms 'fixed' and 'persistent' added as essential modifiers at the inclusion term 'proteinuria' for codes E09.21 and E1-.22.

The following changes were made to the Alphabetic Index:

- terms 'fixed' and 'persistent' added as essential modifiers at *Hyperglycaemia/intermediate/with/proteinuria*.
- added 'fixed N39.1' to *Proteinuria*.

b. Diabetes mellitus with orthostatic hypotension**Background:**

A task (TN392) was created in response to a query which stated "The Index contains entries for *Hypotension, postural* and *Hypotension, orthostatic* and both terms are assigned to I95.1 *Orthostatic hypotension*. Index entries also exist for DM with postural hypotension, however there is no reference to DM with 'orthostatic' hypotension."

Clinical advice confirmed that 'orthostatic hypotension' was synonymous to 'postural hypotension' and that DM with orthostatic hypotension should be indexed to E1-.43 **Diabetes mellitus with diabetic autonomic neuropathy*.

Changes:

The following changes were made to the Tabular List:

- revised the inclusion terms at E1-.43 to include the term 'orthostatic hypotension'

The following changes were made to the Alphabetic Index:

added term 'orthostatic' to *Diabetes/with/hypotension*

c. IH and DM with retinal haemorrhages (E1-.31 and E1-.32)**Background:**

The Tabular inclusion term NEMs at E09.31 and E1-.31, and E09.32 and E1-.32 were inconsistent with the essential modifiers in the Index at *Diabetes/with/retinal/haemorrhages*.

Changes:

The Tabular inclusion terms at E1-.31 and E1-.32 have been revised so that 'dot-and-blot' and 'flame-shaped' are essential modifiers at E09.31 and E1-.31 and 'blotchy', 'round' and 'small' are essential modifiers at E09.32 and E1-.32.

7. Other ACS references to conditions that should always be coded ACS 0102 HIV/AIDS and ACS 0104 Viral hepatitis**Background:**

While drafting Rule 1 in ACS 0401, ITG referred to other standards which instructed coders to always code certain conditions, namely ACS 0102 *HIV/AIDS* and ACS 0104 *Viral hepatitis*.

ITG agreed that the wording in ACS 0102, ACS 0104 and ACS 0401 should be consistent and therefore the wording in ACS 0102 and ACS 0104 should be changed to be consistent with that in the draft ACS 0401 (see TN108, *Rule 1*).

Changes:

The following Australian Coding Standards changes have been made:

- ACS 0102 *HIV/AIDS*, the following sentence has been revised
from: 'Documentation of HIV status should always be coded even if the criteria for additional diagnosis is not met'.
to: 'HIV status should always be coded when documented'.
- ACS 0104 *Viral hepatitis*, the following sentence has been revised
from: 'Viral hepatitis or hepatitis carrier status should always be coded even if the criteria for additional diagnosis are not met'.
to: 'Viral hepatitis should always be coded when documented'.

Source of recommended change:

Diabetes workshop
Endocrinology Clinical Technical Group
ICD Technical Group
NCCC (TN284)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*
0701 *Cataract*
1438 *Chronic kidney disease*

NINTH EDITION

Background:

Instructional notes such as '*Use additional code to identify presence of CKD*' or '*Code also associated CKD*' were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*
1438 *Chronic kidney disease*

TENTH EDITION

Background:

Following publication of advice, the classification was amended for the coding of diabetes with arthropathy, sometimes described as neuropathic arthropathy. This amendment allows arthropathy NOS to be distinguished from arthritis NOS.

During development, an inconsistency was also identified in the Tabular List at E10.61, E11.61 and E13.61 for the inclusion term peri arthritis of shoulder.

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications has been clarified.

Source of recommended change:

ACCD
Coding Query (Q2871)

Relevant Australian Coding Standard:

Not applicable

E09.2 Intermediate hyperglycaemia with kidney complication**NINTH EDITION****Background:**

Instructional notes such as '*Use additional code to identify presence of CKD*' or '*Code also associated CKD*' were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*
1438 *Chronic kidney disease*

E09.5 Intermediate hyperglycaemia with peripheral angiopathy**TENTH EDITION****Background:**

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications has been clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E10.2 Type 1 diabetes mellitus with kidney complication**SEVENTH EDITION****Background:**

The *use additional code to identify the presence of chronic kidney disease (N18.-)* note was deleted, as it was incorrectly located at the category level. The instructional note was relocated to the code level (E10.21 and E10.22).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

Instructional notes such as '*Use additional code to identify presence of CKD*' or '*Code also associated CKD*' were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*
1438 *Chronic kidney disease*

E10.51 Type 1 diabetes mellitus with peripheral angiopathy, without gangrene**TENTH EDITION****Background:**

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E10.52 Type 1 diabetes mellitus with peripheral angiopathy, with gangrene**TENTH EDITION****Background:**

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E11.2 Type 2 diabetes mellitus with kidney complication**SEVENTH EDITION****Background:**

The *use additional code to identify the presence of chronic kidney disease (N18.-)* note was deleted, as it was incorrectly located at the category level. The instructional note was relocated to the code level (E11.21 and E11.22).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

Instructional notes such as *'Use additional code to identify presence of CKD'* or *'Code also associated CKD'* were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*
1438 *Chronic kidney disease*

E11.51 Type 2 diabetes mellitus with peripheral angiopathy, without gangrene**TENTH EDITION****Background:**

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E11.52 Type 2 diabetes mellitus with peripheral angiopathy, with gangrene**TENTH EDITION****Background:**

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E13.2 Other specified diabetes mellitus with kidney complication**SEVENTH EDITION****Background:**

The *use additional code to identify the presence of chronic kidney disease (N18.-)* note was deleted, as it was incorrectly located at the category level. The instructional note was relocated to the code level (E13.21 and E13.22).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

Instructional notes such as *'Use additional code to identify presence of CKD'* or *'Code also associated CKD'* were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*
1438 *Chronic kidney disease*

E13.51 Other specified diabetes mellitus with peripheral angiopathy, without gangrene

TENTH EDITION

Background:

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E13.52 Other specified diabetes mellitus with peripheral angiopathy, with gangrene

TENTH EDITION

Background:

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E14.2 Unspecified diabetes mellitus with kidney complication

SEVENTH EDITION

Background:

The *use additional code to identify the presence of chronic kidney disease (N18.-)* note was deleted, as it was incorrectly located at the category level. The instructional note was relocated to the code level (E14.21 and E14.22).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION

Background:

Instructional notes such as *'Use additional code to identify presence of CKD'* or *'Code also associated CKD'* were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*
1438 *Chronic kidney disease*

E14.51 Unspecified diabetes mellitus with peripheral angiopathy, without gangrene

TENTH EDITION

Background:

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E14.52 Unspecified diabetes mellitus with peripheral angiopathy, with gangrene

TENTH EDITION

Background:

Following publication of advice in Coding Rules, the classification of diabetes mellitus with venous complications was clarified.

Source of recommended change:

ACCD (TN769)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

E16.4 Abnormal secretion of gastrin

FIRST EDITION

Background:

A new code for abnormal secretion of gastrin was incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The terms *Hypergastrinaemia* and *Zollinger-Ellison syndrome* were reclassified from E16.8 *Other specified disorders of pancreatic internal secretion* to E16.4 in line with the introduction of this new code.

The advice to include this code and reclassify these terms in the First Edition was issued with the First Errata (April 1998) to the First Edition. The code became effective from July 1998.

Source of recommended change:

Endocrinology CCCG

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

E16.8 Other specified disorders of pancreatic internal secretion**FIRST EDITION****Background:**

The Australian proposal to WHO to introduce a new code for *abnormal secretion of gastrin* (E16.4) was originally approved by WHO for category E16.8. Hence, the introduction of two new Australian codes, E16.81 *Increased secretion of gastrin* and E16.88 *Other specified disorders of pancreatic internal secretion*. E16.8 became a subcategory.

The WHO decision was changed shortly before publication of the First Edition, which resulted in the changes to this category. The two Australian codes were deleted, E16.4 *Abnormal secretion of gastrin* was introduced and E16.8 *Other specified disorders of pancreatic internal secretion* reverted to a valid code.

The terms *Hypergastrinaemia* and *Zollinger-Ellison syndrome* were reclassified from E16.8 to E16.4 *Abnormal secretion of gastrin* in line with the introduction of E16.4.

The advice to implement these changes into First Edition was issued with the First Errata (April 1998) to the First Edition and became effective from July 1998.

Source of recommended change:

NCCH

Endocrinology CCGG

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

E21.2 Other hyperparathyroidism**SEVENTH EDITION****Background:**

An inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

E22.1 Hyperprolactinaemia**FIRST EDITION****Background:**

On the recommendation of the CCGG, the ICD-9-CM term *Forbes-Albright syndrome* was incorporated into First Edition.

Source of recommended change:

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

Not applicable

E23.2 Diabetes insipidus**FIRST EDITION****Background:**

On the recommendation of the CCCG, the ICD-9-CM term *vasopressin deficiency* was incorporated into First Edition.

Source of recommended change:

NCCH
Endocrinology CCCG

Relevant Australian Coding Standard:

Not applicable

E40-E46 Malnutrition**SIXTH EDITION****Background:**

NCCH received a public submission regarding the definition of *malnutrition* in ICD-10-AM. As a result, the category note at E40-E46 *Malnutrition* was amended to separate the criteria for adults and children. The notes were also amended at:

- E43 *Unspecified severe protein-energy malnutrition*
- E44.0 *Moderate protein-energy malnutrition*
- E44.1 *Mild protein-energy malnutrition*

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

A minor typographical error in the definition was identified and amended from *moderate* to *mild*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

E66.0 Obesity due to excess calories**SIXTH EDITION****Background:**

An excludes note was added following a review of *impaired glucose regulation* (IGR) and *diabetes mellitus* undertaken for ICD-10-AM [Sixth Edition](#).

Source of recommended change:

NCCH
Ausdiab
National Cholesterol Education Program
Coding Queries

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

E66.2 Obesity with alveolar hypoventilation**EIGHTH EDITION****Background:**

In response to a public submission regarding obesity hypoventilation syndrome, an inclusion term for 'Obesity hypoventilation syndrome (OHS)' was added at this code.

Source of recommended change:

Public submission (P67)
NCCC (TN368)

Relevant Australian Coding Standard:

Not applicable

E70.8 Other disorders of aromatic amino-acid metabolism**FIRST EDITION****Background:**

On the recommendation of the CCCG, the ICD-9-CM term *indicanuria* was incorporated into First Edition.

Source of recommended change:

NCCH
Endocrinology CCCG

Relevant Australian Coding Standard:

Not applicable

E71.1 Other disorders of branched-chain amino-acid metabolism**FIRST EDITION****Background:**

On the recommendation of the CCCG, the ICD-9-CM term *leucinosi*s was incorporated into First Edition.

Source of recommended change:

NCCH
Endocrinology CCCG

Relevant Australian Coding Standard:

Not applicable

E72.0 Disorders of amino-acid transport**SIXTH EDITION****Background:**

Cystine storage disease was added as an inclusion term at E72.0 for consistency with changes to chronic kidney disease ([CKD](#))

Source of recommended change:

NCCH
Kidney Australia

Relevant Australian Coding Standard:

Not applicable

E79.0 Hyperuricaemia without signs of inflammatory arthritis and tophaceous disease

FIRST EDITION

Background:

The term *lithaemia* was reclassified to E79.0 from R79.8 *Other specified abnormal findings of blood chemistry* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

E79.8 Other disorders of purine and pyrimidine metabolism

FIRST EDITION

Background:

The term *xanthine calculus* was classified to E79.8 following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to classify this term was issued with the First Errata (April 1998) to First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

E83.5 Disorders of calcium metabolism

FIRST EDITION

Background:

The term *metastatic calcification* was reclassified to E83.5 from R89.7 *Abnormal findings in specimens from other organs, systems and tissues, abnormal histological findings* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

E84 Cystic fibrosis**NINTH EDITION****Background:**

This task emanated from a number of coding queries related to the classification and sequencing of cystic fibrosis (CF) and its manifestations which highlighted limitations of the current structure of the CF codes in ICD-10 and hence ICD-10-AM.

Consequently, codes in category E84 were aggregated to a single three character code eliminating confusion over assigning a particular E84.- depending on the manifestation or differing combinations of manifestations. This brings the coding of cystic fibrosis into line with other chronic conditions, with sequencing being determined by ACS 0001 *Principal diagnosis/Problems and underlying conditions* and the assignment of manifestation codes in accordance with ACS 0002 *Additional diagnoses*.

Source of recommended change:

ACCD/TN484

Relevant Australian Coding Standard:

ACS 0402 *Cystic fibrosis*

E84.8 Cystic fibrosis with other manifestations**EIGHTH EDITION****Background:**

The WHO URC Annual Meeting in Cape Town 2011 (WHO-FIC) approved tabular and index changes for cystic fibrosis with combined manifestations. The members agreed to delete the inclusion term at E84.8 *Cystic fibrosis with combined manifestations* allowing the use of more than one code from E84.- to capture all the CF manifestations that are relevant to the episode of care, thereby facilitating comprehensive data for classification and research purposes.

The main changes that have been made to ICD-10-AM Eighth Edition include:

- ICD-10-AM Tabular List:
 - Delete the inclusion term at E84.8 'cystic fibrosis with combined manifestations'
- ICD-10-AM Alphabetic Index:
 - Delete the index entry 'combined manifestations' under the lead term 'Fibrosis, fibrotic'
- ACS:
 - Modify ACS 0402 *Cystic fibrosis* to be consistent with tabular and index changes listed above.

Source of recommended change:

WHO URC updates Cape Town 2011
Coding Matters (June 2010)
NCCC (TN435)

Relevant Australian Coding Standard:

0402 *Cystic fibrosis*

E85 Amyloidosis**THIRD EDITION****Background:**

A number of amendments were made to ICD-10-AM for consistency with the content of ICD-O Third Edition (ICD-O-3).

The term *primary amyloidosis* was reclassified in ICD-O-3 under M976 *Immunoproliferative disease* (M9769/1). To reflect this change, the term was reclassified in ICD-10-AM from E85.9 *Amyloidosis, unspecified* to D47.7 *Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

E87.0 Hyperosmolarity and hypernatraemia**SIXTH EDITION****Background:**

The excludes note was amended following a review of *impaired glucose regulation* (IGR) and *diabetes mellitus* undertaken for ICD-10-AM [Sixth Edition](#).

Source of recommended change:

NCCH

Ausdiab

National Cholesterol Education Program

Coding Queries

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

E87.1 Hypo-osmolality and hyponatraemia**FIRST EDITION****Background:**

The term *low salt syndrome* was reclassified to E87.1 from N28.8 *Other specified disorders of kidney and ureter* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

E88 Other metabolic disorders**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) updates 2008](#)

Relevant Australian Coding Standard:

Not applicable

E88.0 Disorders of plasma-protein metabolism, not elsewhere classified**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) updates 2008](#)

Relevant Australian Coding Standard:

Not applicable

E88.8 Other specified metabolic disorders**SECOND EDITION****Background:**

The terms *mitochondrial (cytopathy) (defect) (disease) (disorder) (syndrome) NOS* was reclassified from G31.88 to E88.8 in Second Edition. The reasons why are covered in the explanation of changes to [G31.8](#).

Source of recommended change:

NCCH

Neurosciences CCGG

WHO

ICD-NA – The Application of the International Classification of Diseases to Neurology – 2nd edition

Relevant Australian Coding Standard:

0627 *Mitochondrial disorders*

E90 Nutritional and metabolic disorders in diseases classified elsewhere**THIRD EDITION****Background:**

Duplication of the dagger and asterisk codes were reviewed. Where a dagger code sufficiently described both aetiology and manifestation, the asterisk code was made redundant.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

F00–F09 Organic, including symptomatic, mental disorders**ELEVENTH EDITION****Background:**

A public submission and a query (22/09, Q2691) were received highlighting Alphabetic Index inconsistencies regarding epilepsy and psychosis and the clinical concept of 'epileptic psychosis'. The indexing for this clinical concept was precoordinated, primarily for mortality use cases, with the terms 'due to' and 'associated with' in lead terms and subterms.

Codes for both 'epilepsy' and 'psychosis' are assigned to classify 'epileptic psychosis' as per the ICD-10-AM *Conventions used in the Tabular List/Multiple condition coding convention*. Thus, amendments were made to the Tabular List and Alphabetic Index for acute, chronic and NOS forms of epileptic psychosis and postictal state.

Source of recommended change:

ACCD (TN62)

Relevant Australian Coding Standard:

N/A

F02.8* Dementia in other specified diseases classified elsewhere**SIXTH EDITION****Background:**

Minor amendments were made to this code for consistency with changes to chronic kidney disease ([CKD](#)).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances**FIRST EDITION****Background:**

On the recommendation of the CCCG, the ICD-9-CM term *Meynert's amentia, non-alcoholic* was incorporated into First Edition.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

SECOND EDITION**Background:**

On the recommendation of the CCCG, five new Australian codes were incorporated into Second Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *post traumatic amnesia* and its duration from other organic amnesic syndromes.

Source of recommended change:

Coding query/NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

F06.3 Organic mood [affective] disorders

FOURTH EDITION

Background:

Fifth character codes were created for consistency with ICD-10 Classification of Mental and Behavioural Disorders (WHO).

Note: ICD-10 Classification of Mental and Behavioural Disorders (WHO) uses conventions different to ICD-10-AM. Therefore, although the concepts are consistent, the wording and numbering differ between the two classifications.

Source of recommended change:

NCCH
WHO

Relevant Australian Coding Standard:

Not applicable

F06.9 Unspecified mental disorder due to brain damage and dysfunction and to physical disease

FIRST EDITION

Background:

The terms mental disorder due to general medical condition, mental disorder following organic brain damage and organic or symptomatic mental disorder were reclassified to F06.9 from F09 Unspecified organic or symptomatic mental disorder. These changes followed a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Cardiff, 1999.

The advice to reclassify these terms was issued with the Fifth Errata (April 1999) to the First Edition. The changes became effective from April 1999.

Source of recommended change:

WHO 1999 decision/2001 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F07.0 Organic personality disorder**FIRST EDITION****Background:**

The term *change of personality* was reclassified to F62.9 *Enduring personality change, unspecified* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

The term organic personality disorder was reclassified to F07.0 from F07.9 Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction. The advice to reclassify this term was issued with the Fifth Errata (April 1999) to the First Edition. The change became effective from April 1999. A recommendation from the Australian Collaborating Centre (AIHW/NCCH) to change this term was presented at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Rio de Janeiro, 2000.

Source of recommended change:

NCCH

WHO 1997 decision/1999 recommended implementation date for ICD-10 (for change of personality)

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION**Background:**

Following receipt of a query regarding classification of dysexecutive syndrome, the term was added to F07.0. A number of synonymous terms were also added to the Alphabetic Index.

Source of recommended change:

ACCD (TN1046)

Coding query (Q2885)

Relevant Australian Coding Standard:

Not applicable

F07.2 Postconcussional syndrome**SEVENTH EDITION****Background:**

An excludes note was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) updates 2008](#)

Relevant Australian Coding Standard:

Not applicable

F07.9 Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction

FIRST EDITION

Background:

The term organic personality disorder was reclassified to F07.0 Organic personality disorder.

The advice to reclassify this term was issued with the Fifth Errata (April 1999) to the First Edition. The change became effective from April 1999. A recommendation from the Australian Collaborating Centre (AIHW/NCCH) to change this term was presented at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Rio de Janeiro, 2000.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

F09 Unspecified organic or symptomatic mental disorder

FIRST EDITION

Background:

The terms mental disorder due to general medical condition, mental disorder following organic brain damage and organic or symptomatic mental disorder were reclassified to F06.9 Unspecified mental disorder due to brain damage and dysfunction and to physical disease. These changes follow a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Cardiff, 1999.

The advice to reclassify these terms was issued with the Fifth Errata (April 1999) to the First Edition. The changes became effective from April 1999.

Source of recommended change:

WHO 1999 decision/2001 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F10–F19 Mental and behavioural disorders due to psychoactive substance use

FIRST EDITION

Background:

The term *abuse* (when used in the context of category F10-F19) was replaced by the term *use disorder*. This change was based on the recommendation of the CCCG and reflects the terminology used in Australia.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

0503 *Drug and alcohol use disorders*

THIRD EDITION

Background:

The change to the term *use disorder* in First Edition changed the meaning of the inclusion term (*Psychoactive substance use disorder*). Consequently, *NOS* was added to the inclusion term to rectify this issue.

Source of recommended change:

NCCH

Mental Health CCG

Relevant Australian Coding Standard:

0503 *Drug and alcohol use disorders*

TENTH EDITION

Background:

Following receipt of a public submission, the statement advising that “not all fourth character codes are applicable to all substances” was removed from ACS 0503 and ICD-10-AM to clarify that codes in block F10–F19 Mental and behavioural disorders due to psychoactive substance use with a fourth character are applicable to conditions with certain substance use even if these conditions rarely occur.

Source of recommended change:

Public submission (P223)

Relevant Australian Coding Standard:

0503 *Drug and alcohol use disorders*

F13 Mental and behavioural disorders due to use of sedatives or hypnotics

SEVENTH EDITION

Background:

Fifth characters were created to identify the type of sedative or hypnotics following the review of codes for *GHB, ecstasy and ketamine*.

Source of recommended change:

Public submission (23/06) from the National Drug and Alcohol Research Centre

Relevant Australian Coding Standard:

Not applicable

F15 Mental and behavioural disorders due to use of other stimulants, including caffeine

SEVENTH EDITION

Background:

Fifth characters were created to identify the type of stimulants following the review of codes for *GHB, ecstasy and ketamine*.

Source of recommended change:

Public submission (23/06) from the National Drug and Alcohol Research Centre

Relevant Australian Coding Standard:

Not applicable

F16 Mental and behavioural disorders due to use of hallucinogens**SEVENTH EDITION****Background:**

Fifth characters were created to identify the type of hallucinogens following the review of codes for *GHB, ecstasy and ketamine*.

Source of recommended change:

Public submission (23/06) from the National Drug and Alcohol Research Centre

Relevant Australian Coding Standard:

Not applicable

F23 Acute and transient psychotic disorders**FOURTH EDITION****Background:**

Fifth characters were created for consistency with ICD-10 Classification of Mental and Behavioural Disorders (WHO).

Note: ICD-10 Classification of Mental and Behavioural Disorders (WHO) uses conventions different to ICD-10-AM. Therefore, although the concepts are consistent, the wording and numbering differ between the two classifications.

Source of recommended change:

NCCH

WHO

Relevant Australian Coding Standard:

Not applicable

ELEVENTH EDITION**Background:**

Amendments were made to this category for consistency with amendments regarding the classification of '[epileptic psychosis](#)'.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

Not applicable

F40.0 Agoraphobia**FIRST EDITION****Background:**

On the recommendation of the CCCG, two new Australian codes were incorporated into First Edition to identify *agoraphobia with panic disorder*. This change aligns the specificity of ICD-10-AM with ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines.

Source of recommended change:

ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines. WHO:Geneva. 1992.

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

0511 *Panic attacks with phobia*

F40.1 Social phobias**EIGHTH EDITION****Background:**

Following a general ACS review, it was decided that the advice in ACS 0511 *Panic attacks with phobia* can be incorporated into ICD-10-AM Tabular List and the standard deleted. The following instructional note was created at this code “Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.”.

Source of recommended change:

NCCC (TN369)

Relevant Australian Coding Standard:

0511 *Panic attacks with phobia*

F40.2 Specific (isolated) phobias**EIGHTH EDITION****Background:**

Following a general ACS review, it was decided that the advice in ACS 0511 *Panic attacks with phobia* can be incorporated into ICD-10-AM Tabular List and the standard deleted. The following instructional note was created at this code “Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.”.

Source of recommended change:

NCCC (TN369)

Relevant Australian Coding Standard:

0511 *Panic attacks with phobia*

F40.8 Other phobic anxiety disorders**EIGHTH EDITION****Background:**

Following a general ACS review, it was decided that the advice in ACS 0511 *Panic attacks with phobia* can be incorporated into ICD-10-AM Tabular List and the standard deleted. The following instructional note was created at this code “Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.”.

Source of recommended change:

NCCC (TN369)

Relevant Australian Coding Standard:

0511 *Panic attacks with phobia*

F40.9 Phobic anxiety disorder, unspecified**EIGHTH EDITION****Background:**

Following a general ACS review, it was decided that the advice in ACS 0511 *Panic attacks with phobia* can be incorporated into ICD-10-AM Tabular List and the standard deleted. The following instructional note was created at this code “Use additional code (F41.0) to identify phobia with panic attacks (disorder), if applicable.”.

Source of recommended change:

NCCC (TN369)

Relevant Australian Coding Standard:

0511 *Panic attacks with phobia*

F41.0 Panic disorder [episodic paroxysmal anxiety]**EIGHTH EDITION****Background:**

Following a general ACS review, it was decided that the advice in ACS 0511 *Panic attacks with phobia* can be incorporated into ICD-10-AM Tabular List and the standard deleted. The following instructional note was created at this code “Code first the phobia (F40.1–F40.9) to identify phobia with panic attacks (disorder), if applicable.”.

Source of recommended change:

NCCC (TN369)

Relevant Australian Coding Standard:

0511 *Panic attacks with phobia*

F44.8 Other dissociative [conversion] disorders**FIRST EDITION****Background:**

On the recommendation of the CCCG, four new Australian codes were incorporated into First Edition to identify the most common *dissociative [conversion] disorders*. This change aligns the specificity of ICD-10-AM with ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines.

Source of recommended change:

ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines. WHO:Geneva. 1992.

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

F44.82 Transient dissociative [conversion] disorders occurring in childhood and adolescence**EIGHTH EDITION****Background:**

Code title has been amended to “Transient dissociative [conversion] disorders occurring in childhood and adolescence” so that the spelling is consistent with WHO ICD-10 Classification of Mental and Behavioural Disorders and other codes within that category.

Source of recommended change:

NCCC (TN153)

Relevant Australian Coding Standard:

Not applicable

F45.0 Somatisation disorder**FIRST EDITION****Background:**

The term *Briquet's disorder* was reclassified to F45.0 from F48.8 *Other specified neurotic disorders* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F45.3 Somatoform autonomic dysfunction**FIRST EDITION****Background:**

On the recommendation of the CCCG, four new Australian codes were incorporated into First Edition to identify the organ or systems concerned. This change aligns the specificity of ICD-10-AM with ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines.

Source of recommended change:

ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines. WHO:Geneva. 1992.

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

F48.8 Other specified neurotic disorders**FIRST EDITION****Background:**

The term *Briquet's disorder* was reclassified from F48.8 to F45.0 *Somatisation disorder* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F52.0 Lack or loss of sexual desire**FIRST EDITION****Background:**

The term hypoactive sexual desire disorder, female was reclassified to F52.0 from N94.8 Other specified conditions associated with female genital organs and menstrual cycle. The term hypoactive sexual desire disorder, male was reclassified to F52.0 from N50.8 Other specified disorders of male genital organs. These changes follow a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F52.2 Failure of genital response**FIRST EDITION****Background:**

The term *sexual arousal disorder, female* was reclassified to F52.2 from N94.8 *Other specified conditions associated with female genital organs and menstrual cycle* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F52.3 Orgasmic dysfunction**FIRST EDITION****Background:**

The term orgasmic disorder, female was reclassified to F52.3 from N94.8 Other specified conditions associated with female genital organs and menstrual cycle. The term orgasmic disorder, male was reclassified to F52.3 from N50.8 Other specified disorders of male genital organs. These changes follow a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F55 Harmful use of nondependence-producing substances**FIRST EDITION****Background:**

On the recommendation of the CCCG, nine new Australian codes were incorporated into First Edition to identify the most common *non-dependence-producing substances*. This change aligns the specificity of ICD-10-AM with ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines.

The term *abuse* (when used in the context of non-dependence-producing substance use) was replaced by the term *harmful use*. This change was based on the recommendation of the CCCG and reflects the terminology used in Australia.

Source of recommended change:

ICD-10 Classification of Mental and Behavioural Disorders – Clinical descriptions and diagnostic guidelines. WHO:Geneva. 1992.

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

F62.9 Enduring personality change, unspecified**FIRST EDITION****Background:**

The term *change of personality* was reclassified to F62.9 from F07.0 *Organic personality disorder* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder]**ELEVENTH EDITION****Background:**

An *Excludes* note was added following a review and subsequent deletion of ACS 0526 *Münchhausen's by proxy*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

ACS 0526 *Münchhausen's by proxy*

G00–G99 Diseases of the nervous system**TENTH EDITION****Background:**

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

G11 Hereditary ataxia**SIXTH EDITION****Background:**

A minor amendment was made to the excludes note, as [E90](#) is not an active code in ICD-10-AM.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

G14 Postpolio syndrome**SEVENTH EDITION****Background:**

The code was created for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

G24.0 Drug-induced dystonia**SEVENTH EDITION****Background:**

An inclusion term for *tardive dyskinesia* was added following a request from 3M.

Tardive dyskinesia is involuntary movements of the tongue, lips, face, trunk and extremities caused by long term use of dopaminergic antagonist medications.

In ICD-9-CM *tardive dyskinesia* was classified to 333.82 *Orofacial dyskinesia*. This was misleading, as it affects the extremities as well as the face and mouth. In ICD-10-AM, *tardive dyskinesia* has been reclassified to indicate its aetiology (that is, drug usage). *Orofacial dyskinesia* has also been reclassified to G24.4 *Idiopathic orofacial dystocia*.

Source of recommended change:

NCCH

3M

Relevant Australian Coding Standard:

Not applicable

G25.8 Other specified extrapyramidal and movement disorders**FIRST EDITION****Background:**

On the recommendation of the CCCG, the ICD-9-CM term *acathisia due to drugs* was incorporated into First Edition.

Source of recommended change:

NCCH
Neurosciences CCCG

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

Following a public submission (P125) regarding the spelling of *acathisia* and *akathisia*, it was noted that the index entries for these terms were also inconsistent.

Clinical advice clarified that *akathisia* is sometimes spelt with a 'c', but the correct spelling is with a 'k'. *Akathisia* is usually a side effect of medications/drugs in psychiatric disease and rarely unspecified or of unknown aetiology. *Akathisia* can be a manifestation in true Parkinson's disease.

The following changes were made at this code:

- Created inclusion term: *Akathisia (drug-induced) (treatment-induced)*
- Created instructional note(s): *Use additional external cause code (Chapter 20) to identify drug, if drug-induced.*

Source of recommended change:

Public submission (P125)
NCCC (TN388)

Relevant Australian Coding Standard:

Not applicable

G30 Alzheimer's disease**SEVENTH EDITION****Background:**

Includes and excludes note were deleted from the block level and moved to the code level as *senile form* only applies to G30.1 *Alzheimer's disease with late onset* and *presenile form* applies to [G30.0 Alzheimer's disease with early onset](#).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

G30.0 Alzheimer's disease with early onset**SEVENTH EDITION****Background:**

An inclusion term (*Alzheimer's type presenile dementia*) was added for consistency with the indexing of this condition: *Dementia, presenile, Alzheimer's type G30.0+ F00.0**.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

G30.1 Alzheimer's disease with late onset**SEVENTH EDITION****Background:**

An inclusion term (*Alzheimer's type senile dementia*) was added for consistency with the indexing of this condition: *Dementia, senile, Alzheimer's type G30.1+ F00.1**. An excludes note, previously incorrectly located at the category level, was also added.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

G30.8 Other Alzheimer's disease**ELEVENTH EDITION****Background:**

An *Inclusion* term was added following a review and subsequent deletion of ACS 0528 *Alzheimer's disease*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0528 *Alzheimer's disease*

G30.9 Alzheimer's disease, unspecified**ELEVENTH EDITION****Background:**

An *Inclusion* term was added following a review and subsequent deletion of ACS 0528 *Alzheimer's disease*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0528 *Alzheimer's disease*

G31.0 Circumscribed brain atrophy**SEVENTH EDITION****Background:**

An inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

G31.1 Senile degeneration of brain, not elsewhere classified**SEVENTH EDITION****Background:**

The excludes notes was amended to correct the code for *Alzheimer's disease* (G30.1).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

G31.3 Lewy body disease**FOURTH EDITION****Background:**

A code was created for this condition following clinical advice.

Source of recommended change:

URC

NSW CAC/ NCCH

Relevant Australian Coding Standard:

Not applicable

G31.8 Other specified degenerative diseases of nervous system**FIRST EDITION****Background:**

Various mitochondrial syndromes warrant identification with a unique code. They are: Mitochondrial encephalopathy lactic acidosis stroke-like episode syndrome (MELAS); Myoclonus epilepsy ragged red fibre syndrome (MERRF); and Chronic progressive external ophthalmoplegia. A code for mitochondrial cytopathy was incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

Neurosciences CCG

Ophthalmology CCG

Relevant Australian Coding Standard:

0627 *Mitochondrial disorders*

SECOND EDITION

Background:

Mitochondrial diseases are the subject of a great deal of medical research. However, our understanding of the complexities of mitochondrial diseases is still incomplete.

Mitochondrial DNA deletions and point mutations are increasingly being identified as the cause of other conditions. These include a large number of multisystemic disorders of extremely variable expression as well as *diabetic embryopathy*, *non-insulin dependent diabetes mellitus*, *cardiomyopathies*, *ischaemic colitis*, *refractory anaemia* and other *myelodysplasias* and *neonatal liver failure*.

In ICD-10-AM First Edition G31.81 *Mitochondrial cytopathy* was created based on the ICD-9-CM code 330.4 *Mitochondrial cytopathy*. This was seen as the best approach at the time. Further research conducted by the NCCH, in consultation with WHO and the CCCG, led the NCCH to conclude that a default code in the nervous system chapter may not be appropriate. Research found that there are mitochondrial disorders classified to other chapters in ICD-10. For example:

- Carnitine deficiencies and disorders (E71.3)
- Lactic acidosis (E87.2)
- Progressive external ophthalmoplegia (H49.4)
- Pyruvate carboxylase deficiency (E74.4)

The WHO Update Reference Committee recommended that a working group investigate and report on the classification of mitochondrial disorders. In the interim, the NCCH made several changes to the Second Edition. Codes G31.81 and G31.88 were deleted.

Mitochondrial diseases that are predominantly degenerative diseases of the nervous system remain classified to G31.8. The default code for mitochondrial disorders was changed to E88.8 *Other specified metabolic disorders*. The following terms were reclassified:

- Mitochondrial encephalopathy acidosis stroke-like episode syndrome (MELAS) – from G31.81 to G71.3
- Myoclonus epilepsy ragged red fibre syndrome (MERFF) – from G31.81 to G40.4
- Mitochondrial (cytopathy) (defect) (disease) (disorder) (syndrome) NOS – from G31.88 to E88.8

Source of recommended change:

NCCH

Neurosciences CCCG

WHO

ICD-NA – Application of the International Classification of Diseases to Neurology – 2nd edition

Relevant Australian Coding Standard:

0627 *Mitochondrial disorders*

G31.9 Degenerative disease of nervous system, unspecified

TENTH EDITION

Background:

Following receipt of a query regarding cerebellar ataxia, acquired cerebellar ataxia, not otherwise specified was classified to G31.9 *Degenerative disease of nervous system, unspecified*.

Source of recommended change:

ACCD (TN898)

Coding query (Q2888)

Relevant Australian Coding Standard:

1804 *Ataxia*

G40 Epilepsy**THIRD EDITION****Background:**

On the recommendation of the Neonatology and Paediatrics Classification Update Forum a fifth character subdivision for category G40.0 – G40.9 was incorporated into Third Edition to reflect the same level of specificity classifiable in ICD-9-CM. The subdivision specifies with or without mention of *intractable epilepsy*.

Source of recommended change:

NCCH

Neonatology and Paediatrics Classification Update Forum

Relevant Australian Coding Standard:

0627 *Mitochondrial Disorders*

NINTH EDITION**Background:**

Fifth character codes were created at G83.8 *Other specified paralytic syndromes* as there was no specific code for facial paralysis due to cerebrovascular accident. As a result the code for Todd's paralysis was reclassified to G83.89 *Other specified paralytic syndromes*.

Source of recommended change:

Query Submission (Q2814)

NCCH (TN430)

Relevant Australian Coding Standard:

Not applicable

G40.4 Other generalised epilepsy and epileptic syndromes**SECOND EDITION****Background:**

The term *myoclonus epilepsy ragged red fibre syndrome* (MERRF) was reclassified to G40.4 from G31.81 *Mitochondrial cytopathy*. The reasons why are documented in the explanation of changes for [G31.8](#).

Source of recommended change:

NCCH

Neurosciences CCGG

WHO

ICD-NA – The Application of the International Classification of Diseases to Neurology – 2nd edition

Relevant Australian Coding Standard:

0627 *Mitochondrial disorders*

G47.3 Sleep apnoea**SECOND EDITION****Background:**

Problems with the coding and sequencing of sleep apnoea were raised at a meeting of the Australian Casemix Clinical Committee in September 1997. After investigation by the NCCH, the CCCG recommended the incorporation of five Australian codes into Second Edition to distinguish the various types of *sleep apnoea syndromes*. An Australian Coding Standard has also been created to provide guidance in the selection and sequencing of these codes.

Source of recommended change:

ACCC/NCCH

Neurosciences CCCG

Respiratory CCCG

ICD-NA – The Application of the International Classification of Diseases to Neurology – 2nd edition

Relevant Australian Coding Standard:

0635 *Sleep apnoea and related disorders*

G51.0 Bell's palsy**NINTH EDITION****Background:**

Following the creation of fifth character codes at G83.8 *Other specified paralytic syndromes* for facial paralysis due to cerebrovascular accident and other specified paralytic syndromes; clarification of the classification of facial paralysis was required.

Source of recommended change:

Query Submission (Q2814)

NCCH (TN430)

Relevant Australian Coding Standard:

Not applicable

G53.1* Multiple cranial nerve palsies in infectious and parasitic diseases classified elsewhere (A00-B94.9, B99†)**SIXTH EDITION****Background:**

NCCH amended the dagger code range listed in the code title to support advice that codes [B95-B97](#) should not be assigned as principal diagnoses.

Source of recommended change:

NCCH

AIHW

PICQ

Relevant Australian Coding Standard:

Not applicable

G55.2* Nerve root and plexus compressions in spondylosis (M47.-†)**FIRST EDITION****Background:**

The term *spondylosis with myelopathy, not elsewhere classified* was reclassified to G99.2* *Myelopathy in diseases classified elsewhere* (aetiology M47.-) following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

G56.3 Lesion of radial nerve**FIRST EDITION****Background:**

The term *paralysis of radial nerve* was reclassified to G56.3 from G83.2 *Monoplegia of upper limb* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

G58.9 Mononeuropathy, unspecified**FIRST EDITION****Background:**

The term *neuropathy, not otherwise specified* was reclassified to G62.9 *Polyneuropathy, unspecified* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

G59* Mononeuropathy in diseases classified elsewhere**SECOND EDITION****Background:**

These codes were deleted in Second Edition in line with the changes made to categories [E10–E14 Diabetes mellitus](#). The aetiology/manifestation relationship for diabetes mellitus in ICD-10-AM is no longer relevant. This convention remains, however, for diabetes mellitus in the ICD-10.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes: Definition, diagnosis and classification of diabetes mellitus and its complications. Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

G62.9 Polyneuropathy, unspecified**FIRST EDITION****Background:**

The term *neuropathy, not otherwise specified* was reclassified to G62.9 from G58.9 *Mononeuropathy, unspecified* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

G63.2* Diabetic polyneuropathy**SECOND EDITION****Background:**

This code was deleted in Second Edition in line with the changes made to categories [E10–E14 Diabetes mellitus](#). The aetiology/manifestation relationship for diabetes mellitus in ICD-10-AM is no longer relevant. This convention remains, however, for diabetes mellitus in the ICD-10.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes: Definition, diagnosis and classification of diabetes mellitus and its complications. Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

G71 Primary disorders of muscles**SIXTH EDITION****Background:**

A minor amendment was made to the excludes note, as [E90](#) is not an active code in ICD-10-AM.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

G71.3 Mitochondrial myopathy, not elsewhere classified**SECOND EDITION****Background:**

The term *mitochondrial encephalopathy acidosis stroke-like episode syndrome* (MELAS) was reclassified to G71.3 from G31.81 *Mitochondrial cytopathy*. The reasons why are documented in the explanation of changes for [G31.8](#).

Source of recommended change:

NCCH

Neurosciences CCGG

WHO

ICD-NA – The Application of the International Classification of Diseases to Neurology – 2nd edition

Relevant Australian Coding Standard:

0627 *Mitochondrial disorders*

G73.1 Lambert-Eaton syndrome (C00–D48+)**SEVENTH EDITION****Background:**

The code title was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

G80 Cerebral palsy**SECOND EDITION****Background:**

Cerebral palsy is a non-progressive disorder of movement and posture that presents in childhood following a cerebral insult. The most common form of cerebral palsy is *spastic cerebral palsy*. The most common form of spastic cerebral palsy is *spastic diplegia*.

The changes made to this rubric in Second Edition align the classification with current terminology (ie *infantile* is no longer appropriate) and resolve the confusion between the descriptions of G80.0, G80.1 and G80.2 (the previous descriptions were not mutually exclusive).

The Australian proposal to WHO to update the classification of cerebral palsy in ICD-10 was approved at the WHO Meeting of the Heads of Collaborating Centres for the Family of International Classifications in Brisbane, 2002.

Source of recommended change:

Public submission

NCCH

Neurosciences CCCG

WHO 2002 decision/2006 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

G81 Hemiplegia**SECOND EDITION****Background:**

All notes relating to the ICD's primary coding guideline were deleted in the Second Edition to avoid confusion for the Australian user. Primary coding refers to situations where the codes are used in single condition morbidity analysis (only one diagnosis code is used to classify an entire episode of care). In Australia, the multiple coding rule is applied and all conditions relevant to an episode of care are coded.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION**Background:**

The excludes note was amended for Sixth Edition to include *transient hemiplegia*, to direct code assignment of *limb weakness* to a symptom code.

Source of recommended change:

NCCH

CCCG (Neurosciences)

Relevant Australian Coding Standard:

Not applicable

G82 Paraplegia and tetraplegia

FIRST EDITION

Background:

The following fifth character subdivision was incorporated into First Edition for use with category G82 to indicate the *functional level of spinal cord injury* in subsequent (chronic) phases of paraplegia/tetraplegia. This decision was made on the recommendation of the CCCG.

Category G82 is for use in cases only where the paraplegia/tetraplegia is of a longstanding nature and the patient is not undergoing treatment in the initial phase of care.

Source of recommended change:

NCCH

Neurosciences CCCG

Relevant Australian Coding Standard:

0625 Quadriplegia and paraplegia

SECOND EDITION

Background:

The note to category G82

All notes relating to the ICD's primary coding guideline were deleted in Second Edition to avoid confusion for the Australian user. Primary coding refers to situations where the codes are used in single condition morbidity analysis (only one diagnosis code is used to classify an entire episode of care). In Australia, the multiple coding rule is applied and all conditions relevant to an episode of care are coded.

Changes to the fifth character codes:

In ICD-10-AM First Edition, category G82 *Paraplegia and tetraplegia* was assigned for all cases where the paraplegia/tetraplegia is of a longstanding nature. Non-traumatic acute cases were classified with a code for the condition causing the acute paraplegia/tetraplegia and two additional codes reflecting the type and site of cord lesion and the functional level of cord lesion. Because the later codes are injury codes, an external cause code was also required. External cause codes are not relevant in non-traumatic cases and a request to simplify the coding of non-traumatic cases was considered by the NCCH.

The fifth character codes for G82 were revised to reflect the coding approach used in ICD-9-CM. The fifth characters retain the information about the *complete/incomplete* nature of the spinal cord lesion. The information that is lost is the *functional level of spinal cord injury: cervical, thoracic or lumbar*. However, the code descriptors in category G82 already indicate whether the patient had paraplegia or tetraplegia. Therefore, the previous descriptors for the fifth character codes are to some extent redundant. For example, paraplegia patients will not have cervical fifth characters (1 or 2) and tetraplegia patients will not have thoracic or lumbar fifth characters (3,4,5, or 6).

The changes to category G82 represent a concept change. A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. For the changes to category G82 in ICD-10-AM Second Edition, it was necessary to delete First Edition codes and reintroduce them in the Second Edition as a different concept.

Researchers and data analysts need to be aware, when searching for data relating to these codes, that the meaning of the codes has changed between First and Second Editions.

Source of recommended change:

Coding query/NCCH

Neurosciences CCCG

Relevant Australian Coding Standard:

0625 Quadriplegia and paraplegia

SIXTH EDITION**Background:**

The excludes note was amended for Sixth Edition to include *transient paresis* to direct code assignment of *limb weakness* to a symptom code.

Source of recommended change:

NCCH
CCCG (Neurosciences)

Relevant Australian Coding Standard:

Not applicable

G83 Other paralytic syndromes**SECOND EDITION****Background:**

All notes relating to the ICD's primary coding guideline were deleted in Second Edition to avoid confusion for the Australian user. Primary coding refers to situations where the codes are used in single condition morbidity analysis (only one diagnosis code is used to classify an entire episode of care). In Australia, the multiple coding rule is applied and all conditions relevant to an episode of care are coded.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION**Background:**

The excludes note for *transient paresis* was added to Sixth Edition to direct code assignment of *limb weakness* to a symptom code.

Source of recommended change:

NCCH
CCCG (Neurosciences)

Relevant Australian Coding Standard:

Not applicable

G83.2 Monoplegia of upper limb**FIRST EDITION****Background:**

The term *paralysis of radial nerve* was reclassified to G56.3 *Lesion of radial nerve* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

G83.8 Other specified paralytic syndromes**NINTH EDITION****Background:**

Fifth character codes were created at G83.8 *Other specified paralytic syndromes* as it was highlighted in a query that there was no specific code for facial paralysis due to cerebrovascular accident.

Source of recommended change:

Query Submission (Q2814)
ACCD (TN430)

Relevant Australian Coding Standard:

Not applicable

G90.4 Autonomic dysreflexia**FIFTH EDITION****Background:**

Code created in response to changes ratified by [WHO-FIC](#) in 2003.

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

G90.8 Other disorders of autonomic nervous system**FIRST EDITION****Background:**

On the recommendation of the CCCG, the ICD-9-CM term *autonomic dysreflexia* has been incorporated into First Edition.

Source of recommended change:

NCCH
Neurosciences CCCG

Relevant Australian Coding Standard:

Not applicable

FIFTH EDITION**Background:**

The term *autonomic dysreflexia* was reclassified due to the creation of a specific code ([G90.4](#)) for this condition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

An inclusion term was added to clarify that *sympathetic storm* is classified to this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

G91.8 Other hydrocephalus

EIGHTH EDITION

Background:

In response to concerns raised by the Neonatology Clinical Technical Group that post intraventricular haemorrhage (IVH) hydrocephalus was not being coded, inclusion terms of “Neonatal posthaemorrhagic hydrocephalus” and “Neonatal post intraventricular haemorrhage (IVH) hydrocephalus” were added at G91.8 *Other hydrocephalus*. The Neonatology CTG clarified that that IVH hydrocephalus is not congenital but acquired.

Source of recommended change:

Neonatal Clinical Technical Group
NCCC (TN282)

Relevant Australian Coding Standard:

Not applicable

G94.0* Hydrocephalus in infectious and parasitic diseases classified elsewhere (A00-B94.9, B99†)

SIXTH EDITION

Background:

NCCH amended the dagger code range listed in the code title to support advice that codes [B95-B97](#) should not be assigned as principal diagnoses.

Source of recommended change:

NCCH
AIHW
PICQ

Relevant Australian Coding Standard:

Not applicable

G96.8 Other specified disorders of central nervous system

TENTH EDITION

Background:

Following receipt of a public submission, amendments were made; acquired encephalocele added as an inclusion term at G96.8 Other specified disorders of central nervous system with an excludes note at Q01 Encephalocele.

Source of recommended change:

Public submission (P234)

Relevant Australian Coding Standard:

Not applicable

G99.2* Myelopathy in diseases classified elsewhere**FIRST EDITION****Background:**

The term *spondylosis with myelopathy, not elsewhere classified* was reclassified to G99.2 from G55.2* *Nerve root and plexus compressions in spondylosis* (aetiology M47.-) following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

H00-H59 Diseases of the eye and adnexa**TENTH EDITION****Background:**

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

H16.1 Other superficial keratitis without conjunctivitis**FIRST EDITION****Background:**

The term *Welder's flash burn* was classified to H16.1 in First Edition to maintain comparability with the ICD-9-CM.

Source of recommended change:

NCCH

Ophthalmology CCGG

Relevant Australian Coding Standard:

0721 *Welder's flash burn*

H18.8 Other specified disorders of cornea**SEVENTH EDITION****Background:**

The term *contact lens intolerance NOS* was added as an inclusion term following a request from 3M. Advice to classify this condition to H18.8 was previously contained in ACS 0719.

Source of recommended change:

NCCH

3M

Relevant Australian Coding Standard:

0719 *Contact lens intolerance*

H28.0* Diabetic cataract**SECOND EDITION****Background:**

This code was deleted in Second Edition in line with the changes made to categories [E10-E14 Diabetes mellitus](#). The aetiology/manifestation relationship for diabetes mellitus in ICD-10-AM is no longer relevant. This convention remains, however, for diabetes mellitus in the ICD-10.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

[Definition, diagnosis and classification of diabetes mellitus and its complications](#). Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

H31.8 Other specified disorders of choroid**NINTH EDITION****Background:**

The term "Choroidal neovascularisation" was added as an inclusion term following publication of advice for *Choroidal neovascularisation* published in December 2012.

Source of recommended change:

Q2784

Relevant Australian Coding Standard:

Not applicable

H32.0* Chorioretinal inflammation in infectious and parasitic diseases classified elsewhere**FIRST EDITION****Background:**

The term *late syphilis of retina* was reclassified to H32.0* from H36.8* *Other retinal disorders in diseases classified elsewhere* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Tokyo, 1996.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

H32.8 Other chorioretinal disorders in diseases classified elsewhere**SEVENTH EDITION ERRATA 6****Background:**

The term *Albuminurica retinitis* in the includes note was revised to *Albuminuric retinitis*.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

H35.3 Degeneration of macula and posterior pole**FIRST EDITION****Background:**

The term *monochromatism* was reclassified to H53.5 *Colour vision deficiencies* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

H36* Retinal disorders in diseases classified elsewhere**FIRST EDITION****Background:**

The term late syphilis of retina was reclassified from H36.8* Other retinal disorders in diseases classified elsewhere to H32.0* Chorioretinal inflammation in infectious and parasitic diseases classified elsewhere. This change follows a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Tokyo, 1996.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SECOND EDITION

Background:

This code was deleted in Second Edition in line with the changes made to categories [E10-E14 Diabetes mellitus](#). The aetiology/manifestation relationship for diabetes mellitus in ICD-10-AM is no longer relevant. This convention remains, however, for diabetes mellitus in the ICD-10.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

[Definition, diagnosis and classification of diabetes mellitus and its complications](#). Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCCG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

H50.2 Vertical strabismus

FIRST EDITION

Background:

The terms *hypertropia* and *hypotropia* was reclassified from H50.4 *Other and unspecified heterotropia* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

H50.4 Other and unspecified heterotropia

FIRST EDITION

Background:

The terms *hypertropia* and *hypotropia* were reclassified to H50.2 *Vertical strabismus* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

H53.5 Colour vision deficiencies**FIRST EDITION****Background:**

The term *monochromatism* was reclassified to H53.5 from H35.3 *Degeneration of macula and posterior pole* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

H58.8* Other specified disorders of eye and adnexa in diseases classified elsewhere**TENTH EDITION****Background:**

Following receipt of a public submission for thyroid eye disease and publication of advice regarding Graves' cardiomyopathy, improvements were made to the Tabular List and Alphabetic Index for both of these conditions.

Source of recommended change:

Public submission (P37)
ACCD (TN168)

Relevant Australian Coding Standard:

Not applicable

H59.8 Other intraoperative and postprocedural disorders of eye and adnexa**SIXTH EDITION****Background:**

H59.8 was invalidated and two codes H59.81 *Cystoid macula oedema following cataract surgery*, and H58.89 *Other postprocedural disorders of eye and adnexa, not elsewhere classified* created at the fifth character level to allow for classification of the concept *cystoid macula oedema following cataract surgery*. This condition is also known as *Irvine Gass syndrome* and this term was added as an inclusion term at H59.81.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

H59.89 Other intraoperative and postprocedural disorders of eye and adnexa, not elsewhere classified

SEVENTH EDITION

Background:

The term *postprocedural hyphaema* was added to the code following the deletion of ACS 0732 *Postprocedural hyphaema*. Minor amendments were also made to ICD-10-AM Alphabetic Index.

Inclusion terms were also added for consistency with URC updates to ICD-10.

Source of recommended change:

NCCH

CSAC

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

0732 *Postprocedural hyphaema*

H60-H95 Diseases of the ear and mastoid process

TENTH EDITION

Background:

Amendments were made to the excludes note as part of a review of :

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

H65.3 Chronic mucoid otitis media

SEVENTH EDITION

Background:

The excludes note was amended in response to the deletion of ACS 0802 *Glue ear*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0802 *Glue ear*

H72.8 Other perforations of tympanic membrane

ELEVENTH EDITION

Background:

A minor amendment was made to the inclusion term, for formatting purposes.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

N/A

H72.9 Perforation of tympanic membrane, unspecified**ELEVENTH EDITION****Background:**

An *Excludes* note was created following the creation of [Z45.83 Adjustment and management of myringotomy tube](#).

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0803 Admission for removal of grommets

I00–I99 Diseases of the circulatory system**TENTH EDITION****Background:**

Amendments were made to the *excludes* note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 *Excludes* notes – see details [here](#)

I10–I15 Hypertensive diseases**SEVENTH EDITION****Background:**

The *excludes* note at the I10–I15 category level was amended to clarify that only *primary* pulmonary hypertension is excluded.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

I12.0 Hypertensive kidney disease with kidney failure**SIXTH EDITION ERRATA 1****Background:**

As part of changes to diabetes coding, an inclusion term *Hypertensive kidney disease with CKD stage 5* was added to direct coders to assign this code if the hypertension with CKD was stage 5. A new inclusion term was also added at [I12.9 Hypertensive kidney disease without kidney failure](#) to help identify cases of hypertension with CKD stage 1–4 or unspecified.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 Chronic kidney disease

112.9 Hypertensive kidney disease without kidney failure

SIXTH EDITION ERRATA 1

Background:

As part of the changes to diabetes coding, an inclusion term *Hypertensive kidney disease with CKD stage 1–4 or unspecified* was added to direct coders to assign this code if it met the criteria that the hypertension with CKD stage was 1-4 or unspecified.

Code also note was added to direct coders to code the stage of CKD.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

SIXTH EDITION ERRATA 2

Background:

The code also note was amended to clarify that only N18.1-N18.4 or N18.9 (ie *not* N18.5) should be assigned to specify the stage of chronic kidney disease with this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

113.0 Hypertensive heart and kidney disease with (congestive) heart failure

SIXTH EDITION ERRATA 1

Background:

Inclusion term was added *Hypertensive heart disease with CKD stage 1–4 or unspecified and heart failure* to help clarify the use of this code.

Code also note added to help identify to stage of CKD to fully capture the hospital admission.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

SIXTH EDITION ERRATA 2

Background:

The code also note was amended to clarify that only N18.1-N18.4 or N18.9 (ie *not* N18.5) should be assigned to specify the stage of chronic kidney disease with this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

I13.1 Hypertensive heart and kidney disease with kidney failure

SIXTH EDITION ERRATA 1

Background:

Inclusion term *Hypertensive heart and kidney disease with CKD stage 5* was added as an alternative name (synonym) to help coders assign the correct code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

I13.9 Hypertensive heart and kidney disease, unspecified

SIXTH EDITION ERRATA 1

Background:

Code also note was added to remind coders to also assign the stage of the CKD to capture the whole hospital admission.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

SIXTH EDITION ERRATA 2

Background:

The code also note was amended to clarify that only N18.1-N18.4 or N18.9 (ie *not* N18.5) should be assigned to specify the stage of chronic kidney disease with this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

I15.0 Renovascular hypertension

SIXTH EDITION ERRATA 1

Background:

A *Use additional* term was added to help remind coders to also assign a code for CKD if present.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

NINTH EDITION**Background:**

Instructional notes such as '*Use additional code to identify presence of CKD*' or '*Code also associated CKD*' were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

I15.1 Hypertension secondary to other kidney disorders**SIXTH EDITION ERRATA 1****Background:**

A *Use additional* term was added to help remind coders to also assign a code for CKD if present.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

NINTH EDITION**Background:**

Instructional notes such as '*Use additional code to identify presence of CKD*' or '*Code also associated CKD*' were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

I20–I25 Ischaemic heart diseases**SEVENTH EDITION****Background:**

The note was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

As part of the first phase of an ongoing review of ACS 0002 *Additional diagnoses*, a number of instructional notes including 'Use additional code to identify presence of hypertension' were removed to eliminate the routine assignment of codes that do not meet ACS 0002, but are assigned on the basis of a 'code also' instruction only.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0002 *Additional diagnoses*

I20.0 Unstable angina**FIRST EDITION****Background:**

The term *decubitus angina* was reclassified to I20.0 from I20.9 *Angina pectoris, unspecified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I20.8 Other forms of angina pectoris**SEVENTH EDITION****Background:**

Following receipt of a query regarding *slow (coronary) flow syndrome* and advice published in Coding Matters Vol 15, No 1 (June 2008), *Slow coronary flow syndrome* was added as an inclusion term at I20.8 *Other forms of angina pectoris*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

Advice was published in *Coding Matters* June 2010 (Vol 17, No 1) regarding the correct code assignment for *stable angina* (from query Q2609). The advice has been incorporated into ICD-10-AM Eighth Edition via an inclusion term at I20.8 *Other forms of angina pectoris* and index entry created in the Alphabetic Index: *Angina, stable*. Additionally, inclusion term 'Slow coronary flow syndrome' was amended to 'Coronary slow flow syndrome' as part of the WHO URC updates Seoul 2009.

Source of recommended change:

Query submission (Q2609)

Coding Matters (June 2010)

[WHO Update reference committee \(URC\) 2009](#)

NCCC (TN170 and TN271)

Relevant Australian Coding Standard:

Not applicable

I20.9 Angina pectoris, unspecified**FIRST EDITION****Background:**

The term *decubitus angina* was reclassified to I20.0 *Unstable angina* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I22 Subsequent myocardial infarction**SECOND EDITION****Background:**

A note was introduced to this category to clarify the intention of the rubric.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0940 *Ischaemic heart disease*

I25.1 Atherosclerotic heart disease**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes identify the *tissue or material affected by atherosclerosis (native coronary artery, autologous or nonautologous bypass graft)*.

A change to the code title of I25.12 was issued with the First Errata (April 1998) to First Edition. The term *vein* was removed from the code title, as arteries are also used in autologous bypass grafts. This advice became effective from July 1998.

Source of recommended change:

NCCH

Cardiovascular CCCG

Relevant Australian Coding Standard:

0940 *Ischaemic heart disease*

0941 *Arterial disease*

I25.2 Old myocardial infarction

FIRST EDITION

Background:

The term *chronic subendocardial necrosis* was reclassified to I25.8 *Other forms of chronic ischaemic heart disease* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I25.5 Ischaemic cardiomyopathy

FIRST EDITION

Background:

The term *myocardial ischaemia* was reclassified to I25.9 *Chronic ischaemic heart disease, unspecified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I25.8 Other forms of chronic ischaemic heart disease

FIRST EDITION

Background:

The term *chronic subendocardial necrosis* was reclassified to I25.8 from I25.5 *Ischaemic cardiomyopathy* following a recommendation from the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I25.9 Chronic ischaemic heart disease, unspecified

FIRST EDITION

Background:

The term *myocardial ischaemia* was reclassified to I25.9 from I25.5 *Ischaemic cardiomyopathy* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I26.8 Iatrogenic pulmonary embolism

FIRST EDITION

Background:

Iatrogenic pulmonary embolism is an important clinical indicator and should be captured via a unique code. A new code for this condition was incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

Cardiovascular CCCG
US ICD-9-CM

Relevant Australian Coding Standard:

Not applicable

SECOND EDITION

Background:

Major work was undertaken for Second Edition to improve the classification of *procedural complications*. Changes were made to the code titles and index entries (from *postoperative* to *postprocedural*) to reflect clinical terminology. As part of this work, I26.8 *Iatrogenic pulmonary embolism* was deleted, as the code overlapped with existing codes in the ICD-10-AM.

Data analysts should note that the coding of *postoperative pulmonary embolism* in ICD-10-AM (I97.8) differs to that in ICD-10 (T81.7).

Source of recommended change:

NCCH
Cardiovascular CCCG

Relevant Australian Coding Standard:

Not applicable

I26.9 Pulmonary embolism without mention of acute cor pulmonale**SECOND EDITION****Background:**

The term postoperative pulmonary embolism was reclassified to I97.8 Other postprocedural disorders of the circulatory system, not elsewhere classified.

The advice to reclassify this term was issued with Second Errata (September 2000) to the Second Edition. The change became effective from September 2000.

Data analysts should note that the coding of *postoperative pulmonary embolism* in ICD-10-AM (I97.8) differs to that in ICD-10 (T81.7).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

I27.2 Other secondary pulmonary hypertension**THIRD EDITION****Background:**

Pulmonary hypertension may occur without an identifiable underlying cause (*primary pulmonary hypertension*). It may also occur secondary to other disease processes that originate outside the lung (*secondary pulmonary hypertension*), such as *scleroderma*, *SLE*, *congenital valve diseases*, *ischaemic heart disease* and *cardiomyopathy*. A diagnosis of *primary pulmonary hypertension* is generally made when all types of *secondary pulmonary hypertension* have been excluded on clinical grounds.

Primary pulmonary hypertension is a rare syndrome and is classified to I27.0 *Primary pulmonary hypertension*. *Secondary pulmonary hypertension*, a more common occurrence, was not originally classified in ICD-10. A recommendation to add subcategory I27.2 *Other secondary pulmonary hypertension* was made by the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I32.0* Pericarditis in bacterial diseases classified elsewhere**SEVENTH EDITION ERRATA 5****Background:**

The code for the inclusion term *Pericarditis tuberculous* was revised from A18.5+ to E18.8+.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

I32.8 Pericarditis in other diseases classified elsewhere**SIXTH EDITION ERRATA 1****Background:**

Code was revised as there is no N18.8 code available in ICD-10-AM.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

I34 Nonrheumatic mitral valve disorders**SEVENTH EDITION ERRATA 6****Background:**

Code Q23.4 was added to excludes term 'when specified as, congenital'.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

I35 Nonrheumatic aortic valve disorders**SEVENTH EDITION ERRATA 6****Background:**

Code Q23.4 was added to excludes term 'when specified as, congenital'.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

I42.0 Dilated cardiomyopathy**THIRD EDITION****Background:**

Congestive and *dilated* cardiomyopathy are synonymous terms, yet ICD-10 provides two different codes for these terms. The UK recommended that *congestive cardiomyopathy* (I42.9) be classified to the same code as *dilated cardiomyopathy* (I42.0) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I42.5 Other restrictive cardiomyopathy**THIRD EDITION****Background:**

Constrictive cardiomyopathy and *restrictive cardiomyopathy* are synonymous terms, yet ICD-10 provides two different codes for these terms. The UK recommended that *constrictive cardiomyopathy* (I42.9) be classified to the same code as *restrictive cardiomyopathy* (I42.0) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I42.9 Cardiomyopathy, unspecified**THIRD EDITION****Background:**

Constrictive cardiomyopathy and *restrictive cardiomyopathy* are synonymous terms, yet ICD-10 provides two different codes for these terms. The UK recommended that *constrictive cardiomyopathy* (I42.9) be classified to the same code as *restrictive cardiomyopathy* (I42.0) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I43.1* Cardiomyopathy in metabolic diseases**SEVENTH EDITION ERRATA 3****Background:**

The code for the inclusion term *cardiac amyloidosis* was revised from E85.-+ E85.4+.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

I43.8* Cardiomyopathy in other diseases classified elsewhere**TENTH EDITION****Background:**

Following receipt of a public submission for thyroid eye disease and publication of advice regarding Graves' cardiomyopathy, improvements were made to the Tabular List and Alphabetic Index for both of these conditions.

Source of recommended change:

Public submission (P37)
ACCD (TN168)

Relevant Australian Coding Standard:

Not applicable

I46 Cardiac arrest**SEVENTH EDITION****Background:**

Following a review of the ACS for Seventh Edition a note was added to advise coders that codes from this category should only be assigned if resuscitation intervention is undertaken, regardless of patient outcome. This advice was previously included in ACS 0904 *Cardiac arrest*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0904 *Cardiac arrest*

I49.0 Ventricular fibrillation and flutter**FIRST EDITION****Background:**

The terms *cardiac fibrillation*, and *heart fibrillation* were reclassified to I49.8 *Other specified cardiac arrhythmias* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997. The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

The term *heart flutter* was also reclassified to I49.8. The advice to reclassify this term was issued with the Third Errata (October 1998) to the First Edition. The change became effective from October 1998. The Australian Collaborating Centre (AIHW/NCCH) will recommend this change to WHO in the 2003 updates to the ICD-10.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10 (for cardiac/heart fibrillation)

Relevant Australian Coding Standard:

Not applicable

I49.8 Other specified cardiac arrhythmias**FIRST EDITION****Background:**

The terms *cardiac fibrillation* and *heart fibrillation* have been reclassified to I49.8 from I49.0 *Ventricular fibrillation and flutter* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997. The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

The term *heart flutter* was also reclassified to I49.8 from I49.0 *Ventricular fibrillation and flutter*. The advice to reclassify this term was issued with the Third Errata (October 1998) to the First Edition. The change became effective from October 1998. The Australian Collaborating Centre (AIHW/NCCH) will recommend this change to the WHO Update Reference Committee in the 2003 updates to the ICD-10.

The terms *sinoatrial bradycardia*, *sinus bradycardia* and *vagal bradycardia* were reclassified to I49.8 from R00.1 *Bradycardia, unspecified*. The advice to reclassify these terms was issued with the Fifth Errata (April 1999) to the First Edition. The change became effective from April 1999. A recommendation from the Australian Collaborating Centre (AIHW/NCCH) to change these terms was presented at the WHO Meeting of the Heads of

Collaborating Centres for the Classification of Diseases in Rio de Janeiro, 2000. The issue is still under consideration.

Source of recommended change:

NCCH

Cardiovascular CCGG

WHO 1997 decision/1999 recommended implementation date for ICD-10 (for cardiac/heart fibrillation)

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION

Background:

Following advice given in a coding query, the term *Brugada syndrome* was added to the code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

I49.9 Cardiac arrhythmia, unspecified

FIRST EDITION

Background:

The term *abnormal heart rate* was reclassified to R00.8 *Other and unspecified abnormalities of heart beat* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I50 Heart failure

NINTH EDITION

Background:

In 2011, the URC of WHO-FIC approved a number of changes to the Tabular List and Alphabetical Index of ICD-10 at the annual meeting in Cape Town. This change has been included in ICD-10-AM Ninth Edition.

A new code Z99.4 *Dependence on artificial heart* was created and an instructional note 'Use additional code (Z99.4) if mention of artificial heart dependence' was added to category I50 *Heart Failure*.

Source of recommended change:

WHO URC updates 2011

ACCD (TN424)

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION

Background:

Minor amendments were made for consistency with updates to:

- Obstetrics – see details [here](#)
- Procedural complications – see details [here](#)

I50.0 Congestive heart failure

FIRST EDITION

Background:

The term *biventricular failure* was reclassified to I50.0 from I50.9 *Heart failure, unspecified* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I50.9 Heart failure, unspecified

FIRST EDITION

Background:

The term *biventricular failure* was reclassified to I50.0 *Congestive heart failure, unspecified* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I60-I69 Cerebrovascular diseases

NINTH EDITION

Background:

As part of the first phase of an ongoing review of ACS 0002 *Additional diagnoses*, a number of instructional notes including 'Use additional code to identify presence of hypertension' were removed from the Tabular List of ICD-10-AM to eliminate the routine assignment of codes that do not meet ACS 0002, but are assigned on the basis of a 'code also' instruction only.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0002 *Additional diagnoses*

I63.2 Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries

FIRST EDITION

Background:

The terms *Gubler-Millard paralysis or syndrome* and *Millard-Gubler-Foville paralysis* were reclassified to I67.9 *Cerebrovascular disease, unspecified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I63.3 Cerebral infarction due to thrombosis of cerebral arteries

FIRST EDITION

Background:

The term *occlusion of anterior cerebral artery with infarction due to thrombosis* was reclassified to I63.3 from I63.8 *Other cerebral infarction* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I63.8 Other cerebral infarction

FIRST EDITION

Background:

The term *occlusion of anterior cerebral artery with infarction due to thrombosis* was reclassified to I63.3 *Cerebral infarction due to thrombosis of cerebral arteries* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I63.9 Cerebral infarction, unspecified**FIRST EDITION****Background:**

The term *occlusion of artery of brain* was reclassified to I66.9 *Occlusion and stenosis of unspecified cerebral artery* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I66.9 Occlusion and stenosis of unspecified cerebral artery**FIRST EDITION****Background:**

The term *occlusion of artery of brain* was reclassified to I66.9 from I63.9 *Cerebral infarction, unspecified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I67.8 Other specified cerebrovascular diseases**FIRST EDITION****Background:**

The terms *Benedikt's paralysis* and *Weber's paralysis* were reclassified to I67.9 *Cerebrovascular disease, unspecified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I67.9 Cerebrovascular disease, unspecified**FIRST EDITION****Background:**

The following terms were reclassified to I67.9 following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997:

Benedikt's paralysis, from I67.8 *Other specified cerebrovascular diseases*

Gubler-Millard paralysis or syndrome, from I63.2 Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries

Millard-Gubler-Foville paralysis, from I63.2 Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries

Weber's paralysis, from I67.8 *Other specified cerebrovascular diseases*

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

I69 Sequelae of cerebrovascular disease**ELEVENTH EDITION****Background:**

Minor amendments were made for consistency with amendments to the classification of 'personal [history of stroke](#)'.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0604 *Cerebrovascular accident (CVA)*

2104 *Rehabilitation*

I70.2 Atherosclerosis of arteries of extremities**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes identify whether the atherosclerosis occurs *with intermittent claudication*, *with rest pain*, *with ulceration* or *with gangrene*.

Source of recommended change:

NCCH

Cardiovascular CCCG

Relevant Australian Coding Standard:

0941 *Arterial disease*

I71.0 Dissection of aorta**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Cardiovascular CCCG

Relevant Australian Coding Standard:

Not applicable

I71.9 Aortic aneurysm of unspecified site, without mention of rupture**SEVENTH EDITION****Background:**

NOS was added to the inclusion terms to clarify that I71.9 is assigned for unspecified *aneurysm, dilatation or hyaline necrosis of the aorta*.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

I73 Other peripheral vascular diseases**NINTH EDITION****Background:**

The excludes note was amended to remove *spasm of cerebral artery*, as it was unnecessary in this code.

Source of recommended change:

ACCD (TN706)

Relevant Australian Coding Standard:

Not applicable

I73.0 Raynaud's syndrome**NINTH EDITION****Background:**

Five character codes were created to differentiate Raynaud's syndrome with and without gangrene.

Source of recommended change:

ACCD (TN653)

Relevant Australian Coding Standard:

Not applicable

180.2 Phlebitis and thrombophlebitis of other deep vessels of lower extremities

SEVENTH EDITION

Background:

An instructional note(s): *Use additional external cause code (X51) to identify DVT due to travel* was added to this code following receipt of a number of queries and advice published in Coding Matters (Vol 8, No 3, December 2001), to clarify the external cause code to assign for *DVT due to travel*.

Source of recommended change:

NCCH/coding queries

Relevant Australian Coding Standard:

Not applicable

187.0 Postthrombotic syndrome

SEVENTH EDITION

Background:

The code title was amended and the previous code title added as an inclusion term for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

197.8 Other intraoperative and postprocedural disorders of circulatory system, not elsewhere classified

SECOND EDITION

Background:

The term postoperative pulmonary embolism was reclassified to I97.8 from I26.9 Pulmonary embolism without mention of acute cor pulmonale. The terms postprocedural phlebitis and postprocedural thrombophlebitis were reclassified to I97.8 from T81.7 Vascular complications following a procedure, not elsewhere classified. The advice to reclassify these terms was issued with the Second Errata (September 2000) to the Second Edition. The change became effective from September 2000.

These changes relate to the major work undertaken to improve the classification of procedural complications. Changes were made to the code titles and index entries (from *postoperative* to *postprocedural*) to reflect preferred clinical terminology.

Data analysts should note that the coding of *postprocedural pulmonary embolism*, *postprocedural phlebitis* and *postprocedural thrombophlebitis* in ICD-10-AM (I97.8) differs to that in ICD-10 (T81.7).

Source of recommended change:

NCCH

Respiratory CCCG

Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

I98.2* Oesophageal varices without mention of bleeding in diseases classified elsewhere

FIRST EDITION

Background:

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *oesophageal varices in diseases classified elsewhere, with bleeding*.

Source of recommended change:

NCCH
Gastroenterology and Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION

Background:

Amendments were made to this category for consistency with [WHO ICD-10 2006](#) changes:

- The two Australian codes (I98.20* and I98.21*) were inactivated and I98.2* validated at the fourth character level
- The code title of I98.2* was amended to add the term *without mention of bleeding*
- An ICD-10 code was created ([I98.3*](#)) for the concept of *with bleeding*.

Source of recommended change:

WHO ICD-10

Relevant Australian Coding Standard:

Not applicable

J00–J99 Diseases of the respiratory system

TENTH EDITION

Background:

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

J09 Influenza due to identified zoonotic or pandemic influenza virus

FIFTH EDITION

Background:

This code was created on the recommendation of [WHO-FIC](#) (October 2005).

Source of recommended change:

WHO

Relevant Australian Coding Standard:

0033 *Conventions used in the tabular list of diseases*

SIXTH EDITION**Background:**

The inclusion term was created as part of the WHO URC updates to ICD-10 in 2005.

Source of recommended change:

[WHO Update reference committee \(URC\) 2005](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The following changes were made to this code as part of the WHO URC updates to ICD-10 in Seoul 2009:

- Code title amended
- Inclusion term amended
- Includes note created
- Note create
- Instructional note created
- Excludes note created.

Source of recommended change:

[WHO Update reference committee \(URC\) 2009](#)

Relevant Australian Coding Standard:

Not applicable

J10 Influenza due to other identified influenza virus**FIFTH EDITION****Background:**

This code was amended on the recommendation of [WHO-FIC](#) (October 2005), in response to the creation [J09](#).

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

J10.0 Influenza with pneumonia, other influenza virus identified**FIFTH EDITION****Background:**

This code was amended on the recommendation of [WHO-FIC](#) (October 2005), in response to the creation of [J09](#).

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

J10.1 Influenza with other respiratory manifestations, other influenza virus identified

FIFTH EDITION

Background:

This code was amended on the recommendation of [WHO-FIC](#) (October 2005), in response to the creation of [J09](#).

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

J10.8 Influenza with other manifestations, other influenza virus identified

FIFTH EDITION

Background:

This code was amended on the recommendation of [WHO-FIC](#) (October 2005), in response to the creation of [J09](#).

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

J12.3 Human metapneumovirus pneumonia

SEVENTH EDITION

Background:

This code was created for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

J15.6 Pneumonia due to other Gram-negative bacteria

EIGHTH EDITION

Background:

A public submission was received suggesting index entries be created for *Pneumonia due to gram-negative bacteria*. An ITG member also suggested adding parenthesis around 'aerobic' in code title.

Source of recommended change:

Public submission (P114)
NCCC (TN379)

Relevant Australian Coding Standard:

Not applicable

J18 Pneumonia, organism unspecified**NINTH EDITION****Background:**

Amendments were made to the excludes note to clarify assignment of J70.2–J70.4 for *drug-induced interstitial pneumonia*.

Source of recommended change:

ACCD (TN611)

Relevant Australian Coding Standard:

Not applicable

J21.1 Acute bronchiolitis due to human metapneumovirus**SEVENTH EDITION****Background:**

This code was created for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

J32.9 Chronic sinusitis, unspecified**FIRST EDITION****Background:**

The term *hypertrophic change of nasal sinus* was reclassified to J34.8 *Other specified disorders of nose and nasal sinuses* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

J34.1 Cyst and mucocele of nose and nasal sinus**FIRST EDITION****Background:**

The term *cyst of turbinate* was reclassified to J34.1 from J34.8 *Other specified disorders of nose and nasal sinuses* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

J34.8 Other specified disorders of nose and nasal sinuses

FIRST EDITION**Background:**

The term *hypertrophic change of nasal sinus* was reclassified to J34.8 from J32.9 *Chronic sinusitis, unspecified*. The term *cyst of turbinate* was reclassified to J34.1 *Cyst and mucocele of nose and nasal sinus*. These changes follow a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

J38.0 Paralysis of vocal cords and larynx**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *unilateral/bilateral paralysis of vocal cords* and whether the paralysis is *partial* or *complex*.

Source of recommended change:

NCCH

Ear, Nose, Mouth and Throat CCCG

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION**Background:**

NCCH received an email highlighted an error in the terminology in J38.02. The code title was previously *Paralysis of vocal cords and larynx, unilateral, **complex***. The *complex* was a typographical error and should have been *complete*. The incorrect term was therefore replaced with the correct term.

NCCH also sought and received clinical advice on the appropriateness of creating a fifth character code for *Paralysis of vocal cords and larynx, **bilateral, complete***.

Source of recommended change:

NCCH

Ear, Nose, Mouth and Throat CCCG

Relevant Australian Coding Standard:

Not applicable

J47 Bronchiectasis**SEVENTH EDITION****Background:**

An inclusion term *chronic suppurative lung disease* was added to this code following clinical advice from the Respiratory CCG, stating this term is synonymous with *Bronchiectasis*.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

J70.2 Acute drug-induced interstitial lung disorders**NINTH EDITION****Background:**

A grossary description was added to clarify that this code is assigned for:

- conditions classified to J82 *Pulmonary eosinophilia* and J84 *Other interstitial pulmonary diseases*, specified as acute drug-induced
- the following conditions specified as *acute*:
Drug-induced:
 - bronchiolitis obliterans organising pneumonia (BOOP)
 - interstitial:
 - fibrosis
 - pneumonia
 - pulmonary disorder
 - usual interstitial pneumonia

Source of recommended change:

ACCD (TN611)

Relevant Australian Coding Standard:

Not applicable

J70.3 Chronic drug-induced interstitial lung disorders**NINTH EDITION****Background:**

A grossary description was added to clarify that this code is assigned for:

- conditions classified to J82 *Pulmonary eosinophilia* and J84 *Other interstitial pulmonary diseases*, specified as chronic drug-induced
- the following conditions specified as *chronic*:
Drug-induced:
 - bronchiolitis obliterans organising pneumonia (BOOP)
 - interstitial:
 - fibrosis
 - pneumonia
 - pulmonary disorder
 - usual interstitial pneumonia

An excludes note was added to clarify that chronic drug-induced interstitial lung disorders due to inhalation of chemicals, gases, fumes and vapours is classified to J68.4 *Chronic respiratory conditions due to chemicals, gases, fumes and vapours*.

Source of recommended change:

ACCD (TN611)

Relevant Australian Coding Standard:

Not applicable

J70.4 Drug-induced interstitial lung disorders, unspecified**NINTH EDITION****Background:**

A grossary description was added to clarify that this code is assigned for:

- conditions classified to J82 *Pulmonary eosinophilia* and J84 *Other interstitial pulmonary diseases*, specified as drug-induced
- the following conditions:
 - Drug-induced:
 - bronchiolitis obliterans organising pneumonia (BOOP)
 - interstitial:
 - fibrosis
 - pneumonia
 - pulmonary disorder
 - usual interstitial pneumonia

Source of recommended change:

ACCD (TN611)

Relevant Australian Coding Standard:

Not applicable

J80 Acute respiratory distress syndrome**ELEVENTH EDITION****Background:**

The title of J80 was amended to replace the term Adult with Acute for clinical currency, and to allow the classification of respiratory distress syndrome in non-neonatal paediatric patients. Minor amendments were made to support this action.

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

J84.8 Other specified interstitial pulmonary diseases**SECOND EDITION****Background:**

Bronchiolitis obliterans organising pneumonia [BOOP] is an interstitial lung disease which may follow pulmonary disorders including adult respiratory distress syndrome, upper respiratory tract infection, organising infections such as *Mycoplasma pneumoniae* and viral infections, inhalation of toxic agents and extrinsic allergic alveolitis.

On the recommendation of the CCCG, this term was classified to J84.8 in Second Edition.

Source of recommended change:

Coding query

NCCH

Infectious and Immunology CCCG

Respiratory CCCG

Relevant Australian Coding Standard:

Not applicable

J93.2 Iatrogenic pneumothorax**FIRST EDITION****Background:**

Pneumothorax is a common complication of fine needle biopsy and may occur with insertion of an intercostal cannula. The distinction between a *pneumothorax* as an *adverse effect of medical treatment* versus a *spontaneous or traumatic pneumothorax* is an important one. A new code for *iatrogenic pneumothorax* has been incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH
Respiratory CCGG
Injury CCGG

Relevant Australian Coding Standard:

Not applicable

SECOND EDITION**Background:**

Major work was undertaken for Second Edition to improve the classification of *procedural complications*. Changes were made to the code titles and index entries (from *postoperative* to *postprocedural*) to reflect current clinical terminology. As part of this work, J93.2 *iatrogenic pneumothorax* was deleted in Second Edition, as the code overlapped with existing codes in the ICD-10-AM.

Source of recommended change:

NCCH
Respiratory CCGG
Injury CCGG
Adverse events clinical update forum

Relevant Australian Coding Standard:

Not applicable

J95.4 Mendelson's syndrome**NINTH EDITION****Background:**

An inclusion term was added to clarify that *chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia* is classified to this code. Instructional notes were added to specify that external cause codes are required (and indicate the correct external cause codes to assign).

Source of recommended change:

ACCD/TN545

Relevant Australian Coding Standard:

1904 *Procedural complications*

J95.8 Other intraoperative and postprocedural disorders of respiratory system

SEVENTH EDITION

Background:

An inclusion term *ventilation associated pneumonia* was added to this code following guidelines in ACS 1904 *Procedural complications*.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

1904 *Procedural complications*

J96 Respiratory failure, not elsewhere classified

ELEVENTH EDITION

Background:

The *Excludes* note was amended to allow the assignment of codes for both acute respiratory distress syndrome (ARDS) and acute respiratory failure, when both conditions meet the criteria for code assignment in ACS 0001 *Principal diagnosis* or ACS 0002 *Additional diagnoses* (eg when ARDS is the underlying cause of respiratory failure).

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

J98.5 Diseases of mediastinum, not elsewhere classified

SIXTH EDITION

Background:

A minor amendment was made to this code to include the term *thoracic adhesions*.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

J99.0 Rheumatoid lung disease (M05.1†)

THIRD EDITION

Background:

Rheumatoid lung disease is associated with rheumatoid arthritis and includes pleural effusion, diffuse interstitial pulmonary fibrosis, and other rarer conditions. The alternative name for rheumatoid lung disease is lung disease associated with rheumatoid arthritis or rheumatoid arthritis associated with lung disease which has the same meaning as rheumatoid arthritis with lung involvement.

Rheumatoid lung disease is located under category M05 *Seropositive rheumatoid arthritis*. J99.0 was a duplication within the dagger and asterisk system and was inactivated from the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

K00–K93 Diseases of the digestive system**TENTH EDITION****Background:**

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

K04.0 Pulpitis**SEVENTH EDITION****Background:**

The inclusion terms were revised for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

K07.0 Major anomalies of jaw size**SEVENTH EDITION****Background:**

On the recommendation of the Congenital Anomalies Working Parties fifth character codes were created to differentiate between hypoplasia and hyperplasia of the jaw

Source Of Recommended Change:

[Congenital Anomalies Working Party](#)
NCCH

Relevant Australian Coding Standard:

Not applicable

K07.6 Temporomandibular joint disorders**TENTH EDITION****Background:**

The Inclusion term 'snapping jaw' at K07.6 Temporomandibular joint disorders was replaced by the more common terminology 'clicking jaw' and both terms indexed.

Source of recommended change:

ACCD (TN728)

Relevant Australian Coding Standard:

Not applicable

K08.8 Other specified disorders of teeth and supporting structures

FIRST EDITION

Background:

Not all tooth fractures are traumatic and fracture may result from odontogenic disease. A code for *pathological fracture of tooth* was incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

Ear, Nose, Mouth and Throat CCCG

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION

Background:

The inclusion terms were amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2009](#)

Relevant Australian Coding Standard:

Not applicable

K09.0 Developmental odontogenic cysts

SEVENTH EDITION

Background:

The inclusion terms were amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

K12.3 Oral mucositis (ulcerative)

SEVENTH EDITION

Background:

This code was created for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION

Background:

This excludes note code was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

K22.4 Dyskinesia of oesophagus**NINTH EDITION****Background:**

Following receipt of a coding query and publication of advice regarding the classification of *acquired dysmotility of the oesophagus*:

- The term *acquired* was added to the Alphabetic Index as a NEM at *Dysmotility/oesophagus*, classifiable to K22.4 *Dyskinesia of oesophagus*:

Dysmotility, oesophagus (acquired) (see also *Spasm/oesophagus*) K22.4
- congenital Q39.82

- An excludes note was added to K22.4

Source of recommended change:

ACCD (TN584)

Relevant Australian Coding Standard:

Not applicable

K22.8 Other specified diseases of oesophagus**FIRST EDITION****Background:**

The ICD-9-CM term *glycogenic acanthosis of oesophagus* was incorporated into First Edition on the recommendation of the CCCG.

Source of recommended change:

NCCH

Gastroenterology/Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

K25 Gastric ulcer**SEVENTH EDITION****Background:**

An instructional note(s): *Use additional code to identify Helicobacter pylori (B96.81), if applicable* was added to this code as per the guidelines in ACS 1122, which state that H. pylori is associated with and should be coded in the presence of *gastric ulcers*.

The excludes note was also amended following the creation of fifth character codes at K29 specifying *with* and *without haemorrhage*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

1106 *Gastric ulcer with gastritis*

K26 Duodenal ulcer**SEVENTH EDITION****Background:**

An instructional note(s): *Use additional code to identify Helicobacter pylori (B96.81), if applicable* was added to this code as per the guidelines in ACS 1122, which state that *H. pylori* is associated with and should be coded in the presence of *duodenal ulcers*.

The excludes note was also amended following the creation of fifth character codes at K29 specifying *with* and *without haemorrhage*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

1106 *Gastric ulcer with gastritis*

K29.1 Other acute gastritis**SEVENTH EDITION****Background:**

An inclusional term was added to clarify that this code is assigned for *acute gastritis without mention of haemorrhage*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

1106 *Gastric ulcer with gastritis*

K29.2 Alcoholic gastritis**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

K29.3 Chronic superficial gastritis**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

An instructional note(s): *Use additional code to identify Helicobacter pylori (B96.81), if applicable* was added to this code as per the guidelines in ACS 1122, which state that H. pylori is associated with and should be coded in the presence of *chronic gastritis*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

K29.4 Chronic atrophic gastritis**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

An instructional note(s): *Use additional code to identify Helicobacter pylori (B96.81), if applicable* was added to this code as per the guidelines in ACS 1122, which state that H. pylori is associated with and should be coded in the presence of *chronic gastritis*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

K29.5 Chronic gastritis, unspecified**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

An instructional note(s): *Use additional code to identify Helicobacter pylori (B96.81), if applicable* was added to this code as per the guidelines in ACS 1122, which state that H. pylori is associated with and should be coded in the presence of *chronic gastritis*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1122 *Helicobacter pylori*

K29.6 Other gastritis**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

A coding query was received to clarify the correct code assignment for 'bile reflux'. Following clinical advice received and the direction of ICD-11 and other international classification systems, an inclusion term for 'Gastritis due to bile reflux' was included at this code.

Source of recommended change:

NCCC (TN156)

Query submission (Q818)

Relevant Australian Coding Standard:

Not applicable

K29.7 Gastritis, unspecified**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

K29.8 Duodenitis**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

K29.9 Gastroduodenitis, unspecified**SEVENTH EDITION****Background:**

Fourth character codes were created to identify:

- without mention of haemorrhage (0)
- with haemorrhage (1)

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

K30 Functional dyspepsia**FIRST EDITION****Background:**

The term *disturbance of stomach* was reclassified to K31.9 *Disease of stomach and duodenum, unspecified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The code title was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2009](#)

Relevant Australian Coding Standard:

Not applicable

K31.7 Polyp of stomach and duodenum**FIRST EDITION****Background:**

Hyperplastic polyps behave differently to *adenomatous polyps* and should not be categorised in the neoplasms chapter. A code for *polyp of the stomach and duodenum* (excluding adenomatous polyp of those sites, which remains classifiable to the neoplasm chapter) was incorporated into First Edition. This change followed a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

Gastroenterology/Hepatobiliary CCGG

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

K31.8 Other specified diseases of stomach and duodenum**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *angiodysplasia with and without haemorrhage*.

Source of recommended change:

NCCH

Gastroenterology/Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

K31.9 Disease of stomach and duodenum, unspecified**FIRST EDITION****Background:**

The term *disturbance of stomach* was reclassified to K31.9 from K30 *Dyspepsia* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

K35 Acute appendicitis**THIRD EDITION****Background:**

Appendicitis with localised peritonitis (with or without rupture) was previously classified to K35.0 *Acute appendicitis with generalised peritonitis*. Australian clinicians disagreed with this classification given the differences in severity of *localised* (without rupture) and *generalised peritonitis*.

Cases of *appendicitis with localised peritonitis without rupture* were reclassified to K35.9 *Acute appendicitis, unspecified*. This was recommended by the Australian Collaborating Centre (AHIW / NCCH) at the WHO meeting of the Heads of Collaborating Centre for the Classification of Diseases in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

1101 *Appendicitis*

SEVENTH EDITION**Background:**

K35.0, K35.1 and K35.9 were inactivated and replaced with K35.2, K35.3 and K35.8 for consistency with WHO amendments to ICD-10.

An includes note – clinically diagnosed acute appendicitis without histological confirmation – was added to this code to support the advice previously in ACS 1101 Appendicitis, point a: Even though no pathological evidence of appendicitis is recorded, a clinical diagnosis of appendicitis should be coded if documented.

Source of recommended change:

NCCH

WHO URC updates [2007](#)

Relevant Australian Coding Standard:

1101 *Appendicitis*

K36 Other appendicitis**SEVENTH EDITION****Background:**

An includes note – clinically diagnosed appendicitis (chronic) (recurrent) without histological confirmation – was added to this code to support the advice previously in ACS 1101 Appendicitis, point a: Even though no pathological evidence of appendicitis is recorded, a clinical diagnosis of appendicitis should be coded if documented.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1101 *Appendicitis*

K37 Unspecified appendicitis**SEVENTH EDITION****Background:**

An includes note – clinically diagnosed appendicitis NOS without histological confirmation – was added to this code to support the advice previously in ACS 1101 Appendicitis, point a: Even though no pathological evidence of appendicitis is recorded, a clinical diagnosis of appendicitis should be coded if documented.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1101 *Appendicitis*

K40 Inguinal hernia**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for category K40 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character subdivision distinguishes *recurrent inguinal hernias*.

Source of recommended change:

NCCH

Gastroenterology/Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

K40.0 Bilateral inguinal hernia, with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K40.3 Unilateral or unspecified inguinal hernia, with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K41.0 Bilateral femoral hernia, with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K41.3 Unilateral or unspecified femoral hernia, with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K42.0 Umbilical hernia with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K43.0 Ventral hernia with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K44.0 Diaphragmatic hernia with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K45.0 Other specified abdominal hernia with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K46.0 Unspecified abdominal hernia with obstruction, without gangrene**SEVENTH EDITION****Background:**

An includes note: *that with adhesions* was added to specific *hernia with obstruction* codes (K40–K46) to clarify that a separate code is not required to identify the *adhesions* when classifying *adhesions with obstructed hernia*.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

K52.8 Other specified noninfective gastroenteritis and colitis**SEVENTH EDITION****Background:**

The inclusion terms were amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

K55.2 Angiodysplasia of colon**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *angiodysplasia with and without haemorrhage*.

Source of recommended change:

NCCH

Gastroenterology/Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

K57 Diverticular disease of intestine**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for category K57 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character subdivision distinguishes *diverticulitis/diverticulosis with haemorrhage*.

Source of recommended change:

NCCH

Gastroenterology/Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

K63.0 Abscess of intestine**SEVENTH EDITION ERRATA 1****Background:**

The code for the excludes term 'abscess of appendix' was revised from K35.1 to K35.3.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

K63.1 Perforation of intestine (nontraumatic)**SEVENTH EDITION ERRATA 1****Background:**

Reference to *perforation of appendix* was removed from the excludes note.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

K63.5 Polyp of colon**FIRST EDITION****Background:**

Hyperplastic polyps behave differently to *adenomatous polyps* and should not be categorised in the neoplasms chapter. A code for *polyp of colon* (excluding adenomatous polyp of this site, which remains classifiable to the neoplasm chapter) was incorporated into First Edition. This change followed a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

Gastroenterology/Hepatobiliary CCCG

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

THIRD EDITION**Background:**

Clinical advice identified that the majority of polyps found in the colon of children are *juvenile polyps* and should be distinguished from other types of polyps accordingly. *Juvenile polyps* are regarded as histologically different from other non-neoplastic polyps. The classification was expanded to differentiate between *adenomatous* and *juvenile polyps of the large intestine* with the creation of fifth character codes for non-neoplastic polyps.

Source of recommended change:

NCCH

Public Submission

Relevant Australian Coding Standard:

Not applicable

K66.2 Retroperitoneal fibrosis**TENTH EDITION****Background:**

Following publication of a Coding Rule regarding retroperitoneal fibrosis (without ureteric obstruction), a submission was lodged with the WHO Update Reference Committee (URC). A code for 'retroperitoneal fibrosis' was created as per the official changes to ICD-10 approved by Heads of Collaborating Centres at the annual meeting in Manchester, 2015.

Minor amendments were made to the Tabular List to support these changes.

Source of recommended change:

Coding query (Q2837)
WHO URC 2015

Relevant Australian Coding Standard:

Not applicable

K75.4 Autoimmune hepatitis**SECOND EDITION****Background:**

A code for *autoimmune hepatitis* was incorporated into Second Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH
Gastroenterology/Hepatobiliary CCG
WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

Inclusion term 'lupoid hepatitis NEC' was reclassified here from K73.2 *Chronic active hepatitis, not elsewhere classified* was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

K75.8 Other specified inflammatory liver diseases**SEVENTH EDITION****Background:**

An inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

K76.0 Fatty (change of) liver, not elsewhere classified**SEVENTH EDITION****Background:**

An inclusion term was added and the excludes note was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

K80 Cholelithiasis**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for category K80 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character subdivision distinguishes *cholelithiasis with obstruction*.

Source of recommended change:

NCCH

Gastroenterology/Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

K83.8 Other specified diseases of biliary tract**FIRST EDITION****Background:**

The term *haematobilia* was classified to K83.8 following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to classify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

K85 Acute pancreatitis**FIFTH EDITION****Background:**

The term (*Pancreatitis*) • NOS was deleted at the three character level (K85) and reclassified to K85.9 *Acute pancreatitis, unspecified* in Errata 4 June 2007. The term was incorrectly retained at the three character level when the fourth characters were created.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

K91.2 Postprocedural malabsorption, not elsewhere classified**SECOND EDITION****Background:**

On the recommendation of the CCCG and the Adverse Events Clinical Update Forum, the code title was modified from *postsurgical* to *postprocedural*. Terms relating to postsurgical complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* become the preferred terminology as it refers to not only surgery, but also *noninvasive procedures, invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH
Gastroenterology/Hepatobiliary CCCG
Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

K91.3 Postprocedural intestinal obstruction**SECOND EDITION****Background:**

On the recommendation of the CCCG and the Adverse Events Clinical Update Forum, the code title was modified from *postsurgical* to *postprocedural*. Terms relating to postsurgical complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* become the preferred terminology as it refers to not only surgery, but also *noninvasive procedures, invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH
Gastroenterology/Hepatobiliary CCCG
Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

K91.4 Malfunction of stoma of the digestive system**ELEVENTH EDITION****Background:**

The term 'oesophagostomy' was added to the *Includes* note following receipt of a public submission.

Source of recommended change:

ACCD (TN1305)

Relevant Australian Coding Standard:

N/A

K92.2 Gastrointestinal haemorrhage, unspecified**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with changes to category K29 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

K93.0 Tuberculous disorders of intestines, peritoneum and mesenteric glands (A18.3†)**THIRD EDITION****Background:**

Duplication of the dagger and asterisk codes was reviewed. Where the dagger code sufficiently described both aetiology and manifestation, the asterisk code was made redundant.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

L00-L99 Diseases of the skin and subcutaneous tissue**TENTH EDITION****Background:**

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

L02.2 Cutaneous abscess, furuncle and carbuncle of trunk**NINTH EDITION****Background:**

The excludes note was amended for consistency with the creation of fifth character site specific codes at L02.4 *Cutaneous abscess, furuncle and carbuncle of limb*.

Source of recommended change:

ACCD (TN432)

Relevant Australian Coding Standard:

Not applicable

L02.4 Cutaneous abscess, furuncle and carbuncle of limb**NINTH EDITION****Background:**

Site specific five character codes were created to clarify conditions that contribute to *diabetic foot* as per the guidelines in ACS 0401 *Diabetes mellitus and intermediate hyperglycaemia*.

Source of recommended change:

ACCD (TN432)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

L03.0 Cellulitis of finger and toe**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Dermatology CCCG

Relevant Australian Coding Standard:

Not applicable

L03.1 Cellulitis of other parts of limb**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Dermatology CCCG

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

Site specific five character codes were created to clarify conditions that contribute to *diabetic foot* as per the guidelines in ACS 0401 *Diabetes mellitus and intermediate hyperglycaemia*.

Source of recommended change:

ACCD (TN432)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

L12 Pemphigoid**TENTH EDITION****Background:**

Following receipt of a public submission that highlighted the need to update the terminology for pemphigoid gestationis (previously known as herpes gestationis), amendments were made.

The code title of O26.4 was revised, and the Alphabetic Index and relevant *Excludes* notes were updated.

Source of recommended change:

ACCD (TN1030)

Relevant Australian Coding Standard:

Not applicable

L20.8 Other atopic dermatitis**FIRST EDITION****Background:**

The terms *intertriginous eczema* and *seborrhoeic eczema* were reclassified to L21.1 *Seborrhoeic infantile dermatitis* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

L21.1 Seborrhoeic infantile dermatitis**FIRST EDITION****Background:**

The terms *intertriginous eczema* and *seborrhoeic eczema* were reclassified to L21.1 from L20.8 *Other atopic dermatitis* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

L22 Diaper [napkin] dermatitis**FIFTH EDITION****Background:**

The terms *incontinence dermatitis: perianal, perineal* were added to L22 following receipt of a query regarding classification of these conditions.

Source of recommended change:

NCCH
WHO URC

Relevant Australian Coding Standard:

Not applicable

L55 Sunburn**FIRST EDITION****Background:**

The description of burns by *degree* is not clinically relevant in Australia which relates to *thickness* of the burn. On the recommendation of the CCCG, the code descriptors specifying *degrees of burns* (L55.0 *Sunburn of first degree*, L55.1 *Sunburn of second degree* and L55.2 *Sunburn of third degree*) were replaced with *erythema, partial thickness* and *full thickness*, respectively.

Source of recommended change:

NCCH
Burns CCCG
Dermatology CCCG

Relevant Australian Coding Standard:

1911 *Burns*

EIGHTH EDITION**Background:**

The NCCC received a public submission concerning the classification and AR-DRG assignment for sunburn. Given that sunburn is a significant health issue and has long term consequence on the skin cancer, the ITG (ICD Technical Group) decided at its meeting on 6 May 2011 that, sunburn requires multiple ICD codes to identify the sunburn site and external causes of injury.

The following changes have been made to ICD-10-AM Tabular List:

- added 'use additional code' instructions to the Tabular List at L55 *Sunburn*:
Use additional code (T20–T25, T29–T30) to identify site of sunburn
Use additional external cause code (Chapter 20) to identify cause
Use additional code (T31) to identify the percentage of body surface area with full thickness burn, if applicable
- removed sunburn (L55.-) from the exclusion list at T20-T31 *Burns*
- modified ACS 1911 *Burns* to clarify the change
- removed L55.- from the list of codes not requiring an external cause in ACS 2001
External cause code use and sequencing.

Source of recommended change:

Public submission (P32)
NCCC (TN187)

Relevant Australian Coding Standard:

1911 *Burns*
2001 *External cause code use and sequencing*

L57.0 Keratosis, not elsewhere classified**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

L72.9 Follicular cyst of skin and subcutaneous tissue, unspecified**FIRST EDITION****Background:**

The term *cyst of skin of scrotum* was reclassified to L72.9 from N48.8 *Other specified disorders of penis* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

L81.7 Pigmented purpuric dermatosis**FIRST EDITION****Background:**

The terms *annularis telangiectodes purpura* and *Majocchi's disease* were reclassified to L81.7 from D69.2 *Other nonthrombocytopenic purpura* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

L81.9 Disorder of pigmentation, unspecified**FIRST EDITION****Background:**

The ICD-9-CM term *cutis achroma* was incorporated into First Edition on the recommendation of the CCCG.

Source of recommended change:

NCCH

Dermatology CCCG

Relevant Australian Coding Standard:

Not applicable

L84 Corns and callosities**NINTH EDITION****Background:**

Site specific four character codes were created to clarify conditions that contribute to *diabetic foot* as per the guidelines in ACS 0401 *Diabetes mellitus and intermediate hyperglycaemia*.

Source of recommended change:

ACCD (TN432)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

L85.8 Other specified epidermal thickening**FIRST EDITION****Background:**

Advice from the American Academy of Dermatology, Australian dermatologists and the Royal College of Pathologists of Australasia is that *keratoacanthoma* should be classified as a *neoplasm of uncertain behaviour*, rather than a *skin lesion*.

The term was reclassified from L85.8 to D48.5 *Neoplasm of uncertain or unknown behaviour of skin* in First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Dermatology CCCG

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

Not applicable

L89 Pressure injury**FOURTH EDITION****Background:**

Following clinical advice, fourth character codes were created at L89 *Decubitus [pressure] ulcer* to specify stages of the ulcer.

Source of recommended change:

NCCH

National Pressure Ulcer Advisory Panel (NPUAP – American org.)

Relevant Australian Coding Standard:

1221 *Decubitus [pressure] ulcer*

NINTH EDITION**Background:**

A public submission (P159) was received highlighting that the current classification for pressure injury is outdated. Following extensive consultation with expert pressure injury clinicians and societies, the classification of pressure injury including the ACS was reviewed for currency and clinical appropriateness. The major changes included:

- Added the new term 'pressure injury' to replace existing terms 'decubitus ulcer' and 'pressure area' and listed 'decubitus ulcer' 'pressure area' and 'pressure ulcer' as synonymous inclusion terms
- Refined definitions of pressure injuries to be consistent with the joint NPUAP-EPUAP-PPPIA (the National Pressure Ulcer Advisory Panel, the European Pressure Ulcer Advisory Panel and the Pan Pacific Pressure Injury Alliance) pressure ulcer definitions
- Addition of an instructional note at L89.- *Pressure injury* to indicate that pressure injury definitions provided are for use by clinicians, coders should not assign a severity code based on the clinical description only
- Created new codes for '*Suspected deep tissue injury, depth unknown, so stated*' and '*Pressure injury, unstageable, so stated*'
- Expanded the pressure injury codes to the fifth character to specify the site of pressure injury
- Amended the Alphabetic Index to support above changes
- Amended the title of ACS 1221 to specify 'Pressure injury' and update clinical and classification advice for pressure injury.

Source of recommended change:

ACCD (TN476)

Public submission (P159)

Relevant Australian Coding Standard(s):

1221 Pressure injury

NINTH EDITION ERRATA 1**Background:**

Amendments were made to the Inclusion terms for the fifth characters 0 and 4 in Errata 1, June 2015.

Source of recommended change:

ACCD

Relevant Australian Coding Standard(s):

Not applicable

TENTH EDITION**Background:**

Minor amendments were made to L89.0–L89.9; the title of the fifth character 0 was amended from *site unspecified* to *site not elsewhere classified*, to include the concepts of *other* and *unspecified*.

Following receipt of a public submission, the term ‘mucosal membrane pressure injury/injuries’ was added to ICD-10-AM and ACS1221 *Pressure injury*.

Source of recommended change:

ACCD

Public submission (P267)

Coding query (Q3046)

Relevant Australian Coding Standard:

1221 *Pressure injury*

L90.5 Scar conditions and fibrosis of skin**FOURTH EDITION****Background:**

AR-DRG v4.2 inappropriately grouped *scar contracture post burn with revision* to DRG 902Z *Non-extensive O.R. procedure unrelated to principal diagnosis*. To capture the condition, the classification was expanded to incorporate codes for *scars due to burns*.

Source of recommended change:

NCCH

Dept. of Health and Ageing

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION**Background:**

The code titles of the five character codes at L90.5 *Scar conditions and fibrosis of skin* were amended to include the terms: *scar conditions* and *fibrosis of skin*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1204 *Plastic surgery*

L91.0 Hypertrophic scar**FOURTH EDITION****Background:**

AR-DRG v4.2 inappropriately grouped *scar contracture post burn with revision* to DRG 902Z *Non-extensive O.R. procedure unrelated to principal diagnosis*. To capture the condition, the classification was expanded to incorporate codes for *scars due to burns*.

Source of recommended change:

NCCH

Dept. of Health and Ageing

Relevant Australian Coding Standard:

Not applicable

L91.8 Other hypertrophic disorders of skin**FIRST EDITION****Background:**

The term *dermatomegaly, not elsewhere classified* was reclassified to Q82.8 *Other specified congenital malformations of skin* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

L97 Ulcer of lower limb, not elsewhere classified**NINTH EDITION****Background:**

Site specific four character codes were created to clarify conditions that contribute to *diabetic foot* as per the guidelines in ACS 0401 *Diabetes mellitus and intermediate hyperglycaemia*. The excludes note was also amended following receipt of a coding query regarding the classification of necrotic leg ulcer with diabetes mellitus and peripheral vascular disease.

Source of recommended change:

ACCD (TN432 & TN659)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*
0604 *Stroke*

L98.4 Chronic ulcer of skin, not elsewhere classified**NINTH EDITION****Background:**

The excludes note was amended for consistency with the creation of four character site specific codes at L97 Ulcer of lower limb, not elsewhere classified

Source of recommended change:

ACCD (TN432)

Relevant Australian Coding Standard:

Not applicable

L98.8 Other specified disorders of skin and subcutaneous tissue**ELEVENTH EDITION****Background:**

An *Inclusion* term was created to clarify that L98.8 is assigned for nontraumatic haematoma of skin and subcutaneous tissue. The *Instructional* term was added to promote assignment of an external cause code to identify the drug, for drug-induced disorders (eg haematoma due to anticoagulant use).

Source of recommended change:

ACCD (TN1312)

Relevant Australian Coding Standard:

Not applicable

L99.8* Other specified disorders of skin and subcutaneous tissue in diseases classified elsewhere**NINTH EDITION ERRATA 1****Background:**

Minor amendments were made for Errata 1, June 2015.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION**Background:**

The Inclusion term at L99.8* *Other specified disorders of skin and subcutaneous tissue in diseases classified elsewhere* was amended for:

- ICD-10-AM Ninth Edition Errata 1 to remove reference to A51.3
- ICD-10-AM Tenth Edition to specify that it only relates to 'late' syphilitic leukoderma.

Source of recommended change:

ACCD (TN993)

Relevant Australian Coding Standard:

Not applicable

M00–M99 Diseases of the musculoskeletal system and connective tissue**SIXTH EDITION****Background:**

A minor amendment was made to the excludes note, as [E90](#) is not an active code in ICD-10-AM.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION**Background:**

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

M12 Other specific arthropathies**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

M12.2 Villonodular synovitis (pigmented)**TWELFTH EDITION****Background:**

Subcategory (M12.2) and fifth character (site) codes (M12.20–M12.29) have been inactivated, with the concept of pigmented villonodular synovitis reclassified to *Neoplasm/connective tissue/uncertain behaviour*, for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

M14.2* Diabetic arthropathy**SECOND EDITION****Background:**

This code was deleted in Second Edition for consistency with the changes to categories [E10-E14 Diabetes mellitus](#). The aetiology/manifestation relationship for diabetes mellitus in ICD-10-AM is no longer relevant. This convention remains, however, for diabetes mellitus in the ICD-10.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

[Definition, diagnosis and classification of diabetes mellitus and its complications](#). Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

M19 Other arthrosis**SECOND EDITION****Background:**

Five codes were incorporated under category M19 (M19.04, M19.14, M19.24, M19.84, M19.94) into Second Edition. This change corrects an omission from the First Edition — the fifth character site code of *hand* (.4) was omitted from the code range for this category.

Source of recommended change:

Coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

M21 Other acquired deformities of limbs**SECOND EDITION****Background:**

Four codes were incorporated under category M21 (M21.04, M21.07, M21.14, M21.17) in Second Edition. This change corrects an omission from the First Edition — the fifth character site codes of *hand* and *ankle and foot* were omitted from the code range for this category.

Source of recommended change:

Coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

M21.7 Unequal limb length (acquired)**FOURTH EDITION****Background:**

Following a review of the musculoskeletal chapter (XIII), fifth character codes, determined to not be clinically logical, were deleted.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

M21.8 Other specified acquired deformities of limbs**FOURTH EDITION****Background:**

Following a review of the musculoskeletal chapter (XIII), fifth character codes, determined to not be clinically logical, were deleted.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

M21.9 Acquired deformity of limb, unspecified**FOURTH EDITION****Background:**

Following a review of the musculoskeletal chapter (XIII), fifth character codes, determined to not be clinically logical, were deleted.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

M25.26 Flail joint, lower leg**SECOND EDITION****Background:**

Flail joint results in instability of a joint. In ICD-10, *flail joint* is classified to M25.2 *Flail joint*. However, for the knee joint, there is also a code M23.5 *Chronic instability of knee*. This redundancy was corrected for Second Edition. M25.26 was deleted and *flail knee* classified to M23.5.

Source of recommended change:

Coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

M25.36 Other instability of joint, lower leg**SECOND EDITION****Background:**

In ICD-10, *instability of joint* is classified to M25.3 *Other instability of joint*. However, for the knee joint, there is also code M23.5 *Chronic instability of knee*. This redundancy was corrected for Second Edition. M25.36 was deleted and *instability of the knee joint* classified to M23.5.

Source of recommended change:

Coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

M31.6 Other giant cell arteritis**SEVENTH EDITION****Background:**

An inclusion term was added to clarify that *temporal arteritis* is classified to this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

M36.1* Arthropathy in neoplastic disease (C00–D48†)**SEVENTH EDITION****Background:**

The inclusion term was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

M40.3 Flatback syndrome**FOURTH EDITION****Background:**

Clinical advice indicated that *flatback syndrome* is a condition that affects the lower (lumbar) spine. Consequently, clinically illogical fifth character codes (for other sites) were deleted from this category.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

M43.2 Other fusion of spine**FIRST EDITION****Background:**

The term *spinal ankylosis* was reclassified to M42.3 from M45 *Ankylosing spondylitis* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

1334 *Spondylosis/spondylolisthesis/retrolisthesis*

M43.5 Other recurrent vertebral subluxation**FOURTH EDITION****Background:**

Following a review of the musculoskeletal chapter (XIII), fifth character codes, determined to not be clinically logical, were deleted.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

M45 Ankylosing spondylitis**FIRST EDITION****Background:**

The term *spinal ankylosis* was reclassified to M43.2 *Other fusion of spine* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

1334 *Spondylosis/spondylolisthesis/retrolisthesis*

M46.1 Sacroiliitis, not elsewhere classified**FIRST EDITION****Background:**

The term *inflammatory change, sacroiliac* was reclassified to M46.1 from M53.3 *Sacroccygeal disorders, not elsewhere classified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

M53.3 Sacroccygeal disorders, not elsewhere classified**FIRST EDITION****Background:**

The term *inflammatory change, sacroiliac* was reclassified to M46.1 *Sacroiliitis, not elsewhere classified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

M67.2 Synovial hypertrophy, not elsewhere classified**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

M70 Soft tissue disorders related to use, overuse and pressure**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

M72.3 Nodular fasciitis**THIRD EDITION****Background:**

Nodular fasciitis (M72.3) and *pseudosarcomatous fibromatosis* (M72.4) are synonymous terms. Therefore, the subcategory for M72.3 *Nodular fasciitis* was deleted and incorporated into M72.4 *Pseudosarcomatous fibromatosis*.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

M72.4 Pseudosarcomatous fibromatosis**THIRD EDITION****Background:**

Nodular fasciitis (M72.3) and *pseudosarcomatous fibromatosis* (M72.4) are synonymous terms. Therefore, the subcategory for M72.3 *Nodular fasciitis* was deleted and incorporated into M72.4 *Pseudosarcomatous fibromatosis*.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

TWELFTH EDITION

Background:

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)

[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

M72.5 Fasciitis, not elsewhere classified

THIRD EDITION

Background:

The subcategory M72.5 *Faciitis, not elsewhere classified* was deleted and reclassified to M72.9 *Fibroblastic disorder, unspecified* as an inclusion term *Faciitis NOS*.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

M72.6 Necrotising fasciitis

THIRD EDITION

Background:

Following clinical consultation, a subcategory M72.6 *Necrotising fasciitis* was created, to differentiate *necrotising fasciitis* from other types of fasciitis.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

M72.8 Other fibroblastic disorders

TENTH EDITION

Background:

Following publication of a Coding Rule regarding retroperitoneal fibrosis (without ureteric obstruction), a submission was lodged with the WHO Update Reference Committee (URC). A code for 'retroperitoneal fibrosis' was created as per the official changes to ICD-10 approved by Heads of Collaborating Centres at the annual meeting in Manchester, 2015.

Minor amendments were made to the Tabular List to support these changes.

Source of recommended change:

Coding query (Q2837)

WHO URC 2015

Relevant Australian Coding Standard:

Not applicable

M75.0 Adhesive capsulitis of shoulder**FIRST EDITION****Background:**

The terms Duplay's bursitis and Duplay's peri arthritis were reclassified to M75.0 from M75.3 Calcific tendinitis of shoulder.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

M75.3 Calcific tendinitis of shoulder**FIRST EDITION****Background:**

The terms *Duplay's bursitis* and *Duplay's peri arthritis* were reclassified to M75.0 *Adhesive capsulitis of shoulder* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

M79.6 Pain in limb**FOURTH EDITION****Background:**

Following a review of the musculoskeletal chapter (XIII), fifth character codes determined to be clinically illogical, were deleted.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

M79.8 Other specified soft tissue disorders**ELEVENTH EDITION****Background:**

An *Inclusion* term was created to clarify that M79.8 is assigned for nontraumatic haematoma of soft tissue. The *Instructional* term was added to promote assignment of an external cause code to identify the drug, for drug-induced disorders (eg haematoma due to anticoagulant use).

Source of recommended change:

ACCD (TN1312)

Relevant Australian Coding Standard:

Not applicable

M80.3 Postprocedural malabsorption osteoporosis with pathological fracture**SECOND EDITION****Background:**

On the recommendation of the CCCG and the Adverse Events Clinical Update Forum, the category and code titles were modified from *postsurgical* to *postprocedural*. Terms relating to *postsurgical* complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* be adopted as the preferred terminology, as it refers to not only surgery, but also *noninvasive procedures*, *invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH
Orthopaedics and Rheumatology CCCG
Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

M81.3 Postprocedural malabsorption osteoporosis**SECOND EDITION****Background:**

On the recommendation of the CCCG and the Adverse Events Clinical Update Forum, the category and code titles have been modified from *postsurgical* to *postprocedural*. Terms relating to *postsurgical* complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* be adopted as the preferred terminology, as it refers to not only surgery, but also *noninvasive procedures*, *invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH
Orthopaedics and Rheumatology CCCG
Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

M85 Other disorders of bone density and structure**TWELFTH EDITION****Background:**

Amended for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)
[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

M85.4 Solitary bone cyst**FOURTH EDITION****Background:**

Following a review of the musculoskeletal chapter (XIII) fifth character codes determined to be clinically illogical, were deleted.

Source of recommended change:

NCCH
CSAC

Relevant Australian Coding Standard:

Not applicable

M85.5 Aneurysmal bone cyst**TWELFTH EDITION****Background:**

Subcategory (M85.5) and fifth character (site) codes (M85.50–M85.59) have been inactivated, with the concept of aneurysmal bone cyst of any site except the jaw reclassified to *Neoplasm/bone/benign*, for consistency with [ICD-O-3.2](#).

Source of recommended change:

IHACPA (TN1503)
[ICD-O-3.2](#)

Relevant Australian Coding Standard:

Not applicable

M85.8 Other specified disorders of bone density and structure**NINTH EDITION****Background:**

The excludes note was amended to include the five character code D75.89 *Other specified diseases of blood and blood-forming organs*.

Source of recommended change:

ACCD (TN656)

Relevant Australian Coding Standard:

Not applicable

M88.89 Paget's disease of other bones, site unspecified**SECOND EDITION****Background:**

M88.89 was deleted in Second Edition, as the code is not relevant under this hierarchy and redundant in view of category M88.9 *Paget's disease of bone, unspecified*.

Source of recommended change:

Coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

M88.9 Paget's disease of bone, unspecified**SECOND EDITION****Background:**

The ten subcategories under category M88.9 were deleted in Second Edition. Site codes were redundant given the title of this category.

Source of recommended change:

Coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

M89.6 Osteopathy after poliomyelitis**SEVENTH EDITION****Background:**

An excludes note was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

M90.3* Osteonecrosis in decompression sickness (T70.3†)**FOURTH EDITION****Background:**

The code title was revised to broaden the scope of conditions classifiable to this code (that is, *barotrauma* or *decompression* occurring either as the result of *ascending* or *desending* in water during a free or assisted dive or due to an *adverse effect of hyperbaric oxygen therapy*). In addition, *Osteonecrosis in caisson disease* (T70.3†) was added as an inclusion term.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

M93.2 Osteochondritis dissecans**FOURTH EDITION****Background:**

Following a review of the musculoskeletal chapter (XIII), fifth character codes determined to be clinically illogical, were deleted.

Source of recommended change:

NCCH

CSAC

Relevant Australian Coding Standard:

Not applicable

M96.4 Postprocedural lordosis**SECOND EDITION****Background:**

On the recommendation of the CCCG and the Adverse Events Clinical Update Forum, the category title was modified from *postsurgical* to *postprocedural*. Terms relating to *postsurgical* complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* be adopted as the preferred terminology, as it refers to not only *surgery*, but also *noninvasive procedures*, *invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH

Orthopaedics and Rheumatology CCCG

Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

M99 Biomechanical lesions, not elsewhere classified**NINTH EDITION****Background:**

The note was deleted due to the inclusion of the codes in this category (M99.0–M99.9) into ACS 0049 *Disease codes that must never be assigned*.

Source of recommended change:

ACCD (TN613)

Relevant Australian Coding Standard:

0049 *Disease codes that must never be assigned*

N00–N99 Diseases of the genitourinary system**SEVENTH EDITION****Background:**

A note was added at the chapter level (Chapter 14) regarding the classification of conditions occurring across sites.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION**Background:**

Amendments were made to the excludes note as part of a review of:

- Obstetrics – see details [here](#)
- Type 1 and type 2 Excludes notes – see details [here](#)

N00–N08 Glomerular Diseases**NINTH EDITION****Background:**

Instructional notes such as ‘*Use additional code to identify presence of CKD*’ or ‘*Code also associated CKD*’ were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

N08.3* Glomerular disorders in diabetes mellitus (E10–E14† with common fourth character .2)**SECOND EDITION****Background:**

This code was deleted in Second Edition for consistency with the changes made to categories [E10–E14 Diabetes mellitus](#). The aetiology/manifestation relationship for diabetes mellitus in ICD-10-AM is no longer relevant. This convention remains, however, for diabetes mellitus in the ICD-10.

Source of recommended change:

World Health Organization’s (WHO) revised classification of diabetes:
Definition, diagnosis and classification of diabetes mellitus and its complications. Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.
NCCH
Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

N10–N16 Renal tubulo-interstitial diseases**NINTH EDITION****Background:**

Instructional notes such as ‘*Use additional code to identify presence of CKD*’ or ‘*Code also associated CKD*’ were removed as they contradicted guidelines within ACS 1438 *Chronic kidney disease* which advised that CKD must be assigned when CKD meets the criteria for assignment as an additional diagnosis.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

1438 *Chronic kidney disease*

N13.8 Other obstructive and reflux uropathy**FIFTH EDITION****Background:**

NCCH received a number of queries regarding the classification of *bladder neck obstruction* (BNO) and *bladder outflow obstruction* (BOO). BOO is classified to N13.8. The cause of the obstruction may be any one of a number of factors (eg *prostatic enlargement*, *urethral stricture* etc). If the cause of the BOO is known, a code should be assigned for that condition, with an additional code to indicate the obstruction (N13.8). *Bladder outflow obstruction* was added as an inclusion term at N13.8.

BNO is classified to N32.0 *Bladder neck obstruction*. This condition is not classified to a uropathy code in ICD-10-AM, as it may be a localised condition and not cause problems in the urinary tract (ureters and kidneys).

Source of recommended change:

NCCH

Queries database

Relevant Australian Coding Standard:

Not applicable

N16.1* Renal tubulo-interstitial disorders in neoplastic diseases**SEVENTH EDITION****Background:**

The inclusion term was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION ERRATA 6**Background:**

The code in the inclusion term 'Renal tubulo-interstitial disorders in, multiple myeloma' was revised from C90.0+ to C90.0-+.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

N17 Acute kidney failure**NINTH EDITION****Background:**

An inclusion term was added to incorporate updated clinical terminology whereby *acute kidney failure* is now widely known as *acute kidney injury*.

Source of recommended change:

ACCD (TN549)

Relevant Australian Coding Standard(s):

ACS 0925

N18 Chronic kidney disease

SIXTH EDITION

Background:

Changes were made to this category for consistency with International (US) staging of *chronic kidney disease* (CKD).

Fourth character codes were created at N18 (N18.1 – N18.5) to represent the five stages of *chronic kidney disease*.

N18.0 *End stage renal failure* and N18.8 *Other chronic renal failure* were inactivated.

N18.90 *Unspecified chronic renal failure* and N18.91 *Chronic renal impairment* were inactivated and N18.9 was made valid.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1430 *Chronic renal impairment*

1438 *Chronic kidney disease*

NINTH EDITION

Background:

As part of the first phase of an ongoing review of ACS 0002 *Additional diagnoses*, a number of instructional notes including ‘*Use additional code to identify presence of hypertension*’ were removed from the Tabular List of ICD-10-AM to eliminate the routine assignment of codes that do not meet ACS 0002, but are assigned on the basis of a ‘code also’ instruction only.

Source of recommended change:

ACCD (TN575)

Relevant Australian Coding Standard:

0002 *Additional diagnoses*

N18.5 Chronic kidney disease, Stage 5

SEVENTH EDITION ERRATA 6

Background:

The inclusion term ‘chronic uraemia’ was deleted.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

N18.9 Chronic kidney disease, unspecified**FIRST EDITION****Background:**

Chronic renal impairment and *chronic renal failure* are two distinct diagnoses distinguished by clinical criteria relating to serum creatinine levels in adults and children. On the advice of the CCCG, each condition requires a unique code.

A code for *chronic renal impairment* was incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Nephrology and Urology CCCG

Relevant Australian Coding Standard:

1430 *Chronic renal impairment*

SIXTH EDITION**Background:**

N18.9 has been revalidated and the title revised to *Chronic kidney disease, unspecified*. See also changes regarding chronic kidney disease ([CKD](#)).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1430 *Chronic renal impairment*

1438 *Chronic kidney disease*

SEVENTH EDITION ERRATA 6**Background:**

The following terms were added as inclusion terms 'Chronic uraemia NOS', 'Diffuse sclerosing glomerulonephritis NOS'.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

N20 Calculus of kidney and ureter**SEVENTH EDITION****Background:**

An includes note was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

N20.9 Urinary calculus, unspecified**SEVENTH EDITION****Background:**

The inclusion term was deleted for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

N25 Disorders resulting from impaired renal tubular function**SIXTH EDITION****Background:**

A minor amendment was made to the excludes note, as [E90](#) is not an active code in ICD-10-AM.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

N26 Unspecified contracted kidney**NINTH EDITION****Background:**

The exclusion term was amended to clarify that nephrosclerosis or hypertensive nephrosclerosis is classified to I12.- Hypertensive kidney disease.

Source of recommended change:

Query (Q2775)

ACCD (TN577)

Relevant Australian Coding Standard:

Not applicable

N28 Other disorders of kidney and ureter, not elsewhere classified**SIXTH EDITION ERRATA 1****Background:**

A minor amendment was made to the excludes note to clarify and place acute renal disease NOS in the one sentence rather than two sentences.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

N28.8 Other specified disorders of kidney and ureter**FIRST EDITION****Background:**

The term *renal haemorrhage* was reclassified to N28.8 from R31 *Unspecified haematuria*. The term *low salt syndrome* was reclassified to E87.1 *Hypo-osmolality and hyponatraemia*. These changes follow recommendations from Germany and the North American Collaborating Centre at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N36.3 Prolapsed urethral mucosa**SEVENTH EDITION****Background:**

The excludes note was amended to clarify that *congenital urethrocele* and *female urethrocele* are not classified to N36.3.

Source of recommended change:

NCCH/public submission

Relevant Australian Coding Standard:

Not applicable

N39.8 Other specified disorders of urinary system**FIRST EDITION****Background:**

Loin pain/haematuria syndrome is a distinct clinical syndrome of loin pain, with or without haematuria, predominantly occurring in young females for which no consistent pathological or psychological abnormality has been found. The condition generally involves extensive investigations of the urinary tract to exclude other pathologies and multiple admissions for pain relief.

A new code for *loin pain/haematuria syndrome* was incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The code number for N39.88 *Other specified disorders of urinary system* was incorrectly printed in the First Edition books as N38.88. An instruction to change the code was issued with the First Errata (April 1998) to the First Edition.

Source of recommended change:

NCCH

Nephrology and Urology CCG

Relevant Australian Coding Standard:

1429 *Loin pain/haematuria syndrome*

N40 Hyperplasia of prostate**EIGHTH EDITION****Background:**

Advice published in *Coding Matters* June 2010 (Vol 17, No 1) by NCCH for *bladder neck obstruction* was incorporated into ICD-10-AM Eighth Edition via instructional notes to reflect advice in this standard and subsequently deleted ACS 1420 *Bladder neck incision for benign prostatic hypertrophy*. The instructional notes will remove subjective interpretation of the current ACS and were created at the following codes:

- N40 *Hyperplasia of prostate*: 'Code also associated bladder neck obstruction (N32.0)'
- 37203-00 [1165] *Transurethral resection of prostate [TURP]*: 'Code also when performed: bladder neck incision (36854-00 [1095])'.

Source of recommended change:

Coding Matters (June 2010)
NCCC (TN272)

Relevant Australian Coding Standard:

1420 *Bladder neck incision for benign prostatic hypertrophy*

N48.0 Leukoplakia of penis**SECOND EDITION****Background:**

The term *balanitis xerotica obliterans* was reclassified in Second Edition from N48.6 *Balanitis xerotica obliterans* to N48.0 following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Paris, 1998.

Source of recommended change:

WHO 1998 decision/2000 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N48.6 Induratio penis plastica**SECOND EDITION****Background:**

The original code descriptor for N48.6 (*Balanitis xerotica obliterans*) was changed to *Induratio penis plastica* in Second Edition to more accurately reflect the contents of this rubric. The term *balanitis xerotica obliterans* was reclassified to N48.0. These changes are based on a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Paris, 1998.

The changes to N48.6 represent a concept change. A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. Researchers and data analysts need to be aware, when searching for data relating to N48.6, that the meaning of this code has changed between First and Second Editions.

Source of recommended change:

WHO 1998 decision/2000 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N48.8 Other specified disorders of penis**FIRST EDITION****Background:**

The term *cyst of skin of scrotum* was reclassified to L72.9 *Follicular cyst of skin and subcutaneous tissue, unspecified* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N50.8 Other specified disorders of male genital organs**FIRST EDITION****Background:**

The following terms were reclassified following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997:

Hypoactive sexual desire disorder, male to F52.0 Lack or loss of sexual desire

Orgasmic disorder, male to F52.3 Orgasmic dysfunction

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N81 Female genital prolapse**SEVENTH EDITION****Background:**

The *excludes* note was amended to separate the concepts of *genital prolapse complicating labour or delivery* (classifiable to O65.5) and *pregnancy* (classifiable to O34.5).

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

N81.0 Female urethrocele**SEVENTH EDITION****Background:**

The *excludes* note was amended to clarify that *congenital* female urethrocele is classified to Q64.79 *Other congenital malformations of bladder and urethra*.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

N85.4 Malposition of uterus**SEVENTH EDITION****Background:**

The *excludes* note was amended to separate the concepts of *genital prolapse complicating labour or delivery* (classifiable to O65.5) and *pregnancy* (classifiable to O34.5).

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

N85.6 Intrauterine synechiae**SECOND EDITION****Background:**

The term *Asherman's syndrome* was classified to N85.6 in Second Edition of ICD-10-AM to give currency to the disease classification.

Source of recommended change:

Code-L coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

N85.9 Noninflammatory disorder of uterus, unspecified**EIGHTH EDITION****Background:**

As a result of a published Coding Q&A (April 2011), an inclusion term 'Thickening of endometrium' was added in the Tabular List at N85.9.

Source of recommended change:

Coding Q&A (April 2011)
NCCC (Q2632)

Relevant Australian Coding Standard:

Not applicable

N87.0 Mild cervical dysplasia**EIGHTH EDITION****Background:**

The WHO ICD-O morphology update (for implementation 1 January 2012) introduced new morphology codes for squamous intraepithelial neoplasia, low grade (M8077/0) and squamous intraepithelial neoplasia, high grade (M8077/2) relating to cervix, anus and oesophagus. These new concepts need to be included in ICD-10-AM to maintain the clinical currency of the classification. 'Low grade squamous intraepithelial lesion (LGSIL)' was added as an inclusion term at N87.0 *Mild cervical dysplasia*.

Source of recommended change:

ICD-O updates January 2012
NCCC (TN406)

Relevant Australian Coding Standard:

Not applicable

N87.2 Severe cervical dysplasia, not elsewhere classified**NINTH EDITION****Background:**

The excludes note was amended, as CIN grade III and HGSIL only apply to squamous intraepithelial lesions (D06.1-D06.9); D06.0 *Endocervix* should only be assigned for adenocarcinoma in situ of the cervix (aka high grade cervical glandular intraepithelial neoplasia (HGCGIN)).

Source of recommended change:

ACCD (TN637)

Relevant Australian Coding Standard:

Not applicable

N90.7 Vulvar cyst**FIRST EDITION****Background:**

The term *implantation cyst of vulva* was reclassified to N90.7 from N90.8 *Other specified noninflammatory disorders of vulva and perineum* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N90.8 Other specified noninflammatory disorders of vulva and perineum**FIRST EDITION****Background:**

The term *implantation cyst of vulva* was reclassified to N90.7 *Vulval cyst* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N94.8 Other specified conditions associated with female genital organs and menstrual cycle**FIRST EDITION****Background:**

The following terms were reclassified following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997:

Hypoactive sexual desire disorder, female to F52.0 Lack or loss of sexual desire

Orgasmic disorder, female to F52.3 Orgasmic dysfunction

Sexual arousal disorder, female to F52.2 Failure of genital response

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

N98.1 Hyperstimulation of ovaries**SEVENTH EDITION****Background:**

NCCH received a query regarding *ovarian stimulation/hyperstimulation syndrome* and advice was published in Coding Matters (Vol 4, No 4, March 2008). Consequently, an inclusion term (*Hyperstimulation of ovaries*) *drug-induced* and an instructional note; *Use additional external cause code (Chapter 20) to identify drug, if drug-induced* were added.

Source of recommended change:

NCCH/coding query

Relevant Australian Coding Standard:

Not applicable

N99.2 Postprocedural adhesions of vagina**SECOND EDITION****Background:**

On the recommendation of the CCCG and the Adverse Events Clinical Update Forum, the code title has been modified from *postsurgical* to *postprocedural*. Terms relating to *postsurgical* complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* be adopted as the preferred terminology, as it refers to not only *surgery*, but also *noninvasive procedures*, *invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH
Obstetrics and Gynaecology CCCG
Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

N99.5 Malfunction of stoma of urinary tract**ELEVENTH EDITION****Background:**

The terms 'ureterostomy' and 'urethrostomy' were added to the *Includes* note following receipt of a public submission.

Source of recommended change:

ACCD (TN1305)

Relevant Australian Coding Standard:

N/A

O00–O99 Pregnancy, childbirth and the puerperium**SEVENTH EDITION ERRATA 6****Background:**

HIV removed from the excludes note.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION

Background:

Following receipt of public submissions and publication of Coding Rules, amendments were made to ICD-10-AM Chapter 15 *Pregnancy, childbirth and the puerperium*:

- **O10** was renamed to *Pre-existing hypertension in pregnancy, childbirth and the puerperium*, and the four character codes (O10.0-O10.9) were inactivated. An *Instructional* note was added to promote assignment of a code from I10-I15, with O10.
- **O26.82** *Carpal tunnel syndrome in pregnancy* and **O26.83** *Neuralgia in pregnancy* were inactivated and the concepts reclassified to **O99.3** *Mental disorders and diseases of the nervous system in pregnancy, childbirth and the puerperium*, to centralise the classification of nervous system complications in pregnancy. Assign codes from Chapter 6 *Diseases of the nervous system* for specific nervous system conditions (eg carpal tunnel syndrome, peripheral neuritis) with O99.3 to provide specificity.
- Categories **O29** *Complications of anaesthesia during pregnancy*, **O74** *Complications of anaesthesia during labour and delivery* and **O89** *Complications of anaesthesia during the puerperium*, and **O75.4** *Other complications of obstetric surgery and procedures* were deleted, as they classified complications of procedures not complications of pregnancy, childbirth and the puerperium. Assign codes for these concepts as per the updated guidelines in ACS 1904 *Procedural complications* (see also [Procedural complications](#)).
- **O32.5** *Maternal care for multiple gestation with malpresentation of one fetus or more* was deleted; assign one or more codes from **O32** *Maternal care for known or suspected malpresentation of fetus*, as appropriate. Multiple gestation is identified by the assignment of **O30** *Multiple gestation*.
- A number of *Excludes* notes were deleted (for consistency with the changes to the conventions – see also [Type 1 and type 2 exclusions](#)) and *Code also Instructional* notes were added to encourage clinical coders to assign a code from another chapter to provide specificity to a (nonspecific) Chapter 15 code.
- A code for diabetes mellitus (**E09-E14**) is always assigned with **O24.0-O24.3** and **O24.5** as per the *Code also Instructional* notes at **O24** *Diabetes mellitus in pregnancy*.
- *Excludes* notes were added to the beginning of Chapter 15 to clarify that codes from that chapter are not assigned for **Z33** *Pregnant state, incidental*, **Z34** *Supervision of normal pregnancy* or **S00-T98** *Injury, poisoning and certain other consequences of external cause*.
- A number of code titles were amended to replace the terms 'complicating pregnancy' with 'in pregnancy'.
- Amendments were made to clarify and differentiate the *Delivery* codes (**O80-O84**), for consistency with the creation of ACS 1505 *Delivery and assisted delivery codes*.
- Minor/other amendments were made to support the changes to obstetric coding, and deletion of standards from ACS Chapter 15

Source of recommended change:

Public submissions

Coding query (Q2771)

ACCD (TN671, TN725, TN904)

Relevant Australian Coding Standard:

1500 *Diagnosis sequencing in delivery episodes of care*

1505 *Delivery and assisted delivery codes*

1509 *Falling oestriols*

1510 *Pregnancy with abortive outcome*

1511 *Termination of pregnancy*

1521 *Conditions and injuries in pregnancy*

1537 *Decreased fetal movements*

1539 *Suppressed lactation*

1544 *Complications following abortion and ectopic and molar pregnancy*

1548 *Puerperal/postpartum condition or complication*

ELEVENTH EDITION

Background:

A number of amendments were made to the classification of obstetric conditions, including:

- Amendments to O03-O08 (abortion) (glossary descriptions, inclusion terms, includes notes, excludes notes, instructional notes)
- Addition of glossary descriptions/definitions to O31.1 *Continuing pregnancy after abortion of one fetus or more* and O31.2 *Continuing pregnancy after intrauterine death of one fetus or more* to clarify when these codes are applicable
- Amendment to the title of block O47 *False labour or labour without delivery* and creation of O47.2 *Labour without delivery*
- Creation of O61.2 *Failed medical with surgical induction of labour* to classify failed induction of labour, following use of both medical and surgical (instrumental) methods
- Creation of O63.3 *Prolonged third stage (of labour)*
- Addition of a *Note* to clarify that the codes in category O70 *Perineal laceration during delivery* represent a continuum. Where multiple perineal lacerations (ruptures or tears) of different degrees are documented, assign a code for the highest (most severe) degree only
- In order to apply the ICD-10-AM principles of multiple condition coding, the concepts of atonic uterus, retained placenta and membranes, and postpartum haemorrhage (PPH) were separated. This will allow assignment of both a code from category O72 *Postpartum haemorrhage*, and the underlying cause, where supported by documentation in the clinical record. The *Code also* note at O72 was amended to clarify the reclassification of PPH and its underlying causes. Additionally, O72.0 *Third-stage haemorrhage*, O72.1 *Other immediate postpartum haemorrhage* and O72.2 *Delayed and secondary postpartum haemorrhage* are differentiated by onset of haemorrhage. *Glossary descriptions/definitions* were added to identify these differences, for consistency with definitions in ICD-11
- The classification of placenta adherens (adherent placenta NOS) was separated from O43.2 *Morbidly adherent placenta* and classified to O73.0 *Retained placenta*. O73.1 was also renamed: *Retained portions of placenta and membranes*
- The concepts in category O99.3 were separated to differentiate:
 - O99.31 *Mental disorders in pregnancy, childbirth and the puerperium*
 - O99.32 *Diseases of the nervous system in pregnancy, childbirth and the puerperium*
- Minor/other amendments were made to support the changes to obstetric coding, including:
 - *Excludes* notes were deleted throughout ICD-10-AM for conditions 'complicating abortion or ectopic or molar pregnancy' to promote multiple condition coding (that is, assignment of a code from another chapter to provide specificity in addition to a code from O00-O08 *Pregnancy with abortive outcome*). The ICD-10 based *Excludes* notes were designed for single condition coding.
 - Amendments were made to category P07 *Disorders related to short gestation and low birth weight, not elsewhere classified* to incorporate the guidelines previously included in ACS 1618 *Low birth weight and gestational age*, which was deleted for Eleventh Edition
 - The title of category Z32 *Pregnancy supervision, examination and test, not elsewhere classified* was amended to classify the new code Z32.2 *Initiation of medical abortion*, which is assigned in limited circumstances (ie for 'staged' abortion), as outlined in ACS 1511 *Termination of pregnancy (abortion)*.

Source of recommended change:

ACCD (TN1225, TN1350)

Relevant Australian Coding Standard:

1500 *Diagnosis sequencing in obstetric episodes of care*
 1505 *Delivery and assisted delivery codes*
 1511 *Termination of pregnancy (abortion)*
 1521 *Conditions and injuries in pregnancy*
 1544 *Complications following pregnancy with abortive outcome*
 1548 *Puerperal/postpartum condition or complication*

O08.4 Kidney failure following abortion and ectopic and molar pregnancy**SIXTH EDITION ERRATA 1****Background:**

The inclusion term *Oliguria* was resequenced so that all terms are listed alphabetically.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O09 Duration of pregnancy**FIRST EDITION****Background:**

An Australian three character category and seven codes describing the *duration of pregnancy* were incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. These changes have not yet been adopted by WHO.

The codes for duration of pregnancy have been developed by the CCCG specifically to identify the *duration of pregnancy* for a specific group of high-risk pregnancies:

Abortion (O00-O08 Pregnancy with abortive outcome),

Threatened abortion (O20.0),

Premature rupture of membranes (O42) before 37 completed weeks of gestation,

Threatened premature labour (O47.0 False labour before 37 completed weeks of gestation), and

Early onset of labour (O60 Preterm delivery).

Source of recommended change:

NCCH

Obstetrics and Gynaecology CCCG

Relevant Australian Coding Standard:

1518 *Duration of pregnancy*

SEVENTH EDITION**Background:**

Following deletion of ACS 1518, a note was added to clarify that a code from category O09 should only be assigned with the specific listed conditions.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1518 *Duration of pregnancy*

EIGHTH EDITION**Background:**

Following the receipt of public submissions (P28 and P29), the following changes were made:

- A Note of “37 completed weeks refer to 36 weeks plus 7 days. Duration of pregnancy less than 37 completed weeks is deemed premature.” was added.
- “(before 37 completed weeks of gestation)” has been added after “fetal death in utero (O36.4)” as the previous definition was not clear.

Source of recommended change:

Public submissions (P28 and P29)
NCCC (TN163)

Relevant Australian Coding Standard:

1520 *Multiple births*

O09.5 Duration of pregnancy 34-< 37 completed weeks**EIGHTH EDITION****Background:**

The code title of O09.5 *Duration of pregnancy 34–36 completed weeks* is misleading in that 36 completed weeks applies to 35 weeks + 7 days and does not cover 36 weeks + 1-6 (one to six) days, that is less than 37 completed weeks and deemed premature. This results in a gap of 1 - 6 days. In order to capture premature labour or deliveries with the duration of pregnancy codes, the code title of O09.5 should be amended to *Duration of pregnancy 34-<37 completed weeks*. See also [O09 Duration of pregnancy](#).

Source of recommended change:

Public submissions (P28 and P29)
NCCC (TN163)

Relevant Australian Coding Standard:

1520 *Multiple births*

O09.9 Unspecified duration of pregnancy**SEVENTH EDITION****Background:**

Following deletion of ACS 1518, a note was added to clarify that O09.9 should only be assigned with the conditions listed in the note at the category level and where duration of pregnancy has not been recorded.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1518 *Duration of pregnancy*

O14.0 Mild to moderate pre-eclampsia**FIRST EDITION****Background:**

The term *HELLP syndrome* was reclassified to O14.1 *Severe pre-eclampsia* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

This code title was created for consistency with updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2009](#)

Relevant Australian Coding Standard:

Not applicable

O14.1 Severe pre-eclampsia**FIRST EDITION****Background:**

The term *HELLP syndrome* was reclassified to O14.1 from O14.0 *Moderate pre-eclampsia* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

O14.2 HELLP syndrome**SEVENTH EDITION****Background:**

This code was created for consistency with updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

O24 Diabetes mellitus in pregnancy, childbirth and the puerperium**SECOND EDITION****Background:**

A number of changes were made to category O24 for consistency with the changes made to the [E10-E14](#) Diabetes mellitus categories.

The descriptors for O24.0 and O24.1 were changed to reflect the updated terminology (*Type 1* and *Type 2*).

The descriptor for O24.2 was changed in line with the deletion of the concept of *malnutrition-related diabetes* from the latest WHO classification. This change represents a concept change for O24.2. A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. Researchers and data analysts need to be aware, when searching for data relating to O24.2, that the meaning of this code has changed between First and Second Editions.

Two new codes were incorporated into Second Edition at category O24.4 to distinguish whether the diabetes mellitus arising in pregnancy *requires insulin*.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

[Definition, diagnosis and classification of diabetes mellitus and its complications](#). Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCGG

Obstetrics and Gynaecology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus*

THIRD EDITION**Background:**

On the recommendation of the CCGG, a fifth character subdivision for categories O24.1–O24.9 was incorporated into Third Edition. The fifth character subdivision distinguishes whether the diabetes mellitus (either pre-existing or arising in pregnancy) is *treated with insulin*.

Note that a fifth character subdivision previously existed for category O24.4. This change simply reflected a minor change in the code descriptor.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

[Definition, diagnosis and classification of diabetes mellitus and its complications](#). Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCGG

Obstetrics and Gynaecology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

FOURTH EDITION

Background:

Multiple queries received by the NCCH identified minor changes and enhancements were needed to reflect updated terminology relating to *diabetes mellitus*. NCCH created a category O24.5 *Pre-existing impaired glucose regulation, in pregnancy* and created a fifth character for *unspecified (treatment)* for use with categories O24.1–O24.9.

REFER ALSO TO E09-E14 [Fourth Edition changes]

Source of recommended change:

NCCH
Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

SIXTH EDITION

Background:

A review of *impaired glucose regulation* (IGR) and *diabetes mellitus* was undertaken for ICD-10-AM [Sixth Edition](#). In response to these changes, fifth character codes were created in O24.1–O24.9 for *oral hypoglycaemic therapy* and *other* therapies, and the fifth character codes for *noninsulin treated* therapy was inactivated.

Amendments were made to the code title of O24.4 to replace the terms *at or after 24 weeks gestation* with *during pregnancy*. The note referring to WHO criteria in this code has also been updated.

Source of recommended change:

NCCH
Ausdiab
National Cholesterol Education Program
Coding Queries

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

EIGHTH EDITION

Background:

A review of *impaired glucose regulation* (IGR) and *diabetes mellitus* was undertaken for ICD-10-AM Eighth Edition. A number of changes were made to category O24 for consistency with the changes made to the [E09–E14 Diabetes mellitus](#) categories. In response to these changes, the following changes were made to O24:

- Deleted note at O24.4
- Revised code titles at code O24.5 to align with the update in terminologies to ‘intermediate hyperglycaemia’ from ‘impaired glucose regulation’

Source of recommended change:

Diabetes workshop
Endocrinology Clinical Technical Group
ICD Technical Group
NCCC (TN284)

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and intermediate hyperglycaemia*

O26.4 Pemphigoid gestationis [herpes gestationis]**TENTH EDITION****Background:**

Following receipt of a public submission that highlighted the need to update the terminology for pemphigoid gestationis (previously known as herpes gestationis), amendments were made.

The code title of O26.4 was amended, and the Alphabetic Index and relevant Excludes notes were updated.

Source of recommended change:

ACCD (TN1030)

Public submission (P249)

Relevant Australian Coding Standard:

Not applicable

O26.8 Other specified pregnancy-related conditions**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the most common *pregnancy-related conditions* classifiable to this category.

Source of recommended change:

NCCH

Obstetrics and Gynaecology CCCG

Relevant Australian Coding Standard:

Not applicable

O26.81 Kidney disorders in pregnancy, childbirth and the puerperium**SEVENTH EDITION****Background:**

The code title was amended to replace the term *renal* with *kidney*, following similar changes for Sixth Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O29.0 Pulmonary complications of anaesthesia during pregnancy**NINTH EDITION****Background:**

An inclusion term was added to clarify that *chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia, during pregnancy* is classified to this code. Instructional notes were added to specify that external cause codes are required (and indicate the correct external cause codes to assign).

Source of recommended change:

ACCD/ TN545

Relevant Australian Coding Standard:

Not applicable

O29.6 Failed or difficult intubation during pregnancy**NINTH EDITION****Background:**

Five character codes were created to differentiate failed from difficult intubation:

- O29.61 *Failed intubation during pregnancy*
- O29.62 *Difficult intubation during pregnancy*

Source of recommended change:

ACCD (TN658)

Relevant Australian Coding Standard:

Not applicable

O32.8 Maternal care for other malpresentation of fetus**SIXTH EDITION****Background:**

The term *face to pubes* was reclassified to O32.8 from O32.3 *Maternal care for face, brow and chin presentation* following a query regarding index entries for *malpresentation of fetus*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O34 Maternal care for known or suspected abnormality of pelvic organs**SEVENTH EDITION****Background:**

The *excludes* note at the category level (*Excludes*: that affecting labour and delivery (O65.5)) was relocated to the specific codes to which it applies (ie O34.0, O34.1 and O34.3–O34.9).

Minor amendments were also made to the inclusion terms at O34.4 and O34.6 for consistency with the format in other sections of the classification.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

O34.2 Maternal care due to uterine scar from previous surgery**SEVENTH EDITION****Background:**

The term *any* was added to the inclusion term to clarify that *previous caesarean section* is not limited to the immediately preceding delivery episode of care.

Similarly, the term *any* was added to the *excludes* note to clarify that O34.2 should not be assigned when the patient has delivered vaginally for the current pregnancy and they delivered via caesarean section for any of their previous pregnancies.

Source of recommended change:

CSAC

Relevant Australian Coding Standard:

Not applicable

O36.3 Maternal care for signs of fetal hypoxia**FIRST EDITION****Background:**

The following terms were reclassified to O36.3 from O36.8 *Maternal care for other specified fetal problems* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997:

Caesarean delivery for fetal distress

Caesarean delivery for meconium in liquor

Pregnancy management affected by fetal acidaemia

Pregnancy management affected by fetal bradycardia

Pregnancy management affected by fetal distress

Pregnancy management affected by meconium in liquor

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

O36.4 Maternal care for intrauterine death**SEVENTH EDITION****Background:**

A *use additional code* note was added following the deletion of ACS 1518 *Duration of pregnancy*, to clarify that a code from O09 *Duration of pregnancy* should be assigned with O36.4.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O36.8 Maternal care for other specified fetal problems**FIRST EDITION****Background:**

The following terms were reclassified to O36.3 *Maternal care for signs of fetal hypoxia* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997:

Caesarean delivery for fetal distress

Caesarean delivery for meconium in liquor

Pregnancy management affected by fetal acidaemia

Pregnancy management affected by fetal bradycardia

Pregnancy management affected by fetal distress

Pregnancy management affected by meconium in liquor

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

O42 Premature rupture of membranes**SEVENTH EDITION****Background:**

Following the deletion of ACS 1531 *Premature rupture of membranes* information was added to ICD-10-AM Tabular List and Alphabetic Index to clarify code selection for this condition.

A *note* was added to clarify how to calculate the length of time the membranes were ruptured, when a patient with PROM proceeds to a caesarean section without labour.

A *code also note* was added to remind coders to assign an additional code for *preterm labour and delivery* (O60), when applicable to an episode of care.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

1518 *Duration of pregnancy*

1530 *Premature delivery*

1531 *Premature rupture of membranes*

NINTH EDITION**Background:**

Following receipt of a public submission, amendments were made for ICD-10-AM Ninth Edition:

- The addition of an inclusion term and amendment of the note to incorporate previously published advice.
- The addition of an excludes note to clarify that a code from this category is not assigned when rupture of membranes is by artificial means.

Source of recommended change:

ACCD/public submission

Relevant Australian Coding Standard:

1552 *Premature rupture of membranes, labour delayed by therapy*

O42.0 Premature rupture of membranes, onset of labour within 24 hours**SEVENTH EDITION****Background:**

An inclusion term was added to clarify that O42.0 is assigned for *premature rupture of membranes with delivery by caesarean section (without labour) within 24 hours*.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

O42.1 Premature rupture of membranes, onset of labour after 24 hours**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes specify the *time frame* for the *onset of labour following premature rupture of membranes* (between 1–7 days later [O42.11] or more than 7 days later [O42.12]).

Source of recommended change:

NCCH

Obstetrics and Gynaecology CCCG

Relevant Australian Coding Standard:

1518 *Duration of pregnancy*

1531 *Premature rupture of membranes*

SEVENTH EDITION**Background:**

An *inclusion term* was added to clarify that O42.1 classifies *premature rupture of membranes with delivery by caesarean section (without labour) after 24 hours*.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

O42.2 Premature rupture of membranes, labour delayed by therapy**NINTH EDITION****Background:**

Following receipt of a public submission, amendments were made for ICD-10-AM Ninth Edition:

- The addition of an inclusion term and amendment of the note to incorporate previously published advice.
- The addition of an excludes note to clarify that a code from this category is not assigned when rupture of membranes is by artificial means.

Source of recommended change:

ACCD/public submission

Relevant Australian Coding Standard:

1552 *Premature rupture of membranes, labour delayed by therapy*

O42.9 Premature rupture of membranes, unspecified**SEVENTH EDITION****Background:**

An *includes note* was added to clarify that O42.9 is assigned *when a patient is discharged/transferred after membranes rupture but before labour commences*.

Source of recommended change:

NCCH/query

Obstetrics and Gynaecology CCCG

Relevant Australian Coding Standard:

1550 *Discharge/transfer in labour*

1531 *Premature rupture of membranes*

O43 Placental disorders**THIRD EDITION****Background:**

Placenta accreta, *increta* and *percreta* were previously classified as *retained placenta*. Although rare, these conditions are life threatening and the pathophysiology of these conditions is significantly different. *Placenta praevia* and *history of caesarean section* constitute key risk factors. This condition may be diagnosed antenatally.

On the recommendation of the Obstetric and Gynaecology CCG, an Australian code, O43.2 *Morbidly Adherent Placenta* was incorporated into Third Edition to reflect all stages of the pregnancy and puerperium.

Source of recommended change:

NCCH

Obstetrics and Gynaecology CCG

Relevant Australian Coding Standard:

Not applicable

O47 False labour or labour without delivery**SEVENTH EDITION****Background:**

An *inclusion term* was added to clarify that *false rupture of membranes* is classified to this code.

Source of recommended change:

NCCH/query

Obstetrics and Gynaecology CCG

Relevant Australian Coding Standard:

Not applicable

O60 Preterm labour and delivery**FIFTH EDITION****Background:**

The code title was amended at the three character level for consistency with changes to [WHO ICD-10](#) 2004 (from *Preterm delivery* to *Preterm labour*). Fourth character codes were also created as per ICD-10.

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION**Background:**

Changes were made to this category for consistency with [WHO ICD-10 2006](#) amendments:

- the term *spontaneous* was deleted from the inclusion term at the category level
- the term *spontaneous* was added to the code titles of O60.1 and O60.2
- a fourth character code (O60.3) was created for the concept of *Preterm delivery without spontaneous labour*

The instructional note(s): *Use additional code from category O09.- to identify duration of pregnancy* was relocated from O60.2 to the category level, as it is applicable to all of the codes in O60.

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

O60.1 Preterm spontaneous labour with preterm delivery**SEVENTH EDITION****Background:**

A *code first* note was added to clarify that a code from O80–O84 should be sequenced before this code in the code string.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O60.2 Preterm spontaneous labour with term delivery**SEVENTH EDITION****Background:**

A *code first* note was added to clarify that a code from O80–O84 should be sequenced before this code in the code string.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O60.3 Preterm delivery without spontaneous labour**SEVENTH EDITION****Background:**

A *code first* note was added to clarify that a code from O80–O84 should be sequenced before this code in the code string.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O62.9 Abnormality of forces of labour, unspecified**SEVENTH EDITION****Background:**

An *inclusion* term was added to clarify that *failure to progress, not otherwise stated* is classified to this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O64 Labour and delivery affected by malposition and malpresentation of fetus**FOURTH EDITION****Background:**

A review examining clinical relevance of current medical terminology determined that the term *obstructed labour* was outdated. To reflect current obstetric terminology, *obstructed labour* was replaced with *labour and delivery affected by...* All codes titles within O64 range were revised to maintain consistency within the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O64.4 Labour and delivery affected by shoulder presentation**FIRST EDITION****Background:**

The term *transverse lie causing obstructed labour* was reclassified to O64.8 *Obstructed labour due to other malposition and malpresentation* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Tokyo, 1996.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION**Background:**

A review examining clinical relevance of current medical terminology determined that the term *obstructed labour* was outdated. To reflect current obstetric terminology, *obstructed labour* was replaced with *labour and delivery affected by*. All codes titles within O64 range were revised to maintain consistency within the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O64.8 Labour and delivery affected by other malposition and malpresentation

FIRST EDITION

Background:

The term *transverse lie causing obstructed labour* was reclassified to O64.8 from O64.4 *Obstructed labour due to shoulder presentation* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Tokyo, 1996.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION

Background:

A review examining clinical relevance of current medical terminology determined that the term *obstructed labour* was outdated. To reflect current obstetric terminology, *obstructed labour* was replaced by *labour and delivery affected by...* All codes titles within O64 range were revised to maintain consistency within the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O65 Labour and delivery affected by maternal pelvic abnormality

FOURTH EDITION

Background:

A review examining clinical relevance of current medical terminology determined that the term *obstructed labour* was outdated. To reflect current obstetric terminology, *obstructed labour* was replaced with *labour and delivery affected by...* All codes titles within O65 range were revised to maintain consistency within the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O65.0 Labour and delivery affected by deformed pelvis**SECOND EDITION****Background:**

The term *double uterus, in pregnancy or childbirth, causing obstructed labour* was reclassified to O65.5 *Obstructed labour due to abnormality of maternal pelvic organs*. The advice to reclassify this term was issued with the Fourth Errata (June 2001) to the Second Edition. The change became effective from June 2001.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION**Background:**

A review examining clinical relevance of current medical terminology determined that the term *obstructed labour* was outdated. To reflect current obstetric terminology, *obstructed labour* was replaced with *labour and delivery affected by...* All codes titles within O65 range were revised to maintain consistency within the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O65.5 Labour and delivery affected by abnormality of maternal pelvic organs**SECOND EDITION****Background:**

The term *double uterus, in pregnancy or childbirth, causing obstructed labour* was reclassified to O65.5 from O65.0 *Obstructed labour due to deformed pelvis*. The advice to reclassify this term was issued with the Fourth Errata (June 2001) to the Second Edition. The change became effective from June 2001.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION**Background:**

A review examining clinical relevance of current medical terminology determined that the term *obstructed labour* was outdated. To reflect current obstetric terminology, *obstructed labour* was replaced with *labour and delivery affected by...* All codes titles within O65 range were revised to maintain consistency within the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

SEVENTH EDITION

Background:

The inclusion term was amended to clarify the specific O34 conditions relevant to O65.5. An excludes note was added to specify that *labour and delivery affected by uterine scar from (any) previous surgery* is classified to O34.2.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

O66 Other factors affecting labour and delivery

FOURTH EDITION

Background:

A review examining clinical relevance of current medical terminology found that the term *obstructed labour* is outdated. To reflect current obstetric terminology, obstructed labour was replaced with labour and delivery affected by... All codes titles within O66.0–O66.3, O66.8–O66.9 range were revised to maintain consistency within the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O66.5 Failed application of vacuum extractor and forceps, unspecified

NINTH EDITION

Background:

The inclusion term was removed as it was restricting the scenarios to which the code could be applied.

Source of recommended change:

ACCD (TN711)

Relevant Australian Coding Standard:

Not applicable

O69.2 Labour and delivery complicated by other cord entanglement, with compression

SEVENTH EDITION

Background:

The code title was amended and an inclusion term added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

O69.8 Labour and delivery complicated by other cord complications**SEVENTH EDITION****Background:**

The inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

O71.0 Rupture of uterus before onset of labour**SIXTH EDITION****Background:**

Australian codes were created at the fifth character level following receipt of two public submissions. This was to provide greater specificity for different types of uterine rupture (*spontaneous* or *traumatic*) and to differentiate *uterine laceration/tear* from *uterine rupture*.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

O71.1 Rupture of uterus during labour**SIXTH EDITION****Background:**

Australian codes were created at the fifth character level following receipt of two public submissions. This was to provide greater specificity for different types of uterine rupture (*spontaneous* or *traumatic*) and to differentiate *uterine laceration/tear* from *uterine rupture*.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

O71.8 Other specified obstetric trauma**SIXTH EDITION****Background:**

Fifth character codes were created following receipt of two public submissions, for consistency with amendments to O71.0 and O71.1.

The instructional note was deleted, as a code was created for *diastasis of recti abdominal muscle* (DRAM).

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

O74.0 Aspiration pneumonitis due to anaesthesia during labour and delivery**NINTH EDITION****Background:**

An inclusion term was added to clarify that *chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia, during labour and delivery* is classified to this code. Instructional notes were added to specify that external cause codes are required (and indicate the correct external cause codes to assign).

Source of recommended change:

ACCD/ TN545

Relevant Australian Coding Standard:

Not applicable

O74.7 Failed or difficult intubation during labour and delivery**NINTH EDITION****Background:**

Five character codes were created to differentiate failed from difficult intubation:

O74.71 *Failed intubation during labour and delivery*

O74.72 *Difficult intubation during labour and delivery*

Source of recommended change:

ACCD (TN658)

Relevant Australian Coding Standard:

Not applicable

O75.7 Vaginal delivery following previous caesarean section**SEVENTH EDITION****Background:**

An inclusion term was added to O75.7 for consistency with the guidelines in ACS 1506 stating that this codes should be assigned for all cases where a trial of caesarean scar proceeds to a vaginal delivery.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

1506 *Malpresentation, disproportion and abnormality of maternal pelvic organs*

O80–O84 Delivery**FIRST EDITION****Background:**

A number of changes were made to this block on the basis of redundancy, as these codes relate to procedures that are classified in ACHI. Codes O80.0–O80.9, O81.0–O81.5 and O82.0–O82.9 were deleted. Categories O83 and O84 were also deleted.

The notes to categories O80–O82 were modified for consistency with these changes.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1505 *Single spontaneous vaginal delivery*

SEVENTH EDITION**Background:**

Categories O83 and O84 were reactivated in this block. A *note* was added to clarify that a code from O80-O84 must be assigned for all *obstetric episodes of care where delivery is the outcome* and additional codes from Chapter 15 may be assigned to *fully describe the delivery episode*. A *code also* note was also added to advise coders to assign an additional code for outcome of delivery (Z37).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O80 Single spontaneous delivery**SEVENTH EDITION****Background:**

An extensive review of delivery codes was performed for Seventh Edition. The outcome was to reactivate O83 and O84 to the [Delivery](#) block in Chapter 15 and assign a code from this category for all episodes of care where the outcome is delivery.

The concept of *completely normal delivery* was removed from O80. Additional terms, includes notes and excludes notes were added to clarify when O80 should be assigned.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

An excludes note was created for “single delivery by McRoberts manoeuvre” as clinical advice confirms that when this manoeuvre is performed during delivery, the correct code to assign is O83 *Other assisted single delivery*. McRoberts manoeuvre is performed for shoulder dystocia (sometimes documented as 'impacted' or 'difficult' shoulders). Delivery of the shoulders is facilitated by flexing the mother's hips to increase the pelvic diameter.

Source of recommended change:

FAQ (October 2010)

NCCC (TN318)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

An excludes note for ‘manual removal of placenta’ and an includes note for ‘controlled cord traction’ were added to O80 *Single spontaneous delivery* following publication of coding advice that O83 *Other assisted single delivery* should be assigned when manual removal of placenta is performed during a vaginal delivery. For classification purposes the O80-O84 range of codes describe the delivery component of an obstetric episode of care, including expulsion of the placenta. O80 *Single spontaneous delivery* is intended to describe those deliveries with minimal or no assistance. O83 *Other assisted single delivery* describes those with more than minimal assistance, including manual removal of placenta.

Source of recommended change:

QUERY (Q2831)

ACCD (TN583)

Relevant Australian Coding Standard:

Not applicable

O81 Single delivery by forceps and vacuum extractor**SEVENTH EDITION****Background:**

An extensive review of delivery codes was performed for Seventh Edition. The outcome was to reactivate O83 and O84 to the [Delivery](#) block in Chapter 15 and assign a code from this category for all episodes of care where the outcome is delivery.

The note was removed to allow the assignment of additional codes from Chapter 15 with O81. The excludes note was deleted as O66.5 is adequately indexed at *Failed, forceps NEC* and *Failed, vacuum extractor NEC*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O82 Single delivery by caesarean section**SEVENTH EDITION****Background:**

An extensive review of delivery codes was performed for Seventh Edition. The outcome was to reactivate O83 and O84 to the [Delivery](#) block in Chapter 15 and assign a code from this category for all episodes of care where the outcome is delivery.

The note was removed to allow the assignment of additional codes from Chapter 15 with O82.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O83 Other assisted single delivery**SEVENTH EDITION****Background:**

An extensive review of delivery codes was performed for Seventh Edition. The outcome was to reactivate O83 and O84 to the [Delivery](#) block in Chapter 15 and assign a code from this category for all episodes of care where the outcome is delivery.

Includes and excludes notes at O83 clarify when this code should be assigned.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

An includes note for “single delivery assisted (facilitated) by McRoberts manoeuvre” was created as clinical advice confirms that when this manoeuvre is performed during delivery, the correct code to assign is O83 *Other assisted single delivery*. McRoberts manoeuvre is performed for shoulder dystocia (sometimes documented as 'impacted' or 'difficult' shoulders). Delivery of the shoulders is facilitated by flexing the mother's hips to increase the pelvic diameter.

Source of recommended change:

FAQ (October 2010)
NCCC (TN318)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

An includes note for ‘manual removal of placenta’ was added to O83 *Single spontaneous delivery* following publication of coding advice that O83 *Other assisted single delivery* should be assigned when manual removal of placenta is performed during a vaginal delivery. For classification purposes the O80-O84 range of codes describe the delivery component of an obstetric episode of care, including expulsion of the placenta. O80 *Single spontaneous delivery* is intended to describe those deliveries with minimal or no assistance. O83 *Other assisted single delivery* describes deliveries with more than minimal assistance, including manual removal of placenta.

Source of recommended change:

QUERY (Q2831)
ACCD (TN583)

Relevant Australian Coding Standard:

Not applicable

O84 Multiple delivery**SEVENTH EDITION****Background:**

An extensive review of delivery codes was performed for Seventh Edition. The outcome was to reactivate O83 and O84 to the [Delivery](#) block in Chapter 15 and assign a code from this category for all episodes of care where the outcome is delivery.

As well as reactivating ICD-10 code O84 (O84.0–O84.8 and O84.9) two fifth character Australian codes were created; O84.81 and O84.81.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O84.81 Multiple delivery, all assisted, not elsewhere classified**TENTH EDITION ERRATA 1****Background:**

A minor amendment was made to the *Includes* note to avoid duplication of the terms listed in the *Includes* note at O83 *Other assisted single delivery*.

Source of recommended change:

ACCD (TN1222)

Relevant Australian Coding Standard:

Not applicable

O85 Puerperal sepsis**SIXTH EDITION****Background:**

Amendments were made to this code following receipt of a public submission. Appropriate amendments were also made to ACS 0027 and ACS 0110.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

0027 *Multiple coding*

0110 *Septicaemia*

SIXTH EDITION ERRATA 1**Background:**

Minor amendment was made to *Use additional code for endometritis* so that all codes in N71 *Inflammatory disease of uterus, except cervix* can be coded for added specificity and not necessarily be coded to the unspecified code, N71.9 *Inflammatory disease of uterus, unspecified*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O89.0 Pulmonary complications of anaesthesia during the puerperium**NINTH EDITION****Background:**

An inclusion term was added to clarify that *chemical pneumonitis due to inhalation or aspiration of gastric contents during anaesthesia, during the puerperium* is classified to this code. Instructional notes were added to specify that external cause codes are required (and indicate the correct external cause codes to assign).

Source of recommended change:

ACCD/ TN545

Relevant Australian Coding Standard:

Not applicable

O89.6 Failed or difficult intubation during the puerperium**NINTH EDITION****Background:**

Five character codes were created to differentiate failed from difficult intubation:

O89.61 *Failed intubation during the puerperium*

O89.62 *Difficult intubation during the puerperium*

Source of recommended change:

ACCD (TN658)

Relevant Australian Coding Standard:

Not applicable

O91 Infections of breast associated with childbirth**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The subdivision identifies *breast infections associated with childbirth* with subsequent *attachment difficulties*.

Source of recommended change:

NCCH

Obstetrics and Gynaecology CCCG

Relevant Australian Coding Standard:

1538 *Post natal attachment difficulties*

O92 Other disorders of breast and lactation associated with childbirth**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The subdivision identifies *breast infections associated with childbirth* with subsequent *attachment difficulties*.

Source of recommended change:

NCCH

Obstetrics and Gynaecology CCCG

Relevant Australian Coding Standard:

1538 *Post natal attachment difficulties*

1539 *Suppressed lactation*

O94 Sequelae of complication of pregnancy, childbirth and the puerperium**THIRD EDITION****Background:**

An Australian code was incorporated into Third Edition to classify *sequelae of complications of pregnancy, childbirth and the puerperium* and to reflect the same level of specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION ERRATA 2

Background:

Minor amendments were made for Errata 2, September 2015.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

Not applicable

O98 Maternal infectious and parasitic diseases classifiable elsewhere in pregnancy, childbirth and the puerperium

SEVENTH EDITION

Background:

The excludes note was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

O98.7 Human immunodeficiency virus [HIV] disease in pregnancy, childbirth and the puerperium

SEVENTH EDITION

Background:

This code was created for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION

Background:

The code title was amended to include 'virus' for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

O99.0 Anaemia in pregnancy, childbirth and the puerperium

SIXTH EDITION

Background:

Following receipt of a public submission, fifth character Australian codes were created. The codes identify the maternal stage in which the *anaemia* occurred.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

Notes were added to O99.02 and O99.04 to clarify that *pre-existing anaemia* refers to an anaemia that exists prior to any pregnancy.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

O99.7 Diseases of the skin and subcutaneous tissue in pregnancy, childbirth and the puerperium
EIGHTH EDITION**Background:**

Excludes note was amended to clarify that “pruritis in pregnancy” should be coded to O26.88 *Other specified pregnancy-related conditions*.

Source of recommended change:

Public submission (P23)

NCCC (TN157)

Relevant Australian Coding Standard:

Not applicable

O99.8 Other specified diseases and conditions in pregnancy, childbirth and the puerperium
THIRD EDITION**Background:**

A number of minor amendments were made following recommendations from members of CSAC, NCCH and 3M.

Source of recommended change:

NCCH

CSAC

3M

Relevant Australian Coding Standard:

Not applicable

P00–P99 Certain conditions originating in the perinatal period
TENTH EDITION**Background:**

A review of ACS 1608 *Adoption* and ACS 1609 *Newborns affected by maternal causes and birth trauma* was undertaken with relevant information transferred to the Tabular List, code titles updated for currency and these ACS deleted.

Source of recommended change:

ACCD (TN373)

Relevant Australian Coding Standard:

Not applicable

P00–P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery

TENTH EDITION

Background:

A review of ACS 1608 *Adoption* and ACS 1609 *Newborns affected by maternal causes and birth trauma* was undertaken with relevant information transferred to the Tabular List, code titles updated for currency and these ACS deleted.

An instruction to *code first the resultant condition in the fetus or newborn* was added at category P00–P04 as per the guidelines in ACS 1609 *Newborns affected by maternal cause and birth trauma*.

Source of recommended change:

ACCD (TN1068, TN373)

Relevant Australian Coding Standard:

1605 *Conditions originating in the perinatal period*

1609 *Newborns affected by maternal causes and birth trauma*

P02.3 Fetus and newborn affected by placental transfusion syndromes

TENTH EDITION

Background:

The instructional note was deleted and added as a Code first note at the category level (P00–P04)

Source of recommended change:

ACCD (TN1068)

Relevant Australian Coding Standard:

Not applicable

P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk

TENTH EDITION

Background:

It was noted that the Excludes notes at categories Q86 Congenital malformation syndromes due to known exogenous causes, not elsewhere classified and P04 excluded each other. Research indicated that not all drugs that cross the placenta have a teratogenic effect on the fetus but certain drugs and social or illicit substances will have a teratogenic effect resulting in congenital deformities classified in Chapter 17 Congenital malformations, deformations and chromosomal abnormalities.

Therefore, the Excludes note was amended for clinical accuracy.

Source of recommended change:

ACCD (TN1068)

Relevant Australian Coding Standard:

Not applicable

P04.1 Fetus and newborn affected by other maternal medication**FIRST EDITION****Background:**

The ICD-9-CM term *Absorption diethylstilboestrol [DES] through placenta (fetus or newborn)* was incorporated into First Edition on the recommendation of the CCCG.

Source of recommended change:

NCCH
Paediatrics CCCG

Relevant Australian Coding Standard:

Not applicable

P07 Disorders related to short gestation and low birth weight, not elsewhere classified**FIRST EDITION****Background:**

The note relating to *priority of assignment* under category P07 was changed in the Second Errata (July 1998) to the First Edition. In Australia, priority of assignment has always been given to *gestational age* and not *birth weight*. This change became effective from July 1998.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

THIRD EDITION**Background:**

The outcome of a Neonatal Classification Update Forum resulted in the creation of Australian codes at the fifth character level. The new codes distinguish *birth weight categories* based on *grams* and *completed weeks of gestation*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1618 Prematurity and low birth weight

P08 Disorders related to long gestation and high birth weight**FIRST EDITION****Background:**

The note relating to *priority of assignment* under category P08 were changed in the Second Errata (July 1998) to the First Edition. In Australia, priority of assignment has always been given to *gestational age* and not *birth weight*. This change became effective from July 1998.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

P10–P15 Birth Trauma**THIRD EDITION****Background:**

The term *injury* (when used in the context of category P10–P15) was replaced by the term *trauma*. This change was based on the recommendation of the Neonatal Classification Update Forum and reflects the terminology currently used in Australia.

Source of recommended change:

NCCH

Neonatal Classification Update Forum

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION**Background:**

A review of ACS 1608 *Adoption* and ACS 1609 *Newborns affected by maternal causes and birth trauma* was undertaken with relevant information transferred to the Tabular List, code titles updated for currency and these ACS deleted.

Source of recommended change:

ACCD (TN373)

Relevant Australian Coding Standard:

1609 *Newborns affected by maternal causes and birth trauma*

P12.2 Epicranial subaponeurotic haemorrhage due to birth trauma**TENTH EDITION****Background:**

Following publication of advice regarding the classification of subgaleal haematoma, amendment was made to incorporate this into ICD-10-AM Tenth Edition.

Source of recommended change:

ACCD (TN894)

Coding Query (Q2922)

Relevant Australian Coding Standard:

Not applicable

P22.0 Respiratory distress syndrome of newborn**ELEVENTH EDITION****Background:**

The term 'newborn' was added to the *Inclusion* term to clearly differentiate from the *Inclusion* term at J80 *Acute respiratory distress syndrome*.

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

ACS 1614 *Respiratory distress syndrome/hyaline membrane disease/surfactant deficiency*

P22.9 Respiratory distress of newborn, unspecified**ELEVENTH EDITION****Background:**

An *Excludes* note was added following the deletion of ACS 1614.

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

ACS 1614 *Respiratory distress syndrome/hyaline membrane disease/surfactant deficiency*

P28.3 Primary sleep apnoea of newborn**SEVENTH EDITION****Background:**

NCCH received an email stating that codes in category P28.4 *Other apnoea of newborn* and P28.3 *Primary sleep apnoea of newborn* overlap, making the coding of these conditions difficult, especially *obstructive sleep apnoea of newborn*. National frequencies for these codes indicated that P28.3 and [P28.42 Obstructive apnoea of newborn](#) were rarely assigned.

Inclusion terms were added to P28.3 for *sleep apnoea of newborn NOS*, *central sleep apnoea of newborn* and *obstructive sleep apnoea of newborn* – to clarify when this code should be assigned. Significant amendments were also made to the Alphabetic Index to clarify code selection.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

P28.4 Other apnoea of newborn**THIRD EDITION****Background:**

The outcome of a Neonatal Classification Update Forum resulted in the creation of Australian codes. The new codes classify a greater level of specificity for the *cause of the apnoea*.

Source of recommended change:

NCCH/Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

P28.42 Obstructive apnoea of newborn**SEVENTH EDITION****Background:**

NCCH received an email stating that codes in category P28.4 *Other apnoea of newborn* and P28.3 *Primary sleep apnoea of newborn* overlap, making the coding of these conditions difficult, especially *obstructive sleep apnoea of newborn*. National frequencies for these codes indicated that P28.3 and P28.42 were rarely assigned.

This code was inactivated and the concept reclassified to P28.49 *Other apnoea of newborn*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

P28.49 Other apnoea of newborn**SEVENTH EDITION****Background:**

NCCH received an email stating that codes in category P28.4 *Other apnoea of newborn* and P28.3 *Primary sleep apnoea of newborn* overlap, making the coding of these conditions difficult, especially *obstructive sleep apnoea of newborn*. National frequencies for these codes indicated that P28.3 and P28.42 were rarely assigned.

A *inclusion term* was created for *obstructive apnoea of newborn*, following the inactivation of P28.42. An *excludes note* was added to direct coders to P28.3 for cases of *obstructive sleep apnoea of newborn*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

P28.8 Other specified respiratory conditions of newborn**THIRD EDITION****Background:**

On the recommendation of WHO (2001) fifth characters were incorporated into Third Edition to specify *respiratory conditions* in newborns.

Congenital laryngeal stridor is not a congenital malformation of the larynx. It is a symptom of a number of disorders, some of which are not congenital malformations of the larynx.

This condition was previously classified to Q31.4 *Congenital laryngeal stridor* (this code was deleted) and was reclassified to P28.89 *Other specified respiratory condition of newborn*. This amendment follows a recommendation by the Australian Collaborating Centres for the Classification of Diseases in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

P29.8 Other cardiovascular disorders originating in the perinatal period**THIRD EDITION****Background:**

The outcome of a Neonatal Classification Update Forum resulted in the creation of Australian codes. The new codes classify a greater level of specificity for *cardiovascular disorders*.

Source of recommended change:

NCCH / Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

P37.5 Neonatal candidiasis**THIRD EDITION****Background:**

The outcome of a Neonatal Classification Update Forum resulted in the creation of Australian codes. The new codes classify a greater level of specificity for *neonatal candidiasis*.

Source of recommended change:

NCCH/Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

P52.0 Intraventricular (nontraumatic) haemorrhage, grade 1, of fetus and newborn**EIGHTH EDITION****Background:**

In response to a submission from the Neonatology Clinical Technical Group and the four grades of severity intraventricular haemorrhage by Papile et al. (1978) that are still widely used in clinical practice today, an inclusion term was added at P52.0 for 'Subependymal germinal matrix haemorrhage'.

Source of recommended change:

Neonatology Clinical Technical Group
NCCC (TN280)

Relevant Australian Coding Standard:

Not applicable

P52.1 Intraventricular (nontraumatic) haemorrhage, grade 2, of fetus and newborn

EIGHTH EDITION

Background:

In response to a submission from the Neonatology Clinical Technical Group and the four grades of severity intraventricular haemorrhage by Papile et al. (1978) that are still widely used in clinical practice today, an inclusion term was added at P52.1 for 'Intraventricular haemorrhage with no ventricular distention'.

Source of recommended change:

Neonatology Clinical Technical Group
NCCC (TN280)

Relevant Australian Coding Standard:

Not applicable

P52.2 Intraventricular (nontraumatic) haemorrhage, grade 3 and grade 4, of fetus and newborn

EIGHTH EDITION

Background:

In response to a submission from the Neonatology Clinical Technical Group and the four grades of severity intraventricular haemorrhage by Papile et al. (1978) that are still widely used in clinical practice today, P52.2 was invalidated, code title amended (to include 'and grade 4') and fifth character subdivisions created for:

- P52.21 *Intraventricular (nontraumatic) haemorrhage, grade 3, of fetus and newborn*
- P52.22 *Intraventricular (nontraumatic) haemorrhage, grade 4, of fetus and newborn*

Source of recommended change:

Neonatology Clinical Technical Group
NCCC (TN280)

Relevant Australian Coding Standard:

Not applicable

P59 Neonatal jaundice from other and unspecified causes

SIXTH EDITION

Background:

A minor amendment was made to the excludes note, as [E90](#) is not an active code in ICD-10-AM.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

P59.2 Neonatal jaundice from other and unspecified hepatocellular damage**SEVENTH EDITION****Background:**

Inclusion terms were added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

Inclusion terms were amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

P74.2 Disturbances of sodium balance of newborn**THIRD EDITION****Background:**

The outcome of a Neonatal Classification Update Forum resulted in the creation of Australian codes. The new codes classify the different types of *disturbances related to sodium balance*.

Source of recommended change:

NCCH / Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

P74.3 Disturbances of potassium balance of newborn**THIRD EDITION****Background:**

The outcome of a Neonatal Classification Update Forum resulted in the creation of Australian codes. The new codes classify the different types of *disturbances related to potassium balance*.

Source of recommended change:

NCCH/Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

P75* Meconium ileus in cystic fibrosis (E84†)**SECOND EDITION****Background:**

Cystic fibrosis is the underlying problem in the majority of cases of *meconium ileus*. In ICD-10, the classification of *meconium ileus* reflects this relationship and the disorder can only be coded in an aetiology/manifestation relationship with cystic fibrosis. However, this classification is not appropriate for the 5-10% of cases of meconium ileus that occur in the absence of cystic fibrosis.

Changes were made to the classification following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Paris, 1998. In ICD-10, an exclusion note was placed under category E84.1 *Cystic fibrosis with intestinal manifestations* directing the user to P76.0 *Meconium plug syndrome* for cases of meconium ileus where cystic fibrosis is not present.

ICD-10-AM amendments were more detailed than WHO's recommended changes. The descriptor for P75 was modified to more accurately describe the rubric and the term *meconium ileus* (in the absence of cystic fibrosis) was reclassified to P76.0. Changes to the index were also made to clarify code selection.

Source of recommended change:

Coding query
Endocrinology CCG
Paediatrics CCG
WHO 1998 decision/2000 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

P76.0 Meconium plug syndrome**SECOND EDITION****Background:**

Cystic fibrosis is the underlying problem in the majority of cases of meconium ileus. In ICD-10, the classification of *meconium ileus* reflects this relationship and the disorder can only be coded in an aetiology/manifestation relationship with cystic fibrosis. However, this classification is not appropriate for the 5-10% of cases of meconium ileus that can occur in absence of cystic fibrosis.

Changes were made to ICD-10-AM following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Paris, 1998. In ICD-10, an exclusion note was placed under category E84.1 *Cystic fibrosis with intestinal manifestations* directing the user to P76.0 *Meconium plug syndrome* for cases of meconium ileus where cystic fibrosis is not present.

ICD-10-AM amendments were more detailed than WHO's recommended changes. The descriptor for P75 was modified to more accurately describe the rubric and the term *meconium ileus* (in the absence of cystic fibrosis) was reclassified from P75* to P76.0. Changes were also made to the index to give clear direction to the user.

Source of recommended change:

Coding query
Endocrinology CCG
Paediatrics CCG
WHO 1998 decision/2000 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

An excludes note 'Meconium ileus in cystic fibrosis (E84† P75*)' was added to clarify that meconium ileus in cystic fibrosis is classified to E84† P75*.

Source of recommended change:

ACCD/TN484

Relevant Australian Coding Standard:

Not applicable

P78.3 Noninfective neonatal diarrhoea**SIXTH EDITION ERRATA 1****Background:**

Excludes note was revised to exclude cases of infectious neonatal diarrhoea cases only.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

Excludes note was revised (in error) to exclude cases of infectious and unspecified neonatal diarrhoea cases.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION ERRATA 5**Background:**

Excludes note was revised to exclude cases of infectious neonatal diarrhoea cases only.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

P78.8 Other specified perinatal digestive system disorders**SEVENTH EDITION****Background:**

An inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

P91.2 Neonatal cerebral leukomalacia

EIGHTH EDITION

Background:

In response to a submission from the Neonatology Clinical Technical Group, clinicians agreed that that P91.2 should be expanded into two categories, cystic and unspecified — cystic periventricular leukomalacia (PVL) is easily recognisable but noncystic cannot be reliably defined. Therefore, P91.2 was invalidated in Eighth Edition and fifth character subdivisions created for:

- P91.20 *Neonatal cerebral leukomalacia, unspecified*
- P91.21 *Neonatal cerebral leukomalacia, cystic.*

Source of recommended change:

Neonatology Clinical Technical Group
NCCC (TN281)

Relevant Australian Coding Standard:

Not applicable

P91.6 Hypoxic ischaemic encephalopathy [HIE] of newborn

FIFTH EDITION

Background:

Code were created in response to changes ratified by WHO-FIC in 2003.

Source of recommended change:

WHO

Relevant Australian Coding Standard:

1616 *Hypoxic ischaemic encephalopathy [HIE] of newborn*

EIGHTH EDITION

Background:

In response to a submission from the Neonatology Clinical Technical Group and updates in the staging of HIE depending on severity of HIE in published literature, the following ICD-10-AM codes were created in Eighth Edition:

- P91.60 *Hypoxic ischaemic encephalopathy [HIE] of newborn, unspecified*
- P91.61 *Stage 1 hypoxic ischaemic encephalopathy [HIE] of newborn*
- P91.62 *Stage 2 hypoxic ischaemic encephalopathy [HIE] of newborn*
- P91.63 *Stage 3 hypoxic ischaemic encephalopathy [HIE] of newborn.*

As a result of specific ICD-10-AM codes being created for the Hypoxic ischaemic encephalopathy, ACS 1616 *Hypoxic ischaemic encephalopathy [HIE] of newborn* has been removed as it is no longer necessary.

Source of recommended change:

Neonatology Clinical Technical Group
NCCC (TN266)

Relevant Australian Coding Standard:

1616 *Hypoxic ischaemic encephalopathy [HIE] of newborn*

P91.8 Other specified disturbances of cerebral status of newborn**THIRD EDITION****Background:**

The outcome of a Neonatal Classification Update Forum resulted in the creation of fifth character Australian codes.

Source of recommended change:

NCCH/Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

FIFTH EDITION**Background:**

This code was made valid following the deletion of the fifth character codes P91.81 and P91.89. The change was made for consistency with changes ratified by [WHO](#) in 2003.

Source of recommended change:

NCCH

WHO

Relevant Australian Coding Standard:

Not applicable

P92 Feeding problems of newborn**TENTH EDITION****Background:**

An instructional note was added following deletion of ACS 1538 *Postnatal breastfeeding attachment difficulties*, as part of a review of [Obstetrics](#).

Source of recommended change:

ACCD (TN671)

Relevant Australian Coding Standard:

1538 *Postnatal breastfeeding attachment difficulties*

P92.8 Other feeding problems of newborn**TENTH EDITION****Background:**

Inclusion terms were deleted following deletion of ACS 1538 *Postnatal breastfeeding attachment difficulties*, as part of a review of [Obstetrics](#). Codes for specific problems of newborn (eg short frenulum, tongue tie) are assigned with P92.8, as per the instructional note added at the category level.

Source of recommended change:

ACCD (TN671)

Relevant Australian Coding Standard:

1538 *Postnatal breastfeeding attachment difficulties*

P96.1 Neonatal withdrawal symptoms from maternal use of drugs of addiction

SEVENTH EDITION

Background:

An inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

P96.5 Complications of intrauterine procedures, not elsewhere classified

THIRD EDITION

Background:

The outcome of a Neonatal Classification Update Forum resulted in a code title change and the creation of Australian codes. Fifth characters were created to classify the *types of procedures* that may effect the fetus and newborn.

Source of recommended change:

NCCH/Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

P96.8 Other specified conditions originating in the perinatal period

THIRD EDITION

Background:

The outcome of a Neonatal Classification Update Forum resulted in the creation of Australian codes. The fifth character codes include a code for *jittery baby*.

Source of recommended change:

NCCH/Neonatology and Paediatrics Clinical Update Forum

Relevant Australian Coding Standard:

Not applicable

Q00–Q99 Congenital malformations, deformations and chromosomal Abnormalities

THIRD EDITION

Background:

A number of fifth character codes were created and new terms were added to Chapter 17 following review of The Classification of Diseases and Other Problems (Royal College of Paediatrics and Child Health (RCPCH), formerly known as the British Paediatric Association (BPA).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION**Background:**

A number of fifth character codes were created and new terms were added to Chapter 17 following review of The Classification of Diseases and Other Problems (Royal College of Paediatrics and Child Health (RCPCH), formerly known as the British Paediatric Association (BPA).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

National Birth Anomalies Steering Committee in collaboration with the NCCH, organised a series of working parties to add further specificity to the codes within ICD-10-AM Chapter 17 *Congenital malformations, deformations and chromosomal abnormalities*. The Congenital Anomalies Working Party recommended the revision of codes and the creation of fifth characters to meet the specifications of the State Birth Defects Registries.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q01 Encephalocele**TENTH EDITION****Background:**

Following receipt of a public submission, amendments were made; *acquired encephalocele* added as an inclusion term at G96.8 *Other specified disorders of central nervous system* with an excludes note at Q01 *Encephalocele*.

Source of recommended change:

Public submission (P234)

Relevant Australian Coding Standard:

Not applicable

Q13.1 Absence of iris**SECOND EDITION****Background:**

The term *irideraemi* was reclassified to Q13.2 *Other congenital malformations of iris* to maintain consistency with the WHO classification. The advice to reclassify this term was issued with the Second Errata (September 2000) to the Second Edition and became effective from September 2000.

Further analysis revealed that the term should be classified to Q13.1. WHO corrected the ICD-10 index following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. The term was therefore reclassified to Q13.1 in ICD-10-AM Fourth Edition.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q13.2 Other congenital malformations of iris**SECOND EDITION****Background:**

The term *irideraemia* was reclassified to Q13.2 from Q13.1 *Absence of iris* to maintain consistency with the WHO classification. The advice to reclassify this term was issued with the Second Errata (September 2000) to the Second Edition and became effective from September 2000.

Further analysis revealed that this condition should be classified to Q13.1. WHO corrected the ICD-10 index following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. The term was therefore reclassified to Q13.1 in ICD-10-AM Fourth Edition.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q15.0 Congenital glaucoma**FIRST EDITION****Background:**

The terms *macrocornea with glaucoma*, *megalocornea with glaucoma* and *congenital keratoglobus with glaucoma* were classified to Q15.0 in First Edition on the recommendation of the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

This recommendation also incorporated the reclassification of macrocornea, megalocornea and congenital keratoglobus from Q15.0 to Q15.8 Other specified congenital malformations of eye.

The advice to classify/reclassify these terms was issued with the First Errata (April 1998) to the First Edition and became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q15.8 Other specified congenital malformations of eye**FIRST EDITION****Background:**

The terms *macrocornea*, *megalocornea* and *congenital keratoglobus* were reclassified from Q15.0 *Congenital glaucoma* to Q15.8 on the recommendation of the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition and became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The Congenital Anomalies Working Party recommended that inclusion terms be added for megalocornea NOS without glaucoma and megalocornea without glaucoma.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q20 Congenital malformations of cardiac chambers and connections**SEVENTH EDITION ERRATA 5****Background:**

The code for the exclusion note *dextrocardia with situs inversus* was revised from Q89.3 to Q89.31 and the code for mirror-image atrial arrangement with situs inversus was revised from Q89.3 to Q89.32.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

Q21.0 Ventricular septal defect**FOURTH EDITION****Background:**

Fifth character codes were created for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association – BPA).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The Congenital Anomalies Working Party recommended the creation of fifth character codes for greater specificity

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q21.1 Atrial septal defect**FOURTH EDITION****Background:**

Fifth character codes were created for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association — BPA).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The Congenital Anomalies Working Party recommended the creation of fifth character codes for greater specificity

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q22.4 Congenital tricuspid stenosis and atresia**FOURTH EDITION****Background:**

Fifth character codes were created for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association — BPA).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Q23.0 Congenital stenosis and atresia of aortic valve**FOURTH EDITION****Background:**

Fifth character codes were created for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association — BPA).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Q23.2 Congenital mitral stenosis and atresia**FOURTH EDITION****Background:**

Fifth character codes were created for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association — BPA).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Q25.6 Stenosis of pulmonary artery**SEVENTH EDITION****Background:**

An inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

Congenital Anomalies Working Party

Relevant Australian Coding Standard:

Not applicable

Q31.4 Congenital laryngeal stridor**THIRD EDITION****Background:**

Congenital laryngeal stridor is not a congenital malformation of the larynx. It is a symptom of a number of disorders, some of which are not congenital malformations of the larynx.

This condition was reclassified to P28.89 *Other specified respiratory condition of newborn* following a recommendation by the Australian Collaborating Centres for the Classification of Diseases in Washington DC, 2001. Q31.4 *Congenital laryngeal stridor* was consequently deleted.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q31.5 Congenital laryngomalacia**THIRD EDITION****Background:**

This condition was previously classified to Q31.4 *Congenital laryngeal stridor*. *Congenital laryngeal stridor* is a symptom with a number of underlying causes, *laryngomalacia* being the most common (60%). Each underlying cause of the stridor is classifiable in ICD-10, and following the deletion of Q31.4, a code was created specifically for *laryngomalacia*. This amendment followed a recommendation by the Australian Collaborating Centres for the Classification of Diseases in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q35–Q36 Cleft lip and cleft palate

THIRD EDITION CHANGE

Background:

An instructional note - *use additional code (Q30.-) to identify associated malformations of nose* – was added at the category level.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q35 Cleft palate

FIRST EDITION

Background:

The term *perforation of palatine vault* was reclassified from Q35.9 *Cleft palate, unspecified* to Q35.1 *Cleft hard palate* following a recommendation from the Nordic Countries at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this terms was issued with the First Errata (April 1998) to the First Edition and became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SECOND EDITION

Background:

Significant changes were made to category Q35 *Cleft palate* in the Second Edition to reflect contemporary clinical knowledge. Q35.0, Q35.2, Q35.4 and Q35.8 were deleted and the remaining code descriptors changed to remove the concept of *laterality*. This concept had not been applied correctly in ICD-10 and was not clinically relevant.

This change follows a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

THIRD EDITION

Background:

The term *Cleft palate, medial* (Q35.6) describes a condition which is identical with *Cleft palate with cleft soft palate* (Q35.5). As there should not be two codes for the same condition, Q35.6 *Cleft palate, medial* was deleted. This change followed a recommendation from Germany at the WHO Meeting of Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

The classification section relating to Q35–Q37 was revised to include the instructional note *Use additional code (Q30.-) to identify associated malformation of nose*.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

On the recommendations of the Congenital Anomalies Working Party the following changes were made:

- fifth characters were added to Q35.1 *Cleft hard palate*, Q35.3 *Cleft soft palate* to specify laterality.
- fifth characters were added to Q35.1 *Cleft hard palate*, Q35.3 *Cleft soft palate* for unspecified laterality
- Q35.5 *Cleft hard palate with cleft soft palate* was deleted as greater specificity could be obtained by coding the concepts separately

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q36 Cleft lip

SEVENTH EDITION

Background:

The Congenital Anomalies Working Party recommended that cleft lip and cleft palate are code separately in order to provide greater specificity. An instructional note was created and the excludes note was deleted to reflect this change.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q36.1 Cleft lip, median**THIRD EDITION****Background:**

The term *medial* in *Cleft lip, medial* (Q36.1) means *situated towards the midline of the body*, whereas the term *median* means *situated in the midline of the body*. The recommendation to change *medial* to *median* was made following a request from Germany at the WHO Meeting of Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q37 Cleft palate with cleft lip**SECOND EDITION****Background:**

The code descriptors in category Q37 *Cleft palate with cleft lip* were revised to enhance their meaning in relation to *laterality*. This concept had not been applied correctly in ICD-10 and consequently, the descriptors were ambiguous.

This change followed a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The Congenital Anomalies Working Party recommended that greater specificity could be obtained by coding cleft lip and cleft palate separately. Block Q37 *Cleft palate with cleft lip* has been deleted.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q50.4 Embryonic cyst of fallopian tube**FIRST EDITION****Background:**

The term *paramesonephric duct cyst* was reclassified to Q50.4 from Q52.8 *Other specified congenital malformations of female genitalia* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q52.1 Doubling of vagina**FIRST EDITION****Background:**

The term *accessory vagina* was reclassified to Q52.1 from Q52.4 *Other congenital malformations of vagina* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q52.4 Other and unspecified congenital malformations of vagina**FIRST EDITION****Background:**

The term *accessory vagina* was reclassified to Q52.1 *Doubling of vagina* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q52.8 Other specified congenital malformations of female genitalia**FIRST EDITION****Background:**

The term *paramesonephric duct cyst* was reclassified to Q50.4 *Embryonic cyst of fallopian tube* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q53 Undescended testicle**FOURTH EDITION****Background:**

Fifth characters were created at Q53 Undescended testicle for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association — BPA) classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION**Background:**

A query received by NCCH highlighted an error with some of the fifth character codes in Q53. The fifth character subdivisions for Q53.0 *Ectopic testis* were clinically incorrect, as an ectopic testis is a variant of undescended testis, where the position is outside the normal pathway of descent. The subdivision should only apply to undescended testicle sites within the normal pathway of descent.

VICC suggested that for *bilateral undescended testes*, where each testicle is undescended to a different site, only one code should be assigned to indicate the site most distant from the scrotum.

VICC also suggested that the fifth character 9 *other specified site* was inappropriate as there is no other site in the normal pathway of an undescended testicle, other than those already specified (ie canalicular, inguinal and intra-abdominal).

Consequently, the following amendments were made to Q53:

- the instructional note regarding the fifth character subdivisions was relocated from above Q53.0 to below Q53.0, as it no longer applies to this code
- Q53.00, Q53.01, Q53.02, Q53.03 and Q53.09 were inactivated
- the fifth character 9 *other specified site* was inactivated (hence Q53.19, Q53.29 and Q53.99 were inactivated)
- a note was added under Q53.2 *Undescended testicle, bilateral* to indicate that where each testicle is undescended to a different site, the fifth character denotes the most distant site from the scrotum.

Source of recommended change:

NCCH

VICC (Victorian Coding Committee)

Queries database

Relevant Australian Coding Standard:

Not applicable

Q55.2 Other and unspecified congenital malformations of testis and scrotum**FIRST EDITION****Background:**

The following terms have been reclassified to Q55.4 *Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997:

Appendix Morgagni, male

Appendix testes

Morgagni hydatid, male

Testicular appendage (organ of Morgagni)

The advice to include these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q55.4 Other and unspecified congenital malformations of vas deferens, epididymis, seminal vesicles and prostate**FIRST EDITION****Background:**

The following terms were reclassified to Q55.4 *Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997:

Appendix Morgagni, male

Appendix testes

Morgagni hydatid, male

Testicular appendage (organ of Morgagni)

The advice to include these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q61.1 Polycystic kidney, autosomal recessive**THIRD EDITION****Background:**

The code descriptor for *polycystic kidney, infantile type* was considered outdated. The preferred term *autosomal recessive* replaced *infantile type*. This change followed the recommendation by the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q61.2 Polycystic kidney, autosomal dominant**THIRD EDITION****Background:**

The code descriptor for *polycystic kidney, adult type* was considered outdated. The preferred term *autosomal dominant* replaced *adult type*. This change followed the recommendation by the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q61.4 Renal dysplasia**SEVENTH EDITION****Background:**

An excludes note was added for consistency with URC updates to ICD-10.

Fifth character codes were created to differentiate renal dysplasia without cyst from cystic renal dysplasia

Source of recommended change:

[WHO update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

Q62.34 Congenital hydroureter**SEVENTH EDITION ERRATA 5****Background:**

The inclusional term *Congenital ureterocele NOS* was deleted in Seventh Edition Errata 5.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

Q66.0 Talipes equinovarus**SIXTH EDITION****Background:**

Following receipt of a public submission, NCCH invalidated Q66.0 and created fifth character codes for *structural/rigid TEV* and *PTEV*.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

Q66.6 Other congenital valgus deformities of feet**SIXTH EDITION****Background:**

Following receipt of a public submission, NCCH added the term *talipes equinovaglus* to Q66.6.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

Q66.7 Pes cavus**FIRST EDITION****Background:**

The term *congenital hollow foot* was reclassified to Q66.7 from Q66.8 *Other congenital deformities of feet* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to include these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q66.8 Other congenital deformities of feet**FIRST EDITION****Background:**

The term *congenital hollow foot* was reclassified to Q66.7 *Pes cavus* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to include these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION**Background:**

Fifth character codes were created at Q66.8 *Other congenital deformities of feet* for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association — BPA) classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The Congenital Anomalies Working Party recommended the creation of Fifth character codes for greater specificity

Source of recommended change:

[Congenital Anomalies Working Party](#)

NCCH

Relevant Australian Coding Standard:

Not applicable

Q68.2 Congenital deformity of knee**FIRST EDITION****Background:**

The term *congenital knock knee* was reclassified to Q74.1 *Congenital malformation of knee* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

The Congenital Anomalies Working Party recommended Q68.2 *Congenital deformity of knee* is deleted as the code overlaps with category Q7.1 *Congenital malformations of knee*.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q69.2 Accessory toe(s)

FOURTH EDITION

Background:

Fifth character codes were created at Q69.2 *Accessory toe(s)* for consistency with The Royal College of Paediatrics and Child Health (formerly The British Paediatric Association — BPA) classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Q70.1 Webbed fingers

FIRST EDITION

Background:

The term *syndactyly of fingers* was reclassified to Q70.1 from Q70.9 *Syndactyly, unspecified* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Tokyo, 1996.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q70.3 Webbed toes

FIRST EDITION

Background:

The term *syndactyly of toes* was reclassified to Q70.3 from Q70.9 *Syndactyly, unspecified* following a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Tokyo, 1996.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q70.9 Syndactyly, unspecified**FIRST EDITION****Background:**

The term *syndactyly of fingers* was reclassified to Q70.1 *Webbed fingers*. The term *syndactyly of toes* was reclassified to Q70.3 *Webbed toes*. These changes followed a recommendation from the WHO Secretariat at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Tokyo, 1996.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1996 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q74.1 Congenital malformation of knee**FIRST EDITION****Background:**

The term *congenital knock knee* was reclassified to Q74.1 from Q68.2 *Congenital deformity of knee* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The Congenital Anomalies Working Party recommended the creation of Fifth character codes for greater specificity.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q75.4 Mandibulofacial dysostosis**FIRST EDITION****Background:**

The term *Treacher Collins syndrome* was reclassified to Q75.4 from Q87.0 *Congenital malformation syndromes predominantly affecting facial appearance* following a recommendation from WHO at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q78.3 Progressive diaphyseal dysplasia**FIRST EDITION****Background:**

The term *osteopathia condensans disseminata* was reclassified to Q78.8 *Other specified osteochondrodysplasias* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q78.8 Other specified osteochondrodysplasias**FIRST EDITION****Background:**

The term *osteopathia condensans disseminata* was reclassified to Q78.8 from Q78.3 *Progressive diaphyseal dysplasia*. The term *supernumerary bone* was reclassified to Q79.8 *Other congenital malformations of musculoskeletal system*. These changes followed a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

The Congenital Anomalies Working Party recommended the creation of Fifth character codes for greater specificity.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q79.8 Other congenital malformations of musculoskeletal system

FIRST EDITION

Background:

The term *supernumerary bone* was reclassified to Q79.8 from Q78.8 *Other specified osteochondrodysplasias* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

The Congenital Anomalies Working Party recommended the creation of Fifth character codes for greater specificity.

Source of recommended change:

Congenital Anomalies Working Party
NCCH

Relevant Australian Coding Standard:

Not applicable

Q82.8 Other specified congenital malformations of skin

FIRST EDITION

Background:

The term *dermatomegaly, not elsewhere classified* was reclassified to Q82.8 from L91.8 *Other hypertrophic disorders of skin* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q85.0 Neurofibromatosis (nonmalignant)**SIXTH EDITION****Background:**

NCCH was alerted of an incorrect index entry; *Disease, Von Recklinghausen's (except of bone), bone Q85.0. Von Recklinghausen's disease of bone* was classified to E21.0 *Primary hyperparathyroidism*. The index was corrected and an excludes note added to Q85.0.

Source of recommended change:

3M

Relevant Australian Coding Standard:

Not applicable

Q86.0 Fetal alcohol syndrome (dysmorphic)**TENTH EDITION****Background:**

Following receipt of a public submission, the term 'fetal alcohol spectrum disorders' was added as an Inclusion term at Q86.0 as the terminology is commonly used in Australia and internationally.

Source of recommended change:

ACCD (TN1068)

Public submission (P212)

Relevant Australian Coding Standard:

Not applicable

Q87.0 Congenital malformation syndromes predominantly affecting facial appearance**FIRST EDITION****Background:**

The term *Treacher Collins syndrome* was reclassified to Q75.4 *Mandibulofacial dysostosis* following a recommendation from WHO at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q87.86 CHARGE syndrome**SIXTH EDITION****Background:**

This code was created following receipt of a public submission.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

Q89.4 Conjoined twins**FIRST EDITION****Background:**

The term *double monster* was deleted in the First Edition on the recommendation of the CCCG. It is not an acceptable synonym for the term *conjoined twins*.

Source of recommended change:

NCCH

Paediatrics CCCG

Obstetrics and Gynaecology CCCG

Relevant Australian Coding Standard:

Not applicable

Q93.5 Other deletions of part of a chromosome**SECOND EDITION****Background:**

The term *Angelman syndrome* was classified to Q93.5 in Second Edition following a recommendation from France at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Paris, 1998.

Source of recommended change:

WHO 1998 decision/2000 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Q99.8 Other specified chromosome abnormalities**SIXTH EDITION****Background:**

Following receipt of a public submission, the term *Pallister-Killian mosaic syndrome* was added to this code.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

Not applicable

R00.1 Bradycardia, unspecified**FIRST EDITION****Background:**

The terms *sinoatrial bradycardia*, *sinus bradycardia* and *vagal bradycardia* were reclassified to I49.8 *Other specified cardiac arrhythmias*. The advice to reclassify these terms was issued with the Fifth Errata (April 1999) to the First Edition. The change became effective from April 1999.

Source of recommended change:

NCCH

Cardiovascular CCCG

Relevant Australian Coding Standard:

Not applicable

R00.8 Other and unspecified abnormalities of heart beat**FIRST EDITION****Background:**

The term *abnormal heart rate* was reclassified to R00.8 from I49.9 *Cardiac arrhythmia, unspecified* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

R06 Abnormalities of breathing**ELEVENTH EDITION****Background:**

The *Excludes* note was amended and relevant terms relocated to [R06.0 Dyspnoea](#).

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

R06.0 Dyspnoea**ELEVENTH EDITION****Background:**

The *Excludes* note was amended to include terms relocated from the category level ([R06 Abnormalities of breathing](#)).

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

R09 Other symptoms and signs involving the circulatory and respiratory systems**ELEVENTH EDITION****Background:**

The *Excludes* note was deleted due to redundancy; there are no index entries for 'respiratory distress' or 'respiratory failure' that lead to block R09.

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

R09.2 Respiratory arrest**ELEVENTH EDITION****Background:**

The *Excludes* note was deleted for consistency with amendments to the Alphabetic Index that promotes the assignment of a code for both heart failure and respiratory failure to classify 'cardiorespiratory failure' (ie *Failure/cardiorespiratory* — see *Failure/heart AND Failure/respiratory*).

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

R09.8 Other specified symptoms and signs involving the circulatory and respiratory systems**FOURTH EDITION****Background:**

Fifth character codes were created for greater specificity between symptoms and signs involving the circulatory and respiratory systems.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

R14 Flatulence and related conditions**SEVENTH EDITION ERRATA 5****Background:**

The range of codes for the excludes note 'psychogenic aerophagy' was revised to the specific range F45.32–F45.33.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

R23.3 Spontaneous ecchymoses**ELEVENTH EDITION****Background:**

The *Excludes* note was amended to clarify that nontraumatic haematoma of skin or soft tissue is not classified to R23.3.

Source of recommended change:

ACCD (TN1312)

Relevant Australian Coding Standard:

Not applicable

R25.8 Other and unspecified abnormal involuntary movements**FIRST EDITION****Background:**

The ICD-9-CM term *acathisia* was incorporated into First Edition on the recommendation of the CCCG.

Source of recommended change:

NCCH
Neurosciences CCCG

Relevant Australian Coding Standard:

Not applicable

R26.8 Other and unspecified abnormalities of gait and mobility**NINTH EDITION****Background:**

Following receipt of a coding query and publication of advice regarding *impaired mobility*, inclusion terms were added and amendments made to the Alphabetic Index.

Source of recommended change:

ACCD (TN568)

Relevant Australian Coding Standard:

Not applicable

R29.5 Neurologic neglect**FIRST EDITION****Background:**

Neurologic neglect is a sequela of a stroke or head trauma. Patients suffering from this manifestation do not recognise half of their body (*asomatognosia*). This is one of the more disabling features of stroke and generally requires extensive rehabilitation.

A code for *neurologic neglect* was incorporated into First Edition following a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH
Neurosciences CCCG

Relevant Australian Coding Standard:

Not applicable

R29.6 Tendency to fall, not elsewhere classified**FIFTH EDITION****Background:**

This code was created for consistency with amendments to [WHO ICD-10](#) 2004. NCCH decided that the ICD-10 references to external cause codes in the excludes note (*accidents NOS (W00-X59)* and *falls causing injury (W00-W19)*) were inappropriate. Hence, the excludes note was amended by NCCH in errata 4 June 2007.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *falls* from other symptoms and signs involving the nervous and musculoskeletal systems.

Source of recommended change:

NCCH

Geriatrics and Rehabilitation CCCG

Relevant Australian Coding Standard:

1806 *Falls*

FOURTH EDITION**Background:**

The creation of R29.88 Other and unspecified symptoms and signs involving the nervous system and the revision of R29.89 Other and unspecified symptoms and signs involving the musculoskeletal system, was necessary to enable appropriate AR-DRG grouping.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

R29.81 Falls**FIFTH EDITION****Background:**

This code was inactivated in response to the creation of R29.6 *Tendency to fall, not elsewhere classified*.

Source of recommended change:

[WHO 2004](#)

Relevant Australian Coding Standard:

1806 *Falls*

R31 Unspecified haematuria**FIRST EDITION****Background:**

The term *renal haemorrhage* was reclassified to N28.8 *Other specified disorders of kidney and ureter* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

R40 Somnolence, stupor and coma**ELEVENTH EDITION****Background:**

Amendments were made to the codes in this category following receipt of a public submission regarding 'decreased consciousness', including the addition of applicable GCS scores as *Inclusion* terms.

Source of recommended change:

ACCD (TN94)

Relevant Australian Coding Standard:

1905 *Closed head injury/loss of consciousness/concussion*

R45.81 Suicidal ideation**THIRD EDITION****Background:**

Suicide ideation is an important symptom that exists against a background of an underlying psychological disorder, generally a *personality disorder*. The creation of the Australian code R45.81 *Suicidal ideation*, followed the recommendation by the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

R45.89 Other symptoms and signs involving emotional state**THIRD EDITION****Background:**

Suicide ideation is an important symptom that exists against a background of an underlying psychological disorder, generally a *personality disorder*. The creation of an Australian code R45.89 *Other symptoms and signs involving emotional state*, followed the recommendation by the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Washington DC, 2001.

Source of recommended change:

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

Following a public submission received regarding the indexing of 'anhedonia', an excludes note 'as part of a mental or behavioural disorder' was created at this code to clarify that any signs or symptoms constituting a part of a mental or behavioural disorder should be coded to the respective code in Chapter 5 *Mental and behavioural disorders (F00–F99)*.

Source of recommended change:

Public submission (P11)
NCCC (TN389)

Relevant Australian Coding Standard:

Not applicable

R50 Fever of other and unknown origin**FIFTH EDITION****Background:**

Changes made to this code are consistent with those made in [WHO ICD-10 2004](#). The code title was amended at the three character level. Two fourth character codes (R50.0 and R50.1) were inactivated and two fourth character codes created (R50.2 *Drug-induced fever* and R50.8 *Other specified fever*). The concepts in the inactivated codes were reclassified to R50.8.

Source of recommended change:

WHO

Relevant Australian Coding Standard:

Not applicable

R52.2 Chronic pain**TENTH EDITION ERRATA 2****Background:**

A minor amendment was made to the *Instructional* term to provide clarity.

Source of recommended change:

ACCD (TN1279)

Relevant Australian Coding Standard:

Not applicable

R68.8 Other specified general symptoms and signs**ELEVENTH EDITION****Background:**

An *Excludes* note was added to promote multiple code assignment to classify multiple organ failure of specified sites.

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

R71 Abnormality of red blood cells**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

R73 Elevated blood glucose level**THIRD EDITION****Background:**

This code was amended for consistency with changes to *diabetes mellitus* for Third Edition.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes
NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

R73.0 Abnormal carbohydrate tolerance**SECOND EDITION****Background:**

The code descriptor was changed from *abnormal glucose tolerance test* to *abnormal carbohydrate tolerance* to more accurately reflect the concept of this category (abnormal findings rather than abnormal tests). This change was made as part of the changes to the [E10-E14 diabetes mellitus](#) categories.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes:

[Definition, diagnosis and classification of diabetes mellitus and its complications](#). Report of a WHO Consultation: Part 1. WHO/NCD/NCS 99.2 (1999): Geneva.

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

0403 *Hyperglycaemia*

THIRD EDITION

Background:

This code was deleted due to Third Edition revision of *diabetes mellitus* coding.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

R73.9 Hyperglycaemia, unspecified

THIRD EDITION

Background:

This code was deleted due to Third Edition revision of *diabetes mellitus* coding.

Source of recommended change:

World Health Organization's (WHO) revised classification of diabetes

NCCH

Endocrinology CCGG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

R74.8 Abnormal levels of other serum enzymes

SEVENTH EDITION

Background:

The inclusion term for *abnormal level of troponin* was added to clarify the classification of this finding.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

R79.8 Other specified abnormal findings of blood chemistry

FIRST EDITION

Background:

The term *lithaemia* was reclassified to E79.0 *Hyperuricaemia without signs of inflammatory arthritis and tophaceous disease* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

Following receipt of a coding query, a new inclusion term *Elevated prostate specific antigen (PSA)* was added, to clarify code selection.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

R89.7 Abnormal findings in specimens from other organs, abnormal histological findings

FIRST EDITION

Background:

The term *metastatic calcification* was reclassified to E83.5 *Disorders of calcium metabolism* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Disease in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

R93.5 Abnormal findings on diagnostic imaging of abdominal and pelvic region, not elsewhere classified

TENTH EDITION

Background:

Following receipt of a public submission, amendments were made to:

- create five character codes at R93.5 to specify abnormal findings on diagnostic imaging of the 'uterus'.
- rename R93.5 to include the pelvic region, as the uterus is not in the abdominal region.

Source of recommended change:

Public submission (DP105, DP115)

Relevant Australian Coding Standard:

Not applicable

S00 Superficial injury of head

FIRST EDITION

Background:

On the recommendation of the CCCG, fifth character subdivisions for certain codes within category S00 were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1916 Superficial injuries

S01 Open wound of head**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S11, S21, S31, S41, S51, S61, S71 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S01.2 Open wound of nose**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S01.3 Open wound of ear and auditory structures**FIRST EDITION****Background:**

On the recommendation of the CCCG, ten Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM. The category title was also changed to more clearly define the rubric's content.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S01.4 Open wound of cheek and temporomandibular area**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S01.5 Open wound of lip and oral cavity**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S01.8 Open wound of other parts of head**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to distinguish *open wounds of the head communicating with a fracture, a dislocation or an intracranial injury*. The codes for *open wound* in ICD-10-AM are assigned in addition to the injury code(s) to distinguish *open* wounds from *closed* wounds.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

1919 *Open intracranial injury*

SECOND EDITION**Background:**

S01.80 *Unspecified open wound of other parts of head* was deleted in the Second Edition and replaced with S01.88 *Open wound of other parts of head*. This change followed NCCH conventions for fifth characters and clarifies the meaning of the code.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

S02 Fracture of skull and facial bones**FIRST EDITION****Background:**

The optional fifth character for category S02 *Fracture of skull and facial bones* in the WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM First Edition as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S02.6 Fracture of mandible**FIRST EDITION****Background:**

On the recommendation of the CCCG, ten Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S06 Intracranial injury**FIRST EDITION****Background:**

The optional fifth character for category S06 *Intracranial injury* in the WHO ICD-10 identifies *intracranial injury with open wound*. This subdivision was not incorporated into ICD-10-AM First Edition as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

The WHO ICD-10 code S06.7 *Intracranial injury with prolonged coma* was not included in ICD-10-AM First Edition. The code became redundant with the introduction of the fifth character codes for category [S06.0 Concussive injury](#).

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1905 *Closed head injury/concussion*

FIFTH EDITION**Background:**

In Errata 3 March 2007, the code range in the instructional note was amended to include all of the codes for *loss of consciousness*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1905 *Closed head injury/concussion*

S06.0 Concussive injury**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *duration of loss of consciousness* and are assigned in addition to the codes for *intracranial injury*, if loss of consciousness is documented.

Concussion is not a term favoured by clinicians in Australia and so the category title was changed from *concussion* to *concussive injury*.

The Australian Collaborating Centre (AIHW/NCCH) tabled these changes at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1905 *Closed head injury/concussion*

S06.2 Diffuse brain injury**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *haematomas*, *contusions* and *lacerations*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S06.20 Diffuse cerebral and cerebellar brain injury, unspecified**SIXTH EDITION****Background:**

An inclusion term was created to support the index pathway *Injury, brain, diffuse*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S06.21 Diffuse cerebral contusions**SIXTH EDITION****Background:**

An inclusion term was created to support the index pathway *Contusion, brain*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S06.23 Multiple intracerebral and cerebellar haematomas**SIXTH EDITION****Background:**

An inclusion term was created to support the index pathways *Haematoma, brain* and *Haemorrhage, brain, traumatic*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S06.3 Focal brain injury**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *haematomas*, *contusions* and *lacerations*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S06.8 Other intracranial injuries**SIXTH EDITION****Background:**

(*Traumatic haemorrhage/haematoma/contusion*): **brain NOS** was deleted from the inclusion terms, as the index pathways for these conditions do not lead to this code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S10 Superficial injury of neck**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for certain codes within category S10 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character subdivision distinguishes the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

S11 Open wound of neck**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S21, S31, S41, S51, S61, S71 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S11.0 Open wound involving larynx and trachea**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site specificity* classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1917 Open wounds

S11.2 Open wound involving pharynx and cervical oesophagus**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site specificity* classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

S11.8 Open wound of other parts of neck**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to distinguish *open wounds of the neck communicating with a fracture or dislocation*. The codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)* to distinguish *open* wounds from *closed* wounds.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

SECOND EDITION**Background:**

S11.80 *Unspecified open wound of other parts of neck* was deleted in Second Edition and replaced with S11.88 *Open wound of other parts of neck*. This change follows NCCH conventions for fifth characters and clarifies the meaning of the code.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

S11.82 Open wound (of any part of neck) communicating with a dislocation**SEVENTH EDITION****Background:**

In line with the changes made to the instructional notes at [S13 Dislocation, sprain and strain of joints and ligaments at neck level](#), the instructional note was amended to specify the range the S13 codes that it applies to (S13.1- – S13.3).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S12 Fracture of neck**FIRST EDITION****Background:**

The optional fifth character for category S12 *Fracture of neck* in the WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open* wound in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

In line with the changes made to the instructional notes at [S13 Dislocation, sprain and strain of joints and ligaments at neck level](#), the instructional note was amended to specify the range the S13 codes that it applies to (S13.1- to S13.3).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S12.2 Fracture of other specified cervical vertebra**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S13 Dislocation, sprain and strain of joints and ligaments at neck level**SEVENTH EDITION****Background:**

Code ranges were added to the instructional notes to specify that they only apply to *dislocation* codes within the category.

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S13.1 Dislocation of cervical vertebra**FIRST EDITION****Background:**

On the recommendation of the CCCG, nine Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S14.1 Other and unspecified injuries of cervical spinal cord**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S14.7 Functional level of cervical spinal cord injury**FIRST EDITION****Background:**

The *anatomical* level of bone injury does not always correspond with the *functional level* of spinal cord injury. An Australian three character category and nine fourth character codes describing *functional level of cervical spinal cord injury* were incorporated into First Edition. These codes are to be used to classify the *functional level of spinal cord injury*. The functional level of spinal cord injury is defined as the lowest intact spinal segment (eg *complete C4 lesion of spinal cord* means that the functions served by the fourth and higher cervical nerves are intact, and there is *no function* at lower levels).

The inclusion of these codes followed a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1915 Spinal (cord) injury (includes traumatic paraplegia and quadriplegia)

THIRD EDITION**Background:**

The code descriptions were modified to more accurately reflect the purpose of these codes.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1915 Spinal (cord) injury (includes traumatic paraplegia and quadriplegia)

S15.0 Injury of carotid artery**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S16 Injury of muscle and tendon at neck level**SEVENTH EDITION****Background:**

In line with the changes made to the instructional notes at [S13 Dislocation, sprain and strain of joints and ligaments at neck level](#), excludes note was amended to specify the range the S13 codes that it applies to (S13.4–S13.6).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S20 Superficial injury of thorax**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for certain codes within category S20 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character codes distinguish the *type of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

SECOND EDITION**Background:**

S20.85 *Superficial injury of other and unspecified parts of thorax, contusion* was deleted in Second Edition and the allowable fifth character range for S20.8 changed to [0-4,8]. The code was redundant given S20.2 *Contusion of thorax*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S21 Open wound of thorax**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S11, S31, S41, S51, S61, S71 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S21.8 Open wound of other parts of thorax**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to distinguish *open wounds of the thorax communicating with a fracture, dislocation or an intrathoracic injury*. The codes for *open wound* in ICD-10-AM are assigned as an additional code to the *injury code(s)* to distinguish *open wound* from *closed wounds*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1920 *Open intrathoracic/intra-abdominal injury*

SECOND EDITION**Background:**

S21.80 *Unspecified open wound of other parts of thorax* was deleted in Second Edition and replaced with S21.88 *Open wound of other parts of thorax*. This change follows NCCH conventions for fifth characters and clarifies the meaning of the code.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S21.82 Open wound (of any part of thorax) communicating with a dislocation**SEVENTH EDITION****Background:**

In line with the changes made to the instructional notes at [S23](#) *Dislocation, sprain and strain of joints and ligaments at neck level*, the instructional note was amended to specify the range the S23 codes that it applies to (S23.1- to S23.2).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S22 Fracture of rib(s), sternum and thoracic spine**FIRST EDITION****Background:**

The optional fifth character for category S22 *Fracture of rib(s), sternum and thoracic spine* in the WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open* wound in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

In line with the changes made to the instructional notes at [S23 Dislocation, sprain and strain of joints and ligaments at neck level](#), the instructional notes were amended to specify the range the S23 codes that it applies to (S23.1- to S23.2).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S22.0 Fracture of thoracic vertebra**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S22.3 Fracture of rib**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S22.4 Multiple rib fractures**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S23 Dislocation, sprain and strain of joints and ligaments of thorax**SEVENTH EDITION****Background:**

Code ranges were added to the instructional notes to specify that they only apply to *dislocation* codes within the category.

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S23.1 Dislocation of thoracic vertebra**FIRST EDITION****Background:**

On the recommendation of the CCCG, eight Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S24.1 Other and unspecified injuries of thoracic spinal cord**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S24.7 Functional level of thoracic spinal cord injury

FIRST EDITION

Background:

The *anatomical* level of bone injury does not always correspond with the *functional* level of spinal cord injury. An Australian three character category and eight new codes describing functional level of thoracic spinal cord injury were incorporated into First Edition. These codes classify the *functional level of spinal cord injury*. The functional level of spinal cord injury is defined as the lowest intact spinal segment (eg *complete C4 lesion of spinal cord* means that the functions served by the fourth and higher cervical nerves are intact, and there is no function at lower levels).

The inclusion of these codes follows a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH
Injury CCGG

Relevant Australian Coding Standard:

1915 *Spinal (cord) injury (includes traumatic paraplegia and quadriplegia)*

THIRD EDITION

Background:

The code descriptions were changed to more accurately reflect the purpose of the codes.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1915 *Spinal (cord) injury (includes traumatic paraplegia and quadriplegia)*

S26 Injury of heart

FIRST EDITION

Background:

The optional fifth character for category S26 *Injury of heart* in WHO ICD-10 identifies *open wound into the thoracic cavity*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the site of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury* code(s), when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S26.0 Traumatic haemopericardium**FIRST EDITION****Background:**

Traumatic haemopericardium may occur *with or without heart injury* and so the code descriptor was changed to *traumatic haemopericardium* alone. This change was tabled by the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH
Injury CCGG

Relevant Australian Coding Standard:

Not applicable

S26.8 Other injuries of heart**FIRST EDITION****Background:**

On the recommendation of the CCGG, four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *contusions* and *lacerations* from other *injuries of the heart*.

Source of recommended change:

NCCH
Injury CCGG

Relevant Australian Coding Standard:

Not applicable

S27 Injury of other and unspecified intrathoracic organs**FIRST EDITION****Background:**

The optional fifth character for category S27 *Injury of other and unspecified intrathoracic organs* in WHO ICD-10 identifies *open wound into the thoracic cavity*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S27.3 Other injuries of lung**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *contusions* and *lacerations* from other injuries of the lung.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S27.8 Injury of other specified intrathoracic organs and structures**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM. The category title was also changed to more clearly define the rubric's contents.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S29.0 Injury of muscle and tendon at thorax level**SEVENTH EDITION****Background:**

In line with the changes made to the instructional notes at [S23 Dislocation, sprain and strain of joints and ligaments at neck level](#), the excludes note was amended to specify the range the S23 codes that it applies to (S23.3–S23.5).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S30 Superficial injury of abdomen, lower back and pelvis**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for certain codes within category S30 was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The fifth character codes distinguish the *type of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

SECOND EDITION**Background:**

S30.85 Other superficial injuries of abdomen, lower back and pelvis, contusion and S30.95 Superficial injury of abdomen, lower back and pelvis, part unspecified were deleted in Second Edition and the fifth character range for S30.8 and S30.9 changed to [0-4,8]. The codes were redundant given S30.0 Contusion of lower back and pelvis, S30.1 Contusion of abdominal wall and S30.2 Contusion of external genital organs.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION**Background:**

The instructional note (*The following fifth character subdivisions...*) was deleted, as it was not applicable to the whole category, only S30.8 and S30.9. The note was relocated to above these two codes.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S31 Open wound of abdomen, lower back and pelvis**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S11, S21, S41, S51, S61, S71 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S31.8 Open wound of other and unspecified parts of abdomen**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to distinguish *open wounds of the lower back and pelvis communicating with a fracture, dislocation or an intra-abdominal injury*. The codes for *open wound* in ICD-10-AM are assigned as an additional code to the *injury code(s)* to distinguish *open wound* from *closed wounds*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1920 *Open intrathoracic/intra-abdominal injury*

S31.82 Open wound (of any part of lower back and pelvis) communicating with a dislocation

SEVENTH EDITION

Background:

In line with the changes made to the instructional notes at [S33 Dislocation, sprain and strain of joints and ligaments at neck level](#), the instructional note was amended to specify the range the S33 codes that it applies to (S33.1- to S33.3).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S32 Fracture of lumbar spine and pelvis

FIRST EDITION

Background:

The optional fifth character for category S32 *Fracture of lumbar spine and pelvis* in WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION

Background:

In line with the changes made to the instructional notes at [S33 Dislocation, sprain and strain of joints and ligaments at neck level](#), the instructional note was amended to specify the range the S33 codes that it applies to (S33.1- to S33.3).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S32.0 Fracture of lumbar vertebra

FIRST EDITION

Background:

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S32.8 Fracture of other and unspecified parts of lumbar spine and pelvis**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S33 Dislocation, sprain and strain of joints and ligaments of lumbar spine and pelvis**SEVENTH EDITION****Background:**

Code ranges were added to the instructional notes to specify that they only apply to *dislocation* codes within the category

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S33.1 Dislocation of lumbar vertebra**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S33.5 Sprain and strain of lumbar spine**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

SECOND EDITION

Background:

S33.50 Sprain and strain of lumbar spine, unspecified was deleted as the code was redundant, given the existing code of S33.7 Sprain and strain of other and unspecified parts of lumbar spine and pelvis.

Source of recommended change:

Coding query/NCCH

Relevant Australian Coding Standard:

Not applicable

S34 Injury of nerves and lumbar spinal cord at abdomen, lower back and pelvis level

FIRST EDITION

Background:

The term *conus medullaris* was added to two code descriptors in this category to clarify the site (S34.0 Concussion and oedema of lumbar spinal cord [*conus medullaris*] and S34.1 Other injury of lumbar spinal cord [*conus medullaris*]).

The Australian Collaborating Centre (AIHW/NCCH) tabled these changes at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Injury CCGG

Relevant Australian Coding Standard:

Not applicable

S34.7 Functional level of lumbar spinal cord injury

FIRST EDITION

Background:

The *anatomical* level of bone injury does not always correspond with the *functional* level of spinal cord injury. An Australian three character category and seven codes describing *functional level of lumbar spinal cord injury* were incorporated into First Edition. These codes classify the *functional level of spinal cord injury*. The functional level of spinal cord injury is defined as the lowest intact spinal segment (eg *complete C4 lesion of spinal cord* means that the functions served by the fourth and higher cervical nerves are intact, and there is no function at lower levels).

The inclusion of these codes follows a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Injury CCGG

Relevant Australian Coding Standard:

1915 *Spinal (cord) injury (includes traumatic paraplegia and quadriplegia)*

THIRD EDITION**Background:**

The code descriptions were changed to more accurately reflect the *functional level of the spinal cord injury*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1915 *Spinal (cord) injury (includes traumatic paraplegia and quadriplegia)*

S35.5 Injury of iliac blood vessels**FIRST EDITION****Background:**

The terms injury of hypogastric artery or vein and injury of uterine artery or vein was reclassified to S35.8 Injury of other blood vessels at abdomen, lower back and pelvis level on the basis of clinical advice.

Source of recommended change:

NCCH

Injury CCGG

Relevant Australian Coding Standard:

Not applicable

S35.8 Injury of other blood vessels at abdomen, lower back and pelvis level**FIRST EDITION****Background:**

The terms injury of hypogastric artery or vein and injury of uterine artery or vein were reclassified to S35.8 from S35.5 Injury of iliac blood vessels on the basis of clinical advice.

Source of recommended change:

NCCH

Injury CCGG

Relevant Australian Coding Standard:

Not applicable

S36 Injury of intra-abdominal organs**FIRST EDITION****Background:**

The optional fifth character for category S36 *Injury of intra-abdominal organs* in WHO ICD-10 identifies *open wound into the intra-abdominal cavity*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S36.0 Injury of spleen**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S36.1 Injury of liver or gallbladder**FIRST EDITION****Background:**

On the recommendation of the CCCG, nine Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S36.2 Injury of pancreas**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S36.4 Injury of small intestine**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S36.5 Injury of colon**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S36.8 Injury of other intra-abdominal organs**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of site specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S37 Injury of urinary and pelvic organs**FIRST EDITION****Background:**

The optional fifth character for category S37 *Injury of urinary and pelvic organs* in WHO ICD-10 identifies *open wound into the intra-abdominal/pelvic cavity*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S37.0 Injury of kidney**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *types of injury to the kidney* such as *contusion*, *laceration* and *disruption*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S37.2 Injury of bladder**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *types of injury to the bladder* such as *contusion, laceration and rupture*.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S37.3 Injury of urethra**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S37.8 Injury of other pelvic organs**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S39.0 Injury of muscle and tendon of abdomen, lower back and pelvis**SEVENTH EDITION****Background:**

In line with the changes made to the instructional notes at [S33 Dislocation, sprain and strain of joints and ligaments at neck level](#), the excludes notes was amended to specify the range the S33 codes that it applies to (S33.51 – S33.6).

Source of recommended change:

NCCH/3M

Relevant Australian Coding Standard:

Not applicable

S40.8 Other superficial injuries of shoulder and upper arm**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

S41 Open wound of shoulder and upper arm**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S11, S21, S31, S51, S61, S71 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S41.0 Open wound of shoulder**FIRST EDITION****Background:**

Due to the change in the subcategory title for [S41.8](#), the term *open wound of shoulder girdle* was reclassified to S41.0 *Open wound of shoulder*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1917 *Open wounds*

S41.8 Open wound of other and unspecified parts of shoulder region**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to distinguish *open wounds of the shoulder and upper arm communicating with a fracture or dislocation*. The codes for *open wound* in ICD-10-AM are assigned as an additional code to the *injury code(s)* to distinguish *open wound* from *closed wounds*.

The category title was changed from *shoulder girdle* to *shoulder region* to provide a more general description for a .8 category. Consequently, the term *open wound of shoulder girdle* was reclassified to S41.0 *Open wound of shoulder*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

S42 Fracture of shoulder and upper arm**FIRST EDITION****Background:**

The optional fifth character for category S42 *Fracture of shoulder and upper arm* in WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S42.0 Fracture of clavicle**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S42.1 Fracture of scapula**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S42.2 Fracture of upper end of humerus**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S42.4 Fracture of lower end of humerus**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S43.0 Dislocation of shoulder joint [glenohumeral joint]**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM. The term *glenohumeral joint* was added to the code descriptor for clarity.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S43.4 Sprain and strain of shoulder joint**FIRST EDITION****Background:**

The term traumatic tear of rotator cuff tendon was reclassified to S46.0 Injury of tendon of the rotator cuff of shoulder given the distinction between the classification of rotator cuff tendon injuries (S46.0) and rotator cuff capsule (S43.4) injuries in the ICD-10.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

A recommendation from Australia in support of these changes was accepted at the WHO Meeting of the Heads of Collaborating Centres for the Family of International Classifications in Bethesda USA, 2001.

Source of recommended change:

NCCH

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

S46.0 Injury of muscle(s) and tendon(s) of the rotator cuff of shoulder**FIRST EDITION****Background:**

The term *traumatic tear of rotator cuff tendon* was reclassified to S46.0 from S43.4 *Sprain and strain of shoulder joint* given the distinction between the classification of *rotator cuff tendon injuries* (S46.0) and *rotator cuff capsule* (S43.4) injuries in the ICD-10.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

A recommendation from Australia in support of these changes was accepted at the WHO Meeting of the Heads of Collaborating Centres for the Family of International Classifications in Bethesda USA, 2001.

Source of recommended change:

NCCH

WHO 2001 decision/2003 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

The code title was amended for consistency with URC updates to ICD-10.

Source of recommended change:

WHO Update reference committee (URC) 2008

Relevant Australian Coding Standard:

Not applicable

S50.8 Other superficial injuries of forearm**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

S51 Open wound of forearm**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S11, S21, S31, S41, S61, S71 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S51.8 Open wound of other parts of forearm**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to distinguish *open wounds of the forearm communicating with a fracture or dislocation*. The codes for *open wound* in ICD-10-AM are assigned as an additional code to the *injury code(s)* to distinguish open wound from closed wounds.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

SECOND EDITION**Background:**

S51.80 *Unspecified open wound of other parts of forearm* was deleted in Second Edition and replaced with S51.88 *Open wound of other parts of forearm*. This change follows NCCH conventions for fifth digits and clarifies the meaning of the code.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

S52 Fracture of forearm**FIRST EDITION****Background:**

The optional fifth character for category S52 *Fracture of forearm* in the WHO ICD-10 identifies *fractures that are open or closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S52.0 Fracture of upper end of ulna**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S52.1 Fracture of upper end of radius**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S52.2 Fracture of shaft of ulna**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S52.3 Fracture of shaft of radius**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S52.5 Fracture of lower end of radius**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

FOURTH EDITION**Background:**

An Australian code was created to classify fractures of the *distal radius*. In addition, inclusional terms, includes and excludes notes were added to S52.5 *Fracture of lower end of radius* to assist with correct code assignment.

Source of recommended change:

NCCH

Orthopaedic CCCG

Relevant Australian Coding Standard:

Not applicable

S53.1 Dislocation of other and unspecified parts of elbow**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S53.4 Sprain and strain of elbow**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S56.0 Injury of flexor muscle and tendon of thumb at forearm level**EIGHTH EDITION****Background:**

An email was received by NCCH after completion of the production of Seventh Edition about a discrepancy between ECL and book descriptors of S56.0 and S56.1.

S56.0

Book descriptor – *Injury of long flexor muscle and tendon of thumb at forearm level*

ECL descriptor – *Injury of flexor muscle and tendon of thumb at forearm level*

S56.1

Book descriptor – *Injury of flexor muscle and tendon of other finger(s) at forearm level*

ECL descriptor – *Injury of long flexor muscle and tendon of other finger(s) at forearm level*

It was noted that the book descriptors of ICD-10-AM codes S56.0 and S56.1 are also not consistent with WHO ICD-10 codes. Book descriptor of S56.0 was amended to *Injury of flexor muscle and tendon of thumb at forearm level*

Source of recommended change:

NCCH email

NCCC (TN385)

Relevant Australian Coding Standard:

Not applicable

S56.1 Injury of long flexor muscle and tendon of other finger(s) at forearm level

EIGHTH EDITION

Background:

An email was received by NCCH after completion of the production of Seventh Edition about a discrepancy between ECL and book descriptors of S56.0 and S56.1.

S56.0

Book descriptor – *Injury of long flexor muscle and tendon of thumb at forearm level*

ECL descriptor – *Injury of flexor muscle and tendon of thumb at forearm level*

S56.1

Book descriptor – *Injury of flexor muscle and tendon of other finger(s) at forearm level*

ECL descriptor – *Injury of long flexor muscle and tendon of other finger(s) at forearm level*

It was noted that the book descriptors of ICD-10-AM codes S56.0 and S56.1 are also not consistent with WHO ICD-10 codes. Book descriptor of S56.1 was amended to *Injury of long flexor muscle and tendon of other finger(s) at forearm level*

Source of recommended change:

NCCH email

NCCC (TN385)

Relevant Australian Coding Standard:

Not applicable

S60.8 Other superficial injuries of wrist and hand

FIRST EDITION

Background:

On the recommendation of the CCGG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH

Injury CCGG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

S61 Open wound of wrist and hand

SEVENTH EDITION

Background:

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S11, S21, S31, S41, S51, S71 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S61.8 Open wound of other parts of wrist and hand**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to distinguish *open wounds of the wrist and hand communicating with a fracture or dislocation*. The codes for *open wound* in ICD-10-AM are assigned as an additional code to the *injury code(s)* to distinguish *open wound* from *closed wounds*.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

SECOND EDITION**Background:**

S61.80 *Unspecified open wound of other parts of wrist and hand* was deleted in Second Edition and replaced with S61.88 *Open wound of other parts of wrist and hand*. This change follows NCCH conventions for fifth digits and clarified the meaning of the code.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

S62 Fracture at wrist and hand level**FIRST EDITION****Background:**

The optional fifth character for category S62 *Fracture at wrist and hand level* in WHO ICD-10 classifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S62.1 Fracture of other carpal bone(s)**FIRST EDITION****Background:**

On the recommendation of the CCCG, nine Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S62.2 Fracture of first metacarpal bone**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S62.3 Fracture of other metacarpal bone**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S62.5 Fracture of thumb**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S62.6 Fracture of other finger**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S63.0 Dislocation of wrist**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S63.1 Dislocation of finger**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S63.5 Sprain and strain of wrist**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S63.6 Sprain and strain of finger(s)**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S70.8 Other superficial injuries of hip and thigh**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

S71 Open wound of hip and thigh**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S11, S21, S31, S41, S51, S61 and S81 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S71.8 Open wound of other and unspecified parts of pelvic girdle**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to distinguish *open wounds of the hip and thigh communicating with a fracture or dislocation*. The codes for *open wound* in ICD-10-AM are assigned as an additional code to the *injury code(s)* to distinguish open wound from closed wounds.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1917 Open wounds

S72 Fracture of femur**FIRST EDITION****Background:**

The optional fifth character for category S72 *Fracture of femur* in WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S72.0 Fracture of neck of femur**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S72.1 Pertrochanteric fracture**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S72.4 Fracture of lower end of femur**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S73.0 Dislocation of hip**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S73.1 Sprain and strain of hip**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S80.8 Other superficial injuries of lower leg**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

SECOND EDITION**Background:**

S81.80 *Unspecified open wound of other parts of lower leg* was deleted in Second Edition and replaced with S81.88 *Open wound of other parts of lower leg*. This change follows NCCH conventions for fifth digits and clarified the meaning of the code.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

S81 Open wound of lower leg**SEVENTH EDITION****Background:**

The includes note was deleted for consistency with changes to [S91](#) in Sixth Edition. Similar includes notes were also deleted from S01, S11, S21, S31, S41, S51, S61 and S71 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S81.8 Open wound of other parts of lower leg**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to distinguish *open wounds of the lower leg communicating with a fracture or dislocation*. The codes for *open wound* in ICD-10-AM are assigned as *an additional code to the injury code(s) to distinguish open wound from closed wounds*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

S81.82 Open wound (of any part of lower leg) communicating with a dislocation**FIFTH EDITION****Background:**

A minor amendment was made to the instructional note (*code first...*) following a review of PICQ indicators, to specify the applicable code range.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S82 Fracture of lower leg, including ankle**FIRST EDITION****Background:**

The optional fifth character for category S82 *Fracture of lower leg, including ankle* in WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S82.1 Fracture of upper end of tibia**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

An inclusion term was added for consistency with URC updates to ICD-10.

Source of recommended change:

[WHO Update reference committee \(URC\) 2010](#)

Relevant Australian Coding Standard:

Not applicable

S82.2 Fracture of shaft of tibia**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S82.3 Fracture of lower end of tibia**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S82.4 Fracture of fibula alone**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S82.5 Fracture of medial malleolus**SEVENTH EDITION****Background:**

Excludes notes were added at S82.5, S82.6 and S82.7 following receipt a 3M query regarding Weber fractures. This is intended to further clarify classification of bimalleolar and trimalleolar fractures, which would assist coders in the selection of proper codes for Weber type A, B and C fractures.

Source of recommended change:

NCCH/3M query

Relevant Australian Coding Standard:

Not applicable

S82.6 Fracture of lateral malleolus**SEVENTH EDITION****Background:**

Excludes notes were added at S82.5, S82.6 and S82.7 following receipt a 3M query regarding Weber fractures. This is intended to further clarify classification of bimalleolar and trimalleolar fractures, which would assist coders in the selection of proper codes for Weber type A, B and C fractures.

Source of recommended change:

NCCH/3M query

Relevant Australian Coding Standard:

Not applicable

S82.7 Multiple fractures of lower leg**SEVENTH EDITION****Background:**

Excludes notes were added at S82.5, S82.6 and S82.7 following receipt a 3M query regarding Weber fractures. This is intended to further clarify classification of bimalleolar and trimalleolar fractures, which would assist coders in the selection of proper codes for Weber type A, B and C fractures.

Source of recommended change:

NCCH/3M query

Relevant Australian Coding Standard:

Not applicable

S82.8 Fractures of other parts of lower leg**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S82.81 Bimalleolar fracture, ankle**SEVENTH EDITION****Background:**

A definition of *Bimalleolar fracture* was added at S82.81 following receipt a 3M query regarding Weber fractures. This provides further clarification of bimalleolar and trimalleolar fractures, which would assist coders in the selection of proper codes for Weber type A, B and C fractures.

Source of recommended change:

NCCH/3M query

Relevant Australian Coding Standard:

Not applicable

S82.82 Trimalleolar fracture, ankle**SEVENTH EDITION****Background:**

A definition of *Trimalleolar fracture* was added at S82.82 following receipt a 3M query regarding Weber fractures. This provides further clarification of bimalleolar and trimalleolar fractures, which would assist coders in the selection of proper codes for Weber type A, B and C fractures.

Source of recommended change:

NCCH/3M query

Relevant Australian Coding Standard:

Not applicable

S83 Dislocation, sprain and strain of joints and ligaments of knee**FIFTH EDITION****Background:**

A minor amendment was made to the instructional note (*use additional...*) to specify the code range applicable. The error was highlighted during a review of PICQ.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S83.1 Dislocation of knee**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S83.4 Sprain and strain involving (fibular) (tibial) collateral ligament of knee**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S83.5 Sprain and strain involving (anterior) (posterior) cruciate ligament of knee**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S90.8 Other superficial injuries of ankle and foot**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

1916 *Superficial injuries*

S91 Open wound of ankle and foot**SIXTH EDITION****Background:**

The includes note was deleted, as there are specific fifth character Australian codes within this category for these concepts.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S91.8 Other open wounds of ankle and foot**FIRST EDITION****Background:**

On the recommendation of the CCCG, a subcategory and two Australian codes were incorporated into First Edition to distinguish *open wounds of the ankle and foot communicating with a fracture or dislocation*. The codes for *open wound* in ICD-10-AM are assigned as an additional code to the *injury code(s)* to distinguish *open wound* from *closed wounds*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

S91.82 Open wound (of any part of ankle and foot) communicating with a dislocation**FIFTH EDITION****Background:**

A minor amendment was made to the instructional note (*code first...*) following a review of PICQ indicators, to specify the applicable codes.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S92 Fracture of foot, except ankle**FIRST EDITION****Background:**

The optional fifth character for category S92 *Fracture of foot, except ankle* in WHO ICD-10 identifies fractures that are *open* or *closed*. This subdivision was not incorporated into ICD-10-AM as it limits the expansion of the codes to further specify the *site* of the injury. To avoid losing this information, the codes for *open wound* in ICD-10-AM are assigned in addition to the *injury code(s)*, when appropriate.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

S92.2 Fracture of other tarsal bone(s)**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S93.1 Dislocation of toe(s)**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S93.3 Dislocation of other and unspecified parts of foot**FIRST EDITION****Background:**

On the recommendation of the CCCG, six Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

S93.4 Sprain and strain of ankle**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

T09.0 Superficial injury of trunk, level unspecified**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *the types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

T11.0 Superficial injury of upper limb, level unspecified**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *the types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

T11.1 Open wound of upper limb, level unspecified**SEVENTH EDITION ERRATA 5****Background:**

The following instructional note was created in Seventh Edition Errata 5:
“Use additional code T89.0- to indicate open wounds with complications of foreign body, infection and delayed healing/treatment”

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

T13.0 Superficial injury of lower limb, level unspecified**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish *the types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH
Injury CCCG

Relevant Australian Coding Standard:

Not applicable

T14.0 Superficial injury of unspecified body region**FIRST EDITION****Background:**

On the recommendation of the CCCG, seven Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the *types of superficial injuries* (eg *abrasion, blister*).

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

Not applicable

T20–T31 Burns**FIRST EDITION****Background:**

Significant changes were made to this block in ICD-10-AM First Edition.

Corrosions

ICD-10 distinguishes chemical burns from all other burns by classifying them as *corrosions*, because many international countries do not use the codes from Chapter XX to identify the external cause of conditions classified to Chapter XIX. ICD-10 therefore compensates for this by identifying the *aetiological agent* through the distinction between *corrosion* and *other burns*. This distinction is not necessary in Australia, as every condition classified to Chapter XIX must be accompanied by an external cause code from Chapter XX. Therefore, all references (category descriptors, codes, inclusion and exclusion notes) to *corrosion* in the Tabular List were deleted.

Degrees vs thickness

The description of burns as *degrees* is not clinically relevant in Australia as terminology relates to *thickness* of the burn. On the recommendation of the CCCG, the code descriptors specifying *degrees of burns* in this block were replaced with *erythema, partial thickness* and *full thickness*, respectively.

Categories T31 and T32 — body surface involved in burns and corrosions

On the recommendation of the CCCG, a fifth character subdivision for category T31 Burns *classified according to extent of body surface involved* to reflect the same level of specificity classifiable in ICD-9-CM. The subdivision specifies the *percentage of body surface with full thickness burn(s)*.

The WHO ICD-10 category T32 *Corrosions classified according to extent of body surface involved* was not incorporated into ICD-10-AM (see Corrosions, above).

Source of recommended change:

NCCH

Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

1912 *Late effects of injuries, poisoning, toxic effects and other external causes*

EIGHTH EDITION**Background:**

The NCCC received a public submission (P32) concerning the classification and AR-DRG assignment for sunburn. Given that sunburn is a significant health issue and has long term consequence on the skin cancer, the ITG (ICD Technical Group) decided at its meeting on 6 May 2011 that, sunburn requires multiple ICD codes to identify the sunburn site and external causes of injury.

The following changes have been made to ICD-10-AM Tabular List:

- added 'use additional code' instructions to the Tabular List at L55 *Sunburn*:
Use additional code (T20–T25, T29–T30) to identify site of sunburn
Use additional external cause code (Chapter 20) to identify cause
Use additional code (T31) to identify the percentage of body surface area with full thickness burn, if applicable
- removed sunburn (L55.-) from the exclusion list at T20-T31 *Burns*
- modified ACS 1911 *Burns* to clarify the change
- removed L55.- from the list of codes not requiring an external cause in ACS 2001
External cause code use and sequencing.

Source of recommended change:

Public submission (P32)

NCCC (TN187)

Relevant Australian Coding Standard:

1911 *Burns*

2001 *External cause code use and sequencing*

NINTH EDITION**Background:**

It was noted during proof reading of Eighth Edition that one of the fifth character subdivisions – “2 chest wall, excluding breast and nipple thorax [external]” at T21 listed below is confusing. However, since amendments to the code title would have impacted both the ECLs and the DRG manual, code titles in T21 were held over for amendment in Ninth Edition.

The following changes were made:

- Deleted the term “excluding breast and nipple thorax [external]” from code title of T21.02 *Burn of unspecified thickness of chest wall, excluding breast and nipple thorax [external]*
- Added inclusion terms specifying thickness of burn of “nipple” at T21.01 *Burn of unspecified thickness of breast*
- Added “nipple” as an inclusion term at fifth character subdivision “-1 breast” and at includes note at T21
- Amended fifth character subdivision “-2 chest wall, excluding breast and nipple thorax [external]” to “-2 chest wall”

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1911 *Burns*

T21.0 Burn of unspecified thickness of trunk**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for subcategory T21 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH
Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

NINTH EDITION**Background:**

It was noted during proof reading of Eighth Edition that one of the fifth character subdivisions – “2 chest wall, excluding breast and nipple thorax [external]” at T21 listed below is confusing. However, since amendments to the code title would have impacted both the ECLs and the DRG manual, code titles in T21 were held over for amendment in Ninth Edition.

The following changes were made:

- Deleted the term “excluding breast and nipple thorax [external]” from code title of T21.02 *Burn of unspecified thickness of chest wall, excluding breast and nipple thorax [external]*
- Added inclusion terms specifying thickness of burn of “nipple” at T21.01 *Burn of unspecified thickness of breast*
- Added “nipple” as an inclusion term at fifth character subdivision “-1 breast” and at includes note at T21
- Amended fifth character subdivision “-2 chest wall, excluding breast and nipple thorax [external]” to “-2 chest wall”

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1911 *Burns*

T21.1 Erythema of trunk**FIRST EDITION****Background:**

On the recommendation of the CCCG, a fifth character subdivision for subcategory T21 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH
Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

NINTH EDITION

Background:

It was noted during proof reading of Eighth Edition that one of the fifth character subdivisions “-2 chest wall, excluding breast and nipple thorax [external]” at T21 listed below is confusing. However, since amendments to the code title would have impacted both the ECLs and the DRG manual, code titles in T21 were held over for amendment in Ninth Edition.

The following changes were made:

- Deleted the term “excluding breast and nipple thorax [external]” from code title of T21.12 *Erythema of chest wall, excluding breast and nipple thorax [external]*
- Added inclusion terms specifying thickness of burn of “nipple” at T21.11 *Erythema of breast*
- Added “nipple” as an inclusion term at fifth character subdivision “-1 breast” and at includes note at T21
- Amended fifth character subdivision “-2 chest wall, excluding breast and nipple thorax [external]” to “-2 chest wall”

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1911 *Burns*

T21.2 Partial thickness [blisters, epidermal loss] burn of trunk

FIRST EDITION

Background:

On the recommendation of the CCCG, a fifth character subdivision for subcategory T21 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH

Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

NINTH EDITION

Background:

It was noted during proof reading of Eighth Edition that one of the fifth character subdivisions “-2 chest wall, excluding breast and nipple thorax [external]” at T21 listed below is confusing. However, since amendments to the code title would have impacted both the ECLs and the DRG manual, code titles in T21 were held over for amendment in Ninth Edition.

The following changes were made:

- Deleted the term “excluding breast and nipple thorax [external]” from code title of T21.22 *Partial thickness [blisters, epidermal loss] burn of chest wall, excluding breast and nipple thorax [external]*
- Added inclusion terms specifying thickness of burn of “nipple” at T21.21 *Partial thickness [blisters, epidermal loss] burn of breast*
- Added “nipple” as an inclusion term at fifth character subdivision “-1 breast” and at includes note at T21
- Amended fifth character subdivision “-2 chest wall, excluding breast and nipple thorax [external]” to “-2 chest wall”

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1911 *Burns*

T21.3 Full thickness burn of trunk

FIRST EDITION

Background:

On the recommendation of the CCCG, a fifth character subdivision for subcategory T21 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH

Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

NINTH EDITION

Background:

It was noted during proof reading of Eighth Edition that one of the fifth character subdivisions “-2 chest wall, excluding breast and nipple thorax [external]” at T21 listed below is confusing. However, since amendments to the code title would have impacted both the ECLs and the DRG manual, code titles in T21 were held over for amendment in Ninth Edition.

The following changes were made:

- Deleted the term “excluding breast and nipple thorax [external]” from code title of T21.32 *Full thickness burn of chest wall, excluding breast and nipple thorax [external]*
- Added inclusion terms specifying thickness of burn of “nipple” at T21.31 *Full thickness burn of breast*
- Added “nipple” as an inclusion term at fifth character subdivision “-1 breast” and at includes note at T21
- Amended fifth character subdivision “-2 chest wall, excluding breast and nipple thorax [external]” to “-2 chest wall”

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

1911 *Burns*

T22.0 Burn of unspecified thickness of shoulder and upper limb, except wrist and hand

FIRST EDITION

Background:

On the recommendation of the CCCG, a fifth character subdivision for subcategory T22 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH

Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

T22.1 Erythema of shoulder and upper limb, except wrist and hand

FIRST EDITION

Background:

On the recommendation of the CCCG, a fifth character subdivision for subcategory T22 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH

Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

T22.2 Partial thickness [blisters, epidermal loss] burn of shoulder and upper limb, except wrist and hand

FIRST EDITION

Background:

On the recommendation of the CCCG, a fifth character subdivision for subcategory T22 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH

Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

T22.3 Full thickness burn of shoulder and upper limb, except wrist and hand

FIRST EDITION

Background:

On the recommendation of the CCCG, a fifth character subdivision for subcategory T22 was incorporated into First Edition to reflect the same level of *site* specificity classifiable in ICD-9-CM.

For other changes relating to this subcategory please refer to [T20–T31 Burns](#).

Source of recommended change:

NCCH

Burns CCCG

Relevant Australian Coding Standard:

1911 *Burns*

T36.0 Penicillins

FIRST EDITION

Background:

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T36.0 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T36.1 Cephalosporins and other beta-lactam antibiotics

FIRST EDITION

Background:

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T36.1 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T36.3 Macrolides**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T36.3 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T36.4 Tetracyclines**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T36.4 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T36.7 Antifungal antibiotics, systemically used**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T36.7 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T37.4 Anthelminthics**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T37.4 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T37.5 Antiviral drugs**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T37.5 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T37.8 Other specified systemic anti-infectives and antiparasitics**FIRST EDITION****Background:**

On the recommendation of the CCCG, two Australian drug terms (*atovaquone* and *hexamine hippurate*) were classified to T37.8 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T38.4 Oral contraceptives**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T38.4 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T38.5 Other oestrogens and progestogens**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T38.5 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T38.6 Antigonadotrophins, anti-oestrogens, antiandrogens, not elsewhere classified

FIRST EDITION

Background:

On the recommendation of the CCCG, this Australian drug term was classified to T38.6 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T38.8 Other and unspecified hormones and their synthetic substitutes

FIRST EDITION

Background:

On the recommendation of the CCCG, this Australian drug term was classified to T38.8 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T39.0 Salicylates

FIRST EDITION

Background:

On the recommendation of the CCCG, this Australian drug term was classified to T39.0 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T41.1 Intravenous anaesthetics

FIRST EDITION

Background:

On the recommendation of the CCCG, this Australian drug term was classified to T41.1 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T41.2 Other and unspecified general anaesthetics**SEVENTH EDITION****Background:**

Fifth character codes were created allowing the classification to be able to identify the harms related to *GHB* or *ketamine* use, following the review of codes for *GHB*, *ecstasy* and *ketamine*.

Source of recommended change:

Public submission (23/06) from the National Drug and Alcohol Research Centre

Relevant Australian Coding Standard:

Not applicable

T42.0 Hydantoin derivatives**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T42.0 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T42.3 Barbiturates**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* was classified to T42.3 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T42.6 Other antiepileptic and sedative-hypnotic drugs**FIRST EDITION****Background:**

The drug term *chlorobutanol* was reclassified to T42.6 from T49.0 *Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10.

Relevant Australian Coding Standard:

Not applicable

T42.8 Antiparkinsonism drugs and other central muscle-tone depressants**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T42.8 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T43.0 Tricyclic and tetracyclic antidepressants**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T43.0 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T43.2 Other and unspecified antidepressants**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T43.2 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T43.3 Phenothiazine antipsychotics and neuroleptics**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T43.3 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T43.6 Psychostimulants with potential for use disorder

FIRST EDITION**Background:**

The drug term *benzphetamine* was reclassified to T50.5 *Appetite depressants* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

A fifth character code was created allowing the classification to be able to identify the harms specific related to ecstasy use, following the review of codes for *GHB*, *ecstasy* and *ketamine*.

Source of recommended change:

Public submission (23/06) from the National Drug and Alcohol Research Centre

Relevant Australian Coding Standard:

Not applicable

T44.0 Anticholinesterase agents**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T44.0 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T44.3 Other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, not elsewhere classified**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T44.3 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T44.9 Other and unspecified drugs primarily affecting the autonomic nervous system

FIRST EDITION

Background:

The drug term *hydroxyamphetamine* was reclassified to T49.5 *Ophthalmological drugs and preparations* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10.

Relevant Australian Coding Standard:

Not applicable

T45.1 Antineoplastic and immunosuppressive drugs

FIRST EDITION

Background:

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T45.1 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T45.5 Anticoagulants

FIRST EDITION

Background:

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T45.5 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T46.0 Cardiac-stimulant glycosides and drugs of similar action

FIRST EDITION

Background:

On the recommendation of the CCCG, this Australian drug term was classified to T46.0 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T46.1 Calcium-channel blockers**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* was classified to T46.1 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T46.2 Other antidysrhythmic drugs, not elsewhere classified**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T46.2 in the First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T46.3 Coronary vasodilators, not elsewhere classified**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T46.3 in the First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T46.4 Angiotensin-converting-enzyme inhibitors**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian *drugs* and *chemicals* were classified to T46.4 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T46.7 Peripheral vasodilators**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T46.7 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T46.9 Other and unspecified agents primarily affecting the cardiovascular system**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T46.9 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T47.1 Other antacids and anti-gastric-secretion drugs**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T47.1 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T47.4 Other laxatives**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T47.4 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T48.4 Expectorants**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian drugs and chemicals were classified to T48.4 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T48.5 Anti-common-cold drugs**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T48.5 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T49.0 Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian drugs and chemicals were classified to T49.0 in First Edition.

The following drug terms were reclassified following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. The advice to reclassify these terms was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998:

- Carbaril, from T49.0 to T60.0 *Organophosphate and carbamate insecticides*.
- Chloramine, from T49.0 to T49.8 *Other topical agents*.
- Chlorobutanol, from T49.0 to T42.6 *Other antiepileptic and sedative-hypnotic drugs*

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

WHO 1997 decision/1999 recommended implementation date for ICD-10.

Relevant Australian Coding Standard:

Not applicable

T49.3 Emollients, demulcents and protectants**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian drugs and chemicals were classified to T49.3 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T49.4 Keratolytics, keratoplastics and other hair treatment drugs and preparations**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T49.4 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T49.5 Ophthalmological drugs and preparations**FIRST EDITION****Background:**

The drug term *hydroxyamphetamine* was reclassified to T49.5 from T44.9 *Other and unspecified drugs primarily affecting the autonomic nervous system* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10.

Relevant Australian Coding Standard:

Not applicable

T49.8 Other topical agents**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term (*nonoxynol 9*) was classified to T49.8 in First Edition.

The drug term *chloramine* was reclassified to T49.8 from T49.0 *Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

WHO 1997 decision/1999 recommended implementation date for ICD-10.

Relevant Australian Coding Standard:

Not applicable

T50.5 Appetite depressants**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term (*methylpropionate*) was classified to T50.5 in First Edition.

The drug term *benzphetamine* was reclassified to T50.5 from T43.6 *Psychostimulants with abuse potential* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997. The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia WHO 1997 decision/1999 recommended implementation date for ICD-10.

Relevant Australian Coding Standard:

Not applicable

T50.6 Antidotes and chelating agents, not elsewhere classified**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T50.6 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T50.7 Analeptics and opioid receptor antagonists**FIRST EDITION****Background:**

On the recommendation of the CCCG, this Australian drug term was classified to T50.7 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T50.9 Other and unspecified drugs, medicaments and biological substances**FIRST EDITION****Background:**

On the recommendation of the CCCG, a number of terms for Australian drugs and chemicals were classified to T50.9 in First Edition.

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

T51.0 Ethanol**TENTH EDITION****Background:**

Following receipt of a public submission, the classification was amended to assign methylated spirits poisoning to T51.0 *Ethanol*.

Source of recommended change:

ACCD (TN880)

Public submission (P233)

Relevant Australian Coding Standard:

Not applicable

T51.2 2-Propanol**FIRST EDITION****Background:**

The drug term *ethyl carbinol* was reclassified to T51.3 *Fusel oil* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

T51.3 Fusel oil**FIRST EDITION****Background:**

The drug term *ethyl carbinol* was reclassified to T51.3 from T51.2 *2-Propanol* following a recommendation from Germany at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

T56 Toxic effects of metals**SEVENTH EDITION****Background:**

The excludes note was amended for consistency with URC updates to ICD-10 — with the reclassification of *toxic effects of thallium* from T60.4 to T56.8.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

T56.8 Other metals**SEVENTH EDITION****Background:**

The inclusion term was created for consistency with URC updates to ICD-10 — to clarify the reclassification of *toxic effects of thallium* from T60.4 to T56.8.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

T57.3 Hydrogen cyanide**FIRST EDITION****Background:**

The drug term *prussic acid* was reclassified to T57.3 from T65.0 *Cyanides* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

T60.0 Organophosphate and carbamate insecticides**FIRST EDITION****Background:**

The drug term *carbaril* was reclassified to T60.0 from T49.0 *Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

T60.4 Rodenticides**SEVENTH EDITION****Background:**

The inclusion term was amended for consistency with URC updates to ICD-10 — to clarify the reclassification of *toxic effects of thallium* from T60.4 to T56.8.

Source of recommended change:

[WHO Update reference committee \(URC\) 2008](#)

Relevant Australian Coding Standard:

Not applicable

T65.0 Cyanides**FIRST EDITION****Background:**

The drug term *prussic acid* was reclassified to T57.3 *Hydrogen cyanide* following a recommendation from China at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

The advice to reclassify this term was issued with the First Errata (April 1998) to the First Edition. The change became effective from July 1998.

Source of recommended change:

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

T66 Unspecified effects of radiation**SIXTH EDITION****Background:**

During the Sixth Edition update of ACS 1904 *Procedural complications*, the issue of coding conditions arising as a result of *radiotherapy treatment* was raised. Members of CSAC suggested that there was inconsistent application of codes for these conditions.

Problems with this area of the classification included:

- diagnosis codes for effects of radiation/radiotherapy do not fit neatly into ICD-10-AM concepts of adverse effects or complications, as they may be found in a number of different locations in the Tabular List – for example; unique codes (eg K62.7 *Radiation proctitis*), postprocedural codes (eg M96.5 *Postradiation scoliosis*), inclusion terms (eg G93.8 *Other specified disorders of brain*).
- some codes contain the following instructional note; Use additional external cause code (Chapter 20) to identify radiation, if radiation-induced.
- T66 *Unspecified effects of radiation* is assigned for when the specific type of effect is unknown. This is not a procedural complication code.

The external cause codes for effects of radiation are divided by whether the radiation/radiotherapy is *correctly administered* (Y84.2) or *incorrectly administered* (Y63.2, Y63.3 or Y78.-).

The excludes note at T66 was amended to add further unique diagnosis codes for effects of radiation.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

ACS 1902 Adverse effects

T70.3 Other effects of decompression and barotrauma**FOURTH EDITION****Background:**

The code title was revised to broaden the scope of conditions classifiable to this code (that is, *barotrauma* or *decompression* occurring either as the result of *ascending* or *descending* in water during a free or assisted dive or due to an *adverse effect of hyperbaric oxygen therapy*). In addition, inclusion terms and notes were added to codes within the T70 code range.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

T71 Asphyxiation**ELEVENTH EDITION****Background:**

A minor amendment was made to the *Excludes* note for consistency with the terminology change at J80 *Acute respiratory distress syndrome*.

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

T74.1 Physical abuse**ELEVENTH EDITION****Background:**

Amendments were made following a review and subsequent deletion of ACS 0526 *Münchhausen's by proxy*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0526 *Münchhausen's by proxy*

T78 Adverse effects, not elsewhere classified**NINTH EDITION****Background:**

As part of the review of the classification of allergen challenges the Note was deleted, as advice regarding multiple coding is provided elsewhere in ICD-10-AM.

Source of recommended change:

ACCD (TN695)

Relevant Australian Coding Standard:

2115 *Admission for allergen challenge*

T79 Certain early complications of trauma, not elsewhere classified**ELEVENTH EDITION****Background:**

A minor amendment was made to the *Excludes* note for consistency with the terminology change at J80 *Acute respiratory distress syndrome*.

Source of recommended change:

ACCD (TN1311)

Relevant Australian Coding Standard:

Not applicable

T79.3 Post traumatic wound infection, not elsewhere classified**SIXTH EDITION****Background:**

A number of coding queries identified an overlap between the code T79.3 *Post traumatic wound infection, not elsewhere classified* and T89.02 *Open wound with infection* in relation to the most appropriate code assignment for infected burns. Inclusion terms and exclusion notes were added to T79.3 to clarify that this code should be used for *burns* and *superficial injuries* that have been *infected*.

Source of recommended change:

Coding Queries

Relevant Australian Coding Standard:

1906 *Current and old injuries*

1911 *Burns*

1916 *Superficial injuries*

1917 *Open wounds*

TENTH EDITION**Background:**

An instructional note was added for consistency with amendments to ACS 1916 *Superficial and soft tissue injuries*.

Source of recommended change:

ACCD (TN928)

Relevant Australian Coding Standard:

ACS 1916 *Superficial and soft tissue injuries*.

T80–T88 Complications of surgical and medical care, not elsewhere classified**TENTH EDITION****Background:**

Amendments were made for consistency with updates to:

- Obstetrics – see details [here](#)
- Procedural complications – see details [here](#)

T81.0 Haemorrhage and haematoma complicating a procedure, not elsewhere classified**SIXTH EDITION****Background:**

A minor amendment was made to the excludes note to support changes made to ACS 1904 *Procedural complications*.

Source of recommended change:

Public submission

Relevant Australian Coding Standard:

1904 *Procedural complications*

SEVENTH EDITION ERRATA 5**Background:**

An amendment was made to the Excludes note.

Source of recommended change:

ACCC

Relevant Australian Coding Standard:

Not applicable

T81.4 Wound infection following a procedure, not elsewhere classified**THIRD EDITION****Background:**

Sternal wires are classified as *sutures* and not *orthopaedic devices*. New Australian subcategories T81.41 *Wound infection following a procedure* and T81.42 *Sepsis following a procedure* were created in Third Edition.

NCCH acknowledges that there is inconsistency between *sternal wires* being classified as *sutures* when *infected*, but *internal devices* when subject to other complications (eg *displacement*). An excludes note was added to T85.78 to assist in dealing with this anomaly.

Source of recommended change:

NCCH
CCCG

Relevant Australian Coding Standard:

1913 *Hospital acquired wound infection*

T81.7 Vascular complications following a procedure, not elsewhere classified

SECOND EDITION

Background:

The terms postprocedural phlebitis and postprocedural thrombophlebitis were reclassified to I97.8 Other postprocedural disorders of circulatory system, not elsewhere classified. The advice to reclassify these terms was issued with the Second Errata (September 2000) to the Second Edition. The change became effective from September 2000.

These changes relate to major work performed for Second Edition to improve the classification of procedural complications. Changes were made to the code titles and index entries (from *postoperative* to *postprocedural*) to reflect preferred clinical terminology.

Data analysts should note that the coding of *postprocedural phlebitis* and *postprocedural thrombophlebitis* in ICD-10-AM (I97.8) differs to that in ICD-10 (T81.7).

Source of recommended change:

NCCH

The Society of Hospital Pharmacists of Australia

Relevant Australian Coding Standard:

Not applicable

TENTH EDITION

Background:

Amendments were made for consistency with updates to:

- Obstetrics – see details [here](#)
- Procedural complications – see details [here](#)

T81.83 Pain following a procedure, not elsewhere classified

TENTH EDITION ERRATA

Background:

An *Excludes* note was added for consistency with the Tenth Edition revision of [procedural complications](#) codes.

Source of recommended change:

ACCD (TN1324)

Relevant Australian Coding Standard:

1904 *Procedural complications*

T82.8 Other specified complications of cardiac and vascular devices, implants and grafts

NINTH EDITION

Background:

An inclusion term was added to clarify that vascular dissection occurring following insertion of cardiovascular devices, implants or grafts is classified to T82.8.

Source of recommended change:

Query (Q2755)

ACCD task (TN625)

Relevant Australian Coding Standard(s):

0940 *Ischaemic heart disease*

T85 Complications of other internal prosthetic devices, implants and grafts

SIXTH EDITION

Background:

A number of queries were received by the NCCH from 3M, questioning the current Alphabetic Index pathways to *complications of nervous system devices, implants and grafts*. A review of this section of ICD-10-AM Tabular List revealed inconsistencies in the structure of the Australian fifth character codes.

In the category T85 *Complications of other internal prosthetic devices, implants and grafts* in WHO ICD-10, the following fourth characters are present:

- .0 to .6 for mechanical complications (*breakdown, displacement, leakage* etc), of different types of devices, implants and grafts.
- .7 for infection and inflammatory reactions
- .8 for other complications (*pain, stenosis, embolism, haemorrhage* etc)
- .9 for unspecified complications

In ICD-10-AM, T85.7 is expanded at the fifth character level to include two codes, one for *complications due to peritoneal dialysis catheter* and one for *other devices*. Similarly, T85.8 is expanded to include two codes, one for *other complications of nervous system devices, implants and grafts* and one for *other complications of other devices NEC*.

However, there is an inclusion term *Infection or inflammatory reaction* at T85.81, which under the structure outlined above, is incorrect.

To rectify this error:

- a code was created; T85.72 *Infection and inflammatory reaction due to nervous system device, implant and graft*
- the inclusion term was deleted at T85.81

Source of recommended change:

NCCH
3M

Relevant Australian Coding Standard:

Not applicable

T85.78 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts

NINTH EDITION ERRATA 4

Background:

Minor amendments were made for Errata 4, December 2015.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

Not applicable

T86.2 Heart transplant failure and rejection**TENTH EDITION ERRATA 1****Background:**

A minor amendment was made to the *Excludes* note, for consistency with the Tenth Edition revision of [procedural complications](#) codes.

Source of recommended change:

ACCD (TN1222)

Relevant Australian Coding Standard:

Not applicable

T86.82 Pancreas or pancreatic islet cell transplant failure and rejection**SIXTH EDITION****Background:**

A review of *impaired glucose regulation* (IGR) and *diabetes mellitus* was undertaken for ICD-10-AM [Sixth Edition](#). Amendments were made to this code in response to the changes to diabetes coding.

Source of recommended change:

NCCH

Ausdiab

National Cholesterol Education Program

Coding Queries

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

T88 Other complications of surgical and medical care, not elsewhere classified**TENTH EDITION****Background:**

Amendments were made for consistency with updates to:

- Obstetrics – see details [here](#)
- Procedural complications – see details [here](#)

T88.4 Failed or difficult intubation**NINTH EDITION****Background:**

Five character codes were created to differentiate *failed* from *difficult* intubation:

T88.41 *Failed intubation*

T88.42 *Difficult intubation*

Source of recommended change:

ACCD (TN658)

Relevant Australian Coding Standard:

Not applicable

T88.42 Difficult intubation**TENTH EDITION****Background:**

An inclusion term was added for consistency with the guidelines in ACS 1924 *Difficult intubation*.

Source of recommended change:

ACCD (TN928)

Relevant Australian Coding Standard:

1924 *Difficult intubation*.

T89 Other specified complications of trauma**FIRST EDITION****Background:**

On the recommendation of the CCCG, an Australian three character category, a four character subcategory and four codes describing *complications of open wounds* were incorporated into First Edition. These codes are assigned in addition to an *open wound* code, to indicate the *presence of foreign body, infection, delayed healing or other complication*.

Source of recommended change:

NCCH

Injury CCCG

Relevant Australian Coding Standard:

1917 *Open wounds*

T89.02 Open wound with infection**SIXTH EDITION****Background:**

A number of coding queries identified an overlap between the code T79.3 *Post traumatic wound infection, not elsewhere classified* and T89.02 *Open wound with infection* in relation to the most appropriate code assignment for *infected burns*. Exclusion notes were added to T89.02 to clarify that this code should be used for *open wounds that are infected*, including *post-traumatic open wound infections*.

Source of recommended change:

Coding Queries

Relevant Australian Coding Standard:

1906 *Current and old injuries*

1911 *Burns*

1916 *Superficial injuries*

1917 *Open wounds*

T90–T98 Sequelae of injuries, of poisoning and of other consequences of external causes

SECOND EDITION

Background:

All notes relating to the ICD's primary coding guideline were deleted in Second Edition to avoid confusion for the Australian user. Primary coding refers to situations where the codes are used in single condition morbidity analysis (only one diagnosis code is used to classify an entire episode of care). In Australia, we apply the multiple coding rule and code all conditions relevant to an episode of care.

This change relates to the note on page 892 of ICD-10 and page 375 of the ICD-10-AM Second Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

T95 Sequelae of burns and frostbite

FIRST EDITION

Background:

ICD-10 distinguishes *chemical burns* from all other burns by classifying them as *corrosions*. The reason why WHO did this was because many international countries do not use the codes from Chapter XX to identify the external cause of conditions classified to Chapter XIX. ICD-10 compensates for this by identifying the *aetiological agent* through the distinction between *corrosion* and other *burns*. Such a distinction is not necessary in Australia, as every condition classified to Chapter XIX must be accompanied by an external cause code from Chapter XX. Therefore, all references (category descriptors, codes, inclusion and exclusion notes) to *corrosion* in the Tabular List were deleted.

Source of recommended change:

NCCH

Burns CCGG

Relevant Australian Coding Standard:

1912 *Late effects of injuries, poisoning, toxic effects and other external causes*

Z00.1 Routine child health examination

TENTH EDITION

Background:

A review of ACS 1608 *Adoption* and ACS 1609 *Newborns* affected by maternal causes and birth trauma was undertaken with relevant information transferred to the Tabular List, code titles updated for currency and the ACS deleted.

Source of recommended change:

ACCD (TN373)

Relevant Australian Coding Standard:

Not applicable

Z00.5 Examination of potential donor of organ and tissue**EIGHTH EDITION****Background:**

Following the receipt of a public submission, an includes note was created for “mobilisation of (stem) cells” and “preparatory care” for admissions where patients are admitted in preparation to be potential donors but are not yet donors.

Source of recommended change:

Public submission (P36)
NCCC (TN363)

Relevant Australian Coding Standard:

Not applicable

Z01.5 Diagnostic skin and sensitisation tests**NINTH EDITION****Background:**

The excludes note was created to clarify that *allergen challenges* should be assigned to Z41.- following the creation of specific fifth character codes for these admissions.

Source of recommended change:

ACCD (TN695)

Relevant Australian Coding Standard:

2115 Admission for allergen challenge

Z02.8 Other examinations for administrative purposes**TENTH EDITION****Background:**

A review of ACS 1608 Adoption and ACS 1609 Newborns affected by maternal causes and birth trauma was undertaken with relevant information transferred to the Tabular List, code titles updated for currency and these ACS deleted.

Source of recommended change:

ACCD (TN373)

Relevant Australian Coding Standard:

1608 Adoption
1615 Specific diseases and interventions related to the sick neonate

Z03.6 Observation for suspected toxic effect from ingested substance**NINTH EDITION****Background:**

The excludes note was created to clarify that *allergen challenges* should be assigned to Z41.- following the creation of specific fifth character codes for these admissions.

Source of recommended change:

ACCD (TN695)

Relevant Australian Coding Standard:

2115 Admission for allergen challenge

Z03.7 Observation and evaluation of newborn for suspected condition not found

THIRD EDITION

Background:

A public submission was received requesting the inclusion of the congenital chapter modifications of *The paediatric adaptation of ICD-10* by the British Royal College of Paediatrics and Child Health (RCPCH). Upon review, NCCH determined that it would be valuable to integrate some of the modifications of the RCPCH perinatal chapter into ICD-10-AM.

As part of this review, and on the recommendation of the Neonatal Classification Update Forum (May 2000), one new category and five new Australian codes were incorporated into Third Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the suspected condition not found, but observed for, in neonates (eg *infectious, neurological, and respiratory*).

Source of recommended change:

Public Submission
Paediatrics CCCG
Neonatal Classification Update Forum

Relevant Australian Coding Standard:

1611 *Observation and evaluation of newborn and infants for suspected condition not found*

SIXTH EDITION

Background:

NCCH identified and amended an error with the fifth character code titles (Z03.70-Z03.79). The term (*of*) *newborn* was incorrectly positioned in the code title. The code titles were corrected for consistency with the fourth character code (Z03.7).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z04.1 Examination and observation following transport accident

Background:

An inclusion term was added to clarify that this code is assigned for examination and observation following an accident classifiable to V00–V99 (excluding work accident).

Source of recommended change:

ACCD (TN717)

Relevant Australian Coding Standard:

Not applicable

Z04.2 Examination and observation following work accident

Background:

An inclusion term was added to clarify that this code is assigned for examination and observation following an accident classifiable to V00–X59, sustained while engaged in work.

Source of recommended change:

ACCD (TN717)

Relevant Australian Coding Standard:

Not applicable

Z04.3 Examination and observation following other accident**Background:**

An inclusion term was added to clarify that this code is assigned for examination and observation following an accident classifiable to W00–X59

Source of recommended change:

ACCD (TN717)

Relevant Australian Coding Standard:

Not applicable

Z06 Resistance to antimicrobial drugs**SECOND EDITION****Background:**

An Australian three character category (Z06) was incorporated into Second Edition to reflect the same level of specificity classifiable in ICD-9-CM. National frequencies supported the creation of a similar code, with no fourth character breakdown. An inclusion note specifies that the code is intended for use as an additional code to indicate the presence of drug resistance of the infectious organism.

The Australian Collaborating Centre (AIHW/NCCH) tabled these changes at the WHO Meeting of the Heads of Collaborating Centres for the Classification of Diseases in Rio de Janeiro, 2000. These changes are under consideration by the WHO ICD-10 Update Reference Committee.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

THIRD EDITION**Background:**

On the recommendation of the CCCG, four new Australian codes were incorporated into Third Edition to identify Multidrug Resistant *Staphylococcus Aureus* (MRSA) and Vancomycin Resistant Enterococci (VRE).

Source of recommended change:

Immunology, Rheumatology and Infectious Diseases CCCG

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

FOURTH EDITION**Background:**

The code title was revised and subdivision categories inactivated and created for consistency with official changes to ICD-10.

Source of recommended change:

WHO Heads of Collaborating Centres 2002
NCCH

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

EIGHTH EDITION**Background:**

Major amendments were made to this category for consistency with WHO ICD-10 updates

Source of recommended change:

[WHO ICD-10 Updates 2009](#)

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

Z06.32 Methicillin resistant agent**SIXTH EDITION****Background:**

A public submission was received regarding the coding of *Methicillin resistant Staphylococcus aureus* (MRSA). Traditionally the *M* refers to *methicillin* however it may also mean *multi-resistant*. An inclusion note was added and amendments made to ACS 0112 to clarify the coding of MRSA.

Source of recommended change:

Public Health Laboratory, University of Melbourne

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

EIGHTH EDITION**Background:**

This code was inactivated for consistency with WHO ICD-10 updates.

Source of recommended change:

[WHO ICD-10 Updates 2009](#)

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

Z06.52 Resistance to methicillin**NINTH EDITION****Background:**

The term (*Resistance to*) *multiple antibiotics including methicillin* was deleted from the inclusion term as it was redundant. The note at Z06.67 *Resistance to multiple antibiotics* states that codes for each resistant antibiotic should be coded separately. The note incorrectly implied that only Z06.52 is assigned for multiple including methicillin — but Z06.52 should be coded as well as additional codes for resistance to any other specified antibiotics.

Source of recommended change:

ACCD (TN700)

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

Z06.67 Resistance to multiple antibiotics**NINTH EDITION****Background:**

The excludes note was deleted as it was redundant. The note at Z06.67 states that codes for each resistant antibiotic should be coded separately. The excludes note incorrectly implied that only Z06.52 is assigned for multiple including methicillin — but Z06.52 should be coded as well as additional codes for resistance to any other specified antibiotics. Inclusion terms were also added to clarify Z06.67 is assigned as the default for multi-resistant antibiotics/resistance to multiple antibiotics not otherwise stated.

Source of recommended change:

ACCD (TN700)

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

Z06.68 Resistance to other single specified antibiotics**NINTH EDITION****Background:**

For clarity with respect to when Z06.67 *Resistance to multiple antibiotics* or Z06.68 *Resistance to other single specified antibiotic* should be assigned when classifying resistance to more than one identifiable antibiotic, Z06.68 was inactivated and Z06.69 *Resistance to other specified antibiotics* created.

Source of recommended change:

ACCD (TN700)

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

Z06.69 Resistance to other specified antibiotics**NINTH EDITION****Background:**

This code was created to classify resistance to more than one identifiable antibiotic, not elsewhere classified.

Source of recommended change:

ACCD (TN700)

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

Z06.8 Agent resistant to multiple antibiotics**SIXTH EDITION****Background:**

A public submission was received regarding the coding of *Methicillin resistant Staphylococcus aureus* (MRSA). The note was revised for consistency with updates to [Z06.32 Methicillin resistant agent](#)

Source of recommended change:

Public Health Laboratory, University of Melbourne

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

EIGHTH EDITION**Background:**

This code was inactivated for consistency with WHO ICD-10 updates.

Source of recommended change:

[WHO ICD-10 Updates 2009](#)

Relevant Australian Coding Standard:

0112 *Infection with drug resistant microorganisms*

Z08.2 Follow-up examination after pharmacotherapy for malignant neoplasm**FOURTH EDITION****Background:**

A revision of current terminology combined with clinical advice found that *chemotherapy* only encompasses certain therapeutic substances. Recent trends and new treatments cover a more extensive range not previously captured within the term *chemotherapy*. Therefore, the term *pharmacotherapy* was introduced to allow the classification of a broad range of drug treatments.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0102 *HIV/AIDS*

Z08.7 Follow-up examination after combined treatment for malignant neoplasm**FIFTH EDITION****Background:**

An inclusion term was added at Z08.7 for consistency with the inclusion term at Z54.7.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z09.2 Follow-up examination after pharmacotherapy for other conditions**FOURTH EDITION****Background:**

A revision of terminology combined with clinical advice found that *chemotherapy* only encompassed certain therapeutic substances. Recent trends and new treatments cover a more extensive range not previously captured within the term *chemotherapy*. Therefore, the term *pharmacotherapy* was introduced to allow the classification of a broad range of drug treatments.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0102 *HIV/AIDS*

Z13.1 Special screening examination for intermediate hyperglycaemia and diabetes mellitus

SIXTH EDITION

Background:

Changes were made to this code for consistency with changes to *diabetes* coding for ICD-10-AM [Sixth Edition](#).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

Z13.8 Special screening examination for other specified diseases and disorders

SECOND EDITION

Background:

Seven Australian codes were incorporated into Second Edition to reflect the same level of specificity classifiable in ICD-9-CM. The new codes distinguish the body system that is being screened (eg *nervous system*, *respiratory system*).

This work was undertaken as part of a review of the codes relating to screening to resolve the confusion between *screening* versus *follow-up* (see also ACS 2111 *Screening for specific disorders*).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

2111 *Screening for specific disorders*

Z22.5 Carrier of viral hepatitis

SECOND EDITION

Background:

Three Australian codes were incorporated into Second Edition to reflect the same level of specificity classifiable in ICD-9-CM. The codes distinguish the *carrier's hepatitis type* (eg *viral hepatitis B*, *viral hepatitis C*).

This work was undertaken as part of a review of *the viral hepatitis codes* (see also ACS 0104 *Viral hepatitis*).

Source of recommended change:

NCCH

Immunology, Rheumatology and Infectious Diseases CCGG

Relevant Australian Coding Standard:

0104 *Viral hepatitis*

NINTH EDITION**Background:**

Guidelines were included in ACS 0104 *Viral hepatitis* for Eighth Edition, advising coders never to assign codes Z22.51–Z22.59, as the concept of carrier (state) of viral hepatitis is no longer clinically correct.

For Ninth Edition, the five character codes Z22.51–Z22.59 were inactivated and Z22.5 validated. Z22.5 was added to ACS 0049 *Disease codes that must never be assigned*.

Source of recommended change:

ACCD (TN613)

Relevant Australian Coding Standard:

0049 *Disease codes that must never be assigned*

0104 *Viral hepatitis*

Z22.7 Latent tuberculosis**TENTH EDITION****Background:**

Following the publication of a Coding Rule regarding 'latent tuberculosis', a code was created for ICD-10-AM at Z22 *Carrier of infectious disease*.

Source of recommended change:

ACCD (TN994)

Relevant Australian Coding Standard:

Not applicable

Z29.1 Prophylactic immunotherapy**SEVENTH EDITION****Background:**

In response to numerous coding queries and following publication of a Coding Matters article, an inclusion term was added to clarify that prophylactic plasmapheresis for a patient receiving an incompatible organ transplant is classified to this code.

Source of recommended change:

NCCH/queries

Relevant Australian Coding Standard:

Not applicable

Z29.2 Other prophylactic pharmacotherapy**FOURTH EDITION****Background:**

A revision of current terminology combined with clinical advice found that *chemotherapy* only encompassed certain therapeutic substances. Recent trends and new treatments cover a more extensive range not previously captured within the term *chemotherapy*. Therefore, the term *pharmacotherapy* was introduced to allow the classification of a broad range of drug treatments.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0102 *HIV/AIDS*

Z30.1 Insertion of contraceptive device**SEVENTH EDITION****Background:**

The code title was revised to extend to concepts classified to this code. Inclusion terms were added to clarify that Z30.1 classifies *insertion of subdermal contraceptive* and *hormone implants* as well as IUCDs.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

Z30.5 Surveillance of contraceptive device**SEVENTH EDITION****Background:**

Changes to this code were made for consistency with amendments to Z30.1.

The term *intrauterine* was deleted from the code title to extend the concepts classified to this code. Inclusion terms were added to clarify that Z30.5 classifies checking, reinsertion or removal of *subdermal contraceptive* and *hormone implants* as well as IUCDs.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable

Z31.2 In vitro fertilisation**SIXTH EDITION****Background:**

A minor amendment was made to this code to support the classification of *males admitted for procedures related to IVF*. Minor amendments were also made to [Z31.3 Other assisted fertilisation methods](#).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

ACS 1437 *Infertility*

Z31.3 Other assisted fertilisation methods**SIXTH EDITION****Background:**

Inclusion terms were added to this code to support the classification of *males admitted for procedures related to IVF*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

ACS 1437 *Infertility*

Z35.4 Supervision of pregnancy with grand multiparity**SEVENTH EDITION****Background:**

An inclusion term was added following the deletion of ACS 1525.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1525 *Grand multiparity*

Z35.5 Supervision of pregnancy with advanced maternal age**FOURTH EDITION****Background:**

Pregnancy with advanced maternal age carries significant risk for both mother and baby when the mother's age is greater than 35 years of age. Z35.5 *Supervision of elderly primigravida* was inactivated and two codes created; Z35.51 *Supervision of primigravida with advanced maternal age* and Z35.52 *Supervision of multigravida with advanced maternal age* introduced into the classification.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1524 *Advanced maternal age*

Z37 Outcome of delivery**SEVENTH EDITION****Background:**

A *code first* note was added to clarify that a code from O80–O84 must be assigned before Z37 in the code string — for consistency with changes to the *Delivery* codes in Chapter 15 and following the deletion of ACS 1517.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1517 *Outcome of delivery*

Z39.0 Postpartum care and examination immediately after delivery**FIRST EDITION****Background:**

Four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The codes distinguish *where the delivery occurred* and, if the delivery did not take place in a hospital, whether this was *planned* or *unplanned*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1519 *Delivery prior to admission*

SECOND EDITION**Background:**

The category description of Z39.0 was changed to more accurately reflect the content of the category.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1519 *Delivery prior to admission*

Z39.1 Care and examination of lactating mother**TENTH EDITION****Background:**

An inclusion term was created following deletion of ACS 1538 *Postnatal breastfeeding attachment difficulties*, as part of a review of [Obstetrics](#).

Source of recommended change:

ACCD (TN671)

Relevant Australian Coding Standard:

1538 *Postnatal breastfeeding attachment difficulties*

Z40.0 Prophylactic surgery for risk-factors related to malignant neoplasms**FIRST EDITION****Background:**

On the recommendation of the CCGG, three Australian codes were incorporated to reflect the same level of specificity classifiable in ICD-9-CM. The codes are intended for use in cases where a non-diseased organ is removed to prevent disease, generally a *malignancy* (eg *breast*, *ovary*).

Source of recommended change:

NCCH

Plastic Surgery CCGG

Relevant Australian Coding Standard:

1204 *Elective plastic surgery*

Z40.00 Prophylactic surgery for risk-factors related to malignant neoplasms, breast**FIRST EDITION****Background:**

On the recommendation of the CCGG, three Australian codes were incorporated to reflect the same level of specificity classifiable in ICD-9-CM. The codes are intended for use in cases where a non-diseased organ is removed to prevent disease, generally a *malignancy* (eg *breast*, *ovary*).

Source of recommended change:

NCCH

Plastic Surgery CCGG

Relevant Australian Coding Standard:

1204 *Elective plastic surgery*

EIGHTH EDITION**Background:**

Created inclusion term: "Admission for prophylactic removal of breast", to indicate that the code is related to the organ being removed. See also ACS 1204 *Plastic surgery* and ACS 2114 *Prophylactic surgery*.

Source of recommended change:

NCCC

Query (Q2676)

Relevant Australian Coding Standard:

1204 *Elective plastic surgery*

2114 *Prophylactic surgery*

Z40.01 Prophylactic surgery for risk-factors related to malignant neoplasms, ovary**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated to reflect the same level of specificity classifiable in ICD-9-CM. The codes are intended for use in cases where a non-diseased organ is removed to prevent disease, generally a *malignancy* (eg *breast, ovary*).

Source of recommended change:

NCCH

Plastic Surgery CCCG

Relevant Australian Coding Standard:

1204 *Elective plastic surgery*

EIGHTH EDITION**Background:**

Created inclusion term: "Admission for prophylactic removal of ovary", to indicate that the code is related to the organ being removed. See also ACS 1204 *Plastic surgery* and ACS 2114 *Prophylactic surgery*.

Source of recommended change:

NCCC

Query (Q2676)

Relevant Australian Coding Standard:

1204 *Elective plastic surgery*

2114 *Prophylactic surgery*

Z41.8 Other procedures for purposes other than remedying health state**NINTH EDITION****Background:**

Specific fifth character codes to be assigned as the principal diagnosis for drug, food and other allergen challenges were created to facilitate consistency in the classification of these admissions

Source of recommended change:

ACCD (TN695)

Relevant Australian Coding Standard:

2115 *Admission for allergen challenge*

Z43 Attention to artificial openings**SEVENTH EDITION****Background:**

The excludes note was amended to indicate that coders should refer to ICD-10-AM Alphabetic Index to select the correct code for *malfunction or other complication of artificial opening*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z43.0 Attention to tracheostomy**SEVENTH EDITION****Background:**

An excludes note was created to clarify that *malfunction or complication of a tracheostomy* is classified to J95.0 *Tracheostomy malfunction*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z43.1 Attention to gastrostomy**SEVENTH EDITION****Background:**

An excludes note was created to clarify that *gastrostomy malfunction or complication* is classified to K91.4 *Colostomy and enterostomy malfunction*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z43.2 Attention to ileostomy**SEVENTH EDITION****Background:**

An excludes note was created to clarify that *ileostomy malfunction or complication* is classified to K91.4 *Colostomy and enterostomy malfunction*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z43.3 Attention to colostomy**SEVENTH EDITION****Background:**

An excludes note was created to clarify that *colostomy malfunction or complication* is classified to K91.4 *Colostomy and enterostomy malfunction*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z43.5 Attention to cystostomy**SEVENTH EDITION****Background:**

An excludes note was created to clarify that *cystostomy malfunction or complication* is classified to N99.5 *Malfunction of external stoma of urinary tract*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z43.6 Attention to other artificial openings of urinary tract**SEVENTH EDITION****Background:**

An excludes note was created to clarify that *malfunction or complication of other artificial openings of urinary tract* (eg *nephrostomy, ureterostomy, urethrostomy*) is classified to N99.5 *Malfunction of external stoma of urinary tract*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z44 Fitting and adjustment of (external) prosthetic device**SEVENTH EDITION****Background:**

The excludes note was amended to clarify that coders should refer to ICD-10-AM Alphabetic Index to select the correct code for *malfunction or other complication of external prosthetic device*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

The code title was amended to correct an inconsistency where external was specified as a nonessential modifier (NEM) in the ICD-10-AM Alphabetic Index but not in the code title.

Source of recommended change:

ACCD (TN599)

Relevant Australian Coding Standard:

Not applicable

Z44.3 Fitting and adjustment of (external) breast prosthesis**NINTH EDITION****Background:**

The code title was amended to change *external* to a nonessential modifier.

Source of recommended change:

ACCD (TN599)

Relevant Australian Coding Standard:

Not applicable

Z44.8 Fitting and adjustment of other (external) prosthetic devices**NINTH EDITION****Background:**

The code title was amended to change *external* to a nonessential modifier.

Source of recommended change:

ACCD (TN599)

Relevant Australian Coding Standard:

Not applicable

Z44.9 Fitting and adjustment of unspecified (external) prosthetic device**NINTH EDITION****Background:**

The code title was amended to change *external* to a nonessential modifier.

Source of recommended change:

ACCD (TN599)

Relevant Australian Coding Standard:

Not applicable

Z45 Adjustment and management of drug delivery and implanted device**SIXTH EDITION ERRATA 1 CHANGE****Background:**

The category title was amended to incorporate *drug delivery* devices and indicate that these are also captured under this block, not just implanted devices.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z45.0 Adjustment and management of cardiac device**SECOND EDITION****Background:**

The code descriptor was modified to a more general description. This change enabled the classification of all *types of cardiac devices* that can be adjusted and managed (such as *pacemakers, defibrillators and pulse generators*).

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION**Background:**

The inclusion terms were amended as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)

NCCC (TN416)

Relevant Australian Coding Standard:

Not applicable

Z45.1 Adjustment and management of drug delivery device**SECOND EDITION****Background:**

The code title was modified to a more general description. This change enabled the classification of *all types of implantable infusion devices and pumps*.

This work was undertaken as part of a review of *drug delivery devices* and aligns with changes to the procedure codes and to the ACS 0045 *Drug delivery devices*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0045 *Drug delivery devices*

SIXTH EDITION**Background:**

Amendments were made to the terminology in ACHI for *vascular access device* and *drug delivery device*. As a result, the code title of Z45.1 was changed. Inclusion terms were also added.

Source of recommended change:

NCCH

Coding Queries

Relevant Australian Coding Standard:

0030 *Organ procurement and transplantation*

0045 *Drug delivery devices*

0214 *Intragam*

0302 *Blood transfusions*

0733 *Haemodilution*

1615 *Specific interventions for sick neonate*

SIXTH EDITION ERRATA 1**Background:**

Inclusion term has been amended for added clarity by adding dot points to separate external and implantable spinal infusion devices or pumps.

Note is also revised to clarify the definition of a drug delivery device.

Excludes note was added to direct coders to assign the correct Z code, Z51.1 *Pharmacotherapy session for neoplasm* when patient is admitted for adjustment and management of their drug delivery device for pharmacotherapy of their neoplasm.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION ERRATA 5**Background:**

The *excludes* term 'that for pharmacotherapy for neoplasm (Z45.1)' was omitted from the Seventh Edition hard copy books and was reinstated in Seventh Edition Errata 5.

Source of recommended change:

NCCC

Relevant Australian Coding Standard:

Not applicable

Z45.2 Adjustment and management of vascular access device**SIXTH EDITION****Background:**

Amendments were made to the terminology in ACHI for *vascular access device* and *drug delivery device*. Inclusion terms were added to this code to support the changes.

Source of recommended change:

NCCH

Coding Queries

Relevant Australian Coding Standard:

0030 *Organ procurement and transplantation*

0045 *Drug delivery devices*

0214 *Intragam*

0302 *Blood transfusions*

0733 *Haemodilution*

1615 *Specific interventions for sick neonate*

SIXTH EDITION ERRATA 1**Background:**

Amendments were made to the inclusion terms to delete *vascular catheter* under this code and an *excludes* note added to refer *adjustment and management of vascular catheter without reservoir attached* to code Z45.8 and adjustment and management of vascular access device for *pharmacotherapy for neoplasm* to Z51.1.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SIXTH EDITION ERRATA 2**Background:**

An excludes note was added to clarify that *vascular catheters without reservoirs attached* are classified to Z45.8 *Adjustment and management of other implanted devices*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

SEVENTH EDITION**Background:**

A minor amendment was made to the excludes note for consistency with amendments to Z45.8 for Seventh Edition.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z45.8 Adjustment and management of other implanted devices**SEVENTH EDITION****Background:**

Z45.8 was invalidated and fourth character codes created to specify types of implanted devices (eg venous catheter, peritoneal access device).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z45.83 Adjustment and management of myringotomy tube**ELEVENTH EDITION****Background:**

This code was created following a review and subsequent deletion of ACS *Admission for removal of grommets*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0803 *Admission for removal of grommets*

Z47 Other orthopaedic follow-up care**NINTH EDITION****Background:**

The subacute tools project, commissioned by the Independent Health and Aged Care Pricing Authority (IHACPA), highlighted inconsistency in practice with assignment of principal diagnosis between patients in the palliative and rehabilitation care type episodes. The project recommended that the rehabilitation coding standard be revised to instruct use of Z50.- codes as an additional diagnosis code only (mirroring the classification guidelines for assignment of Z51.5 *Palliative care* to episodes of care involving palliative care). A decision was made to assign Z50.9 *Care involving use of rehabilitation procedure, unspecified* as the specific code for patients receiving rehabilitation care irrespective of the specific rehabilitation interventions performed as these will be identified through the intervention codes assigned. Thus, this excludes note was updated to specify Z50.9 *Care involving use of rehabilitation procedure, unspecified*.

Source of recommended change:

ACCD/TN630

Relevant Australian Coding Standard:

ACS 2104 *Rehabilitation*

Z49 Care involving dialysis**SEVENTH EDITION****Background:**

The includes note was deleted, as it was inappropriate at the category level; *dialysis preparation* is classified to Z49.0 and *treatment* (ie admission for dialysis) is classified to either Z49.1 or Z49.2. The excludes note was amended to clarify that coders should refer to ICD-10-AM Alphabetic Index to select the correct code for *malfunction or other complication of dialysis device*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z49.0 Preparatory care for dialysis**SEVENTH EDITION****Background:**

The inclusion term was amended to clarify that *admission for insertion of a peritoneal dialysis catheter* is classified to Z49.0. An excludes note was created to clarify that where an admission is for *creation of a new fistula due to a complication of an existing fistula*, coders should assign a complication code — rather than Z49.0 — by following the index pathway *Complications, dialysis, catheter*.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z49.1 Extracorporeal dialysis**SIXTH EDITION ERRATA 1 CHANGE****Background:**

The term *renal* has been replaced with the word *kidney* to be aligned with current clinical terminologies.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z50.9 Care involving use of rehabilitation procedure, unspecified**NINTH EDITION****Background:**

The subacute tools project, commissioned by the Independent Health and Aged Care Pricing Authority (IHACPA), highlighted inconsistency in practice with assignment of principal diagnosis between patients in the palliative and rehabilitation care type episodes. The project recommended that the rehabilitation coding standard be revised to instruct use of Z50.- codes as an additional diagnosis code only (mirroring the classification guidelines for assignment of Z51.5 *Palliative care* to episodes of care involving palliative care). A decision was made to assign Z50.9 *Care involving use of rehabilitation procedure, unspecified* as the specific code for patients receiving rehabilitation care irrespective of the specific rehabilitation interventions performed as these will be identified through the intervention codes assigned. Thus, this inclusion term was updated to specify rehabilitation care to support the updated instruction at ACS 2104.

Source of recommended change:

ACCD/TN630

Relevant Australian Coding Standard:

ACS 2107 *Rehabilitation*

Z51.1 Pharmacotherapy session for neoplasm**FOURTH EDITION****Background:**

A revision of current terminology combined with clinical advice found that *chemotherapy* only encompassed certain therapeutic substances. Recent trends and new treatments cover a more extensive range not previously captured within the term *chemotherapy*. Therefore, the term *pharmacotherapy* was introduced to allow the classification of a broad range of drug treatments.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0102 *HIV/AIDS*

Z51.2 Other chemotherapy**FOURTH EDITION****Background:**

This code was inactivated following a review of chemotherapy coding.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

0102 HIV/AIDS

Z51.6 Desensitisation to allergens**FOURTH EDITION****Background:**

New fifth character codes were introduced to identify the *type of allergen* sensitivity.

Source of recommended change:

NCCH

Respiratory CCCG

Relevant Australian Coding Standard:

1923 *Contact with venomous creatures*

NINTH EDITION**Background:**

The excludes note was created to clarify that *allergen challenges* should be assigned to Z41.- following the creation of specific fifth character codes for these admissions.

Source of recommended change:

ACCD (TN695)

Relevant Australian Coding Standard:

2115 *Admission for allergen challenge*

Z51.81 Apheresis**SEVENTH EDITION****Background:**

In response to numerous coding queries and following publication of a Coding Matters article, a definition, inclusion term and excludes note were added to clarify use of this code.

The definition was added to differentiate the assignment of this code for a healthy patient admitted to donate their cells for infusion into another person (allogeneic donation) from a patient with a known condition admitted to donate their own cells for therapeutic reinfusion at a later date (autologous donation). In this instance, a code is assigned for the condition being treated by the donated cells.

Source of recommended change:

NCCH/queries

Relevant Australian Coding Standard:

0030 *Organ and tissue procurement and transplantation*

0301 *Stem cell procurement and transplantation*

TENTH EDITION**Background:**

Following receipt of queries and an assessment of new technologies, amendments were made to the excludes note.

Source of recommended change:

ACCD (TN924)

Coding queries (Q2965, Q3052)

Relevant Australian Coding Standard:

0030 *Organ, tissue and cell procurement and transplantation*

Z52 Donor of organs and tissues**SEVENTH EDITION****Background:**

In response to numerous coding queries and following publication of a Coding Matters article, the includes note was deleted and replaced with an inclusion term to clarify that the codes in this category are assigned for *allogeneic* donors of organs and tissues.

Source of recommended change:

NCCH/queries

Relevant Australian Coding Standard:

0030 *Organ and tissue procurement and transplantation*

0301 *Stem cell procurement and transplantation*

Z52.0 Blood donor**FIRST EDITION****Background:**

On the recommendation of the CCCG, three Australian codes were incorporated to reflect the same level of specificity classifiable in ICD-9-CM. The codes distinguish the *blood products donated* (eg *whole blood*, *stem cell* or *other blood products*).

Source of recommended change:

NCCH

Oncology and Haematology CCCG

Relevant Australian Coding Standard:

0030 *Organ procurement and transplantation*

THIRD EDITION**Background:**

On the recommendation of the CCCG, Z52.01 *Stem cell donor* was inactivated, as it was redundant. If stem cells are removed from the bone marrow via aspiration, then Z52.3 *Bone marrow donor* is assigned. If stem cells are removed from peripheral blood via apheresis, then Z51.81 *Apheresis* is assigned.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

0030 *Organ procurement and transplantation*

0301 *Stem cell procurement and transplantation*

SIXTH EDITION

Background:

NCCH issued the following advice via the query database: “*apheresis for procurement of any blood component should be assigned Z51.81 Apheresis*”. To support this advice, an excludes note was added to Z52.08; *Excludes:* that via apheresis (Z51.81). Minor amendments were also made to the Alphabetic Index and the *Organ/tissue procurement and transplantation table* in ACS 0030.

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

0030 *Organ procurement and transplantation*

0301 *Stem cell procurement and transplantation*

Z52.6 Liver donor

FIRST EDITION

Background:

On the recommendation of the CCCG, an Australian code was incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The code identifies *liver donors*. This followed a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Gastroenterology/Hepatobiliary CCCG

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Z52.7 Heart donor

SECOND EDITION

Background:

On recommendation of the CCCG, a code for *heart donor* was incorporated into Second Edition. This followed a recommendation from the Australian Collaborating Centre (AIHW/NCCH) at the WHO Meeting of the Collaborating Centres for the Classification of Diseases in Copenhagen, 1997.

Source of recommended change:

NCCH

Cardiovascular CCCG

WHO 1997 decision/1999 recommended implementation date for ICD-10

Relevant Australian Coding Standard:

Not applicable

Z52.8 Donor of other organs and tissues**SECOND EDITION****Background:**

The term *donor lymphocyte* was reclassified to Z52.08 *Other blood product donor*. This term was overlooked in the changes made to category Z52.0. The advice to reclassify this term was issued with the Fourth Errata to the Second Edition and became effective from June 2001.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z53.3 Procedure abandoned after initiation**ELEVENTH EDITION****Background:**

This four character code was created in category Z53 *Persons encountering health services for specific procedures, not carried*, for consistency with amendments to ACS 0019 *Intervention abandoned, interrupted or not completed*.

Minor amendments were made to Z53.0-Z53.2 and Z53.8-Z53.9 to support this new code.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0019 *Intervention abandoned, interrupted or not completed*

Z58.7 Exposure to tobacco smoke**TENTH EDITION****Background:**

Following receipt of a public submission and a query, updates were made to support the assignment of Z58.7 *Exposure to tobacco smoke* including creation of ACS 2118 *Exposure to tobacco smoke*. Additional updates were made to ACS 0503 *Drug, alcohol and tobacco use disorders*.

Source of recommended change:

ACCD (TN681)

Public submission (P84)

Coding query (Q2980)

Relevant Australian Coding Standard:

0049 *Disease codes that must never be assigned*

0503 *Drug, alcohol and tobacco use disorders*

2118 *Exposure to tobacco smoke*

Z63.7 Stressful life events affecting family and household**FOURTH EDITION****Background:**

ICD-10-AM does not directly classify *alcoholism in family* and *gambling in family*.

However, these conditions were considered important indicators of social problems that may impact on a patient's episode of care and/or length of stay. The NCCH introduced fifth character subdivisions and revised the code title to reflect these changes.

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

1909 *Adult and child abuse*

Z71.4 Counselling and surveillance for alcohol use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title has been modified from *abuse* to *use disorder* to better reflect the terminology used in Australia.

These changes were made for consistency with the changes made to the [F10–F19](#) categories.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

Z71.5 Counselling and surveillance for drug use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title was modified from *abuse* to *use disorder* to better reflect the terminology used in Australia.

This change was made for consistency with changes to the [F10–F19](#) categories.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

Z71.6 Counselling for tobacco use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title was modified from *abuse* to *use disorder* to better reflect the terminology used in Australia.

This change was made for consistency with changes to the [F10–F19](#) categories.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

Z72.0 Tobacco use, current**SECOND EDITION****Background:**

The term *hazardous use* was included in the classification. This change was based on the recommendation of the CCCG and reflects the terminology used in Australia.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

0503 *Drug, alcohol and tobacco use disorders.*

Z72.1 Alcohol use**SECOND EDITION****Background:**

The term *hazardous use of alcohol* was included in the classification. This change was based on the recommendation of the CCCG and reflects the terminology used in Australia.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

0503 *Drug, alcohol and tobacco use disorders.*

Z72.2 Drug use**SECOND EDITION****Background:**

The term *hazardous use of drug(s)* was included in the classification. This change was based on the recommendation of the CCCG and reflects the terminology used in Australia.

Source of recommended change:

NCCH

Mental Health CCCG

Relevant Australian Coding Standard:

0503 *Drug, alcohol and tobacco use disorders.*

Z75.1 Person awaiting admission to adequate facility elsewhere**THIRD EDITION****Background:**

On the basis of a public submission, seven Australian codes were incorporated into Third Edition. The codes distinguish the *facility* to which a patient is awaiting admission (eg *acute hospital, rehabilitation facility, palliative care*).

This information was added to provide useful performance information on integration of care processes as part of the annual Australian Health Care Agreement performance report. Mode of separation data is not a useful proxy, as those waiting placement elsewhere may be discharged home or transferred to another hospital to wait before they go to their final placement [facility].

Source of recommended change:

NCCH/Public Submission

Relevant Australian Coding Standard:

Not applicable

Z75.4 Unavailability and inaccessibility of other helping agencies**NINTH EDITION****Background:**

The Independent Health and Aged Care Pricing Authority (IHACPA) requested consideration be given to reviewing the ICD-10-AM codes and standards for maintenance care admissions to ensure sufficient detail is captured to explain the reasons patients are receiving maintenance care. Consequently, a review of the standards related to sub-acute care was undertaken.

Source of recommended change:

ACCD/TN660

Relevant Australian Coding Standard:

ACS 2105 *Long term/nursing home type inpatients*

Z75.5 Respite care**TENTH EDITION****Background:**

Z75.5 was renamed from *Holiday relief care* to *Respite care* to reflect current terminology. Other/minor amendments were made to support this change.

Source of recommended change:

ACCD (TN740)

Relevant Australian Coding Standard:

2117 *Non-acute care*

Z75.6 Transfer for suspected condition**TENTH EDITION****Background:**

Following receipt of a public submission and a query highlighting the difficulty in interpreting ACS 0012 *Suspected conditions* in the use of various qualifiers (probable, suspected, possible, '?') and the ambiguity as to when the symptom is coded versus when the suspected condition is coded:

- amendments were made to ACS 0012 *Suspected conditions* for Tenth Edition
- a code was created to uniquely identify patient's transferred between facilities with a suspected condition.

Source of recommended change:

Public submission (P241)

Coding query (Q2854)

Relevant Australian Coding Standard:

0012 *Suspected conditions*

Z76.1 Health supervision and care of abandoned infant**TENTH EDITION****Background:**

A review of ACS 1608 *Adoption* and ACS 1609 *Newborns affected by maternal causes and birth trauma* was undertaken with relevant information transferred to the Tabular List, code titles updated for currency and these ACS deleted.

Source of recommended change:

ACCD (TN373)

Relevant Australian Coding Standard:

Not applicable

Z76.2 Health supervision and care of other infant and child**TENTH EDITION****Background:**

A review of ACS 1608 *Adoption* and ACS 1609 *Newborns affected by maternal causes and birth trauma* was undertaken with relevant information transferred to the Tabular List, code titles updated for currency and these ACS deleted.

Source of recommended change:

ACCD (TN373)

Relevant Australian Coding Standard:

1609 *Newborns affected by maternal causes and birth trauma*

Z80–Z99 Persons with potential health hazards related to family and personal history and certain conditions influencing health status**TENTH EDITION****Background:**

Amendments were made for consistency with the creation of ACS for same-day endoscopy.

Source of recommended change:

ACCD (TN556)

Relevant Australian Coding Standard:

0051 *Same-day endoscopy - diagnostic*

0052 *Same-day endoscopy - surveillance*

Z81.1 Family history of alcohol use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title has been modified from *abuse* to *use disorder* to better reflect the terminology used in Australia.

This change aligns with the changes made to the [F10–F19](#) categories.

Source of recommended change:

NCCH
Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

Z81.2 Family history of tobacco use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title has been modified from *abuse* to *use disorder* to better reflect the current terminology used in Australia.

This change aligns with the changes made to the [F10–F19](#) categories.

Source of recommended change:

NCCH
Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

Z81.3 Family history of other psychoactive substance use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title has been modified from *abuse* to *use disorder* to better reflect the current terminology used in Australia.

This change aligns with the changes made to the [F10–F19](#) categories.

Source of recommended change:

NCCH
Mental Health CCCG

Relevant Australian Coding Standard:

Not applicable

Z81.4 Family history of other substance use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title has been modified from *abuse* to *use disorder* to better reflect the current terminology used in Australia.

This change aligns with the changes made to the [F10–F19](#) categories.

Source of recommended change:

NCCH/CCCG

Relevant Australian Coding Standard:

Not applicable

Z85 Personal history of malignant neoplasm**ELEVENTH EDITION****Background:**

A note was added to this code following deletion of ACS 2112 *Personal history* and for consistency with amendments to ACS 0002 *Additional diagnoses*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

ACS 0002 *Additional diagnoses*

ACS 2112 *Personal history*

Z86 Personal history of certain other diseases**ELEVENTH EDITION****Background:**

A note was added to this code following deletion of ACS 2112 *Personal history* and for consistency with amendments to ACS 0002 *Additional diagnoses*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

ACS 0002 *Additional diagnoses*

ACS 2112 *Personal history*

Z86.1 Personal history of infectious and parasitic diseases**FIRST EDITION****Background:**

On the recommendation of the CCCG, five Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The codes distinguish the *specific infectious and parasitic disease* (eg *tuberculosis*, *poliomyelitis*, *malaria*).

Source of recommended change:

NCCH

Infectious and Immunology CCCG

Relevant Australian Coding Standard:

Not applicable

Z86.4 Personal history of psychoactive substance use disorder**FIRST EDITION****Background:**

On the recommendation of the CCCG, the code title has been modified from *abuse* to *use disorder* to better reflect the terminology used in Australia. This change aligns with the changes made to the F10–F19 categories.

Three Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The codes distinguish *personal history of alcohol, drug and tobacco use disorders*.

Source of recommended change:

NCCH
Mental Health CCCG

Relevant Australian Coding Standard:

0503 *Drug and alcohol use disorders*

Z86.6 Personal history of diseases of the nervous system and sense organs**ELEVENTH EDITION****Background:**

Five character codes were created in this category for consistency with the creation of codes for 'history of stroke'.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0604 *Cerebrovascular accident (CVA)*
2104 *Rehabilitation*

Z86.7 Personal history of diseases of the circulatory system**ELEVENTH EDITION****Background:**

Five character codes were created in this category following receipt of a public submission regarding classification of 'history of stroke'.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

0604 *Cerebrovascular accident (CVA)*
2104 *Rehabilitation*

Z87 Personal history of other diseases and conditions**ELEVENTH EDITION****Background:**

A note was added to this code following deletion of ACS 2112 *Personal history* and for consistency with amendments to ACS 0002 *Additional diagnoses*.

Source of recommended change:

ACCD

Relevant Australian Coding Standard:

ACS 0002 *Additional diagnoses*
ACS 2112 *Personal history*

Z87.1 Personal history of diseases of the digestive system**FIRST EDITION****Background:**

On the recommendation of the CCCG, four Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The codes distinguish the specific *types of digestive system diseases* (eg *peptic ulcer disease, colonic polyps*).

Source of recommended change:

NCCH
Gastroenterology/Hepatobiliary CCCG

Relevant Australian Coding Standard:

Not applicable

Z92.2 Personal history of long term (current) use of other medicaments**FOURTH EDITION****Background:**

Multiple queries received by the NCCH identified minor changes and enhancements were needed to reflect updated terminology relating to diabetes mellitus.

NCCH expanded Z92.2 *Personal history of long-term (current) use of other medicaments* to include fifth character codes for *aspirin* (Z92.21), *insulin* (Z92.22) and *other medicaments* (Z92.28). The use of Z92.22 is for patients whose *non Type I diabetes* is being controlled by insulin therapy. It is not assigned in situations of limited insulin therapy (eg *post surgery*) and not assigned at the *first admission* that ongoing insulin treatment is initiated.

[See also E09–E14 Fourth Edition changes](#)

Source of recommended change:

NCCH
Endocrinology CCCG

Relevant Australian Coding Standard:

0401 *Diabetes mellitus and impaired glucose regulation*

Z94.0 Kidney transplant status**SIXTH EDITION ERRATA 2****Background:**

A code also note was added to prompt coders to assign a code for the stage of chronic kidney disease (N18.3–N18.5).

Source of recommended change:

NCCH

Relevant Australian Coding Standard:

Not applicable

Z95.0 Presence of cardiac device**SECOND EDITION****Background:**

The code title has been modified to a more general description. This change enables the classification of all *types of cardiac devices* (such as *pacemakers, defibrillators* and *pulse generators*).

Source of recommended change:

NCCH/Coding query

Relevant Australian Coding Standard:

0936 *Pacemakers*

EIGHTH EDITION**Background:**

The inclusion terms were amended as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)

NCCC (TN416)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION**Background:**

The excludes note was amended as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)

ACCD (TN424)

Relevant Australian Coding Standard:

Not applicable

Z95.8 Presence of other cardiac and vascular implants and grafts**NINTH EDITION****Background:**

The addition of an excludes note was created as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

[WHO Update Reference Committee \(URC\) 2011](#)

ACCD (TN424)

Relevant Australian Coding Standard:

Not applicable

Z96.6 Presence of orthopaedic joint implants**FIRST EDITION****Background:**

On the recommendation of the CCCG, eight Australian codes were incorporated into First Edition to reflect the same level of specificity classifiable in ICD-9-CM. The codes distinguish the specific *site of the orthopaedic joint implant* (eg *shoulder, elbow, wrist, hip, knee and ankle*).

Source of recommended change:

NCCH
Orthopaedics and Rheumatology CCCG

Relevant Australian Coding Standard:

Not applicable

Z97.5 Presence of contraceptive device**SEVENTH EDITION****Background:**

Changes to this code were made for consistency with amendments to Z30.1.

The term *intrauterine* was deleted from the code title to extend the concepts classified to this code. Inclusion terms were added to clarify that Z97.5 classifies presence of *subdermal contraceptive* and *hormone implants* as well as IUCDs.

Source of recommended change:

NCCH/query

Relevant Australian Coding Standard:

Not applicable.

Z98 Other postprocedural states**FIRST EDITION****Background:**

On the recommendation of the CCCGs and the Adverse Events Clinical Update Forum, the category title was modified from *postsurgical* to *postprocedural*. Terms relating to *postsurgical* complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* become the preferred terminology as it refers to not only *surgery*, but also *noninvasive procedures*, *invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH
All CCCGs
Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

Z98.8 Other specified postprocedural states**SECOND EDITION****Background:**

On the recommendation of the CCCGs and the Adverse Events Clinical Update Forum, the category title was modified from *postsurgical* to *postprocedural*. Terms relating to *postsurgical* complications in ICD-10 were inconsistently classified and it was recommended that *postprocedural* become the preferred terminology as it refers to not only *surgery*, but also noninvasive *procedures*, *invasive procedures* or *anaesthesia*. See also ACS 1904.

Source of recommended change:

NCCH
All CCCGs
Adverse Events Clinical Update Forum

Relevant Australian Coding Standard:

1904 *Procedural complications*

Z99.1 Dependence on respirator**EIGHTH EDITION****Background:**

Inclusion term was created for *dependence on ventilator* following receipt of a public submission. This will enable the classification to be current and appropriate for clinical use in Australia and align with international classifications which also include *dependence on ventilator* under this code.

Source of recommended change:

Public submission (P1)
NCCC (TN140)

Relevant Australian Coding Standard:

Not applicable

Z99.4 Dependence on artificial heart**NINTH EDITION****Background:**

A new code Z99.4 *Dependence on artificial heart* was created as part of the WHO URC updates Cape Town 2011.

Source of recommended change:

WHO URC updates 2011
ACCD (TN424)

Relevant Australian Coding Standard(s):

Nil changes required

Supplementary information for ICD-10-AM (First to Third Editions)

Supplementary listing of new codes, deleted codes & concept changes to the diabetes mellitus codes (E10-E14) for ICD-10-AM Second Edition

E10 Type 1 diabetes mellitus

DELETED CODES

E10.0	Insulin-dependent diabetes mellitus with coma
✱E10.00	Insulin-dependent diabetes mellitus with coma, not stated as uncontrolled
✱E10.01	Insulin-dependent diabetes mellitus with coma, stated as uncontrolled
✱E10.10	Insulin-dependent diabetes mellitus with ketoacidosis, not stated as uncontrolled
✱E10.11	Insulin-dependent diabetes mellitus with ketoacidosis, stated as uncontrolled
✱E10.20†	Insulin-dependent diabetes mellitus with renal complications, not stated as uncontrolled
✱E10.21†	Insulin-dependent diabetes mellitus with renal complications, stated as uncontrolled
✱E10.30†	Insulin-dependent diabetes mellitus with ophthalmic complications, not stated as uncontrolled
✱E10.31†	Insulin-dependent diabetes mellitus with ophthalmic complications, stated as uncontrolled
✱E10.40†	Insulin-dependent diabetes mellitus with neurological complications, not stated as uncontrolled
✱E10.41†	Insulin-dependent diabetes mellitus with neurological complications, stated as uncontrolled
✱E10.50	Insulin-dependent diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
✱E10.51	Insulin-dependent diabetes mellitus with peripheral circulatory complications, stated as uncontrolled
✱E10.60	Insulin-dependent diabetes mellitus with other specified complications, not stated as uncontrolled
✱E10.61	Insulin-dependent diabetes mellitus with other specified complications, stated as uncontrolled
✱E10.70	Insulin-dependent diabetes mellitus with multiple complications, not stated as uncontrolled
✱E10.71	Insulin-dependent diabetes mellitus with multiple complications, stated as uncontrolled
✱E10.80	Insulin-dependent diabetes mellitus with unspecified complications, not stated as uncontrolled
✱E10.81	Insulin-dependent diabetes mellitus with unspecified complications, stated as uncontrolled
✱E10.90	Insulin-dependent diabetes mellitus without complications, not stated as uncontrolled
✱E10.91	Insulin-dependent diabetes mellitus without complications, stated as uncontrolled

CREATED CODES

✱E10.11	Type 1 diabetes mellitus with ketoacidosis, without coma
✱E10.12	Type 1 diabetes mellitus with ketoacidosis, with coma
✱E10.13	Type 1 diabetes mellitus with lactic acidosis, without coma
✱E10.14	Type 1 diabetes mellitus with lactic acidosis, with coma
✱E10.15	Type 1 diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
✱E10.16	Type 1 diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
✱E10.20	Type 1 diabetes mellitus with renal complication, unspecified
✱E10.21	Type 1 diabetes mellitus with incipient diabetic nephropathy
✱E10.22	Type 1 diabetes mellitus with established diabetic nephropathy
✱E10.23	Type 1 diabetes mellitus with end-stage renal disease [ESRD]
✱E10.29	Type 1 diabetes mellitus with other specified renal complication
✱E10.30	Type 1 diabetes mellitus with ophthalmic complication, unspecified
✱E10.31	Type 1 diabetes mellitus with background retinopathy
✱E10.32	Type 1 diabetes mellitus with preproliferative retinopathy

- ✧E10.33 Type 1 diabetes mellitus with proliferative retinopathy
- ✧E10.34 Type 1 diabetes mellitus with other retinopathy
- ✧E10.35 Type 1 diabetes mellitus with advanced ophthalmic disease
- ✧E10.36 Type 1 diabetes mellitus with diabetic cataract
- ✧E10.39 Type 1 diabetes mellitus with other specified ophthalmic complication
- ✧E10.40 Type 1 diabetes mellitus with unspecified neuropathy
- ✧E10.41 Type 1 diabetes mellitus with diabetic mononeuropathy
- ✧E10.42 Type 1 diabetes mellitus with diabetic polyneuropathy
- ✧E10.43 Type 1 diabetes mellitus with diabetic autonomic neuropathy
- ✧E10.49 Type 1 diabetes mellitus with other specified neurological complication
- ✧E10.50 Type 1 diabetes mellitus with circulatory complication, unspecified
- ✧E10.51 Type 1 diabetes mellitus with peripheral angiopathy, without gangrene
- ✧E10.52 Type 1 diabetes mellitus with peripheral angiopathy, with gangrene
- ✧E10.59 Type 1 diabetes mellitus with other specified circulatory complication
- ✧E10.61 Type 1 diabetes mellitus with diabetic musculoskeletal and connective tissue complication
- ✧E10.62 Type 1 diabetes mellitus with skin and subcutaneous tissue complication
- ✧E10.63 Type 1 diabetes mellitus with periodontal complication
- ✧E10.64 Type 1 diabetes mellitus with hypoglycaemia
- ✧E10.69 Type 1 diabetes mellitus with other specified complication
- ✧E10.71 Type 1 diabetes mellitus with multiple microvascular complications
- ✧E10.73 Type 1 diabetes mellitus with foot ulcer due to multiple causes
- ✧E10.8 Type 1 diabetes mellitus with unspecified complication
- ✧E10.9 Type 1 diabetes mellitus without complication

CONCEPT CHANGES

A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. For the changes to the diabetes mellitus codes in the Second Edition, it was necessary to delete First Edition codes and reintroduce them in the Second Edition as a different concept.

Researchers need to be aware, when searching for data relating to the following codes, that the meaning of the codes has changed between First and Second Editions.

- ✧E10.11 Insulin-dependent diabetes mellitus with ketoacidosis, stated as uncontrolled (**1sted**)
- ✧E10.11 Type 1 diabetes mellitus with ketoacidosis, without coma (**2nded**)
- ✧E10.21† Insulin-dependent diabetes mellitus with renal complications, stated as uncontrolled (**1sted**)
- ✧E10.21 Type 1 diabetes mellitus with incipient diabetic nephropathy (**2nded**)
- ✧E10.31† Insulin-dependent diabetes mellitus with ophthalmic complications, stated as uncontrolled (**1sted**)
- ✧E10.31 Type 1 diabetes mellitus with background retinopathy (**2nded**)
- ✧E10.41† Insulin-dependent diabetes mellitus with neurological complications, stated as uncontrolled (**1sted**)
- ✧E10.41 Type 1 diabetes mellitus with diabetic mononeuropathy (**2nded**)
- E10.5 Insulin-dependent diabetes mellitus with peripheral circulatory complications (**1sted**)
- E10.5 Type 1 diabetes mellitus with circulatory complication (**2nded**)
- ✧E10.51 Insulin-dependent diabetes mellitus with peripheral circulatory complications, stated as uncontrolled (**1sted**)
- ✧E10.51 Type 1 diabetes mellitus with peripheral angiopathy, without gangrene (**2nded**)
- ✧E10.61 Insulin-dependent diabetes mellitus with other specified complications, stated as uncontrolled (**1sted**)
- ✧E10.61 Type 1 diabetes mellitus with diabetic musculoskeletal and connective tissue complication (**2nded**)
- ✧E10.71 Insulin-dependent diabetes mellitus with multiple complications, stated as uncontrolled (**1sted**)
- ✧E10.71 Type 1 diabetes mellitus with multiple microvascular complications (**2nded**)

E11 Type 2 diabetes mellitus**DELETED CODES**

- ★E11.00 Non-insulin-dependent diabetes mellitus with coma, not stated as uncontrolled
- ★E11.01 Non-insulin-dependent diabetes mellitus with coma, stated as uncontrolled
- ★E11.10 Non-insulin-dependent diabetes mellitus with ketoacidosis, not stated as uncontrolled
- ★E11.11 Non-insulin-dependent diabetes mellitus with ketoacidosis, stated as uncontrolled
- ★E11.20† Non-insulin-dependent diabetes mellitus with renal complications, not stated as uncontrolled
- ★E11.21† Non-insulin-dependent diabetes mellitus with renal complications, stated as uncontrolled
- ★E11.30† Non-insulin-dependent diabetes mellitus with ophthalmic complications, not stated as uncontrolled
- ★E11.31† Non-insulin-dependent diabetes mellitus with ophthalmic complications, stated as uncontrolled
- ★E11.40† Non-insulin-dependent diabetes mellitus with neurological complications, not stated as uncontrolled
- ★E11.41† Non-insulin-dependent diabetes mellitus with neurological complications, stated as uncontrolled
- ★E11.50 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
- ★E11.51 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications, stated as uncontrolled
- ★E11.60 Non-insulin-dependent diabetes mellitus with other specified complications, not stated as uncontrolled
- ★E11.61 Non-insulin-dependent diabetes mellitus with other specified complications, stated as uncontrolled
- ★E11.70 Non-insulin-dependent diabetes mellitus with multiple complications, not stated as uncontrolled
- ★E11.71 Non-insulin-dependent diabetes mellitus with multiple complications, stated as uncontrolled

CREATED CODES

- ★E11.01 Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
- ★E11.02 Type 2 diabetes mellitus with hyperosmolarity with coma
- ★E11.11 Type 2 diabetes mellitus with ketoacidosis, without coma
- ★E11.12 Type 2 diabetes mellitus with ketoacidosis, with coma
- ★E11.13 Type 2 diabetes mellitus with lactic acidosis, without coma
- ★E11.14 Type 2 diabetes mellitus with lactic acidosis, with coma
- ★E11.15 Type 2 diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
- ★E11.16 Type 2 diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
- ★E11.20 Type 2 diabetes mellitus with renal complication, unspecified
- ★E11.21 Type 2 diabetes mellitus with incipient diabetic nephropathy
- ★E11.22 Type 2 diabetes mellitus with established diabetic nephropathy
- ★E11.23 Type 2 diabetes mellitus with end-stage renal disease [ESRD]
- ★E11.29 Type 2 diabetes mellitus with other specified renal complication
- ★E11.30 Type 2 diabetes mellitus with ophthalmic complication, unspecified
- ★E11.31 Type 2 diabetes mellitus with background retinopathy
- ★E11.32 Type 2 diabetes mellitus with preproliferative retinopathy
- ★E11.33 Type 2 diabetes mellitus with proliferative retinopathy
- ★E11.34 Type 2 diabetes mellitus with other retinopathy
- ★E11.35 Type 2 diabetes mellitus with advanced ophthalmic disease
- ★E11.36 Type 2 diabetes mellitus with diabetic cataract
- ★E11.39 Type 2 diabetes mellitus with other specified ophthalmic complication
- ★E11.40 Type 2 diabetes mellitus with neuropathy, unspecified
- ★E11.41 Type 2 diabetes mellitus with diabetic mononeuropathy
- ★E11.42 Type 2 diabetes mellitus with diabetic polyneuropathy
- ★E11.43 Type 2 diabetes mellitus with diabetic autonomic neuropathy
- ★E11.49 Type 2 diabetes mellitus with other specified neurological complication

- ✧E11.50 Type 2 diabetes mellitus with circulatory complication, unspecified
- ✧E11.51 Type 2 diabetes mellitus with peripheral angiopathy, without gangrene
- ✧E11.52 Type 2 diabetes mellitus with peripheral angiopathy, with gangrene
- ✧E11.59 Type 2 diabetes mellitus with other specified circulatory complication
- ✧E11.61 Type 2 diabetes mellitus with diabetic musculoskeletal and connective tissue complication
- ✧E11.62 Type 2 diabetes mellitus with skin and subcutaneous tissue complication
- ✧E11.63 Type 2 diabetes mellitus with periodontal complication
- ✧E11.64 Type 2 diabetes mellitus with hypoglycaemia
- ✧E11.69 Type 2 diabetes mellitus with other specified complication
- ✧E11.71 Type 2 diabetes mellitus with multiple microvascular complications
- ✧E11.72 Type 2 diabetes mellitus with features of insulin resistance
- ✧E11.73 Type 2 diabetes mellitus with foot ulcer due to multiple causes
- ✧E11.8 Type 1 diabetes mellitus with unspecified complication
- ✧E11.9 Type 2 diabetes mellitus without complication

CONCEPT CHANGES

A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. For the changes to the diabetes mellitus codes in the Second Edition, it was necessary to delete First Edition codes and reintroduce them in the Second Edition as a different concept.

Researchers need to be aware, when searching for data relating to the following codes, that the meaning of the codes has changed between First and Second Editions.

- ✧E11.01 Non-insulin-dependent diabetes mellitus with coma, stated as uncontrolled (**1sted**)
- ✧E11.01 Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC] (**2nded**)
- ✧E11.11 Non-insulin-dependent diabetes mellitus with ketoacidosis, stated as uncontrolled (**1sted**)
- ✧E11.11 Type 2 diabetes mellitus with ketoacidosis, without coma (**2nded**)
- ✧E11.21† Non-insulin-dependent diabetes mellitus with renal complications, stated as uncontrolled (**1sted**)
- ✧E11.21 Type 2 diabetes mellitus with incipient diabetic nephropathy (**2nded**)
- ✧E11.31† Non-insulin-dependent diabetes mellitus with ophthalmic complications, stated as uncontrolled (**1sted**)
- ✧E11.31 Type 2 diabetes mellitus with background retinopathy (**2nded**)
- ✧E11.41† Non-insulin-dependent diabetes mellitus with neurological complications, stated as uncontrolled (**1sted**)
- ✧E11.41 Type 2 diabetes mellitus with diabetic mononeuropathy (**2nded**)
- E11.5 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications (**1sted**)
- E11.5 Type 2 diabetes mellitus with circulatory complication (**2nded**)
- ✧E11.51 Non-insulin-dependent diabetes mellitus with peripheral circulatory complications, stated as uncontrolled (**1sted**)
- ✧E11.51 Type 2 diabetes mellitus with peripheral angiopathy, without gangrene (**2nded**)
- ✧E11.61 Non-insulin-dependent diabetes mellitus with other specified complications, stated as uncontrolled (**1sted**)
- ✧E11.61 Type 2 diabetes mellitus with diabetic musculoskeletal and connective tissue complication (**2nded**)
- ✧E11.71 Non-insulin-dependent diabetes mellitus with multiple complications, stated as uncontrolled (**1sted**)
- ✧E11.71 Type 2 diabetes mellitus with multiple microvascular complications (**2nded**)

E12 Malnutrition-related diabetes mellitus**DELETED CODES**

E12	Malnutrition-related diabetes mellitus
E12.0	Malnutrition-related diabetes mellitus with coma
✱E12.00	Malnutrition-related diabetes mellitus with coma, not stated as uncontrolled
✱E12.01	Malnutrition-related diabetes mellitus with coma, stated as uncontrolled
E12.1	Malnutrition-related diabetes mellitus with ketoacidosis
✱E12.10	Malnutrition-related diabetes mellitus with ketoacidosis, not stated as uncontrolled
✱E12.11	Malnutrition-related diabetes mellitus with ketoacidosis, stated as uncontrolled
E12.2†	Malnutrition-related diabetes mellitus with renal complications
✱E12.20†	Malnutrition-related diabetes mellitus with renal complications, not stated as uncontrolled
✱E12.21†	Malnutrition-related diabetes mellitus with renal complications, stated as uncontrolled
E12.3†	Malnutrition-related diabetes mellitus with ophthalmic complications
✱E12.30†	Malnutrition-related diabetes mellitus with ophthalmic complications, not stated as uncontrolled
✱E12.31†	Malnutrition-related diabetes mellitus with ophthalmic complications, stated as uncontrolled
E12.4†	Malnutrition-related diabetes mellitus with neurological complications
✱E12.40†	Malnutrition-related diabetes mellitus with neurological complications, not stated as uncontrolled
✱E12.41†	Malnutrition-related diabetes mellitus with neurological complications, stated as uncontrolled
E12.5	Malnutrition-related diabetes mellitus with peripheral circulatory complications
✱E12.50	Malnutrition-related diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
✱E12.51	Malnutrition-related diabetes mellitus with peripheral circulatory complications, stated as uncontrolled
E12.6	Malnutrition-related diabetes mellitus with other specified complications
✱E12.60	Malnutrition-related diabetes mellitus with other specified complications, not stated as uncontrolled
✱E12.61	Malnutrition-related diabetes mellitus with other specified complications, stated as uncontrolled
E12.7	Malnutrition-related diabetes mellitus with multiple complications
✱E12.70	Malnutrition-related diabetes mellitus with multiple complications, not stated as uncontrolled
✱E12.71	Malnutrition-related diabetes mellitus with multiple complications, stated as uncontrolled
E12.8	Malnutrition-related diabetes mellitus with unspecified complications
✱E12.80	Malnutrition-related diabetes mellitus with unspecified complications, not stated as uncontrolled
✱E12.81	Malnutrition-related diabetes mellitus with unspecified complications, stated as uncontrolled
E12.9	Malnutrition-related diabetes mellitus without complications
✱E12.90	Malnutrition-related diabetes mellitus without complications, not stated as uncontrolled
✱E12.91	Malnutrition-related diabetes mellitus without complications, stated as uncontrolled

E13 Other specified diabetes mellitus**DELETED CODES**

✱E13.00	Other specified diabetes mellitus with coma, not stated as uncontrolled
✱E13.01	Other specified diabetes mellitus with coma, stated as uncontrolled
✱E13.10	Other specified diabetes mellitus with ketoacidosis, not stated as uncontrolled
✱E13.11	Other specified diabetes mellitus with ketoacidosis, stated as uncontrolled
✱E13.20†	Other specified diabetes mellitus with renal complication, not stated as uncontrolled
✱E13.21†	Other specified diabetes mellitus with renal complication, stated as uncontrolled
✱E13.30†	Other specified diabetes mellitus with ophthalmic complications, not stated as uncontrolled
✱E13.31†	Other specified diabetes mellitus with ophthalmic complications, stated as uncontrolled

- ★E13.40† Other specified diabetes mellitus with neurological complications, not stated as uncontrolled
- ★E13.41† Other specified diabetes mellitus with neurological complications, stated as uncontrolled
- ★E13.50 Other specified diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
- ★E13.51 Other specified diabetes mellitus with peripheral circulatory complications, stated as uncontrolled
- ★E13.60 Other specified diabetes mellitus with other specified complications, not stated as uncontrolled
- ★E13.61 Other specified diabetes mellitus with other specified complications, stated as uncontrolled
- ★E13.70 Other specified diabetes mellitus with multiple complications, not stated as uncontrolled
- ★E13.71 Other specified diabetes mellitus with multiple complications, stated as uncontrolled
- ★E13.80 Other specified diabetes mellitus with unspecified complications, not stated as uncontrolled
- ★E13.81 Other specified diabetes mellitus with unspecified complications, stated as uncontrolled
- ★E13.90 Other specified diabetes mellitus without complications, not stated as uncontrolled
- ★E13.91 Other specified diabetes mellitus without complications, stated as uncontrolled

CREATED CODES

- ★E13.01 Other specified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
- ★E13.02 Other specified diabetes mellitus with hyperosmolarity, with coma
- ★E13.11 Other specified diabetes mellitus with ketoacidosis, without coma
- ★E13.12 Other specified diabetes mellitus with ketoacidosis, with coma
- ★E13.13 Other specified diabetes mellitus with lactic acidosis, without coma
- ★E13.14 Other specified diabetes mellitus with lactic acidosis, with coma
- ★E13.15 Other specified diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
- ★E13.16 Other specified diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
- ★E13.20 Other specified diabetes mellitus with renal complication, unspecified
- ★E13.21 Other specified diabetes mellitus with incipient diabetic nephropathy
- ★E13.22 Other specified diabetes mellitus with established diabetic nephropathy
- ★E13.23 Other specified diabetes mellitus with end-stage renal disease [ESRD]
- ★E13.29 Other specified diabetes mellitus with other specified renal complication
- ★E13.30 Other specified diabetes mellitus with ophthalmic complication, unspecified
- ★E13.31 Other specified diabetes mellitus with background retinopathy
- ★E13.32 Other specified diabetes mellitus with preproliferative retinopathy
- ★E13.33 Other specified diabetes mellitus with proliferative retinopathy
- ★E13.34 Other specified diabetes mellitus with other retinopathy
- ★E13.35 Other specified diabetes mellitus with advanced ophthalmic disease
- ★E13.36 Other specified diabetes mellitus with diabetic cataract
- ★E13.39 Other specified diabetes mellitus with other specified ophthalmic complication
- ★E13.40 Other specified diabetes mellitus with unspecified neuropathy
- ★E13.41 Other specified diabetes mellitus with diabetic mononeuropathy
- ★E13.42 Other specified diabetes mellitus with diabetic polyneuropathy
- ★E13.43 Other specified diabetes mellitus with diabetic autonomic neuropathy
- ★E13.49 Other specified diabetes mellitus with other specified neurological complication
- ★E13.50 Other specified diabetes mellitus with circulatory complication, unspecified
- ★E13.51 Other specified diabetes mellitus with peripheral angiopathy, without gangrene
- ★E13.52 Other specified diabetes mellitus with peripheral angiopathy, with gangrene
- ★E13.59 Other specified diabetes mellitus with other specified circulatory complication
- ★E13.61 Other specified diabetes mellitus with diabetic musculoskeletal and connective tissue complication
- ★E13.62 Other specified diabetes mellitus with skin and subcutaneous tissue complication
- ★E13.63 Other specified diabetes mellitus with periodontal complication
- ★E13.64 Other specified diabetes mellitus with hypoglycaemia
- ★E13.69 Other specified diabetes mellitus with other specified complication
- ★E13.71 Other specified diabetes mellitus with multiple microvascular complications
- ★E13.72 Other specified diabetes mellitus with features of insulin resistance
- ★E13.73 Other specified diabetes mellitus with foot ulcer due to multiple causes
- ★E13.8 Other specified diabetes mellitus with unspecified complication
- ★E13.9 Other specified diabetes mellitus without complication

CONCEPT CHANGES

A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. For the changes to the diabetes mellitus codes in the Second Edition, it was necessary to delete First Edition codes and reintroduce them in the Second Edition as a different concept.

Researchers need to be aware, when searching for data relating to the following codes, that the meaning of the codes has changed between First and Second Editions.

- ★E13.01 Other specified diabetes mellitus with coma, stated as uncontrolled (*1sted*)
- ★E13.01 Other specified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC] (*2nded*)
- ★E13.11 Other specified diabetes mellitus with ketoacidosis, stated as uncontrolled (*1sted*)
- ★E13.11 Other specified diabetes mellitus with ketoacidosis, without coma (*2nded*)
- ★E13.21† Other specified diabetes mellitus with renal complication, stated as uncontrolled (*1sted*)
- ★E13.21 Other specified diabetes mellitus with incipient diabetic nephropathy (*2nded*)
- ★E13.31† Other specified diabetes mellitus with ophthalmic complications, stated as uncontrolled (*1sted*)
- ★E13.31 Other specified diabetes mellitus with background retinopathy (*2nded*)
- ★E13.41† Other specified diabetes mellitus with neurological complications, stated as uncontrolled (*1sted*)
- ★E13.41 Other specified diabetes mellitus with diabetic mononeuropathy (*2nded*)
- E13.5 Other specified diabetes mellitus with peripheral circulatory complications (*1sted*)
- E13.5 Other specified diabetes mellitus with circulatory complication (*2nded*)
- ★E13.51 Other specified diabetes mellitus with peripheral circulatory complications, stated as uncontrolled (*1sted*)
- ★E13.51 Other specified diabetes mellitus with peripheral angiopathy, without gangrene (*2nded*)
- ★E13.61 Other specified diabetes mellitus with other specified complications, stated as uncontrolled (*1sted*)
- ★E13.61 Other specified diabetes mellitus with diabetic musculoskeletal and connective tissue complication (*2nded*)
- ★E13.71 Other specified diabetes mellitus with multiple complications, stated as uncontrolled (*1sted*)
- ★E13.71 Other specified diabetes mellitus with multiple microvascular complications (*2nded*)

E14 Unspecified diabetes mellitus**DELETED CODES**

- ★E14.00 Unspecified diabetes mellitus with coma, not stated as uncontrolled
- ★E14.01 Unspecified diabetes mellitus with coma, stated as uncontrolled
- ★E14.10 Unspecified diabetes mellitus with ketoacidosis, not stated as uncontrolled
- ★E14.11 Unspecified diabetes mellitus with ketoacidosis, stated as uncontrolled
- ★E14.20† Unspecified diabetes mellitus with renal complication, unspecified
- ★E14.21† Unspecified diabetes mellitus with incipient diabetic nephropathy
- ★E14.30† Unspecified diabetes mellitus with ophthalmic complications, not stated as uncontrolled
- ★E14.31† Unspecified diabetes mellitus with ophthalmic complications, stated as uncontrolled
- ★E14.40† Unspecified diabetes mellitus with neurological complications, not stated as uncontrolled
- ★E14.41† Unspecified diabetes mellitus with neurological complications, stated as uncontrolled
- ★E14.50 Unspecified diabetes mellitus with peripheral circulatory complications, not stated as uncontrolled
- ★E14.51 Unspecified diabetes mellitus with peripheral circulatory complications, stated as uncontrolled
- ★E14.60 Unspecified diabetes mellitus with other specified complications, not stated as uncontrolled
- ★E14.61 Unspecified diabetes mellitus other specified complications, stated as uncontrolled
- ★E14.70 Unspecified diabetes mellitus with multiple complications, not stated as uncontrolled
- ★E14.71 Unspecified diabetes mellitus with multiple complications, stated as uncontrolled
- ★E14.80 Unspecified diabetes mellitus with unspecified complications, not stated as uncontrolled
- ★E14.81 Unspecified diabetes mellitus with unspecified complications, stated as uncontrolled
- ★E14.90 Unspecified diabetes mellitus without complications, not stated as uncontrolled
- ★E14.91 Unspecified diabetes mellitus without complications, stated as uncontrolled

CREATED CODES

- ✧E14.01 Unspecified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC]
- ✧E14.02 Unspecified diabetes mellitus with hyperosmolarity, with coma
- ✧E14.11 Unspecified diabetes mellitus with ketoacidosis, without coma
- ✧E14.12 Unspecified diabetes mellitus with ketoacidosis, with coma
- ✧E14.13 Unspecified diabetes mellitus with lactic acidosis, without coma
- ✧E14.14 Unspecified diabetes mellitus with lactic acidosis, with coma
- ✧E14.15 Unspecified diabetes mellitus with ketoacidosis, with lactic acidosis, without coma
- ✧E14.16 Unspecified diabetes mellitus with ketoacidosis, with lactic acidosis, with coma
- ✧E14.20 Unspecified diabetes mellitus with renal complication, unspecified
- ✧E14.21 Unspecified diabetes mellitus with incipient diabetic nephropathy
- ✧E14.22 Unspecified diabetes mellitus with established diabetic nephropathy
- ✧E14.23 Unspecified diabetes mellitus with end-stage renal disease [ESRD]
- ✧E14.29 Unspecified diabetes mellitus with other specified renal complication
- ✧E14.30 Unspecified diabetes mellitus with ophthalmic complication, unspecified
- ✧E14.31 Unspecified diabetes mellitus with background retinopathy
- ✧E14.32 Unspecified diabetes mellitus with preproliferative retinopathy
- ✧E14.33 Unspecified diabetes mellitus with proliferative retinopathy
- ✧E14.34 Unspecified diabetes mellitus with other retinopathy
- ✧E14.35 Unspecified diabetes mellitus with advanced ophthalmic disease
- ✧E14.36 Unspecified diabetes mellitus with diabetic cataract
- ✧E14.39 Unspecified diabetes mellitus with other specified ophthalmic complication
- ✧E14.40 Unspecified diabetes mellitus with neuropathy, unspecified
- ✧E14.41 Unspecified diabetes mellitus with diabetic mononeuropathy
- ✧E14.42 Unspecified diabetes mellitus with diabetic polyneuropathy
- ✧E14.43 Unspecified diabetes mellitus with diabetic autonomic neuropathy
- ✧E14.49 Unspecified diabetes mellitus with other specified neurological complication
- ✧E14.50 Unspecified diabetes mellitus with circulatory complication, unspecified
- ✧E14.51 Unspecified diabetes mellitus with peripheral angiopathy, without gangrene
- ✧E14.52 Unspecified diabetes mellitus with peripheral angiopathy, with gangrene
- ✧E14.59 Unspecified diabetes mellitus with other specified circulatory complication
- ✧E14.61 Unspecified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication
- ✧E14.62 Unspecified diabetes mellitus with specified skin and subcutaneous tissue complication
- ✧E14.63 Unspecified diabetes mellitus with specified periodontal complication
- ✧E14.64 Unspecified diabetes mellitus with hypoglycaemia
- ✧E14.69 Unspecified diabetes mellitus with other specified complication
- ✧E14.71 Unspecified diabetes mellitus with multiple microvascular complications
- ✧E14.72 Unspecified diabetes mellitus with features of insulin resistance
- ✧E14.73 Unspecified diabetes mellitus with foot ulcer due to multiple causes
- ✧E14.8 Unspecified diabetes mellitus with unspecified complication
- ✧E14.9 Unspecified diabetes mellitus without complication

CONCEPT CHANGES

A concept change occurs when the meaning of a code or category in a previous edition changes in a later edition. For the changes to the diabetes mellitus codes in the Second Edition, it was necessary to delete First Edition codes and reintroduce them in the Second Edition as a different concept.

Researchers need to be aware, when searching for data relating to the following codes, that the meaning of the codes has changed between First and Second Editions.

- ✧E14.01 Unspecified diabetes mellitus with coma, stated as uncontrolled (**1sted**)
- ✧E14.01 Unspecified diabetes mellitus with hyperosmolarity, without nonketotic hyperglycaemic-hyperosmolar coma [NKHHC] (**2nded**)
- ✧E14.11 Unspecified diabetes mellitus with ketoacidosis, stated as uncontrolled (**1sted**)
- ✧E14.11 Unspecified diabetes mellitus with ketoacidosis, without coma (**2nded**)
- ✧E14.21† Unspecified diabetes mellitus with incipient diabetic nephropathy (**1sted**)
- ✧E14.21 Unspecified diabetes mellitus with incipient diabetic nephropathy (**2nded**)
- ✧E14.31† Unspecified diabetes mellitus with ophthalmic complications, stated as uncontrolled (**1sted**)
- ✧E14.31 Unspecified diabetes mellitus with background retinopathy (**2nded**)
- ✧E14.41† Unspecified diabetes mellitus with neurological complications, stated as uncontrolled (**1sted**)
- ✧E14.41 Unspecified diabetes mellitus with diabetic mononeuropathy (**2nded**)
- E14.5 Unspecified diabetes mellitus with peripheral circulatory complication (**1sted**)
- E14.5 Unspecified diabetes mellitus with circulatory complication (**2nded**)
- ✧E14.51 Unspecified diabetes mellitus with peripheral circulatory complications, stated as uncontrolled (**1sted**)
- ✧E14.51 Unspecified diabetes mellitus with peripheral angiopathy, without gangrene (**2nded**)
- ✧E14.61 Unspecified diabetes mellitus other specified complications, stated as uncontrolled (**1sted**)
- ✧E14.61 Unspecified diabetes mellitus with specified diabetic musculoskeletal and connective tissue complication (**2nded**)
- ✧E14.71 Unspecified diabetes mellitus with multiple complications, stated as uncontrolled (**1sted**)
- ✧E14.71 Unspecified diabetes mellitus with multiple microvascular complications (**2nded**)



Independent Health and Aged Care Pricing Authority

Eora Nation, Level 12, 1 Oxford Street
Sydney NSW 2000

Phone 02 8215 1100

Email enquiries.ihacpa@ihacpa.gov.au

www.ihacpa.gov.au