

Sign Language Recognition Project

Meghana Athyam-11524975

Niharika Amanaganti-11532921

Navya Sree Muppala-11518129

Shivani Matam -11553278

Goals and Objectives

Motivation

The purpose of the research is to create a network that could recognize which communication of the American Sign Language (ASL) character set was being written from a picture of a writing hand. The first step of the research is coming up with a sign language decoder that can take sign language messages and convert them into transcribed and verbal language. The translator will be an advantage to the deaf and the mute people since it would make it easier for them to interact with other people in their daily lives.

This aim is further fueled by the sense of isolation that exists among the deaf population. Loneliness and sadness are more common among the deaf community, particularly when they are entrenched in a hearing culture. The communication gap between the deaf and the hearing creates significant hurdles that have a significant impact on living quality. Information deprivation, a lack of social relationships, and trouble integrating into society are just a few examples (Ghari, 2016).

Significance

The majority of research solutions for this job have relied on depth maps and high-resolution pictures obtained by a depth camera. The goal of this experiment was to test if neural networks could categorise signed ASL letters from basic hand photographs captured using an individual device like a laptop camcorder. This remains in line with the inspiration since it would allow the use of a real-time ASL-to-oral/transcribed language decoder in daily situations.

Objectives

Gesticulation is the solitary method that people who are handicapped for instance the deaf and dumb use in communicating. The main disadvantage of sign language is that ordinary people who do not comprehend the language are incapable of converse with the individuals, and vice versa. Our research strives to close the gap between persons with speech and hearing impairments and the general population. The main goal of this project is to generate a system that permits deaf people to converse successfully with others by utilising their normal signs. The background does not have to be completely black for the system to work. It looks good against any background. The project employs an image processing scheme to recognize, mainly English sequential sign language, that is used by the deaf to converse, and translates it into writing that can be acknowledged by non-deaf persons.

Features

Data Processing: This is where the data is loaded. The raw picture data is loaded into the py script, and the image data is kept as numpy arrays within file storage. The process data.py script heaps picture data after data.npy and preprocesses it by rescaling it, putting in filters, and ZCA piling to improve features. The prepared picture data was divided towards exercising, authentication, and challenging data and written to loading during training. A load dataset.py script is also used during training, which loads the required data into a Dataset class. A separate image is imported and managed from the disk for usage with the qualified model in categorising signs (Fakomogbon, 2008).

Education: The model's training loop is provided in train model.py. The model is instructed using tuning parameters via a configuration file that includes the learning rate, consignment size, picture sieving, and epoch count. The model architecture and the parameters used to train it are retained for future review and adjustment for better outcomes. The exercising and authentication datasets are packed as Dataloaders in the training loop, and the replica is directed using Adam Optimizer with Cross Entropy Loss. Every epoch on the validation set, the replica is assessed, and the replica with the greatest authentication exactness is stored to store aimed at later assessment and usage. The exercising and authentication fault and damage, as well as a plot of fault and damage over exercising, are stored to the disk once the training is completed.

Categorise Gesture: Once a replica has been drilled, it may be used to categorise a new ASL sign stored in a file on the disk. The operator enters the sign image's file track as well as the test data. The file track will be sent to process data.py, which will load and error check the file in the same way as the replica was skilled.

References:

- Fakomogbon, M. (2008). Evaluation of a captioned video tape instruction in metal work for hearing-impaired students in junior secondary schools. *Nigerian Journal of Guidance and Counselling*, 6(1). <https://doi.org/10.4314/njgc.v6i1.37084>
- Ghari, Z. (2016). The cognitive, psychological and cultural impact of communication barrier on deaf adults' content of speech in Iran. *Journal of Communication Disorders, Deaf Studies & Hearing Aids*, 4(3). <https://doi.org/10.4172/2375-4427.1000164>

GitHub link: <https://github.com/dewnina/Software-Engineering-Project>