

Account

Dashboard

Courses

Calendar

Notes

History

Comments

Help


What does the height of any of the bars right in the histogram of the NL1e dataset represent?  
Tip: NL1e is a time series of observations of the water flow through the river Nile between 1870 and 1970 (in cubic meters).

8

1/1 point

What does the height of any of the bars right in the histogram of the NL1e dataset represent?  
Tip: NL1e is a time series of observations of the water flow through the river Nile between 1870 and 1970 (in cubic meters).

Histogram of Nile



Count of values of the NL1e dataset

Missed Option - Incorrect

Index values of the NL1e series

Missed Option - Incorrect

Number of years of observations

Missed Option - Incorrect

Volume of water that flowed through the Nile

Missed Option - Incorrect

No answer

Correct Answer: True

9

1/1 point

\*Flat files\* are simple text files that display data as tables

True

False

No answer

Correct Answer: True

10

1/1 point

What's the equivalent of R data frames in Python?

pandas

seaborn

matplotlib

dictionary

No answer

Correct Answer: pandas

11

1/1 point

Which of these contain data that you can import into R?

Excel files

Missed Option - Incorrect

Flat files

Missed Option - Incorrect

Databases

Missed Option - Incorrect

Web pages

Missed Option - Incorrect

No answer

Correct Answer: True

12

1/1 point

Too small a binwidth of a histogram can lead to too much detail.

True

False

No answer

Correct Answer: True

13

1/1 point

If `x <- mileage` and `y <- weight`, what plot do you expect with the `formula` argument for `plot(y~x)`?

mileage on the y-axis and weight on the x-axis

mileage vs. weight

weight vs. mileage

Missed Option - Incorrect

mileage on the x-axis and weight on the y-axis

Missed Option - Incorrect

No answer

Correct Answer: True

14

1/1 point

Which command displays a logarithmic transformation of the mileage `mpg` in the `mtcars` dataset?

ln(hist(mpg))

hist(log10(mpg))

Missed Option - Incorrect

hist(log(mpg))

Missed Option - Incorrect

log10(hist(mpg))


No answer

Correct Answer: True

15

1/1 point

Which command plots all variables of the built-in `iris` dataset as shown in the plot array?



barplot(iris, col=Species)

ggplot(data=iris,aes(x,y,col=Species))

plot(iris, col=iris\$Species)

plot\_array(iris, color)

No answer

Correct Answer: plot(iris, col=iris\$Species)

Return