

Calibration Certificate

P - 17 F03-00

Certificate/ULR No.: CC205523000012201F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	3-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Hot Plate	Make / Model No.	-/-
Range	0 to 100 °C	Instrument Condition	OK
Least Count	10 °C	Location of Calibration	At Site
Serial No.	-	Location	255+00 RHS
Instrument ID.	HG/HP/01	Parameter	Thermal
ENVIRONMENTAL CONDITION	Temperature:- 25±2 °C,Relative Humidity: - 50±10%	Calibration Reference Standard	ITS-90
		Calibration Procedure	TNC-06-T 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
RTD Sensor with 6 1/2 Digital Multimeter	TNC/T/C/005/17	CC317223000000132F	RK labs	24/01/2024

Calibration Results

Sr.No.	UUC Value (°C)	Avg. of Standard Observed Value (°C)	Deviation (°C)	Uncertainty at k=2 at 95 % Confidence Level (± °C)
1	20	20.18	0.18	5.78
2	40	40.31	0.31	5.78
3	60	60.46	0.46	5.78
4	80	80.53	0.53	5.78
5	100	100.67	0.67	5.78

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012202F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	3-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Mortar Cube Vibrating M/c	Make / Model No.	AMT/-
Range	12000±400 rpm	Instrument Condition	OK
Least Count	NA	Location of Calibration	At Site
Serial No.	8021	Location	255+00 RHS
Instrument ID.	-	Parameter	Speed
ENVIRONMENTAL CONDITION	Temperature: 25±2°C, Relative Humidity: 50±10%	Calibration Reference Standard	IS: 12508
		Calibration Procedure	TNC -02-RPM 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Dig. Tachometer	TNC/RPM/C/002/19	CC233924000000443F	PRIMA	30/09/2024

Calibration Results

Sl. No.	UUC Value (rpm)	Std. Value (rpm)	Error (rpm)	Uncertainty at k=2 ,± %
1	12000	11981	19	0.40

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012217F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Dig. Weighing Balance	Make / Model No.	Apolo/-
Range	100g to 30 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	-	Location	255+00 RHS
Instrument ID.	HG/WB/30kg/01	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
100g	100.00025	0.100	0.000	0.011
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	1.000	0.000	
2kg	1999.9963	1.999	0.001	
5kg	5000.012	4.998	0.002	
10kg	10000.040	9.996	0.004	
20kg	20000.08	19.993	0.007	
30kg	30000.12	29.989	0.011	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
9.997	9.999	9.998	9.997	9.997	9.999	9.998	9.996	9.998	9.997	9.999

Repeatability test

CAL.POIN T	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
10 kg	9.997	9.996	9.997	9.998	9.996	9.997	9.998	9.997	9.998	9.996

Note:

- The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
- This report should not be reproduced except in full without our prior permission in writing.
- Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
- All our certificates are Traceable to national/International standard.
- This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012236F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Dig. Weighing Balance	Make / Model No.	Swisser/-
Range	50g to 50 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	-	Location	255+00 RHS
Instrument ID.	HG/WB/50kg/01	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
100g	100.00025	0.100	0.000	0.013
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	1.000	0.000	
2kg	1999.9963	2.000	0.000	
5kg	5000.012	4.999	0.001	
10kg	10000.040	9.997	0.003	
20kg	20000.08	19.995	0.005	
30kg	30000.12	29.992	0.008	
50kg	50000.14	49.987	0.013	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
19.994	19.993	19.994	19.995	19.993	19.994	19.994	19.995	19.994	19.993	19.995

Repeatability test

CAL.POIN T	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
20 kg	19.994	19.995	19.995	19.994	19.993	19.994	19.995	19.994	19.994	19.993

Note:

- The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
- This report should not be reproduced except in full without our prior permission in writing.
- Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
- All our certificates are Traceable to national/International standard.
- This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:	CC205523000012239F	Page 1 of 2
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Weighing Balance	Make / Model No.	Apolo/-
Range	20g to 10 kg	Instrument Condition	OK
Least Count	0.5 g	Location of Calibration	At Site
Serial No.	-	Location	255+00 RHS
Instrument ID.	HG/WB/10kg/01	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (g)	Deviation (g)	C MAX= Maximum Correction (g)
20g	20.000056	20.0	0.0	1.0
50g	50.000105	50.0	0.0	
100g	100.00025	100.0	0.0	
200g	200.00024	200.0	0.0	
500g	500.0011	500.0	0.0	
1kg	999.9992	1000.0	0.0	
2kg	1999.9963	1999.5	-0.5	
5kg	5000.012	4999.5	-0.5	
10kg	10000.027	9999.0	-1.0	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
5000.0	4999.5	5000.0	4999.5	4999.5	5000.0	4999.5	4999.0	4999.5	5000.0	5000.0

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	Standard Dev. (g)	Maximum Error Between Centre and Other Points (g)	Uncertainty (g)
5kg	4999.5	5000.0	5000.0	4999.5	5000.0	4999.5	4999.5	5000.0	4999.5	5000.0	0.3	0.7	0.7

Note:



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012239F

Page 2 of 2

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:	CC205523000012241F	Page 1 of 2
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Weighing Balance	Make / Model No.	Apolo/-
Range	20g to 10 kg	Instrument Condition	OK
Least Count	0.5 g	Location of Calibration	At Site
Serial No.	-	Location	255+00 RHS
Instrument ID.	HG/WB/10kg/02	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (g)	Deviation (g)	C MAX= Maximum Correction (g)
20g	20.000056	20.0	0.0	1.0
50g	50.000105	50.0	0.0	
100g	100.00025	100.0	0.0	
200g	200.00024	200.0	0.0	
500g	500.0011	500.0	0.0	
1kg	999.9992	1000.5	0.5	
2kg	1999.9963	2000.5	0.5	
5kg	5000.012	5000.5	0.5	
10kg	10000.027	10001.0	1.0	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
5000.0	5000.5	5000.5	5000.0	5000.0	5000.5	5000.5	5000.0	5000.5	5000.0	5000.5

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	Standard Dev. (g)	Maximum Error Between Centre and Other Points (g)	Uncertainty (g)
5000g	5000.5	5000.5	5001.0	5000.5	5000.5	5000.0	5000.5	5001.0	5000.5	5000.0	0.3	0.3	0.7

Note:



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012241F

Page 2 of 2

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:	CC205523000012244F	Page 1 of 2
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221	SRF No.	TNC1/JC/23-24/1209
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Weighing Balance	Make / Model No.	Apolo Scales/-
Range	20mg to 600 g	Instrument Condition	OK
Least Count	0.010 g	Location of Calibration	At Site
Serial No.	IND/09/08/478/480	Location	255+00 RHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10%	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (g)	Deviation (g)	C MAX= Maximum Correction (g)
20mg	0.020006	0.020	0.000	0.031
50mg	0.050013	0.050	0.000	
100mg	0.100006	0.100	0.000	
200mg	0.200016	0.200	0.000	
500mg	0.500028	0.500	0.000	
1g	1.000001	1.000	0.000	
2g	2.000007	2.000	0.000	
5g	4.999966	5.000	0.000	
10g	10.000025	10.000	0.000	
20g	20.000006	20.000	0.000	
50g	50.000105	49.990	-0.010	
100g	100.00025	99.990	-0.010	
200g	200.00024	199.980	-0.020	
500g	500.0012	499.970	-0.031	
600g	600.0015	599.970	-0.031	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
199.990	199.980	199.990	200.000	199.990	200.000	199.990	199.980	199.990	200.000	199.990
Standard Dev. (g)				D= difference between Average readings of Centre and other positions (g)				Uncertainty (g)		
0.007				0.003				0.037		

Note: -



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012244F

Page 2 of 2

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Total liability of Testnical Laboratory Pvt.Ltd. will be limited to the invoiced amount only.



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012282F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Vibrating Table	Make / Model No.	-/-
Range	2800 rpm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Site
Serial No.	-	Location	255+00 RHS
Instrument ID.	HG/VT/01	Parameter	Speed
ENVIRONMENTAL CONDITION	Temperature: 25±2°C, Relative Humidity: 50±10%	Calibration Reference Standard	IS: 12508
		Calibration Procedure	TNC -02-RPM 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Dig. Tachometer	TNC/RPM/C/002/19	CC233924000000443F	PRIMA	30/09/2024

Calibration Results

Sl. No.	UUC Value (rpm)	Std. Value (rpm)	Error (rpm)	Uncertainty at k=2 ,± %
1	2800	2806	-6	0.40

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012283F Page 1 of 2

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Specific Gravity Balance	Make / Model No.	Microtech Weighing M/c/-
Range	25g to 15 kg	Instrument Condition	OK
Least Count	0.5 g	Location of Calibration	At Site
Serial No.	202301309	Location	255+00 RHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (g)	Deviation (g)	C MAX= Maximum Correction (g)
25g	25.000022	25.0	0.0	0.9
50g	50.000105	50.0	0.0	
100g	100.00025	100.0	0.0	
200g	200.00024	200.0	0.0	
500g	500.0012	500.0	0.0	
1kg	1000.0017	1000.0	0.0	
2kg	2000.0039	2000.5	0.5	
5kg	5000.011	5000.5	0.5	
10kg	10000.082	10001.0	0.9	
15kg	15000.093	15001.0	0.9	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
5000.5	5000.0	5000.0	5000.5	5000.5	5000.0	5000.5	5000.0	5000.5	5000.5	5000.0

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	Standard Dev. (g)	Maximum Error Between Centre and Other Points (g)	Uncertainty (g)



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:		CC205523000012283F										Page 2 of 2	
5kg	5000.5	5000.0	5000.5	5000.0	5000.5	5000.5	5000.5	5000.0	5000.5	5000.0	0.3	-0.1	0.7

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P - 17 F03-00

Certificate/ULR No.: CC205523000012284F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Multi Stem Thermometer	Make / Model No.	Multi/-
Range	-50 to 300 °C	Instrument Condition	OK
Least Count	0.1 °C	Location of Calibration	At Laboratory
Serial No.	-	Location	255+00 RHS
Instrument ID.	HG/MST/01	Parameter	Thermal
ENVIRONMENTAL CONDITION	Temperature:- 25±2 °C,Relative Humidity: - 50±10%	Calibration Reference Standard	ITS-90
		Calibration Procedure	TNC-06-T 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
RTD Sensor with 6 1/2 Digital Multimeter	TNC/T/C/005/17	CC317223000000132F	RK labs	24/01/2024

Calibration Results

Sr.No.	UUC Value (°C)	Standard Value (°C)	Deviation (°C)	Uncertainty at k=2 at 95 % Confidence Level (±) °C
1	-50.0	-50.17	-0.17	0.74
2	30.0	30.16	0.16	0.74
3	100.0	100.33	0.33	0.74
4	200.0	200.46	0.46	0.74
5	300.0	300.53	0.53	1.78

Note: -

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Total liability of Testncal Laboratory. will be limited to the invoiced amount only.



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012286F		Page 1 of 2	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED Vill- Guldya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221		SRF No.	TNC1/JC/23-24/1209
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Dig. Weighing Balance	Make / Model No.	Apolo/-
Range	100g to 100 kg	Instrument Condition	OK
Least Count	0.050 kg	Location of Calibration	At Site
Serial No.	220853451	Location	255+00 RHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C RH-55±10%	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
10 kg	10000.040	10.000	0.000	0.151
20 kg	20000.08	20.000	0.000	
30kg	30000.12	30.000	0.000	
40 kg	40000.11	40.000	0.000	
50 kg	50000.15	49.950	-0.050	
60 kg	60000.24	59.950	-0.050	
70 kg	70000.28	69.900	-0.100	
80 kg	80000.365	79.900	-0.100	
90 kg	90000.46	89.900	-0.100	
100 kg	100000.50	99.850	-0.151	

Eccentricity Test @ 20kg

1	2	3	4	5	1	5	4	3	2	1
19.950	20.000	20.000	19.950	19.950	20.000	19.950	20.000	20.000	19.950	20.000



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012286F

Page 2 of 2

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	D= difference between Average readings of Centre and other positions (kg)	Uncertainty (kg)
20 kg	19.950	20.000	19.950	19.950	20.000	19.950	20.000	19.950	19.950	20.000	0.033	0.178

Note: -

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Total liability of Testncal Laboratory. will be limited to the invoiced amount only.



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012333F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	75 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/75mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
75	74.86	74.85	74.87	74.86	74.87	74.86	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012334F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	63 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/63mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
63	63.09	63.09	63.07	63.08	63.09	63.08	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012335F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Entek Instrument/-
Range	53 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/53mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
53	52.93	52.94	52.92	52.95	52.94	52.94	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012336F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Accroteck/-
Range	40 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/40mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
40	40.06	40.07	40.08	40.08	40.06	40.07	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012337F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	26.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/26.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
26.5	26.43	26.41	26.43	26.42	26.43	26.42	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012338F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	25 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/25mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
25	24.93	24.92	24.94	24.95	24.96	24.94	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012339F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	31.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/31.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
31.5	31.41	31.43	31.42	31.42	31.43	31.42	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012340F		Page 1 of 1	
Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	45 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/45mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
45	45.12	45.11	45.14	45.13	45.14	45.13	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012341F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	37.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/37.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
37.5	37.58	37.57	37.59	37.58	37.59	37.58	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012342F Page 1 of 1

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	5.6 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/5.6mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
5.6	5.47	5.45	5.46	5.46	5.47	5.46	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012343F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	6.3 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/6.3mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
6.3	5.89	5.91	5.92	5.90	5.91	5.91	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012344F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	9.5 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/9.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
9.5	9.46	9.45	9.47	9.46	9.48	9.46	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012345F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	10 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/10mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
10	9.89	9.88	9.90	9.91	9.90	9.90	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012346F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	4.75 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/4.75mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
4.75	4.77	4.77	4.76	4.77	4.78	4.77	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012347F Page 1 of 1

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	4.75 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/4.75mm/02	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
4.75	4.78	4.79	4.77	4.78	4.79	4.78	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012348F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	4.75 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/4.75mm/03	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
4.75	4.77	4.76	4.77	4.78	4.76	4.77	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012349F Page 1 of 1

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	22.4 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/22.4mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
22.4	22.32	22.34	22.33	22.35	22.36	22.34	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012350F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	13.2 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/13.2mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
13.2	13.31	13.29	13.29	13.30	13.28	13.29	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012351F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	13.2 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/13.2mm/02	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
13.2	13.09	13.11	13.09	13.10	13.11	13.10	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012352F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Sethi/-
Range	16 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/16mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
16	15.95	15.94	15.96	15.97	15.95	15.95	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012353F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	16 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/16mm/02	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
16	16.08	16.11	16.09	16.10	16.11	16.10	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012354F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	12.5 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/12.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
12.5	12.42	12.41	12.43	12.42	12.41	12.42	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012355F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	12.5 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/12.5mm/02	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
12.5	12.57	12.58	12.56	12.57	12.56	12.57	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012356F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	4-Oct-2023
		Next Calibration Date	3-Oct-2024
		Certificate Issue Date	5-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied Sales/-
Range	20 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/20mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
20	19.94	19.95	19.93	19.93	19.94	19.94	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012357F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Best/-
Range	20 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/20mm/02	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
20	19.94	19.91	19.92	19.93	19.92	19.92	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012358F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details		Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123		SRF No.	TNC1/JC/23-24/1218
		Date of Calibration	3-Oct-2023
		Next Calibration Date	2-Oct-2024
		Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Best/-
Range	19 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/19mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
19	18.86	18.88	18.89	18.87	18.89	18.88	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012359F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Sethi/-
Range	19 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/19mm/02	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
19	19.11	19.13	19.14	19.12	19.11	19.12	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012360F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	3-Oct-2023
M/S H.G. INFRA ENGINEERING LTD. Vill-Semarjhala (Rupapur) - Khasra No:- 732,734 Teh. & PO- Sawayajpur, Thana-Pali Near Bhadauriya Dhaba, Allahganj- Bilram Road Dist. Hardoi, Uttar Pradesh Pin Code : 241123	SRF No.	TNC1/JC/23-24/1218
	Date of Calibration	3-Oct-2023
	Next Calibration Date	2-Oct-2024
	Certificate Issue Date	4-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Sethi/-
Range	11.2 mm	Instrument Condition	OK
Least Count	0	Location of Calibration	At Laboratory
Serial No.	-	Location	282+200 RHS
Instrument ID.	HG/TS/11.2mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
11.2	11.15	11.16	11.17	11.16	11.15	11.16	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By