

Calibration Certificate

Certificate/ULR No.: CC205523000012518F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE Instrument Pvt. Ltd./-
Range	19 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/19mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
19	18.98	18.97	18.97	18.98	18.98	18.98	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012519F		Page 1 of 1	
Customer Details		Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh		SRF No.	TNC1/JC/23-24/1245
		Date of Calibration	5-Oct-2023
		Next Calibration Date	4-Oct-2024
		Certificate Issue Date	6-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Best/-
Range	22.4 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/22.4mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
22.4	22.37	22.36	22.38	22.37	22.36	22.37	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012520F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied/-
Range	26.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/26.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
26.5	26.54	26.55	26.56	26.55	26.56	26.55	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012521F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	37.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/37.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± μm
37.5	37.57	37.56	37.58	37.57	37.56	37.57	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012522F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied/-
Range	4.75 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/4.75mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
4.75	4.76	4.77	4.77	4.76	4.77	4.77	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012523F		Page 1 of 1	
Customer Details		Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh		SRF No.	TNC1/JC/23-24/1245
		Date of Calibration	5-Oct-2023
		Next Calibration Date	4-Oct-2024
		Certificate Issue Date	6-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	13.2 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/13.2mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
13.2	13.17	13.17	13.18	13.16	13.18	13.17	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012524F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied/-
Range	6.3 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/6.3mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
6.3	6.28	6.27	6.26	6.28	6.27	6.27	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012525F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	31.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/31.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
31.5	31.44	31.45	31.46	31.45	31.47	31.45	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012526F Page 1 of 1

Customer Details		Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh		SRF No.	TNC1/JC/23-24/1245
		Date of Calibration	5-Oct-2023
		Next Calibration Date	4-Oct-2024
		Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	75 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/75mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
75	74.93	74.92	74.93	74.92	74.91	74.92	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012527F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	63 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/63mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
63	62.93	62.92	62.92	62.93	62.92	62.92	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012528F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	53 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/53mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
53	53.11	53.09	53.12	53.10	53.09	53.10	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012543F		Page 1 of 1	
Customer Details		Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh		SRF No.	TNC1/JC/23-24/1245
		Date of Calibration	5-Oct-2023
		Next Calibration Date	4-Oct-2024
		Certificate Issue Date	6-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Best/-
Range	5.6 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/5.6mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
5.6	5.63	5.64	5.64	5.65	5.64	5.64	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012544F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	11.2 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/11.2mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
11.2	11.18	11.19	11.17	11.18	11.19	11.18	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012546F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied/-
Range	50 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/50mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
50	50.11	50.12	50.13	50.12	50.11	50.12	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012548F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	45 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/45mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
45	44.94	44.95	44.94	44.96	44.95	44.95	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012550F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied/-
Range	40 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/40mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
40	40.07	40.08	40.09	40.09	40.08	40.08	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012551F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied/-
Range	16 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/16mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
16	15.91	15.93	15.92	15.91	15.93	15.92	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012552F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	Allied/-
Range	20 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/20mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
20	20.04	20.05	20.04	20.06	20.05	20.05	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012553F		Page 1 of 1	
Customer Details		Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh		SRF No.	TNC1/JC/23-24/1245
		Date of Calibration	5-Oct-2023
		Next Calibration Date	4-Oct-2024
		Certificate Issue Date	6-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	25 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/25mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± μm
25	24.89	24.91	24.92	24.90	24.91	24.91	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012554F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	9.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/9.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
9.5	9.48	9.47	9.48	9.49	9.48	9.48	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012555F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	10 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/10mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
10	10.05	10.04	10.06	10.07	10.05	10.05	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012556F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	GI Test Sieve (450 mm Dia)	Make / Model No.	EIE/-
Range	12.5 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/12.5mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
12.5	12.57	12.56	12.57	12.56	12.57	12.57	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.: CC205523000012557F Page 1 of 1

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	Brass Test Sieve (200 mm Dia)	Make / Model No.	Allied/-
Range	4.75 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/4.75mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
4.75	4.77	4.77	4.75	4.76	4.77	4.76	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

Certificate/ULR No.:	CC205523000012558F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Brass Test Sieve (200 mm Dia)	Make / Model No.	Allied/-
Range	10 mm	Instrument Condition	OK
Least Count	-	Location of Calibration	At Laboratory
Serial No.	-	Location	Bisauli 154+200 LHS
Instrument ID.	HG/TS/10mm/01	Parameter	Dimension
ENVIRONMENTAL CONDITION	Temperature:- 20±2°C, Relative Humidity: - 50±10%	Calibration Reference Standard	IS:460:1985
		Calibration Procedure	TNC -03-D 2.0

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Digital Vernier Caliper	0511201536	CC205523000000003F	Testncal Lanoratory	01/01/2024

Calibration Results

Standard value in mm	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average in mm	Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm
10	10.04	10.03	10.05	10.03	10.04	10.04	13.5

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012561F		Page 1 of 1	
Customer Details		Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh		SRF No.	TNC1/JC/23-24/1245
		Date of Calibration	5-Oct-2023
		Next Calibration Date	4-Oct-2024
		Certificate Issue Date	6-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Dig. Weighing Balance	Make / Model No.	Apolo Scales/-
Range	100g to 30 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	2210536783	Location	Bisauli 154+200 LHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
100g	100.00025	0.100	0.000	0.008
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	1.000	0.000	
2kg	1999.9963	2.001	-0.001	
5kg	5000.012	5.002	-0.002	
10kg	10000.040	10.003	-0.003	
20kg	20000.08	20.006	-0.006	
30kg	30000.12	30.008	-0.008	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
10.004	10.005	10.007	10.005	10.006	10.004	10.005	10.007	10.004	10.006	10.005

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
10 kg	10.001	9.999	9.998	9.998	10.002	10.0001	10.001	10.001	10.0002	10.001

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:	CC205523000012574F	Page 1 of 2
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	Dig. Weighing Balance	Make / Model No.	Wensar/PCB200
Range	0 to 200 g	Instrument Condition	OK
Least Count	0.001 g	Location of Calibration	At Site
Serial No.	62610	Location	Bisauli 154+200 LHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C RH-55±10%	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (g)	Deviation (g)	C MAX= Maximum Correction (g)
1mg	0.001001	0.001	0.000	0.012
10mg	0.010005	0.010	0.000	
50mg	0.050013	0.050	0.000	
100mg	0.100006	0.100	0.000	
500mg	0.500028	0.500	0.000	
1g	1.000001	1.000	0.000	
10g	10.000025	9.999	-0.001	
20g	20.000056	19.997	-0.003	
50g	50.000105	49.994	-0.006	
100g	100.00025	99.992	-0.008	
200g	200.00024	199.988	-0.012	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
99.993	99.994	99.992	99.995	99.994	99.992	99.994	99.993	99.995	99.994	99.993



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012574F

Page 2 of 2

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	Standard Dev. (g)	D= difference between Average readings of Centre and other positions (g)	Uncertainty (g)
100	99.991	99.993	99.992	99.994	99.993	99.992	99.994	99.991	99.992	99.993	0.001	-0.001	0.014

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:	CC205523000012575F	Page 1 of 1
----------------------	--------------------	-------------

Customer Details M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	Instrument Receipt Date	5-Oct-2023
	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Dig. Weighing Balance	Make / Model No.	Equal/-
Range	10g to 6 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	20CT2184	Location	Bisauli 154+200 LHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
10g	10.000025	0.010	0.000	0.003
20g	20.000056	0.020	0.000	
50g	50.000105	0.050	0.000	
100g	100.00025	0.100	0.000	
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	0.999	0.001	
2kg	1999.9963	1.999	0.001	
5kg	5000.012	4.997	0.003	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
1.999	1.998	1.998	1.999	1.998	1.999	1.999	1.998	1.999	1.998	1.998

Repeatability test

CAL.POIN T	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
2 kg	1.999	1.999	1.998	1.997	1.999	1.998	1.997	1.997	1.999	1.998

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:	CC205523000012581F	Page 1 of 2
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Dig. Weighing Balance	Make / Model No.	Swisser/-
Range	50g to 50 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	2221097	Location	Bisauli 154+200 LHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
50g	50.000105	0.050	0.000	0.014
100g	100.00025	0.100	0.000	
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	1.000	0.000	
2kg	1999.9963	2.000	0.000	
5kg	5000.012	4.999	0.001	
10kg	10000.040	9.998	0.002	
20kg	20000.08	19.996	0.004	
30kg	30000.12	29.993	0.007	
50kg	50000.14	49.986	0.014	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
19.991	19.990	19.992	19.993	19.992	19.991	19.992	19.992	19.993	19.994	19.992

Repeatability test

CAL.POIN T	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
20 kg	19.994	19.995	19.995	19.994	19.993	19.994	19.995	19.994	19.994	19.993

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012581F

Page 2 of 2

4. All our certificates are Traceable to national/International standard.

5. This Certificate relates to the item Calibrated total liability of Testnral Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012583F		Page 1 of 1	
Customer Details		Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh		SRF No.	TNC1/JC/23-24/1245
		Date of Calibration	5-Oct-2023
		Next Calibration Date	4-Oct-2024
		Certificate Issue Date	6-Oct-2023
A) Identification On UUC (Unit Under Calibration)			
Instrument Name	Weighing Balance	Make / Model No.	Swisser/-
Range	20g to 10 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	201703129	Location	Bisauli 154+200 LHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
20g	20.000056	0.020	0.000	0.011
50g	50.000105	0.050	0.000	
100g	100.00025	0.100	0.000	
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	0.999	0.001	
2kg	1999.9963	1.996	0.004	
5kg	5000.012	4.994	0.006	
10kg	10000.040	9.989	0.011	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
9.989	9.991	9.990	9.990	9.990	9.989	9.989	9.991	9.990	9.990	9.989

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
10 kg	9.989	9.992	9.989	9.993	9.991	9.989	9.992	9.990	9.989	9.992

Note:

- The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
- This report should not be reproduced except in full without our prior permission in writing.
- Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
- All our certificates are Traceable to national/International standard.
- This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.:	CC205523000012587F	Page 1 of 2
----------------------	--------------------	-------------

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	Dig. Weighing Balance	Make / Model No.	Swisser/-
Range	50g to 50 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	2221045	Location	Bisauli 154+200 LHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
50g	50.000105	0.050	0.000	0.014
100g	100.00025	0.100	0.000	
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	1.000	0.000	
2kg	1999.9963	2.001	-0.001	
5kg	5000.012	5.002	-0.002	
10kg	10000.040	10.004	-0.004	
20kg	20000.08	20.007	-0.007	
30kg	30000.12	30.010	-0.010	
50kg	50000.14	50.014	-0.014	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
20.008	20.009	20.008	20.005	20.007	20.008	20.009	20.007	20.006	20.007	20.009

Repeatability test

CAL.POINT	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
20 kg	20.004	20.006	20.005	20.004	20.006	20.007	20.008	20.006	20.007	20.006

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012587F

Page 2 of 2

4. All our certificates are Traceable to national/International standard.

5. This Certificate relates to the item Calibrated total liability of Testnral Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012590F Page 1 of 2

Customer Details	Instrument Receipt Date	5-Oct-2023
M/S. H.G. INFRA ENGINEERING LIMITED BASAULI Near Shankar Mandir Chungi Badaun, Site-Bisauli, Uttar Pradesh	SRF No.	TNC1/JC/23-24/1245
	Date of Calibration	5-Oct-2023
	Next Calibration Date	4-Oct-2024
	Certificate Issue Date	6-Oct-2023

A) Identification On UUC (Unit Under Calibration)

Instrument Name	Weighing Balance	Make / Model No.	Swisser/-
Range	50g to 50 kg	Instrument Condition	OK
Least Count	0.001kg	Location of Calibration	At Site
Serial No.	2221041	Location	Bisauli 154+200 LHS
Instrument ID.	-	Parameter	Mass
ENVIRONMENTAL CONDITION	Temperature-24±2°C Relative Humidity-55±10% RH	Calibration Reference Standard	OIML R-76-1
		Calibration Procedure	TNC-05/M/01

Details of Test Equipments Used

Name	I.D. NO./ SR NO	Certificate/ULR No.	Certified By	Valid upto
Weights E2 Class (1 mg to 200 g)	TNC/M/C/002/17	FL/C/M/11012021-C001	CC2792	16/01/2024
Standard Weight (500g to 2kg)	WI/12/2017/018- F1	CC274322000001733F	WEGHTRONIX	13/03/2024
Standard Weight(5kg to 20kg)	4911/WI/01/2018/009-F2	WMCL/F/2022-01/1664		01/02/2024

Calibration Results-Weighing Performance Test

Load	Actual (g)	Indication (kg)	Deviation (kg)	C MAX= Maximum Correction (kg)
50g	50.000105	0.050	0.000	0.013
100g	100.00025	0.100	0.000	
200g	200.00024	0.200	0.000	
500g	500.0011	0.500	0.000	
1kg	999.9992	1.000	0.000	
2kg	1999.9963	2.000	0.000	
5kg	5000.012	5.001	-0.001	
10kg	10000.040	10.003	-0.003	
20kg	20000.08	20.006	-0.006	
30kg	30000.12	30.008	-0.008	
50kg	50000.14	50.013	-0.013	

Eccentricity Test

1	2	3	4	5	1	5	4	3	2	1
20.007	20.008	20.006	20.007	20.008	20.009	20.010	20.008	20.009	20.006	20.008

Repeatability test

CAL.POIN T	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
20 kg	20.004	20.006	20.005	20.004	20.006	20.007	20.008	20.006	20.007	20.006

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.



Calibrated By

Issued & Approved By

Calibration Certificate

P-17 F03-00

Certificate/ULR No.: CC205523000012590F

Page 2 of 2

4. All our certificates are Traceable to national/International standard.

5. This Certificate relates to the item Calibrated total liability of Testnral Laboratory will be limited to the invoiced amount only .



Calibrated By

Issued & Approved By