

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012151F | Page 1 of 1 |
|----------------------|--------------------|-------------|

|                                                                                                                                                                                   |  |                         |                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------|--------------------|
| <b>Customer Details</b>                                                                                                                                                           |  | Instrument Receipt Date | 1-Oct-2023         |
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |  | SRF No.                 | TNC1/JC/23-24/1206 |
|                                                                                                                                                                                   |  | Date of Calibration     | 1-Oct-2023         |
|                                                                                                                                                                                   |  | Next Calibration Date   | 30-Sep-2024        |
|                                                                                                                                                                                   |  | Certificate Issue Date  | 3-Oct-2023         |

|                                                          |                                                      |                                |                      |
|----------------------------------------------------------|------------------------------------------------------|--------------------------------|----------------------|
| <b>A) Identification On UUC (Unit Under Calibration)</b> |                                                      |                                |                      |
| Instrument Name                                          | GI Sieve (450mm Dia)                                 | Make / Model No.               | Allied Sales Corp./- |
| Range                                                    | 20 mm                                                | Instrument Condition           | OK                   |
| Least Count                                              | -                                                    | Location of Calibration        | At Laboratory        |
| Serial No.                                               | -                                                    | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                                           | HG/TS/20mm/02                                        | Parameter                      | Dimension            |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                       | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985          |
|                                                          |                                                      | Calibration Procedure          | TNC -03-D 2.0        |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 20                      | 19.85 | 19.83 | 19.81 | 19.84 | 19.82 | 19.83         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

Certificate/ULR No.: CC205523000012152F Page 1 of 1

| Customer Details                                                                                                                                                                  |  | Instrument Receipt Date | 1-Oct-2023         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |  | SRF No.                 | TNC1/JC/23-24/1206 |
|                                                                                                                                                                                   |  | Date of Calibration     | 1-Oct-2023         |
|                                                                                                                                                                                   |  | Next Calibration Date   | 30-Sep-2024        |
|                                                                                                                                                                                   |  | Certificate Issue Date  | 3-Oct-2023         |

#### A) Identification On UUC (Unit Under Calibration)

|                                    |                                                  |                                |                      |
|------------------------------------|--------------------------------------------------|--------------------------------|----------------------|
| Instrument Name                    | Flakiness Index Gauge                            | Make / Model No.               | NA/-                 |
| Range                              | As per Instrument                                | Instrument Condition           | OK                   |
| Least Count                        | -                                                | Location of Calibration        | At Laboratory        |
| Serial No.                         | -                                                | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                     | HG/FG/01                                         | Parameter                      | Dimension            |
| <b>ENVIRONMENTAL<br/>CONDITION</b> | Temperature:- 22.5°C, Relative<br>Humidity:- 54% | Calibration Reference Standard | -                    |
|                                    |                                                  | Calibration Procedure          | TNC -03-D 2.0        |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Sr. No. | Passing Through IS Sieve (mm) | Retained on IS Sieve (mm) | Thickness of gauge (mm) | Observed Value of Thickness Gauge (mm) | Measurements of Uncertainty approximate 95% confidence level at k=2: $\pm \mu\text{m}$ |
|---------|-------------------------------|---------------------------|-------------------------|----------------------------------------|----------------------------------------------------------------------------------------|
| 1       | 63                            | 50                        | 33.90                   | 33.88                                  | 13.5                                                                                   |
| 2       | 50                            | 40                        | 27.00                   | 26.99                                  | 13.5                                                                                   |
| 3       | 40                            | 25                        | 19.50                   | 19.49                                  | 13.5                                                                                   |
| 4       | 31.5                          | 25                        | 16.95                   | 16.96                                  | 13.5                                                                                   |
| 5       | 25                            | 20                        | 13.50                   | 13.49                                  | 13.5                                                                                   |
| 6       | 20                            | 16                        | 10.80                   | 10.79                                  | 13.5                                                                                   |
| 7       | 16                            | 12.5                      | 8.55                    | 8.54                                   | 13.5                                                                                   |
| 8       | 12.5                          | 10                        | 6.75                    | 6.76                                   | 13.5                                                                                   |
| 9       | 10                            | 6.3                       | 4.89                    | 4.90                                   | 13.5                                                                                   |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
6. Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                                                                                                                                                                                   |                                                       |                                |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------|----------------------|
| Certificate/ULR No.: CC205523000012154F                                                                                                                                           |                                                       | Page 1 of 1                    |                      |
| <b>Customer Details</b>                                                                                                                                                           |                                                       | Instrument Receipt Date        | 1-Oct-2023           |
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |                                                       | SRF No.                        | TNC1/JC/23-24/1206   |
|                                                                                                                                                                                   |                                                       | Date of Calibration            | 1-Oct-2023           |
|                                                                                                                                                                                   |                                                       | Next Calibration Date          | 30-Sep-2024          |
|                                                                                                                                                                                   |                                                       | Certificate Issue Date         | 3-Oct-2023           |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                          |                                                       |                                |                      |
| Instrument Name                                                                                                                                                                   | Elongation Gauge                                      | Make / Model No.               | NA/-                 |
| Range                                                                                                                                                                             | As per Instrument                                     | Instrument Condition           | OK                   |
| Least Count                                                                                                                                                                       | -                                                     | Location of Calibration        | At Laboratory        |
| Serial No.                                                                                                                                                                        | -                                                     | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                                                                                                                                                                    | HG/EG/01                                              | Parameter                      | Dimension            |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                                                                                                                                                | Temperature:- 20 ±2°C, Relative<br>Humidity:- 50 ±10% | Calibration Reference Standard | -                    |
|                                                                                                                                                                                   |                                                       | Calibration Procedure          | TNC -03-D 2.0        |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Sr. No. | Passing Through IS Sieve (mm) | Retained on IS Sieve (mm) | Thickness of gauge (mm) | Observed Value of Thickness Gauge (mm) | Measurements of Uncertainty approximate 95% confidence level at k=2: ± μm |
|---------|-------------------------------|---------------------------|-------------------------|----------------------------------------|---------------------------------------------------------------------------|
| 1       | 50                            | 40                        | 81.00                   | 81.02                                  | 13.5                                                                      |
| 2       | 40                            | 25                        | 58.50                   | 58.49                                  | 13.5                                                                      |
| 3       | 25                            | 20                        | 40.50                   | 40.48                                  | 13.5                                                                      |
| 4       | 20                            | 16                        | 32.40                   | 32.48                                  | 13.5                                                                      |
| 5       | 16                            | 12.5                      | 25.65                   | 25.69                                  | 13.5                                                                      |
| 6       | 12.5                          | 10                        | 20.25                   | 20.28                                  | 13.5                                                                      |
| 7       | 10                            | 6.3                       | 14.67                   | 14.69                                  | 13.5                                                                      |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

P - 17 F03-00

|                                                                                                                                                                                   |                                                      |                                |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------------|----------------------|
| Certificate/ULR No.: CC205523000012155F                                                                                                                                           |                                                      | Page 1 of 1                    |                      |
| <b>Customer Details</b>                                                                                                                                                           |                                                      | Instrument Receipt Date        | 1-Oct-2023           |
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |                                                      | SRF No.                        | TNC1/JC/23-24/1206   |
|                                                                                                                                                                                   |                                                      | Date of Calibration            | 1-Oct-2023           |
|                                                                                                                                                                                   |                                                      | Next Calibration Date          | 30-Sep-2024          |
|                                                                                                                                                                                   |                                                      | Certificate Issue Date         | 3-Oct-2023           |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                          |                                                      |                                |                      |
| Instrument Name                                                                                                                                                                   | Multi Stem Thermometer                               | Make / Model No.               | Multi/ST-9283B       |
| Range                                                                                                                                                                             | -50 to 300 °C                                        | Instrument Condition           | OK                   |
| Least Count                                                                                                                                                                       | 0.1 °C                                               | Location of Calibration        | At Laboratory        |
| Serial No.                                                                                                                                                                        | --                                                   | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                                                                                                                                                                    | HG/MST/01                                            | Parameter                      | Thermal              |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                                                                                                                                                | Temperature:- 25±2 °C,Relative<br>Humidity: - 50±10% | Calibration Reference Standard | ITS-90               |
|                                                                                                                                                                                   |                                                      | Calibration Procedure          | TNC-06-T 2.0         |

#### Details of Test Equipments Used

| Name                                     | I.D. NO./ SR NO | Certificate/ULR No. | Certified By | Valid upto |
|------------------------------------------|-----------------|---------------------|--------------|------------|
| RTD Sensor with 6 1/2 Digital Multimeter | TNC/T/C/005/17  | CC317223000000132F  | RK labs      | 24/01/2024 |

#### Calibration Results

| Sr.No. | UUC Value (°C) | Standard Value (°C) | Deviation (°C) | Uncertainty at k=2 at 95 % Confidence Level (±) °C |
|--------|----------------|---------------------|----------------|----------------------------------------------------|
| 1      | -50.0          | -50.14              | -0.14          | 0.74                                               |
| 2      | 50.0           | 50.16               | 0.16           | 0.74                                               |
| 3      | 100.0          | 100.21              | 0.21           | 0.74                                               |
| 4      | 200.0          | 200.28              | 0.28           | 0.74                                               |
| 5      | 300.0          | 300.39              | 0.39           | 1.78                                               |

Note: -

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is inteded of only for guidance and not for legel purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Totalliability of Testncal Laboratory. will be limited to the invoiced amount only.



Calibrated By

Issued &amp; Approved By

### Calibration Certificate

P - 17 F03-00

|                                                                                                                                                                                   |                                                      |                                |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------------|----------------------|
| Certificate/ULR No.: CC205523000012156F                                                                                                                                           |                                                      | Page 1 of 1                    |                      |
| <b>Customer Details</b>                                                                                                                                                           |                                                      | Instrument Receipt Date        | 1-Oct-2023           |
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |                                                      | SRF No.                        | TNC1/JC/23-24/1206   |
|                                                                                                                                                                                   |                                                      | Date of Calibration            | 1-Oct-2023           |
|                                                                                                                                                                                   |                                                      | Next Calibration Date          | 30-Sep-2024          |
|                                                                                                                                                                                   |                                                      | Certificate Issue Date         | 3-Oct-2023           |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                          |                                                      |                                |                      |
| Instrument Name                                                                                                                                                                   | Multi Stem Thermometer                               | Make / Model No.               | Multi/ST-9283B       |
| Range                                                                                                                                                                             | -50 to 300 °C                                        | Instrument Condition           | OK                   |
| Least Count                                                                                                                                                                       | 0.1 °C                                               | Location of Calibration        | At Laboratory        |
| Serial No.                                                                                                                                                                        | -                                                    | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                                                                                                                                                                    | HG/MST/02                                            | Parameter                      | Thermal              |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                                                                                                                                                | Temperature:- 25±2 °C,Relative<br>Humidity: - 50±10% | Calibration Reference Standard | ITS-90               |
|                                                                                                                                                                                   |                                                      | Calibration Procedure          | TNC-06-T 2.0         |

#### Details of Test Equipments Used

| Name                                     | I.D. NO./ SR NO | Certificate/ULR No. | Certified By | Valid upto |
|------------------------------------------|-----------------|---------------------|--------------|------------|
| RTD Sensor with 6 1/2 Digital Multimeter | TNC/T/C/005/17  | CC317223000000132F  | RK labs      | 24/01/2024 |

#### Calibration Results

| Sr.No. | UUC Value (°C) | Standard Value (°C) | Deviation (°C) | Uncertainty at k=2 at 95 % Confidence Level (±) °C |
|--------|----------------|---------------------|----------------|----------------------------------------------------|
| 1      | -50.0          | -50.17              | -0.17          | 0.74                                               |
| 2      | 50.0           | 50.15               | 0.15           | 0.74                                               |
| 3      | 100.0          | 100.24              | 0.24           | 0.74                                               |
| 4      | 200.0          | 200.33              | 0.33           | 0.74                                               |
| 5      | 300.0          | 300.41              | 0.41           | 1.78                                               |

Note: -

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is inteded of only for guidance and not for legel purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Totalliability of Testncal Laboratory. will be limited to the invoiced amount only.



Calibrated By

Issued &amp; Approved By

### Calibration Certificate

P - 17 F03-00

|                                                                                                                                                                                   |                                                      |                                |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------------|----------------------|
| Certificate/ULR No.: CC205523000012157F                                                                                                                                           |                                                      | Page 1 of 1                    |                      |
| <b>Customer Details</b>                                                                                                                                                           |                                                      | Instrument Receipt Date        | 1-Oct-2023           |
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |                                                      | SRF No.                        | TNC1/JC/23-24/1206   |
|                                                                                                                                                                                   |                                                      | Date of Calibration            | 1-Oct-2023           |
|                                                                                                                                                                                   |                                                      | Next Calibration Date          | 30-Sep-2024          |
|                                                                                                                                                                                   |                                                      | Certificate Issue Date         | 3-Oct-2023           |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                          |                                                      |                                |                      |
| Instrument Name                                                                                                                                                                   | Multi Stem Thermometer                               | Make / Model No.               | Multi/ST-9283B       |
| Range                                                                                                                                                                             | -50 to 300 °C                                        | Instrument Condition           | OK                   |
| Least Count                                                                                                                                                                       | 0.1 °C                                               | Location of Calibration        | At Laboratory        |
| Serial No.                                                                                                                                                                        | -                                                    | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                                                                                                                                                                    | HG/MST/03                                            | Parameter                      | Thermal              |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                                                                                                                                                | Temperature:- 25±2 °C,Relative<br>Humidity: - 50±10% | Calibration Reference Standard | ITS-90               |
|                                                                                                                                                                                   |                                                      | Calibration Procedure          | TNC-06-T 2.0         |

#### Details of Test Equipments Used

| Name                                     | I.D. NO./ SR NO | Certificate/ULR No. | Certified By | Valid upto |
|------------------------------------------|-----------------|---------------------|--------------|------------|
| RTD Sensor with 6 1/2 Digital Multimeter | TNC/T/C/005/17  | CC317223000000132F  | RK labs      | 24/01/2024 |

#### Calibration Results

| Sr.No. | UUC Value (°C) | Standard Value (°C) | Deviation (°C) | Uncertainty at k=2 at 95 % Confidence Level (±) °C |
|--------|----------------|---------------------|----------------|----------------------------------------------------|
| 1      | -50.0          | -50.14              | -0.14          | 0.74                                               |
| 2      | 50.0           | 50.18               | 0.18           | 0.74                                               |
| 3      | 100.0          | 100.28              | 0.28           | 0.74                                               |
| 4      | 200.0          | 200.36              | 0.36           | 0.74                                               |
| 5      | 300.0          | 300.45              | 0.45           | 1.78                                               |

Note: -

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is inteded of only for guidance and not for legel purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Totalliability of Testncal Laboratory. will be limited to the invoiced amount only.



Calibrated By

Issued &amp; Approved By

## Calibration Certificate

P-17 F03-00

|                                                                                                                                                                                |                                                     |                                |                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|--------------------------------|----------------------|
| Certificate/ULR No.: CC205523000012158F                                                                                                                                        |                                                     | Page 1 of 1                    |                      |
| <b>Customer Details</b>                                                                                                                                                        |                                                     | Instrument Receipt Date        | 1-Oct-2023           |
| M/S. H.G. INFRA ENGINEERING LTD..<br><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |                                                     | SRF No.                        | TNC1/JC/23-24/1206   |
|                                                                                                                                                                                |                                                     | Date of Calibration            | 1-Oct-2023           |
|                                                                                                                                                                                |                                                     | Next Calibration Date          | 30-Sep-2024          |
|                                                                                                                                                                                |                                                     | Certificate Issue Date         | 3-Oct-2023           |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                       |                                                     |                                |                      |
| Instrument Name                                                                                                                                                                | Stop Watch                                          | Make / Model No.               | Sprinter/-           |
| Range                                                                                                                                                                          | 0 to 1 hr                                           | Instrument Condition           | OK                   |
| Least Count                                                                                                                                                                    | 0.01 sec                                            | Location of Calibration        | At Site              |
| Serial No.                                                                                                                                                                     | -                                                   | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                                                                                                                                                                 | HG/SW/01                                            | Parameter                      | Electro Technical    |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                                                                                                                                             | Temperature:- 24±2°C,Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS : 5834            |
|                                                                                                                                                                                |                                                     | Calibration Procedure          | TNC -07- ET 2.0      |

### Details of Test Equipments Used

| Name                | I.D. NO./ SR NO | Certificate/ULR No. | Certified By                      | Valid upto |
|---------------------|-----------------|---------------------|-----------------------------------|------------|
| Time Interval Meter | TNC/ET/C/015    | CC294023000000366F  | Digital Calibration<br>Technology | 13/02/2024 |

### Calibration Results

| Sl. No | UUC Value (S) | Std. Value (S) | Error (S) | Uncertainty at k=2 ,± (S) |
|--------|---------------|----------------|-----------|---------------------------|
| 1      | 10.00         | 10.002         | 0.002     | 0.61                      |
| 2      | 100.00        | 100.007        | 0.007     | 0.66                      |
| 3      | 200.00        | 200.013        | 0.013     | 0.69                      |
| 4      | 300.00        | 300.026        | 0.026     | 0.73                      |
| 5      | 500.00        | 500.089        | 0.089     | 0.87                      |
| 6      | 1000.00       | 1000.14        | 0.14      | 1.72                      |
| 7      | 2000.00       | 2000.19        | 0.19      | 2.64                      |
| 8      | 3600.00       | 3600.34        | 0.34      | 4.35                      |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued &amp; Approved By

## Calibration Certificate

P 17 F03 00

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012159F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                  | Instrument Receipt Date | 1-Oct-2023         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 | SRF No.                 | TNC1/JC/23-24/1206 |
|                                                                                                                                                                                   | Date of Calibration     | 1-Oct-2023         |
|                                                                                                                                                                                   | Next Calibration Date   | 30-Sep-2024        |
|                                                                                                                                                                                   | Certificate Issue Date  | 3-Oct-2023         |

### A) Identification On UUC (Unit Under Calibration)

|                                    |                                                     |                                |                      |
|------------------------------------|-----------------------------------------------------|--------------------------------|----------------------|
| Instrument Name                    | Measuring Cylinder (Plastic)                        | Make / Model No.               | NA/-                 |
| Range                              | 0 to 1000 ml                                        | Instrument Condition           | OK                   |
| Least Count                        | 10 ml                                               | Location of Calibration        | At Laboratory        |
| Serial No.                         | -                                                   | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                     | HG/MC/1000ml/01                                     | Parameter                      | Volume               |
| <b>ENVIRONMENTAL<br/>CONDITION</b> | Temperature:- 24±2°C,Relative<br>Humidity: - 55±10% | Calibration Reference Standard | IS/ISO 4787 : 2010   |
|                                    |                                                     | Calibration Procedure          | TNC-03-M 2.0         |

### Details of Test Equipments Used

| Name                                | I.D. NO./ SR NO    | Certificate/ULR No.  | Certified By | Valid upto |
|-------------------------------------|--------------------|----------------------|--------------|------------|
| Weights E2 Class (1 mg to 200 g)    | TNC/M/C/002/17     | FL/C/M/11012021-C001 | CC2792       | 16/01/2024 |
| Standard Weight (500g to 2kg)       | WI/12/2017/018- F1 | CC274322000001733F   | WEGHTRONIX   | 13/03/2024 |
| Digital Weighing Balance (0 to 1kg) | TNC/M/C/003/19     | CC205523000000002F   | Testncal     | 01/01/2024 |

### Calibration Results

| SI No | Nominal Volume (ml) | Measured mean volume (ml) | Deviation (ml) | Uncertainty at k=2 ± (ml) |
|-------|---------------------|---------------------------|----------------|---------------------------|
| 1     | 100                 | 100.073                   | -0.073         | 0.012                     |
| 2     | 500                 | 500.104                   | -0.104         | 1                         |
| 3     | 1000                | 1000.128                  | -0.128         | 1                         |

Result at Reference Temperature at 27°C

Note: -

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is inteded of only for guidance and not for legel purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Totalliability of Testncal Laboratory. will be limited to the invoiced amount only.
- 6.Measurement of uncertainty approximate 95% confidence level at k=2



Calibrated By

Issued &amp; Approved By



## Calibration Certificate

P 17 F03 00

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012161F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                  | Instrument Receipt Date | 1-Oct-2023         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 | SRF No.                 | TNC1/JC/23-24/1206 |
|                                                                                                                                                                                   | Date of Calibration     | 1-Oct-2023         |
|                                                                                                                                                                                   | Next Calibration Date   | 30-Sep-2024        |
|                                                                                                                                                                                   | Certificate Issue Date  | 3-Oct-2023         |

### A) Identification On UUC (Unit Under Calibration)

|                                    |                                                     |                                |                      |
|------------------------------------|-----------------------------------------------------|--------------------------------|----------------------|
| Instrument Name                    | Measuring Cylinder (Plastic)                        | Make / Model No.               | NA/-                 |
| Range                              | 0 to 500 ml                                         | Instrument Condition           | OK                   |
| Least Count                        | 5 ml                                                | Location of Calibration        | At Laboratory        |
| Serial No.                         | -                                                   | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                     | HG/MC/500ml/01                                      | Parameter                      | Volume               |
| <b>ENVIRONMENTAL<br/>CONDITION</b> | Temperature:- 24±2°C,Relative<br>Humidity: - 55±10% | Calibration Reference Standard | IS/ISO 4787 : 2010   |
|                                    |                                                     | Calibration Procedure          | TNC-03-M 2.0         |

### Details of Test Equipments Used

| Name                                | I.D. NO./ SR NO    | Certificate/ULR No.  | Certified By | Valid upto |
|-------------------------------------|--------------------|----------------------|--------------|------------|
| Weights E2 Class (1 mg to 200 g)    | TNC/M/C/002/17     | FL/C/M/11012021-C001 | CC2792       | 16/01/2024 |
| Standard Weight (500g to 2kg)       | WI/12/2017/018- F1 | CC274322000001733F   | WEGHTRONIX   | 13/03/2024 |
| Digital Weighing Balance (0 to 1kg) | TNC/M/C/003/19     | CC205523000000002F   | Testncal     | 01/01/2024 |

### Calibration Results

| SI No | Nominal Volume (ml) | Measured mean volume (ml) | Deviation (ml) | Uncertainty at k=2 ± (ml) |
|-------|---------------------|---------------------------|----------------|---------------------------|
| 1     | 50                  | 50.015                    | -0.015         | 0.012                     |
| 2     | 250                 | 250.039                   | -0.039         | 1                         |
| 3     | 500                 | 500.058                   | -0.058         | 1                         |

Result at Reference Temperature at 27°C

Note: -

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is inteded of only for guidance and not for legel purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated. Totalliability of Testncal Laboratory. will be limited to the invoiced amount only.
- 6.Measurement of uncertainty approximate 95% confidence level at k=2



Calibrated By

Issued &amp; Approved By

## Calibration Certificate

P -17 F03-00

|                                                                                                                                                                                   |                                                      |                                |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------------|----------------------|
| Certificate/ULR No.: CC205523000012162F                                                                                                                                           |                                                      | Page 1 of 1                    |                      |
| <b>Customer Details</b>                                                                                                                                                           |                                                      | Instrument Receipt Date        | 1-Oct-2023           |
| <b>M/S. H.G. INFRA ENGINEERING LTD..</b><br>Vill- Papad Hamjapur (Khasra No-422) Near Brahamdev Tample<br>Teh. & P.O. Dataganj Dist.- Badaun,, Uttar Pradesh Pin Code :<br>243635 |                                                      | SRF No.                        | TNC1/JC/23-24/1206   |
|                                                                                                                                                                                   |                                                      | Date of Calibration            | 1-Oct-2023           |
|                                                                                                                                                                                   |                                                      | Next Calibration Date          | 30-Sep-2024          |
|                                                                                                                                                                                   |                                                      | Certificate Issue Date         | 3-Oct-2023           |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                          |                                                      |                                |                      |
| Instrument Name                                                                                                                                                                   | Water Bath                                           | Make / Model No.               | -/-                  |
| Range                                                                                                                                                                             | 0 to 110 °C                                          | Instrument Condition           | OK                   |
| Least Count                                                                                                                                                                       | 0.1°C                                                | Location of Calibration        | At Site              |
| Serial No.                                                                                                                                                                        | -                                                    | Location                       | 208+000 LHS Dataganj |
| Instrument ID.                                                                                                                                                                    | HG/WB/01                                             | Parameter                      | Thermal              |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                                                                                                                                                | Temperature:- 25±2 °C,Relative<br>Humidity: - 50±10% | Calibration Reference Standard | ITS-90               |
|                                                                                                                                                                                   |                                                      | Calibration Procedure          | TNC-06-T 2.0         |

### Details of Test Equipments Used

| Name                                     | I.D. NO./ SR NO | Certificate/ULR No. | Certified By | Valid upto |
|------------------------------------------|-----------------|---------------------|--------------|------------|
| RTD Sensor with 6 1/2 Digital Multimeter | TNC/T/C/005/17  | CC317223000000132F  | RK labs      | 24/01/2024 |

### Calibration Results

| Sr.No. | UUC Value (°C) | Standard Value (°C) | Deviation (°C) | Uncertainty at k=2 at 95 % Confidence Level (± °C) |
|--------|----------------|---------------------|----------------|----------------------------------------------------|
| 1      | 30.0           | 30.13               | 0.13           | 0.48                                               |
| 2      | 50.0           | 50.21               | 0.21           | 0.48                                               |
| 3      | 70.0           | 70.27               | 0.27           | 0.48                                               |
| 4      | 90.0           | 90.31               | 0.31           | 0.48                                               |
| 5      | 110.0          | 110.36              | 0.36           | 0.48                                               |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued &amp; Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012166F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 45 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/45mm/01                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 45                      | 44.86 | 44.88 | 44.87 | 44.88 | 44.90 | 44.88         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012167F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 4-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 45 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/45mm/02                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 45                      | 44.93 | 44.92 | 44.94 | 44.93 | 44.92 | 44.93         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012169F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 40 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/40mm/01                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 40                      | 40.11 | 40.10 | 40.12 | 40.12 | 40.11 | 40.11         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                                                                                                                                                                                                        |                                                   |                                |                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|--------------------------------|--------------------------|
| Certificate/ULR No.: CC205523000012170F                                                                                                                                                                |                                                   | Page 1 of 1                    |                          |
| <b>Customer Details</b>                                                                                                                                                                                |                                                   | Instrument Receipt Date        | 3-Oct-2023               |
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221 |                                                   | SRF No.                        | TNC1/JC/23-24/1209       |
|                                                                                                                                                                                                        |                                                   | Date of Calibration            | 3-Oct-2023               |
|                                                                                                                                                                                                        |                                                   | Next Calibration Date          | 2-Oct-2024               |
|                                                                                                                                                                                                        |                                                   | Certificate Issue Date         | 3-Oct-2023               |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                                               |                                                   |                                |                          |
| Instrument Name                                                                                                                                                                                        | GI Test Sieve (450mm Dia)                         | Make / Model No.               | EIE Instrument Pvt Ltd/- |
| Range                                                                                                                                                                                                  | 40 mm                                             | Instrument Condition           | OK                       |
| Least Count                                                                                                                                                                                            | -                                                 | Location of Calibration        | At Laboratory            |
| Serial No.                                                                                                                                                                                             | -                                                 | Location                       | 255+00 RHS               |
| Instrument ID.                                                                                                                                                                                         | HG/TS/40mm/02                                     | Parameter                      | Dimension                |
| <b>ENVIRONMENTAL CONDITION</b>                                                                                                                                                                         | Temperature:- 20±2°C, Relative Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985              |
|                                                                                                                                                                                                        |                                                   | Calibration Procedure          | TNC -03-D 2.0            |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm |
|----------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------|
| 40                   | 40.09 | 40.11 | 40.11 | 40.10 | 40.11 | 40.10         | 13.5                                                                |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012171F | Page 1 of 1 |
|----------------------|--------------------|-------------|

|                                                                                                                                                                                                        |  |                         |                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------|--------------------|
| <b>Customer Details</b>                                                                                                                                                                                |  | Instrument Receipt Date | 3-Oct-2023         |
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221 |  | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                        |  | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                        |  | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                        |  | Certificate Issue Date  | 3-Oct-2023         |

|                                                          |                                                   |                                |                |
|----------------------------------------------------------|---------------------------------------------------|--------------------------------|----------------|
| <b>A) Identification On UUC (Unit Under Calibration)</b> |                                                   |                                |                |
| Instrument Name                                          | GI Test Sieve (450mm Dia)                         | Make / Model No.               | Allied Sales/- |
| Range                                                    | 75 mm                                             | Instrument Condition           | OK             |
| Least Count                                              | -                                                 | Location of Calibration        | At Laboratory  |
| Serial No.                                               | -                                                 | Location                       | 255+00 RHS     |
| Instrument ID.                                           | HG/TS/75mm/01                                     | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                       | Temperature:- 20±2°C, Relative Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                          |                                                   | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm |
|----------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------|
| 75                   | 75.13 | 75.15 | 75.11 | 75.14 | 75.13 | 75.13         | 13.5                                                                |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012172F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                              | Instrument Receipt Date | 3-Oct-2023         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldliya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                               | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                               | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                               | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 63 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/63mm/01                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 63                      | 62.85 | 62.87 | 62.86 | 62.84 | 62.83 | 62.85         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By



### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012173F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 53 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/53mm/01                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 53                      | 52.83 | 52.84 | 52.83 | 52.83 | 52.85 | 52.84         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012174F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 53 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/53mm/02                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 53                      | 53.16 | 53.17 | 53.14 | 53.15 | 53.17 | 53.16         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012175F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |               |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|---------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Mseco/-       |
| Range                                             | 37.5 mm                                              | Instrument Condition           | OK            |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS    |
| Instrument ID.                                    | HG/TS/37.5mm/01                                      | Parameter                      | Dimension     |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985   |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0 |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 37.5                    | 37.42 | 37.42 | 37.41 | 37.42 | 37.43 | 37.42         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                                                                                                                                                                                                        |                                                   |                                |                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|--------------------------------|--------------------|
| Certificate/ULR No.: CC205523000012176F                                                                                                                                                                |                                                   | Page 1 of 1                    |                    |
| <b>Customer Details</b>                                                                                                                                                                                |                                                   | Instrument Receipt Date        | 3-Oct-2023         |
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221 |                                                   | SRF No.                        | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                        |                                                   | Date of Calibration            | 3-Oct-2023         |
|                                                                                                                                                                                                        |                                                   | Next Calibration Date          | 2-Oct-2024         |
|                                                                                                                                                                                                        |                                                   | Certificate Issue Date         | 3-Oct-2023         |
| <b>A) Identification On UUC (Unit Under Calibration)</b>                                                                                                                                               |                                                   |                                |                    |
| Instrument Name                                                                                                                                                                                        | GI Test Sieve (450mm Dia)                         | Make / Model No.               | Allied Sales/-     |
| Range                                                                                                                                                                                                  | 31.5 mm                                           | Instrument Condition           | OK                 |
| Least Count                                                                                                                                                                                            | -                                                 | Location of Calibration        | At Laboratory      |
| Serial No.                                                                                                                                                                                             |                                                   | Location                       | 255+00 RHS         |
| Instrument ID.                                                                                                                                                                                         | HG/TS/31.5mm/01                                   | Parameter                      | Dimension          |
| <b>ENVIRONMENTAL CONDITION</b>                                                                                                                                                                         | Temperature:- 20±2°C, Relative Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985        |
|                                                                                                                                                                                                        |                                                   | Calibration Procedure          | TNC -03-D 2.0      |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm |
|----------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------|
| 31.5                 | 31.63 | 31.62 | 31.64 | 31.61 | 31.63 | 31.63         | 13.5                                                                |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012177F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 26.5 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        |                                                      | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/26.5mm/01                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 26.5                    | 26.57 | 26.57 | 26.59 | 26.58 | 26.57 | 26.58         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012178F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |               |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|---------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Popular/-     |
| Range                                             | 25 mm                                                | Instrument Condition           | OK            |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS    |
| Instrument ID.                                    | HG/TS/25mm/01                                        | Parameter                      | Dimension     |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985   |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0 |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 25                      | 24.91 | 24.93 | 24.92 | 24.94 | 24.93 | 24.93         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012179F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 22.4 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/22.4mm/01                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 22.4                    | 22.29 | 22.31 | 22.30 | 22.29 | 22.28 | 22.29         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012180F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                       | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                        | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                        | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                        | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                   |                                |                |
|---------------------------------------------------|---------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                         | Make / Model No.               | Allied Sales/- |
| Range                                             | 22.4 mm                                           | Instrument Condition           | OK             |
| Least Count                                       | -                                                 | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                 | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/22.4mm/02                                   | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                   | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm |
|----------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------|
| 22.4                 | 22.45 | 22.44 | 22.44 | 22.43 | 22.45 | 22.44         | 13.5                                                                |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By



### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012181F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 20 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/20mm/01                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 20                      | 19.88 | 19.89 | 19.88 | 19.87 | 19.89 | 19.88         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

Certificate/ULR No.: CC205523000012182F Page 1 of 1

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

#### A) Identification On UUC (Unit Under Calibration)

|                                    |                                                      |                                |                |
|------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                    | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                              | 20 mm                                                | Instrument Condition           | OK             |
| Least Count                        | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                         | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                     | HG/TS/20mm/02                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b> | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                    |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 20                      | 19.94 | 19.95 | 19.94 | 19.93 | 19.94 | 19.94         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012183F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 19 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/19mm/01                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 19                      | 18.92 | 18.91 | 18.93 | 18.91 | 18.94 | 18.92         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012184F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 16 mm                                                | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/16mm/01                                        | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 16                      | 15.95 | 15.93 | 15.95 | 15.94 | 15.96 | 15.95         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012185F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 13.2 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/13.2mm/01                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 13.2                    | 13.27 | 13.28 | 13.27 | 13.28 | 13.29 | 13.28         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012186F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 13.2 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/13.2mm/02                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 13.2                    | 13.17 | 13.18 | 13.17 | 13.16 | 13.15 | 13.17         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012187F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 12.5 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/12.5mm/01                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 12.5                    | 11.94 | 11.92 | 11.93 | 11.94 | 11.95 | 11.94         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012188F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 11.2 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/11.2mm/01                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 11.2                    | 11.26 | 11.25 | 11.27 | 11.26 | 11.25 | 11.26         | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By



### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012189F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                       |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|-----------------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | EIE Inst. Pvt. Ltd./- |
| Range                                             | 10 mm                                                | Instrument Condition           | OK                    |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory         |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS            |
| Instrument ID.                                    | HG/TS/10mm/01                                        | Parameter                      | Dimension             |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985           |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0         |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 10                      | 9.98  | 9.96  | 9.98  | 9.97  | 9.97  | 9.97          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012190F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 9.5 mm                                               | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/9.5mm/01                                       | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 9.5                     | 9.55  | 9.54  | 9.55  | 9.56  | 9.57  | 9.55          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012191F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                  |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|------------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | EIE Instrument/- |
| Range                                             | 9.5 mm                                               | Instrument Condition           | OK               |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory    |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS       |
| Instrument ID.                                    | HG/TS/9.5mm/02                                       | Parameter                      | Dimension        |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985      |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0    |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 9.5                     | 9.54  | 9.55  | 9.54  | 9.53  | 9.55  | 9.54          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012192F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 4-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 6.3 mm                                               | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/6.3mm/01                                       | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 6.3                     | 6.27  | 6.28  | 6.26  | 6.28  | 6.27  | 6.27          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012193F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | Allied Sales/- |
| Range                                             | 5.6 mm                                               | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/5.6mm/01                                       | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 5.6                     | 4.94  | 4.95  | 4.96  | 4.95  | 4.96  | 4.95          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012194F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                  |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|------------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | EIE Instrument/- |
| Range                                             | 4.75 mm                                              | Instrument Condition           | OK               |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory    |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS       |
| Instrument ID.                                    | HG/TS/4.75mm/01                                      | Parameter                      | Dimension        |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985      |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0    |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 4.75                    | 4.81  | 4.82  | 4.80  | 4.81  | 4.82  | 4.81          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012195F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                  |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|------------------|
| Instrument Name                                   | GI Test Sieve (450mm Dia)                            | Make / Model No.               | EIE Instrument/- |
| Range                                             | 4.75 mm                                              | Instrument Condition           | OK               |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory    |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS       |
| Instrument ID.                                    | HG/TS/4.75mm/02                                      | Parameter                      | Dimension        |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985      |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0    |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 4.75                    | 4.77  | 4.78  | 4.76  | 4.77  | 4.76  | 4.77          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012196F | Page 1 of 1 |
|----------------------|--------------------|-------------|

|                                                                                                                                                                                                 |  |                         |                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------|--------------------|
| Customer Details                                                                                                                                                                                |  | Instrument Receipt Date | 3-Oct-2023         |
| M/S. H.G. INFRA ENGINEERING LIMITED<br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur, Uttar Pradesh Pin Code : 242221 |  | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                 |  | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                 |  | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                 |  | Certificate Issue Date  | 3-Oct-2023         |

|                                                   |                                                   |                                |                |
|---------------------------------------------------|---------------------------------------------------|--------------------------------|----------------|
| A) Identification On UUC (Unit Under Calibration) |                                                   |                                |                |
| Instrument Name                                   | Brass Test Sieve (200mm Dia)                      | Make / Model No.               | Allied Sales/- |
| Range                                             | 10 mm                                             | Instrument Condition           | OK             |
| Least Count                                       | -                                                 | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                 | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/10mm/01                                     | Parameter                      | Dimension      |
| ENVIRONMENTAL<br>CONDITION                        | Temperature:- 20±2°C, Relative Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                   | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of Measurement at k = 2 at 95 % Confidence Level : ± µm |
|----------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------|
| 10                   | 9.93  | 9.92  | 9.94  | 9.93  | 9.95  | 9.93          | 13.5                                                                |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By



### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012197F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | Brass Test Sieve (200mm Dia)                         | Make / Model No.               | Allied Sales/- |
| Range                                             | 4.75 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/4.75mm/01                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 4.75                    | 4.76  | 4.78  | 4.76  | 4.77  | 4.75  | 4.76          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012198F | Page 1 of 1 |
|----------------------|--------------------|-------------|

| Customer Details                                                                                                                                                                                             | Instrument Receipt Date | 3-Oct-2023         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              | Certificate Issue Date  | 3-Oct-2023         |

| A) Identification On UUC (Unit Under Calibration) |                                                      |                                |                |
|---------------------------------------------------|------------------------------------------------------|--------------------------------|----------------|
| Instrument Name                                   | Brass Test Sieve (200mm Dia)                         | Make / Model No.               | Allied Sales/- |
| Range                                             | 4.75 mm                                              | Instrument Condition           | OK             |
| Least Count                                       | -                                                    | Location of Calibration        | At Laboratory  |
| Serial No.                                        | -                                                    | Location                       | 255+00 RHS     |
| Instrument ID.                                    | HG/TS/4.75mm/02                                      | Parameter                      | Dimension      |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                | Temperature:- 20±2°C, Relative<br>Humidity: - 50±10% | Calibration Reference Standard | IS:460:1985    |
|                                                   |                                                      | Calibration Procedure          | TNC -03-D 2.0  |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Standard value<br>in mm | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average in mm | Uncertainty of<br>Measurement<br>at k = 2 at 95 %<br>Confidence<br>Level : ± µm |
|-------------------------|-------|-------|-------|-------|-------|---------------|---------------------------------------------------------------------------------|
| 4.75                    | 4.78  | 4.77  | 4.78  | 4.76  | 4.75  | 4.77          | 13.5                                                                            |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

Certificate/ULR No.: CC205523000012199F Page 1 of 1

| Customer Details                                                                                                                                                                                    |                                               |                                | Instrument Receipt Date | 3-Oct-2023         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------------|-------------------------|--------------------|
| M/S. H.G. INFRA ENGINEERING LIMITED<br><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist- Shahjahanpur. Uttar Pradesh Pin Code : 242221 |                                               |                                | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                     |                                               |                                | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                     |                                               |                                | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                     |                                               |                                | Certificate Issue Date  | 3-Oct-2023         |
| A) Identification On UUC (Unit Under Calibration)                                                                                                                                                   |                                               |                                |                         |                    |
| Instrument Name                                                                                                                                                                                     | Flakiness Gauge                               |                                | Make / Model No.        | -/-                |
| Range                                                                                                                                                                                               | As per Instrument                             |                                | Instrument Condition    | OK                 |
| Least Count                                                                                                                                                                                         | -                                             |                                | Location of Calibration | At Laboratory      |
| Serial No.                                                                                                                                                                                          | -                                             |                                | Location                | 255+00 RHS         |
| Instrument ID.                                                                                                                                                                                      | HG/FG/01                                      |                                | Parameter               | Dimension          |
| ENVIRONMENTAL<br>CONDITION                                                                                                                                                                          | Temperature:- 22.5°C, Relative Humidity:- 54% | Calibration Reference Standard |                         | -                  |
|                                                                                                                                                                                                     |                                               | Calibration Procedure          |                         | TNC -03-D 2.0      |

#### Details of Test Equipments Used

| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Sr. No. | Passing Through IS Sieve (mm) | Retained on IS Sieve (mm) | Thickness of gauge (mm) | Observed Value of Thickness Gauge (mm) | Measurements of Uncertainty approximate 95% confidence level at k=2: $\pm \mu\text{m}$ |
|---------|-------------------------------|---------------------------|-------------------------|----------------------------------------|----------------------------------------------------------------------------------------|
| 1       | 63                            | 50                        | 33.90                   | 33.88                                  | 13.5                                                                                   |
| 2       | 50                            | 40                        | 27.00                   | 26.98                                  | 13.5                                                                                   |
| 3       | 40                            | 25                        | 19.50                   | 19.51                                  | 13.5                                                                                   |
| 4       | 31.5                          | 25                        | 16.95                   | 16.94                                  | 13.5                                                                                   |
| 5       | 25                            | 20                        | 13.50                   | 13.48                                  | 13.5                                                                                   |
| 6       | 20                            | 16                        | 10.80                   | 10.81                                  | 13.5                                                                                   |
| 7       | 16                            | 12.5                      | 8.55                    | 8.49                                   | 13.5                                                                                   |
| 8       | 12.5                          | 10                        | 6.75                    | 6.76                                   | 13.5                                                                                   |
| 9       | 10                            | 6.3                       | 4.89                    | 4.87                                   | 13.5                                                                                   |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By

### Calibration Certificate

|                      |                    |             |
|----------------------|--------------------|-------------|
| Certificate/ULR No.: | CC205523000012200F | Page 1 of 1 |
|----------------------|--------------------|-------------|

|                                                                                                                                                                                                              |  |                         |                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------|--------------------|
| Customer Details                                                                                                                                                                                             |  | Instrument Receipt Date | 3-Oct-2023         |
| <b>M/S. H.G. INFRA ENGINEERING LIMITED</b><br>Vill- Guldiya, Khasra No.-903, Teh & P.O- Jalalabad, Near<br>Modern Dhaba, Shahjahanpur-Jalalabad Road, Dist-<br>Shahjahanpur, Uttar Pradesh Pin Code : 242221 |  | SRF No.                 | TNC1/JC/23-24/1209 |
|                                                                                                                                                                                                              |  | Date of Calibration     | 3-Oct-2023         |
|                                                                                                                                                                                                              |  | Next Calibration Date   | 2-Oct-2024         |
|                                                                                                                                                                                                              |  | Certificate Issue Date  | 3-Oct-2023         |

|                                                          |                                                       |                                |               |
|----------------------------------------------------------|-------------------------------------------------------|--------------------------------|---------------|
| <b>A) Identification On UUC (Unit Under Calibration)</b> |                                                       |                                |               |
| Instrument Name                                          | Elongation Gauge                                      | Make / Model No.               | -/-           |
| Range                                                    | As per Instrument                                     | Instrument Condition           | OK            |
| Least Count                                              | -                                                     | Location of Calibration        | At Laboratory |
| Serial No.                                               | -                                                     | Location                       | 255+00 RHS    |
| Instrument ID.                                           | HG/EG/01                                              | Parameter                      | Dimension     |
| <b>ENVIRONMENTAL<br/>CONDITION</b>                       | Temperature:- 20 ±2°C, Relative<br>Humidity:- 50 ±10% | Calibration Reference Standard | -             |
|                                                          |                                                       | Calibration Procedure          | TNC -03-D 2.0 |

#### Details of Test Equipments Used

|                         |                 |                     |                     |            |
|-------------------------|-----------------|---------------------|---------------------|------------|
| Name                    | I.D. NO./ SR NO | Certificate/ULR No. | Certified By        | Valid upto |
| Digital Vernier Caliper | 0511201536      | CC205523000000003F  | Testncal Lanoratory | 01/01/2024 |

#### Calibration Results

| Sr. No. | Passing Through IS Sieve (mm) | Retained on IS Sieve (mm) | Thickness of gauge (mm) | Observed Value of Thickness Gauge (mm) | Measurements of Uncertainty approximate 95% confidence level at k=2: ± μm |
|---------|-------------------------------|---------------------------|-------------------------|----------------------------------------|---------------------------------------------------------------------------|
| 1       | 50                            | 40                        | 81.00                   | 81.02                                  | 13.5                                                                      |
| 2       | 40                            | 25                        | 58.50                   | 58.49                                  | 13.5                                                                      |
| 3       | 25                            | 20                        | 40.50                   | 40.48                                  | 13.5                                                                      |
| 4       | 20                            | 16                        | 32.40                   | 32.44                                  | 13.5                                                                      |
| 5       | 16                            | 12.5                      | 25.65                   | 25.66                                  | 13.5                                                                      |
| 6       | 12.5                          | 10                        | 20.25                   | 20.27                                  | 13.5                                                                      |
| 7       | 10                            | 6.3                       | 14.67                   | 14.73                                  | 13.5                                                                      |

Note:

1. The Calibration results reported in this certificate are valid at the time of and the started condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.
3. Calibration certificate without signature are not valid and this certificate is intended of only for guidance and not for legal purpose or for advertisement.
4. All our certificates are Traceable to national/International standard.
5. This Certificate relates to the item Calibrated total liability of Testncal Laboratory will be limited to the invoiced amount only .
- 6.Measurement Uncertainty reported at approximate 95% confidence level with k=2



Calibrated By

Issued & Approved By