DEPARTMENT OF COMPUTER & SOFTWARE ENGINEERING

COLLEGE OF E&ME, NUST, RAWALPINDI

Cloud Computing

Assignment#02

SUBMITTED TO:
Dr Mehwish Naseer

SUBMITTED BY:
Faiqa Ummarah Ahmad
405052
DE-44 Syn-A

Submission Date: 08/04/26

TABLE OF CONTENTS

Case Study Analysis: Real-World Cloud Security Breach (Dropbox) 3
1. Introduction 3
2. Cause Analysis 3
3. Preventive Measures 4
4. Lessons Learned & Future Improvements 5
6. References 6

Case Study Analysis: Real-World Cloud Security Breach (Dropbox)

1. Introduction

Cloud computing has emerged as a transformative paradigm for delivering scalable, on-demand computing resources over the internet, enabling organizations to deploy applications and store data without managing physical infrastructure [1], [2]. Public cloud environments make it possible for several individuals to share the same resources while still being separated logically, thus allowing for efficiency and high availability. However, sharing and distributing of cloud infrastructure creates **security concerns** such as data breaches, lack of access control, and misconfiguration [3].

Among the notable incidents, the **Dropbox data breach** stands out as a critical example of how **weak authentication mechanisms, human error, and inadequate monitoring** can compromise millions of user accounts. This case study analyzes the root causes, preventative measures, and the lessons learned from this incident.

2. Cause Analysis

- **Identify and critically evaluate the root causes of the breach. What vulnerabilities or lapses in cloud security led to the exposure or compromise of data?**

The Dropbox breach of 2012 came to light in 2016, compromising the personal information of an estimated 68 million users. The data included email addresses and passwords hashed by the service.

Root Causes:

a. Credential Reusing as a Triggering Factor

The first trigger that set off this attack is the credential reusing by one of the employees in the firm who got their credentials compromised in another data breach. Hackers managed to hack into Dropbox using the stolen credential. This is because of the vulnerability created by the non-enforcement of unique passwords which could then be exploited using credential stuffing attacks [4]. This figure illustrates how attackers exploit reused credentials to gain unauthorized access to cloud systems:



Figure 1: Credential Stuffing Attack Flow

b. Absence of Mandatory Multi-factor Authentication

At that point in time, multi-factor authentication was not compulsory among the employees. Therefore, access was obtained using just the password. The absence of multi-factor authentication enhanced the chances of gaining access to the network.

c. Inadequate Password Hashing and Encryption Mechanisms

Password hashing was used; however, some of them were protected using vulnerable encryption techniques. Brute force and dictionary attacks could easily crack these passwords. Bcrypt or Argon2 password hashing were not extensively used.

d. Poor Access Control and Privileges Management

The access made by the attackers to the user's account showed that Dropbox did not use the principle of least privileges, because having too many privileges allowed the attacker to take control of the account and extract user information.

e. Lack of Real-Time Monitoring and Delayed Breach Detection

The breach happened back in 2012 and was only acknowledged in 2016; it proves the lack of intrusion detection and management skills on the part of Dropbox. This issue was caused by the lack of proper monitoring and anomaly detection systems, which resulted in late discovery of the incident [5].

3. Preventive Measures

- **Based on your analysis, suggest specific cloud security measures that could have been implemented to prevent or mitigate the breach. How would better design, security controls, or policies have reduced the likelihood of this breach occurring?**

A variety of cloud security measures could have helped avoid or minimize the effects of the Dropbox data breach:

a. Mandatory Two-Factor Authentication

In this measure, there is always another layer of verification other than passwords. The extra layer ensures that even if there was password theft, the intruders would not gain any unauthorized access into the company's system without passing the second layer.

b. Strong Password Guidelines

Organizations should enforce strict password policies that require:

- Complex combinations of characters
- Regular password updates
- Prohibition of password reuse across multiple platforms

Additionally, integrating password managers can help users maintain unique and secure credentials without usability issues.

c. Use of Encryption Technologies

It is recommended that sensitive data, especially passwords, are hashed to protect their confidentiality through bcrypt and Argon2 algorithms as well as salting. Data must be kept safe through encryption whether at rest or in transit.

d. Application of Least Privilege Access Control Strategy

Access to systems and data should be tightly controlled in relation to employee roles. Through RBAC implementation, companies can restrict access to those who need access to data and systems required to execute their functions, thus reducing the risk associated with any compromise to the account.

e. Use of Advanced Monitoring Tools

The deployment of advanced monitoring devices such as intrusion detection systems (IDS) and security information and event management (SIEM) systems helps in analyzing activities within the system. This tool can detect any abnormality in the activities, such as suspicious logins and access attempts to data.

4. Lessons Learned & Future Improvements

- **What key lessons can be learned from the breach, both for the organization involved and for others utilizing cloud environments? How can organizations enhance their cloud security practices moving forward to avoid similar incidents?**

Lessons Learned:

a. Credential Security and Password Management are Critical

This incident proves that password management and protection are critical, since poor password management practices, including password reuse, might lead to credential-based attacks. This is why proper management and strong passwords are vital.

b. Multi-Factor Authentication Is Mandatory, Not Voluntary

Password protection alone might not be enough to protect an organization from malicious actors, since passwords alone might pose a vulnerability for the organization. It becomes apparent that MFA should be considered.

c. Principle of Least Privilege Should be Adhered To

Over-provisioned privileges make data breaches extremely dangerous. From the information provided above, we may conclude that this principle should be taken into account, as privilege abuse might lead to large-scale breaches.

d. Incident Detection and Response is Vital

Late detection and disclosure of an ongoing attack might increase the scale and intensity of the attack. For this reason, real-time monitoring of security-related incidents should be considered.

e. Strong Encryption and Data Protection Practices are Necessary

Use of outdated and poor encryption practices increases the risks of being targeted. It becomes apparent that strong passwords along with advanced encryption practices should be employed by any organization.

5. Conclusion

In conclusion, it becomes evident that the Dropbox data breach is an example of what could happen if poor authentication methods, improper access controls, and ineffective monitoring are employed within cloud-based environments. This case study proves the importance of using multiple layers of protection by applying effective authentication, encryption, continuous monitoring, and training employees about security issues in order to increase organizational resilience.

6. References

[1] M. Armbrust et al., "A view of cloud computing," *Communications of the ACM*, 2010.

[2] P. Mell and T. Grance, "The NIST definition of cloud computing," NIST, 2011.

[3] "Data breaches in cloud environments: Causes, consequences and prevention," *ResearchGate*, 2024.

[4] "Dropbox Data Breach Explained," *Sprintzeal Blog*.

[5] "Dropbox security issues and breach analysis," *Proton Blog*.