Lab 8: How to create containers in azure?

Website: Portal.azure.com

❖ How to create a container?



✓ Go to container instances





✓ Select DNS name same as your Container name. That's why container name must be unique.



- ✓ After that review and create
- ✓ Go to resources



- ✓ Click on container and check it is in running state. Also check the container info like events properties etc. and you can connect it by yourself if it is not connected.



- ✓ Check the image by using IP and FQDN. Just copy the IP address/FQDN on new browser



❖ How to create a custom image?

- ✓ Use azure power shell to create the custom image. Azure shell is also a container.
- ✓ Using the **uname --a** command in Azure Shell provides information about the operating system and system architecture of the current environment.



- ✓ Use this file commands and run step by step and create the custom image.

Azure Containers.txt

- ✓ For creating an image using custom so we need a custom image so we clone it and then we modify it.
- ✓ Use your subscription ID.



✓ Clone it. The specific command creates the copy of sample in directory then we use this application and modify it.



✓ Now go to directory and see the image.



Now go to editor use (code .) command for modify



✓ Modify the file index.html then go to next index file then save option appear and save it.



✓ After that go to package.json file and write the author name



✓ Now close the editor and create the register. But before this create the container registry then run this command.



✓ Now go to resources



✓ Go to repository and you can check currently nothing is available



✓ Now on azure shell run the command of repository.



```
PS /home/harsh/aci-helloworld>
PS /home/harsh/aci-helloworld>
PS /home/harsh/aci-helloworld> az acr build --image repository:v1 --registry harsharenaregis --file Dockerfile .
Packing source code into tar to upload...
Excluding '.git' based on default ignore rules
Excluding '.gitignore' based on default ignore rules
Uploading archived source code from '/tmp/build_archive_74fdb5ecfac84766a54d342e2764a9e2.tar.gz'...
Sending context (2.219 KiB) to registry: harsharenaregis...
Queued a build with ID: ch1
Waiting for an agent...
2020/10/17 05:08:28 Downloading source code...
2020/10/17 05:08:30 Finished downloading source code
2020/10/17 05:08:30 Using acb_vol_076e4f75-f4fc-42c2-adb2-d713b2ce08c8 as the home volume
2020/10/17 05:08:30 Setting up Docker configuration...
2020/10/17 05:08:31 Successfully set up Docker configuration
2020/10/17 05:08:31 Logging in to registry: harsharenaregis.azurecr.io
2020/10/17 05:08:32 Successfully logged into harsharenaregis.azurecr.io
```

- ✓ After that you can that repository in container repository available.



- ✓ Use the azure registry container name to access the image. If you want to deploy this container on anywhere so you must have to use the full path of Docker pull command.



Now create the container instance for custom image.

- ✓ If you want to use the custom image firstly set the permission of image from the container registry -> click on image ->access key ->admin use (enable).



- ✓ Now create the container instance for custom image.





✓ Click on IP address and see the custom image.


52.138.115.116
Welcome to HarshArena YouTube Channel!
HarshArena

Lab Tasks

Create a container using custom image and attach all screen shots in your report.