



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Ecommerece App Testing	5	4	1	0	3 m 50.314 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Ecommerece App Testing	Form Filling	4	4	0	0	13.628 s
2	Ecommerece App Testing	Validating error message on not providing name field	3	3	0	0	2.373 s
3	Ecommerece App Testing	Adding product to cart	6	6	0	0	31.940 s
4	Ecommerece App Testing	Verify total cart amount	6	6	0	0	23.005 s
5	Ecommerece App Testing	Validate buying the products	7	5	1	1	35.026 s

(F)- Ecommerece App Testing


FAILED	DURATION - 3 m 50.314 s				
		Total - 5		Total - 26	
/ 4:04:39.822 PM	// 4:08:30.136 PM /	Pass - 4	5	Pass - 24	26
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Form Filling



#	Step / Hook Details	Status	Duration
1	Given I launch General Strore app from device	PASSED	0.043 s
2	When I provide required details in form "Anaya","Female" and "Australia"	PASSED	10.312 s
3	And Click on shop button	PASSED	0.144 s
4	Then Product list page is displayed "Products"	PASSED	3.082 s


(S)- Validating error message on not providing name field



DETAILED SECTION -- 5 --


#	Step / Hook Details	Status	Duration
1	Given I launch General Strore app from device	PASSED	0.008 s
2	When I click on lets shop button without providing name field	PASSED	0.634 s
3	Then I validate Toast error message "Please enter your name"	PASSED	1.731 s

(S)- Adding product to cart



#	Step / Hook Details	Status	Duration
1	Given I launch General Strore app from device	PASSED	0.003 s
2	When I provide required details in form	PASSED	16.528 s
3	And Click on shop button	PASSED	0.152 s
4	And I search for a particular product and add the product to cart	PASSED	13.358 s
5	And I navigate to cart	PASSED	0.222 s
6	Then Validate correct product is added to cart	PASSED	1.673 s


(S)- Verify total cart amount



#	Step / Hook Details	Status	Duration
1	Given I launch General Strore app from device	PASSED	0.014 s
2	When I provide required details in form	PASSED	18.147 s

#	Step / Hook Details	Status	Duration
3	And Click on shop button	PASSED	0.153 s
4	And I add the products to cart	PASSED	3.169 s
5	And I navigate to cart	PASSED	0.136 s
6	Then Validate product added amount is equal to total cart amount	PASSED	1.379 s

(S)- Validate buying the products



#	Step / Hook Details	Status	Duration
1	Given I launch General Strore app from device	PASSED	0.004 s
2	When I provide required details in form	PASSED	15.127 s
3	And Click on shop button	PASSED	0.172 s
4	And I search for a particular product and add the product to cart	PASSED	11.353 s
5	And I navigate to cart	PASSED	0.179 s
6	And I verify the terms and conditions functionality,check the promotional checkbox and click proceed to buy	FAILED	8.186 s
	io.appium.java_client.NoSuchContextException: No such context found. Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IN-BLROCT01', ip: '192.168.29.245', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.5' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {app: C:\Users\KPMG\git\Mobile_Au, appActivity: com.androidsample.generalst, appPackage: com.androidsample.generalstore, automationName: uiautomator2, chromedriverExecutable: C:\Users\KPMG\git\Mobile_Au, databaseEnabled: false, desired: {app: C:\Users\KPMG\git\Mobile_Au, appActivity: com.androidsample. generalst, appPackage: com.androidsample.generalstore, automationName: uiautomator2, chromedriverExecutable: C:\Users\KPMG\git\Mobile_Au, deviceName: emulator-5554, platformName: android, platformVersion: 12.0, resetKeyboard: true, unicodeKeyboard: true}, deviceApiLevel: 31, deviceManufacturer: Google, deviceModel: sdk_gphone64_x86_64, deviceName: emulator-5554, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 12, resetKeyboard: true, statBarHeight: 63, takesScreenshot: true, unicodeKeyboard: true, viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: c46f858d-3d83-4d69-b798-99c797b2eab2 at io.appium.java_client.AppiumDriver.context(AppiumDriver.java:232) at utility.GenericMethods.switchToWebView(GenericMethods.java:223) at actions.EcommerceAppActions.buyProduct(EcommerceAppActions.java:242) at stepDefinitions.EcommerceAppSteps. i_verify_the_terms_and_conditions_functionality_check_the_promotional_checkbox_and_click_proceed_to_buy(EcommerceAppSteps.java:83)		

#	Step / Hook Details	Status	Duration
	at ?.I verify the terms and conditions functionality,check the promotional checkbox and click proceed to buy(file:///C:/Users/KPMG/git/		
	Mobile_Automation/src/test/resources/featureFiles/EcommerceApp.feature:51)		
	Caused by: org.openqa.selenium.WebDriverException: No such context found. Build info: version: '3.141.59', revision: 'e82be7d358', time:		
	'2018-11-14T08:17:03' System info: host: 'IN-BLROCT01', ip: '192.168.29.245', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3',		
	java.version: '17.0.5' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {app: C:\Users\KPMG\git\Mobile_Au, appActivity:		
	com.androidsample.generalst, appPackage: com.androidsample.generalstore, automationName: uiautomator2, chromedriverExecutable: C:\Users\KPMG\git\Mobile_Au, appActivity: com.androidsample.		
	generalst, appPackage: com.androidsample.generalstore, automationName: uiautomator2, chromedriverExecutable:		
	C:\Users\KPMG\git\Mobile_Au, deviceName: emulator-5554, platformName: android, platformVersion: 12.0, resetKeyboard: true,		
	unicodeKeyboard: true}, deviceApiLevel: 31, deviceManufacturer: Google, deviceModel: sdk_gphone64_x86_64, deviceName: emulator-5554,		
	deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false,		
	networkConnectionEnabled: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 12, resetKeyboard: true,		
	statBarHeight: 63, takesScreenshot: true, unicodeKeyboard: true, viewportRect: {height: 2211, left: 0, top: 63, width: 1080}, warnings: {},		
	webStorageEnabled: false} Session ID: c46f858d-3d83-4d69-b798-99c797b2eab2		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:247)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41)		
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
	at io.appium.java_client.AppiumDriver.context(AppiumDriver.java:229)		
	at utility.GenericMethods.switchToWebView(GenericMethods.java:223)		
	at actions.EcommerceAppActions.buyProduct(EcommerceAppActions.java:142)		
	at stepDefinitions.EcommerceAppSteps. i_verify_the_terms_and_conditions_functionallity_check_the_promotional_checkbox_and_click_proceed_to_buy(EcommerceAppSteps.java:83)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:822)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:147)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:764)		
	at org.testng.TestRunner.run(TestRunner.java:585)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:384)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:286)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1218)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1140)		
	at org.testng.TestNG.runSuites(TestNG.java:1069)		
	at org.testng.TestNG.run(TestNG.java:1037)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
7	Then Validate navigation to buy page	SKIPPED	0.000 s